

Health-Related Quality of Life (HRQOL)

2011

Kobau R, Seligman ME, Peterson C, Diener E, Zack MM, Chapman D, Thompson W. Mental health promotion in public health: perspectives and strategies from positive psychology *Am J Public Health*. 2011 Aug;101(8):e1-9.

Zullig KJ, Hendryx M. Health-related quality of life among central Appalachian residents in mountaintop mining counties. *Am J Public Health* 2011;101(5):848–853.

Furner SE, Hootman JM, Helmick CG, Bolen J, Zack MM. Health-related quality of life of U.S. adults with arthritis: analysis of data from the Behavioral Risk Factor Surveillance System, 2003, 2005, and 2007. *Arthritis Care Res (Hoboken)* 2011 Jun;63(6):788-799.

2010

Kobau R, Diiorio C, Chapman D, Delvecchio P. Attitudes About Mental Illness and its Treatment: Validation of a Generic Scale for Public Health Surveillance of Mental Illness Associated Stigma. *Community Ment Health J* 2010 Apr;46(2):164-176.

2009

Brackbill RM, Hadler JL, DiGrande L, et al. Asthma and posttraumatic stress symptoms 5 to 6 years following exposure to the World Trade Center terrorist attack. *JAMA* 2009; 302(5):502-516.

Callahan LF, Shreffler J, Mielenz TJ, et al. Health-related quality of life in adults from 17 family practice clinics in North Carolina. *Prev Chronic Dis* 2009;6(1):A05.

Cavlak U, Yagci N, Aslan UB, Ekici G. A new tool measuring health-related quality of life (HRQOL): The effects of musculoskeletal pain in a group of older Turkish people. *Arch Gerontol Geriatr*. 2009 Sep-Oct;49(2):298-303.

Elliott JO, Charyton C, Lu B, Moore JL. Serious psychological distress and health outcomes for persons with epilepsy in poverty. *Seizure* 2009;18(5):332-338.

Hays RD, Kim S, Spritzer KL, et al. Effects of mode and order of administration on generic health-related quality of life scores. *Value Health* 2009;12(6):1035-1039.

Hays RD, Bjorner JB, Revicki DA, Spritzer KL, Cella D. Development of physical and mental health summary scores from the patient-reported outcomes measurement information system (PROMIS) global items. *Qual Life Res* 2009;18(7): 873-880.

Horner-Johnson W, Krahn G, Andresen E, Hall T. Developing summary scores of health-related quality of life for a population-based survey. *Public Health Rep* 2009;124(1):103-110.

Jia H, Moriarty DG, Kanarek N. County-Level Social Environment Determinants of Health-Related Quality of Life Among US Adults: A Multilevel Analysis. *J Community Health* 2009; 34(5):430-439.

Jia H, Lubetkin EI. Time trends and seasonal patterns of health-related quality of life among U.S. adults. *Public Health Rep* 2009;124(5):692-701.

Jiang Y, Hesser JE. Using item response theory to analyze the relationship between health-related quality of life and health risk factors. *Prev Chronic Dis* 2009;6(1):A30.

Kapp JM, Jackson-Thompson J, Petroski GF, Schootman M. Reliability of health-related quality-of-life indicators in cancer survivors from a population-based sample, 2005, BRFSS. *Public Health* 2009;123(4):321-325.

Klavestrand J, Vingard E. The relationship between physical activity and health-related quality of life: a systematic review of current evidence. *Scand J Med Sci Sports* 2009;19(3):300-312.

Koroukian SM. Minority Mental Health and Wellness: A Perspective from Health Care Systems (Ch. 3). In: *Determinants of Minority Mental Health and Wellness* (Loue S, Sajatovic M (eds). New York: Springer, 2009:1-35.

Kroenke K, Strine TW, Spitzer RL, Williams JB, Berry JT, Mokdad AH. The PHQ-8 as a measure of current depression in the general population. *J Affect Disord* 2009;114(1-3):163-173.

Lubetkin EI, Jia H. Health-Related Quality of Life, Quality-Adjusted Life Years, and Quality-Adjusted Life Expectancy in New York City from 1995 to 2006. *J Urban Health* 2009; 86(4):551-561.

McClave AK, Dube SR, Strine TW, Mokdad AH. Associations between health-related quality of life and smoking status among a large sample of U.S. adults. *Prev Med* 2009;48(2):173-179.

McGuire LC, Strine TW, Vachirasudlekha S, Anderson LA, Berry JT, Mokdad AH. Modifiable characteristics of a healthy lifestyle and chronic health conditions in older adults with or without serious psychological distress, 2007 Behavioral Risk Factor Surveillance System. *Int J Public Health* 2009;54(Suppl 1):84-93.

Momper SL, Nandi V, Ompad DC, Delva J, Galea S. The prevalence and types of gambling among undocumented Mexican immigrants in New York City. *J Gambl Stud.* 2009; 25(1):49-65.

Moore JL, Elliott JO, Lu B, Klatte ET, Charyton C. Serious psychological distress among persons with epilepsy based on the 2005 California Health Interview Survey. *Epilepsia* 2009; 50(5):1077-1084.

Moriarty DG, Zack MM, Holt JB, Chapman DP, Safran MA. Geographic patterns of frequent mental distress: US Adults, 1993-2001 and 2003-2006. *American Journal of Preventive Medicine* 2009;36(6):497-505.

Reeve BB, Potosky AL, Smith AW, et al. Impact of cancer on health-related quality of life of older Americans. *J Natl Cancer Inst* 2009;101(12):860-868.

Revicki DA, Kawata AK, Harnam N, Chen WH, Hays RD, Cella D. Predicting EuroQol (EQ-5D) scores from the patient-reported outcomes measurement information system (PROMIS) global items and domain item banks in a United States sample. *Qual Life Res* 2009; 18(6):783-791.

Salomon JA, Nordhagen S, Oza S, Murray CJ. Are Americans feeling less healthy? The puzzle of trends in self-rated health. *Am J Epidemiol* 2009;170(3):343-351.

Strine TW, Kroenke K, Dhingra S, et al. The associations between depression, health-related quality of life, social support, life satisfaction, and disability in community-dwelling US adults. *J Nerv Ment Dis* 2009;197(1):61-64.

White AM, Philogene GS, Fine L, Sinha S. Social support and self-reported health status of older adults in the United States. *Am J Public Health* 2009;99(10):1872-1878.

Zullig KJ, Huebner ES, Patton JM, Murray KA. The brief multidimensional students' life satisfaction scale-college version. *Am J Health Behav* 2009;33(5):483-493.

2008

Banta JE, Przekop P, Haviland MG, Perea M. Binge drinking among California adults: Results from the 2005 California Health Interview Survey. *Am J Drug Alcohol Abuse* 2008; 34(6):801-809.

Bigbee JL. Relationships between nurse- and physician-to-population ratios and state health rankings. *Public Health Nurs* 2008;25(3):244-252.

Chun TH, Weitzen SH, Fritz GK. The asthma/mental health nexus in a population-based sample of the United States. *Chest*. 2008;134(6):1176-1182.

Compton MT, Carrera J, Frank E. Stress and depressive symptoms/dysphoria among US medical students: results from a large, nationally representative survey. *J Nerv Ment Dis*. 2008 Dec; 196(12):891-897.

Faisal S. Mental Health Impact of Disasters (Master's Thesis). Georgia State University Department of Public Health (2008-12-05).

Ford ES, Mokdad AH, Li C, et al. Gender differences in coronary heart disease and health-related quality of life: Findings from 10 states from the 2004 Behavioral Risk Factor Surveillance System. *J Womens Health (Larchmt)* 2008;17(5):757-768.

Hung DY, Glasgow RE, Dickinson LM, et al. The chronic care model and relationships to patient health status and health-related quality of life. *Am J Prev Med* 2008; 35(5 Suppl):S398-S406.

Jiang Y, Hesser JE. Patterns of health-related quality of life and patterns associated with health risks among Rhode Island adults. *Health Qual Life Outcomes*. 2008 Jul 11;6:49.

Kim SC, Plumb R, Gredig QN, Rankin L, Taylor B. Medium-term post-Katrina health sequelae among New Orleans residents: predictors of poor mental and physical health. *J Clin Nurs*. 2008 Sep;17(17):2335-2342.

Kindig DA, Asada Y, Booske B. A population health framework for setting national and state health goals. *JAMA* 2008; 299(17):2081-2083.

Kolbe-Alexander TL, Buckmaster C, Nossel C, et al. Chronic disease risk factors, healthy days and medical claims in South African employees presenting for health risk screening. *BMC Public Health* 2008 Jul 4;8:228.

Manderscheid R, Druss B, Freeman E. Data to Manage the Mortality Crisis. *International Journal of Mental Health* 2008;37(2):49-68.

Mead H, Cartwright-Smith L, Jones K, Ramos C, Siegel B, Woods K. Racial and Ethnic Disparities in U.S. Health Care: A Chartbook (Pub. 1111). The Commonwealth Fund, March 2008.

Seekins T, Traci MA, Cummings S, Oreskovich J, Ravesloot C. Assessing environmental factors that affect disability: Establishing a baseline of visitability in a rural state. *Rehabilitation Psychology* 2008;53(1):80-84.

Vandemark LM, Mueller M. Mental health after sexual violence: The role of behavioral and demographic risk factors. *Nurs Res* 2008;57(3):175-181.

Wallace LS, Rogers ES, Weiss BD. Relationship between health literacy and health-related quality of life among Tennesseans. *Tenn Med* 2008;101(5):35-39.

Widener JM. *Disease Severity and Disability in Persons with Peripheral Arterial Disease*. Thesis (PhD), Ohio State University, *Nursing*, 2008.

2007

Addiss DG, Brady MA. Morbidity management in the Global Programme to Eliminate Lymphatic Filariasis: A review of the scientific literature. *Filaria J* 2007;6(2):1-19.

Alriksson-Schmidt AI, Wallander J, Biasini F. Quality of life and resilience in adolescents with a mobility disability. *J Pediatr Psychol* 2007;32:370–379.

Barger SD, Burke SM, Limbert MJ. Do Induced Moods Really Influence Health Perceptions? *Health Psychol* 2007;26(1):85–95.

Bish CL, Michels Blanck H, Maynard L, Serdula MK, Thompson NJ, Kettel Khan L. Health-Related Quality of Life and Weight Loss Practices Among Overweight and Obese US Adults, 2003 Behavioral Risk Factor Surveillance System. *Med Gen Med* 2007;9(2):35.

Bize R, Johnson JA, Plotnikoff RC. Physical activity level and health-related quality of life in the general adult population: A systematic review. *Prev Med* 2007;45(6):401–415.

Booske BC, Kempf AM, Athens JK, Kindig DA, Remington PL. Health of Wisconsin Report Card. *University of Wisconsin Population Health Institute*, 2007.

Bowler RM, Roels HA, Nakagawa S, et al. Dose-effect relationships between manganese exposure and neurological, neuropsychological and pulmonary function in confined space bridge welders. *Occup Environ Med* 2007 Mar;64(3):167–177.

Brotherton SS, Krause JS, Nietert PJ. A pilot study of factors associated with falls in individuals with incomplete spinal cord injury. *J Spinal Cord Med*. 2007;30(3):243-250.

Cella D, Yount S, Rothrock N, et al. The Patient-Reported Outcomes Measurement Information System (PROMIS): Progress of an NIH Roadmap cooperative group during its first two years. *Med Care* 2007;45(5 Suppl 1):S3-S11. See also Valderas JM, Alonso J. Comment in: *Med Care* 2007;45(10):1008; author reply 1008.

Centers for Medicare and Medicaid Services, Health Services Advisory Group. Medicare Health Outcomes Survey: 2004-2006 Cohort 7 Performance Measurement Report. *Centers for Medicare and Medicaid Services*, 2007 (Aug):1–42.

Chaney EH, Chaney JD, Wang MQ, Eddy JM. Lifestyle behaviors and mental health of American adults. *Psychol Rep* 2007;100(1):294–302.

Cheung CK, Wyman JF, Halcon LL. Use of complementary and alternative therapies in community-dwelling older adults. *J Altern Complement Med* 2007 Nov;13(9):997–1006.

Cook C, Pietrobon R, Hegedus E. Osteoarthritis and the impact on quality of life health indicators. *Rheumatol Int* 2007;27(4):315–321.

Fernández LE, Morales A. Language and use of cancer screening s among border and non-border Hispanic Texas women. *Ethn Health* 2007;12(3):245–263.

Ford JD, Adams ML, Dailey WF. Psychological and health problems in a geographically proximate population time-sampled continuously for three months after the September 11th, 2001 terrorist incidents. *Anxiety, Stress, Coping* 2007;20(2):129–146.

Freelove-Charton J, Bowles HR, Hooker S. Health-related quality of life by level of physical activity in arthritic older adults with and without activity limitations. *J Phys Act Health* 2007; 4(4):481–494.

Fryback DG, Dunham NC, Palta M, et al. U.S. norms for six generic health-related quality-of-life indexes from the National Health Measurement Study. *Med Care* 2007;45(12):1162–1170.

Glasgow RE. eHealth evaluation and dissemination research. *Am J Prev Med* 2007; 32(5 Suppl):S119–S126.

Glover S, Elder K, Xirasagar S, Baek J-D, Piper C, Campbell D. Disparities in mental health utilization among persons with chronic diseases. *J Health Dispar Res Pract* 2007;1(3):45–65.

Hanmer J, Hays R, Fryback DG. Mode of administration is important in U.S. national estimates of health-related quality of life. *Med Care* 2007;45(12):1171–1179.

Health Services Advisory Group. Medicare Health Outcomes Survey: Cohort 9 Baseline Data User's Guide. *Centers for Medicare and Medicaid Services*, 2007 (Oct):1-42.

Hope M, Ellis BH, Chinburapa V. Predictors of negative physical symptoms for Medicare managed care beneficiaries (abstract of presentation at 2007 American Geriatrics Society Annual Meeting. *J Am Geriatr Soc* 2007; 55(s1):S45.

Jaglal S, Cockerill R, Lemieux-Charles L, Chambers LW, Brazil K, Cohen C. Perceptions of the process of care among caregivers and care recipients in Dementia Care Networks. *Am J Alzheimer Dis Other Demen* 2007;22(2):103–111.

Jain S, Mills PJ, von Känel R, Hong S, Dimsdale JE. Effects of perceived stress and uplifts on inflammation and coagulability. *Psychophysiol* 2007;44(1):154–160.

Kaiser L, Baumrind N, Dumbauld S. Who is food-insecure in California? Findings from the California Women's Health Survey, 2004. *Public Health Nutr* 2007;10(6):574-581.

Kekkonen RA, Vasankari TJ, Vuorimaa T, Haahtela T, Julkunen I, Korpela R. The effect of probiotics on respiratory infections and gastrointestinal symptoms during training in marathon runners. *Int J Sport Nutr Exerc Metab* 2007;17(4):352-363.

Kim D, Kawachi I. U.S. State-level social capital and health-related quality of life: multilevel evidence of main, mediating, and modifying effects. *Ann Epidemiol* 2007;17(4):258–269.

Kim C, Sinco B, Kieffer EA. Racial and ethnic variation in access to health care, provision of health care services, and ratings of health among women with histories of gestational diabetes mellitus. *Diabetes Care* 2007;30(6):1459-1465.

Kimerling R, Alvarez J, Pavao J, Kaminski A, Baumrind N. Epidemiology and consequences of women's revictimization. *Womens Health Issues* 2007;17(2):101–106.

Kobau R, Zahran H, Grant D, Thurman DJ, Price PH, Zack MM. Prevalence of active epilepsy and health-related quality of life among adults with self-reported epilepsy in California: California Health Interview Survey, 2003. *Epilepsia* 2007 Oct;48(10):1904-1913.

Kruger J, Bowles HR, Jones DA, Ainsworth BE, Kohl HW. Health-related quality of life, BMI and physical activity among US adults ≥ 18 years): National Physical Activity and Weight Loss Survey, 2002. *Int J Obesity* 2007;31(2):321–327.

Kwan YK, Ip WC. Suicidality and migration among adolescents in Hong Kong. *Death Stud* 2007;31(1):45–66.

Larson RJ, Larson RJ, Welch HG. Risk for increased utilization and adverse health outcomes among men served by the Veterans Health Administration. *Mil Med* 2007;172(7):690–696.

Lavalley LF, Hatch PM, Michalos AC, McKinley T. Development of the Contentment with Life Assessment Scale (CLAS): Using daily life experiences to verify levels of self-reported life satisfaction. *Soc Indic Res* 2007;83(2):201–244.

Li C, Ford ES, Mokdad AH, Jiles R, Giles WH. Clustering of multiple healthy lifestyle habits and health-related quality of life. *Diabetes Care* 2007;30(7):1770-1776.

Mark TL, Shern DL, Bagalman JE, Cao Z. Ranking America's mental health: an analysis of depression across the states. *Mental Health America* 2007 (December 11):1–46.

Martin LG, Schoeni RF, Freedman VA, Andreski P. Feeling better? Trends in general health status. *J Gerontol B Psychol Sci Soc Sci* 2007;62:S11–S21.

McCracken M, Jiles R, Blanck HM. Health behaviors of the young adult U.S. population: Behavioral Risk Factor Surveillance System, 2003. *Prev Chronic Dis* 2007 Apr;4(2):A25.

McGuire LC, Strine TW, Okoro CA, Ahluwalia IB, Ford ES. Modifiable characteristics of a healthy lifestyle in U.S. older adults with or without frequent mental distress: 2003 Behavioral Risk Factor Surveillance System. *Am J Geriatr Psychiatry*. 2007;15(9):754–761.

Moriarty, D. Use of health-related quality-of-life surveillance data in public health decision-making — the case of the Behavioral Risk Factor Surveillance System, United States, 1991–2006. 2007 International Society for Quality of Life Research meeting abstracts. *The QLR Journal* 2007:A-86, Abstract #1404.

Neugaard B, Andresen EM, DeFries EL, Talley RC, Crews JE. Characteristics and health of caregivers and care recipients — North Carolina, 2005. *MMWR* 2007;56(21):529–532.

Okoro C, Strine T, McGuire L, Balluz L, Mokdad A. Employment status and frequent mental distress among adults with disabilities. *Occup Med (Lond)* 2007;57(3):217–220.

Parker MG, Thorslund M. Health trends in the elderly population: getting better and getting worse. *Gerontologist* 2007;47(2):150–158.

Rashad I. Cycling: an increasingly untouched source of physical and mental health—working paper 12929. *National Bureau of Economic Research Working Papers* February 2007.

Ravesloot CH, Seekins T, Cahill T, Lindgren S, Nary DE, White G. Health promotion for people with disabilities: development and evaluation of the Living Well with a Disability program. *Health Educ Res* 2007;22(4):522–531.

Reeve BB, Burke LB, Chiang YP, et al. Enhancing measurement in health outcomes research supported by Agencies within the US Department of Health and Human Services. *Qual Life Res* 2007;16(Suppl 1):175–186.

Rohrer JE, Arif A, Denison A, Young R, Adamson S. Overall self-rated health as an outcome indicator in primary care. *J Eval Clin Pract* 2007 Dec;13(6):882–888.

Rohrer J, Rohland B, Denison A, Pierce JR, Rasmussen NH. Family history of mental illness and frequent mental distress in community clinic patients. *J Eval Clin Prac* 2007;13(3):435–439.

Sahmoun AE, Markland MJ, Helgerson SD. Mental health status and diabetes among Whites and Native Americans: is race an effect modifier? *J Health Care PoorUnderserved* 2007; 18(3):599–608.

Schwartz C, Andresen E, Nosek M, Krahn G. Response shift theory: important implications for measuring quality of life in people with disability. *Arch Phys Med Rehabil* 2007 Apr; 88(4):529–536.

Skarupski KA, Mendes de Leon CF, Bienias JL, et al. Black-white differences in health-related quality of life among older adults. *Qual Life Res* 2007;16(2):287–296.

Stewart ST, Woodward RM, Rosen AB, Cutler DM. A proposed method for monitoring U.S. population health: linking symptoms, impairments, and health ratings. *NBER Working Papers* 2007;11358:1–56.

Strine TW, Chapman DP, Balluz L, Mokdad AH. Health-related quality of life and health behaviors by social and emotional support. Their relevance to psychiatry and medicine. *Soc Psychiatry Psychiatr Epidemiol* 2008;43(2):151–159.

Strine TW, Chapman DP, Balluz LS, Moriarty DG, Mokdad AH. The associations between life satisfaction and health-related quality of life, chronic illness, and health behaviors among U.S. community-dwelling adults. *J Community Health* 2008;33(1):40-50.

Sugiyama T, Thompson CW. Older people's health, outdoor activity and supportiveness of neighbourhood environments. *Landscape and Urban Planning* 2007 (Nov);83(2-3):168-175.

Sullivan G, Craske MG, Sherbourne C, et al. Design of the Coordinated Anxiety Learning and Management (CALM) study: innovations in collaborative care for anxiety disorders. *Gen Hosp Psychiatry* 2007;29(5):379-387.

Tann SS, Yabiku ST, Okamoto SK, Yanow J. triADD: the risk for alcohol abuse, depression, and diabetes multimorbidity in the American Indian and Alaska native population. *American Indian and Alaska Native Mental Health Research: Journal of the National Center* 2007; 14(1):1-23.

Wang J, Saalfrank MF, Hong SH, Liu C, Gourley DR. Patterns of reporting health-related quality of life across racial and ethnic groups. *Expert Review of Pharmacoeconomics and Outcomes Research* 2007;7(2):177-186.

Weissmann G. "Chronic Lyme" and other medically unexplained syndromes [editorial]. *FASEB J* 2007;21(2):299-301.

Zahran HS, Zack MM, Vernon-Smiley ME, Hertz MF. Health-related quality of life and behaviors risky to health among adults aged 18-24 years in secondary or higher education—United States, 2003-2005. *J Adolesc Health* 2007;41(4):389-397.

Zeinomar N, Caracciolo B, Andresen E, Brumback B, Defries E. Natural disaster and disability: case study of the Florida 2004 hurricane season based on the Behavioral Risk Factor Surveillance System (BRFSS) (presentation abstract), American College of Epidemiology Annual Meeting. *Annals of Epidemiology* 2007;17(9):752-753.

2006

Agwunobi JO. The *Healthy People 2010* Midcourse Review (Executive Summary-Goal 1: Increase quality and years of healthy life). *U.S. Public Health Service, DHHS*, Washington, D.C., 2006.

Alwan M, Mack DC, Dalal S, Kell S, Turner B, Felder RA. Impact of passive in-home health status monitoring technology in home health: outcome pilot (Proceedings). *Distributed Diagnosis and Home Healthcare, 2006-1st Transdisciplinary Conference* April 2-4, 2006:79-82.

An LC, Zhu SH, Nelson DB, et al. Benefits of telephone care over primary care for smoking cessation — a randomized trial. *Arch Intern Med* 2006;166:536-542.

- Becker H. Measuring health among people with disabilities. *Fam Community Health* 2006; 29(1 Suppl):70S–77S.
- Bish CL, Michels Blanck H, Maynard LM, Serdula MK, Thompson NJ, Kettel Khan L. Health-related quality of life and weight loss among overweight and obese U.S. adults, 2001 to 2002. *Obesity (Silver Spring)* 2006;14(11):2042–2053.
- Booske BC, Kindig DA, Remington PL, Kempf AM, Peppard PE. How should we measure health-related quality of life in Wisconsin? *University of Wisconsin Population Health Institute Brief Report* 2006;1(1):1–5.
- Borders TF, Rohrer JE, Cardarelli KM. Gender-specific disparities in obesity. *J Community Health* 2006;31(1):57–68.
- Brown DW, Brown DR, Heath GW, Moriarty DG, Balluz L, Giles WH. Relationships between engaging in recommended levels of physical activity and health-related quality of life among hypertensive adults. *J Phys Act Health* 2006;3(2):137–147.
- Burton WN, Chen CY, Schultz AB, Conti DJ, Pransky G, Edington DW. Worker productivity loss associated with arthritis. *Dis Manag* 2006;9(3):131–143.
- Choe JS, Kwon SO, Paik HY. Nutritional status and related factors of the elderly in longevity areas: III. Relation among self-rated health, health-related behaviors, and nutrient intake in rural elderly (Korean). *Korean J Nutr* 2006 Apr;39(3):286-298.
- Cockerill R, Jaglal S, Charles LL, Chambers L, Brazil K, Cohen C. A new instrument to assess caregivers' and care recipients' experiences with networks of dementia care. *Dementia* 2006;5(1):51–66.
- Fan ZJ, Bonauto DK, Foley MP, Silverstein BA. Underreporting of Work-Related Injury or Illness to Workers' Compensation: Individual and Industry Factors. *J Occup Environ Med* 2006;48(9):914–922.
- Ford JD, Adams ML, Dailey WF. Factors associated with receiving help and risk factors for disaster-related distress among Connecticut adults 5-15 months after the September 11th terrorist incidents. *Soc Psychiatry Psychiatr Epi* 2006;41(4):261–270.
- Frank E, Carrera JS, Elon L, Hertzberg VS. Basic demographics, health practices, and health status of U.S. medical students. *Am J Prev Med* 2006;31(6):499–505.
- Gabbidon SL, SA Peterson SA. Living while black—A state-level analysis of the influence of select social stressors on the quality of life among black Americans. *J Black Studies* 2006;37(1):83–102.
- Glasgow RE. RE-AIMing research for application: ways to improve evidence for family medicine. *J Am Board Fam Med* 2006;19:11–19.

- Goins RT, John R, Hennessy CH, Denny CH, Buchwald D. Determinants of health-related quality of life among older American Indians and Alaska Natives. *J Applied Geront* 2006; 25(1 Suppl):73S–88S.
- Golden L, Wiens-Tuers B. To your happiness? Extra hours of labor supply and worker well-being. *Journal of Socio-Economics* 2006;35(2):382-397.
- Griffin-Blake CS, Tucker PJ, Liburd L.. Mind over matter: Exploring job stress among female blue-collar workers. *J Womens Health (Larchmt)*. 2006;15(10):1105–1110.
- Hawk C, Hyland JK, Rupert R, Colonvega M, Hall S. Assessment of balance and risk for falls in a sample of community-dwelling adults aged 65 and older. *Chiropr Osteopat* 2006;14:3.
- Heo M, Pietrobelli A, Fontaine KR, Sirey JA, Faith MS. Depressive mood and obesity in U.S. adults: comparison and moderation by sex, age, and race. *Int J Obes* 2006;30(3):513–519.
- Ho G, Qian H, Kim MY, et al. Health disparities between island and mainland Puerto Ricans. *Pan Am J Publ H* 2006;19(5):331–339.
- Ipsen C. Health, secondary conditions, and employment outcomes for adults with disabilities. *Journal of Disability Policy Studies* 2006;17(2):77–87.
- Ipsen C, Ravesloot C, Seekins T, Seninger S. A financial cost–benefit analysis of a health promotion program for individuals with mobility impairments. *Journal of Disability Policy Studies* 2006;16(4):220-228.
- Jiang Y, Hesser JE. Associations between health-related quality of life and demographics and health risks. Results from Rhode Island's 2002 Behavioral Risk Factor Survey. *Health Qual Life Outcomes* 2006;4(14):1–10.
- Kaestner R, Tarlov E. Changes in the welfare caseload and the health of low-educated mothers. *J Policy Anal Manage* 2006;25(3):623–643.
- Kempf AM, Peppard PE, Booske BC, Kindig DA, Remington PL. Using measures of disparities as indicators of the health of Wisconsin. *University of Wisconsin Population Health Institute Brief Report* 2006;1(5):1–10.
- Kieffer EC, Sinco BR, Rafferty A, et al. Chronic disease-related behaviors and health among African Americans and Hispanics in the REACH Detroit 2010 communities, Michigan, and the United States. *Health Promot Pract* 2006;7(3 Suppl):256S–264S.
- Klementiev A. Chapter 5-An alternative measure of years of healthy life--[from: Estes RJ (ed.), *Advancing Quality of Life in a Turbulent World*]. *Soc Indic Res Series*, Springer Netherlands 2006;29:67–84.

Kobau R, Gilliam F, Thurman DJ. Prevalence of self-reported epilepsy or seizure disorder and its associations with self-reported depression and anxiety: Results from the 2004 HealthStyles survey. *Epilepsia* 2006;47(11):1915–1921.

Krause JS, Broderick LE, Saladin LK, Broyles J. Racial disparities in health outcomes after spinal cord injury: mediating effects of education and income. *J Spinal Cord Med* 2006; 29(1):17–25.

Lackner JM, Gudlkeski GD, Zack MM, et al. Measuring health-related quality of life in patients with irritable bowel syndrome: can less be more? *Psychosom Med* 2006;68:312–320.

LaVela SL, Weaver FM, Goldstein B, et al. Diabetes mellitus in individuals with spinal cord injury or disorder. *J Spinal Cord Med* 2006;29(4):387–395.

LaVela SL, Weaver FM, Smith B, Chen K. Disease prevalence and use of preventive services: comparison of female veterans in general and those with spinal cord injuries and disorders. *J Womens Health* 2006;15(3):301–311.

Link M, Osborn L, Induni M, Battaglia M, Frankel M. Behavior coding assessment of the quality of real-time telephone survey interpreters. In: *Proceedings of the 2006 Joint Statistical Meetings/American Statistical Association Conference* [CD-ROM]; 2006 Aug 6–10; Seattle, Washington. Alexandria, VA: American Statistical Association 2006.

Locker D, Gibson B. The concept of positive health: a review and commentary on its application in oral health research. *Community Dent Oral Epidemiol* 2006;34(3):161–173.

Mielenz T, Jackson E, Currey S, Robert DeVellis R, Callahan LF. Psychometric properties of the Centers for Disease Control and Prevention Health-Related Quality of Life (CDC HRQOL) items in adults with arthritis. *Health Qual Life Outcomes* 2006 Sep 24;4:66.

Miller W, Robinson LA, Lawrence RS (Eds); Committee to evaluate measures of health benefits for environmental, health, and safety regulation board on health care services. Valuing health for regulatory cost-effectiveness analysis. *Institute of Medicine*, National Academies Press, Washington, D.C., 2006:1-364.

Mody, RR, Smith, MJ. Smoking status and health-related quality of life: findings from the 2001 Behavioral Risk Factor Surveillance System Data. *Am J Health Promot* 2006;20(4):251–258.

Mucci LA, Wood PA, Cohen B, Clements KM, Brawarsky P, Brooks DR. Validity of self-reported health plan information in a population-based health survey. *J Publ Health Manag Pract* 2006;12(6):570-577.

Mukamal KJ, Ding EL, Djoussé L. Alcohol consumption, physical activity, and chronic disease risk factors: a population-based cross-sectional survey. *BMC Public Health* 2006 May 3;6:118.

Nelson KM. The burden of obesity among a national probability sample of veterans. *J Gen Intern Med*. 2006;21(9):915–919.

Pierce JR, Denison AV, Arif AA, Rohrer JE. Living near a trail is associated with increased odds of walking among patients using community clinics. *J Community Health* 2006;31(4):289–302.

Rowald, L. (2006). *Relationships among body mass index, physical activity status, and health-related quality of life in employed adults*. Thesis (Ph.D.)--Southern Illinois University Carbondale, 2006.

Sasaski Y, Henmi K, Ito K, et al. Relationship of Health-Related Quality of Life (HRQOL) and Population-Based Surveillance (Healthy Japan 21) for Japanese mothers (presentation abstract) in 2006 International Society for Quality of Life Research meeting abstracts. *Qual Life Res* (2006) Electronic Suppl, A-140, Abstract #1306.

Shaikh IA, Shaikh MA, Rasheed BO. Job satisfaction among male physicians--perspective from northern Iraq. *J Coll Physicians Surg Pak* 2006;16(5):329–332.

Shao SJ, Su SC, Kanarek N. County-level basics of living affects overall mortality rate in the United States—2000. *Applied Research in Quality of Life* 2006;1:97–106.

Sloane PD, Callahan L, Kahwati L, Mitchell CM. Development of a practice-based patient cohort for primary care research. *Fam Med* 2006;38(1):50–58.

Thacker SB, Stroup DF, Carande-Kulis V, Marks JS, Roy K, Gerberding JL. Measuring the public's health. *Public Health Rep* 2006;121(1):14–22.

Thommasen HV, Zhang W. Impact of chronic disease on quality of life in the Bella Coola Valley. *Rural Remote Health* 2006;6(2):528.

Thommasen HV, Zhang W. Health-related quality of life and type 2 diabetes: A study of people living in the Bella Coola Valley. *BC Medical Journal* 2006;48(6):272–278.

Toet J, Raat H, van Ameijden EJC. Validation of the Dutch version of the CDC core healthy days measures in a community sample. *Qual Life Res* 2006;15(1):179–184.

West AN, Weeks WB. Mental distress among younger veterans before, during, and after the invasion of Iraq. *Psychiatr Serv* 2006;57(2):244–248.

West A, Weeks WB. Physical and mental health and access to care among nonmetropolitan Veterans Health Administration patients younger than 65 years. *J Rural Health* 2006;22(1):9–16.

Wormser GP, Dattwyler RJ, Shapiro ED, et al. The clinical assessment, treatment, and prevention of Lyme disease, human granulocytic anaplasmosis, and babesiosis: clinical practice guidelines by the Infectious Diseases Society of America. *Clin Infect Dis* 2006;43:1089–1134.

[See also links to subsequent letters to the editor and the authors' reply at *Clin Infect Dis* 2007 Apr 15;44(8):1133-1139.]

Ziege A. Wisconsin--Using the Behavioral Risk Factor Survey to examine how Wisconsin adults view their health. Website report of: *Population Health Information Section, Bureau of Health Information and Policy, Division of Public Health, Wisconsin Department of Health and Family Services* 2006:1–15.

Zullig KJ, Ward RM, Horn T. The association between perceived spirituality, religiosity, and life satisfaction: The mediating role of self-rated health. *Soc Indic Res* 2006; 79(2):255-274.

2005

Abell JE, Hootman JM, Zack MM, Moriarty D, Helmick CG. Physical activity and health related quality of life among people with arthritis. *J Epidemiol Community Health* 2005;59(5):380–385.

Bertozi N, Vitali P, Binkin N, Perra A, D'Argenio P. "Quality of life" of the elderly population: a survey to evaluate elderly people's self-perceived health in 11 Italian regions (Argento Study, 2002)[Italian; English Abstract]. *Ig Sanita Pubbl* 2005;61(6):545–559.

Bitler MP, Gelbach JB, Hoynes HW. Welfare reform and health. *Journal of Human Resources* 2005;40(2):309–334.

Bombard JM, Powell KE, Martin LM, Helmick CG, Wilson WH. Validity and reliability of self-reported arthritis—Georgia senior centers, 2000–2001. *Am J Prev Med* 2005;28(3):251–258.

Chang CF, Nocetti D, Rubin RM. Healthy life expectancy for selected race and gender subgroups: The case of Tennessee. *South Med J* 2005;98(10):977–984.

Chew LD, Nelson KM, Young BA, Bradley KA. Association between alcohol consumption and diabetes preventive practices. *Fam Med* 2005;37(8):589–594.

Davies AM. The meaning of health distorted and trivialized (letter). *Lancet* 2005;365:571–572.

Davis K, Candrilli S, Kan H, Lucero M, Covington M. Estimating the effect of symptoms of diabetic peripheral neuropathy and diabetic retinopathy on quality of life using data from the 2001-2002 National Health and Nutrition Examination Survey (International Society of Pharmaceutical Outcomes Research Tenth Annual International Meeting—presentation abstract). *Value in Health* 2005 (May/June);8(3):365.

Donovan D, Mattson ME, Cisler RA, Longabaugh R, Zweben A. Quality of life as an outcome measure in alcoholism treatment research. *J Stud Alcohol* 2005; (Jul-Suppl)15:119–139.

Feinglass J, Lee C, Durazo-Arvizu R, Chang R. Health status, arthritis risk factors, and medical care use among respondents with joint symptoms or physician diagnosed arthritis: findings from the 2001 Behavioral Risk Factor Surveillance System. *J Rheumatol* 2005;32:130–136.

Ferguson PL, Selassie AW, Wannamaker BB, Dong B, Kobau R, Thurman DJ. Prevalence of epilepsy and health-related quality of life and disability among adults with epilepsy—South Carolina, 2003 and 2004. *MMWR* 2005;54(42):1080–1082.

Golden L, Wiens-Tuers B. Mandatory overtime work in the United States: Who, where, and what? *Labor Studies Journal* 2005;30(1):1–26.

Greenlund KJ, Denny CH, Mokdad AH, Watkins N, Croft JB, Mensah GA. Using behavioral risk factor surveillance data for heart disease and stroke prevention programs. *Am J Prev Med* 2005;29(5):81–87.

Harvard University. Feeling bad in America. *Harvard Mental Health Newsletter* 2005 Jun; 21(12):6-7.

Heller DA, Gold CH, Ahern FH, Pringle KE, Brown TV, Glessner MR. Changes in elderly women's health-related quality of life following discontinuation of hormone replacement therapy. *BMC Womens Health* 2005;16:5–7.

Hesser JE, Jiang Y. Quality of Life indicators in relation to physical activity for Rhode Island adults, 2002. *Medicine and Health-Rhode Island* 2005;88(6):196–197.

Keyes CL, Michalec B, Kobau R, Zahran H, Zack MM, Simoes EJ. Social support and health-related quality of life among older adults—Missouri, 2000. *MMWR* 2005;54(17):433–437.

Kimerling R, Baumrind N. Access to specialty mental health services among women in California. *Psychiatr Serv* 2005;56(6):729–734.

Lesesne CA, Christine Kennedy C. Starting early: Promoting the mental health of women and girls throughout the life span. *J Women's H* 2005;14(9):754–763.

Lin SX, Larson E. Does provision of health counseling differ by patient race? *Fam Med* 2005;37(9):650–654.

Linden W, Yi D, Barroetavena MC, MacKenzie R, Doll R. Development and validation of a psychosocial screening instrument for cancer. *Health and Quality of Life Outcomes* 2005;3:54.

Lubetkin EI, Jia H, Franks P, Gold MR. Relationship among sociodemographic factors, clinical conditions, and health-related quality of life: examining the EQ-5D in the U.S. general population. *Qual Life Res* 2005;14(10):2187–2196.

Luskin AT. What the asthma end points we know and love do and do not tell us. *J Allergy Clin Immunol* 2005;115(4 Suppl):S539–S545.

McCann JJ, Hebert LE, Li Y, Wolinsky FD, Gilley DW, Aggarwal NT, Miller JM, Evans DA. The effect of adult day care services on time to nursing home placement in older adults with Alzheimer's disease. *Gerontologist* 2005;45(6):754–763.

Michalos AC, Thommasen HV, Read R, Anderson N, Zumbo BD. Determinants of health and the quality of life in the Bella Coola Valley. *Soc Indicators Res* 2005;72(1):1–50.

Moriarty DG, Kobau R, Zack MM, Zahran HS. Tracking healthy days—a window on the health of older adults. *Prev Chronic Dis* [serial online] 2005;2(3)A16:8.

Moriarty DG, Zahran ZS. Frequent mental distress (FMD) among U.S. adults—1993–2003 (abstract). Presented at the Society for Epidemiologic Research Annual Meeting (Toronto) June 27–30, 2005. *Am J Epidemiol* 2005;161(Suppl):S1–S152:25.

Naimi TS, Brown DW, Brewer RD, et al. Cardiovascular risk factors and confounders among nondrinking and moderate-drinking U.S. adults. *American Journal of Preventive Medicine* 2005 May;28(4):369–373.

Nichol KL, D'Heilly S, Ehlinger E. Colds and influenza-like illnesses in university students: Impact on health, academic and work performance, and health care use. *Clin Infect Dis* 2005 May 1;40:1263–1270.

Phillips LJ, Hammock RL, Blanton JM. Predictors of self-rated health status among Texas residents. *Prev Chronic Dis* 2005 Oct;2(4):A12.

Ravesloot C, Seekins T, White G. Living Well With a Disability Health Promotion Intervention: Improved Health Status for Consumers and Lower Costs for Health Care Policymakers. *Rehab Psychol* 2005;50(3):239–245.

Rohrer JE, Borders TF, Blanton J. Rural residence is not a risk factor for frequent mental distress: A Behavioral Risk Factor Surveillance Survey. *BMC Public Health* 2005;5(1):46.

Rohrer, JE, Pierce JR, Blackburn C. Lifestyle and mental health. *Prev Med* 2005;40(4):438–443.

Rohrer JE, Rohland BM, Denison A, Way A. Frequency of alcohol use and obesity in community medicine patients. *BMC Fam Pract* 2005 Apr 22;6(1):17.

Sehili S, Elbasha EH, Moriarty DG, Zack MM. Inequalities in self-reported physical health in the United States, 1993–1999. *Health Econ* 2005;14(4):377–389.

Servoss TJ, Donnelly JP. Developing more comprehensive models for predicting physical and mental unhealthy days (Abstract)—presentation at the annual meeting of the International Society for Quality of Life Research, October 19–22, 2005, San Francisco, California (abstract). *Qual Life Res* 2005;14(9):2056.

Shisana O, Peltzer K, Zungu-Dirwayi N, Louw J. The health of our educators: a focus on HIV/AIDS in South African public schools [Report ISBN: 0–7969–2101–6]. *Human Sciences Research Council Press, South Africa;2005:1–200*.

Smith DW, McFall SL. The relationship of diet and exercise for weight control and the quality of life gap associated with diabetes. *J Psychosomatic Res* 2005;59(6):385–392.

Steiner SL. *Determining predictors of frequent mental distress*. Thesis (M.S.)-- San Diego State University, 2005.

Strine TW, Chapman DP. Associations of frequent sleep insufficiency with health-related quality of life and health behaviors. *Sleep Med* 2005;6(1):23–27.

Strine TW, Chapman DP, Kobau R, Balluz L. Associations of self-reported anxiety symptoms with health-related quality of life and health behaviors. *Soc Psychiatry Psychiatr Epidemiol* 2005;40(6):432–438. Erratum: Associations of self-reported anxiety symptoms with health-related quality of life and health behaviors. *Soc Psychiatry Psychiatr Epidemiol* 2005;40:680.

Strine TW, Hootman JM, Chapman DP, Okoro CA, Balluz L. Health-related quality of life, health risk behaviors, and disability among adults with pain-related activity difficulty. *Am J Public Health* 2005;95(11):2042–2048.

Strine TW, Okoro CA, Chapman DP, Balluz LS, Ford ES, Ajani UA, Mokdad AH. Health-related quality of life and health risk behaviors among smokers. *Am J Prev Med* 2005;28(2):182–187.

Sullivan G, Craske MG, Sherbourne C, et al. Design of the Coordinated Anxiety Learning and Management (CALM) study: innovations in collaborative care for anxiety disorders. *Gen Hosp Psychiatry* 2007;29(5):379–387.

Szwarwald CL, Bastos FI, Esteves MAP. State of animus among Brazilians: influence of socioeconomic context? *Cad Saúde Pública* 2005;21(suppl 1):S33–S42.

Thommasen HV, Berkowitz J, Thommasen AT, Michalos AC. Understanding relationships between diabetes mellitus and health-related quality of life in a rural community. *Rural Remote Health* 2005;5(3):441 (online).

Wheaton AG, Blanck HM, Gizlice Z, Reyes M. Medicinal herb use in a population-based survey of adults: prevalence and frequency of use, reasons for use, and use among their children. *Ann Epidemiol* 2005;15(9):678–685.

Wisdom JP, Berlin M, Lapidus JA. Relating health policy to women's health outcomes. *Soc Sci Med* 2005;61(8):1776–1784.

Wubben DP, Porterfield D. Health-related quality of life among North Carolina adults with diabetes mellitus. *N C Med J* 2005;66(3):179–185.

Zahran HS, Kobau R, Moriarty DG, Zack MM, Holt J, Donehoo R. Health-related quality of life surveillance—United States, 1993–2002. *MMWR Surveillance Summary* 2005;54(SS–4):1–35.

Zullig KJ. Using CDC's health-related quality of life scale on a college campus. *Am J Health Behav* 2005;29(6):569–578.

Zullig KJ, Huebner ES, Gilman R, et al. Validation of the brief multidimensional students' life satisfaction scale among college students. *Am J Health Behav* 2005;29(3):206–214.

Zullig KJ, Valois RF, Drane JW. Adolescent distinctions between quality of life and self-rated health in quality of life research. *Health Qual Life Outcomes* 2005;3(64):1–9.

Zullig KJ, Valois RF, Huebner ES, Drane JW. Adolescent health-related quality of life and perceived satisfaction with life. *Qual Life Res* 2005;14(6) :1573–1584.

2004

Adams ML, Ford JD, Dailey WF. Predictors of help seeking among Connecticut adults after September 11, 2001. *Am J Public Health* 2004;94:1596–1602.

Alhuwalia IB, Mack KA, Mokdad A. Mental and physical distress and high-risk behaviors among reproductive-age women. *Obstet Gynecol* 2004;104:477–483.

Barrett K, Greene R, Mariani M. A case of neglect—why health care is getting worse, even though medicine is getting better. *Governing* 2004 Jul (Special Issue).

Bitler M, Gelbach J, Hoynes H. Welfare Reform and Health—Working Paper 10549. *National Bureau of Economic Research Working Papers* June 2004.

Brown DW, Balluz LS, Giles WH, et al. Diabetes mellitus and health-related quality of life among older adults. Findings from the Behavioral Risk Factor Surveillance System (BRFSS). *Diabetes Res Clin Pract* 2004;65(2):105–115.

Brown DW, Brown DR, Heath GW, et al. Associations between physical activity dose and health-related quality of life. *Medi Sci Sports Exerc* 2004;36(5):890–896.

Bushnik T, Englander J, Duong T. Medical and social issues related to posttraumatic seizures in persons with traumatic brain injury. *J Head Trauma Rehabil* 2004;19(4):296–304.

Centers for Disease Control and Prevention, Council of State and Territorial Epidemiologists; Association of State and Territorial Chronic Disease Program Directors. Indicators for chronic disease surveillance. *MMWR Recomm Rep* 2004;53(RR-11):1–6.

Centers for Disease Control and Prevention. Health-Related Quality of Life, Part II — State and Local Applications. *Chronic Disease Notes and Reports* 2004;16:1-48.

Clark MS, Bond MJ, Prior KN, Cotton AC. Measuring disability with parsimony: evidence for the utility of a single item. *Disabil Rehabil* 2004;26(5):272–279.

Dehejia RH, Lleras-Muney A. Booms, busts, and babies' health. *Q J Econ* 2004; 119(3):1091-1130.

Dominick KL, Ahern FM, Gold CH, Heller DA. Health-related quality of life among older adults with activity-limiting health conditions. *Arthritis Rheum* 2004;51(3):326-331.

Dominick KL, Ahern FM, Gold CH, Heller DA. Health-related quality of life and health service use among older adults with osteoarthritis. *Arthritis Rheum* 2004 Jun 15;51(3):326-331.

Doyle R. Getting sicker: State budget constraints threaten public health. *Scientific Amer* 2004 Nov;291(5):30.

Ford ES, Mannino DM, Redd SC, Moriarty DG, Mokdad AH. Determinants of quality of life among people with asthma: Findings from the Behavioral Risk Factor Surveillance System. *J Asthma* 2004;41(3):327-336.

Frank E, Galuska DA, Elon LK, Wright EH. Personal and clinical exercise-related attitudes and behaviors of freshmen US medical students. *Res Q Exerc Sport* 2004;75(2):112-121.

Greiner KA, Li C, Kawachi I, Hunt DC, Ahluwalia JS. The relationships of social participation and community ratings to health and health behaviors in areas with high and low population density. *Soc Sci Med* 2004;59(11):2303-2312.

Homer J, Milstein B. Optimal decision making in a dynamic model of community health. *Proceedings of the 37th Hawaii International Conference on System Sciences*; Hawaii, 2004.

Jia H, Muennig P, Borawski E. Comparison of small-area analysis techniques for estimating county-level outcomes. *Am J Prev Med* 2004;26(5):453-460.

Jia H, Muennig P, Lubetkin EI, Gold MR. Predicting geographic variations in behavioral risk factors; an analysis of physical and mental healthy days. *J Epidemiol Community Health* 2004; 58(2):150-155.

Jones N, Jones SL, Miller NA. The Medicare Health Outcomes Survey program: Overview, context, and near-term prospects. *Health Qual Life Outcomes* 2004 Jul 12;2:33.

Keller HH. Nutrition and health-related quality of life in frail older adults. *J Nutr Health Aging* 2004;8(4):245-252.

Keller HH, Ostbye T, Goy R. Nutritional risk predicts quality of life in elderly community-living Canadians. *J Geront—Biol and Med Sci* 2004;59(1):68-74.

Kobau R, Safran MA, Zack MM, Moriarty DG, Chapman D. Sad, blue, or depressed days, health behaviors and health-related quality of life, Behavioral Risk Factor Surveillance System, 1995-2000 *Health Qual Life Outcomes* 2004;2(40):1-8.

Krause JS, Broderick L. Outcomes after spinal cord injury: comparisons as a function of gender and race and ethnicity. *Arch Phys Med Rehabil* 2004;85(3):355–362.

McCann JJ, Hebert LE, Bienias JL, Morris MC, Evans DA. Predictors of beginning and ending caregiving during a 3-year period in a biracial community population of older adults. *Am J Public Health* 2004;94(10):1800–1818.

Michalos AC. Social indicators research and health-related quality of life research. *Soc Indic Res* 2004;65(1):27–72.

Okoro CA, Mokdad AH, Brewer RD, Naimi TS, Moriarty DG, Giles WH. Binge drinking and health-related quality of life: do popular perceptions match reality? *Am J Prev Med* 2004; 26(3):230–232.

Phillips M. Health Assessments: The key to unlocking funds? *Parks Recreation* 2004; 39(7):16.

Reiber GE, Koepsell TD, Maynard C, Haas LB, Boyko EJ. Diabetes in nonveterans, veterans, and veterans receiving Department of Veterans Affairs health care. *Diabetes Care* 2004; 27(Suppl 2):B3–9.

Roberts RK, Swanson NG, Murphy LR. Discrimination and occupational mental health. *J Ment Health* 2004;13(2):129–142.

Rohrer JE. Medical care usage and self-rated mental health. *BMC Public Health* 2004;4:3.

Smith DW. The population perspective on quality of life among Americans with diabetes. *Qual Life Res* 2004;13(8):1391–1400.

Strine TW, Balluz LI, Chapman DP, Moriarty DG, Owens MG, Mokdad AH. Risk behaviors and health care coverage among adults by frequent mental distress status, 2001. *Am J Prev Med* 2004;26(3):213–216.

Strine TW, Beckles GA, Okoro CA, Lina Balluz L, Ali Mokdad A. Prevalence of CVD risk factors among adults with diabetes by mental distress status. *Am J Health Behav* 2004; 28(5):464–470.

Strine TW, Chapman DP, Kobau R, Balluz LI, Mokdad AH. Depression, anxiety, and physical impairments and quality of life in the U.S. non-institutionalized population. *Psychiatr Serv* 2004; 55:1408–1413.

Strine TW, Ford ES, Balluz L, Chapman DP, Mokdad AH. Risk behaviors and health-related quality of life among adults with asthma—the role of mental health status. *Chest* 2004; 126(6):1849–1854.

Strine TW, Greenlund KJ, Brown DW, Mokdad A, Balluz L. Characteristics of people aged 45 years or older with heart disease by frequent mental distress status, 2001. *Prev Med* 2004 Jul; 39(1):191–196.

Strine TW, Hootman JM, Okoro CA, et al. Frequent mental distress status among adults 45+ years of age with arthritis, 2001. *Arthritis Care Res* 2004;51(4):533–537.

Valois RF, Zullig KJ, Huebner ES, Drane JW. Life satisfaction and suicide among high school adolescents. *Soc Indicators Res* 2004;66:81–105.

Vuong OM, Mardon R, Mierzejewski R, Moriarty DG. Measuring healthy days in older adults: Results from the Medicare Health Outcomes Survey and Behavioral Risk Factor Surveillance System (presentation abstract). *American Public Health Association 132nd Annual Meeting*, Washington DC (November 6-10, 2004, paper_81144).

Young FW. Socioeconomic Status and Health: The Problem of Explanation and a Sociological Solution. *Social Theory & Health* 2004;2(2):123–141.

Zack MM, Moriarty DG, Stroup DF, Ford ES, Mokdad AH. Worsening trends in adult health-related quality of life and self-rated health—United States, 1993–2001. *Public Health Reports* 2004;119(5):493–505.

Zahran HS, Kobau R, Moriarty DG, Zack MM, Giles WH, Lando J. Self-reported frequent mental distress among adults—United States, 1993–2001. Centers for Disease Prevention and Control, *MMWR* 2004;53(41):963–966.

Zullig KJ, Valois RF, Huebner ES, Drane JW. Evaluating the performance of the Centers for Disease Control and Prevention core health-related quality of life scale with adolescents. *Public Health Rep* 2004;119(6):577–584.

2003

Ahluwalia IB, Holtzman D, Mack KA, Mokdad A. Health-related quality of life among women of reproductive age: Behavioral Risk Factor Surveillance System (BRFSS), 1998–2001. *J Womens Health* 2003;12(1):5–10.

Andresen EM, Catlin TK, Wyrwich KW, Jackson-Thompson J. Retest reliability of surveillance questions on health related quality of life. *J Epidemiol Community Health* 2003;57(5):339–343.

Andresen EM, Recktenwald A, Gillespie K. Population estimates of utilities: the Health and Activity Limitation Index (HALEX) (Abstract)—presentation at the 10th annual meeting of the International Society for Quality of Life Research, Nov 12–15, 2003 in Prague, Czech Republic. *Qual Life Res* 2003;12(7):737.

Bensley L, Van Eenwyk J, Wynkoop-Simmons K. Childhood family violence history and women's risk for intimate partner violence and poor health. *Am J Prev Med* 2003;25(1):38–44.

Berra K. The effect of lifestyle interventions on quality of life and patient satisfaction with health and health care. *J Cardiovasc Nurs* 2003;18(4):319-325.

Boehmer TK, Booth VL, Flanders WD, Barrett DH. Health-related quality of life of U.S. military personnel; a population-based study. *Military Medicine* 2003;168(11):941-947.

Brown DW, Balluz LS, Ford ES, et al. Associations between short- and long-term unemployment and frequent mental distress among a national sample of men and women. *J Occup Environ Med* 2003;45(11):1159-1166.

Brown DW, Balluz LS, Heath GW, et al. Associations between recommended levels of physical activity and health-related quality of life—Findings from the 2001 Behavioral Risk Factor Surveillance System. *Prev Med* 2003; 37:520-528.

Centers for Disease Control and Prevention. HRQOL measures can help track health as population ages. Health-Related Quality of Life, Part I. *Chronic Disease Notes and Reports* 2003;16:1-36.

Currey SS, Rao JK, Winfield JB, Callahan LF. Performance of a generic health-related quality of life measure in a clinic population with rheumatic disease. *Arthritis Care and Research* 2003;49(5):658-664.

Diamant AL, Wold C. Sexual orientation and variation in physical and mental health status among women. *J Women's Health* 2003;12(1):41-49.

Dominick KL, Ahern FM, Gold CH, Heller DA. Gender differences in nonsteroidal anti-inflammatory use among older adults with osteoarthritis. *Annals of Pharmacotherapy* 2003; 37:1566-1571.

Dominick KL, Ahern FM, Gold CH, Heller DA. Health-related quality of life among older adults with activity-limiting health conditions. *Journal of Mental Health and Aging* 2003;9(1):43-53.

Dunlop DD, Song J, Lyons JS, Manheim LM, Chang RW. Racial/ethnic differences in rates of depression among preretirement adults. *Am J Public Health* 2003;93(11):1945-1952.

Ford ES, Mannino DM, Homa DM, et al. Self-reported asthma and health-related quality of life: findings from the Behavioral Risk Factor Surveillance System. *Chest* 2003;123(1):119-127.

Goins RT, Spencer SM, Krummel DA. Effect of obesity on health-related quality of life among Appalachian elderly. *Southern Medical Journal* 2003;96(6):553-557.

Greenberg M. Was 1992-2000 the best of times for American urban neighborhoods? *Geog Rev* 2003;93(1):81-96.

Harwell TS, Moore KR, Spencer MR. Physical violence, intimate partner violence, and emotional abuse among adult American Indian men and women in Montana. *Prev Med* 2003; 37(4):297–303.

Hassan MK, Joshi AV, Madhavan SS, Amonkar MM. Obesity and health-related quality of life: a cross-sectional analysis of the US population. *Intl J Obesity* 2003;27(10):1227–1232.

Helliwell J. How's life? Combining individual and national variables to explain subjective well-being. *Economic Modeling* 2003;20(2):331–360. Accessible as *NBER Working Paper* No. 9065 (July 2002).

Heo M, Allison DB, Faith MS, Zhu SK, Fontaine KR. Obesity and quality of life: mediating effects of pain and comorbidities. *Obesity Research* 2003;11(2):209–216.

Houlihan BV, Drainoni ML, Warner G, Nesathurai S, Wierbicky J, Williams S. The impact of Internet access for people with spinal cord injuries: a descriptive analysis of a pilot study. *Disabil Rehabil* 2003;25(8):422–431.

Lubetkin EI, Jia H, Gold MR. Depression, anxiety, and associated health status in low-income Chinese patients. *Am J Prev Med* 2003;24(4):354–360.

Mili F, Helmick CH, Zack MM, Moriarty DG. Health-related quality of life among adults reporting arthritis: Analysis of data from the Behavioral Risk Factor Surveillance System, United States, 1996–1999. *J Rheumatol* 2003;30:160–166.

Moriarty DG, Zack MM, Kobau R. The Centers for Disease Control and Prevention's healthy days measures—population tracking of perceived physical and mental health over time. *Health Qual Life Outcomes* 2003;1(37)1–8.

Ravesloot C, Seekins T, Ipsen C, et al. A cost-effectiveness analysis of a community-based health promotion intervention for adults with mobility impairments (Final report). Missoula: *University of Montana, Rural Institute on Disabilities* 2003.

Segui-Gomez M, MacKenzie EJ. Measuring the public health impact of injuries. *Epidemiol Rev* 2003;25:3–19.

Sue S, Chu JY. The mental health of ethnic minority groups: Challenges posed by the supplement to the Surgeon General's report on mental health. *Cult Med Psychiatry* 2003; 27(4):447–465.

Zahran HS, Moriarty DG, Zack MM, Kobau R. Health-related quality of life among low-income adults aged 45–64 years—Behavioral Risk Factor Surveillance System, 1995–2001. Centers for Disease Prevention and Control, *MMWR* 2003;52(46):1120–1124.

2002

Alfredsson J. Healthy Days in Gävleborg—Use of CDC's Healthy Days measure in the Swedish county of Gävleborg Dagar med full hälsa i Gävleborgs län – ett försök att mäta hälsorelaterad livskvalitet i befolkningen med hjälp av CDC: s frågebatteri Healthy Days [Swedish]. Rapport från Samhällsmedicin Gävleborg. Landstinget Gävleborg. 2002;3.

Buescher PA, Ziya Gizlice Z. Healthy Life Expectancy in North Carolina, 1996–2000. *SCHS Studies*; North Carolina Department of Health and Human Services, State Center for Health Statistics, Raleigh, NC 2002; No.129: 17.

Centers for Disease Control and Prevention. Health-Related Quality of Life—Puerto Rico, 1996-2000. *MMWR* 2002;51(08):166–168.

Cloutier S, Martin SL, Poole C. Sexual assault among North Carolina women: prevalence and health risk factors. *Journal of Epidemiology and Community Health* 2002;56:265–271.

Committee on the Consequences of Uninsurance, Board on Health Care Services, Institute of Medicine. Care without Coverage: Too little, too late. *National Academy Press*, Washington, DC 2002:1-212.

Culica D, Rohrer J, Ward M, Hilsenrath P, Pomrehn P. Medical checkups: who does not get them? *Am J Public Health* 2002;92(1):88–91.

Dominick KL, Ahern FM, Gold CH, Heller DA. Relationship of health-related quality of life to health care utilization and mortality among older adults. *Aging Clin Exp Res* 2002; 14(6):499-508.

Gizlice Z. Health Conditions and Behaviors Among North Carolina and United States Military Veterans Compared to Non-Veterans. *North Carolina Special Report Series SCHS* 2002(133):1-7.

Greenlund KJ, Giles WH, Keenan NL, Croft JB, Mensah GA, Huston SL. Physician advice, patient actions, and health-related quality of life in secondary prevention of stroke through diet and exercise—The physician's role in helping patients to increase physical activity and improve eating habits. *Stroke* 2002;33:565–571.

Hunt DC, Yonke CT. Use of a behavioral risk survey by employers to identify leading health problems among employees and their dependents. *J Public Health Manag Pract* 2002; 8(4):26-32.

Koepsell T, Reiber G, Simmons KW. Behavioral risk factors and use of preventive services among veterans in Washington State. *Prev Med* 2002;35(6):557–562.

Lu N, Samuels ME, Huang KC. Dietary behavior in relation to socioeconomic characteristics and self-perceived health status. *J Health Care Poor Underserved* 2002;13(2):241–257.

McNutt LA, Carlson BE, Persaud M, Postmus J. Cumulative abuse experiences, physical health and health behaviors. *Ann Epidemiol* 2002 Feb;12(2):123–130.

Michalos AC, Zumbo BD. Healthy days, health satisfaction with the overall quality of life. *Soc Indic Res* 2002;59(3): 321–338.

Moriarty D, Zack M. Seasonal patterns in health-related quality of life among adults-Behavioral Risk Factor Surveillance System (BRFSS), 1993–2000 (presentation abstract). *Quality of Life Research*, Abstracts Issue, 9th Annual Conference of the International Society for Quality of Life Research, Orlando, Florida, 2002;11(7):635.

Morrell M. Stigma and epilepsy. *Epilepsy Behav* 2002;3(Suppl2):S21–S25.

Robert Wood Johnson Foundation and the Foundation for Accountability. A portrait of the chronically ill in America, 2001. Princeton, NJ: *Robert Wood Johnson Foundation*, 2002.

Vest JR, Catlin TK, Chen JJ, Brownson RC. Multistate analysis of factors associated with intimate partner violence. *Am J Prev Med* 2002;22(3):156–164.

Vradenburg JA, Simoes EJ, Jackson-Thompson J, Murayi T. The prevalence of arthritis and activity limitation and their predictors in Missouri. *J Comm Hlth* 2002;27(2):91–107.

Yassin AS, Beckles GL, Messonnier ML. Disability and its economic impact among adults with diabetes. *J Occup Environ Med*, 2002;44(2):136–142.

2001

Amarantos E, Martinez A, Dwyer J. Nutrition and quality of life in older adults. *J Gerontol A Biol Sci Med Sci* 2001;56A(Spec Iss 2):54–64.

Andresen EM, Vahle VJ, Lollar D. Proxy reliability: Health-related quality of life (HRQOL) measures for people with disability. *Qual Life Res* 2001;10:609–619.

Brzenchek J, Ahern K, Dominick D, Heller C, Gold C, Conway S. Self-reported health-related quality of life and health service utilization of Alzheimer's patients. *Gerontologist* 2001; 41(S1):366–366.

Calsyn RJ, Winter JP. Predicting four types of service needs in older adults. *Evaluation and Program Planning* 2001;24(2):157–166.

Centers for Disease Control and Prevention. Health-related quality of life among persons with epilepsy—Texas 1998. *MMWR* 2001;50:24–26.

Conway S, Gold M, Dominick K, Ahern F, Heller D. Mental health-related quality of life (HRQOL) measures as predictors of cardiac hospitalization (presentation abstract). 22nd Annual Meeting of the *Society of Behavioral Medicine*, Seattle, Washington (Mar 2001).

Davis S. Requirements for population data. Section 3 of the Abt project: Analyses for Improved Information in Managed Care: The Data Framework for the 21st Century. MHSIP 2001.

Dugan E, Roberts CP, Cohen SJ, et al. Why older community-dwelling adults do not discuss urinary incontinence with their primary care physicians. *J Am Geriatr Soc* 2001;49(4):462-465.

Ford ES, Moriarty DG, Zack MM, Mokdad AH, Chapman DP. Self-reported body mass index and health-related quality of life: findings from the Behavioral Risk Factor Surveillance System. *Obesity Research* 2001;9(1):21-31.

Ford J. Substance use and self-reported mental health: The moderating effect of acquaintance use behavior among adults. *J Drug Issues* 2001;31(2):565-590.

Hagerty MR, Cummins RA, Ferriss AL, et al. Quality of life indexes for national policy: review and agenda for research. *Soc Indic Res* 2001;55(1):1-96.

Kumar V, Acanfora MA, Hennessy CH, Kalache A. The health status of rural elders. *J Rural Health* 2001;17(4):328-331.

Nelson DE, Holtzman D, Bolen J, Stanwyck CA, Mack KA. Reliability and validity of measures from the Behavioral Risk Factor Surveillance System (BRFSS). *Sozial- und Praventiv Medizin* 2001;1:(46 Suppl) S3-42.

Ôunpuu S, Chambers LW, Patterson C, Chan D, Yusuf S. Validity of the United States Behavioral Risk Factor Surveillance System's health-related quality of life survey tool in a group of older Canadians. *Chronic Diseases in Canada* 2001;22(3-4):93-101.

Park H, Sprince N, Jensen C, Whitten PS, Zwerling C. Health risk factors among Iowa farmers. *J Rural Health*, 2001;18(2):286-293.

Simon P, Lightstone A, Zeng Z, et al. Health-related quality of life—Los Angeles County, California, 1999. *MMWR* 2001;(26):556-559.

Valdmanis V, Smith DW, Page MR. Productivity and economic burden associated with diabetes. *AJPH* 2001;91(1):129-130.

Weinbaum Z, Stratton TL, Chavez G, Motylewski-Link C, Barrera N, Courtney JG. Female victims of intimate partner physical domestic violence (IPP-DV), California 1998. *Am J Prev Med* 2001;21(4):313-319.

2000

Albert SM. Change in BRFSS health status/HRQOL measures predicts volume of medical use: Results from the Harlem Men's Health Cohort (presentation abstract). 17th Annual *Behavioral Risk Factor Surveillance System Conference*, Memphis, TN (Mar 2000).

Andresen EM, Brownson RC. Disability and health status: ethnic differences among women in the United States. *J Epidemiol Community Health* 2000;54(3):200–206.

Andresen EM, Fitch CA, McLendon PM, Meyers AR. Reliability and validity of disability questions for US Census 2000. *Am J Public Health* 2000;90(8):1297–1299.

Andresen EM, Meyers AR. Health-related quality of life outcomes measures. *Arch Phys Med Rehabil* 2000;81(12 Suppl 2):S30–S45.

Centers for Disease Control and Prevention. Community indicators of health-related quality of life—United States, 1993–1997. *MMWR* 2000;49(13):281–285. .

Centers for Disease Control and Prevention. Health-related quality of life among adults with arthritis—Behavioral Risk Factor Surveillance System, 11 States, 1996–1998. *MMWR* 2000; 49(17):366–369.

Centers for Disease Control and Prevention. Measuring healthy days: Population assessment of health-related quality of life. Atlanta, Georgia: *Centers for Disease Control and Prevention*, 2000.

Coker AL, McKeown RE, Sanderson M, Davis KE et al. Severe dating violence and quality of life among South Carolina high school students. *Am J Prev Med* 2000;19(4):220–227.

Gold M. Summary measures of population health and beyond: a look at U.S. federal activities in measuring the health of populations. WHO Conference. *Statistical Commission and Economic Commission for Europe* 2000. Working paper No. 11. Ottawa Canada, 23–25.

Harwell TS, Spence MR. Population surveillance for physical violence among adult men and women, Montana. *Am J Prev Med* 2000;19(4):321–324.

Hathaway JE, Mucci LA, Silverman JG et al. Health status and health care use of Massachusetts women reporting partner abuse. *Am J Prev Med* 2000;19(4):302–307.

Krause JS, Coker JL, Charlifue S, Whiteneck GG. Health outcomes among American Indians with spinal cord injury. *Arch Phys Med Rehabil* 2000;81(7):924–931.

Nichols GA, Brown JB. Following depression in primary care — Do family practice physicians ask about depression at different rates than internal medicine physicians? *Arch Fam Med* 2000; 9(5):478-482.

Ôunpuu S, Kreuger P, Vermeulen M, Chambers L. Using the U.S. Behavioral Risk Factor Surveillance System's health related quality of life survey tool in a Canadian city. *Canadian Journal of Public Health* 2000;91(1):67–72.

Pearlman DN, Waalen J. Violence against women: Charting the impact on health policy, health care delivery, and the law. *Am J Prev Med* 2000;19(4):212–213.

Phillips B, Young T, Finn L, Asher K, Hening WA, Purvis C. Epidemiology of restless legs symptoms in adults. *Arch Intern Med* 2000;160(14):2137–2141.

Ruhm CJ. Are recessions good for your health? *Q J Econ* 2000;115(2):617–650.

U.S. Department of Health and Human Services. *Healthy People 2010. 2nd ed.* With understanding and improving health and objectives for improving health. 2 vols. Washington, DC: U.S. Government Printing Office, 2000.

U.S. Department of Health and Human Services. *Healthy People 2010, Goal #1 Section HRQOL—A systematic approach to health improvement.* Washington, DC: US Government Printing Office, 2000.

U.S. Department of Health and Human Services. *Oral health in America: a report of the Surgeon General.* Washington, DC: US Government Printing Office 2000.

1999

Ahern F. Quality of life, medications, and health among the elderly (TS–213 Final report–Part I). *Department of Biobehavioral Health, College of Health and Human Development, Pennsylvania State University*; July 30, 1999.

Andresen EM, Fouts BS, Romeis JC, Brownson CA. Performance of health-related quality of life instruments in a spinal cord injured population. *Archives of Physical Medicine and Rehabilitation* 1999;80:877–884.

Andresen EM, Prince-Caldwell A, Akinci F, et al. The Missouri Disability and Health Project. *Am J Prev Med* 1999;16(3 Suppl):63–71.

Borawski EA, Jia H, Wu GW, Case Western Reserve University. The use of the Behavioral Risk Factor Surveillance System (BRFSS) to estimate the prevalence of state and substate disability. Atlanta, Georgia: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, 1999.

Broyles RW, McAuley WJ, Baird-Holmes D. The medically vulnerable: their health risks, health status, and use of physician care. *Journal of Health Care for the Poor and Underserved* 1999;10(2):186–200.

Campbell VA, Crews JE, Moriarty DG, Zack MM, Blackman DK. Surveillance for sensory impairment, activity limitation, and health-related quality of life for older adults. *MMWR Surveillance Summary* 1999;48 (SS–8):131–156.

Dominick K, Gold C, Ahern F, Heller D. Cardiac drug use and health-related quality of life among older men and women. *The Gerontologist* 1999;39(1):244.

Frank E, McMurray JE, Linzer M, Elon L. Career satisfaction of US women physicians--results from the Women Physicians' Health Study. *Arch Intern Med* 1999;159:1417-1426.

Jia H. Small area estimates of severe work disability prevalence based on the Behavioral Risk Factor Surveillance System. Doctoral thesis; *Department of Epidemiology and Biostatistics, Case Western Reserve University*; E. Borawski, Thesis Advisor; May 1999, 201pp.

John R, Hennessy CH, Denny CH. Preventing chronic illness and disability among Native American elders. *Serving Minority Elders in the 21st Century*; Wykle M (Ed). Springer, 1999.

Kawachi I, Kennedy BP, Gupta V, Prothrow-Stith D. Women's status and the health of women and men: a view from the States. *Soc Sci Med* 1999;48(1):21-32.

Kreutzer R, Neutra RR, Lashuay N. Prevalence of people reporting sensitivities to chemicals in a population-based survey. *Am J Epidemiol* 1999 Jul 1;150(1):1-12.

Moriarty D, Zack M. Validation of the Centers for Disease Control and Prevention's Healthy Days measures (abstract). *Quality of Life Research, Abstracts Issue, 6th Annual Conference of the International Society for Quality of Life Research, Barcelona, Spain, 1999*;8(7):617.

Rohrer JE, Culica DV. Identifying high-users of medical care in a farming-dependent county. *Health Care Manage Rev* 1999;24(4):28-34.

Verbrugge LM, Merrill SS, Liu X. Measuring disability with parsimony. *Disability and Rehabilitation* 1999;21(5-6):295-306.

1998

Armstrong DL, Castorina J. Community occupational structure, basic services, and coronary mortality in Washington State, 1980-1994. *Annals of Epidemiology* 1998;8(6):370-377.

Aubert R, Herman W, Waters J, et al. Nurse case management to improve glycemic control in diabetic patients in a health maintenance organization: A randomized, controlled trial. *Annals of Internal Medicine* 1998;129(8):605-612.

Borawski E, Wu G, Jia H, Substance abuse and mental health services administration, Centers for Disease Control and Prevention. Self-reported frequent mental distress among adults—United States, 1993-1996. *MMWR*, 1998;47:325-331.

Centers for Disease Control and Prevention. Behavioral Risk Factors among U.S. Air Force active-duty personnel, 1995. *MMWR* 1998;47(28):593-596.

Centers for Disease Control and Prevention. Health-related quality of life and activity limitation—eight states, 1995. *MMWR* 1998;47(7):134-140.

Centers for Disease Control and Prevention. State differences in reported healthy days among adults—United States, 1993–1996. *MMWR* 1998;47(12):239–244.

Dugan E, Cohen SJ, Robinson D, et al. The quality of life of older adults with urinary incontinence: determining generic and condition-specific predictors. *Qual Life Res* 1998;7(4):337–344.

Gilliland FD, Mahler R, Davis SM. Health-related quality of life for rural American Indians in New Mexico. *Ethn Health* 1998;3(3):223–229.

Holtzman D, Rubinson R, Bland SD, McQueen DV. HIV testing behavior and associated characteristics among U.S. adults, 1993 and 1994. *AIDS and Behavior* 1998;2(4):269–281.

Mack KA. Women, chronic disease, and the Behavioral Risk Factor Surveillance System; *J Women Health*, 1998 Oct;7(8):949–954.

Molinari C, Ahern M, Michael Hendryx M. The relationship of community quality to the health of women and men. *Soc Sci Med* 1998;47(8):1113–1120.

Moum TA. Mode of administration and response style effects in self-reported health and health behavior: An experimental broad-population study. Paper presented at the National Conference on Sociology, Longyearbyen, Spitsbergen, Norway; June 18–20, 1998. University of Oslo 1998:1–14.

Newschaffer CJ. Validation of Behavioral Risk Factor Surveillance System (BRFSS) HRQOL measures in a statewide sample. Atlanta: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, 1998.

Schechter S, Beatty P, Willis, GB. Asking survey respondents about health status: judgment and response issues in Cognition, aging, and self-reports. Philadelphia, PA: *Psychology Press*, 1998; Chapter 13:265–283.

Wilson BF, Benais S, Whitaker K, Beatty P, Hendershot G. Improving the feasibility of including deaf respondents in telephone surveys. National Center for Health Statistics, *Proceedings of the Survey Research Methods Section, American Statistical Association* 1998: 883–887.

1997

Arday DR, Arday SL, Bolen J, Rhodes L, Chin J, Minor P. Behavioral risk factor surveillance of aged Medicare beneficiaries, 1995. *Health Care Financing Review* 1997;18(4):105–123.

Borawski E, Bowlin, S, Wu G, Jia H, Chen H. The use of the Behavioral Risk Factor Surveillance System (BRFSS) in estimating disability at the state and substate levels (abstract).

Proceedings, Annual Meeting of the *American Public Health Association*, Indianapolis 1997:350.

Cogswell ME, Nelson D, Koplan JP. Surveying managed care members on chronic disease. *Health Affairs* 1997;16(6):219–227.

Durch JS, Bailey LA, Stoto MA (Eds); Committee on Using Performance Monitoring to Improve Community Health, *Improving Health in the Community: A Role for Performance Monitoring*. Washington, DC: Institute of Medicine, *National Academies Press*, 1997:1-496.

Hall E, Johnson EJ. Suicide and suicidal thoughts by Oregonians (Report). Oregon Center for Health Statistics Nov 1997:1-56.

Shi L, Lu N. Personal characteristics and self-assessed health. *Med Care* 1997; 35(10):1069-1078.

1996

Beatty P, Schechter S, Whitaker K. Evaluating subjective health questions: cognitive and methodological investigations 1996 Proceedings of the *American Statistical Association, Section on Survey Research Methods*.

Gift H. Quality of life—an outcome of oral health care? *Public Health Dentistry* 1996; 56(2):67-68.

Moriarty, D. CDC Studies Community Quality of Life. *NACCHO News* 1996 May-June; 12(3):10,13.

Perry M, Tasheff L, Marmet P, et al. Factors associated with self-perceived excellent and very good health among blacks—Kansas, 1995. *MMWR* 1996; 45(42):906–911.

1995

Centers for Disease Control and Prevention. Health-related quality of life measures—United States, 1993. *MMWR* 1995;44:195–200.

Diwan S, Moriarty DG. A conceptual framework for identifying unmet health care needs of community dwelling elderly. *J. Applied Geront.* 1995;14(1):47–63.

Lankenau, BH, Hennessy CH, Moriarty DG, Schmid TL. Health-related quality of life: a new approach to measuring the health status of a population. *Ninth World Productivity Congress*, Istanbul, Turkey, 1995.

Unger JB. Sedentary lifestyle as a risk factor for self-reported poor physical and mental health. *Am J Health Promot* 1995;10(1):15–17.

1994

Centers for Disease Control and Prevention. Quality of life as a new public health measure—Behavioral Risk Factor Surveillance System, 1993. *MMWR* 1994;43:375–380.

Diwan S. Unmet health needs and the quality of life of the elderly: development of a survey for states and communities (technical report). Atlanta, GA: *Centers for Disease Control and Prevention*, 1994.

Hennessy CH, Moriarty DG, Zack MM, Scherr PA, Brackbill R. Measuring health-related quality of life for public health surveillance. *Public Health Rep* 1994;109(5):665–672.

Siegel PZ. Self-reported health status: Public health surveillance and small-area analysis, In: Schechter S (ed.), Proceedings of the 1993 NCHS Conference on the Cognitive Aspects of Self-Reported Health Status. *Cognitive Methods Staff Working Paper Series* (No. 10). Hyattsville, Maryland: US Department of Health and Human Services, Public Health Service, National Center for Health Statistics, 1994:11–27.

1993

Centers for Disease Control and Prevention. Consultation on functional status surveillance for states and communities: report of a meeting held on June 4–5, 1992, Decatur, Georgia. Atlanta: *Centers for Disease Control and Prevention* (1993).

Centers for Disease Control and Prevention. Workshop on quality of life/health status surveillance for states and communities: report of a meeting held on December 2–4, 1991, Stone Mountain, Georgia. Atlanta: *Centers for Disease Control and Prevention* (1993).