

DATASET	VARIABLE	DESCRIPTION	DATA TYPE	VALUE CODE
tobacco	sid	Unique Subject Identifier	character	
tobacco	tusetob	Currently smoke/use tobacco	numeric	1: yes; 2: no; 7: refused; 8: don't know; 9: missing
tobacco	tmonth01	Tobacco 1: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December; 96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday01	Tobacco 1: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear01	Tobacco 1: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing
tobacco	tstime01	Tobacco 1: Start Time	character	HH:MM
tobacco	tsampm01	Tobacco 1: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime01	Tobacco 1: End Time	character	HH:MM
tobacco	teampm01	Tobacco 1: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	ttptob01	Tobacco 1: Type of Tobacco Product	character	
tobacco	tquant01	Tobacco 1: Quantity	numeric	97: refused; 98: don't know; 99: missing
tobacco	tmonth02	Tobacco 2: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December; 96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday02	Tobacco 2: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear02	Tobacco 2: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing
tobacco	tstime02	Tobacco 2: Start Time	character	HH:MM
tobacco	tsampm02	Tobacco 2: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime02	Tobacco 2: End Time	character	HH:MM
tobacco	teampm02	Tobacco 2: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	ttptob02	Tobacco 2: Type of Tobacco Product	character	
tobacco	tquant02	Tobacco 2: Quantity	numeric	97: refused; 98: don't know; 99: missing
tobacco	tmonth03	Tobacco 3: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December; 96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday03	Tobacco 3: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear03	Tobacco 3: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing

DATASET	VARIABLE	DESCRIPTION	DATA TYPE	VALUE CODE
tobacco	tstime03	Tobacco 3: Start Time	character	HH:MM
tobacco	tsampm03	Tobacco 3: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime03	Tobacco 3: End Time	character	HH:MM
tobacco	teampm03	Tobacco 3: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	ttptob03	Tobacco 3: Type of Tobacco Product	character	
tobacco	tquant03	Tobacco 3: Quantity	numeric	97: refused; 98: don't know; 99: missing
tobacco	tmonth04	Tobacco 4: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December; 96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday04	Tobacco 4: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear04	Tobacco 4: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing
tobacco	tstime04	Tobacco 4: Start Time	character	HH:MM
tobacco	tsampm04	Tobacco 4: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime04	Tobacco 4: End Time	character	HH:MM
tobacco	teampm04	Tobacco 4: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	ttptob04	Tobacco 4: Type of Tobacco Product	character	
tobacco	tquant04	Tobacco 4: Quantity	numeric	97: refused; 98: don't know; 99: missing
tobacco	tmonth05	Tobacco 5: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December; 96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday05	Tobacco 5: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear05	Tobacco 5: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing
tobacco	tstime05	Tobacco 5: Start Time	character	HH:MM
tobacco	tsampm05	Tobacco 5: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime05	Tobacco 5: End Time	character	HH:MM
tobacco	teampm05	Tobacco 5: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	ttptob05	Tobacco 5: Type of Tobacco Product	character	
tobacco	tquant05	Tobacco 5: Quantity	numeric	97: refused; 98: don't know; 99: missing
tobacco	tmonth06	Tobacco 6: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December;

DATASET	VARIABLE	DESCRIPTION	DATA TYPE	VALUE CODE
				96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday06	Tobacco 6: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear06	Tobacco 6: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing
tobacco	tstime06	Tobacco 6: Start Time	character	HH:MM
tobacco	tsampm06	Tobacco 6: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime06	Tobacco 6: End Time	character	HH:MM
tobacco	teampm06	Tobacco 6: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	ttptob06	Tobacco 6: Type of Tobacco Product	character	
tobacco	tquant06	Tobacco 6: Quantity	numeric	97: refused; 98: don't know; 99: missing
tobacco	tmonth07	Tobacco 7: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December; 96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday07	Tobacco 7: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear07	Tobacco 7: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing
tobacco	tstime07	Tobacco 7: Start Time	character	HH:MM
tobacco	tsampm07	Tobacco 7: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime07	Tobacco 7: End Time	character	HH:MM
tobacco	teampm07	Tobacco 7: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	ttptob07	Tobacco 7: Type of Tobacco Product	character	
tobacco	tquant07	Tobacco 7: Quantity	numeric	97: refused; 98: don't know; 99: missing
tobacco	tmonth08	Tobacco 8: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December; 96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday08	Tobacco 8: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear08	Tobacco 8: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing
tobacco	tstime08	Tobacco 8: Start Time	character	HH:MM
tobacco	tsampm08	Tobacco 8: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime08	Tobacco 8: End Time	character	HH:MM
tobacco	teampm08	Tobacco 8: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing

DATASET	VARIABLE	DESCRIPTION	DATA TYPE	VALUE CODE
tobacco	ttptob08	Tobacco 8: Type of Tobacco Product	character	
tobacco	tquant08	Tobacco 8: Quantity	numeric	97: refused; 98: don't know; 99: missing
tobacco	tmonth09	Tobacco 9: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December; 96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday09	Tobacco 9: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear09	Tobacco 9: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing
tobacco	tstime09	Tobacco 9: Start Time	character	HH:MM
tobacco	tsampm09	Tobacco 9: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime09	Tobacco 9: End Time	character	HH:MM
tobacco	teampm09	Tobacco 9: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	ttptob09	Tobacco 9: Type of Tobacco Product	character	
tobacco	tquant09	Tobacco 9: Quantity	numeric	97: refused; 98: don't know; 99: missing
tobacco	tmonth10	Tobacco 10: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December; 96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday10	Tobacco 10: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear10	Tobacco 10: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing
tobacco	tstime10	Tobacco 10: Start Time	character	HH:MM
tobacco	tsampm10	Tobacco 10: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime10	Tobacco 10: End Time	character	HH:MM
tobacco	teampm10	Tobacco 10: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	ttptob10	Tobacco 10: Type of Tobacco Product	character	
tobacco	tquant10	Tobacco 10: Quantity	numeric	97: refused; 98: don't know; 99: missing
tobacco	tmonth11	Tobacco 11: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December; 96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday11	Tobacco 11: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear11	Tobacco 11: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing

DATASET	VARIABLE	DESCRIPTION	DATA TYPE	VALUE CODE
tobacco	tstime11	Tobacco 11: Start Time	character	HH:MM
tobacco	tsampm11	Tobacco 11: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime11	Tobacco 11: End Time	character	HH:MM
tobacco	teampm11	Tobacco 11: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	ttptob11	Tobacco 11: Type of Tobacco Product	character	
tobacco	tquant11	Tobacco 11: Quantity	numeric	97: refused; 98: don't know; 99: missing
tobacco	tmonth12	Tobacco 12: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December; 96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday12	Tobacco 12: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear12	Tobacco 12: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing
tobacco	tstime12	Tobacco 12: Start Time	character	HH:MM
tobacco	tsampm12	Tobacco 12: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime12	Tobacco 12: End Time	character	HH:MM
tobacco	teampm12	Tobacco 12: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	ttptob12	Tobacco 12: Type of Tobacco Product	character	
tobacco	tquant12	Tobacco 12: Quantity	numeric	97: refused; 98: don't know; 99: missing
tobacco	tmonth13	Tobacco 13: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December; 96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday13	Tobacco 13: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear13	Tobacco 13: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing
tobacco	tstime13	Tobacco 13: Start Time	character	HH:MM
tobacco	tsampm13	Tobacco 13: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime13	Tobacco 13: End Time	character	HH:MM
tobacco	teampm13	Tobacco 13: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	ttptob13	Tobacco 13: Type of Tobacco Product	character	
tobacco	tquant13	Tobacco 13: Quantity	numeric	97: refused; 98: don't know; 99: missing
tobacco	tmonth14	Tobacco 14: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December;

DATASET	VARIABLE	DESCRIPTION	DATA TYPE	VALUE CODE
				96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday14	Tobacco 14: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear14	Tobacco 14: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing
tobacco	tstime14	Tobacco 14: Start Time	character	HH:MM
tobacco	tsampm14	Tobacco 14: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime14	Tobacco 14: End Time	character	HH:MM
tobacco	teampm14	Tobacco 14: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	ttptob14	Tobacco 14: Type of Tobacco Product	character	
tobacco	tquant14	Tobacco 14: Quantity	numeric	97: refused; 98: don't know; 99: missing
tobacco	tmonth15	Tobacco 15: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December; 96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday15	Tobacco 15: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear15	Tobacco 15: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing
tobacco	tstime15	Tobacco 15: Start Time	character	HH:MM
tobacco	tsampm15	Tobacco 15: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime15	Tobacco 15: End Time	character	HH:MM
tobacco	teampm15	Tobacco 15: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	ttptob15	Tobacco 15: Type of Tobacco Product	character	
tobacco	tquant15	Tobacco 15: Quantity	numeric	97: refused; 98: don't know; 99: missing
tobacco	tmonth16	Tobacco 16: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December; 96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday16	Tobacco 16: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear16	Tobacco 16: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing
tobacco	tstime16	Tobacco 16: Start Time	character	HH:MM
tobacco	tsampm16	Tobacco 16: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime16	Tobacco 16: End Time	character	HH:MM
tobacco	teampm16	Tobacco 16: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing

DATASET	VARIABLE	DESCRIPTION	DATA TYPE	VALUE CODE
tobacco	ttptob16	Tobacco 16: Type of Tobacco Product	character	
tobacco	tquant16	Tobacco 16: Quantity	numeric	97: refused; 98: don't know; 99: missing
tobacco	tmonth17	Tobacco 17: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December; 96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday17	Tobacco 17: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear17	Tobacco 17: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing
tobacco	tstime17	Tobacco 17: Start Time	character	HH:MM
tobacco	tsampm17	Tobacco 17: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime17	Tobacco 17: End Time	character	HH:MM
tobacco	teampm17	Tobacco 17: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	ttptob17	Tobacco 17: Type of Tobacco Product	character	
tobacco	tquant17	Tobacco 17: Quantity	numeric	97: refused; 98: don't know; 99: missing
tobacco	tmonth18	Tobacco 18: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December; 96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday18	Tobacco 18: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear18	Tobacco 18: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing
tobacco	tstime18	Tobacco 18: Start Time	character	HH:MM
tobacco	tsampm18	Tobacco 18: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime18	Tobacco 18: End Time	character	HH:MM
tobacco	teampm18	Tobacco 18: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	ttptob18	Tobacco 18: Type of Tobacco Product	character	
tobacco	tquant18	Tobacco 18: Quantity	numeric	97: refused; 98: don't know; 99: missing
tobacco	tmonth19	Tobacco 19: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December; 96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday19	Tobacco 19: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear19	Tobacco 19: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing

DATASET	VARIABLE	DESCRIPTION	DATA TYPE	VALUE CODE
tobacco	tstime19	Tobacco 19: Start Time	character	HH:MM
tobacco	tsampm19	Tobacco 19: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime19	Tobacco 19: End Time	character	HH:MM
tobacco	teampm19	Tobacco 19: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	ttptob19	Tobacco 19: Type of Tobacco Product	character	
tobacco	tquant19	Tobacco 19: Quantity	numeric	97: refused; 98: don't know; 99: missing
tobacco	tmonth20	Tobacco 20: Month	numeric	1:January; 2:February; 3:March; 4:April; 5:May; 6:June; 7:July; 8:August; 9:September; 10:October; 11:November; 12:December; 96:Not Applicable; 97/997 :Refused; 98/998:Don't know; 99/999:Missing
tobacco	tday20	Tobacco 20: Day	numeric	97: refused; 98: don't know; 99: missing
tobacco	tyear20	Tobacco 20: Year	numeric	-1: don't know; -2:refused; 9996: not applicable; 9997: refused; 9998: don't know; 9999 missing
tobacco	tstime20	Tobacco 20: Start Time	character	HH:MM
tobacco	tsampm20	Tobacco 20: Start Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	tetime20	Tobacco 20: End Time	character	HH:MM
tobacco	teampm20	Tobacco 20: End Time - AM/PM	numeric	1: AM; 2: PM; 7: refused; 8: don't know; 9: missing
tobacco	ttptob20	Tobacco 20: Type of Tobacco Product	character	
tobacco	tquant20	Tobacco 20: Quantity	numeric	97: refused; 98: don't know; 99: missing