# Tuberculosis Recommended Queries

# Tuberculosis (2011)

All races/ethnicities | Both sexes | 2011 | All age groups




**Rate per 100,000 among selected population**

- Data not available
- 0.7 - 1.3
- 1.4 - 1.9
- 2.0 - 2.7
- 2.8 - 3.7
- 3.8 - 9.3

Legend classified according to 2011 data.

## National Data By Race/ethnicity




**Disclaimer:** This is a user-generated report. The findings and conclusions are those of the user and do not necessarily represent the views of the CDC.
**Data Source:** Query and graphics are based on TB surveillance data. Data may include a combination of the following: TB diagnoses; by state, year, race/ethnicity, sex, and age group; shown in numbers and rates. **For more info, see:** TB Surveillance Technical Notes.

**Notes:** TB case report data are submitted from all 50 states, and the District of Columbia for the years 2000 to 2011. These data are summarized by disease, year, age group, sex, and race/ethnicity. **Rates** per 100,000 population were calculated for TB. The population denominators used to compute these rates for the 50 states and the District of Columbia were based on the National Center for Health Statistics (NCHS) bridged-race population counts for 2000-2011. Due to lack of data from the U.S. Census Bureau and small cell sizes, rates are not calculated for the dependent areas (except for Puerto Rico). Cell suppression: CDC follows the 2005 data sharing agreement rules for TB data. For TB data, the data suppression rule is applied when the numerator for a given state is 5 or less. When suppressed, data are only displayed by state totals and breakdown by demographic characteristics is not permitted. **Suggested citation:** NCHHSTP Atlas

# Tuberculosis (2011)

All races/ethnicities | Both sexes | 2011 | 0-4




**Rate per 100,000 among selected population**

- Data not available
- Data suppressed
- 0.7 - 1.3
- 1.5 - 1.8
- 2.0 - 2.3
- 2.5 - 3.2
- 3.4 - 3.4

Legend classified according to 2011 data.

## National Data By Race/ethnicity




**Disclaimer:** This is a user-generated report. The findings and conclusions are those of the user and do not necessarily represent the views of the CDC.
**Data Source:** Query and graphics are based on TB surveillance data. Data may include a combination of the following: TB diagnoses; by state, year, race/ethnicity, sex, and age group; shown in numbers and rates. **For more info, see:** TB Surveillance Technical Notes.

**Notes:** TB case report data are submitted from all 50 states, and the District of Columbia for the years 2000 to 2011. These data are summarized by disease, year, age group, sex, and race/ethnicity. **Rates** per 100,000 population were calculated for TB. The population denominators used to compute these rates for the 50 states and the District of Columbia were based on the National Center for Health Statistics (NCHS) bridged-race population counts for 2000-2011. Due to lack of data from the U.S. Census Bureau and small cell sizes, rates are not calculated for the dependent areas (except for Puerto Rico). Cell suppression: CDC follows the 2005 data sharing agreement rules for TB data. For TB data, the data suppression rule is applied when the numerator for a given state is 5 or less. When suppressed, data are only displayed by state totals and breakdown by demographic characteristics is not permitted. **Suggested citation:** NCHHSTP Atlas