



Tuberculosis Recommended Queries

NCHHSTP Atlas

National Center for HIV/AIDS, Viral Hepatitis, STD and TB Prevention



The **NCHHSTP Atlas** is an online, interactive tool that gives you the power to analyze, map, and create tables using HIV, STD, viral hepatitis, and TB data that are reported to CDC.



Using the **NCHHSTP Atlas**, you can:

- Create custom maps and bar graphs using HIV, STD, viral hepatitis, or TB data (**NCHHSTP Atlas** has 15 disease variables to explore);
- Compare two or more diseases (e.g., HIV and TB);
- Explore data by population groups and categories (e.g., by race, age group or sex);
- Display changes over time and patterns across the United States (**NCHHSTP Atlas** has 15 years of data for most variables);
- Examine multiple areas (e.g., VA, MD, and DC); and,
- Download data and export graphics.

The **NCHHSTP Atlas webpage** also provides the most recent data on poverty, education and other important measures of social determinants of health that are important to NCHHSTP's mission.



Tuberculosis (2014)

All races/ethnicities | Both sexes | Change over time (2000-2014) | All age groups | All countries of birth | By State



Legend classified using quantiles according to 2000-2014 data.

National Data By Year



Disclaimer: This is a user-generated report. The findings and conclusions are those of the user and do not necessarily represent the views of the CDC.





Data Source: Query and graphics are based on TB surveillance data. Data may include a combination of the following: TB diagnoses; by state, year, race/ethnicity, sex, and age group; shown in numbers and rates. **For more info, see:** [TB Surveillance Technical Notes](#).

Notes: Rates per 100,000 population were calculated for TB. The population denominators used to compute these rates for the 50 states and the District of Columbia were based on the National Center for Health Statistics (NCHS) bridged-race population counts. **For more info, see:** [TB Surveillance Technical Notes](#) **Suggested citation:** Centers for Disease Control and Prevention (CDC) [NCHHSTP Atlas](#). Accessed on 03/07/2016.





Tuberculosis (2014)

All races/ethnicities | Both sexes | Change over time (2000-2014) | All age groups | All countries of birth | By County



Legend classified using quantiles according to 2000-2014 data.

National Data By Race/ethnicity



Disclaimer: This is a user-generated report. The findings and conclusions are those of the user and do not necessarily represent the views of the CDC.



Data Source: Query and graphics are based on TB surveillance data. Data may include a combination of the following: TB diagnoses; by state, year, race/ethnicity, sex, and age group; shown in numbers and rates. **For more info, see:** [TB Surveillance Technical Notes](#).

Notes: Rates per 100,000 population were calculated for TB. The population denominators used to compute these rates for the 50 states and the District of Columbia were based on the National Center for Health Statistics (NCHS) bridged-race population counts. **For more info, see:** [TB Surveillance Technical Notes](#) **Suggested citation:** Centers for Disease Control and Prevention (CDC) [NCHHSTP Atlas](#). Accessed on 03/07/2016.



NCHHSTP Atlas

National Center for HIV/AIDS, Viral Hepatitis, STD and TB Prevention



To learn more about the diseases:

[HIV](#)

[Chlamydia, Gonorrhea, Syphilis](#)

[Acute Viral Hepatitis A, Acute Viral Hepatitis B, and Acute Viral Hepatitis C](#)

[Tuberculosis \(TB\)](#)

For data sources:

[HIV Statistics and Surveillance](#)

[STD Data & Statistics](#)

[Viral Hepatitis Statistics and Surveillance](#)

[TB Data and Statistics](#)

[Contact Atlas](#)