

## CERVICAL CANCER SCREENING SUPPLEMENT VISIT FILE DATA DICTIONARY

	<b>LEGEND</b>	No fill	<b>Both NAMCS and NHAMCS</b>
		Yellow	<b>NAMCS only</b>
		Blue	<b>NHAMCS only</b>

### NAMCS AND NHAMCS VISIT FILE VARIABLES

**NOTE: TO PROTECT CONFIDENTIALITY, CERTAIN NON-SUDAAN VARIABLES ARE SET TO MISSING IN ED VISITS AND ALL VISITS BY MALES. FOR CLARIFICATION, THESE ARE MARKED WITH AN "X" IN THE FIRST COLUMN**

Variable missing in ED and males	Variable Name	Variable labels	C/N	Length	Values for variable range and labels
	SETTYPE	Setting type	N	1	1='NAMCS' 2='OPD' 3='ED'
	SEX	Patient sex	N	1	1='Female' 2='Male'
X	AGE	Patient age in years	N	3	0= Less than one year 1-14 = '1 - 14 years old' 15-24= '15 - 24 years old' 25-44= '25 - 44 years old' 45-64= '45 - 64 years old' 65-74= '65 - 74 years old' 75-99='75 - 99 years old' 100-120='100 - 120 years old'
X	ETHNIC	Patient ethnicity	N	1	1='Hispanic or Latino' 2='Not Hispanic or Latino'
X	RACE	Patient race	N	1	1= white only 2='Black only' 3='Asian only' 4.='Native Hawaiian/Other Pacific Islander' 5='American Indian/Alaska Native ' 6='Two or more races'
X	RFV1	Patient's reason for visit #1	N	5	10050-89990='valid range' -9='Blank'
X	RFV2	Patient's reason for visit #2	N	5	10050-89990='valid range' -9='Blank'
X	RFV3	Patient's reason for visit #3	N	5	10050-89990='valid range' -9='Blank'

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

X	PRIMCARE	Are you the patient's primary care physician/provider?	N	1	1='Yes' 2='No' -8='Unknown' -9='Blank'
X	DIAG1R	Physician's diagnosis #1 - numeric recode	N	6	100100 - 209990='Valid range' -9='Blank'
X	DIAG2R	Physician's diagnosis #2 - numeric recode	N	6	100100 - 209990='Valid range' -9='Blank'
X	DIAG3R	Physician's diagnosis #3 - numeric recode	N	6	100100 - 209990='Valid range' -9='Blank'
X	TEMPF	Temperature measured in Fahrenheit.	N	4	800-1099 = '80.0 - 109.9 Fahrenheit' -9='Blank'
X	BPSYS	Initial vital signs: Patient's Systolic Blood Pressure	N	3	000='000' 001-020='01-20' 021-040='21-40' 041-060='41-60' 061-080='61-80' 081-100='81-100' 101-120='101-120' 121-140='121-140' 141-160='141-160' 161-180='161-180' 181-200='181-200' 201-230='201-230' 231-260='231-260' 261-290='261-290' -9='Blank'
X	BPDIAS	Initial vital signs: Patient's Diastolic Blood Pressure	N	3	000='000' 001-020='01-20' 021-040='21-40' 041-060='41-60' 061-080='61-80' 81-100='81-100' 101-130='101 - 130' 131-160='131 - 160' 161-190='161 - 190' 998='P, PALP, DOPP or DOPPLER' -9='Blank'
X	NOSCREEN	No diagnostic/screening services.	N	1	0='Box is not marked' 1='Box is marked' 2='No entries made, entire item blank'
X	EXAM	Check box created for examinations derived from PROC1 to PROC9	N	1	0='No entry made' 1='Coded in PROC1-PROC9'

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

X	PROC1	Write in procedure code	C	4	0001-9998= valid range '9999'='Other miscellaneous procedures' '-9'='Blank'
X	PROC2	Write in procedure code	C	4	0001-9998= valid range '9999'='Other miscellaneous procedures' '-9'='Blank'
X	PROC3	Write in procedure code	C	4	0001-9998= valid range '9999'='Other miscellaneous procedures' '-9'='Blank'
X	PROC4	Write in procedure code	C	4	0001-9998= valid range '9999'='Other miscellaneous procedures' '-9'='Blank'
X	PROC5	Write in procedure code	C	4	0001-9998= valid range '9999'='Other miscellaneous procedures' '-9'='Blank'
X	PROC6	Write in procedure code	C	4	'0001'-'9998'='Valid range' '9999'='Other miscellaneous procedures' '-9'='Blank'
X	PROC7	Write in procedure code	C	4	0001-9998= valid range '9999'='Other miscellaneous procedures' '-9'='Blank'
X	PROC8	Write in procedure code	C	4	0001-9998= valid range '9999'='Other miscellaneous procedures' '-9'='Blank'
X	PROC9	Write in procedure code	C	4	0001-9998= valid range '9999'='Other miscellaneous procedures' '-9'='Blank'
X	PROC1R	Numeric version of write in procedure code	N	4	0001-9998= valid range 9999='other miscellaneous procedures' -9='Blank'
X	PROC2R	Numeric version of write in procedure code	N	4	0001-9998= valid range 9999='other miscellaneous procedures' -9='Blank'
X	PROC3R	Numeric version of write in procedure code	N	4	0001-9998= valid range 9999='other miscellaneous procedures' -9='Blank'
X	PROC4R	Numeric version of write in procedure code	N	4	0001-9998= valid range 9999='other miscellaneous procedures' -9='Blank'
X	PROC5R	Numeric version of write in procedure code	N	4	0001-9998= valid range 9999='other miscellaneous procedures' -9='Blank'

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

X	PROC6R	Numeric version of write in procedure code	N	4	0001-9998='valid range' 9999='other miscellaneous procedures' -9='Blank'
X	PROC7R	Numeric version of write in procedure code	N	4	0001-9998='valid range' 9999='other miscellaneous procedures' -9='Blank'
X	PROC8R	Numeric version of write in procedure code	N	4	0001-9998='valid range' 9999='other miscellaneous procedures' -9='Blank'
X	PROC9R	Numeric version of write in procedure code	N	4	0001-9998='valid range' 9999='other miscellaneous procedures' -9='Blank'
X	TOTSERV	Total number of services reported (includes all services from items 6, 7 and 9)	N	2	0='No procedures or services' 1-54='Valid range'
X	OTHSERV	Are there procedure in PROC1 to PROC9	N	1	1='At least one procedure is in PROC1-PROC9' 0='No procedures in PROC1-PROC9'
X	SERVICES	Were any diagnostic/screening/non-medication treatment services ordered or provided at this visit, including vital signs?	N	1	1='At least one service was ordered or provided at this visit.' 0='No services were ordered or provided at this visit.'
X	BREAST	Breast exam	N	1	0='Box is not marked' 1='Box is marked'
X	PELVIC	Pelvic exam	N	1	0='Box is not marked' 1='Box is marked'
X	RECTAL	Rectal exam	N	1	0='Box is not marked' 1='Box is marked'
X	SKIN	Skin exam	N	1	0='Box is not marked' 1='Box is marked'
X	DEPRESS	Depression Screening	N	1	0='Box is not marked' 1='Box is marked'
X	ANYIMG	Any imaging	N	1	0='BONEDENS, MAMMO, MRI, ULTRASND, XRAY and OTHIMAGE are not marked' 1=' BONEDENS, MAMMO, MRI, ULTRASND, XRAY or OTHIMAGE is marked'
X	BONEDENS	Bone mineral density	N	1	0='Box is not marked' 1='Box is marked'
X	MAMMO	Mammography	N	1	0='Box is not marked' 1='Box is marked'
X	MRI	MRI/CT/PET	N	1	0='Box is not marked' 1='Box is marked'
X	XRAY	X-ray	N	1	0='Box is not marked' 1='Box is marked'

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

X	OTHIMAGE	Other imaging	N	1	0='Box is not marked' 1='Box is marked'
X	CBC	CBC (complete blood count)	N	1	0='Box is not marked' 1='Box is marked'
X	GLUCOSE	Glucose	N	1	0='Box is not marked' 1='Box is marked'
X	HGBA1C	HgbA1C	N	1	0='Box is not marked' 1='Box is marked'
X	CHOLEST	Lipids/Cholesterol	N	1	0='Box is not marked' 1='Box is marked'
X	PSA	PSA (prostate specific antigen)test	N	1	0='Box is not marked' 1='Box is marked'
X	OTHERBLD	Other blood test	N	1	0='Box is not marked' 1='Box is marked'
X	BIOPSY	Biopsy	N	1	0='Box is not marked' 1='Box is marked'
X	CHLAMYD	Chlamydia test	N	1	0='Box is not marked' 1='Box is marked'
X	PAPCONV	PAP test-conventional	N	1	1='Box is marked'
X	PAPLIQ	PAP test-liquid-based	N	1	0='Box is not marked' 1='Box is marked'
X	PAPUNSP	PAP test-unspecified	N	1	0='Box is not marked' 1='Box is marked'
X	HPVDNA	HPV DNA test	N	1	0='Box is not marked' 1='Box is marked'
X	EKG	EKG/ECG	N	1	0='Box is not marked' 1='Box is marked'
X	URINE	Urinalysis (UA)	N	1	0='Box is not marked' 1='Box is marked'
X	OTHDIAG	Other test/services	N	1	0='Box is not marked' 1='Box is marked'

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

X	DIAGSC1	Other diag/screen service #1	C	4	0010-9998= valid range '9999'='Other miscellaneous procedures' '-9' = 'Blank'
X	DIAGSC2	Other diag/screen service #2	C	4	0010-9998= valid range '9999'='Other miscellaneous procedures' '-9' = 'Blank'
X	BDATEFL	Birth year	N	1	0= Not imputed 1=' Imputed'
X	SEXFL	Sex (imputed)	N	1	0= Not imputed 1=' Imputed'
X	RACEFL	Race (imputed)	N	1	0= Not imputed 1=' Imputed'
X	TIMEMD	Time spent with physician in minutes  Note: On NAMCS visits only. Values are missing for NHAMCS visits.	N	3	000=000 001-060='1-60' 061-120='61-120' 121-180='121-180' 181-240='181-240'
X	TIMEMDFL	Time spent with physician (imputed)	N	1	0= Not imputed 1=' Imputed'
X	ETHNICFL	Ethnicity flag (imputed)	N	1	0= Not imputed 1=' Imputed'
X	PAYTYPE	Primary expected source of payment for visit  (Recoded PRF Q1.h) Note: Variable was recoded from PRF Q1.h using this hierarchy of payment categories: Medicaid/SCHIP, Medicare, Private Insurance, Worker's Compensation, Self-Pay, No Charge/Charity, Other, Unknown.	N	1	1=Private insurance 2='Medicare' 3='Medicaid/SCHIP' 4='Worker's compensation' 5='Self-pay' 6='No charge/ charity' 7='Other' -8='Unknown' -9='All sources for payment are blank'
X	HTIN	Height measure in inches	N	3	-9='Blank'
X	WTLB	Weight measure in pounds	N	3	3-500= valid range -9='Blank'
X	PAP	Any PAP test - conventional, liquid-based, or unspecified (Recoded PRF Q7.23-25)	N	1	0='No boxes were marked' 1='At least one box is marked'

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

X	<b>SPECR</b>	Numeric specialty (DOs dispersed) (updated by induction)	N	2	01='General family practice' 03='Internal Medicine' 04='Pediatrics' 05='General Surgery' 06='Obstetrics & Gynecology' 07='Orthopedic Surgery' 08='Cardiovascular Diseases' 09='Dermatology' 10='Urology' 11='Psychiatry' 12='Neurology' 13='Ophthalmology' 14='Otolaryngology' 15='Other specialties' 16='Oncologists' 99='Mid-level provider'
X	<b>CLINTYPE</b>	Clinic specialty	N	2	1='GM' 2='SURG' 3='PED' 4='OBG' 5='Substance Abuse' 6='Other' -7='Not applicable, AU is part of an ED' -9='Blank'
<b>THESE ARE DESIGN VARIABLES FOR USE IN SUDAAN CALCULATE STANDARD ERRORS.</b>					
	<b>Variable Name</b>	<b>Variable labels</b>	<b>C or N</b>	<b>Length</b>	<b>Values for variable range and labels</b>
	<b>PROVIDE</b>	Provider code.	N	4	0001-3350='valid range, physicians' 6001-7033='valid range, CHC physicians'
	<b>YEAR</b>	Survey year	N	4	2009='Year: 2009'
	<b>DEPT</b>	Department (for use when combining NAMCS and NHAMCS and running SUDAAN)	N	1	1='Department'
	<b>SUSTRAT</b>	Type of SU if used for stratification	N	1	1='SUSTRAT'

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

<b>SU</b>	Sample unit	N	1	1='Sample unit'
<b>CLINIC</b>	Hospital clinic code (for use when combining NAMCS and NHAMCS and running SUDAAN)	N	1	1='Clinic'
<b>POPSU</b>	Number of sampling units in hospital	N	1	0='Prob PSU/CHC provider' -1='Cert PSU/CHC provider' 1='Traditional provider'
<b>POPVIS</b>	Estimated provider visit volume	N	2	0='Prob. PSU' -1='Cert PSU'
<b>PATWT</b>	Patient weight (Rounded)	N	7	0='Final <>1' 1-9999999='Final = 1'
<b>CSTRAT</b>	Clustered PSU stratum marker	N	8	20100000-20499915='Cert PSU' 30100000-41300000='Prob PSU'
<b>CPSU</b>	Marker of PSU in which physician was sampled or physician marker.	N	8	100001-103000='Cert PSU' 1001-99001='Prob PSU'
<b>POPCPSU</b>	Estimated number of in-scope providers w/in PSU and PROSTRAT	N	8	-1='Prob PSU' 1-99999999='Cert PSU'
<b>POPCPROV</b>	Estimated number of providers in CPSU	N	8	0='Prob PSU' 1='Cert PSU'

**VARIABLES FROM CCSS (PROVIDER SCREENING PRACTICES)**

Variable Name	Variable Label	C or N	Length	Values
<b>PAPCON</b>	Method used to screen for cervical cancer - conventional Pap test	N	3	1='Yes' 2='No' -6='Multiple entries' -8='Unknown' -9='Blank'
<b>INTCON</b>	Interval for routine screening	N	3	1='Annually' 2='Every 2 years' 3='Every 3 years' 4='More than 3 years' 5='No routine interval recommended' -6='Multiple entry' -7='N/A' -9='Blank'



2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

	<b>PAPLIQD</b>	Method used to screen for cervical cancer - liquid-based cytology	N	3	1='Yes' 2='No' -6='Multiple entries' -8='Unknown' -9='Blank'
	<b>INTLIQD</b>	Interval for routine screening	N	3	1='Annually' 2='Every 2 years' 3='Every 3 years' 4='More than 3 years' 5='No routine interval recommended' -6='Multiple entry' -7='N/A' -9='Blank'
	<b>PAPOTH</b>	Method used to screen for cervical cancer - other	N	3	1='Yes' 2='No' -6='Multiple entries' -8='Unknown' -9='Blank'
	<b>VPAPOTH</b>	Verbatim for other PAP test	C	75	' '=No entry made' Other = 'Entry Made'
	<b>INTOTH</b>	Interval for routine screening	N	3	1='Annually' 2='Every 2 years' 3='Every 3 years' 4='More than 3 years' 5='No routine interval recommended' -6='Multiple entry' -7='N/A' -9='Blank'
	<b>COLPO</b>	Does practice perform colposcopy?	N	3	1='Yes' 2='No' -8='Unknown' -9='Blank'
	<b>HPVDNAO</b>	Does practice ever order or collect HPV DNA test?	N	3	1='Yes' 2='No' 3='Not aware of HPV DNA test' -8='Unknown' -6='Multiple entry' -9='Blank'

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

	<b>HPVDNALL</b>	All tests ordered or collected in practice	N	3	1='High risk (HR) HPV DNA test' 2='Low risk (LR) HPV DNA test' 3='Not aware of high/low test' 4='Type-Specific HPV DNA test' -8='Unknown' -6='Multiple entry' -7='N/A' -9='Blank'	
	<b>HPVDNAHR</b>	High risk HPV DNA test ordered or collected in practice	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>HPVDNALR</b>	Low risk HPV DNA test ordered or collected in practice	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>HPVDNANA</b>	Not aware there was a low or high risk HPV DNA test	N	3	1='Box is marked' unmarked' -7='N/A - 3a=2-4' -9='Blank'	0='Box is
	<b>HPVDNATS</b>	Type-specific DNA test	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>HPVDNAUN</b>	Unknown if low or high risk HPV DNA tests ordered or collected in clinic	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>YNODNALL</b>	All reasons HPV DNA test not ordered in practice	N	3	1='Patients not seen' 2='Other tests used' 3='Access to colposcopy' 4='Not priority' 5='Labs do not offer' 6='Test not recommended' 7='Cost not covered' 8='Not discussed in STD context' 9='Takes too much time' 10='Clinicians uncomfortable' 11='Patients uncomfortable' -6='Multiple entry' -7='N/A'	

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

	<b>YNODNA1</b>	Reason HPV DNA test not ordered - practice does not see type of patient for whom test is indicated	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>YNODNA2</b>	Reason HPV DNA test not ordered - practice uses other tests	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>YNODNA3</b>	Reason HPV DNA test not ordered - patients have timely access to colposcopy	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>YNODNA4</b>	Reason HPV DNA test not ordered - not a priority	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>YNODNA5</b>	Reason HPV DNA test not ordered - lab does not offer test	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>YNODNA6</b>	Reason HPV DNA test not ordered - health plan does not recommend test	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>YNODNA7</b>	Reason HPV DNA test not ordered - test is not a covered service	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>YNODNA8</b>	Reason HPV DNA test not ordered - cervical cancer screening not discussed in context of STD	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>YNODNA9</b>	Reason HPV DNA test not ordered - counseling patient about positive test result would take too much time	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>YNODNA10</b>	Reason HPV DNA test not ordered - counseling patient about positive test result would make clinician uncomfortable	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

	<b>YNODNA11</b>	Reason HPV DNA test not ordered - counseling patient about positive test result would make patient uncomfortable	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>HPVDNAR</b>	If patient's screening Pap test is borderline or abnormal is reflex HPV DNA testing performed?	N	3	1='Yes' 2='No' -8='Unknown' -7='N/A' -9='Blank'	
	<b>ABPALLO</b>	All abnormal and borderline Pap test results where practice would order HPV DNA Test	N	3	1='ASC-US' 2='ASC-H' 3='LSIL' 4='HSIL' 5='AGC' -6='Multiple entry' -7='N/A' -9='Blank'	
	<b>ASCUSO</b>	Abnormal or borderline Pap test result where practice would order HPV DNA test - ASC-US	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>ASCHO</b>	Abnormal or borderline Pap test result where practice would order HPV DNA test - ASC-H	N	3	1='Box is marked' unmarked' -7='N/A'	0='Box is
	<b>LSILO</b>	Abnormal or borderline Pap test result where practice would order HPV DNA test - LSIL	N	3	1='Box is marked' unmarked' -7='N/A'	0='Box is
	<b>HSILO</b>	Abnormal or borderline Pap test result where practice would order HPV DNA test - HSIL	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>AGCO</b>	Abnormal or borderline Pap test result where practice would order HPV DNA test - AGC	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>HPVDNAGE</b>	Patients for which the practice orders reflex HPV DNA testing	N	3	1='Under 21 years old' 2='21 years to 29 years old' 3='30 years old and over' 4='Other' -6='Multiple entry' -7='N/A' -9='All blank'	

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

<b>HPVDNA21</b>	For which patients does practice order reflex HPV DNA testing? Women <21 years	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
<b>HPVDNA29</b>	For which patients does practice order reflex HPV DNA testing? Women 21 to 29 years	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
<b>HPVDNA30</b>	For which patients does practice order reflex HPV DNA testing? Women >=30 years	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
<b>HPVDNAOR</b>	For which patients does practice order reflex HPV DNA testing? Other	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
<b>VHPVDNAO</b>	For which patients does practice order reflex HPV DNA testing? Other - Verbatim	C	75	'='No entry made' 'N/A'='N/A' Other='Entry made'	
<b>RECALL</b>	Does practice routinely recall patients for second HPV DNA test if screening Pap test is abnormal?	N	3	1='Yes' 2='No' -7='N/A' -8='Unknown' -9='Blank'	

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

<b>ABPALLR</b>	All abnormal or borderline Pap test result for which practice would recall patient for HPV DNA test	N	3	1='ASC-US' 2='ASC-H' 3='LSIL' 4='HSIL' 5='AGC' -6='Multiple entry' -7='N/A' -9='Blank'	
<b>ASCUSR</b>	Abnormal or borderline Pap test result for which practice would recall patient for HPV DNA test - ASC-US	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
<b>ASCHR</b>	Abnormal or borderline Pap test result for which practice would recall patient for HPV DNA test - ASC-H	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
<b>LSILR</b>	Abnormal or borderline Pap test result for which practice would recall patient for HPV DNA test - LSIL	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
<b>HSILR</b>	Abnormal or borderline Pap test result for which practice would recall patient for HPV DNA test - HSIL	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
<b>AGCR</b>	Abnormal or borderline Pap test result for which practice would recall patient for HPV DNA test - AGCL	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
<b>HPVDNAA</b>	Does practice order HPV DNA test at same time as Pap test (adjunct HPV testing?)	N	3	1='Yes' 2='No' -8='Unknown' -7='N/A' -9='Blank'	
<b>HPVPALL</b>	Patients for which the practice routinely orders an HPV DNA test with a Pap test	N	3	1='Under 21 years old' 2='21 years to 29 years old' 3='30 years and older' 4='Request CCS test' 5='Request HPV infection status' 6='Other' -6='Multiple entry' -7='N/A' -9='Blank'	
<b>HPVPAP21</b>	For which patients does practice routinely order an HPV DNA test with the Pap test? Women <21 years	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

	<b>HPVPAP29</b>	For which patients does practice routinely order an HPV DNA test with the Pap test? Women 21 to 29 years	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>HPVPAP30</b>	For which patients does practice routinely order an HPV DNA test with the Pap test? Women >=30 years	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>HPVPAPCS</b>	For which patients does practice routinely order an HPV DNA test with the Pap test? Women who request for cervical cancer screening	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>HPVPAPST</b>	For which patients does practice routinely order an HPV DNA test with the Pap test? Women who request to check HPV status	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>HPVPAPO</b>	For which patients does practice routinely order an HPV DNA test with the Pap test? Other patient	N	3	1='Box is marked' unmarked' -7='N/A' -9='Blank'	0='Box is
	<b>VHPVPAPO</b>	For which patients does practice routinely order an HPV DNA test with the PAP test? Other patient - Verbatim	C	75	' '=No entry made' 'N/A'='N/A' Other='Entrv made'	
	<b>PAPNLNOT</b>	Prior Pap test results in past 5 years and current HPV DNA results - 2 consecutive normal Pap tests and has not had HPV DNA test	N	3	1='No follow-up needed' 2='Less than 6 months' 3='6 months to less than 1 year' 4='1 year' 5='2 years' 6='3 years or more' 7='Have no experience with this type of patient or test' -7='N/A' -6='Multiple entry'	
	<b>PAPNLNEG</b>	Prior Pap test results in past 5 years and current HPV DNA results - 2 consecutive normal Pap tests and negative HPV DNA test result	N	3	1='No follow-up needed' 2='Less than 6 months' 3='6 months to less than 1 year' 4='1 year' 5='2 years' 6='3 years or more' 7='Have no experience with this type of patient or test' -7='N/A' -6='Multiple entry'	

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

	<b>PAPNLPOS</b>	Prior Pap test results in past 5 years and current HPV DNA results - 2 consecutive normal Pap tests and positive HPV DNA test result	N	3	1='No follow-up needed' 2='Less than 6 months' 3='6 months to less than 1 year' 4='1 year' 5='2 years' 6='3 years or more' 7='Have no experience with this type of patient or test' -7='N/A' -6='Multiple entry'
	<b>PAPNONEG</b>	Prior Pap test results in past 5 years and current HPV DNA results - has not had a Pap test and negative HPV DNA test result	N	3	1='No follow-up needed' 2='Less than 6 months' 3='6 months to less than 1 year'
	<b>PAPNOPOS</b>	Prior Pap test results in past 5 years and current HPV DNA results - has not had a Pap test and positive HPV DNA test result	N	3	1='No follow-up needed' 2='Less than 6 months' 3='6 months to less than 1 year' 4='1 year' 5='2 years' 6='3 years or more' 7='Have no experience with this type of patient or test' -7='N/A' -6='Multiple entry'
	<b>PAPABNEG</b>	Prior Pap test results in past 5 years and current HPV DNA results - abnormal Pap test result and negative HPV DNA test result	N	3	1='No follow-up needed' 2='Less than 6 months' 3='6 months to less than 1 year' 4='1 year' 5='2 years' 6='3 years or more' 7='Have no experience with this type of patient or test' -7='N/A' -6='Multiple entry'
	<b>PAPABPOS</b>	Prior Pap test results in past 5 years and current HPV DNA results - abnormal Pap test result and positive HPV DNA test result	N	3	1='No follow-up needed' 2='Less than 6 months' 3='6 months to less than 1 year' 4='1 year' 5='2 years' 6='3 years or more' 7='Have no experience with this type of patient or test' -7='N/A' -6='Multiple entry'



2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

	<b>HPVVACDET</b>	Use HPV test to determine HPV vaccine	N	3	1='Rarely or never' 2='Sometimes' 3='Usually' 4='Always or almost always' 5='Do not recommend the HPV vaccine' -7='N/A' -6='Multiple entry' 0='Blank'
	<b>HPVVACSP</b>	Determine HPV vaccine by number of sexual partners	N	3	1='Rarely or never' 2='Sometimes' 3='Usually' 4='Always or almost always' 5='Unknown/Not applicable/Do not ask' -7='N/A' -6='Multiple entry' 0='Blank'
	<b>HPVVACPT</b>	Determine HPV vaccine by Pap test	N	3	1='Rarely or never' 2='Sometimes' 3='Usually' 4='Always or almost always' 5='Unknown/Not applicable/Do not ask' -7='N/A' -6='Multiple entry'
	<b>HPVVACAB</b>	Determine HPV vaccine by history of abnormal Pap test	N	3	1='Rarely or never' 2='Sometimes' 3='Usually' 4='Always or almost always' 5='Unknown/Not applicable/Do not ask' -7='N/A' -6='Multiple entry' 0='Blank'
	<b>HPVVACPS</b>	Determine HPV vaccine by positive HPV test	N	3	1='Rarely or never' 2='Sometimes' 3='Usually' 4='Always or almost always' 5='Unknown/Not applicable/Do not ask' -7='N/A' -6='Multiple entry' 0='Blank'
	<b>CCSCHNG</b>	Change CC screening for vaccinated women	N	3	1='Yes' 2='No' -9='Blank'

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

	<b>CCSROUT</b>	Routine CCS for vaccinated women	N	3	1='By age' 2='By onset of sexual activity' 3='Will not be screening fully HPV vaccinated females' -6='Multiple entry' -7='N/A' -8='Unknown' -9='Blank'
	<b>CCSSAMR</b>	Same age as non-vaccinated women	N	3	1-99='Valid range' -7='N/A' -9='Blank'
	<b>CCSLATR</b>	Later age than non-vaccinated women	N	3	1-99='Valid range' -7='N/A' -9='Blank'
	<b>CCSYRSR</b>	How many year(s) since onset of sexual activity? (specify years)	N	3	1-99='Valid range' -7='N/A' -9='Blank'
	<b>CCSFLVAC</b>	Routine CCS for fully vaccinated women	N	3	1='Annually' 2='Every 2-3 years' 3='Every 4-5 years' 4='Greater than every 5 years' 5='Will not be screening fully HPV vaccinated females' -8='Unknown' -6='Multiple entry' -7='N/A' -9='Blank'
	<b>VACABCYT</b>	HPV DNA use for managing abnormal cytology for fully vaccinated females	N	3	1='Yes' 2='No' -7='N/A' -9='Blank'
	<b>FEWABTST</b>	Fewer abnormal Pap tests among vaccinated females	N	3	1='Agree' 2='Disagree' 3='Unsure' -6='Multiple entry' -9='Blank'
	<b>FEWCOLP</b>	Fewer referrals for colposcopy among vaccinated females	N	3	1='Agree' 2='Disagree' 3='Unsure' -6='Multiple entry' -9='Blank'
	<b>NBCCEDP</b>	Is this practice currently participating in this state or national screening program (NBCCEDP)?	N	3	1='Yes' 2='No' -8='Unknown' -9='Blank'

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

	<b>PROFESS</b>	Which of the following categories describe your profession?	N	3	1='Physician' 2='Physician assistant/Nurse practitioner/Nurse midwife' 3='Registered nurse' 4='Other clinic staff' -9='Blank'
	<b>REMARKS</b>	Variable on raw data from Census. Unclear of intent.	C	75	' '=No entry made' Other='Entry made'
<b>CCSS VARIABLES--CREATED USING DATA FROM THE CCSS</b>					
	<b>WEBPAPER</b>	Method used to complete supplement from NHAMCS-900	N	1	1='Clinic used paper' 2='Clinic used web' 3='Not applicable'
	<b>CCSSTYPE</b>	Type of medical practice	N	1	2='OPD' 3='CHC'
	<b>ELIG</b>	Eligibility for completing CCSS	N	1	1='Eligible for CCSS' 2='Not eligible for CCSS'
	<b>CCSSRESP</b>	Response to CCSS	N	1	1='Responded' 2='Refused'
	<b>OBG</b>	OBGYN Specialty	N	1	1='OBGYN' 2='Other'
	<b>SURVEY</b>	Survey (NAMCS or NHAMCS)	N	1	1='NAMCS' 2='NHAMCS'
	<b>CCSFINALR</b>	Final disposition for CCSS	N	2	1='Completed paper' 2='Completed web' 3='Refused' 4='Does not perform screening' 5='Ineligible for CCS' 6='Other' 10='Traditional provider w/ CHC office' -9='Blank'
	<b>PCTF1524</b>	Percent of visits by females 15-24 years of age seen in clinic	N	3	0-100='Valid range' -9='Blank'
	<b>PCTF2544</b>	Percent of visits by females 25-44 years of age seen in clinic	N	3	0-100='Valid range' -9='Blank'
	<b>PCTF4564</b>	Percent of visits by females 45-64 years of age seen in clinic	N	3	0-100='Valid range' -9='Blank'
	<b>PCTF65</b>	Percent of visits by females 65 years of age and over seen in clinic	N	3	0-100='Valid range' -9='Blank'
	<b>CSPRIVINS</b>	Percent of visits by females 15 years of age and over seen in clinic who had private insurance	N	3	0-100='Valid range' -9='Blank'
	<b>CSMCARE</b>	Percent of visits by females 15 years of age and over seen in clinic who had Medicare	N	3	0-100='Valid range' -9='Blank'
	<b>CSMCAID</b>	Percent of visits by females 15 years of age and over seen in clinic who had Medicaid	N	3	0-100='Valid range' -9='Blank'
	<b>CSNOINS</b>	Percent of visits by females 15 years of age and over seen in clinic who had no insurance (i.e., self-pay, no charge, or charity)	N	3	0-100='Valid range' -9='Blank'

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

	<b>CSPELVIC</b>	Percent of visits by females 15 years of age and over seen in clinic who had a pelvic exam	N	3	0-100='Valid range' -9='Blank'
	<b>CSPAPCONV</b>	Percent of visits by females 15 years of age and over seen in clinic who had a PAP test-conventional	N	3	0-100='Valid range' -9='Blank'
	<b>CSPAPLIQ</b>	Percent of visits by females 15 years of age and over seen in clinic who had a PAP test-liquid-based	N	3	0-100='Valid range' -9='Blank'
	<b>CSPAPUNSP</b>	Percent of visits by females 15 years of age and over seen in clinic who had a PAP test-unspecified	N	3	0-100='Valid range' -9='Blank'
	<b>CSPAPANY</b>	Percent of visits by females 15 years of age and over seen in clinic who had any type of PAP test	N	3	0-100='Valid range' -9='Blank'
	<b>CSDHPVDNA</b>	Percent of visits by females 15 years of age and over seen in clinic who had an HPV DNA test	N	3	0-100='Valid range' -9='Blank'
<b>CENSUS DERIVED VARIABLES--CREATED BY COMBINING CENSUS DATA WITH PROVIDER-LEVEL VARIABLES</b>					
	<b>CSMEDHHY</b>	Mean median household income for all visits by females 15 years of age and over seen in clinic	N	6	-9='Blank' Other='Valid range'
	<b>CSPCTBA</b>	Mean percent with a bachelor's degree or more for all visits by females 15 years of age seen in clinic	N	3	0-100='Valid range' -9='Blank'
	<b>CSPCTFB</b>	Mean percent foreign for all visits by females 15 years of age seen in clinic	N	3	0-100='Valid range' -9='Blank'
	<b>CSPCTHS</b>	Mean percent with a high school diploma or higher for all visits by females 15 years of age seen in clinic	N	3	0-100='Valid range' -9='Blank'
	<b>CSPCTENG</b>	Mean percent not speaking English at all or very well for all visits by females 15 years of age seen in clinic	N	3	0-100='Valid range' -9='Blank'
	<b>CSPCTPOV</b>	Mean percent where income is below poverty level for all visits by females 15 years of age seen in clinic	N	3	0-100='Valid range' -9='Blank'
<b>ARF- VARIABLES--CREATED BY COMBINING AREA RESOURCE FILE DATA WITH PROVIDER ZIP CODE</b>					
	<b>ARFHYY</b>	Median household income (2005)	N	6	-9='Blank' Other='Valid range'
	<b>ARFPPOV</b>	Percent where income is below poverty level(2005)	N	3	0.01-100.00='Valid range' -9='Blank'
	<b>ARFPWNH</b>	Percent of popn who is white, not Hispanic(2006)	N	3	0.01-100.00='Valid range' -9='Blank'
	<b>ARFPMCAID</b>	Medicaid discharges per 1000 population(2005)	N	3	0.01-999.99='Valid range' -9='Blank'
	<b>ARFP65</b>	Percent of popn who is 65 years and over(2002)	N	3	0.01-100.00='Valid range' -9='Blank'
	<b>ARFGROTOT</b>	Percent change in total population 1996 to 2006	N	3	-76.00-136.00='Valid range' -9='Blank'
	<b>ARFGRO65</b>	Percent change in population 65+ years, 1997 to 2007	N	3	-72.00-240.00='Valid range' -9='Blank'

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

NCHS URBAN-RURAL FILE DERIVED VARIABLE-- DERIVED BY COMBINING NCHS URBAN-RURAL FILE DATA WITH PROVIDER-LEVEL					
	URBANRU	2007 NCHS urban-rural classification based on provider zip code	N	1	1='Large central metro' 2='Large fringe metro' 3='Medium metro' 4='Small metro' 5='Micropolitan (nonmetro)' 6='Noncore (nonmetro)'
OTHER PROVIDER-LEVEL VARIABLES					
	REGION	Geographic region of provider	N	1	1='NE' 2='MW' 3='S' 4='W'
	FIPSSST	Provider state FIPS codes	C	2	'00'-'56'='Valid range'
	FIPSCNY	Provider county FIPS codes	C	3	'000'-'999'='Valid range'
	MSA	Metro status from latest SMG file (2 category)	N	1	1='MSA' 2='non-MSA'
NAMCS PROVIDER VARIABLES					
X	BATCHCCS	Batch number	N	3	1-999='Valid range' -9='Blank'
X	PHYSVV	Annual physician visit volume. Derived: OFFVISWK, NUMVISR	N	8	0='Visit volume not calculated' 1-99999999='Valid range'
X	MDDO	Doctor of Medicine (MD) or Doctor of Osteopathy (DO)	N	1	1='MD' 2='DO' 3='Mid-level provider'
X	DEGREE_R	What is the provider's highest medical degree? (recoded variable combining PRVDEGR and MDDO)	N	1	1='MD' 2='DO' 3='Nurse practitioner' 4='Physician assistant' 5='Nurse midwife' 6='Other' -9='No box is marked'

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

X	PHYRACE	Race of Physician. Physician Sample File and updated from PRVRACE for CHC providers	N	1	1='White, Non-Hispanic' 2='Black, Non-Hispanic' 3='Asian' 4='Hispanic' 7='Native American/Alaskans' 8='Other' -9='Unknown/Missing'
X	PHYSEX	Sex of Physician. Physician Sample File and updated from PRVSEX for CHC providers	N	1	1='Female' 2='Male' -9='Unknown/Missing'
X	FGRAD	Did physician graduate from a medical school in the US or Foreign? Recoded: Physician Sample File; for CHC provider updated from PRVFMS	N	1	1='Foreign school (GRADF)' 2='United States (GRADU)' -9='Blank'
X	PYOB	Physician year of birth. From Physician Sample File and updated from PRVYEAR for CHC providers	N	4	-9 = 'Blank' 1900-1982='valid range'
X	MDAGE	Physician age; grouped. Recode from PYOB	N	1	1='Under 35 years' 2='35-44 years' 3='45-54 years' 4='55-64 years' 5='65 years and over' -9='Blank'
X	SIZE	Size of practice based on office with MAX ESTVIS. Derived from MAX(ESTVIS) & Q18b(1)-(4) [OTHPHY]	N	2	1='Solo based practice' 2-98='Number of physicians in practice' -9='Blank'
X	PRACTSIZ	Size of practice grouped based on SIZE. Recoded from SIZE	N	1	1='Solo practice' 2='Two physicians' 3='3 to 5 physicians' 4='6-10 physicians' 5='10-998 physicians' -9='Blank'
X	PRACTYPE	Type of practice	C	3	' '= 'Blank' '020'='AMA-Direct patient care' '040'='AOA-Direct patient care' '100'='AMA-Unknown/missing' '200'='Sampled CHC'
X	TYPE	Type of practice. Recoded from SIZE and Q18d(1)-(4) [MULTI]	N	1	1='Solo and single specialty office' 2='Multi-specialty' -9='Missing'

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

X	OWNS	Ownership of practice, based on office with MAX ESTVIS. Derived from MAX(ESTVIS) and Q18f(1)-(4) [OWNS]	N	1	1='Physician or physician group' 2='HMO' 3='Community Health Center' 4='Medical academic Health center' 5='Other hospital' 6='Other health care corporation' 7='Other' -9='No box is marked'
X	SPECCAT	Physician specialty type. Recoded from SPECR & SPEC	N	1	1='Primary care specialty' 2='Surgical specialty' 3='Medical specialty' 4='Mid level provider'
X	PRIMEMP	Primary present employment. All values are from the AMA masterfile, except 20 and 31 (from AOA masterfile).	N	3	. = 'Blank' 11='AMA-Self-emp, solo prac' 13='AMA-Two phy. prac' 20='AOA-Office prac. solo' 21='AMA-Oth pat care/AOA-Off prac. partnp' 22='AOA-Office prac group' 30='AMA-Grp prac/AOA-Off prac HMO staff' 31='AOA-Office prac. walk-in clinic' 35='AMA-HMO' 40='AMA-Medical school' 64='AMA-County/Cty/State, not hosp.' 110='AMA-No classification' 200='Sampled CHC'
X	MAJPRACT	Major professional activity	C	3	' ' = 'Blank' 'PO' = 'Office based' 'CHC' = 'Sampled CHC'
X	ZIPPHY	Physician's zip code updated. If (PIIZIP) is not blank then use. Otherwise, use (ZIPPHYS). Created: PIIZIP and ZIPPHYS	C	5	' ' = 'Blank' other = 'valid entry'
X	CRVCANSC	Does your practice offer any type of cervical cancer screening?	N	1	1='Yes' 2='No' 3='Don't Know' -9='No box is marked'
X	CCSFINAL	Final Disposition for Cervical Cancer Screening Supplement	N	1	1='Completed paper' 2='Completed web' 3='Refused' 4='Does not perform screening' 5='Ineligible for CCS' 6='Other' 8='More than one box is marked' -9='No box is marked'
<b>NHAMCS PROVIDER VARIABLES</b>					

2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

<b>CSDISP</b>	NHAMCS-906 Disposition for AU	N	1	1=Yes, completed supplement 2=Refused--given form but did not complete supplement 3=Clinic reported no or unknown to CCS but recorded visits with cervical cancer screening tests -7=Not applicable not an OBG or GM clinic or eligible clinic that does not conduct cervical cancer testing -8=Unknown
<b>CSELIG</b>	Eligibility of AU for NHAMCS-906 (edited variable that represents info from 101U without changes made to clinics from visit file)	N	3	1='Eligible, conducts cervical cancer screening; NHAMCS 906 left' 2='Not eligible' -7='Not applicable; not an OBG or GM clinic' -8='Unknown if eligible' -9='Blank'
<b>CSELIGW</b>	Eligibility of AU for NHAMCS-906 (edited/recoded variable used for weighting purposes)	N	3	1='Eligible, conducts cervical cancer screening; NHAMCS 906 left or clinics recorded visits from cervical cancer screening tests' 2='Not eligible' -7='Not applicable; not an OBG or GM clinic' -8='Unknown if eligible' -9='Blank'
<b>MON101</b>	Month hospital is in sample.	N	2	1-12='Valid range' -9='Blank'
<b>HOSP</b>	Hospital ID number	N	3	1-799='Valid range'
<b>DAY101</b>	Day of month hospital is in sample.	N	2	1-31='Valid range' -9='Blank'
<b>TEACHOSP</b>	Is this a teaching hospital?	N	1	1='Yes' 2='No' -9='Blank'
<b>BESTVVOP</b>	Best annual OPD volume	N	7	0-9999999='Valid range'
<b>METRSTAT</b>	Metro status from latest SMG file (3 category)	N	1	1='Metropolitan' 2='Micropolitan' 3='Non-metropolitan (neither)'
<b>SMGOWN</b>	Hospital ownership from SMG file	N	1	1='Voluntary, non-profit' 2='Government' 3='Proprietary' -9='Missing'



2009 Cervical Cancer Screening Supplement  
 Visit File Data Dictionary  
 Last update 6/6/2014

	<b>SMGTOS</b>	Service code for primary type of care offered	C	2	10='General med/surg' 11='Hosp unit of institution' 12='Hosp unit within an institution for MR' 22='Psychiatric' 33='TB& other resp dis' 44='Maternity' 45='EENT' 46='Rehab' 47='Orthopedic' 48='Chronic disease' 49='Other specialty' 50='Children's general' 51='Children's hosp unit of institution'
	<b>SMGOPVIS</b>	Number of annual OPD visits	N	7	0-1491315='Valid range'
	<b>SMGMSAFF</b>	Medical school affiliation	N	1	1='Yes' 2='No' -9='Blank'
	<b>SMGTHOSP</b>	Teaching hospital	N	1	1='Yes' 2='No' -9='Blank'
	<b>SMGZIP</b>	Zip code of hospital	C	5	' ' = 'Blank' '00501'-'99950'='Valid range'



|



