

Data Brief 246: Access and Utilization of Selected Preventive Health Services Among Adolescents Aged 10–17

Data table for Figure 1. Percentage of adolescents aged 10–17 who did not have a usual place for preventive care, did not receive a well-child checkup, or did not have a dental visit, by year: United States, 2008–2014

Selected access measure	Year	Percent	Standard error
No usual place for preventive care	2008	4.5	0.42
	2009	2.9	0.30
	2010	3.5	0.29
	2011	2.7	0.22
	2012	3.1	0.26
	2013	2.7	0.25
	2014	2.3	0.24
No well-child checkup, past 12 months	2008	31.3	0.98
	2009	29.4	0.97
	2010	25.6	0.74
	2011	25.6	0.76
	2012	26.2	0.75
	2013	21.7	0.71
	2014	21.2	0.69
No dental visit, past 12 months	2008	15.6	0.70
	2009	15.6	0.71
	2010	15.3	0.64
	2011	13.6	0.56
	2012	12.9	0.57
	2013	12.8	0.55
	2014	12.1	0.55

SOURCE: NCHS, National Health Interview Survey, 2008–2014.

Data Brief 246: Access and Utilization of Selected Preventive Health Services Among Adolescents Aged 10–17

Data table for Figure 2. Percentage of adolescents aged 10–17 who did not have a usual place for preventive care, did not receive a well-child checkup, or did not have a dental visit, by age group: United States, 2014

Selected access measure	Age group (years)	Percent	Standard error
No usual place for preventive care	10–11	1.4	0.31
	12–13	1.7	0.43
	14–15	2.7	0.51
	16–17	3.5	0.56
No well-child checkup, past 12 months	10–11	20.3	1.38
	12–13	18.7	1.27
	14–15	19.2	1.39
	16–17	27.1	1.40
No dental visit, past 12 months	10–11	9.2	0.99
	12–13	11.3	1.25
	14–15	12.7	1.08
	16–17	15.3	1.11

SOURCE: NCHS, National Health Interview Survey, 2014.

Data Brief 246: Access and Utilization of Selected Preventive Health Services Among Adolescents Aged 10–17

Data table for Figure 3. Percentage of adolescents aged 10–17 who did not have a usual place for preventive care, by race and Hispanic origin, poverty status, and health insurance coverage: United States, 2014

Characteristic	Percent	Standard error
Total	2.3	0.24
Non-Hispanic white	1.5	0.31
Non-Hispanic black	2.0	0.51
Hispanic	4.2	0.54
Income less than or equal to 138% FPL	4.1	0.59
Income greater than 138% FPL	1.5	0.22
Private	1.1	0.20
Public	1.6	0.35
Uninsured	18.4	2.41

SOURCE: NCHS, National Health Interview Survey, 2014.

Data Brief 246: Access and Utilization of Selected Preventive Health Services Among Adolescents Aged 10–17

Data table for Figure 4. Percentage of adolescents aged 10–17 who did not receive a well-child checkup in the past 12 months, by race and Hispanic origin, poverty status, and health insurance coverage: United States, 2014

Characteristic	Percent	Standard error
Total	21.2	0.69
Non-Hispanic white	19.7	0.92
Non-Hispanic black	18.0	1.59
Hispanic	27.8	1.48
Income less than or equal to 138% FPL	24.4	1.30
Income greater than 138% FPL	19.8	0.82
Private	18.8	0.90
Public	19.4	1.14
Uninsured	54.2	3.04

SOURCE: NCHS, National Health Interview Survey, 2014.

Data Brief 246: Access and Utilization of Selected Preventive Health Services Among Adolescents Aged 10–17

Data table for Figure 5. Percentage of adolescents aged 10–17 without a dental visit in the past 12 months, by race and Hispanic origin, poverty status, and health insurance coverage: United States, 2014

Characteristic	Percent	Standard error
Total	12.1	0.55
Non-Hispanic white	9.5	0.74
Non-Hispanic black	14.1	1.34
Hispanic	16.9	1.21
Income less than or equal to 138% FPL	19.1	1.40
Income greater than 138% FPL	9.1	0.59
Private	7.3	0.58
Public	15.6	1.16
Uninsured	41.7	3.34

SOURCE: NCHS, National Health Interview Survey, 2014.