Data Brief 247: Health of Non-Hispanic Asian Adults: United States, 2010–2014

Data table for Figure 1. Age-adjusted percentage of adults aged 18 and over in fair or poor health, by non-Hispanic Asian subgroup: United States, 2010–2014

	Percent	Standard error
U.S. total	12.4	0.13
All Asian	10.4	0.38
Chinese	8.4	0.68
Filipino	8.7	0.71
Asian Indian	8.9	1.07
Korean	12.2	1.32
Japanese	8.1	1.78
Vietnamese	16.8	1.51

Data table for Figure 2. Age-adjusted percentage of adults aged 18 and over with multiple chronic conditions, by non-Hispanic Asian subgroup: United States, 2010–2014

	Percent	Standard error
U.S. total	24.1	0.14
All Asian	16.3	0.41
Chinese	11.3	0.83
Filipino	22.3	1.03
Asian Indian	16.9	1.21
Korean	14.0	1.31
Japanese	16.8	1.43
Vietnamese	15.6	1.44

Data table for Figure 3. Age-adjusted percentage of adults aged 18 and over with serious psychological distress, by non-Hispanic Asian subgroup: United States, 2010–2014

	Percent	Standard error
U.S. total	3.2	0.07
All Asian	1.7	0.17
Chinese	1.5	0.42
Filipino	1.6	0.30
Asian Indian	1.5	0.32
Korean	1.6	0.50
Japanese	1.1	0.48
Vietnamese	2.6	0.57

Data table for Figure 4. Age-adjusted percentage of adults aged 18–64 with a work limitation, by non-Hispanic Asian subgroup: United States, 2010–2014

	Percent	Standard error
U.S. total	6.5	0.12
All Asian	2.2	0.20
Chinese	1.8	0.43
Filipino	2.4	0.41
Asian Indian	1.5	0.37
Korean	*	*
Japanese	4.1	1.03
Vietnamese	3.1	0.76

^{*}Estimate has a relative standard error greater than 50% and is suppressed. SOURCE: NCHS, National Health Interview Survey, 2010–2014.

Data table for Figure 5. Age-adjusted percentage of adults aged 18 and over with a social participation limitation, by non-Hispanic Asian subgroup: United States, 2010–2014

	Percent	Standard error
U.S. total	3.9	0.07
All Asian	3.0	0.22
Chinese	2.4	0.40
Filipino	3.0	0.45
Asian Indian	4.1	0.88
Korean	4.6	0.86
Japanese	2.2	0.48
Vietnamese	2.4	0.52