

Data Brief 262: Health Care Access and Utilization Among Adults Aged 18–64, by Poverty Level: United States, 2013–2015

Data table for Figure 1. Percentage of adults aged 18–64 who were uninsured, by family poverty level: United States, 2013–2015

Family poverty level	Year	Estimate (95% CI)	Standard error
Poor	2013	40.0 (38.3–41.7)	0.86
	2014	32.9 (31.3–34.5)	0.81
	2015	26.2 (24.7–27.8)	0.77
Near-poor	2013	37.8 (36.4–39.3)	0.73
	2014	30.5 (29.2–31.9)	0.71
	2015	23.9 (22.7–25.1)	0.61
Not-poor	2013	11.7 (11.2–12.2)	0.25
	2014	9.0 (8.6–9.4)	0.22
	2015	7.7 (7.3–8.1)	0.21

NOTE: CI is confidence interval.

SOURCE: NCHS, National Health Interview Survey, 2013–2015.

Data Brief 262: Health Care Access and Utilization Among Adults Aged 18–64, by Poverty Level: United States, 2013–2015

Data table for Figure 2. Percentage of adults aged 18–64 with a usual place to go for medical care, by family poverty level: United States, 2013–2015

Family poverty level	Year	Estimate (95% CI)	Standard error
Poor	2013	66.9 (65.0–68.8)	0.97
	2014	71.8 (70.1–73.5)	0.89
	2015	73.6 (71.7–75.4)	0.94
Near-poor	2013	71.1 (69.4–72.8)	0.88
	2014	75.6 (74.0–77.2)	0.82
	2015	75.9 (74.0–77.7)	0.93
Not-poor	2013	86.4 (85.7–87.1)	0.36
	2014	87.0 (86.2–87.8)	0.39
	2015	86.3 (85.5–87.0)	0.39

NOTE: CI is confidence interval.

SOURCE: NCHS, National Health Interview Survey, 2013–2015.

Data Brief 262: Health Care Access and Utilization Among Adults Aged 18–64, by Poverty Level: United States, 2013–2015

Data table for Figure 3. Percentage of adults aged 18–64 who had seen or talked to a health care professional in the past 12 months, by family poverty level: United States, 2013–2015

Family poverty level	Year	Estimate (95% CI)	Standard error
Poor	2013	73.2 (71.4–75.0)	0.90
	2014	75.0 (73.2–76.8)	0.90
	2015	75.8 (73.9–77.6)	0.94
Near-poor	2013	71.9 (70.2–73.5)	0.84
	2014	74.3 (72.5–76.0)	0.89
	2015	75.9 (74.2–77.6)	0.87
Not-poor	2013	82.6 (81.8–83.4)	0.39
	2014	83.5 (82.7–84.3)	0.42
	2015	83.3 (82.5–84.1)	0.42

NOTE: CI is confidence interval.

SOURCE: NCHS, National Health Interview Survey, 2013–2015.

Data Brief 262: Health Care Access and Utilization Among Adults Aged 18–64, by Poverty Level: United States, 2013–2015

Data table for Figure 4. Percentage of adults aged 18–64 who did not obtain needed medical care due to cost at some time during the past 12 months, by family poverty level: United States, 2013–2015

Family poverty level	Year	Estimate (95% CI)	Standard error
Poor	2013	16.8 (15.7–18.0)	0.58
	2014	15.1 (14.1–16.1)	0.53
	2015	12.4 (11.4–13.5)	0.54
Near-poor	2013	14.6 (13.6–15.6)	0.51
	2014	13.1 (12.2–14.0)	0.44
	2015	11.0 (10.2–11.9)	0.41
Not-poor	2013	4.9 (4.6–5.2)	0.15
	2014	4.1 (3.9–4.4)	0.14
	2015	3.8 (3.5–4.0)	0.14

NOTE: CI is confidence interval.

SOURCE: NCHS, National Health Interview Survey, 2013–2015.