

**Data Brief 280: Prevalence of HPV in Adults Aged 18–69: United States, 2011–2014**

**Figure 1. Prevalence of any oral HPV among adults aged 18–69, by race and Hispanic origin and sex: United States, 2011–2014**

Race and Hispanic-origin group	All			Men			Women		
	Percent	Lower 95% CI	Upper 95% CI	Percent	Lower 95% CI	Upper 95% CI	Percent	Lower 95% CI	Upper 95% CI
Total population	7.3	6.5	8.2	11.5	9.9	13.2	3.3	2.7	3.8
Non-Hispanic Asian	2.9	2.3	3.6	4.3	3.1	5.6	1.8	0.9	3.0
Non-Hispanic white	7.3	6.3	8.5	11.7	9.8	13.8	2.9	2.3	3.7
Non-Hispanic black	9.7	8.4	11.1	15.8	13.4	18.4	4.5	3.2	6.2
All Hispanic	7.0	5.6	8.7	9.9	8.0	12.2	4.1	2.8	5.7

NOTES: HPV is human papillomavirus. CI is confidence interval. Any oral HPV means tested positive to one or more of the 37 HPV types from an oral rinse sample.

SOURCE: NCHS, National Health and Nutrition Examination Survey, 2011–2014.

**Data Brief 280: Prevalence of HPV in Adults Aged 18–69: United States, 2011–2014**

**Figure 2. Prevalence of high-risk oral HPV among adults aged 18–69, by race and Hispanic origin and sex: United States, 2011–2014**

Race and Hispanic-origin group	All			Men			Women		
	Percent	Lower 95% CI	Upper 95% CI	Percent	Lower 95% CI	Upper 95% CI	Percent	Lower 95% CI	Upper 95% CI
Total population	4.0	3.3	4.7	6.8	5.6	8.1	1.2	0.9	1.6
Non-Hispanic Asian	1.7	1.1	2.5	2.3	1.3	3.8	1.1	0.5	2.2
Non-Hispanic white	4.2	3.4	5.1	7.3	5.9	8.9	1.1	0.7	1.7
Non-Hispanic black	4.3	3.4	5.4	7.5	5.8	9.5	1.7	1.0	2.6
All Hispanic	3.4	2.5	4.6	5.4	3.9	7.4	1.3	0.7	2.4

NOTES: HPV is human papillomavirus. CI is confidence interval. High-risk oral HPV means tested positive to one or more of the 14 high-risk HPV types (16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 66, or 68) from an oral rinse sample.

SOURCE: NCHS, National Health and Nutrition Examination Survey, 2011–2014.

**Data Brief 280: Prevalence of HPV in Adults Aged 18–69: United States, 2011–2014**

**Figure 3. Prevalence of any genital HPV among adults aged 18–59, by race and Hispanic origin and sex: United States, 2013–2014**

Race and Hispanic-origin group	All			Men			Women		
	Percent	Lower 95% CI	Upper 95% CI	Percent	Lower 95% CI	Upper 95% CI	Percent	Lower 95% CI	Upper 95% CI
Total population	42.5	39.6	45.4	45.2	41.5	49.0	39.9	36.8	43.1
Non-Hispanic Asian	23.8	19.5	28.5	24.4	18.5	31.0	23.2	18.5	28.6
Non-Hispanic white	40.0	35.8	44.3	43.7	38.4	49.2	36.5	31.8	41.3
Non-Hispanic black	64.1	58.9	69.0	65.0	60.0	69.8	63.2	56.7	69.4
All Hispanic	41.4	37.6	45.1	44.4	38.0	50.9	38.5	34.3	42.7

NOTES: HPV is human papillomavirus. CI is confidence interval. Any genital HPV means tested positive to one or more of the 37 HPV types from a penile or vaginal swab sample. Penile samples were available only for 2013–2014, so results presented were limited to that cycle.

SOURCE: NCHS, National Health and Nutrition Examination Survey, 2013–2014.

**Data Brief 280: Prevalence of HPV in Adults Aged 18–69: United States, 2011–2014**

**Figure 4. Prevalence of high-risk genital HPV among adults aged 18–59, by race and Hispanic origin and sex: United States, 2013–2014**

Race and Hispanic-origin group	All			Men			Women		
	Percent	Lower 95% CI	Upper 95% CI	Percent	Lower 95% CI	Upper 95% CI	Percent	Lower 95% CI	Upper 95% CI
Total population	22.7	20.9	24.5	25.1	23.2	27.1	20.4	18.0	22.9
Non-Hispanic Asian	11.9	8.9	15.4	12.2	7.5	18.3	11.6	8.0	16.0
Non-Hispanic white	21.6	19.0	24.4	24.7	21.9	27.7	18.7	15.2	22.7
Non-Hispanic black	33.7	30.5	37.0	40.3	36.4	44.3	28.2	24.1	32.6
All Hispanic	21.7	19.2	24.3	21.8	18.2	25.8	21.6	17.3	26.3

NOTES: HPV is human papillomavirus. CI is confidence interval. High-risk genital HPV means tested positive to one or more of the 14 high-risk HPV types (16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 66, or 68) from a penile or vaginal swab sample. Penile samples were available only for 2013–2014, so results presented were limited to that cycle.

SOURCE: NCHS, National Health and Nutrition Examination Survey, 2013–2014.