

Data Brief 304. Prevalence of Herpes Simplex Virus Type 1 and Type 2 in Persons Aged 14–49: United States, 2015–2016

Data table for Figure 1. Age-adjusted prevalence of herpes simplex virus type 1 among persons aged 14–49, by age group, sex, and race and Hispanic origin: United States, 2015–2016

Characteristic	Total population unadjusted	Total population age adjusted	14–19 years	20–29 years	30–39 years	40–49 years	Male	Female	Non-Hispanic white	Non-Hispanic black	Mexican-American	Non-Hispanic Asian
Percent	47.8	48.1	27.0	41.3	54.1	59.7	45.2	50.9	36.9	58.8	71.7	55.7
Lower confidence interval	42.81	42.95	21.44	33.80	48.64	51.66	38.98	46.20	32.98	53.17	65.36	47.55
Upper confidence interval	52.77	53.23	33.07	49.13	59.49	67.45	51.61	55.50	41.00	64.36	77.52	63.67

NOTES: Age adjusted by the direct method to the 2000 U.S. Census population, using age groups 14–19, 20–29, 30–39, and 40–49 years. Total population includes all race and Hispanic-origin groups including those not shown separately.

SOURCE: NCHS, National Health and Nutrition Examination Survey, 2015–2016.

Data Brief 304. Prevalence of Herpes Simplex Virus Type 1 and Type 2 in Persons Aged 14–49: United States, 2015–2016

Data table for Figure 2. Trends in age-adjusted prevalence of herpes simplex virus type 1 among persons aged 14–49, for the total population and by race and Hispanic origin: United States, 1999–2000 through 2015–2016

Survey cycle	Total population	Non-Hispanic white	Non-Hispanic black	Mexican-American
1999–2000	59.4	52.4	68.4	82.0
2001–2002	57.8	49.8	68.8	81.7
2003–2004	55.8	48.2	68.4	79.3
2005–2006	53.8	46.4	59.0	82.1
2007–2008	56.0	50.0	60.2	78.2
2009–2010	52.2	41.8	64.9	80.1
2011–2012	55.7	48.4	59.6	75.3
2013–2014	50.5	41.3	58.5	74.5
2015–2016	48.1	36.9	58.8	71.7

NOTES: Age adjusted by the direct method to the 2000 U.S. Census population, using age groups 14–19, 20–29, 30–39, and 40–49 years. Total population includes all race and Hispanic-origin groups including those not shown separately. Data for the Asian subpopulation are only available since 2011, so this subpopulation is not shown separately, but included in the total population.

SOURCE: NCHS, National Health and Nutrition Examination Survey, 1999–2016.

Data Brief 304. Prevalence of Herpes Simplex Virus Type 1 and Type 2 in Persons Aged 14–49: United States, 2015–2016

Data table for Figure 3. Age-adjusted prevalence of herpes simplex virus type 2 among persons aged 14–49, by age group, sex, and race and Hispanic origin: United States, 2015–2016

Characteristic	Total population unadjusted	Total population age adjusted	14–19 years	20–29 years	30–39 years	40–49 years	Male	Female	Non-Hispanic white	Non-Hispanic black	Mexican-American	Non-Hispanic Asian
Percent	11.9	12.1	0.8	7.6	13.3	21.2	8.2	15.9	8.1	34.6	9.4	3.8
Lower confidence interval	9.54	9.66	0.32	4.67	9.13	16.30	6.38	12.72	6.28	30.17	6.35	2.05
Upper confidence interval	14.62	14.95	1.70	11.49	18.37	26.84	10.27	19.62	10.27	39.34	13.24	6.39

NOTES: Age adjusted by the direct method to the 2000 U.S. Census population, using age groups 14–19, 20–29, 30–39, and 40–49 years. Total population includes all race and Hispanic-origin groups including those not shown separately.

SOURCE: NCHS, National Health and Nutrition Examination Survey, 2015–2016.

Data Brief 304. Prevalence of Herpes Simplex Virus Type 1 and Type 2 in Persons Aged 14–49: United States, 2015–2016

Data table for Figure 4. Trends in age-adjusted prevalence of herpes simplex virus type 2 among persons aged 14–49, for the total population and by race and Hispanic origin: United States, 1999–2000 through 2015–2016

Survey cycle	Total population	Non-Hispanic white	Non-Hispanic black	Mexican-American
1999–2000	18.0	14.1	41.5	12.8
2001–2002	17.3	13.3	43.5	15.8
2003–2004	16.1	12.0	40.6	12.3
2005–2006	16.4	12.2	41.4	9.6
2007–2008	16.1	11.8	40.7	12.6
2009–2010	15.0	10.7	42.8	12.3
2011–2012	16.0	12.4	37.2	15.3
2013–2014	12.9	9.7	34.7	8.8
2015–2016	12.1	8.1	34.6	9.4

NOTES: Age adjusted by the direct method to the 2000 U.S. Census population, using age groups 14–19, 20–29, 30–39, and 40–49 years. Total population includes all race and Hispanic-origin groups including those not shown separately. Data for the Asian subpopulation are only available since 2011, so this subpopulation is not shown separately, but included in the total population.

SOURCE: NCHS, National Health and Nutrition Examination Survey, 1999–2016.