

Data Brief 70. Attention deficit hyperactivity disorder among children aged 5–17 years in the United States, 1998–2009

Data table for Figure 1. Percentage (standard error) of children aged 5–17 years ever diagnosed with attention deficit hyperactivity disorder, by sex: United States, 1998–2009

3-year period	All	Male	Female
	Percent (standard error)		
1998–2000	6.9 (0.2)	9.9 (0.3)	3.6 (0.2)
2001–2003	7.5 (0.2)	10.7 (0.3)	4.1 (0.2)
2004–2006	8.1 (0.2)	11.4 (0.4)	4.6 (0.2)
2007–2009	9.0 (0.3)	12.3 (0.4)	5.5 (0.3)

SOURCES: CDC/NCHS, Health Data Interactive and National Health Interview Survey.

Data Brief 70. Attention deficit hyperactivity disorder among children aged 5–17 years in the United States, 1998–2009

Data table for Figure 2. Percentage (standard error) of children aged 5–17 years ever diagnosed with attention deficit hyperactivity disorder, by race and ethnicity: United States, 1998–2009

3-year period	Non-Hispanic white	Non-Hispanic black	Puerto Rican	Mexican
Percent (standard error)				
1998–2000	8.2 (0.2)	5.1 (0.4)	5.9 (1.0)	2.8 (0.3)
2001–2003	8.8 (0.3)	7.2 (0.5)	10.1 (1.6)	3.0 (0.3)
2004–2006	9.3 (0.3)	8.1 (0.5)	9.5 (1.5)	4.5 (0.4)
2007–2009	10.6 (0.4)	9.5 (0.6)	9.5 (1.3)	4.4 (0.5)

SOURCES: CDC/NCHS, Health Data Interactive and National Health Interview Survey.

Data Brief 70. Attention deficit hyperactivity disorder among children aged 5–17 years in the United States, 1998–2009

Data table for Figure 3. Percentage (standard error) of children aged 5–17 years ever diagnosed with attention deficit hyperactivity disorder, by poverty status: United States, 1998–2009

3-year period	Less than 100% of poverty level	100%–199% of poverty level	200% or more of poverty level
	Percent (standard error)		
1998–2000	7.5 (0.5)	7.0 (0.4)	6.6 (0.2)
2001–2003	8.2 (0.5)	7.3 (0.4)	7.4 (0.2)
2004–2006	9.5 (0.6)	8.5 (0.5)	7.5 (0.3)
2007–2009	10.3 (0.7)	10.6 (0.7)	7.9 (0.3)

SOURCES: CDC/NCHS, Health Data Interactive and National Health Interview Survey.

Data Brief 70. Attention deficit hyperactivity disorder among children aged 5–17 years in the United States, 1998–2009

Data table for Figure 4. Percentage (standard error) of children aged 5–17 years ever diagnosed with attention deficit hyperactivity disorder, by U.S. Census region: United States, 1998–2009

3-year period	Northeast	Midwest	South	West
	Percent (standard error)			
1998–2000	5.7 (0.4)	7.1 (0.4)	8.1 (0.3)	5.4 (0.4)
2001–2003	7.3 (0.5)	7.9 (0.4)	8.4 (0.4)	5.7 (0.3)
2004–2006	7.0 (0.5)	9.2 (0.5)	9.4 (0.4)	5.6 (0.4)
2007–2009	8.6 (0.6)	10.2 (0.6)	10.3 (0.4)	5.8 (0.4)

NOTE: For a listing of states in each of the four U.S. Census regions, visit http://www.census.gov/geo/www/us_regdiv.pdf.

SOURCES: CDC/NCHS, Health Data Interactive and National Health Interview Survey.