

**Table 2. NHIS-HUD linked file sample sizes and percentage linked among sample adults and sample children, by survey and age at interview**

| Survey year                                    | Age group (years)        | # Sample adults <sup>1</sup> | # Linkage Eligible (LE) sample adults <sup>2</sup> | # Linked sample adults <sup>3</sup> | % Linked among all LE sample adults <sup>4</sup> | # sample children <sup>5</sup> | # LE sample children <sup>6</sup> | # Linked sample children <sup>7</sup> | % Linked among all LE sample children <sup>8</sup> |
|--|--------------------------|------------------------------|--|-------------------------------------|--|--------------------------------|-----------------------------------|---------------------------------------|--|
| <b>National Health Interview Survey (NHIS)</b> | <b>Overall</b>           | <b>413,027</b>               | <b>205,905</b>                                     | <b>18,610</b>                       | <b>9.04</b>                                      | <b>166,212</b>                 | <b>41,599</b>                     | <b>4,939</b>                          | <b>11.87</b>                                       |
| <b>NHIS 1999</b>                               | <b>Total</b>             | <b>30,801</b>                | <b>17,115</b>                                      | <b>1,411</b>                        | <b>8.24</b>                                      | <b>12,910</b>                  | <b>3,698</b>                      | <b>344</b>                            | <b>9.3</b>   |
|  | 0-17                     | NA                           | NA   | NA                                  | NA   | 12,910                         | 3,698                             | 344                                   | 9.3  |
|  | 18-39                    | 12,544                       | 6,716  | 603                                 | 8.98   | NA                             | NA                                | NA                                    | NA   |
|  | 40-64                    | 12,255                       | 6,750  | 465                                 | 6.89   | NA                             | NA                                | NA                                    | NA   |
|  | 65 and over              | 6,002                        | 3,649  | 343                                 | 9.4  | NA                             | NA                                | NA                                    | NA   |
| <b>NHIS 2000</b>                               | <b>Total</b>             | <b>32,374</b>                | <b>16,605</b>                                      | <b>1,433</b>                        | <b>8.63</b>                                      | <b>13,376</b>                  | <b>3,504</b>                      | <b>393</b>                            | <b>11.22</b>                                       |
|  | 0-17                     | NA                           | NA   | NA                                  | NA   | 13,376                         | 3,504                             | 393                                   | 11.22  |
|  | 18-39                    | 13,283                       | 6,512  | 609                                 | 9.35   | NA                             | NA                                | NA                                    | NA   |
|  | 40-64                    | 12,911                       | 6,609  | 479                                 | 7.25   | NA                             | NA                                | NA                                    | NA   |
|  | 65 and over              | 6,180                        | 3,484  | 345                                 | 9.9  | NA                             | NA                                | NA                                    | NA   |
| <b>NHIS 2001</b>                               | <b>Total</b>             | <b>33,326</b>                | <b>16,997</b>                                      | <b>1,384</b>                        | <b>8.14</b>                                      | <b>13,579</b>                  | <b>3,551</b>                      | <b>406</b>                            | <b>11.43</b>                                       |
|  | 0-17                     | NA                           | NA   | NA                                  | NA   | 13,579                         | 3,551                             | 406                                   | 11.43  |
|  | 18-39                    | 13,555                       | 6,590  | 612                                 | 9.29   | NA                             | NA                                | NA                                    | NA   |
|  | 40-64                    | 13,619                       | 6,939  | 461                                 | 6.64   | NA                             | NA                                | NA                                    | NA   |
|  | 65 and over              | 6,152                        | 3,468  | 311                                 | 8.97   | NA                             | NA                                | NA                                    | NA   |
| <b>NHIS 2002</b>                               | <b>Total<sup>9</sup></b> | <b>31,044</b>                | <b>11,353</b>                                      | <b>1,119</b>                        | <b>9.86</b>                                      | <b>12,524</b>                  | NA                                | NA                                    | NA   |
|  | 0-17 <sup>9</sup>        | NA                           | NA   | NA                                  | NA   | 12,524                         | NA                                | NA                                    | NA   |
|  | 18-39                    | 12,467                       | 4,219  | 455                                 | 10.78  | NA                             | NA                                | NA                                    | NA   |
|  | 40-64                    | 12,717                       | 4,629  | 373                                 | 8.06   | NA                             | NA                                | NA                                    | NA   |
|  | 65 and over              | 5,860                        | 2,505  | 291                                 | 11.62  | NA                             | NA                                | NA                                    | NA   |
| <b>NHIS 2003</b>                               | <b>Total<sup>9</sup></b> | <b>30,852</b>                | <b>10,223</b>                                      | <b>1,062</b>                        | <b>10.39</b>                                     | <b>12,249</b>                  | NA                                | NA                                    | NA   |
|  | 0-17 <sup>9</sup>        | NA                           | NA   | NA                                  | NA   | 12,249                         | NA                                | NA                                    | NA   |
|  | 18-39                    | 12,154                       | 3,782  | 446                                 | 11.79  | NA                             | NA                                | NA                                    | NA   |
|  | 40-64                    | 12,939                       | 4,204  | 384                                 | 9.13   | NA                             | NA                                | NA                                    | NA   |
|  | 65 and over              | 5,759                        | 2,237  | 232                                 | 10.37  | NA                             | NA                                | NA                                    | NA   |
| <b>NHIS 2004</b>                               | <b>Total</b>             | <b>31,326</b>                | <b>13,428</b>                                      | <b>1,170</b>                        | <b>8.71</b>                                      | <b>12,424</b>                  | <b>3,170</b>                      | <b>384</b>                            | <b>12.11</b>                                       |
|  | 0-17                     | NA                           | NA   | NA                                  | NA   | 12,424                         | 3,170                             | 384                                   | 12.11  |
|  | 18-39                    | 12,052                       | 5,080  | 517                                 | 10.18  | NA                             | NA                                | NA                                    | NA   |
|  | 40-64                    | 13,255                       | 5,503  | 384                                 | 6.98   | NA                             | NA                                | NA                                    | NA   |
|  | 65 and over              | 6,019                        | 2,845  | 269                                 | 9.46   | NA                             | NA                                | NA                                    | NA   |

<sup>1</sup> All sample adult respondents to the NHIS survey.

<sup>2</sup> Linkage-eligible sample adults who met criteria for data linkage. Details about linkage-eligibility for each survey is documented in the Analytic Guidelines.

<sup>3</sup> Linked sample adults are linkage-eligible and linked to the administrative records at any time during the administrative period (HUD administrative records for Multifamily program transactions that occurred between June 30, 1996 and December 31, 2014; and Public Housing and Housing Choice Voucher transactions occurring between December 1, 1999 and December 31, 2014).

<sup>4</sup> This percentage is calculated by dividing the number of linkage-eligible sample adults by the total number of linkage-eligible sample adults.

<sup>5</sup> All sample child respondents to the NHIS survey.

<sup>6</sup> Linkage-eligible sample children who met criteria for data linkage. Details about linkage-eligibility for each survey is documented in the Analytic Guidelines.

<sup>7</sup> Linked sample children are linkage-eligible and linked to the administrative records at any time during the administrative period (HUD administrative records for Multifamily program transactions that occurred between June 30, 1996 and December 31, 2014; and Public Housing and Housing Choice Voucher transactions occurring between December 1, 1999 and December 31, 2014).

<sup>8</sup> This percentage is calculated by dividing the number of linkage-eligible sample children by the total number of linkage-eligible sample children.

<sup>9</sup> SSN, a linkage-eligibility criterion, was not collected from 2002-2003 NHIS respondents aged 0-17 years.

**Table 2 NHIS-HUD linked file sample sizes and percentage linked among sample adults and sample children, by survey and age at interview (cont.)**

| Survey year | Age group (years) | # Sample adults <sup>1</sup> | # Linkage Eligible (LE) sample adults <sup>2</sup> | # Linked sample adults <sup>3</sup> | % Linked among all LE sample adults <sup>4</sup> | # sample children <sup>5</sup> | # LE sample children <sup>6</sup> | # Linked sample children <sup>7</sup> | % Linked among all LE sample children <sup>8</sup> |
|-------------|-------------------|------------------------------|--|-------------------------------------|--|--------------------------------|-----------------------------------|---------------------------------------|--|
| NHIS 2005   | <b>Total</b>      | <b>31,428</b>                | <b>11,727</b>                                      | <b>1,036</b>                        | <b>8.83</b>                                      | <b>12,523</b>                  | <b>2,658</b>                      | <b>331</b>                            | <b>12.45</b>                                       |
|             | 0-17              | NA                           | NA   | NA                                  | NA   | 12,523                         | 2,658                             | 331                                   | 12.45  |
|             | 18-39             | 11,810                       | 4,260  | 488                                 | 11.46  | NA                             | NA                                | NA                                    | NA   |
|             | 40-64             | 13,540                       | 4,959  | 351                                 | 7.08   | NA                             | NA                                | NA                                    | NA   |
|             | 65 and over       | 6,078                        | 2,508  | 197                                 | 7.85   | NA                             | NA                                | NA                                    | NA   |
| NHIS 2006   | <b>Total</b>      | <b>24,275</b>                | <b>8,418</b>                                       | <b>919</b>                          | <b>10.92</b>                                     | <b>9,837</b>                   | <b>1,806</b>                      | <b>249</b>                            | <b>13.79</b>                                       |
|             | 0-17              | NA                           | NA   | NA                                  | NA   | 9,837                          | 1,806                             | 249                                   | 13.79  |
|             | 18-39             | 9,418                        | 3,235  | 440                                 | 13.6   | NA                             | NA                                | NA                                    | NA   |
|             | 40-64             | 10,210                       | 3,401  | 300                                 | 8.82   | NA                             | NA                                | NA                                    | NA   |
|             | 65 and over       | 4,647                        | 1,782  | 179                                 | 10.04  | NA                             | NA                                | NA                                    | NA   |
| NHIS 2007   | <b>Total</b>      | <b>23,393</b>                | <b>11,643</b>                                      | <b>1,012</b>                        | <b>8.69</b>                                      | <b>9,417</b>                   | <b>2,604</b>                      | <b>326</b>                            | <b>12.52</b>                                       |
|             | 0-17              | NA                           | NA   | NA                                  | NA   | 9,417                          | 2,604                             | 326                                   | 12.52  |
|             | 18-39             | 8,864                        | 4,358  | 484                                 | 11.11  | NA                             | NA                                | NA                                    | NA   |
|             | 40-64             | 9,946                        | 5,029  | 349                                 | 6.94   | NA                             | NA                                | NA                                    | NA   |
|             | 65 and over       | 4,583                        | 2,256  | 179                                 | 7.93   | NA                             | NA                                | NA                                    | NA   |
| NHIS 2008   | <b>Total</b>      | <b>21,781</b>                | <b>12,438</b>                                      | <b>1,109</b>                        | <b>8.92</b>                                      | <b>8,815</b>                   | <b>2,830</b>                      | <b>353</b>                            | <b>12.47</b>                                       |
|             | 0-17              | NA                           | NA   | NA                                  | NA   | 8,815                          | 2,830                             | 353                                   | 12.47  |
|             | 18-39             | 8,067                        | 4,574  | 538                                 | 11.76  | NA                             | NA                                | NA                                    | NA   |
|             | 40-64             | 9,270                        | 5,380  | 374                                 | 6.95   | NA                             | NA                                | NA                                    | NA   |
|             | 65 and over       | 4,444                        | 2,484  | 197                                 | 7.93   | NA                             | NA                                | NA                                    | NA   |
| NHIS 2009   | <b>Total</b>      | <b>27,731</b>                | <b>17,413</b>                                      | <b>1,653</b>                        | <b>9.49</b>                                      | <b>11,156</b>                  | <b>4,167</b>                      | <b>555</b>                            | <b>13.32</b>                                       |
|             | 0-17              | NA                           | NA   | NA                                  | NA   | 11,156                         | 4,167                             | 555                                   | 13.32  |
|             | 18-39             | 10,277                       | 6,306  | 794                                 | 12.59  | NA                             | NA                                | NA                                    | NA   |
|             | 40-64             | 11,961                       | 7,608  | 592                                 | 7.78   | NA                             | NA                                | NA                                    | NA   |
|             | 65 and over       | 5,493                        | 3,499  | 267                                 | 7.63   | NA                             | NA                                | NA                                    | NA   |
| NHIS 2010   | <b>Total</b>      | <b>27,157</b>                | <b>16,073</b>                                      | <b>1,447</b>                        | <b>9</b>   | <b>11,277</b>                  | <b>4,066</b>                      | <b>470</b>                            | <b>11.56</b>                                       |
|             | 0-17              | NA                           | NA   | NA                                  | NA   | 11,277                         | 4,066                             | 470                                   | 11.56  |
|             | 18-39             | 10,200                       | 5,970  | 684                                 | 11.46  | NA                             | NA                                | NA                                    | NA   |
|             | 40-64             | 11,507                       | 6,912  | 515                                 | 7.45   | NA                             | NA                                | NA                                    | NA   |
|             | 65 and over       | 5,450                        | 3,191  | 248                                 | 7.77   | NA                             | NA                                | NA                                    | NA   |

<sup>1</sup> All sample adult respondents to the NHIS survey.

<sup>2</sup> Linkage-eligible sample adults who met criteria for data linkage. Details about linkage-eligibility for each survey is documented in the Analytic Guidelines.

<sup>3</sup> Linked sample adults are linkage-eligible and linked to the administrative records at any time during the administrative period (HUD administrative records for Multifamily program transactions that occurred between June 30, 1996 and December 31, 2014; and Public Housing and Housing Choice Voucher transactions occurring between December 1, 1999 and December 31, 2014).

<sup>4</sup> This percentage is calculated by dividing the number of linkage-eligible sample adults by the total number of linkage-eligible sample adults.

<sup>5</sup> All sample child respondents to the NHIS survey.

<sup>6</sup> Linkage-eligible sample children who met criteria for data linkage. Details about linkage-eligibility for each survey is documented in the Analytic Guidelines.

<sup>7</sup> Linked sample children are linkage-eligible and linked to the administrative records at any time during the administrative period (HUD administrative records for Multifamily program transactions that occurred between June 30, 1996 and December 31, 2014; and Public Housing and Housing Choice Voucher transactions occurring between December 1, 1999 and December 31, 2014).

<sup>8</sup> This percentage is calculated by dividing the number of linkage-eligible sample children by the total number of linkage-eligible sample children.

<sup>9</sup> SSN, a linkage-eligibility criterion, was not collected from 2002-2003 NHIS respondents aged 0-17 years.

**Table 2 NHIS-HUD linked file sample sizes and percentage linked among sample adults and sample children, by survey and age at interview (cont.)**

| Survey year | Age group (years) | # Sample adults <sup>1</sup> | # Linkage Eligible (LE) sample adults <sup>2</sup> | # Linked sample adults <sup>3</sup> | % Linked among all LE sample adults <sup>4</sup> | # sample children <sup>5</sup> | # LE sample children <sup>6</sup> | # Linked sample children <sup>7</sup> | % Linked among all LE sample children <sup>8</sup> |
|-------------|-------------------|------------------------------|--|-------------------------------------|--|--------------------------------|-----------------------------------|---------------------------------------|--|
| NHIS 2011   | Total             | 33,014                       | 21,055   | 1,820                               | 8.64   | 12,850                         | 4,731                             | 558                                   | 11.79  |
|             | 0-17              | NA                           | NA   | NA                                  | NA   | 12,850                         | 4,731                             | 558                                   | 11.79  |
|             | 18-39             | 12,191                       | 7,704  | 901                                 | 11.7   | NA                             | NA                                | NA                                    | NA   |
|             | 40-64             | 13,921                       | 8,870  | 608                                 | 6.85   | NA                             | NA                                | NA                                    | NA   |
|             | 65 and over       | 6,902                        | 4,481  | 311                                 | 6.94   | NA                             | NA                                | NA                                    | NA   |
| NHIS 2012   | Total             | 34,525                       | 21,417   | 2,035                               | 9.5  | 13,275                         | 4,814                             | 570                                   | 11.84  |
|             | 0-17              | NA                           | NA   | NA                                  | NA   | 13,275                         | 4,814                             | 570                                   | 11.84  |
|             | 18-39             | 12,434                       | 7,555  | 972                                 | 12.87  | NA                             | NA                                | NA                                    | NA   |
|             | 40-64             | 14,709                       | 9,218  | 700                                 | 7.59   | NA                             | NA                                | NA                                    | NA   |
|             | 65 and over       | 7,382                        | 4,644  | 363                                 | 7.82   | NA                             | NA                                | NA                                    | NA   |

<sup>1</sup> All sample adult respondents to the NHIS survey.

<sup>2</sup> Linkage-eligible sample adults who met criteria for data linkage. Details about linkage-eligibility for each survey is documented in the Analytic Guidelines.

<sup>3</sup> Linked sample adults are linkage-eligible and linked to the administrative records at any time during the administrative period (HUD administrative records for Multifamily program transactions that occurred between June 30, 1996 and December 31, 2014; and Public Housing and Housing Choice Voucher transactions occurring between December 1, 1999 and December 31, 2014).

<sup>4</sup> This percentage is calculated by dividing the number of linkage-eligible sample adults by the total number of linkage-eligible sample adults.

<sup>5</sup> All sample child respondents to the NHIS survey.

<sup>6</sup> Linkage-eligible sample children who met criteria for data linkage. Details about linkage-eligibility for each survey is documented in the Analytic Guidelines.

<sup>7</sup> Linked sample children are linkage-eligible and linked to the administrative records at any time during the administrative period (HUD administrative records for Multifamily program transactions that occurred between June 30, 1996 and December 31, 2014; and Public Housing and Housing Choice Voucher transactions occurring between December 1, 1999 and December 31, 2014).

<sup>8</sup> This percentage is calculated by dividing the number of linkage-eligible sample children by the total number of linkage-eligible sample children.

<sup>9</sup> SSN, a linkage-eligibility criterion, was not collected from 2002-2003 NHIS respondents aged 0-17 years.