

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
<p>A-5</p> <p>A-10</p>	<p>Abortion (complete) (incomplete) O06.- - accidental O03.- - fetus or newborn P96.4</p> <p>• - habitual or recurrent N96</p> <p>• - - without current pregnancy N96</p> <p>• - - nonmedical O05.-</p>	<p>Abortion (complete) (incomplete) O06.- - accidental O03.- - - <u>fetus or newborn P01.8</u></p> <p>• - fetus or newborn P96.4 - - <u>in fetal death file P01.8</u></p> <p>• - habitual or recurrent N96</p> <p>• - - without current pregnancy N96 - <u>idiopathic O03.-</u> - - <u>fetus or newborn P01.8</u></p> <p>• - - nonmedical O05.- - <u>inevitable O03.-</u> - - <u>fetus or newborn P01.8</u> - <u>infected O03.-</u> - - <u>fetus or newborn P01.8</u></p>	<p>← Add subterm</p> <p>← Add subterm</p> <p>← Add subterm ← Add subterm</p> <p>← Add subterm ← Add subterm ← Add subterm ← Add subterm</p>	<p>12/11</p>
<p>A-10</p>	<p>Abortion (complete) (incomplete) O06.-</p>	<p>Abortion (complete) (incomplete) O06.-</p>		<p>12/11</p>

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
	<ul style="list-style-type: none"> • - missed O02.1 - operative - <i>see</i> Abortion, medical • - tubal O00.1 	<ul style="list-style-type: none"> • - missed O02.1 - - <u>fetus or newborn P01.8</u> - <u>natural O03.-</u> - - <u>fetus or newborn P01.8</u> - operative - <i>see</i> Abortion, medical - <u>recurrent O03.-</u> - - <u>fetus or newborn P01.8</u> - <u>retained O02.1</u> - - <u>fetus or newborn P01.8</u> - <u>septic O03.-</u> - - <u>fetus or newborn P01.8</u> • - tubal O00.1 - - <u>fetus or newborn P01.4</u> - <u>unavoidable O03.-</u> - - <u>fetus or newborn P01.8</u> - <u>unintended O03.-</u> - - <u>fetus or newborn P01.8</u> 	<ul style="list-style-type: none"> ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm 	
A-21	Absence (organ or part) (complete or partial)	Absence (organ or part) (complete or partial)		12/11

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
	<ul style="list-style-type: none"> • - wrist (acquired) (<i>see also</i> Absence, hand and wrist) Z89.1 	<ul style="list-style-type: none"> • - wrist (acquired) (<i>see also</i> Absence, hand and wrist) Z89.1 <u>Absent</u> - fetal heart tone P95 	<ul style="list-style-type: none"> ← Add lead term ← Add subterm 	
A-46	Amnion, amniotic - <i>see condition</i>	Amnion, amniotic - <i>see also condition</i> <ul style="list-style-type: none"> • - fluid index (AFI) - - less than 1.4 - <i>see</i> Oligohydramnios - - more than 3.8 - <i>see</i> Polyhydramnios 	<ul style="list-style-type: none"> ← Revise cross reference ← Add subterm ← Add subterm ← Add subterm 	12/11
A-54	Anetoderma (maculosum) (of) L90.8 <ul style="list-style-type: none"> - Jadassohn-Pellizzari L90.2 - Schweniger-Buzzi L90.1 	Anetoderma (maculosum) (of) L90.8 <ul style="list-style-type: none"> - Jadassohn-Pellizzari L90.2 - Schweniger-Buzzi L90.1 <u>Aneuploidy</u> Q99.9 	<ul style="list-style-type: none"> ← Add lead term 	12/11
A-56	Aneurysm (anastomotic) (artery) (cirroid) (diffuse) (false) (fusiform) (multiple) (saccular) (thrombosed) I72.9 <ul style="list-style-type: none"> - congenital NEC (peripheral) Q27.80 	Aneurysm (anastomotic) (artery) (cirroid) (diffuse) (false) (fusiform) (multiple) (saccular) (thrombosed) I72.9 <ul style="list-style-type: none"> - congenital NEC (peripheral) Q27.80 		12/11

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
	-- brain (any part NEC) Q28.30 --- <u>ruptured</u> I60.90 --- specified part NEC I60.80	-- brain (any part NEC) Q28.30 --- <u>ruptured NEC (see also Hemorrhage, subarachnoid) I60.90</u> --- specified part NEC I60.80	←← Revise subterm and add cross reference ← Add dash to increase level of subterm	
A-67	Anoxia (<i>see also</i> Hypoxia) R09.0 • - due to drowning T75.1	Anoxia (<i>see also</i> Hypoxia) R09.0 • - due to drowning T75.1 - <u>fetal, fetus (<i>see also</i> Distress, fetal) P20.-</u>	← Add subterm	12/11
C-2	Calcification (in) • - trachea J39.8	Calcification (in) • - trachea J39.8 - <u>umbilical cord P02.6</u>	← Add subterm	12/11
C-28	Circulus senilis (cornea) H18.4	Circulus senilis (cornea) H18.4 <u>Circum nuchal cord (X2) (X3)</u> <u>(X4) (X5) P02.5</u>	← Add lead term	12/11

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
C-31	<p>Clot (blood) (<i>see also</i> Embolism) I74.9</p> <ul style="list-style-type: none"> • - coronary (<i>see also</i> Infarct, myocardium) I21.9 - - not resulting in infarction I21.9 	<p>Clot (blood) (<i>see also</i> Embolism) I74.9</p> <ul style="list-style-type: none"> • - coronary (<i>see also</i> Infarct, myocardium) I21.9 - - not resulting in infarction I21.9 - <u>placenta P02.2</u> - <u>umbilical cord P02.6</u> 	<p>← Add subterm ← Add subterm</p>	12/11
C-57	<p>Cord - <i>see also condition</i></p> <ul style="list-style-type: none"> - <u>around neck</u> (tightly) (with compression) - - affecting fetus or newborn P02.5 - - complicating delivery O69.1 - bladder G95.8 - - tabetic A52.1 	<p>Cord (umbilical) - <i>see also condition</i></p> <ul style="list-style-type: none"> - <u>accident P02.6</u> - around <u>any part of the body</u> (tightly) (with compression) (<u>wrapped</u>) - - affecting fetus or newborn P02.5 - - complicating delivery O69.1 - bladder G95.8 - - tabetic A52.1 - <u>decreased blood flow P02.6</u> - <u>dilated P02.6</u> - <u>twisted P02.5</u> - <u>two vessel Q27.0</u> 	<p>← Add subterm ←← Revise subterm and add parenthetical modifier</p> <p>← Add subterm ← Add subterm ← Add subterm ← Add subterm</p>	12/11
D-4	Decrease(d)	Decrease(d)		12/11

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
	- blood	- blood - - <u>flow</u> - - - <u>cord (umbilical)</u> - - - - <u>affecting fetus or newborn P02.6</u>	← Add subterm ← Add subterm ← Add subterm	
D-21	Delay, delayed - development R62.9 . - - spelling F81.1	Delay, delayed - development R62.9 . - - spelling F81.1 - <u>growth P05.9</u>	← Add subterm	12/11
D-44 D-45	Dilatation . - cervix (uteri) - <i>see also</i> Incompetency, cervix . - common duct (acquired) K83.8 - - congenital Q44.5	Dilatation - advanced (cervix) (uteri) - <i>see also</i> <u>Incompetency, cervix</u> . - cervix (uteri) - <i>see also</i> Incompetency, cervix - - <u>affecting fetus or newborn P01.0</u> . - common duct (acquired) K83.8 - - congenital Q44.5 - <u>cord (umbilical) P02.6</u>	← Add subterm ← Add subterm ← Add subterm	12/11

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
E-23	Entrapment	Entrapment - <u>head, fetus or newborn P03.8</u>	← Add subterm	12/11
F-4	Failure, failed • - liver - <i>see</i> Failure, hepatic	Failure, failed • - liver - <i>see</i> Failure, hepatic - <u>lungs to expand, fetus or newborn P28.0</u>	← Add subterm	12/11
G-4	Gastroenteritis (acute) (<i>see also</i> Colitis, Diarrhea, Enteritis, Enterocolitis) A09.9 - with septicemia NEC (<i>see also</i> Enteritis, infectious) A09.0	Gastroenteritis (acute) (<i>see also</i> Colitis, Diarrhea, Enteritis, Enterocolitis) A09.9	← Delete subterm	12/11
I-12	Infarct, infarction (of) I99 • - thyroid (gland) E07.8	Infarct, infarction (of) I99 • - thyroid (gland) E07.8 - <u>umbilical cord P02.6</u>	← Add subterm	12/11
I-54	Intolerance	Intolerance		12/11

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
	<ul style="list-style-type: none"> • - fat NEC K90.4 - - pancreatic K90.3 	<ul style="list-style-type: none"> • - fat NEC K90.4 - - pancreatic K90.3 - fetal NEC (to labor) P20.9 	← Add subterm	
I-59	<p>Isoimmunization NEC (<i>see also</i> Incompatibility)</p> <ul style="list-style-type: none"> - fetus or newborn P55.9 • - - ABO P55.1 	<p>Isoimmunization NEC (<i>see also</i> Incompatibility)</p> <ul style="list-style-type: none"> - fetus or newborn P55.9 • - - ABO P55.1 - - <u>anti-Kell P55.8</u> 	← Add subterm	12/11
M-11	<p>Maternal condition, affecting fetus or newborn P00.9</p> <ul style="list-style-type: none"> • - complication of pregnancy NEC P01.9 	<p>Maternal condition, affecting fetus or newborn P00.9</p> <ul style="list-style-type: none"> • - complication of pregnancy NEC P01.9 - <u>conditions NEC in</u> - - <u>A00-B99 P00.2</u> - - <u>E10-E14 P70.1</u> - - <u>E40-E64 P00.4</u> - - <u>I00-I99 P00.3</u> - - <u>J00-J06.9 P00.3</u> 	<ul style="list-style-type: none"> ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm 	12/11

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
		<u>-- J09-J11 P00.2</u> <u>-- J12.0-J98.9 P00.3</u> <u>-- N00-N39 P00.1</u> <u>-- O10-O11 P00.0</u> <u>-- O13-O16 P00.0</u> <u>-- Q20-Q28 P00.3</u> <u>-- Q30-Q34 P00.3</u> <u>-- S00-T79 P00.5</u>	← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm	
M-11	Maternal condition, affecting fetus or newborn P00.9 • - alcohol use P04.3 - anesthesia or analgesia P04.0	Maternal condition, affecting fetus or newborn P00.9 • - alcohol use P04.3 <u>- anemia P00.8</u> - anesthesia or analgesia P04.0 <u>- appendicitis P00.8</u> <u>- asthma P00.3</u> <u>- bipolar P00.8</u> - blood loss (gestational) P02.1 <u>- bulging membranes P02.8</u> - cancer chemotherapy P04.1 <u>- cholestasis P00.8</u>	← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm	12/11

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
	<ul style="list-style-type: none"> • - cortical necrosis of kidney P00.1 • - drug abuse P04.4 	<ul style="list-style-type: none"> • - cortical necrosis of kidney P00.1 - <u>Crohn's disease P00.8</u> • - drug abuse P04.4 - <u>drug use NEC P04.9</u> - - <u>specified drug or substance NEC P04.8</u> 	<p>← Add subterm</p> <p>← Add subterm</p> <p>← Add subterm</p>	
M-11	<p>Maternal condition, affecting fetus or newborn P00.9</p> <ul style="list-style-type: none"> • - eclampsia P00.0 - exposure to environmental chemical substances P04.6 	<p>Maternal condition, affecting fetus or newborn P00.9</p> <ul style="list-style-type: none"> • - eclampsia P00.0 - <u>edema (gestational) P00.8</u> - <u>elevated enzymes P00.8</u> - exposure to environmental chemical substances P04.6 - <u>fatty</u> - - <u>liver, acute P00.8</u> - <u>febrile P00.8</u> - <u>fibroid (uterus) P03.8</u> - <u>funneling of cervix P01.0</u> - <u>hemolytic-uremic syndrome P00.8</u> 	<p>← Add subterm</p> <p>← Add subterm</p> <p>← Add subterm</p> <p>← Add subterm</p> <p>← Add subterm</p> <p>← Add subterm</p> <p>← Add subterm</p>	12/11

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
	- hemorrhage, gestational P02.1	- hemorrhage - - <u>gestational</u> P02.1 - - <u>subchorionic</u> P02.1	←← Revise subterm and delete code ← Add subterm ← Add subterm	
M-11	Maternal condition, affecting fetus or newborn P00.9 • - hepatitis, acute, malignant or subacute P00.8 - hypertension (conditions in O10-O11, O13-O16) P00.0	Maternal condition, affecting fetus or newborn P00.9 • - hepatitis, acute, malignant or subacute P00.8 - <u>HIV positive</u> P00.8 - <u>hypercoagulation</u> P00.8 - hypertension (conditions in O10-O11, O13-O16) P00.0 - <u>hyperthyroidism</u> P00.8 - <u>infection NEC</u> P00.2 - - <u>chlamydia</u> P00.2 - - <u>streptococcal B</u> P00.2	← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm	12/11
M-12	• - injury (conditions in S00-T79) P00.5	• - injury (conditions in S00-T79) P00.5 - <u>insufficiency</u>	← Add subterm	

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
	- intrauterine coil P01.8	<ul style="list-style-type: none"> - - <u>cervical P01.0</u> - intrauterine coil P01.8 - <u>kidney stone(s) P00.1</u> - <u>lupus P00.8</u> 	<ul style="list-style-type: none"> ← Add subterm ← Add subterm ← Add subterm 	
M-12	<p>Maternal condition, affecting fetus or newborn P00.9</p> <ul style="list-style-type: none"> • - malnutrition P00.4 • - nephritis, nephrotic syndrome and nephrosis (conditions in N00-N08) P00.1 - noxious influence transmitted via breast milk or placenta P04.9 - - specified NEC P04.8 - nutritional disorder (conditions in E40-E64) P00.4 • - respiratory disease (conditions in <u>J00-J99</u>, 	<p>Maternal condition, affecting fetus or newborn P00.9</p> <ul style="list-style-type: none"> • - malnutrition P00.4 - <u>myocardial infarction (history of) P00.3</u> • - nephritis, nephrotic syndrome and nephrosis (conditions in N00-N08) P00.1 - <u>neoplasm NEC P00.8</u> - noxious influence transmitted via breast milk or placenta P04.9 - - specified NEC P04.8 - nutritional disorder (conditions in E40-E64) P00.4 - <u>obesity P00.8</u> • - respiratory disease (conditions in <u>J00-J06</u>, 	<ul style="list-style-type: none"> ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Revise code 	12/11

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
	Q30-Q34) P00.3 - rheumatic heart disease (chronic) (conditions in I05-I09) P00.3	<u>J12-J99, Q30-Q34) P00.3</u> - rheumatic heart disease (chronic) (conditions in I05-I09) P00.3 <u>- rheumatoid arthritis P00.8</u>	span ← Add subterm	
M-12	Maternal condition, affecting fetus or newborn P00.9 . - septate vagina P03.8 - syphilis (conditions in A50-A53) P00.2 - - manifest syphilis in the infant or fetus A50.0 - urinary tract conditions (conditions in N00-N39) P00.1	Maternal condition, affecting fetus or newborn P00.9 . - septate vagina P03.8 <u>- specified condition NEC P00.8</u> - syphilis (conditions in A50-A53) P00.2 - - manifest syphilis in the infant or fetus A50.0 <u>- thalassemia P00.8</u> <u>- thrombophilia P00.8</u> - urinary tract conditions (conditions in N00-N39) P00.1 <u>- vaginal leaking (amniotic fluid) P01.1</u> <u>- vaginosis, bacterial P00.8</u>	← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm	12/11
M-13	Meconium	Meconium <u>- foul smelling, fetus or newborn P02.7</u>	← Add subterm	12/11

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
	<ul style="list-style-type: none"> - ileus, fetus or newborn E84.1† P75* - in liquor - <i>see also</i> Distress, fetal - - complicating labor and delivery O68.1 - obstruction, fetus or newborn P76.0 - - in mucoviscidosis E84.1† P75* • - stain - - fetus or newborn P20.9 	<ul style="list-style-type: none"> - <u>heavy, fetus or newborn P02.9</u> - ileus, fetus or newborn E84.1† P75* - in liquor - <i>see also</i> Distress, fetal - - complicating labor and delivery O68.1 - <u>light, fetus or newborn P02.9</u> - obstruction, fetus or newborn P76.0 - - in mucoviscidosis E84.1† P75* - <u>particulate, fetus or newborn P02.9</u> • - stain - - fetus or newborn P20.9 - <u>thick, fetus or newborn P02.9</u> 	<ul style="list-style-type: none"> ← Add subterm ← Add subterm ← Add subterm ← Add subterm 	
M-22	Mermaid (deformity) Q89.8	Mermaid (deformity) Q87.2	← Revise code	12/11
O-12	Organ of Morgagni (persistence of) <ul style="list-style-type: none"> - female Q50.5 - male (epididymal) Q55.4 - - testicular Q55.2 	Organ of Morgagni (persistence of) <ul style="list-style-type: none"> - female Q50.5 - male (epididymal) Q55.4 - - testicular Q55.2 <u>Organs on outside of body, fetus or newborn Q79.3</u>	← Add lead term	12/11

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
P-30	Placenta, placental (<i>see also condition</i>) • - hyperplasia O43.8	Placenta, placental (<i>see also condition</i>) • - hyperplasia O43.8 - <u>implantation, insertion (abnormal)</u> (<u>poor</u>) - - <u>affecting fetus or newborn P02.2</u> - - <u>low - see Placenta, previa</u>	← Add subterm ← Add subterm	12/11
P-59	Presentation, fetal • - breech (mother) O32.1 - - with external version before labor, affecting fetus or newborn P01.7	Presentation, fetal • - breech (mother) O32.1 - - with external version before labor, affecting fetus or newborn P01.7 - - <u>affecting fetus or newborn NEC P01.7</u>	← Add subterm	12/11
S-27	Single - atrium Q21.2	Single - atrium Q21.2 - <u>leg, two feet Q87.2</u>	← Add subterm	12/11
S-62	Syndrome - <i>see also</i> Disease •	Syndrome - <i>see also</i> Disease •		12/11

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
S-66	- HELLP (hemolysis, elevated liver enzymes and low platelet count) O14.2 • - short rib Q77.2	- HELLP (hemolysis, elevated liver enzymes and low platelet count) O14.2 - - <u>affecting fetus or newborn P00.0</u> • - short rib Q77.2 - <u>short umbilical cord Q89.7</u>	← Add subterm ← Add subterm	
T-1	Tag (hypertrophied skin) (infected) L91.8 • - anus I84.6	Tag (hypertrophied skin) (infected) L91.8 • - anus I84.6 - <u>ear</u> - - <u>congenital Q82.8</u>	← Add subterm ← Add subterm	12/11
T-6	Tetraplegia (<i>see also</i> Quadriplegia) G82.5	Tetraplegia (<i>see also</i> Quadriplegia) G82.5 <u>Tetrasomy 9p Q99.8</u>	← Add lead term	12/11
T-12	Thrombosis, thrombotic (multiple) (progressive) (septic) (vein) (vessel) I82.9 • - peripheral arteries I74.4	Thrombosis, thrombotic (multiple) (progressive) (septic) (vein) (vessel) I82.9 • - peripheral arteries I74.4		12/11

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
	<ul style="list-style-type: none"> • - umbilical cord (vessels), complicating delivery <u>O69.5</u> 	<ul style="list-style-type: none"> - <u>placenta P02.2</u> - - <u>marginal vein P02.2</u> • - umbilical cord (vessels) - - <u>affecting fetus or newborn P02.6</u> - - <u>complicating delivery O69.5</u> - - - <u>affecting fetus or newborn P02.6</u> 	<ul style="list-style-type: none"> ← Add subterm ← Add subterm ← Revise subterm ← Add subterm ← Add subterm ← Add subterm 	
T-21	<p>Trisomy (syndrome) Q92.9</p> <ul style="list-style-type: none"> • - whole chromosome Q92.9 • - - specified NEC Q92.8 	<p>Trisomy (syndrome) Q92.9</p> <ul style="list-style-type: none"> • - whole chromosome Q92.9 • - - specified NEC Q92.8 - <u>7 Q92.8</u> 	<ul style="list-style-type: none"> ← Add subterm 	12/11
T-34	<p>Two chambered heart Q20.8</p>	<p><u>Two</u></p> <ul style="list-style-type: none"> - <u>chambered heart Q20.8</u> - <u>vessel cord (umbilical) Q27.0</u> 	<ul style="list-style-type: none"> ← Revise lead term ← Add subterm ← Add subterm 	12/11

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
V-6	Villaret's syndrome G52.7	Villaret's syndrome G52.7 <u>Villitis (placenta)</u> <u>- affecting fetus or newborn P02.2</u>	← Add subterm	12/11
DRUG- 135	Serentil.....T43.3..X41.-..X61.-..Y11.- ..Y49.3 Sertraline.....T43.2..X41.-..X61.-..Y11.- ..Y49.2 Sermorelin.....T38.8..X44.-..X64.-..Y14.- ..Y42.8 Serrapeptase.....T45.3..X44.-..X64.-..Y14.- ..Y43.6	Serentil.....T43.3..X41.-..X61.-..Y11.- ..Y49.3 Sermorelin.....T38.8..X44.-..X64.-..Y14.- ..Y42.8 Serrapeptase.....T45.3..X44.-..X64.-..Y14.- ..Y43.6 Sertraline.....T43.2..X41.-..X61.-..Y11.- ..Y49.2	← Delete drug term ← Add drug term	12/11