

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2011

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	All origins <sup>1</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
All causes	2,515,458	100.0	...	1,254,978	100.0	...	1,260,480	100.0	...
Salmonella infections (A01-A02)	44	0.0	43	23	0.0	41	21	0.0	40
Shigellosis and amebiasis (A03,A06)	8	0.0	44	4	0.0	44	4	0.0	43
Certain other intestinal infections (A04,A07-A09)	11,043	0.4	...	4,255	0.3	...	6,788	0.5	...
Tuberculosis (A16-A19)	539	0.0	35	310	0.0	35	229	0.0	34
Respiratory tuberculosis (A16)	394	0.0	...	231	0.0	...	163	0.0	...
Other tuberculosis (A17-A19)	145	0.0	...	79	0.0	...	66	0.0	...
Whooping cough (A37)	7	0.0	45	5	0.0	42	2	0.0	46
Scarlet fever and erysipelas (A38,A46)	4	0.0	48	2	0.0	45	2	0.0	46
Meningococcal infection (A39)	86	0.0	41	42	0.0	39	44	0.0	39
Septicemia (A40-A41)	35,748	1.4	11	16,484	1.3	12	19,264	1.5	10
Syphilis (A50-A53)	45	0.0	42	27	0.0	40	18	0.0	41
Acute poliomyelitis (A80)	-	-	...	-	-	...	-	-	...
Arthropod-borne viral encephalitis (A83-A84,A85.2)	5	0.0	46	2	0.0	45	3	0.0	44
Measles (B05)	-	-	...	-	-	...	-	-	...
Viral hepatitis (B15-B19)	7,850	0.3	22	5,290	0.4	21	2,560	0.2	24
Human immunodeficiency virus (HIV) disease (B20-B24)	7,683	0.3	23	5,510	0.4	20	2,173	0.2	25
Malaria (B50-B54)	3	0.0	49	-	-	...	3	0.0	44
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44, A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)	5,753	0.2	...	2,992	0.2	...	2,761	0.2	...
Malignant neoplasms (C00-C97)	576,691	22.9	2	302,231	24.1	2	274,460	21.8	2
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	8,657	0.3	...	6,123	0.5	...	2,534	0.2	...
Malignant neoplasm of esophagus (C15)	14,446	0.6	...	11,514	0.9	...	2,932	0.2	...
Malignant neoplasm of stomach (C16)	11,036	0.4	...	6,545	0.5	...	4,491	0.4	...
Malignant neoplasms of colon, rectum and anus (C18-C21)	52,287	2.1	...	26,971	2.1	...	25,316	2.0	...
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	21,608	0.9	...	14,626	1.2	...	6,982	0.6	...
Malignant neoplasm of pancreas (C25)	37,344	1.5	...	18,881	1.5	...	18,463	1.5	...
Malignant neoplasm of larynx (C32)	3,732	0.1	...	2,948	0.2	...	784	0.1	...
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	157,017	6.2	...	86,774	6.9	...	70,243	5.6	...
Malignant melanoma of skin (C43)	9,128	0.4	...	6,001	0.5	...	3,127	0.2	...
Malignant neoplasm of breast (C50)	41,374	1.6	...	443	0.0	...	40,931	3.2	...
Malignant neoplasm of cervix uteri (C53)	4,092	0.2	...	-	-	...	4,092	0.3	...
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	8,641	0.3	...	-	-	...	8,641	0.7	...
Malignant neoplasm of ovary (C56)	14,346	0.6	...	-	-	...	14,346	1.1	...
Malignant neoplasm of prostate (C61)	27,970	1.1	...	27,970	2.2	...	-	-	...
Malignant neoplasms of kidney and renal pelvis (C64-C65)	13,559	0.5	...	8,632	0.7	...	4,927	0.4	...
Malignant neoplasm of bladder (C67)	15,014	0.6	...	10,594	0.8	...	4,420	0.4	...
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	14,491	0.6	...	8,128	0.6	...	6,363	0.5	...
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	56,478	2.2	...	31,612	2.5	...	24,866	2.0	...
Hodgkin's disease (C81)	1,168	0.0	...	688	0.1	...	480	0.0	...
Non-Hodgkin's lymphoma (C82-C85)	20,317	0.8	...	11,304	0.9	...	9,013	0.7	...
Leukemia (C91-C95)	23,064	0.9	...	13,151	1.0	...	9,913	0.8	...
Multiple myeloma and immunoproliferative neoplasms (C88,C90)	11,847	0.5	...	6,428	0.5	...	5,419	0.4	...
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	82	0.0	...	41	0.0	...	41	0.0	...
All other and unspecified malignant neoplasms (C17, C23-C24,C26-C31,C37-C41,C44-C49,C51-C52, C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)	65,471	2.6	...	34,469	2.7	...	31,002	2.5	...
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	14,997	0.6	17	7,768	0.6	17	7,229	0.6	16
Anemias (D50-D64)	4,988	0.2	25	2,092	0.2	25	2,896	0.2	23
Diabetes mellitus (E10-E14)	73,831	2.9	7	38,324	3.1	6	35,507	2.8	7
Nutritional deficiencies (E40-E64)	3,191	0.1	27	1,247	0.1	29	1,944	0.2	26
Malnutrition (E40-E46)	3,009	0.1	...	1,178	0.1	...	1,831	0.1	...
Other nutritional deficiencies (E50-E64)	182	0.0	...	69	0.0	...	113	0.0	...

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2011

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	All origins <sup>1</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Meningitis (G00,G03)	611	0.0	34	342	0.0	34	269	0.0	33
Parkinson's disease (G20-G21)	23,111	0.9	14	13,546	1.1	13	9,565	0.8	13
Alzheimer's disease (G30)	84,974	3.4	6	25,677	2.0	8	59,297	4.7	5
Major cardiovascular diseases (I00-I78)	779,109	31.0	...	384,750	30.7	...	394,359	31.3	...
Diseases of heart (I00-I09,I11,I13,I20-I51)	596,577	23.7	1	308,398	24.6	1	288,179	22.9	1
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	3,105	0.1	...	997	0.1	...	2,108	0.2	...
Hypertensive heart disease (I11)	33,621	1.3	...	16,429	1.3	...	17,192	1.4	...
Hypertensive heart and renal disease (I13)	3,649	0.1	...	1,631	0.1	...	2,018	0.2	...
Ischemic heart diseases (I20-I25)	375,295	14.9	...	206,908	16.5	...	168,387	13.4	...
Acute myocardial infarction (I21-I22)	119,905	4.8	...	66,765	5.3	...	53,140	4.2	...
Other acute ischemic heart diseases (I24)	3,959	0.2	...	2,065	0.2	...	1,894	0.2	...
Other forms of chronic ischemic heart disease (I20,I25)	251,431	10.0	...	138,078	11.0	...	113,353	9.0	...
Atherosclerotic cardiovascular disease, so described (I25.0)	58,911	2.3	...	34,770	2.8	...	24,141	1.9	...
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)	192,520	7.7	...	103,308	8.2	...	89,212	7.1	...
Other heart diseases (I26-I51)	180,907	7.2	...	82,433	6.6	...	98,474	7.8	...
Acute and subacute endocarditis (I33)	1,171	0.0	...	666	0.1	...	505	0.0	...
Diseases of pericardium and acute myocarditis (I30-I31,I40)	817	0.0	...	441	0.0	...	376	0.0	...
Heart failure (I50)	58,309	2.3	...	24,609	2.0	...	33,700	2.7	...
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)	120,610	4.8	...	56,717	4.5	...	63,893	5.1	...
Essential hypertension and hypertensive renal disease (I10,I12,I15)	27,853	1.1	13	11,303	0.9	15	16,550	1.3	11
Cerebrovascular diseases (I60-I69)	128,932	5.1	4	52,335	4.2	5	76,597	6.1	3
Atherosclerosis (I70)	6,945	0.3	24	2,822	0.2	24	4,123	0.3	20
Other diseases of circulatory system (I71-I78)	18,802	0.7	...	9,892	0.8	...	8,910	0.7	...
Aortic aneurysm and dissection (I71)	10,073	0.4	19	6,017	0.5	19	4,056	0.3	21
Other diseases of arteries, arterioles and capillaries (I72-I78)	8,729	0.3	...	3,875	0.3	...	4,854	0.4	...
Other disorders of circulatory system (I80-I99)	4,366	0.2	...	2,131	0.2	...	2,235	0.2	...
Influenza and pneumonia (J09-J18)	53,826	2.1	8	25,401	2.0	9	28,425	2.3	8
Influenza (J09-J11)	1,532	0.1	...	679	0.1	...	853	0.1	...
Pneumonia (J12-J18)	52,294	2.1	...	24,722	2.0	...	27,572	2.2	...
Other acute lower respiratory infections (J20-J22,U04)	247	0.0	...	108	0.0	...	139	0.0	...
Acute bronchitis and bronchiolitis (J20-J21)	214	0.0	39	90	0.0	38	124	0.0	37
Other and unspecified acute lower respiratory infection (J22,U04)	33	0.0	...	18	0.0	...	15	0.0	...
Chronic lower respiratory diseases (J40-J47)	142,943	5.7	3	67,521	5.4	4	75,422	6.0	4
Bronchitis, chronic and unspecified (J40-J42)	619	0.0	...	273	0.0	...	346	0.0	...
Emphysema (J43)	9,352	0.4	...	4,769	0.4	...	4,583	0.4	...
Asthma (J45-J46)	3,345	0.1	...	1,262	0.1	...	2,083	0.2	...
Other chronic lower respiratory diseases (J44,J47)	129,627	5.2	...	61,217	4.9	...	68,410	5.4	...
Pneumoconioses and chemical effects (J60-J66,J68)	773	0.0	32	728	0.1	31	45	0.0	38
Pneumonitis due to solids and liquids (J69)	18,195	0.7	15	9,676	0.8	16	8,519	0.7	14
Other diseases of respiratory system (J00-J06,J30-39,J67,J70-J98)	32,758	1.3	...	16,353	1.3	...	16,405	1.3	...
Peptic ulcer (K25-K28)	2,995	0.1	28	1,481	0.1	27	1,514	0.1	28
Diseases of appendix (K35-K38)	387	0.0	38	224	0.0	36	163	0.0	35
Hernia (K40-K46)	1,915	0.1	30	817	0.1	30	1,098	0.1	30
Chronic liver disease and cirrhosis (K70,K73-K74)	33,642	1.3	12	21,621	1.7	11	12,021	1.0	12
Alcoholic liver disease (K70)	16,749	0.7	...	11,847	0.9	...	4,902	0.4	...
Other chronic liver disease and cirrhosis (K73-K74)	16,893	0.7	...	9,774	0.8	...	7,119	0.6	...
Cholelithiasis and other disorders of gallbladder (K80-K82)	3,373	0.1	26	1,551	0.1	26	1,822	0.1	27
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	45,591	1.8	9	22,649	1.8	10	22,942	1.8	9
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)	337	0.0	...	161	0.0	...	176	0.0	...
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)	337	0.0	...	173	0.0	...	164	0.0	...
Renal failure (N17-N19)	44,893	1.8	...	22,304	1.8	...	22,589	1.8	...
Other disorders of kidney (N25,N27)	24	0.0	...	11	0.0	...	13	0.0	...
Infections of kidney (N10-N12,N13.6,N15.1)	658	0.0	33	205	0.0	37	453	0.0	32

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to *Clostridium difficile*, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2011

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	All origins <sup>1</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Hyperplasia of prostate (N40)	521	0.0	36	521	0.0	32	-	-	...
Inflammatory diseases of female pelvic organs (N70-N76)	133	0.0	40	-	-	...	133	0.0	36
Pregnancy, childbirth and the puerperium (O00-O99)	931	0.0	31	-	-	...	931	0.1	31
Pregnancy with abortive outcome (O00-O07)	27	0.0	...	-	-	...	27	0.0	...
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	904	0.0	...	-	-	...	904	0.1	...
Certain conditions originating in the perinatal period (P00-P96)	12,036	0.5	18	6,684	0.5	18	5,352	0.4	17
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	9,702	0.4	20	5,073	0.4	22	4,629	0.4	19
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	40,184	1.6	...	16,569	1.3	...	23,615	1.9	...
All other diseases (Residual)	289,913	11.5	...	117,051	9.3	...	172,862	13.7	...
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	126,438	5.0	5	79,257	6.3	3	47,181	3.7	6
Transport accidents (V01-V99, Y85)	38,023	1.5	...	27,109	2.2	...	10,914	0.9	...
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	35,303	1.4	...	24,947	2.0	...	10,356	0.8	...
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	950	0.0	...	753	0.1	...	197	0.0	...
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	1,770	0.1	...	1,409	0.1	...	361	0.0	...
Nontransport accidents (W00-X59, Y86)	88,415	3.5	...	52,148	4.2	...	36,267	2.9	...
Falls (W00-W19)	27,483	1.1	...	13,814	1.1	...	13,669	1.1	...
Accidental discharge of firearms (W32-W34)	591	0.0	...	511	0.0	...	80	0.0	...
Accidental drowning and submersion (W65-W74)	3,556	0.1	...	2,773	0.2	...	783	0.1	...
Accidental exposure to smoke, fire and flames (X00-X09)	2,746	0.1	...	1,633	0.1	...	1,113	0.1	...
Accidental poisoning and exposure to noxious substances (X40-X49)	36,280	1.4	...	23,288	1.9	...	12,992	1.0	...
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	17,759	0.7	...	10,129	0.8	...	7,630	0.6	...
Intentional self-harm (suicide) (X60-X84, Y87.0)	39,518	1.6	10	31,003	2.5	7	8,515	0.7	15
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	19,990	0.8	...	17,320	1.4	...	2,670	0.2	...
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71, X75-X84, Y87.0)	19,528	0.8	...	13,683	1.1	...	5,845	0.5	...
Assault (homicide) (X85-Y09, Y87.1)	16,238	0.6	16	12,745	1.0	14	3,493	0.3	22
Assault (homicide) by discharge of firearms (X93-X95)	11,068	0.4	...	9,270	0.7	...	1,798	0.1	...
Assault (homicide) by other and unspecified means and their sequelae (X85-X92, X96-Y09, Y87.1)	5,170	0.2	...	3,475	0.3	...	1,695	0.1	...
Legal intervention (Y35, Y89.0)	492	0.0	37	476	0.0	33	16	0.0	42
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	4,773	0.2	...	2,914	0.2	...	1,859	0.1	...
Discharge of firearms, undetermined intent (Y22-Y24)	248	0.0	...	199	0.0	...	49	0.0	...
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	4,525	0.2	...	2,715	0.2	...	1,810	0.1	...
Operations of war and their sequelae (Y36, Y89.1)	5	0.0	46	5	0.0	42	-	-	...
Complications of medical and surgical care (Y40-Y84, Y88)	2,584	0.1	29	1,291	0.1	28	1,293	0.1	29
Enterocolitis due to <i>Clostridium difficile</i> (A04.7) <sup>5</sup>	8,085	0.3	21	3,092	0.2	23	4,993	0.4	18

... Category not applicable.

- Quantity zero.

0.0 Quantity more than zero but less than 0.05.

<sup>1</sup> Figures for origin not stated are included in "All origins" but not distributed among specified origins.

<sup>2</sup> Persons of Hispanic origin may be of any race.

<sup>3</sup> Includes races other than white or black.

<sup>4</sup> Rank based on number of deaths.

<sup>5</sup> Included in "Certain other intestinal infections (A04, A07-A09)" shown above.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2011

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Hispanic <sup>2</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
All causes	149,635	100.0	...	81,887	100.0	...	67,748	100.0	...
Salmonella infections (A01-A02)	3	0.0	43	3	0.0	41	-	-	...
Shigellosis and amebiasis (A03,A06)	1	0.0	44	-	-	...	1	0.0	41
Certain other intestinal infections (A04,A07-A09)	610	0.4	...	238	0.3	...	372	0.5	...
Tuberculosis (A16-A19)	97	0.1	33	55	0.1	32	42	0.1	32
Respiratory tuberculosis (A16)	71	0.0	...	40	0.0	...	31	0.0	...
Other tuberculosis (A17-A19)	26	0.0	...	15	0.0	...	11	0.0	...
Whooping cough (A37)	1	0.0	44	1	0.0	42	-	-	...
Scarlet fever and erysipelas (A38,A46)	-	-	...	-	-	...	-	-	...
Meningococcal infection (A39)	23	0.0	37	9	0.0	38	14	0.0	35
Septicemia (A40-A41)	2,168	1.4	14	1,048	1.3	14	1,120	1.7	11
Syphilis (A50-A53)	6	0.0	42	4	0.0	40	2	0.0	40
Acute poliomyelitis (A80)	-	-	...	-	-	...	-	-	...
Arthropod-borne viral encephalitis (A83-A84,A85.2)	1	0.0	44	-	-	...	1	0.0	41
Measles (B05)	-	-	...	-	-	...	-	-	...
Viral hepatitis (B15-B19)	1,182	0.8	17	814	1.0	17	368	0.5	19
Human immunodeficiency virus (HIV) disease (B20-B24)	1,133	0.8	18	860	1.1	16	273	0.4	21
Malaria (B50-B54)	-	-	...	-	-	...	-	-	...
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44, A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)	476	0.3	...	268	0.3	...	208	0.3	...
Malignant neoplasms (C00-C97)	32,381	21.6	1	17,185	21.0	1	15,196	22.4	1
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	418	0.3	...	298	0.4	...	120	0.2	...
Malignant neoplasm of esophagus (C15)	673	0.4	...	543	0.7	...	130	0.2	...
Malignant neoplasm of stomach (C16)	1,500	1.0	...	854	1.0	...	646	1.0	...
Malignant neoplasms of colon, rectum and anus (C18-C21)	3,261	2.2	...	1,801	2.2	...	1,460	2.2	...
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	2,568	1.7	...	1,757	2.1	...	811	1.2	...
Malignant neoplasm of pancreas (C25)	2,305	1.5	...	1,193	1.5	...	1,112	1.6	...
Malignant neoplasm of larynx (C32)	230	0.2	...	198	0.2	...	32	0.0	...
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	5,093	3.4	...	3,160	3.9	...	1,933	2.9	...
Malignant melanoma of skin (C43)	235	0.2	...	134	0.2	...	101	0.1	...
Malignant neoplasm of breast (C50)	2,388	1.6	...	19	0.0	...	2,369	3.5	...
Malignant neoplasm of cervix uteri (C53)	471	0.3	...	-	-	...	471	0.7	...
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	582	0.4	...	-	-	...	582	0.9	...
Malignant neoplasm of ovary (C56)	852	0.6	...	-	-	...	852	1.3	...
Malignant neoplasm of prostate (C61)	1,576	1.1	...	1,576	1.9	...	-	-	...
Malignant neoplasms of kidney and renal pelvis (C64-C65)	974	0.7	...	617	0.8	...	357	0.5	...
Malignant neoplasm of bladder (C67)	558	0.4	...	373	0.5	...	185	0.3	...
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	918	0.6	...	522	0.6	...	396	0.6	...
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	3,735	2.5	...	2,051	2.5	...	1,684	2.5	...
Hodgkin's disease (C81)	140	0.1	...	91	0.1	...	49	0.1	...
Non-Hodgkin's lymphoma (C82-C85)	1,341	0.9	...	726	0.9	...	615	0.9	...
Leukemia (C91-C95)	1,489	1.0	...	832	1.0	...	657	1.0	...
Multiple myeloma and immunoproliferative neoplasms (C88,C90)	754	0.5	...	396	0.5	...	358	0.5	...
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	11	0.0	...	6	0.0	...	5	0.0	...
All other and unspecified malignant neoplasms (C17, C23-C24,C26-C31,C37-C41,C44-C49,C51-C52, C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)	4,044	2.7	...	2,089	2.6	...	1,955	2.9	...
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	806	0.5	20	413	0.5	20	393	0.6	18
Anemias (D50-D64)	253	0.2	26	106	0.1	26	147	0.2	24
Diabetes mellitus (E10-E14)	7,054	4.7	5	3,726	4.6	4	3,328	4.9	4
Nutritional deficiencies (E40-E64)	163	0.1	27	74	0.1	30	89	0.1	28
Malnutrition (E40-E46)	160	0.1	...	71	0.1	...	89	0.1	...
Other nutritional deficiencies (E50-E64)	3	0.0	...	3	0.0	...	-	-	...

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2011

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Hispanic <sup>2</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Meningitis (G00,G03)	67	0.0	34	52	0.1	33	15	0.0	34
Parkinson's disease (G20-G21)	1,069	0.7	19	617	0.8	19	452	0.7	17
Alzheimer's disease (G30)	3,599	2.4	8	1,151	1.4	13	2,448	3.6	6
Major cardiovascular diseases (I00-I78)	40,794	27.3	...	21,455	26.2	...	19,339	28.5	...
Diseases of heart (I00-I09,I11,I13,I20-I51)	30,385	20.3	2	16,526	20.2	2	13,859	20.5	2
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	162	0.1	...	48	0.1	...	114	0.2	...
Hypertensive heart disease (I11)	2,067	1.4	...	1,143	1.4	...	924	1.4	...
Hypertensive heart and renal disease (I13)	234	0.2	...	118	0.1	...	116	0.2	...
Ischemic heart diseases (I20-I25)	20,326	13.6	...	11,473	14.0	...	8,853	13.1	...
Acute myocardial infarction (I21-I22)	6,365	4.3	...	3,608	4.4	...	2,757	4.1	...
Other acute ischemic heart diseases (I24)	162	0.1	...	78	0.1	...	84	0.1	...
Other forms of chronic ischemic heart disease (I20,I25)	13,799	9.2	...	7,787	9.5	...	6,012	8.9	...
Atherosclerotic cardiovascular disease, so described (I25.0)	3,399	2.3	...	2,238	2.7	...	1,161	1.7	...
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)	10,400	7.0	...	5,549	6.8	...	4,851	7.2	...
Other heart diseases (I26-I51)	7,596	5.1	...	3,744	4.6	...	3,852	5.7	...
Acute and subacute endocarditis (I33)	99	0.1	...	64	0.1	...	35	0.1	...
Diseases of pericardium and acute myocarditis (I30-I31,I40)	69	0.0	...	36	0.0	...	33	0.0	...
Heart failure (I50)	2,233	1.5	...	1,020	1.2	...	1,213	1.8	...
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)	5,195	3.5	...	2,624	3.2	...	2,571	3.8	...
Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,699	1.1	16	772	0.9	18	927	1.4	13
Cerebrovascular diseases (I60-I69)	7,552	5.0	4	3,528	4.3	5	4,024	5.9	3
Atherosclerosis (I70)	275	0.2	24	124	0.2	24	151	0.2	23
Other diseases of circulatory system (I71-I78)	883	0.6	...	505	0.6	...	378	0.6	...
Aortic aneurysm and dissection (I71)	427	0.3	22	292	0.4	22	135	0.2	26
Other diseases of arteries, arterioles and capillaries (I72-I78)	456	0.3	...	213	0.3	...	243	0.4	...
Other disorders of circulatory system (I80-I99)	278	0.2	...	137	0.2	...	141	0.2	...
Influenza and pneumonia (J09-J18)	3,256	2.2	9	1,606	2.0	10	1,650	2.4	8
Influenza (J09-J11)	138	0.1	...	63	0.1	...	75	0.1	...
Pneumonia (J12-J18)	3,118	2.1	...	1,543	1.9	...	1,575	2.3	...
Other acute lower respiratory infections (J20-J22,U04)	21	0.0	...	10	0.0	...	11	0.0	...
Acute bronchitis and bronchiolitis (J20-J21)	17	0.0	40	6	0.0	39	11	0.0	37
Other and unspecified acute lower respiratory infection (J22,U04)	4	0.0	...	4	0.0	...	-	-	...
Chronic lower respiratory diseases (J40-J47)	4,355	2.9	7	2,222	2.7	9	2,133	3.1	7
Bronchitis, chronic and unspecified (J40-J42)	34	0.0	...	15	0.0	...	19	0.0	...
Emphysema (J43)	250	0.2	...	156	0.2	...	94	0.1	...
Asthma (J45-J46)	244	0.2	...	100	0.1	...	144	0.2	...
Other chronic lower respiratory diseases (J44,J47)	3,827	2.6	...	1,951	2.4	...	1,876	2.8	...
Pneumoconioses and chemical effects (J60-J66,J68)	21	0.0	38	20	0.0	35	1	0.0	41
Pneumonitis due to solids and liquids (J69)	756	0.5	21	411	0.5	21	345	0.5	20
Other diseases of respiratory system (J00-J06,J30-39,J67,J70-J98)	2,134	1.4	...	1,083	1.3	...	1,051	1.6	...
Peptic ulcer (K25-K28)	157	0.1	29	92	0.1	28	65	0.1	30
Diseases of appendix (K35-K38)	39	0.0	36	26	0.0	34	13	0.0	36
Hernia (K40-K46)	134	0.1	30	71	0.1	31	63	0.1	31
Chronic liver disease and cirrhosis (K70,K73-K74)	4,774	3.2	6	3,311	4.0	6	1,463	2.2	9
Alcoholic liver disease (K70)	2,546	1.7	...	2,056	2.5	...	490	0.7	...
Other chronic liver disease and cirrhosis (K73-K74)	2,228	1.5	...	1,255	1.5	...	973	1.4	...
Cholelithiasis and other disorders of gallbladder (K80-K82)	258	0.2	25	114	0.1	25	144	0.2	25
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,799	1.9	10	1,388	1.7	11	1,411	2.1	10
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)	27	0.0	...	13	0.0	...	14	0.0	...
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)	22	0.0	...	14	0.0	...	8	0.0	...
Renal failure (N17-N19)	2,748	1.8	...	1,361	1.7	...	1,387	2.0	...
Other disorders of kidney (N25,N27)	2	0.0	...	-	-	...	2	0.0	...
Infections of kidney (N10-N12,N13.6,N15.1)	52	0.0	35	16	0.0	37	36	0.1	33

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to *Clostridium difficile*, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2011

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Hispanic <sup>2</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Hyperplasia of prostate (N40)	20	0.0	39	20	0.0	35	-	-	...
Inflammatory diseases of female pelvic organs (N70-N76)	8	0.0	41	-	-	...	8	0.0	38
Pregnancy, childbirth and the puerperium (O00-O99)	129	0.1	31	-	-	...	129	0.2	27
Pregnancy with abortive outcome (O00-O07)	5	0.0	...	-	-	...	5	0.0	...
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	124	0.1	...	-	-	...	124	0.2	...
Certain conditions originating in the perinatal period (P00-P96)	2,387	1.6	13	1,297	1.6	12	1,090	1.6	12
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	1,803	1.2	15	958	1.2	15	845	1.2	14
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	1,986	1.3	...	1,034	1.3	...	952	1.4	...
All other diseases (Residual)	15,135	10.1	...	6,995	8.5	...	8,140	12.0	...
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	11,166	7.5	3	8,098	9.9	3	3,068	4.5	5
Transport accidents (V01-V99, Y85)	4,785	3.2	...	3,594	4.4	...	1,191	1.8	...
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	4,544	3.0	...	3,401	4.2	...	1,143	1.7	...
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	130	0.1	...	111	0.1	...	19	0.0	...
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	111	0.1	...	82	0.1	...	29	0.0	...
Nontransport accidents (W00-X59, Y86)	6,381	4.3	...	4,504	5.5	...	1,877	2.8	...
Falls (W00-W19)	1,451	1.0	...	901	1.1	...	550	0.8	...
Accidental discharge of firearms (W32-W34)	52	0.0	...	43	0.1	...	9	0.0	...
Accidental drowning and submersion (W65-W74)	510	0.3	...	416	0.5	...	94	0.1	...
Accidental exposure to smoke, fire and flames (X00-X09)	187	0.1	...	120	0.1	...	67	0.1	...
Accidental poisoning and exposure to noxious substances (X40-X49)	2,980	2.0	...	2,197	2.7	...	783	1.2	...
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	1,201	0.8	...	827	1.0	...	374	0.6	...
Intentional self-harm (suicide) (X60-X84, Y87.0)	2,720	1.8	12	2,224	2.7	8	496	0.7	15
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	946	0.6	...	857	1.0	...	89	0.1	...
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71, X75-X84, Y87.0)	1,774	1.2	...	1,367	1.7	...	407	0.6	...
Assault (homicide) (X85-Y09, Y87.1)	2,759	1.8	11	2,279	2.8	7	480	0.7	16
Assault (homicide) by discharge of firearms (X93-X95)	1,831	1.2	...	1,595	1.9	...	236	0.3	...
Assault (homicide) by other and unspecified means and their sequelae (X85-X92, X96-Y09, Y87.1)	928	0.6	...	684	0.8	...	244	0.4	...
Legal intervention (Y35, Y89.0)	101	0.1	32	98	0.1	27	3	0.0	39
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	339	0.2	...	221	0.3	...	118	0.2	...
Discharge of firearms, undetermined intent (Y22-Y24)	21	0.0	...	19	0.0	...	2	0.0	...
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	318	0.2	...	202	0.2	...	116	0.2	...
Operations of war and their sequelae (Y36, Y89.1)	-	-	...	-	-	...	-	-	...
Complications of medical and surgical care (Y40-Y84, Y88)	161	0.1	28	77	0.1	29	84	0.1	29
Enterocolitis due to <i>Clostridium difficile</i> (A04.7) <sup>5</sup>	407	0.3	23	143	0.2	23	264	0.4	22

... Category not applicable.

- Quantity zero.

0.0 Quantity more than zero but less than 0.05.

<sup>1</sup> Figures for origin not stated are included in "All origins" but not distributed among specified origins.

<sup>2</sup> Persons of Hispanic origin may be of any race.

<sup>3</sup> Includes races other than white or black.

<sup>4</sup> Rank based on number of deaths.

<sup>5</sup> Included in "Certain other intestinal infections (A04, A07-A09)" shown above.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2011

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Non-Hispanic <sup>3</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
All causes	2,360,643	100.0	...	1,169,971	100.0	...	1,190,672	100.0	...
Salmonella infections (A01-A02)	41	0.0	42	20	0.0	41	21	0.0	40
Shigellosis and amebiasis (A03,A06)	7	0.0	44	4	0.0	43	3	0.0	43
Certain other intestinal infections (A04,A07-A09)	10,416	0.4	...	4,005	0.3	...	6,411	0.5	...
Tuberculosis (A16-A19)	439	0.0	36	254	0.0	35	185	0.0	34
Respiratory tuberculosis (A16)	321	0.0	...	190	0.0	...	131	0.0	...
Other tuberculosis (A17-A19)	118	0.0	...	64	0.0	...	54	0.0	...
Whooping cough (A37)	5	0.0	45	3	0.0	44	2	0.0	45
Scarlet fever and erysipelas (A38,A46)	4	0.0	47	2	0.0	45	2	0.0	45
Meningococcal infection (A39)	63	0.0	41	33	0.0	39	30	0.0	39
Septicemia (A40-A41)	33,493	1.4	11	15,385	1.3	12	18,108	1.5	10
Syphilis (A50-A53)	39	0.0	43	23	0.0	40	16	0.0	41
Acute poliomyelitis (A80)	-	-	...	-	-	...	-	-	...
Arthropod-borne viral encephalitis (A83-A84,A85.2)	4	0.0	47	2	0.0	45	2	0.0	45
Measles (B05)	-	-	...	-	-	...	-	-	...
Viral hepatitis (B15-B19)	6,634	0.3	23	4,451	0.4	21	2,183	0.2	24
Human immunodeficiency virus (HIV) disease (B20-B24)	6,477	0.3	24	4,602	0.4	20	1,875	0.2	25
Malaria (B50-B54)	3	0.0	49	-	-	...	3	0.0	43
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44, A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)	5,266	0.2	...	2,718	0.2	...	2,548	0.2	...
Malignant neoplasms (C00-C97)	543,376	23.0	2	284,507	24.3	2	258,869	21.7	2
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	8,219	0.3	...	5,813	0.5	...	2,406	0.2	...
Malignant neoplasm of esophagus (C15)	13,749	0.6	...	10,951	0.9	...	2,798	0.2	...
Malignant neoplasm of stomach (C16)	9,510	0.4	...	5,674	0.5	...	3,836	0.3	...
Malignant neoplasms of colon, rectum and anus (C18-C21)	48,941	2.1	...	25,119	2.1	...	23,822	2.0	...
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	18,995	0.8	...	12,832	1.1	...	6,163	0.5	...
Malignant neoplasm of pancreas (C25)	34,975	1.5	...	17,648	1.5	...	17,327	1.5	...
Malignant neoplasm of larynx (C32)	3,491	0.1	...	2,740	0.2	...	751	0.1	...
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	151,690	6.4	...	83,471	7.1	...	68,219	5.7	...
Malignant melanoma of skin (C43)	8,884	0.4	...	5,863	0.5	...	3,021	0.3	...
Malignant neoplasm of breast (C50)	38,916	1.6	...	422	0.0	...	38,494	3.2	...
Malignant neoplasm of cervix uteri (C53)	3,613	0.2	...	-	-	...	3,613	0.3	...
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	8,046	0.3	...	-	-	...	8,046	0.7	...
Malignant neoplasm of ovary (C56)	13,471	0.6	...	-	-	...	13,471	1.1	...
Malignant neoplasm of prostate (C61)	26,343	1.1	...	26,343	2.3	...	-	-	...
Malignant neoplasms of kidney and renal pelvis (C64-C65)	12,565	0.5	...	8,001	0.7	...	4,564	0.4	...
Malignant neoplasm of bladder (C67)	14,437	0.6	...	10,206	0.9	...	4,231	0.4	...
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	13,554	0.6	...	7,595	0.6	...	5,959	0.5	...
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	52,670	2.2	...	29,513	2.5	...	23,157	1.9	...
Hodgkin's disease (C81)	1,022	0.0	...	593	0.1	...	429	0.0	...
Non-Hodgkin's lymphoma (C82-C85)	18,949	0.8	...	10,560	0.9	...	8,389	0.7	...
Leukemia (C91-C95)	21,549	0.9	...	12,302	1.1	...	9,247	0.8	...
Multiple myeloma and immunoproliferative neoplasms (C88,C90)	11,079	0.5	...	6,023	0.5	...	5,056	0.4	...
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	71	0.0	...	35	0.0	...	36	0.0	...
All other and unspecified malignant neoplasms (C17, C23-C24,C26-C31,C37-C41,C44-C49,C51-C52, C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)	61,307	2.6	...	32,316	2.8	...	28,991	2.4	...
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	14,172	0.6	16	7,346	0.6	17	6,826	0.6	16
Anemias (D50-D64)	4,725	0.2	25	1,981	0.2	25	2,744	0.2	23
Diabetes mellitus (E10-E14)	66,622	2.8	7	34,503	2.9	6	32,119	2.7	7
Nutritional deficiencies (E40-E64)	3,025	0.1	27	1,170	0.1	29	1,855	0.2	26
Malnutrition (E40-E46)	2,846	0.1	...	1,104	0.1	...	1,742	0.1	...
Other nutritional deficiencies (E50-E64)	179	0.0	...	66	0.0	...	113	0.0	...

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2011

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Non-Hispanic <sup>3</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Meningitis (G00,G03)	542	0.0	34	289	0.0	34	253	0.0	33
Parkinson's disease (G20-G21)	22,019	0.9	14	12,912	1.1	13	9,107	0.8	13
Alzheimer's disease (G30)	81,304	3.4	6	24,500	2.1	8	56,804	4.8	5
Major cardiovascular diseases (I00-I78)	736,655	31.2	...	362,266	31.0	...	374,389	31.4	...
Diseases of heart (I00-I09,I11,I13,I20-I51)	564,785	23.9	1	290,979	24.9	1	273,806	23.0	1
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	2,941	0.1	...	949	0.1	...	1,992	0.2	...
Hypertensive heart disease (I11)	31,400	1.3	...	15,175	1.3	...	16,225	1.4	...
Hypertensive heart and renal disease (I13)	3,404	0.1	...	1,506	0.1	...	1,898	0.2	...
Ischemic heart diseases (I20-I25)	353,962	15.0	...	194,799	16.6	...	159,163	13.4	...
Acute myocardial infarction (I21-I22)	113,329	4.8	...	63,017	5.4	...	50,312	4.2	...
Other acute ischemic heart diseases (I24)	3,789	0.2	...	1,982	0.2	...	1,807	0.2	...
Other forms of chronic ischemic heart disease (I20,I25)	236,844	10.0	...	129,800	11.1	...	107,044	9.0	...
Atherosclerotic cardiovascular disease, so described (I25.0)	55,199	2.3	...	32,310	2.8	...	22,889	1.9	...
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)	181,645	7.7	...	97,490	8.3	...	84,155	7.1	...
Other heart diseases (I26-I51)	173,078	7.3	...	78,550	6.7	...	94,528	7.9	...
Acute and subacute endocarditis (I33)	1,069	0.0	...	600	0.1	...	469	0.0	...
Diseases of pericardium and acute myocarditis (I30-I31,I40)	747	0.0	...	404	0.0	...	343	0.0	...
Heart failure (I50)	56,033	2.4	...	23,568	2.0	...	32,465	2.7	...
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)	115,229	4.9	...	53,978	4.6	...	61,251	5.1	...
Essential hypertension and hypertensive renal disease (I10,I12,I15)	26,106	1.1	13	10,504	0.9	14	15,602	1.3	11
Cerebrovascular diseases (I60-I69)	121,222	5.1	4	48,724	4.2	5	72,498	6.1	4
Atherosclerosis (I70)	6,654	0.3	22	2,691	0.2	24	3,963	0.3	19
Other diseases of circulatory system (I71-I78)	17,888	0.8	...	9,368	0.8	...	8,520	0.7	...
Aortic aneurysm and dissection (I71)	9,629	0.4	18	5,713	0.5	18	3,916	0.3	20
Other diseases of arteries, arterioles and capillaries (I72-I78)	8,259	0.3	...	3,655	0.3	...	4,604	0.4	...
Other disorders of circulatory system (I80-I99)	4,075	0.2	...	1,986	0.2	...	2,089	0.2	...
Influenza and pneumonia (J09-J18)	50,420	2.1	8	23,715	2.0	9	26,705	2.2	8
Influenza (J09-J11)	1,391	0.1	...	616	0.1	...	775	0.1	...
Pneumonia (J12-J18)	49,029	2.1	...	23,099	2.0	...	25,930	2.2	...
Other acute lower respiratory infections (J20-J22,U04)	226	0.0	...	98	0.0	...	128	0.0	...
Acute bronchitis and bronchiolitis (J20-J21)	197	0.0	39	84	0.0	38	113	0.0	37
Other and unspecified acute lower respiratory infection (J22,U04)	29	0.0	...	14	0.0	...	15	0.0	...
Chronic lower respiratory diseases (J40-J47)	138,347	5.9	3	65,157	5.6	4	73,190	6.1	3
Bronchitis, chronic and unspecified (J40-J42)	585	0.0	...	258	0.0	...	327	0.0	...
Emphysema (J43)	9,082	0.4	...	4,601	0.4	...	4,481	0.4	...
Asthma (J45-J46)	3,093	0.1	...	1,157	0.1	...	1,936	0.2	...
Other chronic lower respiratory diseases (J44,J47)	125,587	5.3	...	59,141	5.1	...	66,446	5.6	...
Pneumoconioses and chemical effects (J60-J66,J68)	752	0.0	32	708	0.1	31	44	0.0	38
Pneumonitis due to solids and liquids (J69)	17,420	0.7	15	9,254	0.8	16	8,166	0.7	14
Other diseases of respiratory system (J00-J06,J30-39,J67,J70-J98)	30,581	1.3	...	15,251	1.3	...	15,330	1.3	...
Peptic ulcer (K25-K28)	2,827	0.1	28	1,380	0.1	27	1,447	0.1	28
Diseases of appendix (K35-K38)	347	0.0	38	198	0.0	36	149	0.0	35
Hernia (K40-K46)	1,775	0.1	30	744	0.1	30	1,031	0.1	30
Chronic liver disease and cirrhosis (K70,K73-K74)	28,795	1.2	12	18,253	1.6	11	10,542	0.9	12
Alcoholic liver disease (K70)	14,150	0.6	...	9,750	0.8	...	4,400	0.4	...
Other chronic liver disease and cirrhosis (K73-K74)	14,645	0.6	...	8,503	0.7	...	6,142	0.5	...
Cholelithiasis and other disorders of gallbladder (K80-K82)	3,109	0.1	26	1,433	0.1	26	1,676	0.1	27
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	42,736	1.8	9	21,230	1.8	10	21,506	1.8	9
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)	310	0.0	...	148	0.0	...	162	0.0	...
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)	315	0.0	...	159	0.0	...	156	0.0	...
Renal failure (N17-N19)	42,089	1.8	...	20,912	1.8	...	21,177	1.8	...
Other disorders of kidney (N25,N27)	22	0.0	...	11	0.0	...	11	0.0	...
Infections of kidney (N10-N12,N13.6,N15.1)	606	0.0	33	189	0.0	37	417	0.0	32



LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to *Clostridium difficile*, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2011

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Non-Hispanic <sup>3</sup>								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Hyperplasia of prostate (N40)	499	0.0	35	499	0.0	32	-	-	...
Inflammatory diseases of female pelvic organs (N70-N76)	125	0.0	40	-	-	...	125	0.0	36
Pregnancy, childbirth and the puerperium (O00-O99)	800	0.0	31	-	-	...	800	0.1	31
Pregnancy with abortive outcome (O00-O07)	22	0.0	...	-	-	...	22	0.0	...
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	778	0.0	...	-	-	...	778	0.1	...
Certain conditions originating in the perinatal period (P00-P96)	9,497	0.4	19	5,313	0.5	19	4,184	0.4	18
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	7,864	0.3	20	4,096	0.4	22	3,768	0.3	21
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	38,056	1.6	...	15,443	1.3	...	22,613	1.9	...
All other diseases (Residual)	274,285	11.6	...	109,821	9.4	...	164,464	13.8	...
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	114,873	4.9	5	70,874	6.1	3	43,999	3.7	6
Transport accidents (V01-V99, Y85)	33,136	1.4	...	23,437	2.0	...	9,699	0.8	...
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	30,665	1.3	...	21,475	1.8	...	9,190	0.8	...
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	816	0.0	...	639	0.1	...	177	0.0	...
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	1,655	0.1	...	1,323	0.1	...	332	0.0	...
Nontransport accidents (W00-X59, Y86)	81,737	3.5	...	47,437	4.1	...	34,300	2.9	...
Falls (W00-W19)	25,982	1.1	...	12,884	1.1	...	13,098	1.1	...
Accidental discharge of firearms (W32-W34)	537	0.0	...	466	0.0	...	71	0.0	...
Accidental drowning and submersion (W65-W74)	3,039	0.1	...	2,350	0.2	...	689	0.1	...
Accidental exposure to smoke, fire and flames (X00-X09)	2,547	0.1	...	1,503	0.1	...	1,044	0.1	...
Accidental poisoning and exposure to noxious substances (X40-X49)	33,125	1.4	...	20,966	1.8	...	12,159	1.0	...
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	16,507	0.7	...	9,268	0.8	...	7,239	0.6	...
Intentional self-harm (suicide) (X60-X84, Y87.0)	36,667	1.6	10	28,675	2.5	7	7,992	0.7	15
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	18,984	0.8	...	16,412	1.4	...	2,572	0.2	...
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71, X75-X84, Y87.0)	17,683	0.7	...	12,263	1.0	...	5,420	0.5	...
Assault (homicide) (X85-Y09, Y87.1)	13,410	0.6	17	10,413	0.9	15	2,997	0.3	22
Assault (homicide) by discharge of firearms (X93-X95)	9,196	0.4	...	7,641	0.7	...	1,555	0.1	...
Assault (homicide) by other and unspecified means and their sequelae (X85-X92, X96-Y09, Y87.1)	4,214	0.2	...	2,772	0.2	...	1,442	0.1	...
Legal intervention (Y35, Y89.0)	391	0.0	37	378	0.0	33	13	0.0	42
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	4,405	0.2	...	2,672	0.2	...	1,733	0.1	...
Discharge of firearms, undetermined intent (Y22-Y24)	226	0.0	...	179	0.0	...	47	0.0	...
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	4,179	0.2	...	2,493	0.2	...	1,686	0.1	...
Operations of war and their sequelae (Y36, Y89.1)	5	0.0	45	5	0.0	42	-	-	...
Complications of medical and surgical care (Y40-Y84, Y88)	2,419	0.1	29	1,210	0.1	28	1,209	0.1	29
Enterocolitis due to <i>Clostridium difficile</i> (A04.7) <sup>5</sup>	7,667	0.3	21	2,942	0.3	23	4,725	0.4	17

... Category not applicable.

- Quantity zero.

0.0 Quantity more than zero but less than 0.05.

<sup>1</sup> Figures for origin not stated are included in "All origins" but not distributed among specified origins.

<sup>2</sup> Persons of Hispanic origin may be of any race.

<sup>3</sup> Includes races other than white or black.

<sup>4</sup> Rank based on number of deaths.

<sup>5</sup> Included in "Certain other intestinal infections (A04, A07-A09)" shown above.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2011

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	White, non-Hispanic								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
All causes	2,006,319	100.0	...	989,835	100.0	...	1,016,484	100.0	...
Salmonella infections (A01-A02)	31	0.0	42	16	0.0	40	15	0.0	40
Shigellosis and amebiasis (A03,A06)	6	0.0	44	3	0.0	42	3	0.0	43
Certain other intestinal infections (A04,A07-A09)	9,275	0.5	...	3,532	0.4	...	5,743	0.6	...
Tuberculosis (A16-A19)	219	0.0	38	122	0.0	37	97	0.0	35
Respiratory tuberculosis (A16)	155	0.0	...	84	0.0	...	71	0.0	...
Other tuberculosis (A17-A19)	64	0.0	...	38	0.0	...	26	0.0	...
Whooping cough (A37)	3	0.0	46	2	0.0	44	1	0.0	45
Scarlet fever and erysipelas (A38,A46)	2	0.0	48	2	0.0	44	-	-	...
Meningococcal infection (A39)	41	0.0	41	21	0.0	39	20	0.0	39
Septicemia (A40-A41)	26,669	1.3	11	12,319	1.2	12	14,350	1.4	10
Syphilis (A50-A53)	18	0.0	43	10	0.0	41	8	0.0	41
Acute poliomyelitis (A80)	-	-	...	-	-	...	-	-	...
Arthropod-borne viral encephalitis (A83-A84,A85.2)	4	0.0	45	2	0.0	44	2	0.0	44
Measles (B05)	-	-	...	-	-	...	-	-	...
Viral hepatitis (B15-B19)	5,116	0.3	21	3,489	0.4	18	1,627	0.2	24
Human immunodeficiency virus (HIV) disease (B20-B24)	2,228	0.1	28	1,822	0.2	24	406	0.0	31
Malaria (B50-B54)	1	0.0	49	-	-	...	1	0.0	45
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44, A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)	4,322	0.2	...	2,221	0.2	...	2,101	0.2	...
Malignant neoplasms (C00-C97)	460,026	22.9	2	242,140	24.5	2	217,886	21.4	2
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	6,775	0.3	...	4,745	0.5	...	2,030	0.2	...
Malignant neoplasm of esophagus (C15)	12,128	0.6	...	9,770	1.0	...	2,358	0.2	...
Malignant neoplasm of stomach (C16)	6,711	0.3	...	4,060	0.4	...	2,651	0.3	...
Malignant neoplasms of colon, rectum and anus (C18-C21)	40,153	2.0	...	20,670	2.1	...	19,483	1.9	...
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	14,406	0.7	...	9,680	1.0	...	4,726	0.5	...
Malignant neoplasm of pancreas (C25)	29,417	1.5	...	15,031	1.5	...	14,386	1.4	...
Malignant neoplasm of larynx (C32)	2,776	0.1	...	2,145	0.2	...	631	0.1	...
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	131,219	6.5	...	71,631	7.2	...	59,588	5.9	...
Malignant melanoma of skin (C43)	8,687	0.4	...	5,769	0.6	...	2,918	0.3	...
Malignant neoplasm of breast (C50)	31,579	1.6	...	346	0.0	...	31,233	3.1	...
Malignant neoplasm of cervix uteri (C53)	2,615	0.1	...	-	-	...	2,615	0.3	...
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	6,202	0.3	...	-	-	...	6,202	0.6	...
Malignant neoplasm of ovary (C56)	11,737	0.6	...	-	-	...	11,737	1.2	...
Malignant neoplasm of prostate (C61)	21,176	1.1	...	21,176	2.1	...	-	-	...
Malignant neoplasms of kidney and renal pelvis (C64-C65)	10,932	0.5	...	7,036	0.7	...	3,896	0.4	...
Malignant neoplasm of bladder (C67)	13,097	0.7	...	9,428	1.0	...	3,669	0.4	...
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	12,334	0.6	...	6,952	0.7	...	5,382	0.5	...
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	45,629	2.3	...	25,819	2.6	...	19,810	1.9	...
Hodgkin's disease (C81)	873	0.0	...	502	0.1	...	371	0.0	...
Non-Hodgkin's lymphoma (C82-C85)	16,898	0.8	...	9,440	1.0	...	7,458	0.7	...
Leukemia (C91-C95)	18,976	0.9	...	10,918	1.1	...	8,058	0.8	...
Multiple myeloma and immunoproliferative neoplasms (C88,C90)	8,821	0.4	...	4,927	0.5	...	3,894	0.4	...
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	61	0.0	...	32	0.0	...	29	0.0	...
All other and unspecified malignant neoplasms (C17, C23-C24,C26-C31,C37-C41,C44-C49,C51-C52, C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)	52,453	2.6	...	27,882	2.8	...	24,571	2.4	...
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	12,486	0.6	16	6,596	0.7	16	5,890	0.6	16
Anemias (D50-D64)	3,587	0.2	24	1,470	0.1	25	2,117	0.2	22
Diabetes mellitus (E10-E14)	50,964	2.5	7	27,060	2.7	6	23,904	2.4	7
Nutritional deficiencies (E40-E64)	2,540	0.1	26	971	0.1	28	1,569	0.2	25
Malnutrition (E40-E46)	2,373	0.1	...	907	0.1	...	1,466	0.1	...
Other nutritional deficiencies (E50-E64)	167	0.0	...	64	0.0	...	103	0.0	...

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2011

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	White, non-Hispanic								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Meningitis (G00,G03)	393	0.0	35	208	0.0	34	185	0.0	33
Parkinson's disease (G20-G21)	20,625	1.0	13	12,134	1.2	13	8,491	0.8	13
Alzheimer's disease (G30)	74,448	3.7	6	22,482	2.3	8	51,966	5.1	5
Major cardiovascular diseases (I00-I78)	625,545	31.2	...	306,982	31.0	...	318,563	31.3	...
Diseases of heart (I00-I09,I11,I13,I20-I51)	482,979	24.1	1	248,787	25.1	1	234,192	23.0	1
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	2,585	0.1	...	831	0.1	...	1,754	0.2	...
Hypertensive heart disease (I11)	23,147	1.2	...	10,818	1.1	...	12,329	1.2	...
Hypertensive heart and renal disease (I13)	2,403	0.1	...	1,016	0.1	...	1,387	0.1	...
Ischemic heart diseases (I20-I25)	305,486	15.2	...	168,965	17.1	...	136,521	13.4	...
Acute myocardial infarction (I21-I22)	97,618	4.9	...	54,793	5.5	...	42,825	4.2	...
Other acute ischemic heart diseases (I24)	3,217	0.2	...	1,678	0.2	...	1,539	0.2	...
Other forms of chronic ischemic heart disease (I20,I25)	204,651	10.2	...	112,494	11.4	...	92,157	9.1	...
Atherosclerotic cardiovascular disease, so described (I25.0)	45,112	2.2	...	26,290	2.7	...	18,822	1.9	...
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)	159,539	8.0	...	86,204	8.7	...	73,335	7.2	...
Other heart diseases (I26-I51)	149,358	7.4	...	67,157	6.8	...	82,201	8.1	...
Acute and subacute endocarditis (I33)	857	0.0	...	483	0.0	...	374	0.0	...
Diseases of pericardium and acute myocarditis (I30-I31,I40)	573	0.0	...	317	0.0	...	256	0.0	...
Heart failure (I50)	49,605	2.5	...	20,779	2.1	...	28,826	2.8	...
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)	98,323	4.9	...	45,578	4.6	...	52,745	5.2	...
Essential hypertension and hypertensive renal disease (I10,I12,I15)	20,153	1.0	14	7,926	0.8	15	12,227	1.2	11
Cerebrovascular diseases (I60-I69)	101,043	5.0	4	39,753	4.0	5	61,290	6.0	4
Atherosclerosis (I70)	5,993	0.3	19	2,403	0.2	23	3,590	0.4	18
Other diseases of circulatory system (I71-I78)	15,377	0.8	...	8,113	0.8	...	7,264	0.7	...
Aortic aneurysm and dissection (I71)	8,391	0.4	17	5,016	0.5	17	3,375	0.3	19
Other diseases of arteries, arterioles and capillaries (I72-I78)	6,986	0.3	...	3,097	0.3	...	3,889	0.4	...
Other disorders of circulatory system (I80-I99)	3,199	0.2	...	1,562	0.2	...	1,637	0.2	...
Influenza and pneumonia (J09-J18)	43,350	2.2	8	20,316	2.1	9	23,034	2.3	8
Influenza (J09-J11)	1,207	0.1	...	535	0.1	...	672	0.1	...
Pneumonia (J12-J18)	42,143	2.1	...	19,781	2.0	...	22,362	2.2	...
Other acute lower respiratory infections (J20-J22,U04)	189	0.0	...	79	0.0	...	110	0.0	...
Acute bronchitis and bronchiolitis (J20-J21)	163	0.0	39	67	0.0	38	96	0.0	36
Other and unspecified acute lower respiratory infection (J22,U04)	26	0.0	...	12	0.0	...	14	0.0	...
Chronic lower respiratory diseases (J40-J47)	127,035	6.3	3	59,223	6.0	4	67,812	6.7	3
Bronchitis, chronic and unspecified (J40-J42)	506	0.0	...	227	0.0	...	279	0.0	...
Emphysema (J43)	8,360	0.4	...	4,183	0.4	...	4,177	0.4	...
Asthma (J45-J46)	2,023	0.1	...	652	0.1	...	1,371	0.1	...
Other chronic lower respiratory diseases (J44,J47)	116,146	5.8	...	54,161	5.5	...	61,985	6.1	...
Pneumoconioses and chemical effects (J60-J66,J68)	706	0.0	31	670	0.1	30	36	0.0	38
Pneumonitis due to solids and liquids (J69)	15,513	0.8	15	8,242	0.8	14	7,271	0.7	14
Other diseases of respiratory system (J00-J06,J30-39,J67,J70-J98)	26,872	1.3	...	13,475	1.4	...	13,397	1.3	...
Peptic ulcer (K25-K28)	2,426	0.1	27	1,162	0.1	27	1,264	0.1	27
Diseases of appendix (K35-K38)	278	0.0	36	156	0.0	36	122	0.0	34
Hernia (K40-K46)	1,572	0.1	30	655	0.1	31	917	0.1	29
Chronic liver disease and cirrhosis (K70,K73-K74)	24,752	1.2	12	15,764	1.6	11	8,988	0.9	12
Alcoholic liver disease (K70)	12,032	0.6	...	8,390	0.8	...	3,642	0.4	...
Other chronic liver disease and cirrhosis (K73-K74)	12,720	0.6	...	7,374	0.7	...	5,346	0.5	...
Cholelithiasis and other disorders of gallbladder (K80-K82)	2,707	0.1	25	1,258	0.1	26	1,449	0.1	26
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	33,492	1.7	9	16,898	1.7	10	16,594	1.6	9
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)	253	0.0	...	126	0.0	...	127	0.0	...
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)	250	0.0	...	120	0.0	...	130	0.0	...
Renal failure (N17-N19)	32,971	1.6	...	16,643	1.7	...	16,328	1.6	...
Other disorders of kidney (N25,N27)	18	0.0	...	9	0.0	...	9	0.0	...
Infections of kidney (N10-N12,N13.6,N15.1)	520	0.0	32	162	0.0	35	358	0.0	32

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to *Clostridium difficile*, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2011

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	White, non-Hispanic								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Hyperplasia of prostate (N40)	445	0.0	33	445	0.0	32	-	-	...
Inflammatory diseases of female pelvic organs (N70-N76)	95	0.0	40	-	-	...	95	0.0	37
Pregnancy, childbirth and the puerperium (O00-O99)	444	0.0	34	-	-	...	444	0.0	30
Pregnancy with abortive outcome (O00-O07)	8	0.0	...	-	-	...	8	0.0	...
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	436	0.0	...	-	-	...	436	0.0	...
Certain conditions originating in the perinatal period (P00-P96)	5,066	0.3	23	2,826	0.3	21	2,240	0.2	21
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	5,872	0.3	20	3,039	0.3	20	2,833	0.3	20
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	32,472	1.6	...	12,815	1.3	...	19,657	1.9	...
All other diseases (Residual)	238,199	11.9	...	94,839	9.6	...	143,360	14.1	...
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	98,605	4.9	5	60,043	6.1	3	38,562	3.8	6
Transport accidents (V01-V99, Y85)	26,895	1.3	...	18,990	1.9	...	7,905	0.8	...
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	24,822	1.2	...	17,359	1.8	...	7,463	0.7	...
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	661	0.0	...	512	0.1	...	149	0.0	...
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	1,412	0.1	...	1,119	0.1	...	293	0.0	...
Nontransport accidents (W00-X59, Y86)	71,710	3.6	...	41,053	4.1	...	30,657	3.0	...
Falls (W00-W19)	24,040	1.2	...	11,734	1.2	...	12,306	1.2	...
Accidental discharge of firearms (W32-W34)	424	0.0	...	368	0.0	...	56	0.0	...
Accidental drowning and submersion (W65-W74)	2,236	0.1	...	1,679	0.2	...	557	0.1	...
Accidental exposure to smoke, fire and flames (X00-X09)	1,917	0.1	...	1,137	0.1	...	780	0.1	...
Accidental poisoning and exposure to noxious substances (X40-X49)	29,053	1.4	...	18,342	1.9	...	10,711	1.1	...
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	14,040	0.7	...	7,793	0.8	...	6,247	0.6	...
Intentional self-harm (suicide) (X60-X84, Y87.0)	33,031	1.6	10	25,858	2.6	7	7,173	0.7	15
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	17,536	0.9	...	15,132	1.5	...	2,404	0.2	...
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71, X75-X84, Y87.0)	15,495	0.8	...	10,726	1.1	...	4,769	0.5	...
Assault (homicide) (X85-Y09, Y87.1)	5,070	0.3	22	3,347	0.3	19	1,723	0.2	23
Assault (homicide) by discharge of firearms (X93-X95)	2,813	0.1	...	1,933	0.2	...	880	0.1	...
Assault (homicide) by other and unspecified means and their sequelae (X85-X92, X96-Y09, Y87.1)	2,257	0.1	...	1,414	0.1	...	843	0.1	...
Legal intervention (Y35, Y89.0)	240	0.0	37	232	0.0	33	8	0.0	41
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	3,700	0.2	...	2,197	0.2	...	1,503	0.1	...
Discharge of firearms, undetermined intent (Y22-Y24)	184	0.0	...	143	0.0	...	41	0.0	...
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	3,516	0.2	...	2,054	0.2	...	1,462	0.1	...
Operations of war and their sequelae (Y36, Y89.1)	3	0.0	46	3	0.0	42	-	-	...
Complications of medical and surgical care (Y40-Y84, Y88)	1,917	0.1	29	965	0.1	29	952	0.1	28
Enterocolitis due to <i>Clostridium difficile</i> (A04.7) <sup>5</sup>	6,934	0.3	18	2,663	0.3	22	4,271	0.4	17

... Category not applicable.

- Quantity zero.

0.0 Quantity more than zero but less than 0.05.

<sup>1</sup> Figures for origin not stated are included in "All origins" but not distributed among specified origins.

<sup>2</sup> Persons of Hispanic origin may be of any race.

<sup>3</sup> Includes races other than white or black.

<sup>4</sup> Rank based on number of deaths.

<sup>5</sup> Included in "Certain other intestinal infections (A04, A07-A09)" shown above.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2011

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Black, non-Hispanic								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
All causes	286,797	100.0	...	145,052	100.0	...	141,745	100.0	...
Salmonella infections (A01-A02)	8	0.0	43	3	0.0	41	5	0.0	41
Shigellosis and amebiasis (A03,A06)	1	0.0	45	1	0.0	42	-	-	...
Certain other intestinal infections (A04,A07-A09)	903	0.3	...	371	0.3	...	532	0.4	...
Tuberculosis (A16-A19)	105	0.0	34	71	0.0	32	34	0.0	34
Respiratory tuberculosis (A16)	77	0.0	...	54	0.0	...	23	0.0	...
Other tuberculosis (A17-A19)	28	0.0	...	17	0.0	...	11	0.0	...
Whooping cough (A37)	1	0.0	45	1	0.0	42	-	-	...
Scarlet fever and erysipelas (A38,A46)	2	0.0	44	-	-	...	2	0.0	43
Meningococcal infection (A39)	17	0.0	42	11	0.0	40	6	0.0	40
Septicemia (A40-A41)	5,963	2.1	9	2,666	1.8	10	3,297	2.3	9
Syphilis (A50-A53)	20	0.0	41	12	0.0	39	8	0.0	38
Acute poliomyelitis (A80)	-	-	...	-	-	...	-	-	...
Arthropod-borne viral encephalitis (A83-A84,A85.2)	-	-	...	-	-	...	-	-	...
Measles (B05)	-	-	...	-	-	...	-	-	...
Viral hepatitis (B15-B19)	1,137	0.4	20	732	0.5	19	405	0.3	21
Human immunodeficiency virus (HIV) disease (B20-B24)	4,138	1.4	13	2,693	1.9	9	1,445	1.0	13
Malaria (B50-B54)	-	-	...	-	-	...	-	-	...
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44, A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)	746	0.3	...	376	0.3	...	370	0.3	...
Malignant neoplasms (C00-C97)	66,158	23.1	2	33,628	23.2	2	32,530	22.9	2
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	1,106	0.4	...	835	0.6	...	271	0.2	...
Malignant neoplasm of esophagus (C15)	1,341	0.5	...	964	0.7	...	377	0.3	...
Malignant neoplasm of stomach (C16)	1,957	0.7	...	1,146	0.8	...	811	0.6	...
Malignant neoplasms of colon, rectum and anus (C18-C21)	6,997	2.4	...	3,534	2.4	...	3,463	2.4	...
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	3,001	1.0	...	2,097	1.4	...	904	0.6	...
Malignant neoplasm of pancreas (C25)	4,338	1.5	...	2,037	1.4	...	2,301	1.6	...
Malignant neoplasm of larynx (C32)	648	0.2	...	538	0.4	...	110	0.1	...
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	16,452	5.7	...	9,566	6.6	...	6,886	4.9	...
Malignant melanoma of skin (C43)	132	0.0	...	56	0.0	...	76	0.1	...
Malignant neoplasm of breast (C50)	6,205	2.2	...	68	0.0	...	6,137	4.3	...
Malignant neoplasm of cervix uteri (C53)	802	0.3	...	-	-	...	802	0.6	...
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	1,562	0.5	...	-	-	...	1,562	1.1	...
Malignant neoplasm of ovary (C56)	1,286	0.4	...	-	-	...	1,286	0.9	...
Malignant neoplasm of prostate (C61)	4,598	1.6	...	4,598	3.2	...	-	-	...
Malignant neoplasms of kidney and renal pelvis (C64-C65)	1,271	0.4	...	750	0.5	...	521	0.4	...
Malignant neoplasm of bladder (C67)	1,102	0.4	...	610	0.4	...	492	0.3	...
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	875	0.3	...	459	0.3	...	416	0.3	...
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	5,499	1.9	...	2,861	2.0	...	2,638	1.9	...
Hodgkin's disease (C81)	128	0.0	...	77	0.1	...	51	0.0	...
Non-Hodgkin's lymphoma (C82-C85)	1,460	0.5	...	805	0.6	...	655	0.5	...
Leukemia (C91-C95)	1,927	0.7	...	1,026	0.7	...	901	0.6	...
Multiple myeloma and immunoproliferative neoplasms (C88,C90)	1,975	0.7	...	951	0.7	...	1,024	0.7	...
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	9	0.0	...	2	0.0	...	7	0.0	...
All other and unspecified malignant neoplasms (C17, C23-C24,C26-C31,C37-C41,C44-C49,C51-C52, C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)	6,986	2.4	...	3,509	2.4	...	3,477	2.5	...
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,231	0.4	19	513	0.4	21	718	0.5	17
Anemias (D50-D64)	1,021	0.4	21	464	0.3	23	557	0.4	19
Diabetes mellitus (E10-E14)	12,771	4.5	4	5,986	4.1	6	6,785	4.8	4
Nutritional deficiencies (E40-E64)	388	0.1	27	157	0.1	28	231	0.2	27
Malnutrition (E40-E46)	378	0.1	...	155	0.1	...	223	0.2	...
Other nutritional deficiencies (E50-E64)	10	0.0	...	2	0.0	...	8	0.0	...

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to Clostridium difficile, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2011

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Black, non-Hispanic								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Meningitis (G00,G03)	130	0.0	33	71	0.0	32	59	0.0	32
Parkinson's disease (G20-G21)	872	0.3	23	482	0.3	22	390	0.3	23
Alzheimer's disease (G30)	5,446	1.9	10	1,557	1.1	16	3,889	2.7	8
Major cardiovascular diseases (I00-I78)	90,888	31.7	...	44,877	30.9	...	46,011	32.5	...
Diseases of heart (I00-I09,I11,I13,I20-I51)	67,595	23.6	1	34,476	23.8	1	33,119	23.4	1
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	250	0.1	...	84	0.1	...	166	0.1	...
Hypertensive heart disease (I11)	7,401	2.6	...	3,914	2.7	...	3,487	2.5	...
Hypertensive heart and renal disease (I13)	885	0.3	...	431	0.3	...	454	0.3	...
Ischemic heart diseases (I20-I25)	38,928	13.6	...	20,395	14.1	...	18,533	13.1	...
Acute myocardial infarction (I21-I22)	12,667	4.4	...	6,489	4.5	...	6,178	4.4	...
Other acute ischemic heart diseases (I24)	505	0.2	...	275	0.2	...	230	0.2	...
Other forms of chronic ischemic heart disease (I20,I25)	25,756	9.0	...	13,631	9.4	...	12,125	8.6	...
Atherosclerotic cardiovascular disease, so described (I25.0)	8,495	3.0	...	5,014	3.5	...	3,481	2.5	...
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)	17,261	6.0	...	8,617	5.9	...	8,644	6.1	...
Other heart diseases (I26-I51)	20,131	7.0	...	9,652	6.7	...	10,479	7.4	...
Acute and subacute endocarditis (I33)	179	0.1	...	102	0.1	...	77	0.1	...
Diseases of pericardium and acute myocarditis (I30-I31,I40)	151	0.1	...	75	0.1	...	76	0.1	...
Heart failure (I50)	5,492	1.9	...	2,365	1.6	...	3,127	2.2	...
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)	14,309	5.0	...	7,110	4.9	...	7,199	5.1	...
Essential hypertension and hypertensive renal disease (I10,I12,I15)	4,965	1.7	12	2,180	1.5	12	2,785	2.0	10
Cerebrovascular diseases (I60-I69)	15,722	5.5	3	6,979	4.8	4	8,743	6.2	3
Atherosclerosis (I70)	550	0.2	25	229	0.2	24	321	0.2	25
Other diseases of circulatory system (I71-I78)	2,056	0.7	...	1,013	0.7	...	1,043	0.7	...
Aortic aneurysm and dissection (I71)	941	0.3	22	527	0.4	20	414	0.3	20
Other diseases of arteries, arterioles and capillaries (I72-I78)	1,115	0.4	...	486	0.3	...	629	0.4	...
Other disorders of circulatory system (I80-I99)	791	0.3	...	385	0.3	...	406	0.3	...
Influenza and pneumonia (J09-J18)	5,098	1.8	11	2,386	1.6	11	2,712	1.9	11
Influenza (J09-J11)	122	0.0	...	58	0.0	...	64	0.0	...
Pneumonia (J12-J18)	4,976	1.7	...	2,328	1.6	...	2,648	1.9	...
Other acute lower respiratory infections (J20-J22,U04)	30	0.0	...	15	0.0	...	15	0.0	...
Acute bronchitis and bronchiolitis (J20-J21)	28	0.0	39	14	0.0	38	14	0.0	37
Other and unspecified acute lower respiratory infection (J22,U04)	2	0.0	...	1	0.0	...	1	0.0	...
Chronic lower respiratory diseases (J40-J47)	8,994	3.1	6	4,648	3.2	7	4,346	3.1	5
Bronchitis, chronic and unspecified (J40-J42)	63	0.0	...	24	0.0	...	39	0.0	...
Emphysema (J43)	573	0.2	...	330	0.2	...	243	0.2	...
Asthma (J45-J46)	899	0.3	...	431	0.3	...	468	0.3	...
Other chronic lower respiratory diseases (J44,J47)	7,459	2.6	...	3,863	2.7	...	3,596	2.5	...
Pneumoconioses and chemical effects (J60-J66,J68)	35	0.0	38	28	0.0	36	7	0.0	39
Pneumonitis due to solids and liquids (J69)	1,483	0.5	18	770	0.5	18	713	0.5	18
Other diseases of respiratory system (J00-J06,J30-39,J67,J70-J98)	2,826	1.0	...	1,327	0.9	...	1,499	1.1	...
Peptic ulcer (K25-K28)	285	0.1	29	158	0.1	27	127	0.1	30
Diseases of appendix (K35-K38)	54	0.0	36	32	0.0	35	22	0.0	36
Hernia (K40-K46)	168	0.1	31	74	0.1	31	94	0.1	31
Chronic liver disease and cirrhosis (K70,K73-K74)	2,783	1.0	15	1,750	1.2	15	1,033	0.7	15
Alcoholic liver disease (K70)	1,330	0.5	...	862	0.6	...	468	0.3	...
Other chronic liver disease and cirrhosis (K73-K74)	1,453	0.5	...	888	0.6	...	565	0.4	...
Cholelithiasis and other disorders of gallbladder (K80-K82)	271	0.1	30	108	0.1	30	163	0.1	29
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	8,044	2.8	7	3,734	2.6	8	4,310	3.0	6
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)	48	0.0	...	16	0.0	...	32	0.0	...
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)	45	0.0	...	29	0.0	...	16	0.0	...
Renal failure (N17-N19)	7,947	2.8	...	3,687	2.5	...	4,260	3.0	...
Other disorders of kidney (N25,N27)	4	0.0	...	2	0.0	...	2	0.0	...
Infections of kidney (N10-N12,N13.6,N15.1)	62	0.0	35	23	0.0	37	39	0.0	33

LCWK11. Deaths, percent of total deaths and rank order for 113 selected causes of death and Enterocolitis due to *Clostridium difficile*, by Hispanic origin, race for non-Hispanic origin and sex, United States, 2011

Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004)	Black, non-Hispanic								
	Both sexes			Male			Female		
	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>	Number	Percent of total deaths	Rank <sup>4</sup>
Hyperplasia of prostate (N40)	41	0.0	37	41	0.0	34	-	-	...
Inflammatory diseases of female pelvic organs (N70-N76)	24	0.0	40	-	-	...	24	0.0	35
Pregnancy, childbirth and the puerperium (O00-O99)	299	0.1	28	-	-	...	299	0.2	26
Pregnancy with abortive outcome (O00-O07)	13	0.0	...	-	-	...	13	0.0	...
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	286	0.1	...	-	-	...	286	0.2	...
Certain conditions originating in the perinatal period (P00-P96)	3,890	1.4	14	2,171	1.5	13	1,719	1.2	12
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	1,605	0.6	17	844	0.6	17	761	0.5	16
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	4,815	1.7	...	2,253	1.6	...	2,562	1.8	...
All other diseases (Residual)	29,888	10.4	...	12,259	8.5	...	17,629	12.4	...
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	12,299	4.3	5	8,219	5.7	3	4,080	2.9	7
Transport accidents (V01-V99, Y85)	4,671	1.6	...	3,393	2.3	...	1,278	0.9	...
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	4,418	1.5	...	3,179	2.2	...	1,239	0.9	...
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	101	0.0	...	84	0.1	...	17	0.0	...
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	152	0.1	...	130	0.1	...	22	0.0	...
Nontransport accidents (W00-X59, Y86)	7,628	2.7	...	4,826	3.3	...	2,802	2.0	...
Falls (W00-W19)	1,168	0.4	...	695	0.5	...	473	0.3	...
Accidental discharge of firearms (W32-W34)	104	0.0	...	91	0.1	...	13	0.0	...
Accidental drowning and submersion (W65-W74)	587	0.2	...	491	0.3	...	96	0.1	...
Accidental exposure to smoke, fire and flames (X00-X09)	558	0.2	...	321	0.2	...	237	0.2	...
Accidental poisoning and exposure to noxious substances (X40-X49)	3,236	1.1	...	2,072	1.4	...	1,164	0.8	...
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	1,975	0.7	...	1,156	0.8	...	819	0.6	...
Intentional self-harm (suicide) (X60-X84, Y87.0)	2,194	0.8	16	1,790	1.2	14	404	0.3	22
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	1,077	0.4	...	967	0.7	...	110	0.1	...
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71, X75-X84, Y87.0)	1,117	0.4	...	823	0.6	...	294	0.2	...
Assault (homicide) (X85-Y09, Y87.1)	7,764	2.7	8	6,658	4.6	5	1,106	0.8	14
Assault (homicide) by discharge of firearms (X93-X95)	6,100	2.1	...	5,492	3.8	...	608	0.4	...
Assault (homicide) by other and unspecified means and their sequelae (X85-X92, X96-Y09, Y87.1)	1,664	0.6	...	1,166	0.8	...	498	0.4	...
Legal intervention (Y35, Y89.0)	131	0.0	32	127	0.1	29	4	0.0	42
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	551	0.2	...	381	0.3	...	170	0.1	...
Discharge of firearms, undetermined intent (Y22-Y24)	35	0.0	...	30	0.0	...	5	0.0	...
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	516	0.2	...	351	0.2	...	165	0.1	...
Operations of war and their sequelae (Y36, Y89.1)	1	0.0	45	1	0.0	42	-	-	...
Complications of medical and surgical care (Y40-Y84, Y88)	425	0.1	26	198	0.1	26	227	0.2	28
Enterocolitis due to <i>Clostridium difficile</i> (A04.7) <sup>5</sup>	576	0.2	24	211	0.1	25	365	0.3	24

... Category not applicable.

- Quantity zero.

0.0 Quantity more than zero but less than 0.05.

<sup>1</sup> Figures for origin not stated are included in "All origins" but not distributed among specified origins.

<sup>2</sup> Persons of Hispanic origin may be of any race.

<sup>3</sup> Includes races other than white or black.

<sup>4</sup> Rank based on number of deaths.

<sup>5</sup> Included in "Certain other intestinal infections (A04, A07-A09)" shown above.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011