

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
United States				
...	All causes	2,712,630	100.0	844.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	633,842	23.4	197.2
2	Malignant neoplasms (C00-C97)	595,930	22.0	185.4
3	Chronic lower respiratory diseases (J40-J47)	155,041	5.7	48.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	146,571	5.4	45.6
5	Cerebrovascular diseases (I60-I69)	140,323	5.2	43.7
6	Alzheimer's disease (G30)	110,561	4.1	34.4
7	Diabetes mellitus (E10-E14)	79,535	2.9	24.7
8	Influenza and pneumonia (J09-J18)	57,062	2.1	17.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	49,959	1.8	15.5
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	44,193	1.6	13.7
11	Septicemia (A40-A41)	40,773	1.5	12.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	40,326	1.5	12.5
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	32,200	1.2	10.0
14	Parkinson's disease (G20-G21)	27,972	1.0	8.7
15	Pneumonitis due to solids and liquids (J69)	19,803	0.7	6.2
...	All other causes (residual)	538,539	19.9	167.6
Alabama				
...	All causes	51,909	100.0	1,068.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,981	25.0	267.2
2	Malignant neoplasms (C00-C97)	10,354	19.9	213.1
3	Chronic lower respiratory diseases (J40-J47)	3,279	6.3	67.5
4	Cerebrovascular diseases (I60-I69)	2,937	5.7	60.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,552	4.9	52.5
6	Alzheimer's disease (G30)	2,282	4.4	47.0
7	Diabetes mellitus (E10-E14)	1,255	2.4	25.8
8	Influenza and pneumonia (J09-J18)	1,097	2.1	22.6
9	Septicemia (A40-A41)	1,046	2.0	21.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,040	2.0	21.4
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	750	1.4	15.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	716	1.4	14.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	519	1.0	10.7
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	473	0.9	9.7
15	Parkinson's disease (G20-G21)	461	0.9	9.5
...	All other causes (residual)	10,167	19.6	209.2

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Alaska				
...	All causes	4,316	100.0	584.5
1	Malignant neoplasms (C00-C97)	978	22.7	132.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	846	19.6	114.6
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	388	9.0	52.5
4	Chronic lower respiratory diseases (J40-J47)	204	4.7	27.6
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	201	4.7	27.2
6	Cerebrovascular diseases (I60-I69)	182	4.2	24.6
7	Diabetes mellitus (E10-E14)	142	3.3	19.2
8	Chronic liver disease and cirrhosis (K70,K73-K74)	114	2.6	15.4
9	Alzheimer's disease (G30)	68	1.6	9.2
10	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	62	1.4	8.4
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	50	1.2	6.8
12	Influenza and pneumonia (J09-J18)	41	0.9	5.6
13	Parkinson's disease (G20-G21)	38	0.9	5.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	38	0.9	5.1
15	Septicemia (A40-A41)	37	0.9	5.0
...	All other causes (residual)	927	21.5	125.5
Arizona				
...	All causes	54,299	100.0	795.2
1	Malignant neoplasms (C00-C97)	11,776	21.7	172.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,458	21.1	167.8
3	Chronic lower respiratory diseases (J40-J47)	3,681	6.8	53.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,539	6.5	51.8
5	Alzheimer's disease (G30)	2,943	5.4	43.1
6	Cerebrovascular diseases (I60-I69)	2,522	4.6	36.9
7	Diabetes mellitus (E10-E14)	2,081	3.8	30.5
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,276	2.3	18.7
9	Chronic liver disease and cirrhosis (K70,K73-K74)	1,149	2.1	16.8
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	963	1.8	14.1
11	Influenza and pneumonia (J09-J18)	775	1.4	11.4
12	Parkinson's disease (G20-G21)	720	1.3	10.5
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	458	0.8	6.7
14	Septicemia (A40-A41)	444	0.8	6.5
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	364	0.7	5.3
...	All other causes (residual)	10,150	18.7	148.7

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Arkansas				
...	All causes	31,617	100.0	1,061.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,938	25.1	266.5
2	Malignant neoplasms (C00-C97)	6,727	21.3	225.9
3	Chronic lower respiratory diseases (J40-J47)	2,270	7.2	76.2
4	Cerebrovascular diseases (I60-I69)	1,653	5.2	55.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,538	4.9	51.6
6	Alzheimer's disease (G30)	1,457	4.6	48.9
7	Diabetes mellitus (E10-E14)	886	2.8	29.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	707	2.2	23.7
9	Influenza and pneumonia (J09-J18)	700	2.2	23.5
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	577	1.8	19.4
11	Septicemia (A40-A41)	525	1.7	17.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	421	1.3	14.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	329	1.0	11.0
14	Parkinson's disease (G20-G21)	248	0.8	8.3
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	217	0.7	7.3
...	All other causes (residual)	5,424	17.2	182.1
California				
...	All causes	259,206	100.0	662.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	61,289	23.6	156.6
2	Malignant neoplasms (C00-C97)	59,629	23.0	152.3
3	Alzheimer's disease (G30)	15,065	5.8	38.5
3	Cerebrovascular diseases (I60-I69)	15,065	5.8	38.5
5	Chronic lower respiratory diseases (J40-J47)	13,621	5.3	34.8
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	12,544	4.8	32.0
7	Diabetes mellitus (E10-E14)	8,845	3.4	22.6
8	Influenza and pneumonia (J09-J18)	6,188	2.4	15.8
9	Chronic liver disease and cirrhosis (K70,K73-K74)	5,425	2.1	13.9
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	5,118	2.0	13.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,167	1.6	10.6
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,557	1.4	9.1
13	Parkinson's disease (G20-G21)	2,896	1.1	7.4
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,987	0.8	5.1
15	Pneumonitis due to solids and liquids (J69)	1,752	0.7	4.5
...	All other causes (residual)	42,058	16.2	107.4

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Colorado				
...	All causes	36,349	100.0	666.2
1	Malignant neoplasms (C00-C97)	7,604	20.9	139.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,009	19.3	128.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,725	7.5	49.9
4	Chronic lower respiratory diseases (J40-J47)	2,577	7.1	47.2
5	Cerebrovascular diseases (I60-I69)	1,856	5.1	34.0
6	Alzheimer's disease (G30)	1,612	4.4	29.5
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,093	3.0	20.0
8	Diabetes mellitus (E10-E14)	887	2.4	16.3
9	Chronic liver disease and cirrhosis (K70,K73-K74)	735	2.0	13.5
10	Influenza and pneumonia (J09-J18)	659	1.8	12.1
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	458	1.3	8.4
12	Septicemia (A40-A41)	456	1.3	8.4
13	Parkinson's disease (G20-G21)	452	1.2	8.3
14	Pneumonitis due to solids and liquids (J69)	346	1.0	6.3
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	273	0.8	5.0
...	All other causes (residual)	7,607	20.9	139.4
Connecticut				
...	All causes	30,535	100.0	850.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,205	23.6	200.6
2	Malignant neoplasms (C00-C97)	6,666	21.8	185.6
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,799	5.9	50.1
4	Cerebrovascular diseases (I60-I69)	1,388	4.5	38.7
5	Chronic lower respiratory diseases (J40-J47)	1,369	4.5	38.1
6	Alzheimer's disease (G30)	966	3.2	26.9
7	Influenza and pneumonia (J09-J18)	667	2.2	18.6
8	Diabetes mellitus (E10-E14)	653	2.1	18.2
9	Septicemia (A40-A41)	646	2.1	18.0
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	584	1.9	16.3
11	Pneumonitis due to solids and liquids (J69)	386	1.3	10.7
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	384	1.3	10.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	365	1.2	10.2
14	Parkinson's disease (G20-G21)	334	1.1	9.3
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	317	1.0	8.8
...	All other causes (residual)	6,806	22.3	189.5

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Delaware				
...	All causes	8,582	100.0	907.3
1	Malignant neoplasms (C00-C97)	2,010	23.4	212.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,940	22.6	205.1
3	Chronic lower respiratory diseases (J40-J47)	510	5.9	53.9
4	Cerebrovascular diseases (I60-I69)	466	5.4	49.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	449	5.2	47.5
6	Alzheimer's disease (G30)	264	3.1	27.9
7	Diabetes mellitus (E10-E14)	215	2.5	22.7
8	Influenza and pneumonia (J09-J18)	189	2.2	20.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	174	2.0	18.4
10	Septicemia (A40-A41)	145	1.7	15.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	122	1.4	12.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	111	1.3	11.7
13	Parkinson's disease (G20-G21)	84	1.0	8.9
14	Pneumonitis due to solids and liquids (J69)	73	0.9	7.7
15	Certain conditions originating in the perinatal period (P00-P96)	67	0.8	7.1
...	All other causes (residual)	1,763	20.5	186.4
District of Columbia				
...	All causes	4,871	100.0	724.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,217	25.0	181.0
2	Malignant neoplasms (C00-C97)	1,072	22.0	159.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	265	5.4	39.4
4	Cerebrovascular diseases (I60-I69)	242	5.0	36.0
5	Diabetes mellitus (E10-E14)	162	3.3	24.1
6	Chronic lower respiratory diseases (J40-J47)	147	3.0	21.9
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	136	2.8	20.2
8	Alzheimer's disease (G30)	129	2.6	19.2
9	Influenza and pneumonia (J09-J18)	104	2.1	15.5
10	Septicemia (A40-A41)	88	1.8	13.1
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	87	1.8	12.9
12	Human immunodeficiency virus (HIV) disease (B20-B24)	70	1.4	10.4
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	65	1.3	9.7
14	Chronic liver disease and cirrhosis (K70,K73-K74)	61	1.3	9.1
15	Certain conditions originating in the perinatal period (P00-P96)	46	0.9	6.8
...	All other causes (residual)	980	20.1	145.8

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Florida				
...	All causes	191,737	100.0	945.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	45,441	23.7	224.2
2	Malignant neoplasms (C00-C97)	44,027	23.0	217.2
3	Chronic lower respiratory diseases (J40-J47)	11,705	6.1	57.7
4	Cerebrovascular diseases (I60-I69)	11,433	6.0	56.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,578	5.5	52.2
6	Alzheimer's disease (G30)	7,031	3.7	34.7
7	Diabetes mellitus (E10-E14)	5,403	2.8	26.7
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,205	1.7	15.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,203	1.7	15.8
10	Chronic liver disease and cirrhosis (K70,K73-K74)	3,084	1.6	15.2
11	Influenza and pneumonia (J09-J18)	2,676	1.4	13.2
12	Septicemia (A40-A41)	2,368	1.2	11.7
13	Parkinson's disease (G20-G21)	2,228	1.2	11.0
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,187	1.1	10.8
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,479	0.8	7.3
...	All other causes (residual)	35,689	18.6	176.1
Georgia				
...	All causes	79,942	100.0	782.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	17,769	22.2	174.0
2	Malignant neoplasms (C00-C97)	16,945	21.2	165.9
3	Chronic lower respiratory diseases (J40-J47)	4,607	5.8	45.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,344	5.4	42.5
5	Cerebrovascular diseases (I60-I69)	4,335	5.4	42.4
6	Alzheimer's disease (G30)	3,714	4.6	36.4
7	Diabetes mellitus (E10-E14)	2,210	2.8	21.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,881	2.4	18.4
9	Septicemia (A40-A41)	1,526	1.9	14.9
10	Influenza and pneumonia (J09-J18)	1,467	1.8	14.4
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,317	1.6	12.9
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,076	1.3	10.5
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,003	1.3	9.8
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	738	0.9	7.2
15	Parkinson's disease (G20-G21)	733	0.9	7.2
...	All other causes (residual)	16,277	20.4	159.3

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Hawaii				
...	All causes	11,053	100.0	772.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,605	23.6	182.0
2	Malignant neoplasms (C00-C97)	2,462	22.3	172.0
3	Cerebrovascular diseases (I60-I69)	735	6.6	51.3
4	Influenza and pneumonia (J09-J18)	557	5.0	38.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	536	4.8	37.4
6	Alzheimer's disease (G30)	422	3.8	29.5
7	Chronic lower respiratory diseases (J40-J47)	332	3.0	23.2
8	Diabetes mellitus (E10-E14)	263	2.4	18.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	202	1.8	14.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	201	1.8	14.0
11	Parkinson's disease (G20-G21)	141	1.3	9.8
12	Chronic liver disease and cirrhosis (K70,K73-K74)	138	1.2	9.6
13	Septicemia (A40-A41)	123	1.1	8.6
14	Pneumonitis due to solids and liquids (J69)	108	1.0	7.5
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	86	0.8	6.0
...	All other causes (residual)	2,142	19.4	149.6
Idaho				
...	All causes	13,026	100.0	787.1
1	Malignant neoplasms (C00-C97)	2,849	21.9	172.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,825	21.7	170.7
3	Chronic lower respiratory diseases (J40-J47)	843	6.5	50.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	746	5.7	45.1
5	Cerebrovascular diseases (I60-I69)	641	4.9	38.7
6	Alzheimer's disease (G30)	552	4.2	33.4
7	Diabetes mellitus (E10-E14)	403	3.1	24.4
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	359	2.8	21.7
9	Influenza and pneumonia (J09-J18)	218	1.7	13.2
9	Chronic liver disease and cirrhosis (K70,K73-K74)	218	1.7	13.2
11	Parkinson's disease (G20-G21)	169	1.3	10.2
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	154	1.2	9.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	101	0.8	6.1
14	Pneumonitis due to solids and liquids (J69)	100	0.8	6.0
15	Septicemia (A40-A41)	84	0.6	5.1
...	All other causes (residual)	2,764	21.2	167.0

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Illinois				
...	All causes	106,872	100.0	831.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	25,652	24.0	199.5
2	Malignant neoplasms (C00-C97)	24,713	23.1	192.2
3	Cerebrovascular diseases (I60-I69)	5,709	5.3	44.4
4	Chronic lower respiratory diseases (J40-J47)	5,544	5.2	43.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,850	4.5	37.7
6	Alzheimer's disease (G30)	3,686	3.4	28.7
7	Diabetes mellitus (E10-E14)	2,817	2.6	21.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,543	2.4	19.8
9	Influenza and pneumonia (J09-J18)	2,343	2.2	18.2
10	Septicemia (A40-A41)	1,819	1.7	14.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,363	1.3	10.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,289	1.2	10.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,137	1.1	8.8
14	Parkinson's disease (G20-G21)	1,079	1.0	8.4
15	Pneumonitis due to solids and liquids (J69)	960	0.9	7.5
...	All other causes (residual)	21,368	20.0	166.2
Indiana				
...	All causes	62,713	100.0	947.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,948	22.2	210.7
2	Malignant neoplasms (C00-C97)	13,511	21.5	204.1
3	Chronic lower respiratory diseases (J40-J47)	4,212	6.7	63.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,258	5.2	49.2
5	Cerebrovascular diseases (I60-I69)	2,959	4.7	44.7
6	Alzheimer's disease (G30)	2,513	4.0	38.0
7	Diabetes mellitus (E10-E14)	2,030	3.2	30.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,450	2.3	21.9
9	Septicemia (A40-A41)	1,139	1.8	17.2
10	Influenza and pneumonia (J09-J18)	1,044	1.7	15.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	960	1.5	14.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	859	1.4	13.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	694	1.1	10.5
14	Parkinson's disease (G20-G21)	638	1.0	9.6
15	Pneumonitis due to solids and liquids (J69)	465	0.7	7.0
...	All other causes (residual)	13,033	20.8	196.9

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Iowa				
...	All causes	29,600	100.0	947.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,813	23.0	218.1
2	Malignant neoplasms (C00-C97)	6,513	22.0	208.5
3	Chronic lower respiratory diseases (J40-J47)	2,011	6.8	64.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,537	5.2	49.2
5	Cerebrovascular diseases (I60-I69)	1,418	4.8	45.4
6	Alzheimer's disease (G30)	1,339	4.5	42.9
7	Diabetes mellitus (E10-E14)	1,077	3.6	34.5
8	Influenza and pneumonia (J09-J18)	618	2.1	19.8
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	433	1.5	13.9
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	390	1.3	12.5
11	Parkinson's disease (G20-G21)	341	1.2	10.9
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	336	1.1	10.8
13	Chronic liver disease and cirrhosis (K70,K73-K74)	328	1.1	10.5
14	Septicemia (A40-A41)	252	0.9	8.1
15	Pneumonitis due to solids and liquids (J69)	222	0.8	7.1
...	All other causes (residual)	5,972	20.2	191.2
Kansas				
...	All causes	26,664	100.0	915.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,624	21.1	193.2
2	Malignant neoplasms (C00-C97)	5,604	21.0	192.5
3	Chronic lower respiratory diseases (J40-J47)	1,704	6.4	58.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,475	5.5	50.7
5	Cerebrovascular diseases (I60-I69)	1,364	5.1	46.8
6	Alzheimer's disease (G30)	865	3.2	29.7
7	Diabetes mellitus (E10-E14)	684	2.6	23.5
8	Influenza and pneumonia (J09-J18)	682	2.6	23.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	582	2.2	20.0
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	477	1.8	16.4
11	Atherosclerosis (I70)	451	1.7	15.5
12	Septicemia (A40-A41)	381	1.4	13.1
13	Parkinson's disease (G20-G21)	326	1.2	11.2
14	Chronic liver disease and cirrhosis (K70,K73-K74)	313	1.2	10.7
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	245	0.9	8.4
...	All other causes (residual)	5,887	22.1	202.2

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Kentucky				
...	All causes	46,564	100.0	1,052.3
1	Malignant neoplasms (C00-C97)	10,312	22.1	233.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,077	21.6	227.7
3	Chronic lower respiratory diseases (J40-J47)	3,331	7.2	75.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,962	6.4	66.9
5	Cerebrovascular diseases (I60-I69)	2,050	4.4	46.3
6	Alzheimer's disease (G30)	1,694	3.6	38.3
7	Diabetes mellitus (E10-E14)	1,458	3.1	32.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	998	2.1	22.6
9	Influenza and pneumonia (J09-J18)	967	2.1	21.9
10	Septicemia (A40-A41)	873	1.9	19.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	776	1.7	17.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	657	1.4	14.8
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	441	0.9	10.0
14	Parkinson's disease (G20-G21)	395	0.8	8.9
15	Pneumonitis due to solids and liquids (J69)	329	0.7	7.4
...	All other causes (residual)	9,244	19.9	208.9
Louisiana				
...	All causes	43,716	100.0	936.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,665	24.4	228.3
2	Malignant neoplasms (C00-C97)	9,397	21.5	201.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,578	5.9	55.2
4	Cerebrovascular diseases (I60-I69)	2,280	5.2	48.8
5	Chronic lower respiratory diseases (J40-J47)	2,178	5.0	46.6
6	Alzheimer's disease (G30)	2,018	4.6	43.2
7	Diabetes mellitus (E10-E14)	1,199	2.7	25.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,160	2.7	24.8
9	Septicemia (A40-A41)	991	2.3	21.2
10	Influenza and pneumonia (J09-J18)	753	1.7	16.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	722	1.7	15.5
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	569	1.3	12.2
13	Chronic liver disease and cirrhosis (K70,K73-K74)	553	1.3	11.8
14	Parkinson's disease (G20-G21)	371	0.8	7.9
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	369	0.8	7.9
...	All other causes (residual)	7,913	18.1	169.4

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Maine				
...	All causes	14,479	100.0	1,089.2
1	Malignant neoplasms (C00-C97)	3,398	23.5	255.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,009	20.8	226.4
3	Chronic lower respiratory diseases (J40-J47)	1,025	7.1	77.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	802	5.5	60.3
5	Cerebrovascular diseases (I60-I69)	616	4.3	46.3
6	Alzheimer's disease (G30)	544	3.8	40.9
7	Diabetes mellitus (E10-E14)	407	2.8	30.6
8	Influenza and pneumonia (J09-J18)	333	2.3	25.1
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	235	1.6	17.7
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	211	1.5	15.9
11	Chronic liver disease and cirrhosis (K70,K73-K74)	195	1.3	14.7
12	Parkinson's disease (G20-G21)	147	1.0	11.1
13	Septicemia (A40-A41)	145	1.0	10.9
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	105	0.7	7.9
15	Pneumonitis due to solids and liquids (J69)	102	0.7	7.7
...	All other causes (residual)	3,205	22.1	241.1
Maryland				
...	All causes	47,247	100.0	786.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,481	24.3	191.1
2	Malignant neoplasms (C00-C97)	10,568	22.4	175.9
3	Cerebrovascular diseases (I60-I69)	2,540	5.4	42.3
4	Chronic lower respiratory diseases (J40-J47)	2,040	4.3	34.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,903	4.0	31.7
6	Diabetes mellitus (E10-E14)	1,243	2.6	20.7
7	Influenza and pneumonia (J09-J18)	1,176	2.5	19.6
8	Alzheimer's disease (G30)	1,095	2.3	18.2
9	Septicemia (A40-A41)	913	1.9	15.2
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	834	1.8	13.9
11	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	596	1.3	9.9
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	553	1.2	9.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	521	1.1	8.7
14	Chronic liver disease and cirrhosis (K70,K73-K74)	471	1.0	7.8
15	Parkinson's disease (G20-G21)	461	1.0	7.7
...	All other causes (residual)	10,852	23.0	180.7

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Massachusetts				
...	All causes	57,806	100.0	850.8
1	Malignant neoplasms (C00-C97)	12,750	22.1	187.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,130	21.0	178.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,229	5.6	47.5
4	Chronic lower respiratory diseases (J40-J47)	2,784	4.8	41.0
5	Cerebrovascular diseases (I60-I69)	2,475	4.3	36.4
6	Alzheimer's disease (G30)	1,815	3.1	26.7
7	Influenza and pneumonia (J09-J18)	1,512	2.6	22.3
8	Diabetes mellitus (E10-E14)	1,398	2.4	20.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,228	2.1	18.1
10	Septicemia (A40-A41)	881	1.5	13.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	661	1.1	9.7
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	642	1.1	9.4
13	Parkinson's disease (G20-G21)	640	1.1	9.4
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	603	1.0	8.9
15	Pneumonitis due to solids and liquids (J69)	560	1.0	8.2
...	All other causes (residual)	14,498	25.1	213.4
Michigan				
...	All causes	95,140	100.0	958.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	24,794	26.1	249.9
2	Malignant neoplasms (C00-C97)	20,732	21.8	208.9
3	Chronic lower respiratory diseases (J40-J47)	5,848	6.1	58.9
4	Cerebrovascular diseases (I60-I69)	4,666	4.9	47.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,647	4.9	46.8
6	Alzheimer's disease (G30)	3,771	4.0	38.0
7	Diabetes mellitus (E10-E14)	2,751	2.9	27.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,921	2.0	19.4
9	Influenza and pneumonia (J09-J18)	1,894	2.0	19.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,410	1.5	14.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	1,287	1.4	13.0
12	Septicemia (A40-A41)	1,268	1.3	12.8
13	Parkinson's disease (G20-G21)	960	1.0	9.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	922	1.0	9.3
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	597	0.6	6.0
...	All other causes (residual)	17,672	18.6	178.1

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Minnesota				
...	All causes	42,800	100.0	779.7
1	Malignant neoplasms (C00-C97)	9,925	23.2	180.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,844	18.3	142.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,574	6.0	46.9
4	Chronic lower respiratory diseases (J40-J47)	2,351	5.5	42.8
5	Cerebrovascular diseases (I60-I69)	2,238	5.2	40.8
6	Alzheimer's disease (G30)	1,789	4.2	32.6
7	Diabetes mellitus (E10-E14)	1,221	2.9	22.2
8	Influenza and pneumonia (J09-J18)	738	1.7	13.4
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	730	1.7	13.3
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	639	1.5	11.6
11	Parkinson's disease (G20-G21)	620	1.4	11.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	542	1.3	9.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	518	1.2	9.4
14	Septicemia (A40-A41)	439	1.0	8.0
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	316	0.7	5.8
...	All other causes (residual)	10,316	24.1	187.9
Mississippi				
...	All causes	31,783	100.0	1,062.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,969	25.1	266.3
2	Malignant neoplasms (C00-C97)	6,485	20.4	216.7
3	Chronic lower respiratory diseases (J40-J47)	1,924	6.1	64.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,814	5.7	60.6
5	Cerebrovascular diseases (I60-I69)	1,734	5.5	57.9
6	Alzheimer's disease (G30)	1,402	4.4	46.9
7	Diabetes mellitus (E10-E14)	1,092	3.4	36.5
8	Influenza and pneumonia (J09-J18)	791	2.5	26.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	731	2.3	24.4
10	Septicemia (A40-A41)	676	2.1	22.6
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	508	1.6	17.0
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	431	1.4	14.4
13	Chronic liver disease and cirrhosis (K70,K73-K74)	382	1.2	12.8
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	325	1.0	10.9
15	Parkinson's disease (G20-G21)	247	0.8	8.3
...	All other causes (residual)	5,272	16.6	176.2

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Missouri				
...	All causes	59,871	100.0	984.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,808	24.7	243.4
2	Malignant neoplasms (C00-C97)	12,965	21.7	213.1
3	Chronic lower respiratory diseases (J40-J47)	3,935	6.6	64.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,309	5.5	54.4
5	Cerebrovascular diseases (I60-I69)	3,037	5.1	49.9
6	Alzheimer's disease (G30)	2,173	3.6	35.7
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,483	2.5	24.4
8	Diabetes mellitus (E10-E14)	1,468	2.5	24.1
9	Influenza and pneumonia (J09-J18)	1,337	2.2	22.0
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,052	1.8	17.3
11	Septicemia (A40-A41)	856	1.4	14.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	678	1.1	11.1
13	Parkinson's disease (G20-G21)	560	0.9	9.2
14	Pneumonitis due to solids and liquids (J69)	552	0.9	9.1
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	547	0.9	9.0
...	All other causes (residual)	11,111	18.6	182.6
Montana				
...	All causes	9,942	100.0	962.5
1	Malignant neoplasms (C00-C97)	2,130	21.4	206.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,104	21.2	203.7
3	Chronic lower respiratory diseases (J40-J47)	679	6.8	65.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	637	6.4	61.7
5	Cerebrovascular diseases (I60-I69)	458	4.6	44.3
6	Diabetes mellitus (E10-E14)	321	3.2	31.1
7	Alzheimer's disease (G30)	277	2.8	26.8
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	272	2.7	26.3
9	Influenza and pneumonia (J09-J18)	183	1.8	17.7
10	Chronic liver disease and cirrhosis (K70,K73-K74)	179	1.8	17.3
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	121	1.2	11.7
12	Parkinson's disease (G20-G21)	114	1.1	11.0
13	Septicemia (A40-A41)	112	1.1	10.8
14	Pneumonitis due to solids and liquids (J69)	67	0.7	6.5
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	66	0.7	6.4
...	All other causes (residual)	2,222	22.3	215.1

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Nebraska				
...	All causes	16,740	100.0	882.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,591	21.5	189.4
2	Malignant neoplasms (C00-C97)	3,514	21.0	185.3
3	Chronic lower respiratory diseases (J40-J47)	1,174	7.0	61.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	799	4.8	42.1
5	Cerebrovascular diseases (I60-I69)	776	4.6	40.9
6	Alzheimer's disease (G30)	598	3.6	31.5
7	Diabetes mellitus (E10-E14)	553	3.3	29.2
8	Influenza and pneumonia (J09-J18)	397	2.4	20.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	264	1.6	13.9
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	247	1.5	13.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	223	1.3	11.8
12	Parkinson's disease (G20-G21)	220	1.3	11.6
13	Chronic liver disease and cirrhosis (K70,K73-K74)	165	1.0	8.7
14	Septicemia (A40-A41)	158	0.9	8.3
15	Pneumonitis due to solids and liquids (J69)	146	0.9	7.7
...	All other causes (residual)	3,915	23.4	206.5
Nevada				
...	All causes	22,879	100.0	791.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,114	26.7	211.5
2	Malignant neoplasms (C00-C97)	5,015	21.9	173.5
3	Chronic lower respiratory diseases (J40-J47)	1,617	7.1	55.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,340	5.9	46.4
5	Cerebrovascular diseases (I60-I69)	1,078	4.7	37.3
6	Alzheimer's disease (G30)	874	3.8	30.2
7	Influenza and pneumonia (J09-J18)	630	2.8	21.8
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	558	2.4	19.3
9	Chronic liver disease and cirrhosis (K70,K73-K74)	475	2.1	16.4
10	Diabetes mellitus (E10-E14)	420	1.8	14.5
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	316	1.4	10.9
12	Parkinson's disease (G20-G21)	213	0.9	7.4
13	Septicemia (A40-A41)	205	0.9	7.1
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	194	0.8	6.7
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	191	0.8	6.6
...	All other causes (residual)	3,639	15.9	125.9

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
New Hampshire				
...	All causes	11,984	100.0	900.6
1	Malignant neoplasms (C00-C97)	2,773	23.1	208.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,571	21.5	193.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	815	6.8	61.3
4	Chronic lower respiratory diseases (J40-J47)	705	5.9	53.0
5	Cerebrovascular diseases (I60-I69)	457	3.8	34.3
6	Alzheimer's disease (G30)	432	3.6	32.5
7	Diabetes mellitus (E10-E14)	308	2.6	23.1
8	Influenza and pneumonia (J09-J18)	275	2.3	20.7
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	228	1.9	17.1
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	194	1.6	14.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	161	1.3	12.1
12	Parkinson's disease (G20-G21)	143	1.2	10.7
13	Septicemia (A40-A41)	119	1.0	8.9
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	89	0.7	6.7
15	Pneumonitis due to solids and liquids (J69)	75	0.6	5.6
...	All other causes (residual)	2,639	22.0	198.3
New Jersey				
...	All causes	72,271	100.0	806.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	18,647	25.8	208.2
2	Malignant neoplasms (C00-C97)	16,270	22.5	181.6
3	Cerebrovascular diseases (I60-I69)	3,413	4.7	38.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,218	4.5	35.9
5	Chronic lower respiratory diseases (J40-J47)	3,202	4.4	35.7
6	Alzheimer's disease (G30)	2,260	3.1	25.2
7	Septicemia (A40-A41)	1,957	2.7	21.8
8	Diabetes mellitus (E10-E14)	1,933	2.7	21.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,582	2.2	17.7
10	Influenza and pneumonia (J09-J18)	1,402	1.9	15.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	789	1.1	8.8
12	Chronic liver disease and cirrhosis (K70,K73-K74)	782	1.1	8.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	733	1.0	8.2
14	Pneumonitis due to solids and liquids (J69)	725	1.0	8.1
15	Parkinson's disease (G20-G21)	716	1.0	8.0
...	All other causes (residual)	14,642	20.3	163.5

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
New Mexico				
...	All causes	17,685	100.0	848.2
1	Malignant neoplasms (C00-C97)	3,591	20.3	172.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,508	19.8	168.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,430	8.1	68.6
4	Chronic lower respiratory diseases (J40-J47)	1,109	6.3	53.2
5	Cerebrovascular diseases (I60-I69)	786	4.4	37.7
6	Diabetes mellitus (E10-E14)	608	3.4	29.2
7	Chronic liver disease and cirrhosis (K70,K73-K74)	566	3.2	27.1
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	500	2.8	24.0
9	Alzheimer's disease (G30)	483	2.7	23.2
10	Influenza and pneumonia (J09-J18)	322	1.8	15.4
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	316	1.8	15.2
12	Septicemia (A40-A41)	232	1.3	11.1
13	Parkinson's disease (G20-G21)	172	1.0	8.2
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	157	0.9	7.5
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	154	0.9	7.4
...	All other causes (residual)	3,751	21.2	179.9
New York				
...	All causes	153,628	100.0	776.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	44,450	28.9	224.5
2	Malignant neoplasms (C00-C97)	35,089	22.8	177.3
3	Chronic lower respiratory diseases (J40-J47)	7,109	4.6	35.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	6,515	4.2	32.9
5	Cerebrovascular diseases (I60-I69)	6,292	4.1	31.8
6	Influenza and pneumonia (J09-J18)	4,881	3.2	24.7
7	Diabetes mellitus (E10-E14)	4,045	2.6	20.4
8	Alzheimer's disease (G30)	3,174	2.1	16.0
9	Septicemia (A40-A41)	2,601	1.7	13.1
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,287	1.5	11.6
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,245	1.5	11.3
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,652	1.1	8.3
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,571	1.0	7.9
14	Parkinson's disease (G20-G21)	1,247	0.8	6.3
15	Pneumonitis due to solids and liquids (J69)	1,075	0.7	5.4
...	All other causes (residual)	29,395	19.1	148.5

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
North Carolina				
...	All causes	89,133	100.0	887.5
1	Malignant neoplasms (C00-C97)	19,322	21.7	192.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	18,474	20.7	184.0
3	Chronic lower respiratory diseases (J40-J47)	5,221	5.9	52.0
4	Cerebrovascular diseases (I60-I69)	5,033	5.6	50.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,991	5.6	49.7
6	Alzheimer's disease (G30)	3,803	4.3	37.9
7	Diabetes mellitus (E10-E14)	2,746	3.1	27.3
8	Influenza and pneumonia (J09-J18)	2,115	2.4	21.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,821	2.0	18.1
10	Septicemia (A40-A41)	1,557	1.7	15.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,406	1.6	14.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,254	1.4	12.5
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	944	1.1	9.4
14	Parkinson's disease (G20-G21)	897	1.0	8.9
15	Pneumonitis due to solids and liquids (J69)	723	0.8	7.2
...	All other causes (residual)	18,826	21.1	187.5
North Dakota				
...	All causes	6,223	100.0	822.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,323	21.3	174.8
2	Malignant neoplasms (C00-C97)	1,320	21.2	174.4
3	Alzheimer's disease (G30)	376	6.0	49.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	368	5.9	48.6
5	Chronic lower respiratory diseases (J40-J47)	351	5.6	46.4
6	Cerebrovascular diseases (I60-I69)	308	4.9	40.7
7	Diabetes mellitus (E10-E14)	195	3.1	25.8
8	Influenza and pneumonia (J09-J18)	172	2.8	22.7
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	124	2.0	16.4
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	118	1.9	15.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	86	1.4	11.4
12	Septicemia (A40-A41)	81	1.3	10.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	79	1.3	10.4
14	Pneumonitis due to solids and liquids (J69)	77	1.2	10.2
15	Parkinson's disease (G20-G21)	65	1.0	8.6
...	All other causes (residual)	1,180	19.0	155.9

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Ohio				
...	All causes	118,188	100.0	1,017.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	28,069	23.7	241.7
2	Malignant neoplasms (C00-C97)	25,396	21.5	218.7
3	Chronic lower respiratory diseases (J40-J47)	7,211	6.1	62.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	6,756	5.7	58.2
5	Cerebrovascular diseases (I60-I69)	5,945	5.0	51.2
6	Alzheimer's disease (G30)	4,643	3.9	40.0
7	Diabetes mellitus (E10-E14)	3,645	3.1	31.4
8	Influenza and pneumonia (J09-J18)	2,445	2.1	21.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,100	1.8	18.1
10	Septicemia (A40-A41)	1,957	1.7	16.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,650	1.4	14.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,506	1.3	13.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,395	1.2	12.0
14	Parkinson's disease (G20-G21)	1,139	1.0	9.8
15	Pneumonitis due to solids and liquids (J69)	876	0.7	7.5
...	All other causes (residual)	23,455	19.8	202.0
Oklahoma				
...	All causes	39,422	100.0	1,007.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,310	26.2	263.6
2	Malignant neoplasms (C00-C97)	8,280	21.0	211.7
3	Chronic lower respiratory diseases (J40-J47)	2,924	7.4	74.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,422	6.1	61.9
5	Cerebrovascular diseases (I60-I69)	1,881	4.8	48.1
6	Alzheimer's disease (G30)	1,498	3.8	38.3
7	Diabetes mellitus (E10-E14)	1,442	3.7	36.9
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	790	2.0	20.2
9	Influenza and pneumonia (J09-J18)	717	1.8	18.3
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	616	1.6	15.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	597	1.5	15.3
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	502	1.3	12.8
13	Septicemia (A40-A41)	419	1.1	10.7
14	Parkinson's disease (G20-G21)	334	0.8	8.5
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	324	0.8	8.3
...	All other causes (residual)	6,366	16.1	162.8

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Oregon				
...	All causes	35,705	100.0	886.2
1	Malignant neoplasms (C00-C97)	8,093	22.7	200.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,859	19.2	170.2
3	Chronic lower respiratory diseases (J40-J47)	2,119	5.9	52.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,999	5.6	49.6
5	Cerebrovascular diseases (I60-I69)	1,873	5.2	46.5
6	Alzheimer's disease (G30)	1,652	4.6	41.0
7	Diabetes mellitus (E10-E14)	1,148	3.2	28.5
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	762	2.1	18.9
9	Chronic liver disease and cirrhosis (K70,K73-K74)	667	1.9	16.6
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	565	1.6	14.0
11	Influenza and pneumonia (J09-J18)	453	1.3	11.2
12	Parkinson's disease (G20-G21)	429	1.2	10.6
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	409	1.1	10.2
14	Septicemia (A40-A41)	227	0.6	5.6
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	222	0.6	5.5
...	All other causes (residual)	8,228	23.0	204.2
Pennsylvania				
...	All causes	132,598	100.0	1,035.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	32,042	24.2	250.3
2	Malignant neoplasms (C00-C97)	28,697	21.6	224.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	7,324	5.5	57.2
4	Cerebrovascular diseases (I60-I69)	6,987	5.3	54.6
5	Chronic lower respiratory diseases (J40-J47)	6,664	5.0	52.1
6	Alzheimer's disease (G30)	4,012	3.0	31.3
7	Diabetes mellitus (E10-E14)	3,777	2.8	29.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,021	2.3	23.6
9	Influenza and pneumonia (J09-J18)	2,899	2.2	22.6
10	Septicemia (A40-A41)	2,343	1.8	18.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,894	1.4	14.8
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,438	1.1	11.2
13	Parkinson's disease (G20-G21)	1,348	1.0	10.5
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,108	0.8	8.7
15	Pneumonitis due to solids and liquids (J69)	1,087	0.8	8.5
...	All other causes (residual)	27,957	21.1	218.4

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Rhode Island				
...	All causes	10,163	100.0	962.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,371	23.3	224.5
2	Malignant neoplasms (C00-C97)	2,226	21.9	210.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	649	6.4	61.4
4	Chronic lower respiratory diseases (J40-J47)	510	5.0	48.3
5	Alzheimer's disease (G30)	453	4.5	42.9
6	Cerebrovascular diseases (I60-I69)	394	3.9	37.3
7	Diabetes mellitus (E10-E14)	276	2.7	26.1
8	Influenza and pneumonia (J09-J18)	246	2.4	23.3
9	Septicemia (A40-A41)	143	1.4	13.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	142	1.4	13.4
11	Chronic liver disease and cirrhosis (K70,K73-K74)	139	1.4	13.2
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	127	1.2	12.0
13	Parkinson's disease (G20-G21)	117	1.2	11.1
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	108	1.1	10.2
15	Pneumonitis due to solids and liquids (J69)	88	0.9	8.3
...	All other causes (residual)	2,174	21.4	205.8
South Carolina				
...	All causes	47,198	100.0	964.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,092	21.4	206.1
2	Malignant neoplasms (C00-C97)	9,950	21.1	203.2
3	Chronic lower respiratory diseases (J40-J47)	2,908	6.2	59.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,737	5.8	55.9
5	Cerebrovascular diseases (I60-I69)	2,600	5.5	53.1
6	Alzheimer's disease (G30)	2,453	5.2	50.1
7	Diabetes mellitus (E10-E14)	1,347	2.9	27.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	886	1.9	18.1
9	Septicemia (A40-A41)	854	1.8	17.4
10	Influenza and pneumonia (J09-J18)	848	1.8	17.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	742	1.6	15.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	716	1.5	14.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	482	1.0	9.8
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	448	0.9	9.2
15	Parkinson's disease (G20-G21)	420	0.9	8.6
...	All other causes (residual)	9,715	20.6	198.4

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
South Dakota				
...	All causes	7,731	100.0	900.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,711	22.1	199.3
2	Malignant neoplasms (C00-C97)	1,640	21.2	191.0
3	Chronic lower respiratory diseases (J40-J47)	502	6.5	58.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	469	6.1	54.6
5	Alzheimer's disease (G30)	421	5.4	49.0
6	Cerebrovascular diseases (I60-I69)	383	5.0	44.6
7	Diabetes mellitus (E10-E14)	282	3.6	32.8
8	Influenza and pneumonia (J09-J18)	213	2.8	24.8
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	173	2.2	20.2
10	Chronic liver disease and cirrhosis (K70,K73-K74)	139	1.8	16.2
11	Septicemia (A40-A41)	120	1.6	14.0
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	104	1.3	12.1
13	Parkinson's disease (G20-G21)	80	1.0	9.3
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	79	1.0	9.2
15	Pneumonitis due to solids and liquids (J69)	58	0.8	6.8
...	All other causes (residual)	1,357	17.6	158.1
Tennessee				
...	All causes	66,570	100.0	1,008.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,730	23.6	238.3
2	Malignant neoplasms (C00-C97)	14,214	21.4	215.4
3	Chronic lower respiratory diseases (J40-J47)	4,239	6.4	64.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,873	5.8	58.7
5	Cerebrovascular diseases (I60-I69)	3,447	5.2	52.2
6	Alzheimer's disease (G30)	3,122	4.7	47.3
7	Diabetes mellitus (E10-E14)	1,798	2.7	27.2
8	Influenza and pneumonia (J09-J18)	1,723	2.6	26.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,090	1.6	16.5
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,068	1.6	16.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	957	1.4	14.5
12	Septicemia (A40-A41)	924	1.4	14.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	649	1.0	9.8
14	Parkinson's disease (G20-G21)	604	0.9	9.2
15	Pneumonitis due to solids and liquids (J69)	556	0.8	8.4
...	All other causes (residual)	12,576	18.9	190.5

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Texas				
...	All causes	189,654	100.0	690.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	43,298	22.8	157.6
2	Malignant neoplasms (C00-C97)	39,121	20.6	142.4
3	Cerebrovascular diseases (I60-I69)	10,485	5.5	38.2
4	Chronic lower respiratory diseases (J40-J47)	10,231	5.4	37.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,976	5.3	36.3
6	Alzheimer's disease (G30)	8,903	4.7	32.4
7	Diabetes mellitus (E10-E14)	5,521	2.9	20.1
8	Septicemia (A40-A41)	4,381	2.3	15.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,052	2.1	14.8
10	Chronic liver disease and cirrhosis (K70,K73-K74)	3,844	2.0	14.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,403	1.8	12.4
12	Influenza and pneumonia (J09-J18)	3,214	1.7	11.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,089	1.1	7.6
14	Parkinson's disease (G20-G21)	1,983	1.0	7.2
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,538	0.8	5.6
...	All other causes (residual)	37,615	19.8	136.9
Utah				
...	All causes	17,334	100.0	578.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,598	20.8	120.1
2	Malignant neoplasms (C00-C97)	3,091	17.8	103.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,223	7.1	40.8
4	Alzheimer's disease (G30)	906	5.2	30.2
5	Cerebrovascular diseases (I60-I69)	888	5.1	29.6
6	Chronic lower respiratory diseases (J40-J47)	811	4.7	27.1
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	630	3.6	21.0
8	Diabetes mellitus (E10-E14)	604	3.5	20.2
9	Influenza and pneumonia (J09-J18)	372	2.1	12.4
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	363	2.1	12.1
11	Chronic liver disease and cirrhosis (K70,K73-K74)	244	1.4	8.1
12	Parkinson's disease (G20-G21)	229	1.3	7.6
13	Septicemia (A40-A41)	166	1.0	5.5
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	136	0.8	4.5
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	112	0.6	3.7
...	All other causes (residual)	3,961	22.9	132.2

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Vermont				
...	All causes	5,919	100.0	945.5
1	Malignant neoplasms (C00-C97)	1,399	23.6	223.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,311	22.1	209.4
3	Chronic lower respiratory diseases (J40-J47)	357	6.0	57.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	346	5.8	55.3
5	Cerebrovascular diseases (I60-I69)	307	5.2	49.0
6	Alzheimer's disease (G30)	298	5.0	47.6
7	Diabetes mellitus (E10-E14)	159	2.7	25.4
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	103	1.7	16.5
9	Influenza and pneumonia (J09-J18)	85	1.4	13.6
10	Parkinson's disease (G20-G21)	83	1.4	13.3
11	Chronic liver disease and cirrhosis (K70,K73-K74)	71	1.2	11.3
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	57	1.0	9.1
13	Septicemia (A40-A41)	50	0.8	8.0
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	39	0.7	6.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	27	0.5	4.3
...	All other causes (residual)	1,227	20.7	196.0
Virginia				
...	All causes	65,577	100.0	782.3
1	Malignant neoplasms (C00-C97)	14,947	22.8	178.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,077	21.5	167.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,429	5.2	40.9
4	Cerebrovascular diseases (I60-I69)	3,393	5.2	40.5
5	Chronic lower respiratory diseases (J40-J47)	3,370	5.1	40.2
6	Alzheimer's disease (G30)	2,248	3.4	26.8
7	Diabetes mellitus (E10-E14)	2,044	3.1	24.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,470	2.2	17.5
9	Influenza and pneumonia (J09-J18)	1,416	2.2	16.9
10	Septicemia (A40-A41)	1,187	1.8	14.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,118	1.7	13.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	943	1.4	11.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	684	1.0	8.2
14	Parkinson's disease (G20-G21)	638	1.0	7.6
15	Pneumonitis due to solids and liquids (J69)	590	0.9	7.0
...	All other causes (residual)	14,023	21.4	167.3

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Washington				
...	All causes	54,595	100.0	761.4
1	Malignant neoplasms (C00-C97)	12,687	23.2	176.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,025	20.2	153.8
3	Alzheimer's disease (G30)	3,490	6.4	48.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,192	5.8	44.5
5	Chronic lower respiratory diseases (J40-J47)	3,154	5.8	44.0
6	Cerebrovascular diseases (I60-I69)	2,703	5.0	37.7
7	Diabetes mellitus (E10-E14)	1,811	3.3	25.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,137	2.1	15.9
9	Chronic liver disease and cirrhosis (K70,K73-K74)	1,024	1.9	14.3
10	Influenza and pneumonia (J09-J18)	851	1.6	11.9
11	Parkinson's disease (G20-G21)	654	1.2	9.1
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	594	1.1	8.3
13	Pneumonitis due to solids and liquids (J69)	590	1.1	8.2
14	Septicemia (A40-A41)	501	0.9	7.0
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	474	0.9	6.6
...	All other causes (residual)	10,708	19.6	149.3
West Virginia				
...	All causes	22,752	100.0	1,233.8
1	Malignant neoplasms (C00-C97)	4,839	21.3	262.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,727	20.8	256.3
3	Chronic lower respiratory diseases (J40-J47)	1,628	7.2	88.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,516	6.7	82.2
5	Cerebrovascular diseases (I60-I69)	1,079	4.7	58.5
6	Diabetes mellitus (E10-E14)	784	3.4	42.5
7	Alzheimer's disease (G30)	738	3.2	40.0
8	Influenza and pneumonia (J09-J18)	526	2.3	28.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	510	2.2	27.7
10	Septicemia (A40-A41)	348	1.5	18.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	340	1.5	18.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	338	1.5	18.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	297	1.3	16.1
14	Parkinson's disease (G20-G21)	163	0.7	8.8
15	Pneumonitis due to solids and liquids (J69)	159	0.7	8.6
...	All other causes (residual)	4,760	20.9	258.1

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2015

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Wisconsin				
...	All causes	51,264	100.0	888.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,473	22.4	198.8
2	Malignant neoplasms (C00-C97)	11,423	22.3	197.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,206	6.3	55.6
4	Chronic lower respiratory diseases (J40-J47)	2,846	5.6	49.3
5	Cerebrovascular diseases (I60-I69)	2,618	5.1	45.4
6	Alzheimer's disease (G30)	2,087	4.1	36.2
7	Diabetes mellitus (E10-E14)	1,382	2.7	23.9
8	Influenza and pneumonia (J09-J18)	1,052	2.1	18.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	996	1.9	17.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	877	1.7	15.2
11	Parkinson's disease (G20-G21)	600	1.2	10.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	591	1.2	10.2
13	Septicemia (A40-A41)	517	1.0	9.0
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	485	0.9	8.4
15	Pneumonitis due to solids and liquids (J69)	407	0.8	7.1
...	All other causes (residual)	10,704	20.9	185.5
Wyoming				
...	All causes	4,778	100.0	815.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,030	21.6	175.7
2	Malignant neoplasms (C00-C97)	931	19.5	158.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	400	8.4	68.2
4	Chronic lower respiratory diseases (J40-J47)	368	7.7	62.8
5	Cerebrovascular diseases (I60-I69)	198	4.1	33.8
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	157	3.3	26.8
7	Alzheimer's disease (G30)	151	3.2	25.8
8	Diabetes mellitus (E10-E14)	136	2.8	23.2
9	Chronic liver disease and cirrhosis (K70,K73-K74)	118	2.5	20.1
10	Influenza and pneumonia (J09-J18)	99	2.1	16.9
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	86	1.8	14.7
12	Septicemia (A40-A41)	46	1.0	7.8
13	Parkinson's disease (G20-G21)	42	0.9	7.2
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	41	0.9	7.0
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	34	0.7	5.8
...	All other causes (residual)	941	19.7	160.6

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015.