

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nchsed@cdc.gov, or call 301-458-4688

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
United States												
All races, both sexes.....	573,022	134	429	525	551	781	1,029	1,407	2,356	4,518	10,416	19,760
Male.....	297,242	67	248	282	311	470	619	787	1,104	1,912	4,612	9,428
Female.....	275,780	67	181	243	240	311	410	620	1,252	2,606	5,804	10,332
White, both sexes.....	494,381	106	335	410	434	628	813	1,044	1,779	3,484	8,150	15,366
Male.....	256,639	54	194	216	242	382	491	601	846	1,516	3,702	7,429
Female.....	237,742	52	141	194	192	246	322	443	933	1,968	4,448	7,937
Black, both sexes.....	64,316	25	69	89	97	111	164	276	439	810	1,827	3,648
Male.....	33,225	12	39	49	58	61	99	136	198	296	712	1,674
Female.....	31,091	13	30	40	39	50	65	140	241	514	1,115	1,974
American Indian 1/, both sexes.....	2,516	-	4	3	1	10	7	18	12	35	83	139
Male.....	1,320	-	3	3	1	7	4	10	7	16	47	63
Female.....	1,196	-	1	-	-	3	3	8	5	19	36	76
Asian or Pacific Islander 2/, both sexes.....	11,809	3	21	23	19	32	45	69	126	189	356	607
Male.....	6,058	1	12	14	10	20	25	40	53	84	151	262
Female.....	5,751	2	9	9	9	12	20	29	73	105	205	345
Alabama												
All races, both sexes.....	10,142	-	5	5	9	10	15	22	47	95	197	377
Male.....	5,438	-	3	2	4	6	6	13	22	46	91	191
Female.....	4,704	-	2	3	5	4	9	9	25	49	106	186
White, both sexes.....	7,804	-	4	3	6	7	12	14	32	61	138	256
Male.....	4,172	-	2	1	2	5	6	9	14	30	68	134
Female.....	3,632	-	2	2	4	2	6	5	18	31	70	122
Black, both sexes.....	2,302	-	1	2	3	3	2	8	15	34	59	117
Male.....	1,254	-	1	1	2	1	-	4	8	16	23	55
Female.....	1,048	-	-	1	1	2	2	4	7	18	36	62
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	-	-	3
Male.....	9	-	-	-	-	-	-	-	-	-	-	2
Female.....	6	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	21	-	-	-	-	-	1	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	18	-	-	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Alaska

All races, both sexes.....	752	-	-	2	1	3	3	2	5	13	17	39
Male.....	413	-	-	2	1	1	2	-	3	5	9	21
Female.....	339	-	-	-	-	2	1	2	2	8	8	18
White, both sexes.....	552	-	-	1	1	2	3	-	3	5	11	27
Male.....	300	-	-	1	1	-	2	-	1	1	7	11
Female.....	252	-	-	-	-	2	1	-	2	4	4	16
Black, both sexes.....	26	-	-	-	-	-	-	-	-	1	1	3
Male.....	17	-	-	-	-	-	-	-	-	1	-	3
Female.....	9	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	140	-	-	-	-	1	-	1	2	6	5	6
Male.....	80	-	-	-	-	1	-	-	2	3	2	5
Female.....	60	-	-	-	-	-	-	1	-	3	3	1
Asian or Pacific Islander 2/, both sexes.....	34	-	-	1	-	-	-	1	-	1	-	3
Male.....	16	-	-	1	-	-	-	-	-	-	-	2
Female.....	18	-	-	-	-	-	-	1	-	1	-	1

Arizona

All races, both sexes.....	10,258	4	4	15	8	13	17	21	49	66	152	346
Male.....	5,497	4	4	5	5	10	9	16	22	30	69	158
Female.....	4,761	-	-	10	3	3	8	5	27	36	83	188
White, both sexes.....	9,736	3	3	13	7	12	16	17	42	56	135	315
Male.....	5,223	3	3	3	4	9	8	14	19	22	57	142
Female.....	4,513	-	-	10	3	3	8	3	23	34	78	173
Black, both sexes.....	249	1	-	1	1	-	1	1	5	3	7	15
Male.....	128	1	-	1	1	-	1	-	3	3	6	6
Female.....	121	-	-	-	-	-	-	1	2	-	1	9
American Indian 1/, both sexes.....	194	-	-	1	-	1	-	2	1	4	9	13
Male.....	105	-	-	1	-	1	-	1	-	2	5	8
Female.....	89	-	-	-	-	-	-	1	1	2	4	5
Asian or Pacific Islander 2/, both sexes.....	79	-	1	-	-	-	-	1	1	3	1	3
Male.....	41	-	1	-	-	-	-	1	-	3	1	2
Female.....	38	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Arkansas

All races, both sexes.....	6,495	1	3	6	4	4	11	19	20	53	118	231
Male.....	3,577	1	3	3	2	2	9	8	7	20	59	126
Female.....	2,918	-	-	3	2	2	2	11	13	33	59	105
White, both sexes.....	5,616	1	2	4	4	3	8	16	18	40	91	176
Male.....	3,096	1	2	2	2	1	6	7	7	18	44	98
Female.....	2,520	-	-	2	2	2	2	9	11	22	47	78
Black, both sexes.....	852	-	-	2	-	1	3	3	2	13	26	55
Male.....	467	-	-	1	-	1	3	1	-	2	15	28
Female.....	385	-	-	1	-	-	-	2	2	11	11	27
American Indian 1/, both sexes.....	11	-	1	-	-	-	-	-	-	-	-	-
Male.....	5	-	1	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	-	-	-	-	-	-	-	-	1	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	1	-

California

All races, both sexes.....	55,937	19	55	61	63	124	155	186	271	505	1,098	1,956
Male.....	28,520	7	36	29	35	70	99	113	141	212	493	906
Female.....	27,417	12	19	32	28	54	56	73	130	293	605	1,050
White, both sexes.....	46,470	15	45	53	54	96	125	145	208	382	832	1,492
Male.....	23,648	7	30	26	32	55	79	85	105	165	377	708
Female.....	22,822	8	15	27	22	41	46	60	103	217	455	784
Black, both sexes.....	4,229	4	3	2	4	9	13	19	20	45	115	225
Male.....	2,171	-	3	-	2	3	10	14	13	13	48	94
Female.....	2,058	4	-	2	2	6	3	5	7	32	67	131
American Indian 1/, both sexes.....	233	-	-	-	-	2	-	3	1	4	11	9
Male.....	136	-	-	-	-	2	-	2	1	2	6	5
Female.....	97	-	-	-	-	-	-	1	-	2	5	4
Asian or Pacific Islander 2/, both sexes.....	5,005	-	7	6	5	17	17	19	42	74	140	230
Male.....	2,565	-	3	3	1	10	10	12	22	32	62	99
Female.....	2,440	-	4	3	4	7	7	7	20	42	78	131

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
Colorado												
All races, both sexes.....	6,601	1	11	9	10	15	15	14	29	44	121	258
Male.....	3,302	-	9	5	5	10	9	7	17	21	48	121
Female.....	3,299	1	2	4	5	5	6	7	12	23	73	137
White, both sexes.....	6,228	1	11	7	10	14	15	14	25	41	116	235
Male.....	3,117	-	9	4	5	10	9	7	16	20	46	109
Female.....	3,111	1	2	3	5	4	6	7	9	21	70	126
Black, both sexes.....	239	-	-	2	-	-	-	-	2	3	3	17
Male.....	126	-	-	1	-	-	-	-	-	1	1	8
Female.....	113	-	-	1	-	-	-	-	2	2	2	9
American Indian 1/, both sexes.....	29	-	-	-	-	-	-	-	1	-	-	1
Male.....	12	-	-	-	-	-	-	-	1	-	-	-
Female.....	17	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	105	-	-	-	-	1	-	-	1	-	2	5
Male.....	47	-	-	-	-	-	-	-	-	-	1	4
Female.....	58	-	-	-	-	1	-	-	1	-	1	1
Connecticut												
All races, both sexes.....	7,276	-	2	6	5	11	4	12	27	55	108	178
Male.....	3,621	-	-	3	4	9	3	8	14	18	49	86
Female.....	3,655	-	2	3	1	2	1	4	13	37	59	92
White, both sexes.....	6,738	-	1	4	5	10	3	11	22	45	90	154
Male.....	3,359	-	-	1	4	8	3	8	12	13	40	77
Female.....	3,379	-	1	3	1	2	-	3	10	32	50	77
Black, both sexes.....	469	-	1	1	-	1	1	-	4	6	15	20
Male.....	223	-	-	1	-	1	-	-	2	2	7	6
Female.....	246	-	1	-	-	-	1	-	2	4	8	14
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	64	-	-	1	-	-	-	1	1	4	3	4
Male.....	36	-	-	1	-	-	-	-	-	3	2	3
Female.....	28	-	-	-	-	-	-	1	1	1	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Florida

All races, both sexes.....	41,595	9	27	25	39	48	47	85	134	287	654	1,360
Male.....	22,508	4	17	17	22	27	30	41	61	122	306	669
Female.....	19,087	5	10	8	17	21	17	44	73	165	348	691
White, both sexes.....	37,352	7	18	18	29	34	32	60	95	233	513	1,075
Male.....	20,230	3	12	12	15	19	21	29	44	100	249	534
Female.....	17,122	4	6	6	14	15	11	31	51	133	264	541
Black, both sexes.....	3,934	2	9	7	8	12	13	23	34	53	133	269
Male.....	2,126	1	5	5	6	7	7	11	15	21	51	128
Female.....	1,808	1	4	2	2	5	6	12	19	32	82	141
American Indian 1/, both sexes.....	46	-	-	-	-	-	-	-	1	-	1	-
Male.....	29	-	-	-	-	-	-	-	-	-	1	-
Female.....	17	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	263	-	-	-	2	2	2	2	4	1	7	16
Male.....	123	-	-	-	1	1	2	1	2	1	5	7
Female.....	140	-	-	-	1	1	-	1	2	-	2	9

Georgia

All races, both sexes.....	14,685	3	12	19	15	22	29	56	89	157	328	666
Male.....	7,777	2	8	8	9	10	20	26	44	70	137	316
Female.....	6,908	1	4	11	6	12	9	30	45	87	191	350
White, both sexes.....	10,771	3	7	15	10	15	16	24	48	95	215	396
Male.....	5,784	2	4	6	5	9	12	11	24	46	99	194
Female.....	4,987	1	3	9	5	6	4	13	24	49	116	202
Black, both sexes.....	3,753	-	4	4	5	6	12	31	38	60	108	251
Male.....	1,919	-	4	2	4	1	8	15	18	24	36	118
Female.....	1,834	-	-	2	1	5	4	16	20	36	72	133
American Indian 1/, both sexes.....	25	-	-	-	-	1	-	-	1	-	-	3
Male.....	13	-	-	-	-	-	-	-	1	-	-	-
Female.....	12	-	-	-	-	1	-	-	-	-	-	3
Asian or Pacific Islander 2/, both sexes.....	136	-	1	-	-	-	1	1	2	2	5	16
Male.....	61	-	-	-	-	-	-	-	1	-	2	4
Female.....	75	-	1	-	-	-	1	1	1	2	3	12

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Hawaii

All races, both sexes.....	2,216	-	2	1	2	4	4	10	8	24	32	92
Male.....	1,218	-	2	-	1	2	3	6	3	13	14	50
Female.....	998	-	-	1	1	2	1	4	5	11	18	42
White, both sexes.....	698	-	-	-	1	1	1	4	-	6	5	32
Male.....	389	-	-	-	-	-	1	2	-	3	2	20
Female.....	309	-	-	-	1	1	-	2	-	3	3	12
Black, both sexes.....	18	-	1	-	-	-	-	1	1	-	-	3
Male.....	15	-	1	-	-	-	-	-	1	-	-	2
Female.....	3	-	-	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1,496	-	1	1	1	3	3	5	7	18	27	57
Male.....	813	-	1	-	1	2	2	4	2	10	12	28
Female.....	683	-	-	1	-	1	1	1	5	8	15	29

Idaho

All races, both sexes.....	2,422	1	1	2	-	3	4	7	11	10	37	62
Male.....	1,313	1	-	1	-	2	3	4	9	6	17	29
Female.....	1,109	-	1	1	-	1	1	3	2	4	20	33
White, both sexes.....	2,382	1	-	2	-	2	4	7	11	10	37	60
Male.....	1,287	1	-	1	-	2	3	4	9	6	17	27
Female.....	1,095	-	-	1	-	-	1	3	2	4	20	33
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	22	-	1	-	-	-	-	-	-	-	-	2
Male.....	14	-	-	-	-	-	-	-	-	-	-	2
Female.....	8	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	1	-	-	-	-	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Maine

All races, both sexes.....	3,328	1	2	-	5	7	4	3	8	27	43	90
Male.....	1,747	1	-	-	5	2	2	3	3	11	21	44
Female.....	1,581	-	2	-	-	5	2	-	5	16	22	46
White, both sexes.....	3,297	1	2	-	5	7	4	3	8	26	42	88
Male.....	1,733	1	-	-	5	2	2	3	3	11	21	42
Female.....	1,564	-	2	-	-	5	2	-	5	15	21	46
Black, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	-	-	1	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	9	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	1	-	-

Maryland

All races, both sexes.....	10,655	2	8	15	15	22	5	17	57	90	211	420
Male.....	5,436	2	5	8	5	13	2	10	27	41	82	190
Female.....	5,219	-	3	7	10	9	3	7	30	49	129	230
White, both sexes.....	7,812	-	6	8	10	13	2	14	34	53	122	255
Male.....	3,967	-	4	5	3	9	-	9	18	27	52	120
Female.....	3,845	-	2	3	7	4	2	5	16	26	70	135
Black, both sexes.....	2,612	2	2	7	5	7	2	3	19	35	81	151
Male.....	1,346	2	1	3	2	3	2	1	8	13	29	62
Female.....	1,266	-	1	4	3	4	-	2	11	22	52	89
American Indian 1/, both sexes.....	15	-	-	-	-	1	-	-	-	-	-	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	216	-	-	-	-	1	1	-	4	2	8	14
Male.....	116	-	-	-	-	1	-	-	1	1	1	8
Female.....	100	-	-	-	-	-	1	-	3	1	7	6

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Massachusetts

All races, both sexes.....	13,527	-	12	12	4	11	21	23	46	87	199	372
Male.....	6,748	-	9	5	3	4	15	12	20	33	72	166
Female.....	6,779	-	3	7	1	7	6	11	26	54	127	206
White, both sexes.....	12,776	-	10	10	4	6	20	18	39	77	172	333
Male.....	6,351	-	8	4	3	2	14	11	14	29	63	150
Female.....	6,425	-	2	6	1	4	6	7	25	48	109	183
Black, both sexes.....	550	-	2	-	-	3	1	2	6	8	16	34
Male.....	278	-	1	-	-	-	1	1	5	3	6	14
Female.....	272	-	1	-	-	3	-	1	1	5	10	20
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	-	-	-	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	189	-	-	2	-	2	-	3	1	2	11	5
Male.....	112	-	-	1	-	2	-	-	1	1	3	2
Female.....	77	-	-	1	-	-	-	3	-	1	8	3

Michigan

All races, both sexes.....	20,588	4	18	15	21	22	37	44	87	153	363	682
Male.....	10,572	2	9	6	12	15	20	27	36	57	165	312
Female.....	10,016	2	9	9	9	7	17	17	51	96	198	370
White, both sexes.....	17,746	2	14	11	15	18	29	32	60	121	286	534
Male.....	9,121	1	8	3	8	12	17	22	23	48	139	255
Female.....	8,625	1	6	8	7	6	12	10	37	73	147	279
Black, both sexes.....	2,628	2	3	3	5	4	6	11	23	27	70	136
Male.....	1,343	1	1	2	3	3	2	4	11	8	23	53
Female.....	1,285	1	2	1	2	1	4	7	12	19	47	83
American Indian 1/, both sexes.....	99	-	-	-	-	-	-	1	-	2	5	5
Male.....	47	-	-	-	-	-	-	1	-	-	3	3
Female.....	52	-	-	-	-	-	-	-	-	2	2	2
Asian or Pacific Islander 2/, both sexes.....	115	-	1	1	1	-	2	-	4	3	2	7
Male.....	61	-	-	1	1	-	1	-	2	1	-	1
Female.....	54	-	1	-	-	-	1	-	2	2	2	6

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
Minnesota												
All races, both sexes.....	9,109	2	2	7	9	11	11	20	27	65	140	276
Male.....	4,600	2	2	4	4	8	6	12	10	37	65	124
Female.....	4,509	-	-	3	5	3	5	8	17	28	75	152
White, both sexes.....	8,742	1	2	6	7	10	9	17	21	56	125	245
Male.....	4,412	1	2	3	3	7	5	10	8	30	57	114
Female.....	4,330	-	-	3	4	3	4	7	13	26	68	131
Black, both sexes.....	210	1	-	-	1	1	-	3	-	6	10	19
Male.....	118	1	-	-	-	1	-	2	-	4	6	6
Female.....	92	-	-	-	1	-	-	1	-	2	4	13
American Indian 1/, both sexes.....	64	-	-	1	-	-	-	-	-	-	2	6
Male.....	35	-	-	1	-	-	-	-	-	-	1	3
Female.....	29	-	-	-	-	-	-	-	-	-	1	3
Asian or Pacific Islander 2/, both sexes.....	93	-	-	-	1	-	2	-	6	3	3	6
Male.....	35	-	-	-	1	-	1	-	2	3	1	1
Female.....	58	-	-	-	-	-	1	-	4	-	2	5
Mississippi												
All races, both sexes.....	6,198	-	3	8	5	7	16	17	41	55	138	274
Male.....	3,355	-	2	5	2	5	8	9	25	26	71	141
Female.....	2,843	-	1	3	3	2	8	8	16	29	67	133
White, both sexes.....	4,210	-	1	6	3	4	8	6	21	29	66	164
Male.....	2,285	-	1	4	1	3	4	3	11	18	41	88
Female.....	1,925	-	-	2	2	1	4	3	10	11	25	76
Black, both sexes.....	1,952	-	2	2	2	3	7	11	18	26	72	107
Male.....	1,054	-	1	1	1	2	4	6	13	8	30	52
Female.....	898	-	1	1	1	1	3	5	5	18	42	55
American Indian 1/, both sexes.....	16	-	-	-	-	-	-	-	1	-	-	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	-	1	-	1	-	-	3
Male.....	7	-	-	-	-	-	-	-	1	-	-	1
Female.....	13	-	-	-	-	-	1	-	-	-	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Missouri

All races, both sexes.....	12,681	3	6	11	7	22	24	33	56	83	252	433
Male.....	6,648	2	4	6	4	13	15	21	18	34	110	205
Female.....	6,033	1	2	5	3	9	9	12	38	49	142	228
White, both sexes.....	11,361	3	5	9	6	19	19	25	40	73	214	358
Male.....	5,953	2	3	5	3	10	13	16	15	31	96	168
Female.....	5,408	1	2	4	3	9	6	9	25	42	118	190
Black, both sexes.....	1,237	-	1	2	1	3	5	6	13	8	34	74
Male.....	661	-	1	1	1	3	2	3	2	3	11	36
Female.....	576	-	-	1	-	-	3	3	11	5	23	38
American Indian 1/, both sexes.....	29	-	-	-	-	-	-	1	-	1	2	-
Male.....	15	-	-	-	-	-	-	1	-	-	2	-
Female.....	14	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	54	-	-	-	-	-	-	1	3	1	2	1
Male.....	19	-	-	-	-	-	-	1	1	-	1	1
Female.....	35	-	-	-	-	-	-	-	2	1	1	-

Montana

All races, both sexes.....	2,028	-	1	-	2	3	4	5	3	16	33	58
Male.....	1,051	-	1	-	2	1	2	2	1	8	12	27
Female.....	977	-	-	-	-	2	2	3	2	8	21	31
White, both sexes.....	1,934	-	-	-	2	3	3	5	3	13	27	48
Male.....	1,004	-	-	-	2	1	2	2	1	6	9	23
Female.....	930	-	-	-	-	2	1	3	2	7	18	25
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	87	-	1	-	-	-	-	-	-	3	6	10
Male.....	44	-	1	-	-	-	-	-	-	2	3	4
Female.....	43	-	-	-	-	-	-	-	-	1	3	6
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
Nebraska												
All races, both sexes.....	3,442	-	5	5	3	5	7	10	10	25	41	89
Male.....	1,780	-	2	2	1	4	3	5	6	11	17	45
Female.....	1,662	-	3	3	2	1	4	5	4	14	24	44
White, both sexes.....	3,313	-	5	5	3	5	7	8	10	24	40	78
Male.....	1,719	-	2	2	1	4	3	3	6	11	17	38
Female.....	1,594	-	3	3	2	1	4	5	4	13	23	40
Black, both sexes.....	98	-	-	-	-	-	-	1	-	-	1	9
Male.....	44	-	-	-	-	-	-	1	-	-	-	6
Female.....	54	-	-	-	-	-	-	-	-	-	1	3
American Indian 1/, both sexes.....	16	-	-	-	-	-	-	-	-	-	-	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	-	-	-	-	-	1	-	1	-	1
Male.....	9	-	-	-	-	-	-	1	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	1	-	1
Nevada												
All races, both sexes.....	4,298	-	6	3	6	2	7	11	21	29	67	126
Male.....	2,304	-	3	1	2	2	5	3	10	16	28	62
Female.....	1,994	-	3	2	4	-	2	8	11	13	39	64
White, both sexes.....	3,843	-	4	3	6	2	5	8	18	27	55	104
Male.....	2,058	-	2	1	2	2	4	2	9	15	25	52
Female.....	1,785	-	2	2	4	-	1	6	9	12	30	52
Black, both sexes.....	271	-	-	-	-	-	1	3	1	1	6	12
Male.....	162	-	-	-	-	-	1	1	-	-	2	4
Female.....	109	-	-	-	-	-	-	2	1	1	4	8
American Indian 1/, both sexes.....	19	-	-	-	-	-	1	-	-	-	-	2
Male.....	9	-	-	-	-	-	-	-	-	-	-	1
Female.....	10	-	-	-	-	-	1	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	165	-	2	-	-	-	-	-	2	1	6	8
Male.....	75	-	1	-	-	-	-	-	1	1	1	5
Female.....	90	-	1	-	-	-	-	-	1	-	5	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
New Hampshire												
All races, both sexes.....	2,617	-	-	2	2	6	8	4	11	20	53	93
Male.....	1,330	-	-	2	1	4	5	2	4	7	28	40
Female.....	1,287	-	-	-	1	2	3	2	7	13	25	53
White, both sexes.....	2,597	-	-	2	2	6	8	4	11	20	53	92
Male.....	1,320	-	-	2	1	4	5	2	4	7	28	40
Female.....	1,277	-	-	-	1	2	3	2	7	13	25	52
Black, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	17,656	5	12	13	22	21	33	42	65	128	323	524
Male.....	8,683	2	7	8	14	11	23	25	29	54	134	229
Female.....	8,973	3	5	5	8	10	10	17	36	74	189	295
White, both sexes.....	15,207	3	9	12	13	19	25	25	49	92	237	405
Male.....	7,478	2	6	7	6	10	19	15	22	37	106	181
Female.....	7,729	1	3	5	7	9	6	10	27	55	131	224
Black, both sexes.....	2,076	1	1	1	8	2	7	13	7	26	71	97
Male.....	998	-	-	1	7	1	4	7	3	11	19	40
Female.....	1,078	1	1	-	1	1	3	6	4	15	52	57
American Indian 1/, both sexes.....	25	-	-	-	-	-	-	-	-	-	1	1
Male.....	12	-	-	-	-	-	-	-	-	-	1	-
Female.....	13	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	348	1	2	-	1	-	1	4	9	10	14	21
Male.....	195	-	1	-	1	-	-	3	4	6	8	8
Female.....	153	1	1	-	-	-	1	1	5	4	6	13

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
New Mexico												
All races, both sexes.....	3,242	3	4	3	-	6	4	10	20	24	47	105
Male.....	1,700	3	2	-	-	3	3	6	8	11	21	44
Female.....	1,542	-	2	3	-	3	1	4	12	13	26	61
White, both sexes.....	3,020	3	3	3	-	4	3	7	19	21	42	96
Male.....	1,598	3	2	-	-	2	3	5	7	9	18	43
Female.....	1,422	-	1	3	-	2	-	2	12	12	24	53
Black, both sexes.....	52	-	1	-	-	-	-	-	-	-	1	2
Male.....	24	-	-	-	-	-	-	-	-	-	1	1
Female.....	28	-	1	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	150	-	-	-	-	2	1	3	1	3	4	7
Male.....	70	-	-	-	-	1	-	1	1	2	2	-
Female.....	80	-	-	-	-	1	1	2	-	1	2	7
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	-	-	-	-	-	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	36,350	8	25	38	35	46	73	92	145	317	670	1,143
Male.....	17,848	5	13	24	19	27	46	57	65	123	285	534
Female.....	18,502	3	12	14	16	19	27	35	80	194	385	609
White, both sexes.....	30,351	7	17	27	28	36	52	61	103	215	471	815
Male.....	14,956	4	9	18	15	24	34	38	50	92	214	400
Female.....	15,395	3	8	9	13	12	18	23	53	123	257	415
Black, both sexes.....	4,943	1	7	6	5	9	15	21	29	81	163	269
Male.....	2,306	1	3	3	3	3	8	10	11	24	52	104
Female.....	2,637	-	4	3	2	6	7	11	18	57	111	165
American Indian 1/, both sexes.....	50	-	-	-	-	-	-	-	-	1	3	1
Male.....	25	-	-	-	-	-	-	-	-	1	3	-
Female.....	25	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1,006	-	1	5	2	1	6	10	13	20	33	58
Male.....	561	-	1	3	1	-	4	9	4	6	16	30
Female.....	445	-	-	2	1	1	2	1	9	14	17	28

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
Ohio												
All races, both sexes.....	25,320	6	12	19	18	30	24	59	82	195	464	874
Male.....	13,157	3	8	9	12	16	17	36	50	87	224	422
Female.....	12,163	3	4	10	6	14	7	23	32	108	240	452
White, both sexes.....	22,414	4	10	14	14	24	21	51	74	157	399	740
Male.....	11,668	1	6	9	9	13	15	32	46	73	189	361
Female.....	10,746	3	4	5	5	11	6	19	28	84	210	379
Black, both sexes.....	2,814	2	1	5	4	5	3	8	8	35	60	129
Male.....	1,444	2	1	-	3	2	2	4	4	13	30	59
Female.....	1,370	-	-	5	1	3	1	4	4	22	30	70
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	1	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	79	-	1	-	-	1	-	-	-	2	5	5
Male.....	39	-	1	-	-	1	-	-	-	1	5	2
Female.....	40	-	-	-	-	-	-	-	-	1	-	3
Oklahoma												
All races, both sexes.....	7,621	2	4	4	2	7	13	18	27	71	146	274
Male.....	4,065	1	3	3	1	6	7	12	10	35	72	151
Female.....	3,556	1	1	1	1	1	6	6	17	36	74	123
White, both sexes.....	6,684	1	4	2	2	6	8	15	23	61	122	224
Male.....	3,574	1	3	1	1	5	4	11	9	30	61	128
Female.....	3,110	-	1	1	1	1	4	4	14	31	61	96
Black, both sexes.....	466	1	-	1	-	1	1	1	2	8	11	22
Male.....	252	-	-	1	-	1	-	-	1	4	6	14
Female.....	214	1	-	-	-	-	1	1	1	4	5	8
American Indian 1/, both sexes.....	429	-	-	1	-	-	4	2	1	2	13	23
Male.....	219	-	-	1	-	-	3	1	-	1	5	6
Female.....	210	-	-	-	-	-	1	1	1	1	8	17
Asian or Pacific Islander 2/, both sexes.....	42	-	-	-	-	-	-	-	1	-	-	5
Male.....	20	-	-	-	-	-	-	-	-	-	-	3
Female.....	22	-	-	-	-	-	-	-	1	-	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Oregon

All races, both sexes.....	7,533	-	7	9	9	9	11	21	30	43	106	232
Male.....	3,928	-	1	4	6	9	4	15	17	23	44	115
Female.....	3,605	-	6	5	3	-	7	6	13	20	62	117
White, both sexes.....	7,286	-	7	9	9	8	11	20	25	40	97	215
Male.....	3,811	-	1	4	6	8	4	15	16	20	42	106
Female.....	3,475	-	6	5	3	-	7	5	9	20	55	109
Black, both sexes.....	90	-	-	-	-	1	-	-	3	-	3	8
Male.....	43	-	-	-	-	1	-	-	1	-	1	3
Female.....	47	-	-	-	-	-	-	-	2	-	2	5
American Indian 1/, both sexes.....	54	-	-	-	-	-	-	-	-	1	2	4
Male.....	26	-	-	-	-	-	-	-	-	1	1	3
Female.....	28	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	103	-	-	-	-	-	-	1	2	2	4	5
Male.....	48	-	-	-	-	-	-	-	-	2	-	3
Female.....	55	-	-	-	-	-	-	1	2	-	4	2

Pennsylvania

All races, both sexes.....	30,355	-	13	18	22	36	53	55	107	182	478	925
Male.....	15,509	-	4	11	13	23	33	28	55	75	230	448
Female.....	14,846	-	9	7	9	13	20	27	52	107	248	477
White, both sexes.....	27,527	-	8	15	18	27	48	47	80	157	400	792
Male.....	14,106	-	3	8	12	16	29	23	39	60	199	374
Female.....	13,421	-	5	7	6	11	19	24	41	97	201	418
Black, both sexes.....	2,664	-	4	3	3	8	4	7	25	21	72	127
Male.....	1,314	-	-	3	1	6	3	4	16	12	30	69
Female.....	1,350	-	4	-	2	2	1	3	9	9	42	58
American Indian 1/, both sexes.....	18	-	-	-	-	-	1	-	-	-	-	1
Male.....	12	-	-	-	-	-	1	-	-	-	-	1
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	146	-	1	-	1	1	-	1	2	4	6	5
Male.....	77	-	1	-	-	1	-	1	-	3	1	4
Female.....	69	-	-	-	1	-	-	-	2	1	5	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
South Dakota												
All races, both sexes.....	1,675	-	1	-	-	3	3	8	6	11	24	39
Male.....	900	-	-	-	-	3	2	2	2	5	16	25
Female.....	775	-	1	-	-	-	1	6	4	6	8	14
White, both sexes.....	1,587	-	1	-	-	2	3	7	6	9	22	34
Male.....	854	-	-	-	-	2	2	2	2	4	14	21
Female.....	733	-	1	-	-	-	1	5	4	5	8	13
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	82	-	-	-	-	1	-	1	-	2	2	3
Male.....	42	-	-	-	-	1	-	-	-	1	2	2
Female.....	40	-	-	-	-	-	-	1	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	13,213	3	9	11	16	18	22	33	55	128	259	528
Male.....	7,017	-	5	8	9	10	8	18	27	44	114	257
Female.....	6,196	3	4	3	7	8	14	15	28	84	145	271
White, both sexes.....	11,208	3	7	9	12	15	15	24	42	100	201	409
Male.....	5,972	-	3	6	5	8	6	12	22	34	89	209
Female.....	5,236	3	4	3	7	7	9	12	20	66	112	200
Black, both sexes.....	1,940	-	1	1	4	3	6	9	12	28	57	115
Male.....	1,008	-	1	1	4	2	1	6	5	10	25	48
Female.....	932	-	-	-	-	1	5	3	7	18	32	67
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	-	-	-
Male.....	13	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	50	-	1	1	-	-	1	-	1	-	1	4
Male.....	24	-	1	1	-	-	1	-	-	-	-	-
Female.....	26	-	-	-	-	-	-	-	1	-	1	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
Texas												
All races, both sexes.....	34,977	12	40	57	53	61	101	109	191	312	789	1,424
Male.....	18,626	4	22	31	27	42	60	53	77	126	319	688
Female.....	16,351	8	18	26	26	19	41	56	114	186	470	736
White, both sexes.....	30,149	8	34	50	44	53	83	85	151	264	642	1,110
Male.....	16,159	1	19	27	23	36	48	44	66	108	260	547
Female.....	13,990	7	15	23	21	17	35	41	85	156	382	563
Black, both sexes.....	4,354	3	5	6	7	8	15	17	34	38	127	283
Male.....	2,226	2	2	3	4	6	10	5	9	15	55	130
Female.....	2,128	1	3	3	3	2	5	12	25	23	72	153
American Indian 1/, both sexes.....	33	-	-	-	-	-	-	-	-	-	2	-
Male.....	19	-	-	-	-	-	-	-	-	-	1	-
Female.....	14	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	441	1	1	1	2	-	3	7	6	10	18	31
Male.....	222	1	1	1	-	-	2	4	2	3	3	11
Female.....	219	-	-	-	2	-	1	3	4	7	15	20
Utah												
All races, both sexes.....	2,609	1	6	4	2	8	9	17	14	32	61	91
Male.....	1,398	-	4	2	2	6	5	9	9	16	29	43
Female.....	1,211	1	2	2	-	2	4	8	5	16	32	48
White, both sexes.....	2,523	1	6	4	2	7	9	15	14	30	56	88
Male.....	1,353	-	4	2	2	5	5	9	9	16	26	41
Female.....	1,170	1	2	2	-	2	4	6	5	14	30	47
Black, both sexes.....	18	-	-	-	-	-	-	-	-	-	1	1
Male.....	11	-	-	-	-	-	-	-	-	-	-	1
Female.....	7	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	-	-	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	55	-	-	-	-	1	-	2	-	2	4	1
Male.....	26	-	-	-	-	1	-	-	-	-	3	-
Female.....	29	-	-	-	-	-	-	2	-	2	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Vermont

All races, both sexes.....	1,246	-	-	2	2	-	1	1	3	12	15	51
Male.....	631	-	-	1	1	-	-	1	3	8	4	22
Female.....	615	-	-	1	1	-	1	-	-	4	11	29
White, both sexes.....	1,238	-	-	2	2	-	1	1	3	12	15	51
Male.....	625	-	-	1	1	-	-	1	3	8	4	22
Female.....	613	-	-	1	1	-	1	-	-	4	11	29
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	14,223	4	11	12	17	12	28	38	60	123	268	547
Male.....	7,372	3	4	7	9	5	15	17	26	48	125	235
Female.....	6,851	1	7	5	8	7	13	21	34	75	143	312
White, both sexes.....	11,133	3	6	6	12	10	22	20	42	79	183	369
Male.....	5,747	3	1	4	6	4	11	11	20	38	89	162
Female.....	5,386	-	5	2	6	6	11	9	22	41	94	207
Black, both sexes.....	2,820	-	4	6	5	2	6	17	16	38	75	158
Male.....	1,504	-	3	3	3	1	4	6	6	9	31	63
Female.....	1,316	-	1	3	2	1	2	11	10	29	44	95
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	-	-	1	-
Male.....	9	-	-	-	-	-	-	-	-	-	1	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	253	1	1	-	-	-	-	1	2	6	9	20
Male.....	112	-	-	-	-	-	-	-	-	1	4	10
Female.....	141	1	1	-	-	-	-	1	2	5	5	10

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

United States

All races, both sexes.....	31,374	44,937	55,621	64,002	76,794	87,929	83,086	55,102	25,021	6,431	810	9
Male.....	16,379	24,299	30,494	35,681	42,346	47,122	42,393	25,928	10,360	2,195	200	5
Female.....	14,995	20,638	25,127	28,321	34,448	40,807	40,693	29,174	14,661	4,236	610	4
White, both sexes.....	24,928	36,767	46,781	54,540	66,807	78,156	74,796	49,959	22,676	5,725	692	5
Male.....	13,091	19,829	25,631	30,416	36,870	42,041	38,125	23,511	9,368	1,920	161	3
Female.....	11,837	16,938	21,150	24,124	29,937	36,115	36,671	26,448	13,308	3,805	531	2
Black, both sexes.....	5,378	6,831	7,294	7,831	8,114	7,907	6,670	4,107	1,913	609	103	4
Male.....	2,754	3,789	4,063	4,358	4,469	4,097	3,413	1,900	785	230	31	2
Female.....	2,624	3,042	3,231	3,473	3,645	3,810	3,257	2,207	1,128	379	72	2
American Indian 1/, both sexes.....	209	258	328	337	344	302	230	131	48	17	-	-
Male.....	103	150	175	176	184	151	122	68	22	8	-	-
Female.....	106	108	153	161	160	151	108	63	26	9	-	-
Asian or Pacific Islander 2/, both sexes.....	859	1,081	1,218	1,294	1,529	1,564	1,390	905	384	80	15	-
Male.....	431	531	625	731	823	833	733	449	185	37	8	-
Female.....	428	550	593	563	706	731	657	456	199	43	7	-

Alabama

All races, both sexes.....	598	864	1,063	1,249	1,425	1,510	1,318	832	390	95	16	-
Male.....	315	516	607	718	804	831	680	383	158	38	4	-
Female.....	283	348	456	531	621	679	638	449	232	57	12	-
White, both sexes.....	386	612	820	965	1,160	1,219	1,079	661	290	69	10	-
Male.....	204	362	461	551	669	660	550	306	109	27	2	-
Female.....	182	250	359	414	491	559	529	355	181	42	8	-
Black, both sexes.....	205	250	235	280	262	286	238	170	100	26	6	-
Male.....	108	154	143	165	135	169	130	77	49	11	2	-
Female.....	97	96	92	115	127	117	108	93	51	15	4	-
American Indian 1/, both sexes.....	3	-	4	2	1	2	-	-	-	-	-	-
Male.....	2	-	2	2	-	1	-	-	-	-	-	-
Female.....	1	-	2	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	4	2	2	3	1	1	-	-	-	-
Male.....	1	-	1	-	-	1	-	-	-	-	-	-
Female.....	3	2	3	2	2	2	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

II. Neoplasms (C00-D48)

Alaska

All races, both sexes.....	69	72	92	96	103	85	73	58	18	-	1	-
Male.....	39	36	56	53	61	45	37	33	8	-	1	-
Female.....	30	36	36	43	42	40	36	25	10	-	-	-
White, both sexes.....	50	47	70	74	80	57	56	48	16	-	1	-
Male.....	29	23	46	42	47	30	26	25	7	-	1	-
Female.....	21	24	24	32	33	27	30	23	9	-	-	-
Black, both sexes.....	6	4	3	2	1	3	-	2	-	-	-	-
Male.....	2	2	2	2	1	2	-	2	-	-	-	-
Female.....	4	2	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	12	16	15	17	20	17	14	7	1	-	-	-
Male.....	7	9	6	7	12	10	10	6	-	-	-	-
Female.....	5	7	9	10	8	7	4	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	5	4	3	2	8	3	1	1	-	-	-
Male.....	1	2	2	2	1	3	1	-	1	-	-	-
Female.....	-	3	2	1	1	5	2	1	-	-	-	-

Arizona

All races, both sexes.....	486	780	1,008	1,231	1,469	1,600	1,501	965	398	112	13	-
Male.....	241	418	548	698	826	912	806	481	184	45	6	-
Female.....	245	362	460	533	643	688	695	484	214	67	7	-
White, both sexes.....	446	726	940	1,160	1,401	1,553	1,461	927	385	106	12	-
Male.....	222	389	515	662	792	891	783	460	178	42	5	-
Female.....	224	337	425	498	609	662	678	467	207	64	7	-
Black, both sexes.....	20	26	30	36	39	21	19	16	4	2	1	-
Male.....	12	17	13	17	19	9	10	7	1	-	1	-
Female.....	8	9	17	19	20	12	9	9	3	2	-	-
American Indian 1/, both sexes.....	15	20	26	25	18	18	11	18	8	4	-	-
Male.....	4	9	17	11	11	10	5	13	4	3	-	-
Female.....	11	11	9	14	7	8	6	5	4	1	-	-
Asian or Pacific Islander 2/, both sexes.....	5	8	12	10	11	8	10	4	1	-	-	-
Male.....	3	3	3	8	4	2	8	1	1	-	-	-
Female.....	2	5	9	2	7	6	2	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Arkansas

All races, both sexes.....	349	509	711	845	939	947	851	506	290	66	12	-
Male.....	184	290	393	500	550	548	463	247	138	22	2	-
Female.....	165	219	318	345	389	399	388	259	152	44	10	-
White, both sexes.....	285	427	611	738	849	835	758	440	243	59	8	-
Male.....	149	245	332	437	503	480	413	212	117	19	1	-
Female.....	136	182	279	301	346	355	345	228	126	40	7	-
Black, both sexes.....	61	82	100	99	86	109	90	64	45	7	4	-
Male.....	35	45	61	58	45	66	48	34	20	3	1	-
Female.....	26	37	39	41	41	43	42	30	25	4	3	-
American Indian 1/, both sexes.....	2	-	-	4	-	1	1	2	-	-	-	-
Male.....	-	-	-	2	-	-	1	1	-	-	-	-
Female.....	2	-	-	2	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	4	4	2	2	-	2	-	-	-
Male.....	-	-	-	3	2	2	1	-	1	-	-	-
Female.....	1	-	-	1	2	-	1	-	1	-	-	-

California

All races, both sexes.....	3,050	4,326	5,130	5,941	7,276	8,358	8,479	5,609	2,495	692	85	3
Male.....	1,490	2,209	2,724	3,200	3,874	4,362	4,404	2,719	1,111	262	23	1
Female.....	1,560	2,117	2,406	2,741	3,402	3,996	4,075	2,890	1,384	430	62	2
White, both sexes.....	2,370	3,463	4,142	4,860	6,032	7,099	7,317	4,857	2,204	604	73	2
Male.....	1,188	1,765	2,206	2,595	3,218	3,681	3,749	2,356	978	226	17	-
Female.....	1,182	1,698	1,936	2,265	2,814	3,418	3,568	2,501	1,226	378	56	2
Black, both sexes.....	338	412	471	521	557	529	493	281	120	43	4	1
Male.....	144	224	254	300	299	273	276	135	51	13	1	1
Female.....	194	188	217	221	258	256	217	146	69	30	3	-
American Indian 1/, both sexes.....	15	16	23	36	38	33	25	12	3	2	-	-
Male.....	8	13	13	22	21	18	15	5	2	1	-	-
Female.....	7	3	10	14	17	15	10	7	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	327	435	494	524	649	697	644	459	168	43	8	-
Male.....	150	207	251	283	336	390	364	223	80	22	5	-
Female.....	177	228	243	241	313	307	280	236	88	21	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

II. Neoplasms (C00-D48)

Colorado

All races, both sexes.....	405	522	620	685	877	1,017	928	639	307	69	5	-
Male.....	203	253	330	361	458	527	468	300	129	21	-	-
Female.....	202	269	290	324	419	490	460	339	178	48	5	-
White, both sexes.....	375	477	581	644	826	958	892	618	295	69	4	-
Male.....	186	230	310	339	431	496	453	292	124	21	-	-
Female.....	189	247	271	305	395	462	439	326	171	48	4	-
Black, both sexes.....	19	28	28	24	37	33	21	15	6	-	1	-
Male.....	12	16	16	14	23	19	8	5	2	-	-	-
Female.....	7	12	12	10	14	14	13	10	4	-	1	-
American Indian 1/, both sexes.....	3	3	5	5	3	3	1	3	1	-	-	-
Male.....	1	3	1	2	1	1	-	1	1	-	-	-
Female.....	2	-	4	3	2	2	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	14	6	12	11	23	14	3	5	-	-	-
Male.....	4	4	3	6	3	11	7	2	2	-	-	-
Female.....	4	10	3	6	8	12	7	1	3	-	-	-

Connecticut

All races, both sexes.....	334	474	668	673	923	1,143	1,168	917	450	101	17	-
Male.....	160	250	353	360	484	604	590	414	177	31	4	-
Female.....	174	224	315	313	439	539	578	503	273	70	13	-
White, both sexes.....	290	417	597	607	849	1,080	1,119	878	440	100	16	-
Male.....	140	225	312	328	449	573	564	394	173	31	4	-
Female.....	150	192	285	279	400	507	555	484	267	69	12	-
Black, both sexes.....	40	51	66	58	62	60	38	33	10	1	1	-
Male.....	18	22	40	26	30	29	18	17	4	-	-	-
Female.....	22	29	26	32	32	31	20	16	6	1	1	-
American Indian 1/, both sexes.....	-	-	1	1	-	1	2	-	-	-	-	-
Male.....	-	-	-	1	-	1	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	6	4	7	12	2	9	6	-	-	-	-
Male.....	2	3	1	5	5	1	7	3	-	-	-	-
Female.....	2	3	3	2	7	1	2	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

II. Neoplasms (C00-D48)

Delaware

All races, both sexes.....	98	155	187	223	252	308	262	165	68	19	2	-
Male.....	53	89	106	137	134	159	133	71	28	9	1	-
Female.....	45	66	81	86	118	149	129	94	40	10	1	-
White, both sexes.....	74	127	146	183	214	270	231	150	61	15	2	-
Male.....	38	73	79	111	116	141	116	64	27	7	1	-
Female.....	36	54	67	72	98	129	115	86	34	8	1	-
Black, both sexes.....	24	27	41	39	35	37	31	12	6	4	-	-
Male.....	15	15	27	25	15	18	17	5	1	2	-	-
Female.....	9	12	14	14	20	19	14	7	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	1	1	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	2	1	-	2	-	-	-	-
Male.....	-	1	-	1	2	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Dist. of Columbia

All races, both sexes.....	72	103	131	117	160	161	146	103	59	15	3	1
Male.....	37	60	78	67	94	77	71	58	23	9	-	-
Female.....	35	43	53	50	66	84	75	45	36	6	3	1
White, both sexes.....	7	19	27	17	41	39	31	46	28	8	-	-
Male.....	4	9	19	9	28	20	15	28	12	4	-	-
Female.....	3	10	8	8	13	19	16	18	16	4	-	-
Black, both sexes.....	63	83	101	98	118	119	115	56	30	7	3	1
Male.....	32	50	58	57	66	54	56	29	11	5	-	-
Female.....	31	33	43	41	52	65	59	27	19	2	3	1
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	2	1	3	-	1	1	-	-	-
Male.....	1	1	-	1	-	3	-	1	-	-	-	-
Female.....	1	-	1	1	1	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

II. Neoplasms (C00-D48)

Florida

All races, both sexes.....	2,008	3,001	3,774	4,647	5,692	6,749	6,358	4,237	1,898	471	45	-
Male.....	1,070	1,625	2,110	2,683	3,307	3,751	3,420	2,146	891	173	16	-
Female.....	938	1,376	1,664	1,964	2,385	2,998	2,938	2,091	1,007	298	29	-
White, both sexes.....	1,628	2,551	3,322	4,116	5,132	6,270	5,983	3,986	1,780	428	42	-
Male.....	872	1,373	1,846	2,384	2,979	3,493	3,219	2,014	840	157	15	-
Female.....	756	1,178	1,476	1,732	2,153	2,777	2,764	1,972	940	271	27	-
Black, both sexes.....	341	418	415	501	520	443	351	226	112	41	3	-
Male.....	179	241	245	282	309	242	191	116	48	15	1	-
Female.....	162	177	170	219	211	201	160	110	64	26	2	-
American Indian 1/, both sexes.....	4	5	6	6	6	8	5	4	-	-	-	-
Male.....	1	2	4	4	4	6	4	3	-	-	-	-
Female.....	3	3	2	2	2	2	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	27	31	24	34	28	19	21	6	2	-	-
Male.....	18	9	15	13	15	10	6	13	3	1	-	-
Female.....	17	18	16	11	19	18	13	8	3	1	-	-

Georgia

All races, both sexes.....	992	1,362	1,687	1,812	1,982	2,014	1,740	1,107	447	121	25	-
Male.....	539	773	989	1,053	1,128	1,062	847	520	176	36	4	-
Female.....	453	589	698	759	854	952	893	587	271	85	21	-
White, both sexes.....	599	928	1,209	1,333	1,522	1,622	1,403	882	325	90	14	-
Male.....	345	541	709	782	869	882	671	420	126	25	2	-
Female.....	254	387	500	551	653	740	732	462	199	65	12	-
Black, both sexes.....	374	415	458	462	438	379	327	220	120	30	11	-
Male.....	184	222	267	265	249	172	171	98	49	10	2	-
Female.....	190	193	191	197	189	207	156	122	71	20	9	-
American Indian 1/, both sexes.....	2	6	2	-	3	3	2	1	-	1	-	-
Male.....	1	3	2	-	2	2	1	-	-	1	-	-
Female.....	1	3	-	-	1	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	13	18	17	19	10	8	4	2	-	-	-
Male.....	9	7	11	6	8	6	4	2	1	-	-	-
Female.....	8	6	7	11	11	4	4	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

II. Neoplasms (C00-D48)

Hawaii

All races, both sexes.....	114	187	211	219	288	357	316	213	103	26	3	-
Male.....	68	98	115	131	171	206	165	113	48	8	1	-
Female.....	46	89	96	88	117	151	151	100	55	18	2	-
White, both sexes.....	42	59	84	74	82	116	79	71	29	12	-	-
Male.....	27	37	49	38	50	68	46	32	11	3	-	-
Female.....	15	22	35	36	32	48	33	39	18	9	-	-
Black, both sexes.....	1	3	3	2	-	2	1	-	-	-	-	-
Male.....	1	3	3	2	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	70	124	123	143	206	239	235	142	74	14	3	-
Male.....	39	58	63	91	121	137	118	81	37	5	1	-
Female.....	31	66	60	52	85	102	117	61	37	9	2	-

Idaho

All races, both sexes.....	126	172	216	294	325	382	363	257	120	27	2	-
Male.....	65	92	121	164	195	222	193	130	47	12	-	-
Female.....	61	80	95	130	130	160	170	127	73	15	2	-
White, both sexes.....	124	168	214	287	318	379	357	254	118	27	2	-
Male.....	64	89	119	159	192	221	188	127	46	12	-	-
Female.....	60	79	95	128	126	158	169	127	72	15	2	-
Black, both sexes.....	-	-	-	2	1	-	1	-	-	-	-	-
Male.....	-	-	-	2	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	3	2	4	2	3	1	2	1	-	-	-
Male.....	1	2	2	2	-	1	1	2	1	-	-	-
Female.....	-	1	-	2	2	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	4	-	4	1	1	-	-	-
Male.....	-	1	-	1	2	-	3	1	-	-	-	-
Female.....	1	-	-	-	2	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Illinois

All races, both sexes.....	1,319	1,920	2,349	2,601	3,270	3,848	3,709	2,495	1,210	305	35	-
Male.....	668	1,030	1,273	1,388	1,747	2,008	1,860	1,159	475	98	6	-
Female.....	651	890	1,076	1,213	1,523	1,840	1,849	1,336	735	207	29	-
White, both sexes.....	1,005	1,502	1,847	2,080	2,748	3,313	3,290	2,260	1,084	269	29	-
Male.....	501	809	1,004	1,111	1,466	1,746	1,660	1,040	419	86	3	-
Female.....	504	693	843	969	1,282	1,567	1,630	1,220	665	183	26	-
Black, both sexes.....	285	384	462	469	477	501	382	206	106	35	6	-
Male.....	152	203	250	247	260	242	184	108	45	11	3	-
Female.....	133	181	212	222	217	259	198	98	61	24	3	-
American Indian 1/, both sexes.....	-	2	2	1	2	1	-	3	-	-	-	-
Male.....	-	1	2	1	2	-	-	1	-	-	-	-
Female.....	-	1	-	-	-	1	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	32	38	51	43	33	37	26	20	1	-	-
Male.....	15	17	17	29	19	20	16	10	11	1	-	-
Female.....	14	15	21	22	24	13	21	16	9	-	-	-

Indiana

All races, both sexes.....	716	1,047	1,270	1,529	1,795	2,063	1,889	1,189	521	138	23	-
Male.....	362	591	709	881	988	1,104	949	542	212	48	3	-
Female.....	354	456	561	648	807	959	940	647	309	90	20	-
White, both sexes.....	633	941	1,161	1,401	1,643	1,896	1,802	1,111	491	130	23	-
Male.....	323	528	647	801	915	1,013	907	506	198	47	3	-
Female.....	310	413	514	600	728	883	895	605	293	83	20	-
Black, both sexes.....	78	104	105	123	144	164	86	77	30	8	-	-
Male.....	39	62	60	75	72	91	41	36	14	1	-	-
Female.....	39	42	45	48	72	73	45	41	16	7	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	2	5	8	3	1	-	-	-	-	-
Male.....	-	1	1	5	1	-	1	-	-	-	-	-
Female.....	5	1	1	-	7	3	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

II. Neoplasms (C00-D48)

Iowa

All races, both sexes.....	281	435	583	694	869	985	1,102	792	363	106	8	-
Male.....	148	240	312	387	484	560	597	376	147	35	1	-
Female.....	133	195	271	307	385	425	505	416	216	71	7	-
White, both sexes.....	269	425	574	677	856	964	1,089	786	358	105	8	-
Male.....	140	233	307	375	476	548	592	371	143	35	1	-
Female.....	129	192	267	302	380	416	497	415	215	70	7	-
Black, both sexes.....	9	9	4	14	11	16	10	5	4	1	-	-
Male.....	6	6	3	10	7	10	4	4	3	-	-	-
Female.....	3	3	1	4	4	6	6	1	1	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	5	3	1	4	2	1	-	-	-	-
Male.....	2	1	2	2	1	2	1	1	-	-	-	-
Female.....	-	-	3	1	-	2	1	-	-	-	-	-

Kansas

All races, both sexes.....	293	370	531	590	737	887	862	563	273	77	4	-
Male.....	146	202	309	310	400	478	442	272	121	18	1	-
Female.....	147	168	222	280	337	409	420	291	152	59	3	-
White, both sexes.....	269	334	480	545	692	832	812	549	257	76	4	-
Male.....	130	178	282	290	380	447	417	264	115	18	1	-
Female.....	139	156	198	255	312	385	395	285	142	58	3	-
Black, both sexes.....	22	29	39	37	35	44	43	11	14	-	-	-
Male.....	14	19	23	17	16	25	20	5	6	-	-	-
Female.....	8	10	16	20	19	19	23	6	8	-	-	-
American Indian 1/, both sexes.....	2	3	3	3	7	9	4	1	1	1	-	-
Male.....	2	2	1	1	3	5	2	1	-	-	-	-
Female.....	-	1	2	2	4	4	2	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	9	5	3	2	3	2	1	-	-	-
Male.....	-	3	3	2	1	1	3	2	-	-	-	-
Female.....	-	1	6	3	2	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

II. Neoplasms (C00-D48)

Kentucky

All races, both sexes.....	518	780	1,130	1,255	1,398	1,456	1,280	746	342	75	5	-
Male.....	280	416	640	752	787	815	642	361	127	20	-	-
Female.....	238	364	490	503	611	641	638	385	215	55	5	-
White, both sexes.....	471	716	1,066	1,185	1,314	1,378	1,198	704	316	69	4	-
Male.....	259	379	601	723	733	771	604	337	120	18	-	-
Female.....	212	337	465	462	581	607	594	367	196	51	4	-
Black, both sexes.....	44	61	62	67	79	74	78	41	24	6	1	-
Male.....	21	36	38	29	52	40	37	23	6	2	-	-
Female.....	23	25	24	38	27	34	41	18	18	4	1	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	1	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	1	3	4	4	3	-	2	-	-	-
Male.....	-	1	-	-	2	4	1	-	1	-	-	-
Female.....	3	2	1	3	2	-	2	-	1	-	-	-

Louisiana

All races, both sexes.....	579	848	989	1,099	1,279	1,395	1,211	745	330	87	12	-
Male.....	303	469	559	616	697	798	632	359	134	35	6	-
Female.....	276	379	430	483	582	597	579	386	196	52	6	-
White, both sexes.....	327	521	691	760	925	1,050	926	567	254	56	8	-
Male.....	180	283	387	434	504	596	483	267	105	18	4	-
Female.....	147	238	304	326	421	454	443	300	149	38	4	-
Black, both sexes.....	246	325	292	336	349	334	283	174	75	31	4	-
Male.....	120	185	168	180	190	195	148	88	29	17	2	-
Female.....	126	140	124	156	159	139	135	86	46	14	2	-
American Indian 1/, both sexes.....	1	-	-	2	3	3	-	-	1	-	-	-
Male.....	1	-	-	1	1	2	-	-	-	-	-	-
Female.....	-	-	-	1	2	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	6	1	2	8	2	4	-	-	-	-
Male.....	2	1	4	1	2	5	1	4	-	-	-	-
Female.....	3	1	2	-	-	3	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Maine

All races, both sexes.....	158	269	327	343	453	518	502	358	169	33	8	-
Male.....	100	162	173	183	248	271	273	162	73	9	1	-
Female.....	58	107	154	160	205	247	229	196	96	24	7	-
White, both sexes.....	156	265	324	339	450	511	499	358	169	32	8	-
Male.....	98	159	171	183	247	268	272	162	73	9	1	-
Female.....	58	106	153	156	203	243	227	196	96	23	7	-
Black, both sexes.....	1	-	-	-	1	3	-	-	-	-	-	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	3	3	2	3	1	-	-	1	-	-
Male.....	1	1	2	-	-	2	1	-	-	-	-	-
Female.....	-	-	1	3	2	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	-	1	-	1	2	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	2	-	-	-	-	-

Maryland

All races, both sexes.....	644	878	1,083	1,257	1,336	1,583	1,528	944	421	103	16	-
Male.....	341	468	597	694	725	848	717	443	177	39	2	-
Female.....	303	410	486	563	611	735	811	501	244	64	14	-
White, both sexes.....	396	570	760	867	981	1,257	1,240	773	355	81	15	-
Male.....	220	300	416	466	530	667	576	362	151	30	2	-
Female.....	176	270	344	401	451	590	664	411	204	51	13	-
Black, both sexes.....	230	292	295	358	326	293	266	154	61	22	1	-
Male.....	112	157	162	207	179	168	133	71	22	9	-	-
Female.....	118	135	133	151	147	125	133	83	39	13	1	-
American Indian 1/, both sexes.....	1	1	3	1	2	2	2	1	1	-	-	-
Male.....	-	1	2	1	1	1	1	-	-	-	-	-
Female.....	1	-	1	-	1	1	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	15	25	31	27	31	20	16	4	-	-	-
Male.....	9	10	17	20	15	12	7	10	4	-	-	-
Female.....	8	5	8	11	12	19	13	6	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

II. Neoplasms (C00-D48)

Massachusetts

All races, both sexes.....	652	985	1,183	1,371	1,748	2,154	2,184	1,525	737	180	21	-
Male.....	358	523	625	723	944	1,122	1,064	705	276	65	4	-
Female.....	294	462	558	648	804	1,032	1,120	820	461	115	17	-
White, both sexes.....	600	910	1,097	1,262	1,655	2,077	2,109	1,466	720	172	19	-
Male.....	327	482	577	657	894	1,082	1,025	674	270	61	4	-
Female.....	273	428	520	605	761	995	1,084	792	450	111	15	-
Black, both sexes.....	35	58	68	71	66	58	54	47	12	7	2	-
Male.....	17	28	37	45	35	29	25	24	4	3	-	-
Female.....	18	30	31	26	31	29	29	23	8	4	2	-
American Indian 1/, both sexes.....	1	-	-	2	1	3	1	2	-	1	-	-
Male.....	1	-	-	1	1	2	-	1	-	1	-	-
Female.....	-	1	-	1	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	16	18	36	26	16	20	10	5	-	-	-
Male.....	13	13	11	20	14	9	14	6	2	-	-	-
Female.....	3	3	7	16	12	7	6	4	3	-	-	-

Michigan

All races, both sexes.....	1,198	1,643	2,026	2,347	2,750	3,197	3,003	1,924	820	206	28	-
Male.....	657	895	1,094	1,271	1,521	1,674	1,500	886	327	76	10	-
Female.....	541	748	932	1,076	1,229	1,523	1,503	1,038	493	130	18	-
White, both sexes.....	956	1,318	1,664	2,036	2,434	2,856	2,668	1,749	741	181	21	-
Male.....	522	716	910	1,091	1,338	1,503	1,327	802	301	68	7	-
Female.....	434	602	754	945	1,096	1,353	1,341	947	440	113	14	-
Black, both sexes.....	231	294	328	293	291	321	308	164	76	25	7	-
Male.....	129	166	165	168	170	162	158	78	25	8	3	-
Female.....	102	128	163	125	121	159	150	86	51	17	4	-
American Indian 1/, both sexes.....	7	12	18	10	11	11	11	6	-	-	-	-
Male.....	3	5	8	7	4	4	6	3	-	-	-	-
Female.....	4	7	10	3	7	7	5	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	19	16	8	14	9	16	5	3	-	-	-
Male.....	3	8	11	5	9	5	9	3	1	-	-	-
Female.....	1	11	5	3	5	4	7	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

II. Neoplasms (C00-D48)

Minnesota

All races, both sexes.....	461	684	781	909	1,176	1,390	1,389	1,015	533	165	36	-
Male.....	210	359	414	490	634	769	705	476	195	64	10	-
Female.....	251	325	367	419	542	621	684	539	338	101	26	-
White, both sexes.....	427	637	731	872	1,137	1,349	1,361	1,005	525	163	36	-
Male.....	194	335	389	468	609	749	697	467	192	62	10	-
Female.....	233	302	342	404	528	600	664	538	333	101	26	-
Black, both sexes.....	20	29	30	24	21	21	13	7	3	1	-	-
Male.....	11	13	18	14	15	14	4	7	1	1	-	-
Female.....	9	16	12	10	6	7	9	-	2	-	-	-
American Indian 1/, both sexes.....	6	4	12	7	8	9	6	1	2	-	-	-
Male.....	3	3	5	6	6	3	3	-	1	-	-	-
Female.....	3	1	7	1	2	6	3	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	14	8	6	10	11	9	2	3	1	-	-
Male.....	2	8	2	2	4	3	1	2	1	1	-	-
Female.....	6	6	6	4	6	8	8	-	2	-	-	-

Mississippi

All races, both sexes.....	381	589	670	760	833	847	775	467	236	57	19	-
Male.....	205	330	386	441	479	467	395	234	92	22	10	-
Female.....	176	259	284	319	354	380	380	233	144	35	9	-
White, both sexes.....	214	379	446	547	579	625	570	329	165	39	9	-
Male.....	121	209	254	309	338	347	293	167	58	12	3	-
Female.....	93	170	192	238	241	278	277	162	107	27	6	-
Black, both sexes.....	162	203	221	209	252	219	202	136	71	17	10	-
Male.....	83	117	131	129	140	118	101	66	34	10	7	-
Female.....	79	86	90	80	112	101	101	70	37	7	3	-
American Indian 1/, both sexes.....	1	4	2	3	-	2	1	1	-	1	-	-
Male.....	1	3	1	2	-	1	1	-	-	-	-	-
Female.....	-	1	1	1	-	1	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	1	1	2	1	2	1	-	-	-	-
Male.....	-	1	-	1	1	1	-	1	-	-	-	-
Female.....	4	2	1	-	1	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

II. Neoplasms (C00-D48)

Missouri

All races, both sexes.....	700	969	1,256	1,404	1,811	1,980	1,803	1,136	531	144	15	2
Male.....	380	522	694	808	1,003	1,074	936	524	218	54	2	1
Female.....	320	447	562	596	808	906	867	612	313	90	13	1
White, both sexes.....	590	821	1,109	1,233	1,650	1,827	1,669	1,054	494	128	14	1
Male.....	320	444	614	702	916	994	859	488	201	50	2	1
Female.....	270	377	495	531	734	833	810	566	293	78	12	-
Black, both sexes.....	99	129	140	165	155	141	130	78	35	16	1	1
Male.....	56	69	79	103	85	76	75	35	16	4	-	-
Female.....	43	60	61	62	70	65	55	43	19	12	1	1
American Indian 1/, both sexes.....	5	8	1	3	2	3	1	1	1	-	-	-
Male.....	3	3	-	2	1	2	1	-	-	-	-	-
Female.....	2	5	1	1	1	1	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	11	6	3	4	9	3	3	1	-	-	-
Male.....	1	6	1	1	1	2	1	1	1	-	-	-
Female.....	5	5	5	2	3	7	2	2	-	-	-	-

Montana

All races, both sexes.....	108	143	180	231	277	339	288	226	90	21	-	-
Male.....	64	76	92	126	159	170	141	120	40	7	-	-
Female.....	44	67	88	105	118	169	147	106	50	14	-	-
White, both sexes.....	100	138	169	218	264	329	279	222	90	21	-	-
Male.....	60	72	88	119	150	165	137	120	40	7	-	-
Female.....	40	66	81	99	114	164	142	102	50	14	-	-
Black, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	8	5	10	12	11	8	9	4	-	-	-	-
Male.....	4	4	3	7	8	4	4	-	-	-	-	-
Female.....	4	1	7	5	3	4	5	4	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

II. Neoplasms (C00-D48)

Nebraska

All races, both sexes.....	138	271	284	349	467	514	555	404	183	66	11	-
Male.....	78	149	164	193	258	273	299	186	63	19	2	-
Female.....	60	122	120	156	209	241	256	218	120	47	9	-
White, both sexes.....	125	261	269	328	450	503	540	397	181	63	11	-
Male.....	71	144	155	182	249	269	292	186	63	19	2	-
Female.....	54	117	114	146	201	234	248	211	118	44	9	-
Black, both sexes.....	7	7	12	17	14	6	12	7	2	3	-	-
Male.....	4	3	6	9	7	3	5	-	-	-	-	-
Female.....	3	4	6	8	7	3	7	7	2	3	-	-
American Indian 1/, both sexes.....	3	2	1	2	2	3	2	-	-	-	-	-
Male.....	-	2	1	1	2	-	1	-	-	-	-	-
Female.....	3	-	-	1	-	3	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	2	2	1	2	1	-	-	-	-	-
Male.....	3	-	2	1	-	1	1	-	-	-	-	-
Female.....	-	1	-	1	1	1	-	-	-	-	-	-

Nevada

All races, both sexes.....	247	358	490	577	625	700	548	320	129	22	4	-
Male.....	122	185	280	335	355	377	287	170	51	10	-	-
Female.....	125	173	210	242	270	323	261	150	78	12	4	-
White, both sexes.....	210	315	425	517	559	642	509	296	114	20	4	-
Male.....	105	162	238	300	318	340	268	156	47	10	-	-
Female.....	105	153	187	217	241	302	241	140	67	10	4	-
Black, both sexes.....	18	29	37	40	43	28	28	12	10	2	-	-
Male.....	10	16	29	27	27	21	14	7	3	-	-	-
Female.....	8	13	8	13	16	7	14	5	7	2	-	-
American Indian 1/, both sexes.....	1	1	3	2	3	2	1	1	2	-	-	-
Male.....	-	1	2	-	3	1	-	1	-	-	-	-
Female.....	1	-	1	2	-	1	1	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	13	25	18	20	28	10	11	3	-	-	-
Male.....	7	6	11	8	7	15	5	6	1	-	-	-
Female.....	11	7	14	10	13	13	5	5	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

II. Neoplasms (C00-D48)

New Hampshire

All races, both sexes.....	143	216	243	308	321	396	362	273	116	36	4	-
Male.....	69	103	137	168	174	216	181	125	52	10	2	-
Female.....	74	113	106	140	147	180	181	148	64	26	2	-
White, both sexes.....	141	215	241	304	319	391	361	272	115	36	4	-
Male.....	67	103	136	165	173	215	180	124	52	10	2	-
Female.....	74	112	105	139	146	176	181	148	63	26	2	-
Black, both sexes.....	-	-	2	2	-	2	-	1	-	-	-	-
Male.....	-	-	1	2	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	2	3	1	-	1	-	-	-
Male.....	1	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	1	-	1	1	2	-	-	1	-	-	-

New Jersey

All races, both sexes.....	903	1,253	1,634	1,821	2,211	2,825	2,797	1,941	840	219	24	-
Male.....	446	673	861	986	1,163	1,454	1,320	832	332	76	4	-
Female.....	457	580	773	835	1,048	1,371	1,477	1,109	508	143	20	-
White, both sexes.....	693	1,007	1,328	1,518	1,891	2,529	2,541	1,815	783	190	23	-
Male.....	345	547	689	841	985	1,313	1,194	777	308	64	4	-
Female.....	348	460	639	677	906	1,216	1,347	1,038	475	126	19	-
Black, both sexes.....	171	198	258	274	267	273	218	104	52	26	1	-
Male.....	80	97	142	130	146	134	101	42	22	11	-	-
Female.....	91	101	116	144	121	139	117	62	30	15	1	-
American Indian 1/, both sexes.....	1	2	4	2	5	2	3	2	-	2	-	-
Male.....	1	2	1	-	2	2	1	-	-	1	-	-
Female.....	-	-	3	2	3	-	2	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	38	46	44	27	48	21	35	20	5	1	-	-
Male.....	20	27	29	15	30	5	24	12	2	-	-	-
Female.....	18	19	15	12	18	16	11	8	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

II. Neoplasms (C00-D48)

New Mexico

All races, both sexes.....	172	256	320	397	470	474	437	323	131	32	4	-
Male.....	88	128	173	233	260	241	242	163	57	14	-	-
Female.....	84	128	147	164	210	233	195	160	74	18	4	-
White, both sexes.....	150	238	293	373	439	443	408	314	126	31	4	-
Male.....	75	123	157	222	243	230	230	159	54	13	-	-
Female.....	75	115	136	151	196	213	178	155	72	18	4	-
Black, both sexes.....	6	2	5	6	8	7	10	3	-	1	-	-
Male.....	4	1	3	1	5	1	5	1	-	1	-	-
Female.....	2	1	2	5	3	6	5	2	-	-	-	-
American Indian 1/, both sexes.....	13	15	18	17	21	18	18	5	4	-	-	-
Male.....	7	3	11	10	11	9	7	2	3	-	-	-
Female.....	6	12	7	7	10	9	11	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	4	1	2	6	1	1	1	-	-	-
Male.....	2	1	2	-	1	1	-	1	-	-	-	-
Female.....	1	-	2	1	1	5	1	-	1	-	-	-

New York

All races, both sexes.....	2,030	2,803	3,426	3,850	4,730	5,645	5,276	3,739	1,744	464	50	1
Male.....	1,040	1,381	1,788	2,015	2,513	2,839	2,603	1,632	688	139	11	1
Female.....	990	1,422	1,638	1,835	2,217	2,806	2,673	2,107	1,056	325	39	-
White, both sexes.....	1,563	2,182	2,709	3,129	3,927	4,908	4,690	3,354	1,592	421	43	1
Male.....	808	1,071	1,401	1,640	2,103	2,460	2,317	1,485	639	124	9	1
Female.....	755	1,111	1,308	1,489	1,824	2,448	2,373	1,869	953	297	34	-
Black, both sexes.....	384	524	603	588	664	611	479	319	122	37	6	-
Male.....	185	257	323	288	323	307	228	121	36	14	2	-
Female.....	199	267	280	300	341	304	251	198	86	23	4	-
American Indian 1/, both sexes.....	4	5	8	6	7	7	6	1	1	-	-	-
Male.....	3	2	4	1	5	2	3	1	-	-	-	-
Female.....	1	3	4	5	2	5	3	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	79	92	106	127	132	119	101	65	29	6	1	-
Male.....	44	51	60	86	82	70	55	25	13	1	-	-
Female.....	35	41	46	41	50	49	46	40	16	5	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Ohio

All races, both sexes.....	1,446	1,924	2,339	2,856	3,417	4,027	3,804	2,419	1,024	261	20	-
Male.....	785	1,071	1,253	1,627	1,847	2,136	1,950	1,096	428	75	5	-
Female.....	661	853	1,086	1,229	1,570	1,891	1,854	1,323	596	186	15	-
White, both sexes.....	1,214	1,640	2,028	2,495	3,039	3,600	3,475	2,210	956	232	17	-
Male.....	667	914	1,100	1,426	1,642	1,930	1,775	995	398	62	5	-
Female.....	547	726	928	1,069	1,397	1,670	1,700	1,215	558	170	12	-
Black, both sexes.....	222	272	297	353	370	416	320	206	66	29	3	-
Male.....	112	151	145	198	202	201	173	99	30	13	-	-
Female.....	110	121	152	155	168	215	147	107	36	16	3	-
American Indian 1/, both sexes.....	3	3	2	1	-	2	1	-	-	-	-	-
Male.....	1	2	1	1	-	1	-	-	-	-	-	-
Female.....	2	1	1	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	9	12	7	8	9	8	3	2	-	-	-
Male.....	5	4	7	2	3	4	2	2	-	-	-	-
Female.....	2	5	5	5	5	5	6	1	2	-	-	-

Oklahoma

All races, both sexes.....	431	624	863	952	1,096	1,129	986	621	278	63	10	-
Male.....	234	356	468	542	621	627	500	284	107	24	1	-
Female.....	197	268	395	410	475	502	486	337	171	39	9	-
White, both sexes.....	353	519	734	833	970	1,022	896	569	253	57	10	-
Male.....	192	290	399	483	553	571	452	261	96	22	1	-
Female.....	161	229	335	350	417	451	444	308	157	35	9	-
Black, both sexes.....	37	57	62	56	48	59	49	29	17	4	-	-
Male.....	19	36	32	27	29	35	26	12	8	1	-	-
Female.....	18	21	30	29	19	24	23	17	9	3	-	-
American Indian 1/, both sexes.....	36	44	61	54	72	45	41	20	8	2	-	-
Male.....	20	28	33	28	37	20	22	10	3	1	-	-
Female.....	16	16	28	26	35	25	19	10	5	1	-	-
Asian or Pacific Islander 2/, both sexes.....	5	4	6	9	6	3	-	3	-	-	-	-
Male.....	3	2	4	4	2	1	-	1	-	-	-	-
Female.....	2	2	2	5	4	2	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Oregon

All races, both sexes.....	376	589	713	806	1,020	1,154	1,109	819	372	86	12	-
Male.....	193	315	398	433	552	642	565	410	148	31	3	-
Female.....	183	274	315	373	468	512	544	409	224	55	9	-
White, both sexes.....	358	568	686	776	994	1,119	1,082	800	368	82	12	-
Male.....	183	305	389	418	536	629	549	400	147	30	3	-
Female.....	175	263	297	358	458	490	533	400	221	52	9	-
Black, both sexes.....	5	9	7	14	6	12	10	8	2	2	-	-
Male.....	2	5	3	6	5	4	8	3	1	-	-	-
Female.....	3	4	4	8	1	8	2	5	1	2	-	-
American Indian 1/, both sexes.....	4	6	5	8	7	6	6	4	1	-	-	-
Male.....	-	1	1	5	3	3	4	4	-	-	-	-
Female.....	4	5	4	3	4	3	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	6	15	8	13	17	11	7	1	2	-	-
Male.....	8	4	5	4	8	6	4	3	-	1	-	-
Female.....	1	2	10	4	5	11	7	4	1	1	-	-

Pennsylvania

All races, both sexes.....	1,496	2,065	2,664	3,092	4,047	4,962	4,913	3,289	1,554	341	42	1
Male.....	771	1,158	1,447	1,695	2,198	2,578	2,524	1,496	599	111	11	1
Female.....	725	907	1,217	1,397	1,849	2,384	2,389	1,793	955	230	31	-
White, both sexes.....	1,269	1,799	2,355	2,761	3,652	4,606	4,567	3,104	1,468	315	39	-
Male.....	659	1,017	1,281	1,513	1,995	2,416	2,360	1,423	569	100	10	-
Female.....	610	782	1,074	1,248	1,657	2,190	2,207	1,681	899	215	29	-
Black, both sexes.....	212	252	288	310	370	337	330	180	84	25	1	1
Male.....	103	138	153	169	188	153	154	71	29	11	-	1
Female.....	109	114	135	141	182	184	176	109	55	14	1	-
American Indian 1/, both sexes.....	3	2	1	3	5	-	2	-	-	-	-	-
Male.....	2	-	1	2	3	-	2	-	-	-	-	-
Female.....	1	2	-	1	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	12	20	18	20	19	14	5	2	1	2	-
Male.....	7	3	12	11	12	9	8	2	1	-	1	-
Female.....	5	9	8	7	8	10	6	3	1	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Rhode Island

All races, both sexes.....	110	147	194	234	298	386	400	287	127	31	4	1
Male.....	61	79	93	124	159	200	217	135	43	13	3	1
Female.....	49	68	101	110	139	186	183	152	84	18	1	-
White, both sexes.....	98	137	182	218	284	374	390	281	123	30	3	1
Male.....	56	72	87	117	149	191	210	131	43	12	2	1
Female.....	42	65	95	101	135	183	180	150	80	18	1	-
Black, both sexes.....	9	7	9	14	13	8	8	4	2	-	-	-
Male.....	3	6	6	7	9	5	6	3	-	-	-	-
Female.....	6	1	3	7	4	3	2	1	2	-	-	-
American Indian 1/, both sexes.....	-	1	1	1	-	1	-	-	1	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	2	1	1	3	2	2	1	1	1	-
Male.....	2	-	-	-	1	3	1	1	-	1	1	-
Female.....	1	2	2	1	-	-	1	1	1	-	-	-

South Carolina

All races, both sexes.....	570	816	929	1,129	1,161	1,302	1,113	739	303	76	13	-
Male.....	309	458	542	658	670	717	589	371	121	20	1	-
Female.....	261	358	387	471	491	585	524	368	182	56	12	-
White, both sexes.....	374	530	655	829	900	1,022	863	564	233	53	9	-
Male.....	186	295	376	484	524	569	463	286	94	13	-	-
Female.....	188	235	279	345	376	453	400	278	139	40	9	-
Black, both sexes.....	193	279	271	291	256	274	243	174	70	23	4	-
Male.....	122	158	164	170	144	145	124	84	27	7	1	-
Female.....	71	121	107	121	112	129	119	90	43	16	3	-
American Indian 1/, both sexes.....	1	4	1	2	1	1	1	1	-	-	-	-
Male.....	-	3	1	-	1	1	1	1	-	-	-	-
Female.....	1	1	-	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	2	7	4	5	6	-	-	-	-	-
Male.....	1	2	1	4	1	2	1	-	-	-	-	-
Female.....	1	1	1	3	3	3	5	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

II. Neoplasms (C00-D48)

South Dakota

All races, both sexes.....	94	129	163	147	221	248	278	189	73	32	6	-
Male.....	54	76	91	82	123	133	145	93	35	11	2	-
Female.....	40	53	72	65	98	115	133	96	38	21	4	-
White, both sexes.....	88	119	148	135	209	241	270	185	71	31	6	-
Male.....	53	70	81	78	117	131	138	92	34	11	2	-
Female.....	35	49	67	57	92	110	132	93	37	20	4	-
Black, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	10	14	12	11	7	7	4	2	1	-	-
Male.....	1	6	9	4	5	2	7	1	1	-	-	-
Female.....	4	4	5	8	6	5	-	3	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Tennessee

All races, both sexes.....	799	1,216	1,381	1,678	1,798	1,997	1,658	1,029	427	132	16	-
Male.....	433	702	786	964	1,015	1,086	855	451	177	45	3	-
Female.....	366	514	595	714	783	911	803	578	250	87	13	-
White, both sexes.....	617	974	1,189	1,456	1,545	1,758	1,449	904	362	106	11	-
Male.....	336	559	668	842	869	970	758	396	147	31	2	-
Female.....	281	415	521	614	676	788	691	508	215	75	9	-
Black, both sexes.....	174	235	179	212	246	234	206	122	65	26	5	-
Male.....	94	138	108	118	141	112	97	52	30	14	1	-
Female.....	80	97	71	94	105	122	109	70	35	12	4	-
American Indian 1/, both sexes.....	2	3	3	2	1	2	-	2	-	-	-	-
Male.....	-	3	3	2	1	2	-	2	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	4	10	8	6	3	3	1	-	-	-	-
Male.....	3	2	7	2	4	2	-	1	-	-	-	-
Female.....	3	2	3	6	2	1	3	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Texas

All races, both sexes.....	2,099	2,976	3,643	4,015	4,769	5,144	4,577	2,910	1,322	322	51	-
Male.....	1,117	1,649	2,030	2,319	2,749	2,833	2,344	1,439	573	113	11	-
Female.....	982	1,327	1,613	1,696	2,020	2,311	2,233	1,471	749	209	40	-
White, both sexes.....	1,667	2,464	3,105	3,434	4,158	4,547	4,131	2,617	1,172	287	43	-
Male.....	899	1,382	1,750	2,003	2,395	2,523	2,100	1,316	501	101	10	-
Female.....	768	1,082	1,355	1,431	1,763	2,024	2,031	1,301	671	186	33	-
Black, both sexes.....	391	455	490	520	554	526	415	276	141	35	8	-
Male.....	198	232	254	282	320	273	230	117	66	12	1	-
Female.....	193	223	236	238	234	253	185	159	75	23	7	-
American Indian 1/, both sexes.....	4	4	5	6	4	7	-	1	-	-	-	-
Male.....	1	3	3	4	1	5	-	1	-	-	-	-
Female.....	3	1	2	2	3	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	37	53	43	55	53	64	31	16	9	-	-	-
Male.....	19	32	23	30	33	32	14	5	6	-	-	-
Female.....	18	21	20	25	20	32	17	11	3	-	-	-

Utah

All races, both sexes.....	129	186	242	292	324	397	394	267	99	30	4	-
Male.....	60	94	133	182	187	202	211	149	41	13	1	-
Female.....	69	92	109	110	137	195	183	118	58	17	3	-
White, both sexes.....	124	180	228	285	314	378	388	264	97	29	4	-
Male.....	57	91	125	178	183	192	207	148	39	13	1	-
Female.....	67	89	103	107	131	186	181	116	58	16	3	-
Black, both sexes.....	2	3	4	2	-	1	3	-	1	-	-	-
Male.....	2	2	2	1	-	1	1	-	1	-	-	-
Female.....	-	1	2	1	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	1	3	5	1	-	-	-	-	-
Male.....	-	-	1	1	2	2	1	-	-	-	-	-
Female.....	1	-	-	-	1	3	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	9	4	7	13	2	3	1	1	-	-
Male.....	1	1	5	2	2	7	2	1	1	-	-	-
Female.....	1	2	4	2	5	6	-	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

II. Neoplasms (C00-D48)

Vermont

All races, both sexes.....	64	95	104	131	174	184	191	111	87	17	1	-
Male.....	31	45	56	71	93	98	103	49	38	6	1	-
Female.....	33	50	48	60	81	86	88	62	49	11	-	-
White, both sexes.....	64	94	103	130	171	184	190	111	86	17	1	-
Male.....	31	44	56	70	91	98	102	49	37	6	1	-
Female.....	33	50	47	60	80	86	88	62	49	11	-	-
Black, both sexes.....	-	-	1	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	1	-	-	-
Male.....	-	-	-	1	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	860	1,224	1,519	1,682	1,919	2,063	1,945	1,217	525	135	14	-
Male.....	441	667	816	963	1,089	1,126	958	554	226	35	3	-
Female.....	419	557	703	719	830	937	987	663	299	100	11	-
White, both sexes.....	618	909	1,185	1,301	1,516	1,687	1,607	1,012	428	109	9	-
Male.....	309	481	640	732	855	932	785	452	185	26	1	-
Female.....	309	428	545	569	661	755	822	560	243	83	8	-
Black, both sexes.....	223	289	300	351	358	348	310	192	91	26	5	-
Male.....	123	176	163	213	206	183	164	96	40	9	2	-
Female.....	100	113	137	138	152	165	146	96	51	17	3	-
American Indian 1/, both sexes.....	1	-	3	6	2	1	2	1	-	-	-	-
Male.....	1	-	1	3	1	-	1	1	-	-	-	-
Female.....	-	-	2	3	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	26	31	24	43	27	26	12	6	-	-	-
Male.....	8	10	12	15	27	11	8	5	1	-	-	-
Female.....	10	16	19	9	16	16	18	7	5	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
United States												
All races, both sexes.....	559,312	75	377	485	515	731	986	1,337	2,264	4,378	10,188	19,452
Male.....	290,422	45	217	263	294	442	593	749	1,056	1,842	4,496	9,263
Female.....	268,890	30	160	222	221	289	393	588	1,208	2,536	5,692	10,189
White, both sexes.....	482,132	64	293	380	407	590	775	991	1,703	3,376	7,976	15,135
Male.....	250,478	38	168	201	228	358	468	572	806	1,457	3,615	7,302
Female.....	231,654	26	125	179	179	232	307	419	897	1,919	4,361	7,833
Black, both sexes.....	63,165	10	64	82	90	103	161	263	425	779	1,781	3,581
Male.....	32,726	6	37	47	56	58	97	130	191	285	688	1,640
Female.....	30,439	4	27	35	34	45	64	133	234	494	1,093	1,941
American Indian 1/, both sexes.....	2,465	-	4	3	1	10	5	17	12	35	81	137
Male.....	1,297	-	3	3	1	7	3	9	7	16	46	62
Female.....	1,168	-	1	-	-	3	2	8	5	19	35	75
Asian or Pacific Islander 2/, both sexes.....	11,550	1	16	20	17	28	45	66	124	188	350	599
Male.....	5,921	1	9	12	9	19	25	38	52	84	147	259
Female.....	5,629	-	7	8	8	9	20	28	72	104	203	340
Alabama												
All races, both sexes.....	9,913	-	4	5	6	10	15	21	45	92	190	368
Male.....	5,314	-	3	2	4	6	6	13	20	45	85	188
Female.....	4,599	-	1	3	2	4	9	8	25	47	105	180
White, both sexes.....	7,611	-	3	3	3	7	12	14	32	58	135	249
Male.....	4,067	-	2	1	2	5	6	9	14	29	66	132
Female.....	3,544	-	1	2	1	2	6	5	18	29	69	117
Black, both sexes.....	2,267	-	1	2	3	3	2	7	13	34	55	115
Male.....	1,235	-	1	1	2	1	-	4	6	16	19	54
Female.....	1,032	-	-	1	1	2	2	3	7	18	36	61
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	-	-	3
Male.....	9	-	-	-	-	-	-	-	-	-	-	2
Female.....	6	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	-	1	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	17	-	-	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Alaska												
All races, both sexes.....	732	-	-	2	1	3	3	2	5	13	17	37
Male.....	404	-	-	2	1	1	2	-	3	5	9	20
Female.....	328	-	-	-	-	2	1	2	2	8	8	17
White, both sexes.....	536	-	-	1	1	2	3	-	3	5	11	25
Male.....	293	-	-	1	1	-	2	-	1	1	7	10
Female.....	243	-	-	-	-	2	1	-	2	4	4	15
Black, both sexes.....	26	-	-	-	-	-	-	-	-	1	1	3
Male.....	17	-	-	-	-	-	-	-	-	1	-	3
Female.....	9	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	137	-	-	-	-	1	-	1	2	6	5	6
Male.....	79	-	-	-	-	1	-	-	2	3	2	5
Female.....	58	-	-	-	-	-	-	1	-	3	3	1
Asian or Pacific Islander 2/, both sexes.....	33	-	-	1	-	-	-	1	-	1	-	3
Male.....	15	-	-	1	-	-	-	-	-	-	-	2
Female.....	18	-	-	-	-	-	-	1	-	1	-	1
Arizona												
All races, both sexes.....	9,820	1	3	14	8	12	16	19	45	61	145	330
Male.....	5,261	1	3	4	5	9	9	14	20	29	66	151
Female.....	4,559	-	-	10	3	3	7	5	25	32	79	179
White, both sexes.....	9,321	1	3	12	7	11	15	16	38	51	128	299
Male.....	4,998	1	3	2	4	8	8	13	17	21	54	135
Female.....	4,323	-	-	10	3	3	7	3	21	30	74	164
Black, both sexes.....	239	-	-	1	1	-	1	1	5	3	7	15
Male.....	126	-	-	1	1	-	1	-	3	3	6	6
Female.....	113	-	-	-	-	-	-	1	2	-	1	9
American Indian 1/, both sexes.....	185	-	-	1	-	1	-	1	1	4	9	13
Male.....	99	-	-	1	-	1	-	-	-	2	5	8
Female.....	86	-	-	-	-	-	-	1	1	2	4	5
Asian or Pacific Islander 2/, both sexes.....	75	-	-	-	-	-	-	1	1	3	1	3
Male.....	38	-	-	-	-	-	-	1	-	3	1	2
Female.....	37	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Arkansas												
All races, both sexes.....	6,361	1	3	6	3	4	10	18	19	51	118	226
Male.....	3,508	1	3	3	2	2	8	8	6	20	59	124
Female.....	2,853	-	-	3	1	2	2	10	13	31	59	102
White, both sexes.....	5,492	1	2	4	3	3	7	15	17	39	91	171
Male.....	3,030	1	2	2	2	1	5	7	6	18	44	96
Female.....	2,462	-	-	2	1	2	2	8	11	21	47	75
Black, both sexes.....	842	-	-	2	-	1	3	3	2	12	26	55
Male.....	464	-	-	1	-	1	3	1	-	2	15	28
Female.....	378	-	-	1	-	-	-	2	2	10	11	27
American Indian 1/, both sexes.....	11	-	1	-	-	-	-	-	-	-	-	-
Male.....	5	-	1	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	-	-	-	-	-	-	-	-	1	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	1	-
California												
All races, both sexes.....	54,732	12	52	57	58	116	152	178	265	491	1,078	1,933
Male.....	27,904	5	35	26	32	67	98	109	138	205	484	895
Female.....	26,828	7	17	31	26	49	54	69	127	286	594	1,038
White, both sexes.....	45,446	10	42	51	50	91	122	139	202	371	818	1,475
Male.....	23,120	5	29	24	29	53	78	81	102	158	369	700
Female.....	22,326	5	13	27	21	38	44	58	100	213	449	775
Black, both sexes.....	4,164	2	3	2	4	8	13	18	20	43	112	223
Male.....	2,144	-	3	-	2	3	10	14	13	13	48	93
Female.....	2,020	2	-	2	2	5	3	4	7	30	64	130
American Indian 1/, both sexes.....	229	-	-	-	-	2	-	3	1	4	11	9
Male.....	133	-	-	-	-	2	-	2	1	2	6	5
Female.....	96	-	-	-	-	-	-	1	-	2	5	4
Asian or Pacific Islander 2/, both sexes.....	4,893	-	7	4	4	15	17	18	42	73	137	226
Male.....	2,507	-	3	2	1	9	10	12	22	32	61	97
Female.....	2,386	-	4	2	3	6	7	6	20	41	76	129

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Colorado												
All races, both sexes.....	6,395	1	11	9	10	15	15	13	29	44	117	252
Male.....	3,213	-	9	5	5	10	9	7	17	21	48	118
Female.....	3,182	1	2	4	5	5	6	6	12	23	69	134
White, both sexes.....	6,030	1	11	7	10	14	15	13	25	41	113	229
Male.....	3,030	-	9	4	5	10	9	7	16	20	46	106
Female.....	3,000	1	2	3	5	4	6	6	9	21	67	123
Black, both sexes.....	232	-	-	2	-	-	-	-	2	3	2	17
Male.....	124	-	-	1	-	-	-	-	-	1	1	8
Female.....	108	-	-	1	-	-	-	-	2	2	1	9
American Indian 1/, both sexes.....	29	-	-	-	-	-	-	-	1	-	-	1
Male.....	12	-	-	-	-	-	-	-	1	-	-	-
Female.....	17	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	104	-	-	-	-	1	-	-	1	-	2	5
Male.....	47	-	-	-	-	-	-	-	-	-	1	4
Female.....	57	-	-	-	-	1	-	-	1	-	1	1
Connecticut												
All races, both sexes.....	7,052	-	2	6	4	9	4	10	26	52	105	173
Male.....	3,523	-	-	3	3	7	3	7	13	16	48	83
Female.....	3,529	-	2	3	1	2	1	3	13	36	57	90
White, both sexes.....	6,523	-	1	4	4	8	3	9	21	42	87	149
Male.....	3,263	-	-	1	3	6	3	7	11	11	39	74
Female.....	3,260	-	1	3	1	2	-	2	10	31	48	75
Black, both sexes.....	462	-	1	1	-	1	1	-	4	6	15	20
Male.....	222	-	-	1	-	1	-	-	2	2	7	6
Female.....	240	-	1	-	-	-	1	-	2	4	8	14
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	62	-	-	1	-	-	-	1	1	4	3	4
Male.....	35	-	-	1	-	-	-	-	-	3	2	3
Female.....	27	-	-	-	-	-	-	1	1	1	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Florida												
All races, both sexes.....	40,592	6	24	24	37	46	43	80	130	280	649	1,333
Male.....	21,986	2	14	16	21	27	27	38	59	116	303	653
Female.....	18,606	4	10	8	16	19	16	42	71	164	346	680
White, both sexes.....	36,425	4	15	18	28	34	28	57	91	228	509	1,057
Male.....	19,740	1	9	12	15	19	18	27	42	95	246	522
Female.....	16,685	3	6	6	13	15	10	30	49	133	263	535
Black, both sexes.....	3,862	2	9	6	7	11	13	21	34	51	132	262
Male.....	2,095	1	5	4	5	7	7	10	15	20	51	125
Female.....	1,767	1	4	2	2	4	6	11	19	31	81	137
American Indian 1/, both sexes.....	46	-	-	-	-	-	-	-	1	-	1	-
Male.....	29	-	-	-	-	-	-	-	-	-	1	-
Female.....	17	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	259	-	-	-	2	1	2	2	4	1	7	14
Male.....	122	-	-	-	1	1	2	1	2	1	5	6
Female.....	137	-	-	-	1	-	-	1	2	-	2	8
Georgia												
All races, both sexes.....	14,358	2	11	16	13	19	28	53	85	151	325	657
Male.....	7,619	1	7	7	7	9	19	25	42	66	135	311
Female.....	6,739	1	4	9	6	10	9	28	43	85	190	346
White, both sexes.....	10,513	2	7	13	9	14	15	22	45	91	215	389
Male.....	5,652	1	4	5	4	8	11	11	22	43	99	190
Female.....	4,861	1	3	8	5	6	4	11	23	48	116	199
Black, both sexes.....	3,685	-	3	3	4	4	12	30	37	58	105	249
Male.....	1,893	-	3	2	3	1	8	14	18	23	34	117
Female.....	1,792	-	-	1	1	3	4	16	19	35	71	132
American Indian 1/, both sexes.....	25	-	-	-	-	1	-	-	1	-	-	3
Male.....	13	-	-	-	-	-	-	-	1	-	-	-
Female.....	12	-	-	-	-	1	-	-	-	-	-	3
Asian or Pacific Islander 2/, both sexes.....	135	-	1	-	-	-	1	1	2	2	5	16
Male.....	61	-	-	-	-	-	-	-	1	-	2	4
Female.....	74	-	1	-	-	-	1	1	1	2	3	12

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

Hawaii

All races, both sexes.....	2,169	-	1	1	2	4	4	10	8	24	31	91
Male.....	1,189	-	1	-	1	2	3	6	3	13	13	50
Female.....	980	-	-	1	1	2	1	4	5	11	18	41
White, both sexes.....	681	-	-	-	1	1	1	4	-	6	5	32
Male.....	379	-	-	-	-	-	1	2	-	3	2	20
Female.....	302	-	-	-	1	1	-	2	-	3	3	12
Black, both sexes.....	18	-	1	-	-	-	-	1	1	-	-	3
Male.....	15	-	1	-	-	-	-	-	1	-	-	2
Female.....	3	-	-	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1,466	-	-	1	1	3	3	5	7	18	26	56
Male.....	794	-	-	-	1	2	2	4	2	10	11	28
Female.....	672	-	-	1	-	1	1	1	5	8	15	28

Idaho

All races, both sexes.....	2,368	1	1	2	-	3	4	7	10	9	36	61
Male.....	1,281	1	-	1	-	2	3	4	8	5	16	29
Female.....	1,087	-	1	1	-	1	1	3	2	4	20	32
White, both sexes.....	2,328	1	-	2	-	2	4	7	10	9	36	59
Male.....	1,255	1	-	1	-	2	3	4	8	5	16	27
Female.....	1,073	-	-	1	-	-	1	3	2	4	20	32
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	22	-	1	-	-	-	-	-	-	-	-	2
Male.....	14	-	-	-	-	-	-	-	-	-	-	2
Female.....	8	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	1	-	-	-	-	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Maine												
All races, both sexes.....	3,218	1	2	-	4	6	2	2	8	26	42	88
Male.....	1,692	1	-	-	4	2	-	2	3	11	21	44
Female.....	1,526	-	2	-	-	4	2	-	5	15	21	44
White, both sexes.....	3,189	1	2	-	4	6	2	2	8	25	41	86
Male.....	1,678	1	-	-	4	2	-	2	3	11	21	42
Female.....	1,511	-	2	-	-	4	2	-	5	14	20	44
Black, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	16	-	-	-	-	-	-	-	-	-	1	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	1	-	-
Maryland												
All races, both sexes.....	10,371	-	7	14	13	22	5	16	52	87	206	414
Male.....	5,290	-	5	8	4	13	2	10	24	38	78	185
Female.....	5,081	-	2	6	9	9	3	6	28	49	128	229
White, both sexes.....	7,589	-	5	8	9	13	2	13	29	51	117	252
Male.....	3,856	-	4	5	2	9	-	9	15	25	48	118
Female.....	3,733	-	1	3	7	4	2	4	14	26	69	134
Black, both sexes.....	2,559	-	2	6	4	7	2	3	19	34	81	148
Male.....	1,316	-	1	3	2	3	2	1	8	12	29	59
Female.....	1,243	-	1	3	2	4	-	2	11	22	52	89
American Indian 1/, both sexes.....	15	-	-	-	-	1	-	-	-	-	-	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	208	-	-	-	-	1	1	-	4	2	8	14
Male.....	111	-	-	-	-	1	-	-	1	1	1	8
Female.....	97	-	-	-	-	-	1	-	3	1	7	6

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Massachusetts												
All races, both sexes.....	13,182	-	10	12	3	11	19	20	46	85	196	367
Male.....	6,579	-	8	5	2	4	13	10	20	32	70	163
Female.....	6,603	-	2	7	1	7	6	10	26	53	126	204
White, both sexes.....	12,443	-	8	10	3	6	18	15	39	76	170	329
Male.....	6,187	-	7	4	2	2	12	9	14	29	62	147
Female.....	6,256	-	1	6	1	4	6	6	25	47	108	182
Black, both sexes.....	542	-	2	-	-	3	1	2	6	7	16	33
Male.....	275	-	1	-	-	-	1	1	5	2	6	14
Female.....	267	-	1	-	-	3	-	1	1	5	10	19
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	-	-	-	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	185	-	-	2	-	2	-	3	1	2	10	5
Male.....	110	-	-	1	-	2	-	-	1	1	2	2
Female.....	75	-	-	1	-	-	-	3	-	1	8	3
Michigan												
All races, both sexes.....	20,094	2	17	15	20	19	36	41	86	145	356	677
Male.....	10,310	2	9	6	11	13	19	26	35	52	161	311
Female.....	9,784	-	8	9	9	6	17	15	51	93	195	366
White, both sexes.....	17,308	1	14	11	14	15	28	31	60	115	281	531
Male.....	8,887	1	8	3	7	10	16	21	23	44	136	255
Female.....	8,421	-	6	8	7	5	12	10	37	71	145	276
Black, both sexes.....	2,576	1	3	3	5	4	6	9	22	25	68	134
Male.....	1,317	1	1	2	3	3	2	4	10	7	22	52
Female.....	1,259	-	2	1	2	1	4	5	12	18	46	82
American Indian 1/, both sexes.....	98	-	-	-	-	-	-	1	-	2	5	5
Male.....	47	-	-	-	-	-	-	1	-	-	3	3
Female.....	51	-	-	-	-	-	-	-	-	2	2	2
Asian or Pacific Islander 2/, both sexes.....	112	-	-	1	1	-	2	-	4	3	2	7
Male.....	59	-	-	1	1	-	1	-	2	1	-	1
Female.....	53	-	-	-	-	-	1	-	2	2	2	6

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Minnesota												
All races, both sexes.....	8,823	2	2	6	8	11	11	20	23	62	136	273
Male.....	4,463	2	2	4	3	8	6	12	9	36	63	123
Female.....	4,360	-	-	2	5	3	5	8	14	26	73	150
White, both sexes.....	8,468	1	2	5	6	10	9	17	18	53	122	242
Male.....	4,279	1	2	3	2	7	5	10	7	29	55	113
Female.....	4,189	-	-	2	4	3	4	7	11	24	67	129
Black, both sexes.....	207	1	-	-	1	1	-	3	-	6	9	19
Male.....	116	1	-	-	-	1	-	2	-	4	6	6
Female.....	91	-	-	-	1	-	-	1	-	2	3	13
American Indian 1/, both sexes.....	63	-	-	1	-	-	-	-	-	-	2	6
Male.....	34	-	-	1	-	-	-	-	-	-	1	3
Female.....	29	-	-	-	-	-	-	-	-	-	1	3
Asian or Pacific Islander 2/, both sexes.....	85	-	-	-	1	-	2	-	5	3	3	6
Male.....	34	-	-	-	1	-	1	-	2	3	1	1
Female.....	51	-	-	-	-	-	1	-	3	-	2	5
Mississippi												
All races, both sexes.....	6,065	-	3	7	5	7	16	15	41	50	136	268
Male.....	3,292	-	2	4	2	5	8	8	25	24	70	138
Female.....	2,773	-	1	3	3	2	8	7	16	26	66	130
White, both sexes.....	4,110	-	1	5	3	4	8	4	21	26	65	161
Male.....	2,230	-	1	3	1	3	4	2	11	16	41	86
Female.....	1,880	-	-	2	2	1	4	2	10	10	24	75
Black, both sexes.....	1,920	-	2	2	2	3	7	11	18	24	71	104
Male.....	1,046	-	1	1	1	2	4	6	13	8	29	51
Female.....	874	-	1	1	1	1	3	5	5	16	42	53
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	1	-	-	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	-	1	-	1	-	-	3
Male.....	7	-	-	-	-	-	-	-	1	-	-	1
Female.....	13	-	-	-	-	-	1	-	-	-	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Missouri												
All races, both sexes.....	12,419	1	3	9	7	22	23	32	55	82	245	424
Male.....	6,530	1	2	5	4	13	15	20	18	33	105	200
Female.....	5,889	-	1	4	3	9	8	12	37	49	140	224
White, both sexes.....	11,122	1	2	7	6	19	18	24	39	72	207	351
Male.....	5,843	1	1	4	3	10	13	15	15	30	91	164
Female.....	5,279	-	1	3	3	9	5	9	24	42	116	187
Black, both sexes.....	1,219	-	1	2	1	3	5	6	13	8	34	72
Male.....	654	-	1	1	1	3	2	3	2	3	11	35
Female.....	565	-	-	1	-	-	3	3	11	5	23	37
American Indian 1/, both sexes.....	28	-	-	-	-	-	-	1	-	1	2	-
Male.....	15	-	-	-	-	-	-	1	-	-	2	-
Female.....	13	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	50	-	-	-	-	-	-	1	3	1	2	1
Male.....	18	-	-	-	-	-	-	1	1	-	1	1
Female.....	32	-	-	-	-	-	-	-	2	1	1	-
Montana												
All races, both sexes.....	1,956	-	1	-	2	2	4	4	3	14	32	58
Male.....	1,023	-	1	-	2	-	2	2	1	8	11	27
Female.....	933	-	-	-	-	2	2	2	2	6	21	31
White, both sexes.....	1,864	-	-	-	2	2	3	4	3	11	27	48
Male.....	977	-	-	-	2	-	2	2	1	6	9	23
Female.....	887	-	-	-	-	2	1	2	2	5	18	25
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	86	-	1	-	-	-	-	-	-	3	5	10
Male.....	43	-	1	-	-	-	-	-	-	2	2	4
Female.....	43	-	-	-	-	-	-	-	-	1	3	6
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Nebraska												
All races, both sexes.....	3,355	-	5	5	3	5	7	9	9	25	41	87
Male.....	1,736	-	2	2	1	4	3	4	5	11	17	43
Female.....	1,619	-	3	3	2	1	4	5	4	14	24	44
White, both sexes.....	3,228	-	5	5	3	5	7	8	9	24	40	76
Male.....	1,676	-	2	2	1	4	3	3	5	11	17	36
Female.....	1,552	-	3	3	2	1	4	5	4	13	23	40
Black, both sexes.....	97	-	-	-	-	-	-	-	-	-	1	9
Male.....	43	-	-	-	-	-	-	-	-	-	-	6
Female.....	54	-	-	-	-	-	-	-	-	-	1	3
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	-	-	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	-	-	-	-	-	1	-	1	-	1
Male.....	9	-	-	-	-	-	-	1	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	1	-	1
Nevada												
All races, both sexes.....	4,238	-	5	3	5	2	6	11	20	27	66	126
Male.....	2,266	-	3	1	2	2	5	3	10	14	28	62
Female.....	1,972	-	2	2	3	-	1	8	10	13	38	64
White, both sexes.....	3,789	-	3	3	5	2	5	8	17	25	54	104
Male.....	2,022	-	2	1	2	2	4	2	9	13	25	52
Female.....	1,767	-	1	2	3	-	1	6	8	12	29	52
Black, both sexes.....	270	-	-	-	-	-	1	3	1	1	6	12
Male.....	161	-	-	-	-	-	1	1	-	-	2	4
Female.....	109	-	-	-	-	-	-	2	1	1	4	8
American Indian 1/, both sexes.....	18	-	-	-	-	-	-	-	-	-	-	2
Male.....	9	-	-	-	-	-	-	-	-	-	-	1
Female.....	9	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	161	-	2	-	-	-	-	-	2	1	6	8
Male.....	74	-	1	-	-	-	-	-	1	1	1	5
Female.....	87	-	1	-	-	-	-	-	1	-	5	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

New Hampshire

All races, both sexes.....	2,549	-	-	2	2	5	8	4	10	20	53	91
Male.....	1,296	-	-	2	1	3	5	2	3	7	28	39
Female.....	1,253	-	-	-	1	2	3	2	7	13	25	52
White, both sexes.....	2,529	-	-	2	2	5	8	4	10	20	53	90
Male.....	1,286	-	-	2	1	3	5	2	3	7	28	39
Female.....	1,243	-	-	-	1	2	3	2	7	13	25	51
Black, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	17,171	2	9	12	22	18	32	39	61	125	312	519
Male.....	8,452	1	4	8	14	8	22	22	27	52	131	224
Female.....	8,719	1	5	4	8	10	10	17	34	73	181	295
White, both sexes.....	14,780	2	6	11	13	17	24	24	47	89	228	401
Male.....	7,273	1	3	7	6	8	18	14	21	35	103	177
Female.....	7,507	1	3	4	7	9	6	10	26	54	125	224
Black, both sexes.....	2,030	-	1	1	8	1	7	12	6	26	69	96
Male.....	979	-	-	1	7	-	4	6	3	11	19	39
Female.....	1,051	-	1	-	1	1	3	6	3	15	50	57
American Indian 1/, both sexes.....	24	-	-	-	-	-	-	-	-	-	1	1
Male.....	12	-	-	-	-	-	-	-	-	-	1	-
Female.....	12	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	337	-	2	-	1	-	1	3	8	10	14	21
Male.....	188	-	1	-	1	-	-	2	3	6	8	8
Female.....	149	-	1	-	-	-	1	1	5	4	6	13

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
New Mexico												
All races, both sexes.....	3,141	2	4	3	-	4	4	10	18	24	46	104
Male.....	1,640	2	2	-	-	3	3	6	7	11	21	43
Female.....	1,501	-	2	3	-	1	1	4	11	13	25	61
White, both sexes.....	2,922	2	3	3	-	2	3	7	17	21	41	95
Male.....	1,540	2	2	-	-	2	3	5	6	9	18	42
Female.....	1,382	-	1	3	-	-	-	2	11	12	23	53
Black, both sexes.....	52	-	1	-	-	-	-	-	-	-	1	2
Male.....	24	-	-	-	-	-	-	-	-	-	1	1
Female.....	28	-	1	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	147	-	-	-	-	2	1	3	1	3	4	7
Male.....	68	-	-	-	-	1	-	1	1	2	2	-
Female.....	79	-	-	-	-	1	1	2	-	1	2	7
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	-	-	-	-	-	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	35,556	3	23	34	32	39	67	88	140	308	657	1,127
Male.....	17,446	3	11	21	18	21	43	54	62	119	278	526
Female.....	18,110	-	12	13	14	18	24	34	78	189	379	601
White, both sexes.....	29,660	3	16	23	25	31	46	58	100	210	459	805
Male.....	14,600	3	8	15	14	19	31	36	48	89	207	394
Female.....	15,060	-	8	8	11	12	15	22	52	121	252	411
Black, both sexes.....	4,857	-	7	6	5	8	15	20	27	77	162	264
Male.....	2,271	-	3	3	3	2	8	9	10	23	52	102
Female.....	2,586	-	4	3	2	6	7	11	17	54	110	162
American Indian 1/, both sexes.....	50	-	-	-	-	-	-	-	-	1	3	1
Male.....	25	-	-	-	-	-	-	-	-	1	3	-
Female.....	25	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	989	-	-	5	2	-	6	10	13	20	33	57
Male.....	550	-	-	3	1	-	4	9	4	6	16	30
Female.....	439	-	-	2	1	-	2	1	9	14	17	27

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Ohio												
All races, both sexes.....	24,702	3	11	19	18	30	23	58	76	182	449	862
Male.....	12,844	2	7	9	12	16	17	36	48	80	219	415
Female.....	11,858	1	4	10	6	14	6	22	28	102	230	447
White, both sexes.....	21,851	2	9	14	14	24	20	50	68	149	389	731
Male.....	11,384	1	5	9	9	13	15	32	44	67	188	356
Female.....	10,467	1	4	5	5	11	5	18	24	82	201	375
Black, both sexes.....	2,760	1	1	5	4	5	3	8	8	30	55	126
Male.....	1,416	1	1	-	3	2	2	4	4	12	26	57
Female.....	1,344	-	-	5	1	3	1	4	4	18	29	69
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	1	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	78	-	1	-	-	1	-	-	-	2	5	5
Male.....	38	-	1	-	-	1	-	-	-	1	5	2
Female.....	40	-	-	-	-	-	-	-	-	1	-	3
Oklahoma												
All races, both sexes.....	7,446	1	3	4	2	6	10	18	26	70	143	271
Male.....	3,979	1	3	3	1	5	4	12	9	34	72	148
Female.....	3,467	-	-	1	1	1	6	6	17	36	71	123
White, both sexes.....	6,528	1	3	2	2	5	6	15	22	60	119	221
Male.....	3,494	1	3	1	1	4	2	11	8	29	61	125
Female.....	3,034	-	-	1	1	1	4	4	14	31	58	96
Black, both sexes.....	459	-	-	1	-	1	1	1	2	8	11	22
Male.....	252	-	-	1	-	1	-	-	1	4	6	14
Female.....	207	-	-	-	-	-	1	1	1	4	5	8
American Indian 1/, both sexes.....	418	-	-	1	-	-	3	2	1	2	13	23
Male.....	213	-	-	1	-	-	2	1	-	1	5	6
Female.....	205	-	-	-	-	-	1	1	1	1	8	17
Asian or Pacific Islander 2/, both sexes.....	41	-	-	-	-	-	-	-	1	-	-	5
Male.....	20	-	-	-	-	-	-	-	-	-	-	3
Female.....	21	-	-	-	-	-	-	-	1	-	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Oregon												
All races, both sexes.....	7,326	-	7	8	9	7	11	19	29	42	103	230
Male.....	3,823	-	1	3	6	7	4	14	17	23	43	113
Female.....	3,503	-	6	5	3	-	7	5	12	19	60	117
White, both sexes.....	7,087	-	7	8	9	7	11	18	24	39	95	213
Male.....	3,709	-	1	3	6	7	4	14	16	20	41	104
Female.....	3,378	-	6	5	3	-	7	4	8	19	54	109
Black, both sexes.....	86	-	-	-	-	-	-	-	3	-	2	8
Male.....	42	-	-	-	-	-	-	-	1	-	1	3
Female.....	44	-	-	-	-	-	-	-	2	-	1	5
American Indian 1/, both sexes.....	52	-	-	-	-	-	-	-	-	1	2	4
Male.....	25	-	-	-	-	-	-	-	-	1	1	3
Female.....	27	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	101	-	-	-	-	-	-	1	2	2	4	5
Male.....	47	-	-	-	-	-	-	-	-	2	-	3
Female.....	54	-	-	-	-	-	-	1	2	-	4	2
Pennsylvania												
All races, both sexes.....	29,616	-	12	15	21	34	52	54	103	179	462	913
Male.....	15,158	-	3	10	13	23	33	28	51	73	219	441
Female.....	14,458	-	9	5	8	11	19	26	52	106	243	472
White, both sexes.....	26,842	-	7	13	17	26	47	46	76	155	390	784
Male.....	13,777	-	2	8	12	16	29	23	35	59	190	370
Female.....	13,065	-	5	5	5	10	18	23	41	96	200	414
Black, both sexes.....	2,615	-	4	2	3	7	4	7	25	20	67	123
Male.....	1,296	-	-	2	1	6	3	4	16	11	29	66
Female.....	1,319	-	4	-	2	1	1	3	9	9	38	57
American Indian 1/, both sexes.....	18	-	-	-	-	-	1	-	-	-	-	1
Male.....	12	-	-	-	-	-	1	-	-	-	-	1
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	141	-	1	-	1	1	-	1	2	4	5	5
Male.....	73	-	1	-	-	1	-	1	-	3	-	4
Female.....	68	-	-	-	1	-	-	-	2	1	5	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
South Dakota												
All races, both sexes.....	1,612	-	1	-	-	3	2	8	5	10	24	38
Male.....	867	-	-	-	-	3	1	2	1	4	16	24
Female.....	745	-	1	-	-	-	1	6	4	6	8	14
White, both sexes.....	1,525	-	1	-	-	2	2	7	5	8	22	33
Male.....	821	-	-	-	-	2	1	2	1	3	14	20
Female.....	704	-	1	-	-	-	1	5	4	5	8	13
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	81	-	-	-	-	1	-	1	-	2	2	3
Male.....	42	-	-	-	-	1	-	-	-	1	2	2
Female.....	39	-	-	-	-	-	-	1	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	12,995	3	9	11	16	17	22	30	55	122	256	524
Male.....	6,913	-	5	8	9	9	8	17	27	41	113	254
Female.....	6,082	3	4	3	7	8	14	13	28	81	143	270
White, both sexes.....	11,014	3	7	9	12	14	15	21	42	96	198	405
Male.....	5,879	-	3	6	5	7	6	11	22	32	88	206
Female.....	5,135	3	4	3	7	7	9	10	20	64	110	199
Black, both sexes.....	1,917	-	1	1	4	3	6	9	12	26	57	115
Male.....	997	-	1	1	4	2	1	6	5	9	25	48
Female.....	920	-	-	-	-	1	5	3	7	17	32	67
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	-	-	-
Male.....	13	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	49	-	1	1	-	-	1	-	1	-	1	4
Male.....	24	-	1	1	-	-	1	-	-	-	-	-
Female.....	25	-	-	-	-	-	-	-	1	-	1	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Texas												
All races, both sexes.....	34,291	8	36	54	52	58	96	102	184	309	773	1,407
Male.....	18,280	4	19	30	27	40	56	51	75	126	314	680
Female.....	16,011	4	17	24	25	18	40	51	109	183	459	727
White, both sexes.....	29,534	4	30	48	44	50	78	79	145	261	629	1,100
Male.....	15,844	1	16	26	23	34	44	42	64	108	257	541
Female.....	13,690	3	14	22	21	16	34	37	81	153	372	559
Black, both sexes.....	4,285	3	5	5	6	8	15	16	33	38	124	276
Male.....	2,195	2	2	3	4	6	10	5	9	15	53	128
Female.....	2,090	1	3	2	2	2	5	11	24	23	71	148
American Indian 1/, both sexes.....	33	-	-	-	-	-	-	-	-	-	2	-
Male.....	19	-	-	-	-	-	-	-	-	-	1	-
Female.....	14	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	439	1	1	1	2	-	3	7	6	10	18	31
Male.....	222	1	1	1	-	-	2	4	2	3	3	11
Female.....	217	-	-	-	2	-	1	3	4	7	15	20
Utah												
All races, both sexes.....	2,520	-	5	3	2	8	9	16	13	29	59	87
Male.....	1,348	-	3	2	2	6	5	8	8	14	27	40
Female.....	1,172	-	2	1	-	2	4	8	5	15	32	47
White, both sexes.....	2,435	-	5	3	2	7	9	14	13	27	54	85
Male.....	1,304	-	3	2	2	5	5	8	8	14	24	39
Female.....	1,131	-	2	1	-	2	4	6	5	13	30	46
Black, both sexes.....	18	-	-	-	-	-	-	-	-	-	1	1
Male.....	11	-	-	-	-	-	-	-	-	-	-	1
Female.....	7	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	-	-	-	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	55	-	-	-	-	1	-	2	-	2	4	1
Male.....	26	-	-	-	-	1	-	-	-	-	3	-
Female.....	29	-	-	-	-	-	-	2	-	2	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Vermont												
All races, both sexes.....	1,202	-	-	2	2	-	1	1	3	10	14	50
Male.....	613	-	-	1	1	-	-	1	3	7	4	22
Female.....	589	-	-	1	1	-	1	-	-	3	10	28
White, both sexes.....	1,196	-	-	2	2	-	1	1	3	10	14	50
Male.....	609	-	-	1	1	-	-	1	3	7	4	22
Female.....	587	-	-	1	1	-	1	-	-	3	10	28
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	13,877	1	8	10	17	11	27	37	60	120	262	538
Male.....	7,212	1	3	7	9	5	15	16	26	48	120	231
Female.....	6,665	-	5	3	8	6	12	21	34	72	142	307
White, both sexes.....	10,850	1	6	5	12	9	21	19	42	76	179	363
Male.....	5,610	1	1	4	6	4	11	10	20	38	86	159
Female.....	5,240	-	5	1	6	5	10	9	22	38	93	204
Black, both sexes.....	2,761	-	2	5	5	2	6	17	16	38	73	155
Male.....	1,482	-	2	3	3	1	4	6	6	9	29	62
Female.....	1,279	-	-	2	2	1	2	11	10	29	44	93
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	-	-	1	-
Male.....	9	-	-	-	-	-	-	-	-	-	1	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	249	-	-	-	-	-	-	1	2	6	9	20
Male.....	111	-	-	-	-	-	-	-	-	1	4	10
Female.....	138	-	-	-	-	-	-	1	2	5	5	10

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

United States

All races, both sexes.....	30,953	44,358	54,882	63,036	75,410	85,861	80,560	52,871	23,759	6,068	757	9
Male.....	16,140	23,993	30,046	35,112	41,573	45,989	41,107	24,960	9,940	2,108	189	5
Female.....	14,813	20,365	24,836	27,924	33,837	39,872	39,453	27,911	13,819	3,960	568	4
White, both sexes.....	24,582	36,277	46,162	53,698	65,582	76,278	72,454	47,874	21,491	5,395	644	5
Male.....	12,892	19,566	25,250	29,911	36,169	40,996	36,919	22,593	8,972	1,843	151	3
Female.....	11,690	16,711	20,912	23,787	29,413	35,282	35,535	25,281	12,519	3,552	493	2
Black, both sexes.....	5,320	6,760	7,200	7,733	7,986	7,763	6,532	3,991	1,855	583	99	4
Male.....	2,725	3,754	4,013	4,312	4,412	4,034	3,352	1,864	771	221	31	2
Female.....	2,595	3,006	3,187	3,421	3,574	3,729	3,180	2,127	1,084	362	68	2
American Indian 1/, both sexes.....	203	256	324	334	342	293	225	127	43	13	-	-
Male.....	99	149	172	175	183	146	121	67	20	8	-	-
Female.....	104	107	152	159	159	147	104	60	23	5	-	-
Asian or Pacific Islander 2/, both sexes.....	848	1,065	1,196	1,271	1,500	1,527	1,349	879	370	77	14	-
Male.....	424	524	611	714	809	813	715	436	177	36	7	-
Female.....	424	541	585	557	691	714	634	443	193	41	7	-

Alabama

All races, both sexes.....	590	853	1,045	1,228	1,400	1,478	1,278	804	376	89	16	-
Male.....	308	507	598	706	788	815	655	372	153	36	4	-
Female.....	282	346	447	522	612	663	623	432	223	53	12	-
White, both sexes.....	379	604	804	947	1,138	1,190	1,045	637	278	63	10	-
Male.....	198	355	453	540	654	646	528	296	104	25	2	-
Female.....	181	249	351	407	484	544	517	341	174	38	8	-
Black, both sexes.....	204	247	233	277	259	283	233	166	98	26	6	-
Male.....	107	152	142	164	134	167	127	76	49	11	2	-
Female.....	97	95	91	113	125	116	106	90	49	15	4	-
American Indian 1/, both sexes.....	3	-	4	2	1	2	-	-	-	-	-	-
Male.....	2	-	2	2	-	1	-	-	-	-	-	-
Female.....	1	-	2	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	4	2	2	3	-	1	-	-	-	-
Male.....	1	-	1	-	-	1	-	-	-	-	-	-
Female.....	3	2	3	2	2	2	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms (C00-C97)

Alaska

All races, both sexes.....	67	72	91	94	102	83	67	55	17	-	1	-
Male.....	38	36	56	52	61	44	34	31	8	-	1	-
Female.....	29	36	35	42	41	39	33	24	9	-	-	-
White, both sexes.....	48	47	70	73	79	56	51	45	15	-	1	-
Male.....	28	23	46	42	47	29	24	23	7	-	1	-
Female.....	20	24	24	31	32	27	27	22	8	-	-	-
Black, both sexes.....	6	4	3	2	1	3	-	2	-	-	-	-
Male.....	2	2	2	2	1	2	-	2	-	-	-	-
Female.....	4	2	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	12	16	14	17	20	16	13	7	1	-	-	-
Male.....	7	9	6	7	12	10	9	6	-	-	-	-
Female.....	5	7	8	10	8	6	4	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	5	4	2	2	8	3	1	1	-	-	-
Male.....	1	2	2	1	1	3	1	-	1	-	-	-
Female.....	-	3	2	1	1	5	2	1	-	-	-	-

Arizona

All races, both sexes.....	462	753	971	1,190	1,408	1,532	1,440	918	377	104	11	-
Male.....	226	406	527	678	792	865	776	455	179	42	4	-
Female.....	236	347	444	512	616	667	664	463	198	62	7	-
White, both sexes.....	425	700	905	1,120	1,345	1,489	1,400	882	365	99	10	-
Male.....	209	377	496	642	759	845	753	435	174	39	3	-
Female.....	216	323	409	478	586	644	647	447	191	60	7	-
Black, both sexes.....	20	26	29	35	36	18	19	15	4	2	1	-
Male.....	12	17	12	17	19	9	10	7	1	-	1	-
Female.....	8	9	17	18	17	9	9	8	3	2	-	-
American Indian 1/, both sexes.....	12	19	25	25	18	17	11	18	7	3	-	-
Male.....	2	9	16	11	11	9	5	13	3	3	-	-
Female.....	10	10	9	14	7	8	6	5	4	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	8	12	10	9	8	10	3	1	-	-	-
Male.....	3	3	3	8	3	2	8	-	1	-	-	-
Female.....	2	5	9	2	6	6	2	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms (C00-C97)

Arkansas

All races, both sexes.....	347	502	701	832	920	929	830	483	283	64	11	-
Male.....	183	288	389	489	538	539	451	237	135	21	2	-
Female.....	164	214	312	343	382	390	379	246	148	43	9	-
White, both sexes.....	283	420	603	725	831	819	739	418	237	57	7	-
Male.....	148	243	328	426	492	472	402	202	114	18	1	-
Female.....	135	177	275	299	339	347	337	216	123	39	6	-
Black, both sexes.....	61	82	98	99	85	107	88	63	44	7	4	-
Male.....	35	45	61	58	44	65	47	34	20	3	1	-
Female.....	26	37	37	41	41	42	41	29	24	4	3	-
American Indian 1/, both sexes.....	2	-	-	4	-	1	1	2	-	-	-	-
Male.....	-	-	-	2	-	-	1	1	-	-	-	-
Female.....	2	-	-	2	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	4	4	2	2	-	2	-	-	-
Male.....	-	-	-	3	2	2	1	-	1	-	-	-
Female.....	1	-	-	1	2	-	1	-	1	-	-	-

California

All races, both sexes.....	3,012	4,285	5,056	5,843	7,158	8,180	8,269	5,418	2,377	660	79	3
Male.....	1,468	2,186	2,685	3,137	3,807	4,258	4,297	2,632	1,063	255	21	1
Female.....	1,544	2,099	2,371	2,706	3,351	3,922	3,972	2,786	1,314	405	58	2
White, both sexes.....	2,339	3,432	4,082	4,778	5,936	6,946	7,135	4,684	2,097	576	68	2
Male.....	1,168	1,748	2,174	2,544	3,162	3,590	3,656	2,280	935	220	15	-
Female.....	1,171	1,684	1,908	2,234	2,774	3,356	3,479	2,404	1,162	356	53	2
Black, both sexes.....	334	408	467	516	549	521	485	274	116	42	3	1
Male.....	144	221	253	297	295	269	272	129	50	13	1	1
Female.....	190	187	214	219	254	252	213	145	66	29	2	-
American Indian 1/, both sexes.....	15	15	22	36	37	32	25	12	3	2	-	-
Male.....	8	12	12	22	21	17	15	5	2	1	-	-
Female.....	7	3	10	14	16	15	10	7	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	324	430	485	513	636	681	624	448	161	40	8	-
Male.....	148	205	246	274	329	382	354	218	76	21	5	-
Female.....	176	225	239	239	307	299	270	230	85	19	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms (C00-C97)

Colorado

All races, both sexes.....	400	517	613	671	847	986	890	608	281	64	2	-
Male.....	200	251	326	355	443	509	452	286	122	20	-	-
Female.....	200	266	287	316	404	477	438	322	159	44	2	-
White, both sexes.....	370	472	575	631	797	928	854	589	269	64	2	-
Male.....	183	228	306	333	416	479	437	279	117	20	-	-
Female.....	187	244	269	298	381	449	417	310	152	44	2	-
Black, both sexes.....	19	28	27	23	37	32	21	13	6	-	-	-
Male.....	12	16	16	14	23	18	8	4	2	-	-	-
Female.....	7	12	11	9	14	14	13	9	4	-	-	-
American Indian 1/, both sexes.....	3	3	5	5	3	3	1	3	1	-	-	-
Male.....	1	3	1	2	1	1	-	1	1	-	-	-
Female.....	2	-	4	3	2	2	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	14	6	12	10	23	14	3	5	-	-	-
Male.....	4	4	3	6	3	11	7	2	2	-	-	-
Female.....	4	10	3	6	7	12	7	1	3	-	-	-

Connecticut

All races, both sexes.....	332	466	658	664	904	1,110	1,121	869	426	95	16	-
Male.....	160	245	346	357	471	593	570	394	171	29	4	-
Female.....	172	221	312	307	433	517	551	475	255	66	12	-
White, both sexes.....	288	410	587	599	831	1,049	1,073	833	416	94	15	-
Male.....	140	221	305	325	436	562	544	375	167	29	4	-
Female.....	148	189	282	274	395	487	529	458	249	65	11	-
Black, both sexes.....	40	50	66	57	61	58	38	31	10	1	1	-
Male.....	18	21	40	26	30	29	18	17	4	-	-	-
Female.....	22	29	26	31	31	29	20	14	6	1	1	-
American Indian 1/, both sexes.....	-	-	1	1	-	1	2	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	6	4	7	12	2	8	5	-	-	-	-
Male.....	2	3	1	5	5	1	7	2	-	-	-	-
Female.....	2	3	3	2	7	1	1	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Delaware

All races, both sexes.....	95	152	182	218	248	304	251	156	66	19	2	-
Male.....	51	87	102	133	130	156	129	66	28	9	1	-
Female.....	44	65	80	85	118	148	122	90	38	10	1	-
White, both sexes.....	71	125	142	179	210	266	221	142	59	15	2	-
Male.....	36	72	76	108	112	138	112	59	27	7	1	-
Female.....	35	53	66	71	98	128	109	83	32	8	1	-
Black, both sexes.....	24	26	40	38	35	37	30	12	6	4	-	-
Male.....	15	14	26	24	15	18	17	5	1	2	-	-
Female.....	9	12	14	14	20	19	13	7	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	1	1	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	2	1	-	1	-	-	-	-
Male.....	-	1	-	1	2	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	72	103	129	116	158	160	144	101	57	14	3	1
Male.....	37	60	77	66	92	76	70	56	22	9	-	-
Female.....	35	43	52	50	66	84	74	45	35	5	3	1
White, both sexes.....	7	19	26	17	40	39	31	44	27	7	-	-
Male.....	4	9	18	9	27	20	15	26	11	4	-	-
Female.....	3	10	8	8	13	19	16	18	16	3	-	-
Black, both sexes.....	63	83	100	97	117	118	113	56	30	7	3	1
Male.....	32	50	58	56	65	53	55	29	11	5	-	-
Female.....	31	33	42	41	52	65	58	27	19	2	3	1
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	2	1	3	-	1	-	-	-	-
Male.....	1	1	-	1	-	3	-	1	-	-	-	-
Female.....	1	-	1	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms (C00-C97)

Florida

All races, both sexes.....	1,980	2,962	3,729	4,581	5,610	6,569	6,163	4,054	1,799	450	43	-
Male.....	1,054	1,605	2,083	2,642	3,263	3,644	3,324	2,064	849	166	16	-
Female.....	926	1,357	1,646	1,939	2,347	2,925	2,839	1,990	950	284	27	-
White, both sexes.....	1,604	2,523	3,283	4,053	5,057	6,099	5,791	3,810	1,686	410	40	-
Male.....	857	1,359	1,823	2,343	2,937	3,390	3,124	1,935	799	152	15	-
Female.....	747	1,164	1,460	1,710	2,120	2,709	2,667	1,875	887	258	25	-
Black, both sexes.....	337	407	409	498	514	434	348	219	107	38	3	-
Male.....	178	235	241	282	307	238	190	113	47	13	1	-
Female.....	159	172	168	216	207	196	158	106	60	25	2	-
American Indian 1/, both sexes.....	4	5	6	6	6	8	5	4	-	-	-	-
Male.....	1	2	4	4	4	6	4	3	-	-	-	-
Female.....	3	3	2	2	2	2	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	27	31	24	33	28	19	21	6	2	-	-
Male.....	18	9	15	13	15	10	6	13	3	1	-	-
Female.....	17	18	16	11	18	18	13	8	3	1	-	-

Georgia

All races, both sexes.....	977	1,343	1,661	1,786	1,955	1,955	1,686	1,068	430	112	25	-
Male.....	532	762	974	1,039	1,112	1,034	823	503	173	34	4	-
Female.....	445	581	687	747	843	921	863	565	257	78	21	-
White, both sexes.....	591	914	1,187	1,311	1,500	1,575	1,359	850	308	82	14	-
Male.....	339	531	696	770	856	856	652	406	123	23	2	-
Female.....	252	383	491	541	644	719	707	444	185	59	12	-
Black, both sexes.....	367	410	454	458	433	368	317	213	120	29	11	-
Male.....	183	221	265	263	246	170	166	95	49	10	2	-
Female.....	184	189	189	195	187	198	151	118	71	19	9	-
American Indian 1/, both sexes.....	2	6	2	-	3	3	2	1	-	1	-	-
Male.....	1	3	2	-	2	2	1	-	-	1	-	-
Female.....	1	3	-	-	1	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	13	18	17	19	9	8	4	2	-	-	-
Male.....	9	7	11	6	8	6	4	2	1	-	-	-
Female.....	8	6	7	11	11	3	4	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms (C00-C97)

Hawaii

All races, both sexes.....	112	185	206	213	282	352	307	208	100	25	3	-
Male.....	66	98	112	129	167	202	159	110	45	8	1	-
Female.....	46	87	94	84	115	150	148	98	55	17	2	-
White, both sexes.....	41	59	81	70	79	116	76	69	29	11	-	-
Male.....	26	37	47	37	48	68	43	31	11	3	-	-
Female.....	15	22	34	33	31	48	33	38	18	8	-	-
Black, both sexes.....	1	3	3	2	-	2	1	-	-	-	-	-
Male.....	1	3	3	2	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	69	122	121	141	203	234	229	139	71	14	3	-
Male.....	38	58	62	90	119	133	115	79	34	5	1	-
Female.....	31	64	59	51	84	101	114	60	37	9	2	-

Idaho

All races, both sexes.....	124	170	215	292	321	373	349	248	115	26	1	-
Male.....	64	91	120	162	191	217	185	124	46	12	-	-
Female.....	60	79	95	130	130	156	164	124	69	14	1	-
White, both sexes.....	122	166	213	285	314	370	343	245	113	26	1	-
Male.....	63	88	118	157	188	216	180	121	45	12	-	-
Female.....	59	78	95	128	126	154	163	124	68	14	1	-
Black, both sexes.....	-	-	-	2	1	-	1	-	-	-	-	-
Male.....	-	-	-	2	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	3	2	4	2	3	1	2	1	-	-	-
Male.....	1	2	2	2	-	1	1	2	1	-	-	-
Female.....	-	1	-	2	2	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	4	-	4	1	1	-	-	-
Male.....	-	1	-	1	2	-	3	1	-	-	-	-
Female.....	1	-	-	-	2	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms (C00-C97)

Illinois

All races, both sexes.....	1,308	1,906	2,317	2,553	3,207	3,764	3,605	2,397	1,137	290	33	-
Male.....	663	1,023	1,252	1,361	1,714	1,965	1,811	1,120	454	95	6	-
Female.....	645	883	1,065	1,192	1,493	1,799	1,794	1,277	683	195	27	-
White, both sexes.....	997	1,489	1,823	2,038	2,692	3,234	3,192	2,170	1,015	255	27	-
Male.....	498	803	990	1,088	1,437	1,706	1,613	1,004	400	83	3	-
Female.....	499	686	833	950	1,255	1,528	1,579	1,166	615	172	24	-
Black, both sexes.....	282	383	455	464	472	496	377	198	102	34	6	-
Male.....	150	202	244	244	257	239	182	105	43	11	3	-
Female.....	132	181	211	220	215	257	195	93	59	23	3	-
American Indian 1/, both sexes.....	-	2	2	1	2	1	-	3	-	-	-	-
Male.....	-	1	2	1	2	-	-	1	-	-	-	-
Female.....	-	1	-	-	-	1	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	32	37	50	41	33	36	26	20	1	-	-
Male.....	15	17	16	28	18	20	16	10	11	1	-	-
Female.....	14	15	21	22	23	13	20	16	9	-	-	-

Indiana

All races, both sexes.....	709	1,039	1,249	1,504	1,765	2,008	1,827	1,140	492	130	20	-
Male.....	357	584	695	865	969	1,072	920	521	198	46	1	-
Female.....	352	455	554	639	796	936	907	619	294	84	19	-
White, both sexes.....	627	934	1,141	1,378	1,614	1,848	1,741	1,064	463	122	20	-
Male.....	319	521	634	786	897	985	879	485	185	45	1	-
Female.....	308	413	507	592	717	863	862	579	278	77	19	-
Black, both sexes.....	77	103	104	121	143	157	85	75	29	8	-	-
Male.....	38	62	59	74	71	87	40	36	13	1	-	-
Female.....	39	41	45	47	72	70	45	39	16	7	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	2	5	8	3	1	-	-	-	-	-
Male.....	-	1	1	5	1	-	1	-	-	-	-	-
Female.....	5	1	1	-	7	3	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms (C00-C97)

Iowa

All races, both sexes.....	277	433	577	684	854	968	1,072	758	339	96	8	-
Male.....	145	239	308	382	478	551	581	363	139	33	1	-
Female.....	132	194	269	302	376	417	491	395	200	63	7	-
White, both sexes.....	265	423	568	667	841	948	1,059	752	334	96	8	-
Male.....	137	232	303	370	470	540	576	358	135	33	1	-
Female.....	128	191	265	297	371	408	483	394	199	63	7	-
Black, both sexes.....	9	9	4	14	11	16	10	5	4	-	-	-
Male.....	6	6	3	10	7	10	4	4	3	-	-	-
Female.....	3	3	1	4	4	6	6	1	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	5	3	1	3	2	1	-	-	-	-
Male.....	2	1	2	2	1	1	1	1	-	-	-	-
Female.....	-	-	3	1	-	2	1	-	-	-	-	-

Kansas

All races, both sexes.....	289	367	525	583	729	863	835	543	256	70	4	-
Male.....	144	200	308	304	396	467	429	262	117	17	1	-
Female.....	145	167	217	279	333	396	406	281	139	53	3	-
White, both sexes.....	265	331	476	538	685	809	787	529	241	69	4	-
Male.....	128	176	281	284	377	437	404	254	111	17	1	-
Female.....	137	155	195	254	308	372	383	275	130	52	3	-
Black, both sexes.....	22	29	38	37	34	44	41	11	14	-	-	-
Male.....	14	19	23	17	15	25	20	5	6	-	-	-
Female.....	8	10	15	20	19	19	21	6	8	-	-	-
American Indian 1/, both sexes.....	2	3	3	3	7	8	4	1	-	1	-	-
Male.....	2	2	1	1	3	4	2	1	-	-	-	-
Female.....	-	1	2	2	4	4	2	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	8	5	3	2	3	2	1	-	-	-
Male.....	-	3	3	2	1	1	3	2	-	-	-	-
Female.....	-	1	5	3	2	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms (C00-C97)

Kentucky

All races, both sexes.....	514	765	1,118	1,244	1,382	1,422	1,240	723	326	68	3	-
Male.....	278	408	635	746	775	797	628	353	125	20	-	-
Female.....	236	357	483	498	607	625	612	370	201	48	3	-
White, both sexes.....	468	704	1,055	1,174	1,300	1,345	1,160	683	301	63	2	-
Male.....	258	372	596	717	722	754	590	330	118	18	-	-
Female.....	210	332	459	457	578	591	570	353	183	45	2	-
Black, both sexes.....	43	59	61	67	77	73	76	39	23	5	1	-
Male.....	20	35	38	29	51	39	37	22	6	2	-	-
Female.....	23	24	23	38	26	34	39	17	17	3	1	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	1	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	1	3	4	4	3	-	2	-	-	-
Male.....	-	1	-	-	2	4	1	-	1	-	-	-
Female.....	3	1	1	3	2	-	2	-	1	-	-	-

Louisiana

All races, both sexes.....	570	836	973	1,083	1,254	1,372	1,176	724	323	83	12	-
Male.....	300	465	546	606	685	785	610	349	129	32	6	-
Female.....	270	371	427	477	569	587	566	375	194	51	6	-
White, both sexes.....	323	512	681	748	904	1,031	897	547	248	54	8	-
Male.....	178	281	379	426	494	586	464	257	101	17	4	-
Female.....	145	231	302	322	410	445	433	290	147	37	4	-
Black, both sexes.....	241	322	287	333	345	330	277	173	74	29	4	-
Male.....	119	183	164	179	188	192	145	88	28	15	2	-
Female.....	122	139	123	154	157	138	132	85	46	14	2	-
American Indian 1/, both sexes.....	1	-	-	2	3	3	-	-	1	-	-	-
Male.....	1	-	-	1	1	2	-	-	-	-	-	-
Female.....	-	-	-	1	2	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	5	-	2	8	2	4	-	-	-	-
Male.....	2	1	3	-	2	5	1	4	-	-	-	-
Female.....	3	1	2	-	-	3	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms (C00-C97)

Maine

All races, both sexes.....	157	265	323	336	442	505	482	332	159	29	7	-
Male.....	99	158	171	180	244	262	257	152	72	8	1	-
Female.....	58	107	152	156	198	243	225	180	87	21	6	-
White, both sexes.....	155	261	320	332	439	498	480	332	159	29	7	-
Male.....	97	155	169	180	243	259	256	152	72	8	1	-
Female.....	58	106	151	152	196	239	224	180	87	21	6	-
Black, both sexes.....	1	-	-	-	1	3	-	-	-	-	-	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	3	3	2	3	1	-	-	-	-	-
Male.....	1	1	2	-	-	2	1	-	-	-	-	-
Female.....	-	-	1	3	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	-	1	-	1	1	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	1	-	-	-	-	-

Maryland

All races, both sexes.....	631	871	1,067	1,233	1,315	1,541	1,474	892	396	100	15	-
Male.....	336	463	589	681	715	826	686	420	167	38	2	-
Female.....	295	408	478	552	600	715	788	472	229	62	13	-
White, both sexes.....	388	565	749	853	968	1,226	1,191	726	332	78	14	-
Male.....	218	297	411	457	524	650	549	342	142	29	2	-
Female.....	170	268	338	396	444	576	642	384	190	49	12	-
Black, both sexes.....	226	291	291	349	318	284	262	150	59	22	1	-
Male.....	110	156	160	203	175	164	129	69	21	9	-	-
Female.....	116	135	131	146	143	120	133	81	38	13	1	-
American Indian 1/, both sexes.....	1	1	3	1	2	2	2	1	1	-	-	-
Male.....	-	1	2	1	1	1	1	-	-	-	-	-
Female.....	1	-	1	-	1	1	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	14	24	30	27	29	19	15	4	-	-	-
Male.....	8	9	16	20	15	11	7	9	4	-	-	-
Female.....	8	5	8	10	12	18	12	6	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Massachusetts

All races, both sexes.....	646	977	1,166	1,352	1,717	2,100	2,117	1,453	694	170	21	-
Male.....	353	518	613	714	928	1,098	1,027	675	259	63	4	-
Female.....	293	459	553	638	789	1,002	1,090	778	435	107	17	-
White, both sexes.....	594	903	1,080	1,245	1,627	2,023	2,042	1,397	677	162	19	-
Male.....	322	478	565	649	879	1,058	988	644	253	59	4	-
Female.....	272	425	515	596	748	965	1,054	753	424	103	15	-
Black, both sexes.....	35	57	68	70	64	58	54	45	12	7	2	-
Male.....	17	27	37	45	34	29	25	24	4	3	-	-
Female.....	18	30	31	25	30	29	29	21	8	4	2	-
American Indian 1/, both sexes.....	1	1	-	2	1	3	1	2	-	1	-	-
Male.....	1	-	-	1	1	2	-	1	-	1	-	-
Female.....	-	1	-	1	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	16	18	35	25	16	20	9	5	-	-	-
Male.....	13	13	11	19	14	9	14	6	2	-	-	-
Female.....	3	3	7	16	11	7	6	3	3	-	-	-

Michigan

All races, both sexes.....	1,186	1,622	2,000	2,314	2,697	3,123	2,900	1,844	780	191	23	-
Male.....	650	884	1,077	1,249	1,489	1,635	1,448	847	304	72	10	-
Female.....	536	738	923	1,065	1,208	1,488	1,452	997	476	119	13	-
White, both sexes.....	946	1,301	1,643	2,006	2,387	2,786	2,573	1,676	704	168	17	-
Male.....	517	708	897	1,071	1,311	1,465	1,278	765	279	65	7	-
Female.....	429	593	746	935	1,076	1,321	1,295	911	425	103	10	-
Black, both sexes.....	229	291	323	290	285	319	300	157	73	23	6	-
Male.....	127	164	161	166	165	162	155	76	24	7	3	-
Female.....	102	127	162	124	120	157	145	81	49	16	3	-
American Indian 1/, both sexes.....	7	12	18	10	11	10	11	6	-	-	-	-
Male.....	3	5	8	7	4	4	6	3	-	-	-	-
Female.....	4	7	10	3	7	6	5	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	18	16	8	14	8	16	5	3	-	-	-
Male.....	3	7	11	5	9	4	9	3	1	-	-	-
Female.....	1	11	5	3	5	4	7	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
Minnesota												
All races, both sexes.....	454	672	775	892	1,148	1,346	1,334	968	494	152	34	-
Male.....	206	354	409	478	616	739	680	456	185	62	10	-
Female.....	248	318	366	414	532	607	654	512	309	90	24	-
White, both sexes.....	421	627	725	859	1,109	1,305	1,308	958	487	150	34	-
Male.....	191	330	384	459	591	719	672	447	182	60	10	-
Female.....	230	297	341	400	518	586	636	511	305	90	24	-
Black, both sexes.....	20	29	30	22	21	21	13	7	3	1	-	-
Male.....	11	13	18	12	15	14	4	7	1	1	-	-
Female.....	9	16	12	10	6	7	9	-	2	-	-	-
American Indian 1/, both sexes.....	5	4	12	7	8	9	6	1	2	-	-	-
Male.....	2	3	5	6	6	3	3	-	1	-	-	-
Female.....	3	1	7	1	2	6	3	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	12	8	4	10	11	7	2	2	1	-	-
Male.....	2	8	2	1	4	3	1	2	1	1	-	-
Female.....	6	4	6	3	6	8	6	-	1	-	-	-
Mississippi												
All races, both sexes.....	376	578	661	750	826	828	747	446	230	56	19	-
Male.....	203	324	380	435	477	458	381	225	91	22	10	-
Female.....	173	254	281	315	349	370	366	221	139	34	9	-
White, both sexes.....	211	370	439	539	573	610	548	313	161	39	9	-
Male.....	119	204	249	303	336	339	281	159	57	12	3	-
Female.....	92	166	190	236	237	271	267	154	104	27	6	-
Black, both sexes.....	160	201	219	207	251	215	196	131	69	17	10	-
Male.....	83	116	130	129	140	117	99	65	34	10	7	-
Female.....	77	85	89	78	111	98	97	66	35	7	3	-
American Indian 1/, both sexes.....	1	4	2	3	-	2	1	1	-	-	-	-
Male.....	1	3	1	2	-	1	1	-	-	-	-	-
Female.....	-	1	1	1	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	1	1	2	1	2	1	-	-	-	-
Male.....	-	1	-	1	1	1	-	1	-	-	-	-
Female.....	4	2	1	-	1	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Missouri

All races, both sexes.....	689	953	1,244	1,391	1,777	1,933	1,764	1,102	507	140	14	2
Male.....	374	515	689	800	991	1,048	919	509	213	53	2	1
Female.....	315	438	555	591	786	885	845	593	294	87	12	1
White, both sexes.....	582	809	1,098	1,222	1,619	1,785	1,631	1,021	471	124	13	1
Male.....	316	438	609	695	904	970	842	474	196	49	2	1
Female.....	266	371	489	527	715	815	789	547	275	75	11	-
Black, both sexes.....	97	127	139	163	152	137	129	77	35	16	1	1
Male.....	54	69	79	102	85	74	75	34	16	4	-	-
Female.....	43	58	60	61	67	63	54	43	19	12	1	1
American Indian 1/, both sexes.....	5	8	1	3	2	3	1	1	-	-	-	-
Male.....	3	3	-	2	1	2	1	-	-	-	-	-
Female.....	2	5	1	1	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	9	6	3	4	8	3	3	1	-	-	-
Male.....	1	5	1	1	1	2	1	1	1	-	-	-
Female.....	4	4	5	2	3	6	2	2	-	-	-	-

Montana

All races, both sexes.....	107	140	180	224	266	329	276	214	80	20	-	-
Male.....	63	74	92	123	155	166	136	115	38	7	-	-
Female.....	44	66	88	101	111	163	140	99	42	13	-	-
White, both sexes.....	99	135	169	211	254	319	267	210	80	20	-	-
Male.....	59	70	88	116	146	161	132	115	38	7	-	-
Female.....	40	65	81	95	108	158	135	95	42	13	-	-
Black, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	8	5	10	12	11	8	9	4	-	-	-	-
Male.....	4	4	3	7	8	4	4	-	-	-	-	-
Female.....	4	1	7	5	3	4	5	4	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms (C00-C97)

Nebraska

All races, both sexes.....	137	264	281	346	457	503	540	383	175	62	11	-
Male.....	78	144	161	190	251	268	291	180	61	18	2	-
Female.....	59	120	120	156	206	235	249	203	114	44	9	-
White, both sexes.....	125	254	266	325	440	492	525	376	173	59	11	-
Male.....	71	139	152	179	242	264	284	180	61	18	2	-
Female.....	54	115	114	146	198	228	241	196	112	41	9	-
Black, both sexes.....	7	7	12	17	14	6	12	7	2	3	-	-
Male.....	4	3	6	9	7	3	5	-	-	-	-	-
Female.....	3	4	6	8	7	3	7	7	2	3	-	-
American Indian 1/, both sexes.....	2	2	1	2	2	3	2	-	-	-	-	-
Male.....	-	2	1	1	2	-	1	-	-	-	-	-
Female.....	2	-	-	1	-	3	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	2	2	1	2	1	-	-	-	-	-
Male.....	3	-	2	1	-	1	1	-	-	-	-	-
Female.....	-	1	-	1	1	1	-	-	-	-	-	-

Nevada

All races, both sexes.....	244	353	486	573	620	690	540	312	123	22	4	-
Male.....	120	181	278	331	353	369	282	165	47	10	-	-
Female.....	124	172	208	242	267	321	258	147	76	12	4	-
White, both sexes.....	208	310	423	513	554	632	501	290	108	20	4	-
Male.....	103	158	237	296	316	332	263	152	43	10	-	-
Female.....	105	152	186	217	238	300	238	138	65	10	4	-
Black, both sexes.....	18	29	36	40	43	28	28	12	10	2	-	-
Male.....	10	16	28	27	27	21	14	7	3	-	-	-
Female.....	8	13	8	13	16	7	14	5	7	2	-	-
American Indian 1/, both sexes.....	1	1	3	2	3	2	1	1	2	-	-	-
Male.....	-	1	2	-	3	1	-	1	-	-	-	-
Female.....	1	-	1	2	-	1	1	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	13	24	18	20	28	10	9	3	-	-	-
Male.....	7	6	11	8	7	15	5	5	1	-	-	-
Female.....	10	7	13	10	13	13	5	4	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms (C00-C97)

New Hampshire

All races, both sexes.....	140	212	235	301	315	388	357	258	109	35	4	-
Male.....	68	101	133	163	171	212	179	116	51	10	2	-
Female.....	72	111	102	138	144	176	178	142	58	25	2	-
White, both sexes.....	138	211	233	297	313	383	356	257	108	35	4	-
Male.....	66	101	132	160	170	211	178	115	51	10	2	-
Female.....	72	110	101	137	143	172	178	142	57	25	2	-
Black, both sexes.....	-	-	2	2	-	2	-	1	-	-	-	-
Male.....	-	-	1	2	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	2	3	1	-	1	-	-	-
Male.....	1	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	1	-	1	1	2	-	-	1	-	-	-

New Jersey

All races, both sexes.....	886	1,234	1,602	1,787	2,161	2,750	2,708	1,871	793	205	23	-
Male.....	435	660	837	969	1,139	1,421	1,278	803	318	75	4	-
Female.....	451	574	765	818	1,022	1,329	1,430	1,068	475	130	19	-
White, both sexes.....	679	989	1,307	1,489	1,850	2,461	2,454	1,751	738	178	22	-
Male.....	337	535	672	826	963	1,282	1,152	751	295	63	4	-
Female.....	342	454	635	663	887	1,179	1,302	1,000	443	115	18	-
Black, both sexes.....	169	197	250	269	260	267	216	99	50	25	1	-
Male.....	78	96	138	128	144	132	101	40	21	11	-	-
Female.....	91	101	112	141	116	135	115	59	29	14	1	-
American Indian 1/, both sexes.....	1	2	4	2	5	2	3	2	-	1	-	-
Male.....	1	2	1	-	2	2	1	1	-	1	-	-
Female.....	-	-	3	2	3	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	37	46	41	27	46	20	35	19	5	1	-	-
Male.....	19	27	26	15	30	5	24	11	2	-	-	-
Female.....	18	19	15	12	16	15	11	8	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms (C00-C97)

New Mexico

All races, both sexes.....	165	250	318	396	458	453	414	309	126	29	4	-
Male.....	84	126	171	232	251	227	226	156	55	14	-	-
Female.....	81	124	147	164	207	226	188	153	71	15	4	-
White, both sexes.....	144	232	291	372	427	423	386	300	121	28	4	-
Male.....	72	121	155	221	234	217	214	152	52	13	-	-
Female.....	72	111	136	151	193	206	172	148	69	15	4	-
Black, both sexes.....	6	2	5	6	8	7	10	3	-	1	-	-
Male.....	4	1	3	1	5	1	5	1	-	1	-	-
Female.....	2	1	2	5	3	6	5	2	-	-	-	-
American Indian 1/, both sexes.....	12	15	18	17	21	17	17	5	4	-	-	-
Male.....	6	3	11	10	11	8	7	2	3	-	-	-
Female.....	6	12	7	7	10	9	10	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	4	1	2	6	1	1	1	-	-	-
Male.....	2	1	2	-	1	1	-	1	-	-	-	-
Female.....	1	-	2	1	1	5	1	-	1	-	-	-

New York

All races, both sexes.....	2,002	2,762	3,390	3,807	4,645	5,525	5,132	3,614	1,673	440	47	1
Male.....	1,021	1,362	1,771	1,987	2,469	2,762	2,523	1,583	665	135	11	1
Female.....	981	1,400	1,619	1,820	2,176	2,763	2,609	2,031	1,008	305	36	-
White, both sexes.....	1,543	2,149	2,680	3,096	3,854	4,800	4,563	3,236	1,524	398	40	1
Male.....	793	1,054	1,389	1,617	2,065	2,390	2,246	1,436	616	120	9	1
Female.....	750	1,095	1,291	1,479	1,789	2,410	2,317	1,800	908	278	31	-
Black, both sexes.....	378	516	597	580	653	603	466	312	119	36	6	-
Male.....	182	255	319	284	318	302	223	121	36	14	2	-
Female.....	196	261	278	296	335	301	243	191	83	22	4	-
American Indian 1/, both sexes.....	4	5	8	6	7	7	6	1	1	-	-	-
Male.....	3	2	4	1	5	2	3	1	-	-	-	-
Female.....	1	3	4	5	2	5	3	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	77	92	105	125	131	115	97	65	29	6	1	-
Male.....	43	51	59	85	81	68	51	25	13	1	-	-
Female.....	34	41	46	40	50	47	46	40	16	5	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms (C00-C97)

Ohio

All races, both sexes.....	1,425	1,894	2,306	2,809	3,343	3,923	3,696	2,325	980	250	20	-
Male.....	774	1,055	1,231	1,601	1,804	2,080	1,892	1,054	414	73	5	-
Female.....	651	839	1,075	1,208	1,539	1,843	1,804	1,271	566	177	15	-
White, both sexes.....	1,194	1,611	1,998	2,454	2,973	3,502	3,376	2,118	917	221	17	-
Male.....	657	899	1,079	1,404	1,603	1,878	1,720	955	385	60	5	-
Female.....	537	712	919	1,050	1,370	1,624	1,656	1,163	532	161	12	-
Black, both sexes.....	221	271	294	347	362	411	311	204	61	29	3	-
Male.....	111	150	144	194	198	198	170	97	29	13	-	-
Female.....	110	121	150	153	164	213	141	107	32	16	3	-
American Indian 1/, both sexes.....	3	3	2	1	-	2	1	-	-	-	-	-
Male.....	1	2	1	1	-	1	-	-	-	-	-	-
Female.....	2	1	1	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	9	12	7	8	8	8	3	2	-	-	-
Male.....	5	4	7	2	3	3	2	2	-	-	-	-
Female.....	2	5	5	5	5	5	6	1	2	-	-	-

Oklahoma

All races, both sexes.....	426	616	849	934	1,075	1,107	958	598	266	53	10	-
Male.....	232	352	460	535	606	616	488	271	105	21	1	-
Female.....	194	264	389	399	469	491	470	327	161	32	9	-
White, both sexes.....	348	512	723	818	949	1,001	870	550	243	48	10	-
Male.....	190	286	392	477	538	561	440	249	95	19	1	-
Female.....	158	226	331	341	411	440	430	301	148	29	9	-
Black, both sexes.....	37	56	61	55	48	59	49	28	16	3	-	-
Male.....	19	36	32	27	29	35	26	12	8	1	-	-
Female.....	18	20	29	28	19	24	23	16	8	2	-	-
American Indian 1/, both sexes.....	36	44	60	52	72	44	39	17	7	2	-	-
Male.....	20	28	32	27	37	19	22	9	2	1	-	-
Female.....	16	16	28	25	35	25	17	8	5	1	-	-
Asian or Pacific Islander 2/, both sexes.....	5	4	5	9	6	3	-	3	-	-	-	-
Male.....	3	2	4	4	2	1	-	1	-	-	-	-
Female.....	2	2	1	5	4	2	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Oregon

All races, both sexes.....	373	586	707	795	1,009	1,121	1,056	778	344	83	9	-
Male.....	191	313	392	427	543	625	539	388	141	30	3	-
Female.....	182	273	315	368	466	496	517	390	203	53	6	-
White, both sexes.....	355	565	680	766	984	1,088	1,029	759	342	79	9	-
Male.....	181	303	383	413	528	612	523	378	140	29	3	-
Female.....	174	262	297	353	456	476	506	381	202	50	6	-
Black, both sexes.....	5	9	7	14	6	11	10	8	1	2	-	-
Male.....	2	5	3	6	5	4	8	3	1	-	-	-
Female.....	3	4	4	8	1	7	2	5	-	2	-	-
American Indian 1/, both sexes.....	4	6	5	8	6	6	6	4	-	-	-	-
Male.....	-	1	1	5	2	3	4	4	-	-	-	-
Female.....	4	5	4	3	4	3	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	6	15	7	13	16	11	7	1	2	-	-
Male.....	8	4	5	3	8	6	4	3	-	1	-	-
Female.....	1	2	10	4	5	10	7	4	1	1	-	-

Pennsylvania

All races, both sexes.....	1,474	2,041	2,631	3,043	3,980	4,844	4,755	3,164	1,472	327	39	1
Male.....	760	1,144	1,425	1,670	2,160	2,526	2,435	1,448	574	110	11	1
Female.....	714	897	1,206	1,373	1,820	2,318	2,320	1,716	898	217	28	-
White, both sexes.....	1,249	1,779	2,326	2,715	3,590	4,497	4,414	2,985	1,389	301	36	-
Male.....	649	1,005	1,261	1,490	1,960	2,367	2,273	1,375	544	99	10	-
Female.....	600	774	1,065	1,225	1,630	2,130	2,141	1,610	845	202	26	-
Black, both sexes.....	210	249	285	307	366	328	325	175	81	25	1	1
Male.....	102	137	152	167	186	150	152	71	29	11	-	1
Female.....	108	112	133	140	180	178	173	104	52	14	1	-
American Indian 1/, both sexes.....	3	2	1	3	5	-	2	-	-	-	-	-
Male.....	2	-	1	2	3	-	2	-	-	-	-	-
Female.....	1	2	-	1	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	11	19	18	19	19	14	4	2	1	2	-
Male.....	7	2	11	11	11	9	8	2	1	-	1	-
Female.....	5	9	8	7	8	10	6	2	1	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Rhode Island

All races, both sexes.....	108	147	193	230	293	377	392	273	122	30	3	1
Male.....	60	79	92	120	157	194	215	131	40	13	2	1
Female.....	48	68	101	110	136	183	177	142	82	17	1	-
White, both sexes.....	96	137	181	214	279	366	382	267	118	29	3	1
Male.....	55	72	86	113	147	186	208	127	40	12	2	1
Female.....	41	65	95	101	132	180	174	140	78	17	1	-
Black, both sexes.....	9	7	9	14	13	7	8	4	2	-	-	-
Male.....	3	6	6	7	9	4	6	3	-	-	-	-
Female.....	6	1	3	7	4	3	2	1	2	-	-	-
American Indian 1/, both sexes.....	-	1	1	1	-	1	-	-	1	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	2	1	1	3	2	2	1	1	-	-
Male.....	2	-	-	-	1	3	1	1	-	1	-	-
Female.....	1	2	2	1	-	-	1	1	1	-	-	-

South Carolina

All races, both sexes.....	567	806	912	1,116	1,143	1,270	1,076	710	291	71	12	-
Male.....	308	456	535	651	661	698	565	360	119	18	1	-
Female.....	259	350	377	465	482	572	511	350	172	53	11	-
White, both sexes.....	372	523	643	820	890	996	834	539	224	50	8	-
Male.....	185	294	371	479	518	553	444	276	92	12	-	-
Female.....	187	229	272	341	372	443	390	263	132	38	8	-
Black, both sexes.....	192	276	266	287	248	268	235	170	67	21	4	-
Male.....	122	157	162	168	141	142	119	83	27	6	1	-
Female.....	70	119	104	119	107	126	116	87	40	15	3	-
American Indian 1/, both sexes.....	1	4	1	2	1	1	1	1	-	-	-	-
Male.....	-	3	1	-	1	1	1	1	-	-	-	-
Female.....	1	1	-	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	2	7	4	5	6	-	-	-	-	-
Male.....	1	2	1	4	1	2	1	-	-	-	-	-
Female.....	1	1	1	3	3	3	5	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms (C00-C97)

South Dakota

All races, both sexes.....	93	129	162	143	212	240	262	183	65	28	4	-
Male.....	53	76	91	81	119	127	136	91	32	9	1	-
Female.....	40	53	71	62	93	113	126	92	33	19	3	-
White, both sexes.....	87	119	147	132	200	233	254	179	63	27	4	-
Male.....	52	70	81	77	113	125	129	90	31	9	1	-
Female.....	35	49	66	55	87	108	125	89	32	18	3	-
Black, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	10	14	11	11	7	7	4	2	1	-	-
Male.....	1	6	9	4	5	2	7	1	1	-	-	-
Female.....	4	4	5	7	6	5	-	3	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Tennessee

All races, both sexes.....	792	1,207	1,364	1,671	1,773	1,966	1,617	992	410	122	16	-
Male.....	428	700	776	958	1,002	1,068	838	438	170	41	3	-
Female.....	364	507	588	713	771	898	779	554	240	81	13	-
White, both sexes.....	612	966	1,175	1,450	1,522	1,731	1,411	870	345	99	11	-
Male.....	333	558	660	837	856	953	742	383	140	29	2	-
Female.....	279	408	515	613	666	778	669	487	205	70	9	-
Black, both sexes.....	172	234	176	211	244	230	204	119	65	23	5	-
Male.....	92	137	106	117	141	111	96	52	30	12	1	-
Female.....	80	97	70	94	103	119	108	67	35	11	4	-
American Indian 1/, both sexes.....	2	3	3	2	1	2	-	2	-	-	-	-
Male.....	-	3	3	2	1	2	-	2	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	4	10	8	6	3	2	1	-	-	-	-
Male.....	3	2	7	2	4	2	-	1	-	-	-	-
Female.....	3	2	3	6	2	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Texas

All races, both sexes.....	2,077	2,947	3,604	3,960	4,698	5,058	4,447	2,809	1,257	306	49	-
Male.....	1,103	1,635	2,004	2,286	2,707	2,781	2,277	1,396	551	109	9	-
Female.....	974	1,312	1,600	1,674	1,991	2,277	2,170	1,413	706	197	40	-
White, both sexes.....	1,648	2,438	3,072	3,386	4,093	4,470	4,013	2,522	1,112	271	41	-
Male.....	887	1,370	1,727	1,974	2,355	2,476	2,038	1,275	481	97	8	-
Female.....	761	1,068	1,345	1,412	1,738	1,994	1,975	1,247	631	174	33	-
Black, both sexes.....	388	452	484	513	548	518	404	270	136	35	8	-
Male.....	196	230	251	278	318	268	225	115	64	12	1	-
Female.....	192	222	233	235	230	250	179	155	72	23	7	-
American Indian 1/, both sexes.....	4	4	5	6	4	7	-	1	-	-	-	-
Male.....	1	3	3	4	1	5	-	1	-	-	-	-
Female.....	3	1	2	2	3	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	37	53	43	55	53	63	30	16	9	-	-	-
Male.....	19	32	23	30	33	32	14	5	6	-	-	-
Female.....	18	21	20	25	20	31	16	11	3	-	-	-

Utah

All races, both sexes.....	125	178	236	287	318	386	382	250	94	29	4	-
Male.....	59	89	128	180	182	198	202	141	40	13	1	-
Female.....	66	89	108	107	136	188	180	109	54	16	3	-
White, both sexes.....	120	172	222	280	308	367	376	247	92	28	4	-
Male.....	56	86	120	176	178	188	198	140	38	13	1	-
Female.....	64	86	102	104	130	179	178	107	54	15	3	-
Black, both sexes.....	2	3	4	2	-	1	3	-	1	-	-	-
Male.....	2	2	2	1	-	1	1	-	1	-	-	-
Female.....	-	1	2	1	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	1	3	5	1	-	-	-	-	-
Male.....	-	-	1	1	2	2	1	-	-	-	-	-
Female.....	1	-	-	-	1	3	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	9	4	7	13	2	3	1	1	-	-
Male.....	1	1	5	2	2	7	2	1	1	-	-	-
Female.....	1	2	4	2	5	6	-	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
Vermont												
All races, both sexes.....	63	95	104	129	169	179	184	98	82	15	1	-
Male.....	31	45	56	70	90	96	99	45	36	5	1	-
Female.....	32	50	48	59	79	83	85	53	46	10	-	-
White, both sexes.....	63	94	103	128	167	179	183	98	82	15	1	-
Male.....	31	44	56	69	89	96	98	45	36	5	1	-
Female.....	32	50	47	59	78	83	85	53	46	10	-	-
Black, both sexes.....	-	-	1	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	847	1,202	1,505	1,646	1,882	2,021	1,892	1,155	494	128	14	-
Male.....	432	659	807	940	1,069	1,106	936	529	217	33	3	-
Female.....	415	543	698	706	813	915	956	626	277	95	11	-
White, both sexes.....	608	891	1,173	1,272	1,488	1,651	1,565	959	399	102	9	-
Male.....	302	474	632	712	838	913	768	429	177	24	1	-
Female.....	306	417	541	560	650	738	797	530	222	78	8	-
Black, both sexes.....	220	285	298	344	349	342	301	183	89	26	5	-
Male.....	121	175	162	210	203	182	160	94	39	9	2	-
Female.....	99	110	136	134	146	160	141	89	50	17	3	-
American Indian 1/, both sexes.....	1	-	3	6	2	1	2	1	-	-	-	-
Male.....	1	-	1	3	1	-	1	1	-	-	-	-
Female.....	-	-	2	3	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	26	31	24	43	27	24	12	6	-	-	-
Male.....	8	10	12	15	27	11	7	5	1	-	-	-
Female.....	10	16	19	9	16	16	17	7	5	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

Arkansas

All races, both sexes.....	87	-	-	-	-	-	-	-	-	-	4	4
Male.....	64	-	-	-	-	-	-	-	-	-	3	4
Female.....	23	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	75	-	-	-	-	-	-	-	-	-	3	3
Male.....	54	-	-	-	-	-	-	-	-	-	2	3
Female.....	21	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	12	-	-	-	-	-	-	-	-	-	1	1
Male.....	10	-	-	-	-	-	-	-	-	-	1	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	848	-	-	-	1	3	-	6	5	8	17	47
Male.....	559	-	-	-	1	3	-	4	3	6	14	37
Female.....	289	-	-	-	-	-	-	2	2	2	3	10
White, both sexes.....	664	-	-	-	1	3	-	4	1	3	13	32
Male.....	439	-	-	-	1	3	-	2	1	3	10	26
Female.....	225	-	-	-	-	-	-	2	-	-	3	6
Black, both sexes.....	68	-	-	-	-	-	-	1	1	2	1	9
Male.....	50	-	-	-	-	-	-	1	1	2	1	6
Female.....	18	-	-	-	-	-	-	-	-	-	-	3
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	110	-	-	-	-	-	-	1	3	3	3	6
Male.....	64	-	-	-	-	-	-	1	1	1	3	5
Female.....	46	-	-	-	-	-	-	-	2	2	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

New Mexico

All races, both sexes.....	40	-	-	-	-	-	-	-	-	-	-	3
Male.....	31	-	-	-	-	-	-	-	-	-	-	2
Female.....	9	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	39	-	-	-	-	-	-	-	-	-	-	3
Male.....	30	-	-	-	-	-	-	-	-	-	-	2
Female.....	9	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	459	-	-	-	-	-	1	1	3	8	14	19
Male.....	303	-	-	-	-	-	1	1	2	5	9	12
Female.....	156	-	-	-	-	-	-	-	1	3	5	7
White, both sexes.....	346	-	-	-	-	-	1	-	1	3	6	13
Male.....	225	-	-	-	-	-	1	-	1	2	4	9
Female.....	121	-	-	-	-	-	-	-	-	1	2	4
Black, both sexes.....	83	-	-	-	-	-	-	-	-	4	3	4
Male.....	59	-	-	-	-	-	-	-	-	2	2	2
Female.....	24	-	-	-	-	-	-	-	-	2	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	-	-	-	-	-	-	1	2	1	5	2
Male.....	19	-	-	-	-	-	-	1	1	1	3	1
Female.....	10	-	-	-	-	-	-	-	1	-	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

Arkansas

All races, both sexes.....	9	12	12	12	9	10	5	6	3	-	1	-
Male.....	8	11	9	8	7	6	3	3	2	-	-	-
Female.....	1	1	3	4	2	4	2	3	1	-	1	-
White, both sexes.....	6	10	10	10	9	10	5	6	2	-	1	-
Male.....	5	9	7	7	7	6	3	3	2	-	-	-
Female.....	1	1	3	3	2	4	2	3	-	-	1	-
Black, both sexes.....	3	2	2	2	-	-	-	-	1	-	-	-
Male.....	3	2	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	79	103	103	107	89	85	110	53	25	6	1	-
Male.....	60	74	76	80	55	53	56	27	10	-	-	-
Female.....	19	29	27	27	34	32	54	26	15	6	1	-
White, both sexes.....	61	73	86	87	71	71	91	44	18	4	1	-
Male.....	46	53	64	66	43	43	47	22	9	-	-	-
Female.....	15	20	22	21	28	28	44	22	9	4	1	-
Black, both sexes.....	11	9	7	7	7	2	4	4	2	1	-	-
Male.....	8	7	5	5	5	2	4	3	-	-	-	-
Female.....	3	2	2	2	2	-	-	1	2	1	-	-
American Indian 1/, both sexes.....	-	4	-	1	-	-	-	1	-	-	-	-
Male.....	-	4	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	17	10	12	11	12	15	4	5	1	-	-
Male.....	6	10	7	8	7	8	5	1	1	-	-	-
Female.....	1	7	3	4	4	4	10	3	4	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

Hawaii

All races, both sexes.....	4	7	5	4	3	6	2	3	2	1	-	-
Male.....	3	6	4	3	2	5	-	1	1	-	-	-
Female.....	1	1	1	1	1	1	2	2	1	1	-	-
White, both sexes.....	2	5	3	-	1	2	1	-	1	1	-	-
Male.....	2	5	3	-	1	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	2	4	2	4	1	3	1	-	-	-
Male.....	1	1	1	3	1	3	-	1	1	-	-	-
Female.....	1	1	1	1	1	1	1	2	-	-	-	-

Idaho

All races, both sexes.....	4	5	4	7	2	4	5	4	4	-	-	-
Male.....	4	4	4	6	2	1	4	1	1	-	-	-
Female.....	-	1	-	1	-	3	1	3	3	-	-	-
White, both sexes.....	4	5	4	7	1	4	5	4	3	-	-	-
Male.....	4	4	4	6	1	1	4	1	1	-	-	-
Female.....	-	1	-	1	-	3	1	3	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

Nebraska

All races, both sexes.....	1	5	4	1	8	3	5	4	-	1	-	-
Male.....	1	5	3	1	4	3	3	2	-	1	-	-
Female.....	-	-	1	-	4	-	2	2	-	-	-	-
White, both sexes.....	1	5	4	1	8	3	5	4	-	1	-	-
Male.....	1	5	3	1	4	3	3	2	-	1	-	-
Female.....	-	-	1	-	4	-	2	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	5	12	9	13	5	10	4	4	-	-	-	-
Male.....	3	7	4	11	4	4	1	2	-	-	-	-
Female.....	2	5	5	2	1	6	3	2	-	-	-	-
White, both sexes.....	5	12	9	12	5	9	4	4	-	-	-	-
Male.....	3	7	4	10	4	4	1	2	-	-	-	-
Female.....	2	5	5	2	1	5	3	2	-	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

New Hampshire

All races, both sexes.....	2	3	2	3	5	5	1	3	1	-	-	-
Male.....	1	3	2	2	3	3	-	2	1	-	-	-
Female.....	1	-	-	1	2	2	1	1	-	-	-	-
White, both sexes.....	2	3	2	3	5	5	1	3	1	-	-	-
Male.....	1	3	2	2	3	3	-	2	1	-	-	-
Female.....	1	-	-	1	2	2	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	14	22	21	34	30	17	30	18	4	5	-	-
Male.....	11	18	18	26	18	10	17	10	-	1	-	-
Female.....	3	4	3	8	12	7	13	8	4	4	-	-
White, both sexes.....	7	16	18	23	24	16	26	14	4	4	-	-
Male.....	5	12	15	18	13	9	14	8	-	1	-	-
Female.....	2	4	3	5	11	7	12	6	4	3	-	-
Black, both sexes.....	6	5	3	9	5	1	3	2	-	1	-	-
Male.....	5	5	3	7	4	1	2	2	-	-	-	-
Female.....	1	-	-	2	1	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	2	1	-	1	2	-	-	-	-
Male.....	1	1	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

New Mexico

All races, both sexes.....	2	7	8	3	8	3	4	1	1	-	-	-
Male.....	1	7	7	3	5	3	3	-	-	-	-	-
Female.....	1	-	1	-	3	-	1	1	1	-	-	-
White, both sexes.....	2	6	8	3	8	3	4	1	1	-	-	-
Male.....	1	6	7	3	5	3	3	-	-	-	-	-
Female.....	1	-	1	-	3	-	1	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	45	58	55	49	57	46	43	39	16	5	-	-
Male.....	41	45	36	35	41	27	24	19	3	2	-	-
Female.....	4	13	19	14	16	19	19	20	13	3	-	-
White, both sexes.....	36	42	37	33	46	38	32	38	15	5	-	-
Male.....	32	35	25	25	30	21	18	18	2	2	-	-
Female.....	4	7	12	8	16	17	14	20	13	3	-	-
Black, both sexes.....	8	10	16	12	11	4	10	1	-	-	-	-
Male.....	8	6	10	8	11	3	6	1	-	-	-	-
Female.....	-	4	6	4	-	1	4	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	5	2	4	-	4	1	-	1	-	-	-
Male.....	1	4	1	2	-	3	-	-	1	-	-	-
Female.....	-	1	1	2	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of lip (C00)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	-	2	1	-	-	1	1	1	-	-	-
Male.....	-	-	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	-	-	-
White, both sexes.....	-	-	2	1	-	-	1	1	-	-	-	-
Male.....	-	-	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of tongue (C01-C02)												
Arkansas												
All races, both sexes.....	13	-	-	-	-	-	-	-	-	-	2	1
Male.....	9	-	-	-	-	-	-	-	-	-	1	1
Female.....	4	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	8	-	-	-	-	-	-	-	-	-	1	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	5	-	-	-	-	-	-	-	-	-	1	-
Male.....	5	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	251	-	-	-	-	-	-	1	-	4	4	14
Male.....	154	-	-	-	-	-	-	1	-	3	4	11
Female.....	97	-	-	-	-	-	-	-	-	1	-	3
White, both sexes.....	213	-	-	-	-	-	-	-	-	1	4	13
Male.....	128	-	-	-	-	-	-	-	-	1	4	10
Female.....	85	-	-	-	-	-	-	-	-	-	-	3
Black, both sexes.....	17	-	-	-	-	-	-	-	-	2	-	-
Male.....	15	-	-	-	-	-	-	-	-	2	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	-	-	-	1	-	1	-	1
Male.....	8	-	-	-	-	-	-	1	-	-	-	1
Female.....	10	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of tongue (C01-C02)

Arkansas

All races, both sexes.....	1	2	2	-	2	1	1	1	-	-	-	-
Male.....	1	2	2	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-
White, both sexes.....	-	1	-	-	2	1	1	1	-	-	-	-
Male.....	-	1	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-
Black, both sexes.....	1	1	2	-	-	-	-	-	-	-	-	-
Male.....	1	1	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	21	31	30	30	32	31	33	13	5	2	-	-
Male.....	13	23	23	23	16	15	15	4	3	-	-	-
Female.....	8	8	7	7	16	16	18	9	2	2	-	-
White, both sexes.....	17	26	28	25	28	26	28	12	4	1	-	-
Male.....	9	19	21	21	14	12	11	3	3	-	-	-
Female.....	8	7	7	4	14	14	17	9	1	1	-	-
Black, both sexes.....	4	3	-	2	2	1	2	1	-	-	-	-
Male.....	4	2	-	1	2	1	2	1	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	-	1	-	-	-	-	-	-	-	-
Male.....	-	2	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	2	2	4	3	-	1	1	-	-
Male.....	-	-	2	-	-	2	2	-	-	-	-	-
Female.....	-	-	-	2	2	2	1	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of tongue (C01-C02)

Hawaii

All races, both sexes.....	-	4	2	1	1	3	-	-	2	-	-	-
Male.....	-	3	2	1	-	3	-	-	1	-	-	-
Female.....	-	1	-	-	1	-	-	-	1	-	-	-
White, both sexes.....	-	3	1	-	-	1	-	-	1	-	-	-
Male.....	-	3	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	1	2	-	-	1	-	-	-
Male.....	-	-	1	1	-	2	-	-	1	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-

Idaho

All races, both sexes.....	1	2	-	1	-	1	1	2	2	-	-	-
Male.....	1	1	-	-	-	1	1	-	1	-	-	-
Female.....	-	1	-	1	-	-	-	2	1	-	-	-
White, both sexes.....	1	2	-	1	-	1	1	2	1	-	-	-
Male.....	1	1	-	-	-	1	1	-	1	-	-	-
Female.....	-	1	-	1	-	-	-	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of tongue (C01-C02)												
New Hampshire												
All races, both sexes.....	2	2	-	1	2	-	-	1	1	-	-	-
Male.....	1	2	-	1	1	-	-	-	1	-	-	-
Female.....	1	-	-	-	1	-	-	1	-	-	-	-
White, both sexes.....	2	2	-	1	2	-	-	1	1	-	-	-
Male.....	1	2	-	1	1	-	-	-	1	-	-	-
Female.....	1	-	-	-	1	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	4	4	7	8	12	6	8	8	2	3	-	-
Male.....	2	2	6	7	9	4	6	2	-	-	-	-
Female.....	2	2	1	1	3	2	2	6	2	3	-	-
White, both sexes.....	3	3	5	4	10	6	8	6	2	2	-	-
Male.....	1	1	4	3	7	4	6	2	-	-	-	-
Female.....	2	2	1	1	3	2	2	4	2	2	-	-
Black, both sexes.....	-	1	2	4	1	-	-	-	-	1	-	-
Male.....	-	1	2	4	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	2	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of pharynx (C10-C13,C14.0)

Arkansas

All races, both sexes.....	50	-	-	-	-	-	-	-	-	-	1	2
Male.....	38	-	-	-	-	-	-	-	-	-	1	2
Female.....	12	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	44	-	-	-	-	-	-	-	-	-	1	1
Male.....	33	-	-	-	-	-	-	-	-	-	1	1
Female.....	11	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	1
Male.....	5	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	327	-	-	-	-	1	-	4	4	2	9	15
Male.....	224	-	-	-	-	1	-	3	3	2	8	11
Female.....	103	-	-	-	-	-	-	1	1	-	1	4
White, both sexes.....	232	-	-	-	-	1	-	3	1	1	5	8
Male.....	161	-	-	-	-	1	-	2	1	1	4	7
Female.....	71	-	-	-	-	-	-	1	-	-	1	1
Black, both sexes.....	31	-	-	-	-	-	-	1	1	-	1	4
Male.....	21	-	-	-	-	-	-	1	1	-	1	2
Female.....	10	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	63	-	-	-	-	-	-	-	2	1	3	3
Male.....	41	-	-	-	-	-	-	-	1	1	3	2
Female.....	22	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of pharynx (C10-C13,C14.0)

New Mexico

All races, both sexes.....	14	-	-	-	-	-	-	-	-	-	-	-
Male.....	11	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	14	-	-	-	-	-	-	-	-	-	-	-
Male.....	11	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	187	-	-	-	-	-	-	1	2	1	7	7
Male.....	122	-	-	-	-	-	-	1	1	1	3	4
Female.....	65	-	-	-	-	-	-	-	1	-	4	3
White, both sexes.....	132	-	-	-	-	-	-	-	-	1	2	5
Male.....	81	-	-	-	-	-	-	-	-	1	1	3
Female.....	51	-	-	-	-	-	-	-	-	-	1	2
Black, both sexes.....	34	-	-	-	-	-	-	-	-	-	2	-
Male.....	27	-	-	-	-	-	-	-	-	-	1	-
Female.....	7	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	-	-	-	-	-	-	1	2	-	3	2
Male.....	14	-	-	-	-	-	-	1	1	-	1	1
Female.....	7	-	-	-	-	-	-	-	1	-	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of pharynx (C10-C13,C14.0)

Arkansas

All races, both sexes.....	6	8	6	8	5	7	3	2	2	-	-	-
Male.....	5	7	4	6	4	5	2	1	1	-	-	-
Female.....	1	1	2	2	1	2	1	1	1	-	-	-
White, both sexes.....	4	7	6	7	5	7	3	2	1	-	-	-
Male.....	3	6	4	5	4	5	2	1	1	-	-	-
Female.....	1	1	2	2	1	2	1	1	-	-	-	-
Black, both sexes.....	2	1	-	1	-	-	-	-	1	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	31	47	37	48	29	27	39	24	7	2	1	-
Male.....	24	38	25	33	20	16	24	14	2	-	-	-
Female.....	7	9	12	15	9	11	15	10	5	2	1	-
White, both sexes.....	21	27	29	36	21	23	32	17	4	2	1	-
Male.....	17	24	21	24	13	13	21	10	2	-	-	-
Female.....	4	3	8	12	8	10	11	7	2	2	1	-
Black, both sexes.....	5	6	3	3	1	1	-	3	2	-	-	-
Male.....	3	5	2	2	1	1	-	2	-	-	-	-
Female.....	2	1	1	1	-	-	-	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	14	5	9	7	3	7	3	1	-	-	-
Male.....	4	9	2	7	6	2	3	1	-	-	-	-
Female.....	1	5	3	2	1	1	4	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of pharynx (C10-C13,C14.0)

Nebraska

All races, both sexes.....	-	2	2	1	5	1	3	2	-	-	-	-
Male.....	-	2	1	1	2	1	2	2	-	-	-	-
Female.....	-	-	1	-	3	-	1	-	-	-	-	-
White, both sexes.....	-	2	2	1	5	1	3	2	-	-	-	-
Male.....	-	2	1	1	2	1	2	2	-	-	-	-
Female.....	-	-	1	-	3	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	1	6	2	6	3	4	3	-	-	-	-	-
Male.....	-	3	1	6	3	1	1	-	-	-	-	-
Female.....	1	3	1	-	-	3	2	-	-	-	-	-
White, both sexes.....	1	6	2	5	3	3	3	-	-	-	-	-
Male.....	-	3	1	5	3	1	1	-	-	-	-	-
Female.....	1	3	1	-	-	2	2	-	-	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pharynx (C10-C13,C14.0)												
New Mexico												
All races, both sexes.....	1	3	3	3	2	1	1	-	-	-	-	-
Male.....	1	3	2	3	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	-	-	-
White, both sexes.....	1	3	3	3	2	1	1	-	-	-	-	-
Male.....	1	3	2	3	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	12	23	22	24	22	22	23	15	3	3	-	-
Male.....	11	17	19	17	19	11	12	5	-	1	-	-
Female.....	1	6	3	7	3	11	11	10	3	2	-	-
White, both sexes.....	9	16	13	17	17	15	16	15	3	3	-	-
Male.....	8	12	11	12	14	5	8	5	-	1	-	-
Female.....	1	4	2	5	3	10	8	10	3	2	-	-
Black, both sexes.....	2	2	9	4	5	4	6	-	-	-	-	-
Male.....	2	1	8	3	5	3	4	-	-	-	-	-
Female.....	-	1	1	1	-	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	5	-	3	-	3	1	-	-	-	-	-
Male.....	1	4	-	2	-	3	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)

Arkansas

All races, both sexes.....	24	-	-	-	-	-	-	-	-	-	1	1
Male.....	17	-	-	-	-	-	-	-	-	-	1	1
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	23	-	-	-	-	-	-	-	-	-	1	1
Male.....	17	-	-	-	-	-	-	-	-	-	1	1
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	264	-	-	-	1	2	-	1	1	2	4	18
Male.....	178	-	-	-	1	2	-	-	-	1	2	15
Female.....	86	-	-	-	-	-	-	1	1	1	2	3
White, both sexes.....	214	-	-	-	1	2	-	1	-	1	4	11
Male.....	147	-	-	-	1	2	-	-	-	1	2	9
Female.....	67	-	-	-	-	-	-	1	-	-	2	2
Black, both sexes.....	20	-	-	-	-	-	-	-	-	-	-	5
Male.....	14	-	-	-	-	-	-	-	-	-	-	4
Female.....	6	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	-	-	-	-	-	-	-	1	1	-	2
Male.....	15	-	-	-	-	-	-	-	-	-	-	2
Female.....	13	-	-	-	-	-	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)

Arkansas

All races, both sexes.....	2	2	4	4	2	2	1	3	1	-	1	-
Male.....	2	2	3	2	1	1	1	2	1	-	-	-
Female.....	-	-	1	2	1	1	-	1	-	-	1	-
White, both sexes.....	2	2	4	3	2	2	1	3	1	-	1	-
Male.....	2	2	3	2	1	1	1	2	1	-	-	-
Female.....	-	-	1	1	1	1	-	1	-	-	1	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	27	25	34	28	28	27	37	15	12	2	-	-
Male.....	23	13	26	23	19	22	17	9	5	-	-	-
Female.....	4	12	8	5	9	5	20	6	7	2	-	-
White, both sexes.....	23	20	27	25	22	22	30	14	10	1	-	-
Male.....	20	10	20	20	16	18	15	9	4	-	-	-
Female.....	3	10	7	5	6	4	15	5	6	1	-	-
Black, both sexes.....	2	-	4	2	4	-	2	-	-	1	-	-
Male.....	1	-	3	2	2	-	2	-	-	-	-	-
Female.....	1	-	1	-	2	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	3	1	2	5	5	1	2	-	-	-
Male.....	2	1	3	1	1	4	-	-	1	-	-	-
Female.....	-	2	-	-	1	1	5	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)

New Mexico

All races, both sexes.....	1	3	3	-	4	1	3	-	1	-	-	-
Male.....	-	3	3	-	3	1	3	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	1	-	-	-
White, both sexes.....	1	2	3	-	4	1	3	-	1	-	-	-
Male.....	-	2	3	-	3	1	3	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	14	18	15	11	15	14	11	13	9	1	-	-
Male.....	13	15	7	7	10	7	8	7	2	-	-	-
Female.....	1	3	8	4	5	7	3	6	7	1	-	-
White, both sexes.....	13	13	7	6	13	13	9	12	9	1	-	-
Male.....	12	12	5	4	8	7	7	6	2	-	-	-
Female.....	1	1	2	2	5	6	2	6	7	1	-	-
Black, both sexes.....	1	4	6	5	2	-	2	1	-	-	-	-
Male.....	1	3	1	3	2	-	1	1	-	-	-	-
Female.....	-	1	5	2	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of digestive organs (C15-C26)												
Arkansas												
All races, both sexes.....	1,412	-	-	-	-	1	2	3	4	17	34	50
Male.....	807	-	-	-	-	-	1	3	2	11	24	30
Female.....	605	-	-	-	-	1	1	-	2	6	10	20
White, both sexes.....	1,177	-	-	-	-	1	2	2	4	13	27	34
Male.....	679	-	-	-	-	-	1	2	2	9	18	22
Female.....	498	-	-	-	-	1	1	-	2	4	9	12
Black, both sexes.....	225	-	-	-	-	-	-	1	-	4	7	16
Male.....	123	-	-	-	-	-	-	1	-	2	6	8
Female.....	102	-	-	-	-	-	-	-	-	2	1	8
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	14,196	2	4	1	1	5	11	19	61	114	255	535
Male.....	7,787	-	4	-	-	2	6	13	37	73	152	339
Female.....	6,409	2	-	1	1	3	5	6	24	41	103	196
White, both sexes.....	11,242	1	3	-	1	4	7	15	43	78	167	395
Male.....	6,190	-	3	-	-	2	3	11	26	50	99	257
Female.....	5,052	1	-	-	1	2	4	4	17	28	68	138
Black, both sexes.....	1,124	1	1	-	-	-	2	2	4	10	31	61
Male.....	604	-	1	-	-	-	2	1	3	5	20	36
Female.....	520	1	-	-	-	-	-	1	1	5	11	25
American Indian 1/, both sexes.....	64	-	-	-	-	-	-	-	-	2	5	3
Male.....	43	-	-	-	-	-	-	-	-	1	2	3
Female.....	21	-	-	-	-	-	-	-	-	1	3	-
Asian or Pacific Islander 2/, both sexes.....	1,766	-	-	1	-	1	2	2	14	24	52	76
Male.....	950	-	-	-	-	-	1	1	8	17	31	43
Female.....	816	-	-	1	-	1	1	1	6	7	21	33

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of digestive organs (C15-C26)

Colorado

All races, both sexes.....	1,582	-	-	-	-	1	2	3	6	7	33	73
Male.....	876	-	-	-	-	1	1	2	2	5	17	48
Female.....	706	-	-	-	-	-	1	1	4	2	16	25
White, both sexes.....	1,471	-	-	-	-	1	2	3	5	6	32	65
Male.....	819	-	-	-	-	1	1	2	2	4	17	44
Female.....	652	-	-	-	-	-	1	1	3	2	15	21
Black, both sexes.....	73	-	-	-	-	-	-	-	-	1	-	7
Male.....	41	-	-	-	-	-	-	-	-	1	-	3
Female.....	32	-	-	-	-	-	-	-	-	-	-	4
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	30	-	-	-	-	-	-	-	1	-	1	1
Male.....	14	-	-	-	-	-	-	-	-	-	-	1
Female.....	16	-	-	-	-	-	-	-	1	-	1	-

Connecticut

All races, both sexes.....	1,737	-	-	-	-	-	-	3	8	4	29	35
Male.....	915	-	-	-	-	-	-	1	4	1	19	24
Female.....	822	-	-	-	-	-	-	2	4	3	10	11
White, both sexes.....	1,574	-	-	-	-	-	-	2	5	4	25	30
Male.....	833	-	-	-	-	-	-	1	3	1	16	23
Female.....	741	-	-	-	-	-	-	1	2	3	9	7
Black, both sexes.....	146	-	-	-	-	-	-	-	2	-	3	5
Male.....	73	-	-	-	-	-	-	-	1	-	2	1
Female.....	73	-	-	-	-	-	-	-	1	-	1	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	-	-	-	-	-	-	1	1	-	1	-
Male.....	9	-	-	-	-	-	-	-	-	-	1	-
Female.....	8	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of digestive organs (C15-C26)												
Florida												
All races, both sexes.....	9,426	-	-	-	1	1	2	15	18	53	153	286
Male.....	5,344	-	-	-	1	1	2	5	11	30	89	181
Female.....	4,082	-	-	-	-	-	-	10	7	23	64	105
White, both sexes.....	8,267	-	-	-	1	-	1	11	13	39	114	217
Male.....	4,690	-	-	-	1	-	1	2	8	21	70	139
Female.....	3,577	-	-	-	-	-	-	9	5	18	44	78
Black, both sexes.....	1,061	-	-	-	-	1	1	4	4	13	37	64
Male.....	590	-	-	-	-	1	1	3	2	8	17	39
Female.....	471	-	-	-	-	-	-	1	2	5	20	25
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	-	1	-
Male.....	6	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	90	-	-	-	-	-	-	-	1	1	1	5
Male.....	58	-	-	-	-	-	-	-	1	1	1	3
Female.....	32	-	-	-	-	-	-	-	-	-	-	2
Georgia												
All races, both sexes.....	3,203	-	-	1	-	1	1	6	21	33	67	156
Male.....	1,787	-	-	-	-	1	1	3	11	22	36	86
Female.....	1,416	-	-	1	-	-	-	3	10	11	31	70
White, both sexes.....	2,197	-	-	1	-	1	1	-	11	19	40	78
Male.....	1,253	-	-	-	-	1	1	-	6	14	26	48
Female.....	944	-	-	1	-	-	-	-	5	5	14	30
Black, both sexes.....	934	-	-	-	-	-	-	6	7	13	25	71
Male.....	494	-	-	-	-	-	-	3	3	8	9	37
Female.....	440	-	-	-	-	-	-	3	4	5	16	34
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	1	-	-	1
Male.....	6	-	-	-	-	-	-	-	1	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	63	-	-	-	-	-	-	-	2	1	2	6
Male.....	34	-	-	-	-	-	-	-	1	-	1	1
Female.....	29	-	-	-	-	-	-	-	1	1	1	5

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of digestive organs (C15-C26)

Hawaii

All races, both sexes.....	638	-	-	-	-	-	2	2	4	5	11	31
Male.....	389	-	-	-	-	-	2	2	2	4	6	23
Female.....	249	-	-	-	-	-	-	-	2	1	5	8
White, both sexes.....	149	-	-	-	-	-	-	1	-	-	1	13
Male.....	94	-	-	-	-	-	-	1	-	-	1	8
Female.....	55	-	-	-	-	-	-	-	-	-	-	5
Black, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	2
Male.....	4	-	-	-	-	-	-	-	1	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	484	-	-	-	-	-	2	1	3	5	10	16
Male.....	291	-	-	-	-	-	2	1	1	4	5	14
Female.....	193	-	-	-	-	-	-	-	2	1	5	2

Idaho

All races, both sexes.....	557	-	-	-	-	2	-	1	3	2	4	16
Male.....	290	-	-	-	-	1	-	-	2	1	2	8
Female.....	267	-	-	-	-	1	-	1	1	1	2	8
White, both sexes.....	544	-	-	-	-	1	-	1	3	2	4	15
Male.....	280	-	-	-	-	1	-	-	2	1	2	7
Female.....	264	-	-	-	-	-	-	1	1	1	2	8
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	1
Male.....	6	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of digestive organs (C15-C26)												
Massachusetts												
All races, both sexes.....	3,307	-	2	-	-	-	1	3	9	13	40	76
Male.....	1,827	-	1	-	-	-	1	3	5	8	23	47
Female.....	1,480	-	1	-	-	-	-	-	4	5	17	29
White, both sexes.....	3,064	-	2	-	-	-	1	2	7	11	33	61
Male.....	1,690	-	1	-	-	-	1	2	3	7	22	40
Female.....	1,374	-	1	-	-	-	-	-	4	4	11	21
Black, both sexes.....	160	-	-	-	-	-	-	1	1	1	3	13
Male.....	86	-	-	-	-	-	-	1	1	-	1	6
Female.....	74	-	-	-	-	-	-	-	-	1	2	7
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	78	-	-	-	-	-	-	-	1	1	4	2
Male.....	46	-	-	-	-	-	-	-	1	1	-	1
Female.....	32	-	-	-	-	-	-	-	-	-	4	1
Michigan												
All races, both sexes.....	4,728	-	-	-	-	1	3	6	17	25	82	161
Male.....	2,574	-	-	-	-	1	2	5	11	11	52	102
Female.....	2,154	-	-	-	-	-	1	1	6	14	30	59
White, both sexes.....	3,974	-	-	-	-	-	1	4	9	20	65	128
Male.....	2,145	-	-	-	-	-	-	4	5	8	44	84
Female.....	1,829	-	-	-	-	-	1	-	4	12	21	44
Black, both sexes.....	697	-	-	-	-	1	1	1	6	4	13	30
Male.....	399	-	-	-	-	1	1	-	5	3	7	18
Female.....	298	-	-	-	-	-	-	1	1	1	6	12
American Indian 1/, both sexes.....	22	-	-	-	-	-	-	1	-	-	3	1
Male.....	10	-	-	-	-	-	-	1	-	-	1	-
Female.....	12	-	-	-	-	-	-	-	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	35	-	-	-	-	-	1	-	2	1	1	2
Male.....	20	-	-	-	-	-	1	-	1	-	-	-
Female.....	15	-	-	-	-	-	-	-	1	1	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of digestive organs (C15-C26)

New Hampshire

All races, both sexes.....	605	-	-	-	-	-	1	1	3	3	11	25
Male.....	326	-	-	-	-	-	-	1	2	1	7	16
Female.....	279	-	-	-	-	-	1	-	1	2	4	9
White, both sexes.....	602	-	-	-	-	-	1	1	3	3	11	25
Male.....	323	-	-	-	-	-	-	1	2	1	7	16
Female.....	279	-	-	-	-	-	1	-	1	2	4	9
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	4,298	-	-	-	-	1	3	6	14	28	61	118
Male.....	2,295	-	-	-	-	-	2	5	6	17	41	77
Female.....	2,003	-	-	-	-	1	1	1	8	11	20	41
White, both sexes.....	3,646	-	-	-	-	1	3	5	11	18	43	93
Male.....	1,947	-	-	-	-	-	2	4	6	10	30	61
Female.....	1,699	-	-	-	-	1	1	1	5	8	13	32
Black, both sexes.....	536	-	-	-	-	-	-	1	1	8	13	19
Male.....	266	-	-	-	-	-	-	1	-	5	6	13
Female.....	270	-	-	-	-	-	-	-	1	3	7	6
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	113	-	-	-	-	-	-	-	2	2	5	6
Male.....	79	-	-	-	-	-	-	-	-	2	5	3
Female.....	34	-	-	-	-	-	-	-	2	-	-	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of digestive organs (C15-C26)

New Mexico

All races, both sexes.....	841	-	1	-	-	-	1	1	4	6	14	31
Male.....	461	-	1	-	-	-	1	-	1	3	8	18
Female.....	380	-	-	-	-	-	-	1	3	3	6	13
White, both sexes.....	769	-	1	-	-	-	1	-	4	4	12	29
Male.....	426	-	1	-	-	-	1	-	1	1	6	17
Female.....	343	-	-	-	-	-	-	-	3	3	6	12
Black, both sexes.....	12	-	-	-	-	-	-	-	-	-	1	1
Male.....	8	-	-	-	-	-	-	-	-	-	1	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	52	-	-	-	-	-	-	1	-	2	1	1
Male.....	25	-	-	-	-	-	-	-	-	2	1	-
Female.....	27	-	-	-	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	9,268	-	1	1	1	1	4	13	23	61	125	276
Male.....	4,953	-	-	-	1	-	3	6	15	33	81	175
Female.....	4,315	-	1	1	-	1	1	7	8	28	44	101
White, both sexes.....	7,524	-	1	-	1	-	2	4	15	35	87	196
Male.....	4,019	-	-	-	1	-	2	1	11	18	60	130
Female.....	3,505	-	1	-	-	-	-	3	4	17	27	66
Black, both sexes.....	1,342	-	-	1	-	1	1	7	6	20	28	60
Male.....	681	-	-	-	-	-	-	3	3	11	15	31
Female.....	661	-	-	1	-	1	1	4	3	9	13	29
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	391	-	-	-	-	-	1	2	2	6	10	19
Male.....	249	-	-	-	-	-	1	2	1	4	6	14
Female.....	142	-	-	-	-	-	-	-	1	2	4	5

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of digestive organs (C15-C26)												
Ohio												
All races, both sexes.....	5,623	1	1	-	-	-	1	6	16	40	86	178
Male.....	3,098	1	-	-	-	-	-	1	12	28	57	110
Female.....	2,525	-	1	-	-	-	1	5	4	12	29	68
White, both sexes.....	4,887	1	1	-	-	-	1	5	14	30	72	154
Male.....	2,722	1	-	-	-	-	-	1	11	21	47	98
Female.....	2,165	-	1	-	-	-	1	4	3	9	25	56
Black, both sexes.....	706	-	-	-	-	-	-	1	2	9	13	22
Male.....	363	-	-	-	-	-	-	-	1	7	9	12
Female.....	343	-	-	-	-	-	-	1	1	2	4	10
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	26	-	-	-	-	-	-	-	-	-	1	2
Male.....	11	-	-	-	-	-	-	-	-	-	1	-
Female.....	15	-	-	-	-	-	-	-	-	-	-	2
Oklahoma												
All races, both sexes.....	1,666	1	-	-	-	-	-	2	6	15	33	83
Male.....	956	1	-	-	-	-	-	2	2	10	20	55
Female.....	710	-	-	-	-	-	-	-	4	5	13	28
White, both sexes.....	1,399	1	-	-	-	-	-	2	5	10	26	64
Male.....	805	1	-	-	-	-	-	2	2	7	16	46
Female.....	594	-	-	-	-	-	-	-	3	3	10	18
Black, both sexes.....	136	-	-	-	-	-	-	-	-	4	5	9
Male.....	76	-	-	-	-	-	-	-	-	3	3	5
Female.....	60	-	-	-	-	-	-	-	-	1	2	4
American Indian 1/, both sexes.....	111	-	-	-	-	-	-	-	-	1	2	7
Male.....	66	-	-	-	-	-	-	-	-	-	1	2
Female.....	45	-	-	-	-	-	-	-	-	1	1	5
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	-	-	-	1	-	-	3
Male.....	9	-	-	-	-	-	-	-	-	-	-	2
Female.....	11	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of digestive organs (C15-C26)

Oregon

All races, both sexes.....	1,675	-	-	-	-	-	1	1	6	8	23	48
Male.....	906	-	-	-	-	-	-	1	3	5	11	31
Female.....	769	-	-	-	-	-	1	-	3	3	12	17
White, both sexes.....	1,597	-	-	-	-	-	1	1	4	8	20	43
Male.....	867	-	-	-	-	-	-	1	3	5	10	26
Female.....	730	-	-	-	-	-	1	-	1	3	10	17
Black, both sexes.....	26	-	-	-	-	-	-	-	1	-	1	2
Male.....	12	-	-	-	-	-	-	-	-	-	1	2
Female.....	14	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	-	-	-	-	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	38	-	-	-	-	-	-	-	1	-	2	2
Male.....	19	-	-	-	-	-	-	-	-	-	-	2
Female.....	19	-	-	-	-	-	-	-	1	-	2	-

Pennsylvania

All races, both sexes.....	7,043	-	1	-	-	2	4	11	14	34	107	206
Male.....	3,797	-	1	-	-	2	3	8	6	19	71	127
Female.....	3,246	-	-	-	-	-	1	3	8	15	36	79
White, both sexes.....	6,316	-	1	-	-	1	3	10	9	30	94	177
Male.....	3,415	-	1	-	-	2	7	7	4	16	64	108
Female.....	2,901	-	-	-	-	-	1	3	5	14	30	69
Black, both sexes.....	674	-	-	-	-	1	1	1	4	2	13	27
Male.....	351	-	-	-	-	1	1	1	2	1	7	17
Female.....	323	-	-	-	-	-	-	-	2	1	6	10
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	1
Male.....	6	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	44	-	-	-	-	-	-	-	1	2	-	1
Male.....	25	-	-	-	-	-	-	-	-	2	-	1
Female.....	19	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of digestive organs (C15-C26)

Texas

All races, both sexes.....	8,376	-	4	-	3	2	11	9	39	69	168	347
Male.....	4,806	-	1	-	1	2	6	6	23	37	89	231
Female.....	3,570	-	3	-	2	-	5	3	16	32	79	116
White, both sexes.....	7,078	-	3	-	2	2	7	7	29	55	137	270
Male.....	4,098	-	1	-	1	2	3	5	17	31	70	176
Female.....	2,980	-	2	-	1	-	4	2	12	24	67	94
Black, both sexes.....	1,144	-	1	-	-	-	3	2	7	11	27	69
Male.....	620	-	-	-	-	-	3	1	5	4	18	49
Female.....	524	-	1	-	-	-	-	1	2	7	9	20
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	-	1	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	141	-	-	-	1	-	1	-	3	3	3	8
Male.....	82	-	-	-	-	-	-	-	1	2	1	6
Female.....	59	-	-	-	1	-	1	-	2	1	2	2

Utah

All races, both sexes.....	609	-	1	-	-	-	1	3	2	2	15	19
Male.....	348	-	-	-	-	-	-	1	2	2	10	14
Female.....	261	-	1	-	-	-	1	2	-	-	5	5
White, both sexes.....	580	-	1	-	-	-	1	2	2	2	12	17
Male.....	332	-	-	-	-	-	-	1	2	2	7	13
Female.....	248	-	1	-	-	-	1	1	-	-	5	4
Black, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	1
Male.....	5	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	-	-	-	1	-	-	3	1
Male.....	10	-	-	-	-	-	-	-	-	-	3	-
Female.....	8	-	-	-	-	-	-	1	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of digestive organs (C15-C26)

Vermont

All races, both sexes.....	267	-	-	-	-	-	-	-	1	4	-	14
Male.....	147	-	-	-	-	-	-	-	1	3	-	6
Female.....	120	-	-	-	-	-	-	-	-	1	-	8
White, both sexes.....	266	-	-	-	-	-	-	-	1	4	-	14
Male.....	146	-	-	-	-	-	-	-	1	3	-	6
Female.....	120	-	-	-	-	-	-	-	-	1	-	8
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	3,150	-	-	1	1	-	3	6	4	19	65	140
Male.....	1,752	-	-	1	-	-	3	2	3	13	34	75
Female.....	1,398	-	-	-	1	-	-	4	1	6	31	65
White, both sexes.....	2,349	-	-	-	1	-	2	5	3	13	41	87
Male.....	1,311	-	-	-	-	-	2	2	2	9	22	47
Female.....	1,038	-	-	-	1	-	-	3	1	4	19	40
Black, both sexes.....	715	-	-	1	-	-	1	1	1	5	19	47
Male.....	394	-	-	1	-	-	1	-	1	4	9	22
Female.....	321	-	-	-	-	-	-	1	-	1	10	25
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	81	-	-	-	-	-	-	-	-	1	4	6
Male.....	44	-	-	-	-	-	-	-	-	-	2	6
Female.....	37	-	-	-	-	-	-	-	-	1	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

United States

All races, both sexes.....	7,959	10,884	12,460	14,373	17,067	19,877	19,507	13,483	6,498	1,768	219	4
Male.....	5,276	7,224	8,002	8,915	10,033	10,842	9,452	5,553	2,181	465	41	2
Female.....	2,683	3,660	4,458	5,458	7,034	9,035	10,055	7,930	4,317	1,303	178	2
White, both sexes.....	6,076	8,605	10,076	11,790	14,410	17,098	17,108	11,981	5,790	1,551	187	2
Male.....	4,064	5,745	6,540	7,369	8,591	9,442	8,361	4,978	1,955	411	36	1
Female.....	2,012	2,860	3,536	4,421	5,819	7,656	8,747	7,003	3,835	1,140	151	1
Black, both sexes.....	1,519	1,842	1,879	2,022	2,027	2,137	1,824	1,166	554	181	28	2
Male.....	975	1,207	1,161	1,188	1,080	1,062	798	423	166	41	4	1
Female.....	544	635	718	834	947	1,075	1,026	743	388	140	24	1
American Indian 1/, both sexes.....	63	67	86	78	97	87	63	35	13	4	-	-
Male.....	37	50	53	55	57	42	29	19	6	1	-	-
Female.....	26	17	33	23	40	45	34	16	7	3	-	-
Asian or Pacific Islander 2/, both sexes.....	301	370	419	483	533	555	512	301	141	32	4	-
Male.....	200	222	248	303	305	296	264	133	54	12	1	-
Female.....	101	148	171	180	228	259	248	168	87	20	3	-

Alabama

All races, both sexes.....	135	196	218	224	267	293	272	187	89	29	2	-
Male.....	92	135	144	131	152	161	136	76	28	7	-	-
Female.....	43	61	74	93	115	132	136	111	61	22	2	-
White, both sexes.....	78	125	155	159	214	218	225	141	65	23	1	-
Male.....	51	87	103	91	119	116	112	64	19	7	-	-
Female.....	27	38	52	68	95	102	113	77	46	16	1	-
Black, both sexes.....	55	70	61	65	52	73	47	46	24	6	1	-
Male.....	40	48	40	40	33	44	24	12	9	-	-	-
Female.....	15	22	21	25	19	29	23	34	15	6	1	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	-	1	2	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	1	1	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

Alaska

All races, both sexes.....	13	19	23	26	21	19	10	17	5	-	1	-
Male.....	7	12	14	18	14	11	5	9	4	-	1	-
Female.....	6	7	9	8	7	8	5	8	1	-	-	-
White, both sexes.....	9	11	17	18	16	8	6	14	5	-	1	-
Male.....	5	7	14	12	11	5	2	6	4	-	1	-
Female.....	4	4	3	6	5	3	4	8	1	-	-	-
Black, both sexes.....	1	2	1	2	1	2	-	1	-	-	-	-
Male.....	-	2	-	2	1	1	-	1	-	-	-	-
Female.....	1	-	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	5	5	6	4	5	4	2	-	-	-	-
Male.....	2	3	-	4	2	3	3	2	-	-	-	-
Female.....	1	2	5	2	2	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	4	-	-	-	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	1	-	-	-	2	-	-	-	-	-	-

Arizona

All races, both sexes.....	119	189	235	299	319	337	336	217	107	27	4	-
Male.....	79	134	146	202	187	205	175	93	36	9	2	-
Female.....	40	55	89	97	132	132	161	124	71	18	2	-
White, both sexes.....	107	175	212	278	296	322	320	206	104	26	3	-
Male.....	72	126	134	187	174	198	166	87	35	8	1	-
Female.....	35	49	78	91	122	124	154	119	69	18	2	-
Black, both sexes.....	6	10	11	12	9	6	6	6	1	-	1	-
Male.....	5	6	5	8	6	4	3	1	-	-	1	-
Female.....	1	4	6	4	3	2	3	5	1	-	-	-
American Indian 1/, both sexes.....	5	3	8	6	11	4	3	5	1	1	-	-
Male.....	1	2	6	5	6	1	-	5	-	1	-	-
Female.....	4	1	2	1	5	3	3	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	4	3	3	5	7	-	1	-	-	-
Male.....	1	-	1	2	1	2	6	-	1	-	-	-
Female.....	-	1	3	1	2	3	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

Arkansas

All races, both sexes.....	88	113	160	175	189	207	173	107	75	13	1	-
Male.....	52	72	102	121	109	126	79	46	28	1	-	-
Female.....	36	41	58	54	80	81	94	61	47	12	1	-
White, both sexes.....	66	88	136	150	171	175	147	90	59	12	-	-
Male.....	35	58	90	102	102	106	70	39	22	1	-	-
Female.....	31	30	46	48	69	69	77	51	37	11	-	-
Black, both sexes.....	21	25	24	22	16	31	25	15	16	1	1	-
Male.....	17	14	12	17	6	19	9	6	6	-	-	-
Female.....	4	11	12	5	10	12	16	9	10	1	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	2	2	1	1	-	-	-	-	-
Male.....	-	-	-	2	1	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	1	-	-	-	-	-

California

All races, both sexes.....	868	1,209	1,356	1,516	1,812	2,073	2,091	1,387	651	192	32	1
Male.....	552	776	840	934	1,022	1,118	1,036	587	230	61	5	-
Female.....	316	433	516	582	790	955	1,055	800	421	131	27	1
White, both sexes.....	664	928	1,048	1,182	1,443	1,689	1,698	1,132	552	162	29	1
Male.....	417	610	658	732	840	912	842	481	193	49	5	-
Female.....	247	318	390	450	603	777	856	651	359	113	24	1
Black, both sexes.....	89	126	128	134	127	130	142	88	31	15	2	-
Male.....	55	74	80	84	61	68	66	35	8	5	-	-
Female.....	34	52	48	50	66	62	76	53	23	10	2	-
American Indian 1/, both sexes.....	7	4	6	8	8	9	5	6	1	-	-	-
Male.....	6	4	5	6	4	5	4	2	1	-	-	-
Female.....	1	-	1	2	4	4	1	4	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	108	151	174	192	234	245	246	161	67	15	1	-
Male.....	74	88	97	112	117	133	124	69	28	7	-	-
Female.....	34	63	77	80	117	112	122	92	39	8	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

Colorado

All races, both sexes.....	100	135	144	170	209	262	185	164	74	14	-	-
Male.....	72	84	103	102	126	134	84	67	24	4	-	-
Female.....	28	51	41	68	83	128	101	97	50	10	-	-
White, both sexes.....	93	120	137	156	192	244	172	158	71	14	-	-
Male.....	67	73	97	96	114	126	80	67	24	4	-	-
Female.....	26	47	40	60	78	118	92	91	47	10	-	-
Black, both sexes.....	6	10	6	8	13	9	5	5	3	-	-	-
Male.....	5	7	5	5	10	4	1	-	-	-	-	-
Female.....	1	3	1	3	3	5	4	5	3	-	-	-
American Indian 1/, both sexes.....	-	2	-	3	-	2	-	1	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	3	-	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	1	3	4	7	8	-	-	-	-	-
Male.....	-	2	1	1	2	4	3	-	-	-	-	-
Female.....	1	1	-	2	2	3	5	-	-	-	-	-

Connecticut

All races, both sexes.....	98	107	145	162	199	290	276	228	123	26	4	-
Male.....	66	75	82	102	117	165	135	75	41	6	2	-
Female.....	32	32	63	60	82	125	141	153	82	20	2	-
White, both sexes.....	86	89	123	142	175	263	262	221	119	25	3	-
Male.....	58	65	69	89	110	151	128	71	40	6	2	-
Female.....	28	24	54	53	65	112	134	150	79	19	1	-
Black, both sexes.....	10	17	19	18	23	26	11	6	4	1	1	-
Male.....	6	10	12	11	7	14	5	3	1	-	-	-
Female.....	4	7	7	7	16	12	6	3	3	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	3	2	1	1	3	1	-	-	-	-
Male.....	2	-	1	2	-	-	2	1	-	-	-	-
Female.....	-	1	2	-	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

Florida

All races, both sexes.....	492	658	806	1,026	1,275	1,511	1,457	1,025	494	141	12	-
Male.....	332	423	514	661	815	870	741	439	186	41	2	-
Female.....	160	235	292	365	460	641	716	586	308	100	10	-
White, both sexes.....	378	533	667	879	1,130	1,382	1,359	947	459	126	11	-
Male.....	255	338	429	575	723	806	700	407	175	38	2	-
Female.....	123	195	238	304	407	576	659	540	284	88	9	-
Black, both sexes.....	101	116	123	138	133	118	91	69	33	14	1	-
Male.....	67	80	77	79	83	58	37	25	10	3	-	-
Female.....	34	36	46	59	50	60	54	44	23	11	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	3	3	-	-	-	-	-
Male.....	-	-	-	-	-	2	3	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	9	16	8	12	8	4	9	2	1	-	-
Male.....	10	5	8	7	9	4	1	7	1	-	-	-
Female.....	3	4	8	1	3	4	3	2	1	1	-	-

Georgia

All races, both sexes.....	259	333	345	378	428	410	368	244	111	32	9	-
Male.....	166	215	225	241	257	215	152	109	38	9	-	-
Female.....	93	118	120	137	171	195	216	135	73	23	9	-
White, both sexes.....	139	213	231	261	313	313	277	181	86	26	6	-
Male.....	95	138	154	164	197	172	115	83	31	8	-	-
Female.....	44	75	77	97	116	141	162	98	55	18	6	-
Black, both sexes.....	112	105	103	107	108	94	87	63	24	6	3	-
Male.....	66	67	62	74	56	41	34	26	7	1	-	-
Female.....	46	38	41	33	52	53	53	37	17	5	3	-
American Indian 1/, both sexes.....	1	4	1	-	1	-	-	-	-	-	-	-
Male.....	1	3	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	11	10	10	6	3	4	-	1	-	-	-
Male.....	4	7	8	3	4	2	3	-	-	-	-	-
Female.....	3	4	2	7	2	1	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

Illinois

All races, both sexes.....	334	492	516	624	716	912	903	633	315	95	13	-
Male.....	226	322	339	373	419	484	427	273	103	25	1	-
Female.....	108	170	177	251	297	428	476	360	212	70	12	-
White, both sexes.....	244	374	395	475	577	758	784	570	283	81	11	-
Male.....	162	248	264	288	347	418	378	245	93	20	-	-
Female.....	82	126	131	187	230	340	406	325	190	61	11	-
Black, both sexes.....	79	112	112	133	121	147	105	52	25	13	2	-
Male.....	56	71	68	75	63	61	44	24	9	4	1	-
Female.....	23	41	44	58	58	86	61	28	16	9	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	5	9	16	18	7	14	10	7	1	-	-
Male.....	8	2	7	10	9	5	5	4	1	1	-	-
Female.....	3	3	2	6	9	2	9	6	6	-	-	-

Indiana

All races, both sexes.....	162	243	279	317	404	420	422	288	138	39	7	-
Male.....	98	153	184	203	229	230	207	123	44	10	-	-
Female.....	64	90	95	114	175	190	215	165	94	29	7	-
White, both sexes.....	134	215	248	280	360	377	404	268	127	35	7	-
Male.....	80	134	162	177	208	213	198	117	42	10	-	-
Female.....	54	81	86	103	152	164	206	151	85	25	7	-
Black, both sexes.....	27	28	31	34	42	40	17	19	11	4	-	-
Male.....	18	19	22	23	20	17	8	6	2	-	-	-
Female.....	9	9	9	11	22	23	9	13	9	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	3	2	3	1	-	-	-	-	-
Male.....	-	-	-	3	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	1	3	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

Iowa

All races, both sexes.....	74	84	121	167	170	215	257	216	89	28	-	-
Male.....	51	63	71	103	97	123	138	87	29	3	-	-
Female.....	23	21	50	64	73	92	119	129	60	25	-	-
White, both sexes.....	69	80	119	160	167	208	253	215	86	28	-	-
Male.....	46	60	70	96	94	118	136	87	27	3	-	-
Female.....	23	20	49	64	73	90	117	128	59	25	-	-
Black, both sexes.....	4	3	-	5	2	6	4	1	3	-	-	-
Male.....	4	2	-	5	2	4	2	-	2	-	-	-
Female.....	-	1	-	-	-	2	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	2	1	1	-	-	-	-	-	-
Male.....	1	1	1	2	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	75	79	109	130	160	191	191	147	65	20	1	-
Male.....	46	55	75	80	86	99	84	66	26	2	-	-
Female.....	29	24	34	50	74	92	107	81	39	18	1	-
White, both sexes.....	68	63	90	119	145	176	182	143	59	19	1	-
Male.....	40	44	63	75	81	93	80	63	22	2	-	-
Female.....	28	19	27	44	64	83	102	80	37	17	1	-
Black, both sexes.....	6	13	14	9	11	12	8	4	6	-	-	-
Male.....	5	9	9	4	3	5	3	3	4	-	-	-
Female.....	1	4	5	5	8	7	5	1	2	-	-	-
American Indian 1/, both sexes.....	1	1	1	-	2	2	-	-	-	1	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	2	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	4	2	2	1	1	-	-	-	-	-
Male.....	-	2	2	1	1	1	1	-	-	-	-	-
Female.....	-	-	2	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

Kentucky

All races, both sexes.....	134	136	205	256	276	286	280	178	87	21	-	-
Male.....	81	92	137	165	163	161	124	73	21	5	-	-
Female.....	53	44	68	91	113	125	156	105	66	16	-	-
White, both sexes.....	117	126	184	239	262	259	253	173	77	17	-	-
Male.....	74	83	124	159	154	148	113	70	20	4	-	-
Female.....	43	43	60	80	108	111	140	103	57	13	-	-
Black, both sexes.....	15	10	21	15	13	25	23	5	10	4	-	-
Male.....	7	9	13	6	8	11	10	3	1	1	-	-
Female.....	8	1	8	9	5	14	13	2	9	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	2	1	2	3	-	-	-	-	-
Male.....	-	-	-	-	1	2	1	-	-	-	-	-
Female.....	2	-	-	2	-	-	2	-	-	-	-	-

Louisiana

All races, both sexes.....	141	203	217	264	283	316	293	198	92	18	3	-
Male.....	96	128	136	160	164	183	124	74	35	5	1	-
Female.....	45	75	81	104	119	133	169	124	57	13	2	-
White, both sexes.....	79	121	143	171	181	223	218	149	70	14	1	-
Male.....	58	77	90	110	102	129	97	57	28	4	1	-
Female.....	21	44	53	61	79	94	121	92	42	10	-	-
Black, both sexes.....	60	81	74	93	99	89	75	47	21	4	2	-
Male.....	38	50	46	50	59	51	27	15	7	1	-	-
Female.....	22	31	28	43	40	38	48	32	14	3	2	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	1	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	2	3	-	2	-	-	-	-
Male.....	-	1	-	-	2	2	-	2	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

Maine

All races, both sexes.....	41	60	67	67	104	116	117	77	48	8	2	-
Male.....	29	42	43	40	63	68	64	29	14	-	1	-
Female.....	12	18	24	27	41	48	53	48	34	8	1	-
White, both sexes.....	41	58	65	67	103	113	115	77	48	8	2	-
Male.....	29	41	42	40	63	67	63	29	14	-	1	-
Female.....	12	17	23	27	40	46	52	48	34	8	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	1	2	1	-	-	-	-	-
Male.....	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	-	1	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	1	-	-	-	-	-

Maryland

All races, both sexes.....	181	214	255	310	318	377	325	224	95	36	5	-
Male.....	114	138	173	193	188	188	125	91	36	11	-	-
Female.....	67	76	82	117	130	189	200	133	59	25	5	-
White, both sexes.....	104	124	172	197	229	278	245	172	83	27	5	-
Male.....	71	80	119	128	149	136	99	74	31	10	-	-
Female.....	33	44	53	69	80	142	146	98	52	17	5	-
Black, both sexes.....	72	84	73	103	79	86	78	47	10	9	-	-
Male.....	40	53	47	60	35	47	26	16	3	1	-	-
Female.....	32	31	26	43	44	39	52	31	7	8	-	-
American Indian 1/, both sexes.....	-	-	2	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	6	8	10	9	13	2	5	2	-	-	-
Male.....	3	5	6	5	4	5	-	1	2	-	-	-
Female.....	2	1	2	5	5	8	2	4	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

Massachusetts

All races, both sexes.....	195	276	267	317	404	502	563	373	208	51	7	-
Male.....	141	192	173	207	253	271	276	154	59	11	2	-
Female.....	54	84	94	110	151	231	287	219	149	40	5	-
White, both sexes.....	179	248	236	276	374	476	539	360	203	50	6	-
Male.....	127	171	153	182	237	259	266	149	57	11	2	-
Female.....	52	77	83	94	137	217	273	211	146	39	4	-
Black, both sexes.....	9	20	23	20	17	20	17	9	4	1	1	-
Male.....	9	13	15	13	9	8	5	3	2	-	-	-
Female.....	-	7	8	7	8	12	12	6	2	1	1	-
American Indian 1/, both sexes.....	1	-	-	-	1	2	-	1	-	-	-	-
Male.....	1	-	-	-	1	2	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	8	8	21	12	4	7	3	1	-	-	-
Male.....	4	8	5	12	6	2	5	1	-	-	-	-
Female.....	2	-	3	9	6	2	2	2	1	-	-	-

Michigan

All races, both sexes.....	304	427	465	515	577	702	684	481	222	49	7	-
Male.....	211	285	305	310	325	357	325	189	72	8	3	-
Female.....	93	142	160	205	252	345	359	292	150	41	4	-
White, both sexes.....	234	347	367	438	495	604	595	418	199	44	6	-
Male.....	157	233	239	259	285	312	272	166	68	7	2	-
Female.....	77	114	128	179	210	292	323	252	131	37	4	-
Black, both sexes.....	66	77	88	70	74	93	84	61	22	5	1	-
Male.....	51	51	57	47	36	43	50	23	4	1	1	-
Female.....	15	26	31	23	38	50	34	38	18	4	-	-
American Indian 1/, both sexes.....	3	-	1	1	4	4	3	1	-	-	-	-
Male.....	2	-	1	1	2	1	1	-	-	-	-	-
Female.....	1	-	-	-	2	3	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	9	6	4	1	2	1	1	-	-	-
Male.....	1	1	8	3	2	1	2	-	-	-	-	-
Female.....	-	2	1	3	2	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

Nebraska

All races, both sexes.....	33	63	64	83	91	120	120	85	60	12	5	-
Male.....	23	42	45	57	58	58	62	34	23	3	1	-
Female.....	10	21	19	26	33	62	58	51	37	9	4	-
White, both sexes.....	28	61	59	77	91	117	114	82	60	10	5	-
Male.....	20	41	42	54	58	57	60	34	23	3	1	-
Female.....	8	20	17	23	33	60	54	48	37	7	4	-
Black, both sexes.....	2	-	4	5	-	2	5	3	-	2	-	-
Male.....	1	-	2	3	-	1	1	-	-	-	-	-
Female.....	1	-	2	2	-	1	4	3	-	2	-	-
American Indian 1/, both sexes.....	1	1	1	-	-	-	1	-	-	-	-	-
Male.....	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	1	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	-	-	-	-	-	-

Nevada

All races, both sexes.....	67	77	127	148	128	152	135	67	39	3	-	-
Male.....	50	50	86	95	79	77	60	27	20	1	-	-
Female.....	17	27	41	53	49	75	75	40	19	2	-	-
White, both sexes.....	52	67	110	128	116	132	121	63	32	2	-	-
Male.....	39	43	75	80	74	63	56	25	17	1	-	-
Female.....	13	24	35	48	42	69	65	38	15	1	-	-
Black, both sexes.....	7	6	12	14	8	8	10	2	5	1	-	-
Male.....	7	4	9	11	2	8	3	1	2	-	-	-
Female.....	-	2	3	3	6	-	7	1	3	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	4	5	6	3	11	4	2	2	-	-	-
Male.....	4	3	2	4	2	6	1	1	1	-	-	-
Female.....	3	1	3	2	1	5	3	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

New Hampshire

All races, both sexes.....	30	57	54	63	85	84	72	80	25	10	1	-
Male.....	20	37	34	39	51	46	32	30	7	3	-	-
Female.....	10	20	20	24	34	38	40	50	18	7	1	-
White, both sexes.....	30	57	54	61	84	84	72	80	25	10	1	-
Male.....	20	37	34	37	50	46	32	30	7	3	-	-
Female.....	10	20	20	24	34	38	40	50	18	7	1	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	216	342	375	435	536	673	720	478	217	66	9	-
Male.....	141	237	253	253	298	362	333	181	71	15	3	-
Female.....	75	105	122	182	238	311	387	297	146	51	6	-
White, both sexes.....	164	275	295	347	454	590	649	440	196	53	9	-
Male.....	112	196	195	216	252	320	297	170	62	11	3	-
Female.....	52	79	100	131	202	270	352	270	134	42	6	-
Black, both sexes.....	37	50	67	79	66	74	58	31	19	13	-	-
Male.....	18	28	46	30	35	37	27	7	9	4	-	-
Female.....	19	22	21	49	31	37	31	24	10	9	-	-
American Indian 1/, both sexes.....	-	2	-	-	-	1	-	-	-	-	-	-
Male.....	-	2	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	15	13	9	16	8	13	7	2	-	-	-
Male.....	11	11	12	7	11	4	9	4	-	-	-	-
Female.....	4	4	1	2	5	4	4	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

New Mexico

All races, both sexes.....	51	60	92	99	131	108	114	84	34	10	-	-
Male.....	33	35	53	65	70	46	67	44	13	3	-	-
Female.....	18	25	39	34	61	62	47	40	21	7	-	-
White, both sexes.....	43	57	81	94	116	100	106	81	31	9	-	-
Male.....	29	35	46	63	62	42	66	42	12	2	-	-
Female.....	14	22	35	31	54	58	40	39	19	7	-	-
Black, both sexes.....	1	1	-	1	4	-	1	1	-	1	-	-
Male.....	1	-	-	-	3	-	-	1	-	1	-	-
Female.....	-	1	-	1	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	6	2	8	4	10	6	7	2	2	-	-	-
Male.....	3	-	6	2	4	4	1	1	1	-	-	-
Female.....	3	2	2	2	6	2	6	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	3	-	1	2	-	-	1	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	2	-	-	2	-	-	1	-	-	-

New York

All races, both sexes.....	523	722	846	975	1,148	1,414	1,435	1,032	517	135	15	-
Male.....	347	460	533	570	667	754	692	409	169	36	2	-
Female.....	176	262	313	405	481	660	743	623	348	99	13	-
White, both sexes.....	387	550	643	757	920	1,194	1,236	898	463	124	11	-
Male.....	262	351	402	446	545	628	607	366	154	33	2	-
Female.....	125	199	241	311	375	566	629	532	309	91	9	-
Black, both sexes.....	110	131	165	164	164	171	154	107	41	8	3	-
Male.....	64	84	103	82	78	100	62	32	11	2	-	-
Female.....	46	47	62	82	86	71	92	75	30	6	3	-
American Indian 1/, both sexes.....	-	1	1	1	2	3	2	-	-	-	-	-
Male.....	-	1	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	2	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	26	40	37	53	62	46	43	27	13	3	1	-
Male.....	21	24	27	42	43	25	23	11	4	1	-	-
Female.....	5	16	10	11	19	21	20	16	9	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

Ohio

All races, both sexes.....	318	428	474	618	749	884	873	604	269	72	5	-
Male.....	207	294	307	398	431	498	412	237	91	13	1	-
Female.....	111	134	167	220	318	386	461	367	178	59	4	-
White, both sexes.....	246	348	411	532	658	770	787	535	254	64	4	-
Male.....	166	245	276	344	382	446	373	210	89	11	1	-
Female.....	80	103	135	188	276	324	414	325	165	53	3	-
Black, both sexes.....	70	76	59	83	89	107	84	67	15	8	1	-
Male.....	39	47	28	53	49	49	39	26	2	2	-	-
Female.....	31	29	31	30	40	58	45	41	13	6	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	2	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	4	2	2	5	2	2	-	-	-	-
Male.....	2	2	3	-	-	2	-	1	-	-	-	-
Female.....	-	2	1	2	2	3	2	1	-	-	-	-

Oklahoma

All races, both sexes.....	99	152	171	189	222	242	225	137	68	19	2	-
Male.....	66	104	116	124	136	133	113	51	19	4	-	-
Female.....	33	48	55	65	86	109	112	86	49	15	2	-
White, both sexes.....	74	122	135	155	192	209	203	124	57	18	2	-
Male.....	53	81	93	101	120	117	104	45	13	4	-	-
Female.....	21	41	42	54	72	92	99	79	44	14	2	-
Black, both sexes.....	7	16	16	18	12	21	11	7	9	1	-	-
Male.....	4	12	10	11	6	9	4	4	5	-	-	-
Female.....	3	4	6	7	6	12	7	3	4	1	-	-
American Indian 1/, both sexes.....	15	13	17	11	16	12	11	4	2	-	-	-
Male.....	8	10	11	9	10	7	5	2	1	-	-	-
Female.....	7	3	6	2	6	5	6	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	3	5	2	-	-	2	-	-	-	-
Male.....	1	1	2	3	-	-	-	-	-	-	-	-
Female.....	2	-	1	2	2	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

Oregon

All races, both sexes.....	105	144	158	182	220	241	230	195	94	17	2	-
Male.....	71	90	103	112	112	137	115	81	31	3	-	-
Female.....	34	54	55	70	108	104	115	114	63	14	2	-
White, both sexes.....	96	136	152	173	215	232	216	189	94	15	2	-
Male.....	65	84	102	109	109	132	107	80	31	3	-	-
Female.....	31	52	50	64	106	100	109	109	63	12	2	-
Black, both sexes.....	2	4	1	4	-	2	6	2	-	1	-	-
Male.....	-	4	-	-	-	1	4	-	-	-	-	-
Female.....	2	-	1	4	-	1	2	2	-	1	-	-
American Indian 1/, both sexes.....	-	2	3	2	-	2	3	1	-	-	-	-
Male.....	-	-	-	2	-	1	3	1	-	-	-	-
Female.....	-	2	3	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	2	2	3	5	5	5	3	-	1	-	-
Male.....	6	2	1	1	3	3	1	-	-	-	-	-
Female.....	1	-	1	2	2	2	4	3	-	1	-	-

Pennsylvania

All races, both sexes.....	373	503	580	635	901	1,130	1,197	811	420	97	16	1
Male.....	256	344	375	369	512	593	603	326	146	30	5	1
Female.....	117	159	205	266	389	537	594	485	274	67	11	-
White, both sexes.....	310	419	500	563	802	1,043	1,097	753	400	89	15	-
Male.....	217	291	333	326	463	549	553	305	144	27	4	-
Female.....	93	128	167	237	339	494	544	448	256	62	11	-
Black, both sexes.....	57	80	72	66	92	80	94	56	19	8	-	1
Male.....	36	52	37	40	46	40	45	20	1	3	-	1
Female.....	21	28	35	26	46	40	49	36	18	5	-	-
American Indian 1/, both sexes.....	2	-	-	2	3	-	1	-	-	-	-	-
Male.....	1	-	-	1	2	-	1	-	-	-	-	-
Female.....	1	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	4	8	4	4	7	5	2	1	-	1	-
Male.....	2	1	5	2	1	4	4	1	1	-	1	-
Female.....	2	3	3	2	3	3	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

Rhode Island

All races, both sexes.....	26	41	35	55	59	85	94	68	38	11	-	-
Male.....	19	29	19	35	37	49	55	29	10	4	-	-
Female.....	7	12	16	20	22	36	39	39	28	7	-	-
White, both sexes.....	23	38	32	52	56	84	89	66	37	11	-	-
Male.....	17	26	17	33	34	48	51	29	10	4	-	-
Female.....	6	12	15	19	22	36	38	37	27	7	-	-
Black, both sexes.....	3	2	3	3	3	-	3	1	-	-	-	-
Male.....	2	2	2	2	3	-	3	-	-	-	-	-
Female.....	1	-	1	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	2	1	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

South Carolina

All races, both sexes.....	147	184	207	264	232	257	270	180	66	15	2	-
Male.....	92	123	145	163	143	134	138	77	20	2	-	-
Female.....	55	61	62	101	89	123	132	103	46	13	2	-
White, both sexes.....	97	113	139	177	167	175	195	130	43	10	2	-
Male.....	55	78	95	112	106	94	105	60	14	1	-	-
Female.....	42	35	44	65	61	81	90	70	29	9	2	-
Black, both sexes.....	50	69	68	82	63	78	73	50	23	5	-	-
Male.....	37	44	50	48	37	38	31	17	6	1	-	-
Female.....	13	25	18	34	26	40	42	33	17	4	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	1	-	-	-	-	-
Male.....	-	1	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	5	2	3	1	-	-	-	-	-
Male.....	-	-	-	3	-	1	1	-	-	-	-	-
Female.....	-	1	-	2	2	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

South Dakota

All races, both sexes.....	24	33	43	33	55	58	58	51	14	8	1	-
Male.....	18	24	29	20	31	29	28	27	3	2	-	-
Female.....	6	9	14	13	24	29	30	24	11	6	1	-
White, both sexes.....	24	29	40	29	51	57	56	51	14	7	1	-
Male.....	18	21	26	17	29	28	26	27	3	2	-	-
Female.....	6	8	14	12	22	29	30	24	11	5	1	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	4	2	4	4	1	2	-	-	1	-	-
Male.....	-	3	2	3	2	1	2	-	-	-	-	-
Female.....	-	1	-	1	2	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	191	281	261	295	337	423	368	222	100	33	4	-
Male.....	134	196	166	180	201	224	162	92	33	8	-	-
Female.....	57	85	95	115	136	199	206	130	67	25	4	-
White, both sexes.....	139	211	212	249	278	360	309	188	80	29	3	-
Male.....	105	145	129	154	172	196	144	78	27	8	-	-
Female.....	34	66	83	95	106	164	165	110	53	21	3	-
Black, both sexes.....	49	67	45	45	56	61	59	33	20	4	1	-
Male.....	27	48	34	25	26	27	18	13	6	-	-	-
Female.....	22	19	11	20	30	34	41	20	14	4	1	-
American Indian 1/, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	1	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	4	1	2	1	-	1	-	-	-	-
Male.....	2	2	3	1	2	-	-	1	-	-	-	-
Female.....	1	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

Texas

All races, both sexes.....	619	748	879	916	1,087	1,205	1,102	715	338	102	13	-
Male.....	423	516	586	575	644	661	534	317	116	35	3	-
Female.....	196	232	293	341	443	544	568	398	222	67	10	-
White, both sexes.....	488	612	734	756	920	1,045	982	643	287	88	11	-
Male.....	340	431	500	488	547	589	473	293	99	29	3	-
Female.....	148	181	234	268	373	456	509	350	188	59	8	-
Black, both sexes.....	119	118	123	137	149	133	111	69	49	14	2	-
Male.....	75	72	73	73	85	61	56	23	16	6	-	-
Female.....	44	46	50	64	64	72	55	46	33	8	2	-
American Indian 1/, both sexes.....	1	-	3	3	-	4	-	1	-	-	-	-
Male.....	-	-	1	2	-	2	-	1	-	-	-	-
Female.....	1	-	2	1	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	18	19	20	18	23	9	2	2	-	-	-
Male.....	8	13	12	12	12	9	5	-	1	-	-	-
Female.....	3	5	7	8	6	14	4	2	1	-	-	-

Utah

All races, both sexes.....	42	47	61	74	80	97	73	66	16	8	2	-
Male.....	26	33	36	49	49	55	32	35	3	1	-	-
Female.....	16	14	25	25	31	42	41	31	13	7	2	-
White, both sexes.....	40	45	57	71	78	90	72	65	16	7	2	-
Male.....	24	32	35	48	47	51	32	34	3	1	-	-
Female.....	16	13	22	23	31	39	40	31	13	6	2	-
Black, both sexes.....	1	1	2	2	-	1	1	-	-	-	-	-
Male.....	1	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	2	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	1	1	5	-	1	-	1	-	-
Male.....	1	-	1	-	1	3	-	1	-	-	-	-
Female.....	-	1	1	1	-	2	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

Vermont

All races, both sexes.....	11	20	21	28	33	40	46	24	18	6	1	-
Male.....	7	13	9	18	22	25	20	15	5	2	1	-
Female.....	4	7	12	10	11	15	26	9	13	4	-	-
White, both sexes.....	11	19	21	28	33	40	46	24	18	6	1	-
Male.....	7	12	9	18	22	25	20	15	5	2	1	-
Female.....	4	7	12	10	11	15	26	9	13	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	199	276	340	323	419	457	458	274	126	37	2	-
Male.....	122	193	214	203	256	260	207	111	46	8	1	-
Female.....	77	83	126	120	163	197	251	163	80	29	1	-
White, both sexes.....	134	198	259	227	314	354	360	231	91	28	1	-
Male.....	79	138	164	143	195	212	164	92	33	7	-	-
Female.....	55	60	95	84	119	142	196	139	58	21	1	-
Black, both sexes.....	57	73	71	85	94	90	87	41	32	9	1	-
Male.....	39	52	45	51	54	43	40	18	12	1	1	-
Female.....	18	21	26	34	40	47	47	23	20	8	-	-
American Indian 1/, both sexes.....	-	-	1	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	5	9	10	10	12	11	2	3	-	-	-
Male.....	4	3	5	8	6	5	3	1	1	-	-	-
Female.....	4	2	4	2	4	7	8	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of esophagus (C15)												
Arkansas												
All races, both sexes.....	125	-	-	-	-	-	-	-	-	1	6	2
Male.....	100	-	-	-	-	-	-	-	-	1	4	2
Female.....	25	-	-	-	-	-	-	-	-	-	2	-
White, both sexes.....	105	-	-	-	-	-	-	-	-	1	5	2
Male.....	86	-	-	-	-	-	-	-	-	1	3	2
Female.....	19	-	-	-	-	-	-	-	-	-	2	-
Black, both sexes.....	19	-	-	-	-	-	-	-	-	-	1	-
Male.....	14	-	-	-	-	-	-	-	-	-	1	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,216	-	-	-	-	-	-	-	3	8	13	39
Male.....	919	-	-	-	-	-	-	-	2	4	9	29
Female.....	297	-	-	-	-	-	-	-	1	4	4	10
White, both sexes.....	1,069	-	-	-	-	-	-	-	3	5	9	36
Male.....	813	-	-	-	-	-	-	-	2	3	5	27
Female.....	256	-	-	-	-	-	-	-	1	2	4	9
Black, both sexes.....	68	-	-	-	-	-	-	-	-	-	3	1
Male.....	54	-	-	-	-	-	-	-	-	-	3	1
Female.....	14	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	1	-	-
Male.....	5	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	73	-	-	-	-	-	-	-	-	2	1	2
Male.....	47	-	-	-	-	-	-	-	-	-	1	1
Female.....	26	-	-	-	-	-	-	-	-	2	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of esophagus (C15)

Arkansas

All races, both sexes.....	12	13	25	20	21	10	9	-	5	1	-	-
Male.....	10	12	22	17	14	9	5	-	4	-	-	-
Female.....	2	1	3	3	7	1	4	-	1	1	-	-
White, both sexes.....	7	12	21	15	18	10	8	-	5	1	-	-
Male.....	5	12	18	13	14	9	5	-	4	-	-	-
Female.....	2	-	3	2	4	1	3	-	1	1	-	-
Black, both sexes.....	5	1	4	4	3	-	1	-	-	-	-	-
Male.....	5	-	4	4	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	3	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	73	111	104	162	172	227	163	105	28	8	-	-
Male.....	63	94	87	133	136	167	113	65	13	4	-	-
Female.....	10	17	17	29	36	60	50	40	15	4	-	-
White, both sexes.....	68	98	87	141	154	202	139	94	26	7	-	-
Male.....	58	82	75	116	123	148	100	58	13	3	-	-
Female.....	10	16	12	25	31	54	39	36	13	4	-	-
Black, both sexes.....	3	8	8	10	5	15	9	5	-	1	-	-
Male.....	3	7	7	7	5	11	6	3	-	1	-	-
Female.....	-	1	1	3	-	4	3	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	1	1	1	-	-	-	-
Male.....	-	-	1	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	5	8	10	13	9	14	5	2	-	-	-
Male.....	2	5	4	10	8	7	6	3	-	-	-	-
Female.....	-	-	4	-	5	2	8	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of esophagus (C15)												
Maine												
All races, both sexes.....	9	16	17	13	22	18	12	8	3	-	-	-
Male.....	9	15	13	10	16	14	10	3	2	-	-	-
Female.....	-	1	4	3	6	4	2	5	1	-	-	-
White, both sexes.....	9	16	17	13	22	18	11	8	3	-	-	-
Male.....	9	15	13	10	16	14	9	3	2	-	-	-
Female.....	-	1	4	3	6	4	2	5	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	20	30	28	42	44	41	23	10	4	-	-	-
Male.....	17	25	26	36	28	27	12	6	2	-	-	-
Female.....	3	5	2	6	16	14	11	4	2	-	-	-
White, both sexes.....	15	22	21	30	31	34	21	9	4	-	-	-
Male.....	14	19	19	26	23	21	11	5	2	-	-	-
Female.....	1	3	2	4	8	13	10	4	2	-	-	-
Black, both sexes.....	5	8	6	11	13	6	2	1	-	-	-	-
Male.....	3	6	6	9	5	6	1	1	-	-	-	-
Female.....	2	2	-	2	8	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of esophagus (C15)												
New Hampshire												
All races, both sexes.....	6	9	8	9	11	14	7	3	2	2	-	-
Male.....	4	8	6	7	8	11	5	3	-	1	-	-
Female.....	2	1	2	2	3	3	2	-	2	1	-	-
White, both sexes.....	6	9	8	9	11	14	7	3	2	2	-	-
Male.....	4	8	6	7	8	11	5	3	-	1	-	-
Female.....	2	1	2	2	3	3	2	-	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	34	50	51	39	60	66	59	18	14	2	1	-
Male.....	29	43	41	30	49	49	43	7	7	2	-	-
Female.....	5	7	10	9	11	17	16	11	7	-	1	-
White, both sexes.....	29	40	35	37	54	56	55	18	12	2	1	-
Male.....	25	37	29	28	43	41	40	7	6	2	-	-
Female.....	4	3	6	9	11	15	15	11	6	-	1	-
Black, both sexes.....	5	10	15	1	5	9	3	-	1	-	-	-
Male.....	4	6	11	1	5	7	2	-	1	-	-	-
Female.....	1	4	4	-	-	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	-	1	-	1	-	-	-
Male.....	-	-	1	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of esophagus (C15)												
New Mexico												
All races, both sexes.....	5	11	7	10	16	4	5	6	2	-	-	-
Male.....	5	10	7	7	12	4	3	5	2	-	-	-
Female.....	-	1	-	3	4	-	2	1	-	-	-	-
White, both sexes.....	5	11	7	9	16	4	4	6	2	-	-	-
Male.....	5	10	7	7	12	4	3	5	2	-	-	-
Female.....	-	1	-	2	4	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	68	96	110	123	116	161	107	73	34	8	-	-
Male.....	59	81	87	89	95	125	66	42	21	3	-	-
Female.....	9	15	23	34	21	36	41	31	13	5	-	-
White, both sexes.....	56	80	91	102	100	143	96	69	31	7	-	-
Male.....	50	68	70	81	81	116	60	42	20	3	-	-
Female.....	6	12	21	21	19	27	36	27	11	4	-	-
Black, both sexes.....	11	10	17	19	12	17	9	4	1	1	-	-
Male.....	9	8	15	8	10	9	5	-	-	-	-	-
Female.....	2	2	2	11	2	8	4	4	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	6	2	2	4	1	1	-	2	-	-	-
Male.....	-	5	2	2	4	-	1	-	1	-	-	-
Female.....	1	1	-	2	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of esophagus (C15)

Oregon

All races, both sexes.....	9	14	28	22	37	30	28	17	4	1	-	-
Male.....	7	9	24	20	30	23	20	11	1	-	-	-
Female.....	2	5	4	2	7	7	8	6	3	1	-	-
White, both sexes.....	8	13	27	22	37	29	27	17	4	1	-	-
Male.....	7	8	24	20	30	23	19	11	1	-	-	-
Female.....	1	5	3	2	7	6	8	6	3	1	-	-
Black, both sexes.....	1	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	69	82	91	80	117	109	101	60	26	5	1	-
Male.....	63	71	80	66	86	85	74	39	12	2	-	-
Female.....	6	11	11	14	31	24	27	21	14	3	1	-
White, both sexes.....	62	68	82	76	107	101	95	56	25	5	1	-
Male.....	57	61	74	63	79	81	69	38	12	2	-	-
Female.....	5	7	8	13	28	20	26	18	13	3	1	-
Black, both sexes.....	7	14	8	3	9	7	6	3	1	-	-	-
Male.....	6	10	5	2	6	4	5	1	-	-	-	-
Female.....	1	4	3	1	3	3	1	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	-	1	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of stomach (C16)												
Arkansas												
All races, both sexes.....	126	-	-	-	-	-	-	-	-	3	3	4
Male.....	75	-	-	-	-	-	-	-	-	2	3	2
Female.....	51	-	-	-	-	-	-	-	-	1	-	2
White, both sexes.....	92	-	-	-	-	-	-	-	-	2	2	2
Male.....	56	-	-	-	-	-	-	-	-	1	2	1
Female.....	36	-	-	-	-	-	-	-	-	1	-	1
Black, both sexes.....	32	-	-	-	-	-	-	-	-	1	1	2
Male.....	18	-	-	-	-	-	-	-	-	1	1	1
Female.....	14	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,550	-	-	-	-	1	3	5	18	27	47	86
Male.....	892	-	-	-	-	-	1	3	9	18	26	43
Female.....	658	-	-	-	-	1	2	2	9	9	21	43
White, both sexes.....	1,087	-	-	-	-	-	2	4	11	15	34	58
Male.....	629	-	-	-	-	-	1	3	6	9	19	29
Female.....	458	-	-	-	-	-	1	1	5	6	15	29
Black, both sexes.....	123	-	-	-	-	-	-	-	1	2	3	11
Male.....	77	-	-	-	-	-	-	-	-	2	3	7
Female.....	46	-	-	-	-	-	-	-	1	-	-	4
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	334	-	-	-	-	1	1	1	6	10	10	17
Male.....	181	-	-	-	-	-	-	-	3	7	4	7
Female.....	153	-	-	-	-	1	1	1	3	3	6	10

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of stomach (C16)

Colorado

All races, both sexes.....	122	-	-	-	-	-	-	-	-	1	4	8
Male.....	77	-	-	-	-	-	-	-	-	1	-	6
Female.....	45	-	-	-	-	-	-	-	-	-	4	2
White, both sexes.....	109	-	-	-	-	-	-	-	-	-	4	7
Male.....	66	-	-	-	-	-	-	-	-	-	-	5
Female.....	43	-	-	-	-	-	-	-	-	-	4	2
Black, both sexes.....	9	-	-	-	-	-	-	-	-	1	-	1
Male.....	8	-	-	-	-	-	-	-	-	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	183	-	-	-	-	-	-	1	1	-	4	7
Male.....	100	-	-	-	-	-	-	-	-	-	3	5
Female.....	83	-	-	-	-	-	-	1	1	-	1	2
White, both sexes.....	162	-	-	-	-	-	-	-	1	-	4	7
Male.....	90	-	-	-	-	-	-	-	-	-	3	5
Female.....	72	-	-	-	-	-	-	-	1	-	1	2
Black, both sexes.....	18	-	-	-	-	-	-	-	-	-	-	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of stomach (C16)

Florida

All races, both sexes.....	826	-	-	-	-	-	1	3	3	5	14	29
Male.....	505	-	-	-	-	-	1	-	2	4	10	19
Female.....	321	-	-	-	-	-	-	3	1	1	4	10
White, both sexes.....	677	-	-	-	-	-	-	3	2	5	8	20
Male.....	411	-	-	-	-	-	-	-	1	4	5	11
Female.....	266	-	-	-	-	-	-	3	1	1	3	9
Black, both sexes.....	136	-	-	-	-	-	1	-	-	-	6	8
Male.....	83	-	-	-	-	-	1	-	-	-	5	7
Female.....	53	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	-	-	1	-	-	1
Male.....	10	-	-	-	-	-	-	-	1	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	293	-	-	-	-	-	-	2	5	6	12	16
Male.....	154	-	-	-	-	-	-	1	1	4	6	7
Female.....	139	-	-	-	-	-	-	1	4	2	6	9
White, both sexes.....	165	-	-	-	-	-	-	-	1	2	3	5
Male.....	87	-	-	-	-	-	-	-	-	2	2	2
Female.....	78	-	-	-	-	-	-	-	1	-	1	3
Black, both sexes.....	113	-	-	-	-	-	-	2	3	3	9	8
Male.....	60	-	-	-	-	-	-	1	1	2	4	4
Female.....	53	-	-	-	-	-	-	1	2	1	5	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	-	-	-	1	1	-	2
Male.....	7	-	-	-	-	-	-	-	-	-	-	1
Female.....	7	-	-	-	-	-	-	-	1	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of stomach (C16)												
Massachusetts												
All races, both sexes.....	257	-	-	-	-	-	-	2	2	-	6	4
Male.....	165	-	-	-	-	-	-	2	1	-	2	3
Female.....	92	-	-	-	-	-	-	-	1	-	4	1
White, both sexes.....	225	-	-	-	-	-	-	2	2	-	4	4
Male.....	145	-	-	-	-	-	-	2	1	-	2	3
Female.....	80	-	-	-	-	-	-	-	1	-	2	1
Black, both sexes.....	21	-	-	-	-	-	-	-	-	-	1	-
Male.....	13	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	-	-	-	-	-	1	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	1	-
Michigan												
All races, both sexes.....	376	-	-	-	-	-	2	1	5	4	8	11
Male.....	227	-	-	-	-	-	1	1	4	3	5	7
Female.....	149	-	-	-	-	-	1	-	1	1	3	4
White, both sexes.....	290	-	-	-	-	-	1	1	2	2	5	6
Male.....	173	-	-	-	-	-	-	1	2	1	4	5
Female.....	117	-	-	-	-	-	1	-	-	1	1	1
Black, both sexes.....	74	-	-	-	-	-	-	-	2	2	1	4
Male.....	47	-	-	-	-	-	-	-	2	2	1	2
Female.....	27	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	1	-	1	-	1	1
Male.....	6	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of stomach (C16)												
New Hampshire												
All races, both sexes.....	37	-	-	-	-	-	-	-	-	-	2	4
Male.....	24	-	-	-	-	-	-	-	-	-	2	3
Female.....	13	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	37	-	-	-	-	-	-	-	-	-	2	4
Male.....	24	-	-	-	-	-	-	-	-	-	2	3
Female.....	13	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	444	-	-	-	-	-	-	-	4	6	11	18
Male.....	244	-	-	-	-	-	-	-	1	2	6	10
Female.....	200	-	-	-	-	-	-	-	3	4	5	8
White, both sexes.....	354	-	-	-	-	-	-	-	1	5	6	13
Male.....	200	-	-	-	-	-	-	-	1	2	3	8
Female.....	154	-	-	-	-	-	-	-	-	3	3	5
Black, both sexes.....	68	-	-	-	-	-	-	-	1	1	4	3
Male.....	27	-	-	-	-	-	-	-	-	-	2	1
Female.....	41	-	-	-	-	-	-	-	1	1	2	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	-	-	-	-	-	-	-	2	-	1	2
Male.....	16	-	-	-	-	-	-	-	-	-	1	1
Female.....	5	-	-	-	-	-	-	-	2	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of stomach (C16)

Ohio

All races, both sexes.....	428	-	-	-	-	-	1	-	2	4	9	17
Male.....	252	-	-	-	-	-	-	-	1	1	6	8
Female.....	176	-	-	-	-	-	1	-	1	3	3	9
White, both sexes.....	335	-	-	-	-	-	1	-	1	3	7	13
Male.....	199	-	-	-	-	-	-	-	-	1	4	7
Female.....	136	-	-	-	-	-	1	-	1	2	3	6
Black, both sexes.....	90	-	-	-	-	-	-	-	1	1	2	3
Male.....	51	-	-	-	-	-	-	-	1	-	2	1
Female.....	39	-	-	-	-	-	-	-	-	1	-	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1

Oklahoma

All races, both sexes.....	105	-	-	-	-	-	-	-	1	1	1	7
Male.....	63	-	-	-	-	-	-	-	-	1	-	5
Female.....	42	-	-	-	-	-	-	-	1	-	1	2
White, both sexes.....	75	-	-	-	-	-	-	-	-	-	-	3
Male.....	46	-	-	-	-	-	-	-	-	-	-	2
Female.....	29	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	11	-	-	-	-	-	-	-	-	1	-	1
Male.....	5	-	-	-	-	-	-	-	-	1	-	1
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	-	1	2
Male.....	9	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	1	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of stomach (C16)

Oregon

All races, both sexes.....	116	-	-	-	-	-	-	-	1	1	5	5
Male.....	72	-	-	-	-	-	-	-	1	-	4	4
Female.....	44	-	-	-	-	-	-	-	-	1	1	1
White, both sexes.....	106	-	-	-	-	-	-	-	1	1	4	5
Male.....	67	-	-	-	-	-	-	-	1	-	3	4
Female.....	39	-	-	-	-	-	-	-	-	1	1	1
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	542	-	-	-	-	-	-	-	2	7	12	15
Male.....	316	-	-	-	-	-	-	-	-	4	8	8
Female.....	226	-	-	-	-	-	-	-	2	3	4	7
White, both sexes.....	459	-	-	-	-	-	-	-	1	6	9	11
Male.....	267	-	-	-	-	-	-	-	-	3	6	5
Female.....	192	-	-	-	-	-	-	-	1	3	3	6
Black, both sexes.....	68	-	-	-	-	-	-	-	-	-	3	4
Male.....	40	-	-	-	-	-	-	-	-	-	2	3
Female.....	28	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	-	-	1	1	-	-
Male.....	8	-	-	-	-	-	-	-	-	1	-	-
Female.....	4	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of stomach (C16)

Alaska

All races, both sexes.....	2	1	3	4	2	3	-	1	-	-	-	-
Male.....	1	-	1	3	2	-	-	1	-	-	-	-
Female.....	1	1	2	1	-	3	-	-	-	-	-	-
White, both sexes.....	2	1	1	3	1	1	-	-	-	-	-	-
Male.....	1	-	1	2	1	-	-	-	-	-	-	-
Female.....	1	1	-	1	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	2	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Arizona

All races, both sexes.....	4	9	13	20	24	32	36	20	16	2	-	-
Male.....	3	4	8	12	16	20	23	9	6	1	-	-
Female.....	1	5	5	8	8	12	13	11	10	1	-	-
White, both sexes.....	4	5	10	17	23	28	35	17	16	2	-	-
Male.....	3	2	6	10	16	17	22	8	6	1	-	-
Female.....	1	3	4	7	7	11	13	9	10	1	-	-
Black, both sexes.....	-	3	2	1	1	2	1	2	-	-	-	-
Male.....	-	2	2	-	-	2	1	-	-	-	-	-
Female.....	-	1	-	1	1	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	1	-	1	-	-	-	-
Male.....	-	-	-	2	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of stomach (C16)

Arkansas

All races, both sexes.....	7	11	14	18	16	16	13	9	10	2	-	-
Male.....	3	9	5	14	9	10	8	5	5	-	-	-
Female.....	4	2	9	4	7	6	5	4	5	2	-	-
White, both sexes.....	3	8	9	14	15	12	9	7	7	2	-	-
Male.....	2	7	4	10	8	9	4	4	4	-	-	-
Female.....	1	1	5	4	7	3	5	3	3	2	-	-
Black, both sexes.....	3	3	5	3	1	4	4	2	3	-	-	-
Male.....	1	2	1	3	1	4	1	1	1	-	-	-
Female.....	2	1	4	-	-	3	-	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	100	122	128	142	181	239	236	127	61	23	4	-
Male.....	56	74	81	92	101	153	141	57	26	9	2	-
Female.....	44	48	47	50	80	86	95	70	35	14	2	-
White, both sexes.....	81	94	83	93	132	178	150	83	47	18	4	-
Male.....	43	59	53	58	79	111	90	40	21	6	2	-
Female.....	38	35	30	35	53	67	60	43	26	12	2	-
Black, both sexes.....	6	9	13	7	15	14	23	13	5	1	-	-
Male.....	4	3	10	6	7	11	14	7	2	1	-	-
Female.....	2	6	3	1	8	3	9	6	3	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	-	1	-	2	-	-	-	-
Male.....	-	-	2	1	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	19	30	41	34	46	63	29	9	4	-	-
Male.....	9	12	16	27	15	30	37	9	3	2	-	-
Female.....	4	7	14	14	19	16	26	20	6	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of stomach (C16)

Florida

All races, both sexes.....	46	48	62	86	104	132	123	108	48	12	2	-
Male.....	33	31	44	54	64	75	71	65	25	5	2	-
Female.....	13	17	18	32	40	57	52	43	23	7	-	-
White, both sexes.....	30	35	50	68	85	111	110	98	41	9	2	-
Male.....	19	20	35	45	51	68	65	60	22	3	2	-
Female.....	11	15	15	23	34	43	45	38	19	6	-	-
Black, both sexes.....	14	13	11	16	18	19	12	8	7	3	-	-
Male.....	12	11	8	7	12	7	5	3	3	2	-	-
Female.....	2	2	3	9	6	12	7	5	4	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	2	1	2	-	2	-	-	-	-
Male.....	2	-	1	2	1	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Georgia

All races, both sexes.....	19	29	26	32	30	35	37	28	10	4	2	-
Male.....	11	21	16	18	18	20	16	12	3	-	-	-
Female.....	8	8	10	14	12	15	21	16	7	4	2	-
White, both sexes.....	9	15	14	19	21	25	23	18	6	3	1	-
Male.....	6	10	9	10	10	14	12	8	2	-	-	-
Female.....	3	5	5	9	11	11	11	10	4	3	1	-
Black, both sexes.....	8	11	11	12	8	10	13	10	3	1	1	-
Male.....	4	9	6	8	7	6	3	4	1	-	-	-
Female.....	4	2	5	4	1	4	10	6	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	1	1	1	-	1	-	1	-	-	-
Male.....	1	2	1	-	1	-	1	-	-	-	-	-
Female.....	1	1	-	1	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of stomach (C16)

Illinois

All races, both sexes.....	24	31	34	47	63	87	88	63	24	11	1	-
Male.....	12	19	22	26	34	49	50	31	12	3	-	-
Female.....	12	12	12	21	29	38	38	32	12	8	1	-
White, both sexes.....	16	21	25	29	45	67	73	53	21	9	1	-
Male.....	8	14	16	14	23	40	41	24	12	3	-	-
Female.....	8	7	9	15	22	27	32	29	9	6	1	-
Black, both sexes.....	8	9	7	15	13	18	15	9	-	2	-	-
Male.....	4	5	4	9	9	7	9	6	-	-	-	-
Female.....	4	4	3	6	4	11	6	3	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	3	5	2	-	1	3	-	-	-
Male.....	-	-	2	3	2	2	-	1	-	-	-	-
Female.....	-	1	-	-	3	-	-	-	3	-	-	-

Indiana

All races, both sexes.....	7	13	15	23	30	32	31	23	9	2	1	-
Male.....	3	9	12	17	20	15	22	14	6	1	-	-
Female.....	4	4	3	6	10	17	9	9	3	1	1	-
White, both sexes.....	6	11	14	21	25	26	27	21	8	2	1	-
Male.....	2	8	11	16	17	13	18	13	6	1	-	-
Female.....	4	3	3	5	8	13	9	8	2	1	1	-
Black, both sexes.....	1	2	1	2	3	5	4	2	1	-	-	-
Male.....	1	1	1	1	2	2	4	1	-	-	-	-
Female.....	-	1	-	1	1	3	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of stomach (C16)												
Maine												
All races, both sexes.....	1	3	6	3	4	5	7	3	4	-	-	-
Male.....	1	3	3	2	3	5	3	-	2	-	-	-
Female.....	-	-	3	1	1	-	4	3	2	-	-	-
White, both sexes.....	1	3	6	3	4	5	6	3	4	-	-	-
Male.....	1	3	3	2	3	5	3	-	2	-	-	-
Female.....	-	-	3	1	1	-	3	3	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Maryland												
All races, both sexes.....	12	14	15	24	24	30	24	21	9	2	2	-
Male.....	7	9	11	12	15	12	8	10	5	-	-	-
Female.....	5	5	4	12	9	18	16	11	4	2	2	-
White, both sexes.....	6	8	9	13	16	17	16	15	4	2	2	-
Male.....	3	5	7	10	10	6	5	6	2	-	-	-
Female.....	3	3	2	3	6	11	11	9	2	2	2	-
Black, both sexes.....	4	5	4	10	6	11	8	4	3	-	-	-
Male.....	3	3	3	2	4	5	3	3	1	-	-	-
Female.....	1	2	1	8	2	6	5	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	1	2	2	-	2	2	-	-	-
Male.....	1	1	1	-	1	1	-	1	2	-	-	-
Female.....	1	-	-	1	1	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of stomach (C16)

Nebraska

All races, both sexes.....	5	3	7	4	2	10	13	3	2	-	-	-
Male.....	5	1	5	3	1	5	6	2	2	-	-	-
Female.....	-	2	2	1	1	5	7	1	-	-	-	-
White, both sexes.....	4	3	6	4	2	9	11	3	2	-	-	-
Male.....	4	1	4	3	1	5	5	2	2	-	-	-
Female.....	-	2	2	1	1	4	6	1	-	-	-	-
Black, both sexes.....	-	-	1	-	-	1	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	4	6	11	12	15	15	14	6	9	-	-	-
Male.....	4	3	7	9	9	9	3	2	5	-	-	-
Female.....	-	3	4	3	6	6	11	4	4	-	-	-
White, both sexes.....	3	4	10	9	13	10	12	6	6	-	-	-
Male.....	3	2	6	7	8	4	3	2	3	-	-	-
Female.....	-	2	4	2	5	6	9	4	3	-	-	-
Black, both sexes.....	-	1	1	2	1	3	1	-	2	-	-	-
Male.....	-	-	1	2	-	3	-	-	1	-	-	-
Female.....	-	1	-	-	1	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	-	2	1	-	1	-	-	-
Male.....	1	1	-	-	-	2	-	-	1	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of stomach (C16)												
New Hampshire												
All races, both sexes.....	-	3	3	2	6	5	4	6	1	1	-	-
Male.....	-	2	3	2	4	2	2	4	-	-	-	-
Female.....	-	1	-	-	2	3	2	2	1	1	-	-
White, both sexes.....	-	3	3	2	6	5	4	6	1	1	-	-
Male.....	-	2	3	2	4	2	2	4	-	-	-	-
Female.....	-	1	-	-	2	3	2	2	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	14	39	33	43	58	71	71	49	19	7	1	-
Male.....	12	26	25	21	37	35	38	25	4	1	1	-
Female.....	2	13	8	22	21	36	33	24	15	6	-	-
White, both sexes.....	11	31	24	31	48	61	59	43	14	6	1	-
Male.....	10	22	19	17	30	31	31	21	3	1	1	-
Female.....	1	9	5	14	18	30	28	22	11	5	-	-
Black, both sexes.....	2	4	6	12	6	9	10	4	5	1	-	-
Male.....	1	1	3	4	3	4	5	2	1	-	-	-
Female.....	1	3	3	8	3	5	5	2	4	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	3	-	4	1	2	2	-	-	-	-
Male.....	1	2	3	-	4	-	2	2	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of stomach (C16)

New Mexico

All races, both sexes.....	5	8	5	10	19	11	15	6	4	1	-	-
Male.....	3	3	3	7	11	7	13	4	1	-	-	-
Female.....	2	5	2	3	8	4	2	2	3	1	-	-
White, both sexes.....	5	6	5	10	16	9	14	6	4	1	-	-
Male.....	3	3	3	7	8	6	12	4	1	-	-	-
Female.....	2	3	2	3	8	3	2	2	3	1	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	-	-	2	2	1	-	-	-	-	-
Male.....	-	-	-	-	2	1	1	-	-	-	-	-
Female.....	-	2	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	48	71	79	114	119	131	145	148	52	12	3	-
Male.....	31	44	53	77	80	79	75	69	18	2	1	-
Female.....	17	27	26	37	39	52	70	79	34	10	2	-
White, both sexes.....	32	50	54	73	86	91	113	112	40	11	2	-
Male.....	21	30	34	51	57	55	58	52	15	1	1	-
Female.....	11	20	20	22	29	36	55	60	25	10	1	-
Black, both sexes.....	14	16	20	26	21	32	22	31	10	1	1	-
Male.....	9	12	15	15	14	19	10	16	3	1	-	-
Female.....	5	4	5	11	7	13	12	15	7	-	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	5	5	14	12	7	10	5	2	-	-	-
Male.....	1	2	4	11	9	5	7	1	-	-	-	-
Female.....	1	3	1	3	3	2	3	4	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of stomach (C16)												
Ohio												
All races, both sexes.....	21	22	24	48	46	72	82	49	22	9	-	-
Male.....	13	17	15	36	33	41	45	22	12	2	-	-
Female.....	8	5	9	12	13	31	37	27	10	7	-	-
White, both sexes.....	13	18	20	36	34	52	72	38	19	8	-	-
Male.....	9	15	12	27	25	30	41	16	11	1	-	-
Female.....	4	3	8	9	9	22	31	22	8	7	-	-
Black, both sexes.....	8	4	3	11	12	20	10	11	3	1	-	-
Male.....	4	2	2	8	8	11	4	6	1	1	-	-
Female.....	4	2	1	3	4	9	6	5	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Oklahoma												
All races, both sexes.....	6	6	10	8	22	15	16	8	2	2	-	-
Male.....	2	4	5	6	17	9	9	3	2	-	-	-
Female.....	4	2	5	2	5	6	7	5	-	2	-	-
White, both sexes.....	4	5	5	5	19	12	12	6	2	2	-	-
Male.....	2	3	1	3	16	8	7	2	2	-	-	-
Female.....	2	2	4	2	3	4	5	4	-	2	-	-
Black, both sexes.....	-	-	1	-	1	3	3	1	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	1	-	-	2	2	1	-	-	-	-
American Indian 1/, both sexes.....	1	1	3	2	1	-	1	1	-	-	-	-
Male.....	-	1	3	2	-	-	1	1	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	1	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of stomach (C16)

Oregon

All races, both sexes.....	5	10	12	18	13	12	17	14	1	2	-	-
Male.....	5	8	9	10	4	9	11	7	-	-	-	-
Female.....	-	2	3	8	9	3	6	7	1	2	-	-
White, both sexes.....	4	9	12	16	12	11	14	14	1	2	-	-
Male.....	4	7	9	10	4	9	9	7	-	-	-	-
Female.....	-	2	3	6	8	2	5	7	1	2	-	-
Black, both sexes.....	-	1	-	1	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	-	-	-	-	-

Pennsylvania

All races, both sexes.....	25	30	48	49	64	90	93	72	31	4	-	-
Male.....	21	23	28	35	40	54	50	34	10	1	-	-
Female.....	4	7	20	14	24	36	43	38	21	3	-	-
White, both sexes.....	22	27	34	40	51	82	84	62	27	3	-	-
Male.....	18	20	21	28	34	49	45	27	10	1	-	-
Female.....	4	7	13	12	17	33	39	35	17	2	-	-
Black, both sexes.....	2	3	11	8	10	6	7	9	4	1	-	-
Male.....	2	3	5	7	6	3	3	6	-	-	-	-
Female.....	-	-	6	1	4	3	4	3	4	1	-	-
American Indian 1/, both sexes.....	1	-	-	1	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	-	2	2	2	1	-	-	-	-
Male.....	-	-	2	-	-	2	2	1	-	-	-	-
Female.....	-	-	1	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of stomach (C16)

Rhode Island

All races, both sexes.....	4	5	4	3	8	11	11	5	6	-	-	-
Male.....	4	4	3	3	4	9	7	3	2	-	-	-
Female.....	-	1	1	-	4	2	4	2	4	-	-	-
White, both sexes.....	4	5	4	3	7	11	10	5	6	-	-	-
Male.....	4	4	3	3	3	9	6	3	2	-	-	-
Female.....	-	1	1	-	4	2	4	2	4	-	-	-
Black, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	11	21	29	24	18	19	24	9	4	1	-	-
Male.....	7	14	20	18	12	6	14	2	-	-	-	-
Female.....	4	7	9	6	6	13	10	7	4	1	-	-
White, both sexes.....	8	9	15	14	11	8	13	7	2	1	-	-
Male.....	4	7	9	8	8	3	6	2	-	-	-	-
Female.....	4	2	6	6	3	5	7	5	2	1	-	-
Black, both sexes.....	3	12	14	9	5	11	9	2	2	-	-	-
Male.....	3	7	11	9	4	3	6	-	-	-	-	-
Female.....	-	5	3	-	1	8	3	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of stomach (C16)												
Vermont												
All races, both sexes.....	1	-	3	-	1	4	-	-	2	-	-	-
Male.....	1	-	1	-	1	3	-	-	2	-	-	-
Female.....	-	-	2	-	-	1	-	-	-	-	-	-
White, both sexes.....	1	-	3	-	1	4	-	-	2	-	-	-
Male.....	1	-	1	-	1	3	-	-	2	-	-	-
Female.....	-	-	2	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	17	20	21	19	35	40	31	25	17	7	-	-
Male.....	12	10	15	12	27	26	13	12	8	1	-	-
Female.....	5	10	6	7	8	14	18	13	9	6	-	-
White, both sexes.....	9	15	15	12	27	28	21	17	13	4	-	-
Male.....	5	8	9	8	20	19	9	7	6	1	-	-
Female.....	4	7	6	4	7	9	12	10	7	3	-	-
Black, both sexes.....	5	5	5	6	7	7	6	7	4	3	-	-
Male.....	5	2	5	3	6	5	2	5	2	-	-	-
Female.....	-	3	-	3	1	2	4	2	2	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	1	1	5	4	1	-	-	-	-
Male.....	2	-	1	1	1	2	2	-	-	-	-	-
Female.....	1	-	-	-	-	3	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of small intestine (C17)

Vermont

All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	37	-	-	-	-	-	-	1	1	1	2	2
Male.....	21	-	-	-	-	-	-	-	1	-	1	2
Female.....	16	-	-	-	-	-	-	1	-	1	1	-
White, both sexes.....	24	-	-	-	-	-	-	-	-	-	-	2
Male.....	15	-	-	-	-	-	-	-	-	-	-	2
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	12	-	-	-	-	-	-	1	1	-	2	-
Male.....	6	-	-	-	-	-	-	-	1	-	1	-
Female.....	6	-	-	-	-	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of small intestine (C17)												
Arkansas												
All races, both sexes.....	1	1	-	1	1	-	2	-	1	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	1	1	-	-	1	-	1	-	1	-	-	-
White, both sexes.....	1	1	-	-	1	-	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	1	-	-	1	-	1	-	1	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	3	11	18	14	10	23	17	10	7	1	-	-
Male.....	3	6	10	6	8	14	8	4	-	-	-	-
Female.....	-	5	8	8	2	9	9	6	7	1	-	-
White, both sexes.....	2	7	14	11	8	20	13	8	7	1	-	-
Male.....	2	3	8	4	6	12	6	4	-	-	-	-
Female.....	-	4	6	7	2	8	7	4	7	1	-	-
Black, both sexes.....	1	3	3	2	1	2	3	1	-	-	-	-
Male.....	1	2	1	1	1	1	1	-	-	-	-	-
Female.....	-	1	2	1	-	1	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	1	1	1	1	-	-	-	-
Male.....	-	1	1	1	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of colon, rectum and anus (C18-C21)												
Arkansas												
All races, both sexes.....	574	-	-	-	-	1	1	3	4	5	11	23
Male.....	304	-	-	-	-	-	1	3	2	3	9	14
Female.....	270	-	-	-	-	1	-	-	2	2	2	9
White, both sexes.....	481	-	-	-	-	1	1	2	4	4	9	11
Male.....	256	-	-	-	-	-	1	2	2	3	7	8
Female.....	225	-	-	-	-	1	-	-	2	1	2	3
Black, both sexes.....	88	-	-	-	-	-	-	1	-	1	2	12
Male.....	45	-	-	-	-	-	-	1	-	-	2	6
Female.....	43	-	-	-	-	-	-	-	-	1	-	6
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	5,198	-	-	-	-	2	5	9	26	45	94	165
Male.....	2,651	-	-	-	-	1	2	8	18	28	50	99
Female.....	2,547	-	-	-	-	1	3	1	8	17	44	66
White, both sexes.....	4,221	-	-	-	-	2	5	7	20	37	65	124
Male.....	2,158	-	-	-	-	1	2	7	13	24	36	76
Female.....	2,063	-	-	-	-	1	3	-	7	13	29	48
Black, both sexes.....	450	-	-	-	-	-	-	1	2	4	12	20
Male.....	228	-	-	-	-	-	-	-	2	2	8	11
Female.....	222	-	-	-	-	-	-	1	-	2	4	9
American Indian 1/, both sexes.....	24	-	-	-	-	-	-	-	-	-	4	2
Male.....	15	-	-	-	-	-	-	-	-	-	2	2
Female.....	9	-	-	-	-	-	-	-	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	503	-	-	-	-	-	-	1	4	4	13	19
Male.....	250	-	-	-	-	-	-	1	3	2	4	10
Female.....	253	-	-	-	-	-	-	-	1	2	9	9

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of colon, rectum and anus (C18-C21)

Colorado

All races, both sexes.....	657	-	-	-	-	-	2	2	5	2	11	26
Male.....	309	-	-	-	-	-	1	1	2	2	5	14
Female.....	348	-	-	-	-	-	1	1	3	-	6	12
White, both sexes.....	615	-	-	-	-	-	2	2	5	2	10	22
Male.....	293	-	-	-	-	-	1	1	2	2	5	13
Female.....	322	-	-	-	-	-	1	1	3	-	5	9
Black, both sexes.....	30	-	-	-	-	-	-	-	-	-	-	4
Male.....	14	-	-	-	-	-	-	-	-	-	-	1
Female.....	16	-	-	-	-	-	-	-	-	-	-	3
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	1	-

Connecticut

All races, both sexes.....	629	-	-	-	-	-	-	2	4	3	10	10
Male.....	276	-	-	-	-	-	-	1	2	-	3	7
Female.....	353	-	-	-	-	-	-	1	2	3	7	3
White, both sexes.....	572	-	-	-	-	-	-	2	1	3	8	8
Male.....	253	-	-	-	-	-	-	1	1	-	2	7
Female.....	319	-	-	-	-	-	-	1	-	3	6	1
Black, both sexes.....	52	-	-	-	-	-	-	-	2	-	1	2
Male.....	22	-	-	-	-	-	-	-	1	-	-	-
Female.....	30	-	-	-	-	-	-	-	1	-	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	1	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of colon, rectum and anus (C18-C21)

Hawaii

All races, both sexes.....	211	-	-	-	-	-	1	1	-	1	4	12
Male.....	132	-	-	-	-	-	1	1	-	-	-	9
Female.....	79	-	-	-	-	-	-	-	-	1	4	3
White, both sexes.....	54	-	-	-	-	-	-	-	-	-	-	3
Male.....	33	-	-	-	-	-	-	-	-	-	-	1
Female.....	21	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	156	-	-	-	-	-	1	1	-	1	4	8
Male.....	99	-	-	-	-	-	1	1	-	-	-	8
Female.....	57	-	-	-	-	-	-	-	-	1	4	-

Idaho

All races, both sexes.....	211	-	-	-	-	2	-	-	1	2	2	7
Male.....	96	-	-	-	-	1	-	-	1	1	1	3
Female.....	115	-	-	-	-	1	-	-	-	1	1	4
White, both sexes.....	205	-	-	-	-	1	-	-	1	2	2	6
Male.....	91	-	-	-	-	1	-	-	1	1	1	2
Female.....	114	-	-	-	-	-	-	-	-	1	1	4
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of colon, rectum and anus (C18-C21)												
New Mexico												
All races, both sexes.....	308	-	-	-	-	-	-	1	3	5	4	13
Male.....	150	-	-	-	-	-	-	-	1	3	3	8
Female.....	158	-	-	-	-	-	-	1	2	2	1	5
White, both sexes.....	282	-	-	-	-	-	-	-	3	3	4	13
Male.....	139	-	-	-	-	-	-	-	1	1	3	8
Female.....	143	-	-	-	-	-	-	-	2	2	1	5
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	21	-	-	-	-	-	-	1	-	2	-	-
Male.....	9	-	-	-	-	-	-	-	-	2	-	-
Female.....	12	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	3,533	-	-	-	1	1	-	4	12	22	45	89
Male.....	1,689	-	-	-	1	-	-	2	5	11	25	54
Female.....	1,844	-	-	-	-	1	-	2	7	11	20	35
White, both sexes.....	2,911	-	-	-	1	-	-	1	7	15	33	65
Male.....	1,396	-	-	-	1	-	-	1	4	9	19	43
Female.....	1,515	-	-	-	-	-	-	-	3	6	14	22
Black, both sexes.....	509	-	-	-	-	1	-	3	3	6	9	21
Male.....	225	-	-	-	-	-	-	1	-	2	4	10
Female.....	284	-	-	-	-	1	-	2	3	4	5	11
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	109	-	-	-	-	-	-	-	2	1	3	3
Male.....	65	-	-	-	-	-	-	-	1	-	2	1
Female.....	44	-	-	-	-	-	-	-	1	1	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of colon, rectum and anus (C18-C21)

Alaska

All races, both sexes.....	3	5	4	11	6	8	5	8	-	-	1	-
Male.....	2	3	2	7	4	5	4	5	-	-	1	-
Female.....	1	2	2	4	2	3	1	3	-	-	-	-
White, both sexes.....	-	1	2	6	5	4	3	7	-	-	1	-
Male.....	-	1	2	3	3	3	2	4	-	-	1	-
Female.....	-	-	-	3	2	1	1	3	-	-	-	-
Black, both sexes.....	1	1	1	2	-	2	-	1	-	-	-	-
Male.....	-	1	-	2	-	1	-	1	-	-	-	-
Female.....	1	-	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	3	1	3	1	1	2	-	-	-	-	-
Male.....	2	1	-	2	1	-	2	-	-	-	-	-
Female.....	-	2	1	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	37	68	82	111	112	139	145	113	43	19	4	-
Male.....	16	42	42	81	61	83	68	51	16	7	2	-
Female.....	21	26	40	30	51	56	77	62	27	12	2	-
White, both sexes.....	31	65	76	104	107	134	141	109	43	18	3	-
Male.....	13	41	41	76	59	81	66	49	16	6	1	-
Female.....	18	24	35	28	48	53	75	60	27	12	2	-
Black, both sexes.....	4	3	5	4	3	2	2	3	-	-	1	-
Male.....	3	1	1	3	2	1	-	1	-	-	1	-
Female.....	1	2	4	1	1	1	2	2	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	2	1	1	-	1	-	1	-	-
Male.....	-	-	-	1	-	-	-	1	-	1	-	-
Female.....	2	-	-	1	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	2	2	-	-	-	-	-
Male.....	-	-	-	1	-	1	2	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of colon, rectum and anus (C18-C21)

Arkansas

All races, both sexes.....	32	43	59	71	62	90	73	48	40	7	1	-
Male.....	16	24	33	50	32	57	29	18	12	1	-	-
Female.....	16	19	26	21	30	33	44	30	28	6	1	-
White, both sexes.....	29	32	51	64	55	79	63	38	31	7	-	-
Male.....	13	17	29	44	29	49	28	15	8	1	-	-
Female.....	16	15	22	20	26	30	35	23	23	6	-	-
Black, both sexes.....	3	11	8	6	5	10	10	9	9	-	1	-
Male.....	3	7	4	5	2	7	1	3	4	-	-	-
Female.....	-	4	4	1	3	3	9	6	5	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	1	-	-	-	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

California

All races, both sexes.....	273	391	459	507	635	732	818	612	302	107	16	-
Male.....	149	219	267	312	357	364	394	246	103	33	1	-
Female.....	124	172	192	195	278	368	424	366	199	74	15	-
White, both sexes.....	204	287	364	396	527	595	699	515	268	91	15	-
Male.....	106	160	217	249	304	295	340	209	90	28	1	-
Female.....	98	127	147	147	223	300	359	306	178	63	14	-
Black, both sexes.....	33	50	44	63	47	62	51	39	11	10	1	-
Male.....	22	29	26	35	18	31	22	15	4	3	-	-
Female.....	11	21	18	28	29	31	29	24	7	7	1	-
American Indian 1/, both sexes.....	1	2	2	3	1	5	2	1	1	-	-	-
Male.....	1	2	1	3	-	2	1	-	1	-	-	-
Female.....	-	-	1	-	1	3	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	52	49	45	60	70	66	57	22	6	-	-
Male.....	20	28	23	25	35	36	31	22	8	2	-	-
Female.....	15	24	26	20	25	34	35	35	14	4	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of colon, rectum and anus (C18-C21)

Colorado

All races, both sexes.....	25	55	41	68	84	110	86	87	43	10	-	-
Male.....	15	30	22	39	48	50	34	34	10	2	-	-
Female.....	10	25	19	29	36	60	52	53	33	8	-	-
White, both sexes.....	23	51	40	61	75	106	80	84	42	10	-	-
Male.....	13	27	22	36	41	50	34	34	10	2	-	-
Female.....	10	24	18	25	34	56	46	50	32	8	-	-
Black, both sexes.....	2	3	1	4	7	2	3	3	1	-	-	-
Male.....	2	2	-	3	6	-	-	-	-	-	-	-
Female.....	-	1	1	1	1	2	3	3	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	2	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	1	3	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	3	-	-	-	-	-

Connecticut

All races, both sexes.....	25	30	49	45	66	89	111	97	74	12	2	-
Male.....	11	20	25	30	36	46	42	27	19	6	1	-
Female.....	14	10	24	15	30	43	69	70	55	6	1	-
White, both sexes.....	21	20	41	43	60	82	105	94	71	11	2	-
Male.....	9	15	21	29	34	43	40	26	18	6	1	-
Female.....	12	5	20	14	26	39	65	68	53	5	1	-
Black, both sexes.....	4	9	7	2	6	7	5	3	3	1	-	-
Male.....	2	5	4	1	2	3	2	1	1	-	-	-
Female.....	2	4	3	1	4	4	3	2	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of colon, rectum and anus (C18-C21)

Illinois

All races, both sexes.....	122	161	173	241	267	367	371	294	174	54	8	-
Male.....	81	94	113	133	152	189	165	123	58	15	1	-
Female.....	41	67	60	108	115	178	206	171	116	39	7	-
White, both sexes.....	93	112	128	180	216	304	322	265	157	45	6	-
Male.....	62	64	87	99	127	161	148	112	51	10	-	-
Female.....	31	48	41	81	89	143	174	153	106	35	6	-
Black, both sexes.....	27	48	43	54	45	63	40	27	15	8	2	-
Male.....	19	30	24	30	22	28	15	10	6	4	1	-
Female.....	8	18	19	24	23	35	25	17	9	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	7	6	-	9	2	2	1	-	-
Male.....	-	-	2	4	3	-	2	1	1	1	-	-
Female.....	2	1	-	3	3	-	7	1	1	-	-	-

Indiana

All races, both sexes.....	65	103	114	119	156	166	199	139	77	24	5	-
Male.....	34	61	75	73	84	82	101	60	22	7	-	-
Female.....	31	42	39	46	72	84	98	79	55	17	5	-
White, both sexes.....	56	96	102	105	144	153	193	126	71	23	5	-
Male.....	31	56	67	64	78	78	98	56	20	7	-	-
Female.....	25	40	35	41	66	75	95	70	51	16	5	-
Black, both sexes.....	9	7	12	13	12	12	6	12	6	1	-	-
Male.....	3	5	8	8	6	4	3	4	2	-	-	-
Female.....	6	2	4	5	6	8	3	8	4	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of colon, rectum and anus (C18-C21)

Iowa

All races, both sexes.....	28	32	43	63	72	86	128	114	54	18	-	-
Male.....	14	22	24	34	41	48	64	45	15	2	-	-
Female.....	14	10	19	29	31	38	64	69	39	16	-	-
White, both sexes.....	27	31	43	63	70	86	125	113	53	18	-	-
Male.....	13	22	24	34	39	48	62	45	14	2	-	-
Female.....	14	9	19	29	31	38	63	68	39	16	-	-
Black, both sexes.....	1	1	-	-	2	-	3	1	1	-	-	-
Male.....	1	-	-	-	2	-	2	-	1	-	-	-
Female.....	-	1	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	30	35	44	49	67	79	80	78	34	14	1	-
Male.....	12	25	29	28	33	38	32	35	13	1	-	-
Female.....	18	10	15	21	34	41	48	43	21	13	1	-
White, both sexes.....	27	30	35	46	58	73	75	76	31	14	1	-
Male.....	10	22	25	27	31	34	30	34	11	1	-	-
Female.....	17	8	10	19	27	39	45	42	20	13	1	-
Black, both sexes.....	2	5	6	3	7	5	5	2	3	-	-	-
Male.....	1	3	3	1	2	3	2	1	2	-	-	-
Female.....	1	2	3	2	5	2	3	1	1	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	2	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of colon, rectum and anus (C18-C21)

Kentucky

All races, both sexes.....	39	50	89	100	118	126	139	99	55	17	-	-
Male.....	17	27	58	59	64	73	58	42	18	5	-	-
Female.....	22	23	31	41	54	53	81	57	37	12	-	-
White, both sexes.....	34	48	79	92	114	113	127	96	48	15	-	-
Male.....	16	26	52	55	62	69	53	40	17	4	-	-
Female.....	18	22	27	37	52	44	74	56	31	11	-	-
Black, both sexes.....	4	2	10	7	4	13	12	3	7	2	-	-
Male.....	1	1	6	4	2	4	5	2	1	1	-	-
Female.....	3	1	4	3	2	9	7	1	6	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	58	85	71	111	115	110	126	82	47	9	2	-
Male.....	38	50	38	68	65	66	55	33	19	2	1	-
Female.....	20	35	33	43	50	44	71	49	28	7	1	-
White, both sexes.....	37	45	48	71	70	69	86	57	35	8	1	-
Male.....	27	30	28	45	40	46	41	24	14	2	1	-
Female.....	10	15	20	26	30	23	45	33	21	6	-	-
Black, both sexes.....	21	40	23	40	44	39	40	25	11	1	1	-
Male.....	11	20	10	23	24	19	14	9	5	-	-	-
Female.....	10	20	13	17	20	20	26	16	6	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of colon, rectum and anus (C18-C21)

Maine

All races, both sexes.....	18	16	17	23	24	50	46	40	19	5	2	-
Male.....	8	10	10	12	13	25	27	14	5	-	1	-
Female.....	10	6	7	11	11	25	19	26	14	5	1	-
White, both sexes.....	18	16	15	23	23	48	46	40	19	5	2	-
Male.....	8	10	9	12	13	24	27	14	5	-	1	-
Female.....	10	6	6	11	10	24	19	26	14	5	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	1	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Maryland

All races, both sexes.....	82	74	94	113	119	156	147	108	41	25	2	-
Male.....	49	43	59	73	73	80	65	36	15	9	-	-
Female.....	33	31	35	40	46	76	82	72	26	16	2	-
White, both sexes.....	46	43	65	72	93	112	112	82	36	17	2	-
Male.....	31	22	42	48	58	54	50	30	13	8	-	-
Female.....	15	21	23	24	35	58	62	52	23	9	2	-
Black, both sexes.....	36	29	26	38	25	39	35	25	5	8	-	-
Male.....	18	19	15	22	14	23	15	6	2	1	-	-
Female.....	18	10	11	16	11	16	20	19	3	7	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	3	1	5	-	1	-	-	-	-
Male.....	-	2	1	3	1	3	-	-	-	-	-	-
Female.....	-	-	1	-	-	2	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of colon, rectum and anus (C18-C21)

Massachusetts

All races, both sexes.....	55	81	83	116	143	183	246	176	117	31	5	-
Male.....	33	46	43	69	81	92	101	71	27	7	2	-
Female.....	22	35	40	47	62	91	145	105	90	24	3	-
White, both sexes.....	50	74	73	105	135	174	237	169	115	31	4	-
Male.....	29	44	36	64	77	88	96	68	26	7	2	-
Female.....	21	30	37	41	58	86	141	101	89	24	2	-
Black, both sexes.....	3	7	9	6	4	6	8	6	2	-	1	-
Male.....	3	2	6	3	3	2	4	2	1	-	-	-
Female.....	-	5	3	3	1	4	4	4	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	5	4	1	1	1	-	-	-	-
Male.....	1	-	1	2	1	-	1	1	-	-	-	-
Female.....	1	-	-	3	3	1	-	-	-	-	-	-

Michigan

All races, both sexes.....	103	128	174	174	220	292	298	241	124	30	6	-
Male.....	61	77	106	99	115	142	127	84	38	5	2	-
Female.....	42	51	68	75	105	150	171	157	86	25	4	-
White, both sexes.....	82	99	130	148	191	245	258	206	115	27	5	-
Male.....	48	64	78	82	104	120	106	73	36	5	1	-
Female.....	34	35	52	66	87	125	152	133	79	22	4	-
Black, both sexes.....	20	28	38	24	26	46	39	35	9	3	1	-
Male.....	13	13	23	16	10	21	21	11	2	-	1	-
Female.....	7	15	15	8	16	25	18	24	7	3	-	-
American Indian 1/, both sexes.....	1	-	-	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	6	1	2	1	-	-	-	-	-	-
Male.....	-	-	5	-	1	1	-	-	-	-	-	-
Female.....	-	1	1	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of colon, rectum and anus (C18-C21)

Nebraska

All races, both sexes.....	11	28	29	30	37	57	61	49	36	10	4	-
Male.....	7	15	19	20	21	26	30	17	16	3	1	-
Female.....	4	13	10	10	16	31	31	32	20	7	3	-
White, both sexes.....	10	28	27	28	37	57	59	46	36	8	4	-
Male.....	7	15	18	18	21	26	30	17	16	3	1	-
Female.....	3	13	9	10	16	31	29	29	20	5	3	-
Black, both sexes.....	1	-	1	2	-	-	2	3	-	2	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	2	3	-	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	18	28	50	66	43	59	57	42	13	2	-	-
Male.....	11	19	33	43	28	30	27	13	7	1	-	-
Female.....	7	9	17	23	15	29	30	29	6	1	-	-
White, both sexes.....	13	24	40	60	41	50	56	41	12	2	-	-
Male.....	7	15	25	38	27	24	27	13	7	1	-	-
Female.....	6	9	15	22	14	26	29	28	5	1	-	-
Black, both sexes.....	3	3	8	5	1	2	1	-	1	-	-	-
Male.....	3	3	7	4	-	2	-	-	-	-	-	-
Female.....	-	-	1	1	1	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	1	1	7	-	1	-	-	-	-
Male.....	1	1	1	1	1	4	-	-	-	-	-	-
Female.....	1	-	1	-	-	3	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of colon, rectum and anus (C18-C21)

New Hampshire

All races, both sexes.....	8	19	17	29	33	32	36	34	15	4	1	-
Male.....	6	11	9	17	20	16	15	13	6	1	-	-
Female.....	2	8	8	12	13	16	21	21	9	3	1	-
White, both sexes.....	8	19	17	29	33	32	36	34	15	4	1	-
Male.....	6	11	9	17	20	16	15	13	6	1	-	-
Female.....	2	8	8	12	13	16	21	21	9	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	68	117	143	140	208	289	331	240	119	38	6	-
Male.....	36	68	89	77	101	154	142	90	41	9	1	-
Female.....	32	49	54	63	107	135	189	150	78	29	5	-
White, both sexes.....	49	91	117	105	177	248	297	223	106	32	6	-
Male.....	28	57	69	62	83	136	126	86	35	7	1	-
Female.....	21	34	48	43	94	112	171	137	71	25	5	-
Black, both sexes.....	17	23	21	32	27	39	31	16	12	6	-	-
Male.....	6	10	16	13	16	17	15	3	6	2	-	-
Female.....	11	13	5	19	11	22	16	13	6	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	5	3	4	2	3	1	1	-	-	-
Male.....	2	1	4	2	2	1	1	1	-	-	-	-
Female.....	-	2	1	1	2	1	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of colon, rectum and anus (C18-C21)

New Mexico

All races, both sexes.....	15	13	23	27	48	41	50	40	19	6	-	-
Male.....	8	6	14	18	22	13	27	18	8	1	-	-
Female.....	7	7	9	9	26	28	23	22	11	5	-	-
White, both sexes.....	11	13	20	26	41	41	45	38	18	6	-	-
Male.....	7	6	11	17	19	13	27	17	8	1	-	-
Female.....	4	7	9	9	22	28	18	21	10	5	-	-
Black, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	2	1	5	-	4	2	1	-	-	-
Male.....	1	-	2	1	2	-	-	1	-	-	-	-
Female.....	2	-	-	-	3	-	4	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	156	220	267	322	436	533	596	456	285	84	4	-
Male.....	89	120	139	179	227	262	288	178	86	23	-	-
Female.....	67	100	128	143	209	271	308	278	199	61	4	-
White, both sexes.....	117	168	196	249	355	447	515	401	259	78	4	-
Male.....	66	95	99	140	194	209	256	162	77	21	-	-
Female.....	51	73	97	109	161	238	259	239	182	57	4	-
Black, both sexes.....	35	45	60	60	60	68	70	43	21	4	-	-
Male.....	19	22	32	27	22	43	27	9	6	1	-	-
Female.....	16	23	28	33	38	25	43	34	15	3	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	2	-	-	-	-	-	-
Male.....	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	7	10	13	20	16	11	12	5	2	-	-
Male.....	4	3	7	12	10	9	5	7	3	1	-	-
Female.....	-	4	3	1	10	7	6	5	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of colon, rectum and anus (C18-C21)

Ohio

All races, both sexes.....	114	137	182	240	313	355	414	295	154	45	3	-
Male.....	64	84	105	152	160	186	187	104	44	10	1	-
Female.....	50	53	77	88	153	169	227	191	110	35	2	-
White, both sexes.....	89	111	157	207	282	310	376	265	145	40	3	-
Male.....	51	69	95	133	141	165	173	93	43	9	1	-
Female.....	38	42	62	74	141	145	203	172	102	31	2	-
Black, both sexes.....	25	25	24	31	31	43	38	29	9	5	-	-
Male.....	13	15	10	19	19	20	14	11	1	1	-	-
Female.....	12	10	14	12	12	23	24	18	8	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	1	2	-	-	-	1	-	-	-	-

Oklahoma

All races, both sexes.....	32	67	67	72	98	97	96	88	44	12	1	-
Male.....	22	41	40	40	62	54	50	31	10	1	-	-
Female.....	10	26	27	32	36	43	46	57	34	11	1	-
White, both sexes.....	24	51	58	58	88	87	87	79	36	11	1	-
Male.....	18	32	35	32	55	48	47	27	6	1	-	-
Female.....	6	19	23	26	33	39	40	52	30	10	1	-
Black, both sexes.....	3	8	2	9	4	7	4	4	8	1	-	-
Male.....	1	4	1	5	3	4	1	3	4	-	-	-
Female.....	2	4	1	4	1	3	3	1	4	1	-	-
American Indian 1/, both sexes.....	5	8	6	4	5	3	5	3	-	-	-	-
Male.....	3	5	3	3	4	2	2	1	-	-	-	-
Female.....	2	3	3	1	1	1	3	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	-	-	2	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of colon, rectum and anus (C18-C21)

Oregon

All races, both sexes.....	34	59	49	64	78	107	95	90	52	12	2	-
Male.....	18	31	27	42	34	60	41	33	18	3	-	-
Female.....	16	28	22	22	44	47	54	57	34	9	2	-
White, both sexes.....	34	58	47	62	77	104	89	86	52	10	2	-
Male.....	18	31	27	41	34	59	39	32	18	3	-	-
Female.....	16	27	20	21	43	45	50	54	34	7	2	-
Black, both sexes.....	-	-	1	1	-	-	3	1	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	1	-	-	2	1	-	1	-	-
American Indian 1/, both sexes.....	-	1	-	1	-	1	1	1	-	-	-	-
Male.....	-	-	-	1	-	-	1	1	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	2	2	2	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	2	2	-	1	-	-

Pennsylvania

All races, both sexes.....	119	172	203	261	342	455	539	398	220	61	12	1
Male.....	67	105	122	144	182	223	270	151	78	22	5	1
Female.....	52	67	81	117	160	232	269	247	142	39	7	-
White, both sexes.....	102	142	175	232	307	422	497	369	212	56	11	-
Male.....	59	90	109	128	167	208	248	144	77	20	4	-
Female.....	43	52	66	104	140	214	249	225	135	36	7	-
Black, both sexes.....	17	26	27	27	32	32	40	29	8	5	-	1
Male.....	8	14	13	16	13	15	21	7	1	2	-	1
Female.....	9	12	14	11	19	17	19	22	7	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	1	2	1	1	2	-	-	-	1	-
Male.....	-	1	-	-	-	-	1	-	-	-	1	-
Female.....	-	3	1	2	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of colon, rectum and anus (C18-C21)

Texas

All races, both sexes.....	213	254	316	326	368	472	464	307	173	56	9	-
Male.....	116	160	196	198	213	263	211	131	52	17	-	-
Female.....	97	94	120	128	155	209	253	176	121	39	9	-
White, both sexes.....	157	210	250	263	296	417	411	268	152	46	7	-
Male.....	90	136	156	162	174	234	183	117	48	13	-	-
Female.....	67	74	94	101	122	183	228	151	104	33	7	-
Black, both sexes.....	52	41	61	59	66	47	50	37	19	10	2	-
Male.....	24	22	37	34	37	26	26	13	3	4	-	-
Female.....	28	19	24	25	29	21	24	24	16	6	2	-
American Indian 1/, both sexes.....	-	-	1	1	-	1	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	4	3	6	7	3	1	2	-	-	-
Male.....	2	2	3	1	2	3	2	-	1	-	-	-
Female.....	2	1	1	2	4	4	1	1	1	-	-	-

Utah

All races, both sexes.....	15	16	20	26	29	40	32	28	10	4	1	-
Male.....	5	9	10	18	14	20	13	15	2	-	-	-
Female.....	10	7	10	8	15	20	19	13	8	4	1	-
White, both sexes.....	15	16	20	26	29	38	31	27	10	3	1	-
Male.....	5	9	10	18	14	19	13	14	2	-	-	-
Female.....	10	7	10	8	15	19	18	13	8	3	1	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of colon, rectum and anus (C18-C21)

Vermont

All races, both sexes.....	3	6	9	12	18	15	24	12	13	4	1	-
Male.....	1	3	5	7	13	11	10	8	2	1	1	-
Female.....	2	3	4	5	5	4	14	4	11	3	-	-
White, both sexes.....	3	6	9	12	18	15	24	12	13	4	1	-
Male.....	1	3	5	7	13	11	10	8	2	1	1	-
Female.....	2	3	4	5	5	4	14	4	11	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	78	88	123	144	159	169	192	131	58	20	1	-
Male.....	40	58	74	89	86	97	86	58	17	6	1	-
Female.....	38	30	49	55	73	72	106	73	41	14	-	-
White, both sexes.....	49	65	93	101	114	125	154	111	42	17	-	-
Male.....	25	46	56	64	67	72	71	47	14	5	-	-
Female.....	24	19	37	37	47	53	83	64	28	12	-	-
Black, both sexes.....	27	22	25	38	39	41	37	20	14	3	1	-
Male.....	15	12	16	21	16	23	15	11	3	1	1	-
Female.....	12	10	9	17	23	18	22	9	11	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	4	5	6	3	1	-	2	-	-	-
Male.....	-	-	2	4	3	2	-	-	-	-	-	-
Female.....	2	1	2	1	3	1	1	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Colon (C18)

Arkansas

All races, both sexes.....	476	-	-	-	-	1	1	3	2	4	8	17
Male.....	250	-	-	-	-	-	1	3	-	2	6	9
Female.....	226	-	-	-	-	1	-	-	2	2	2	8
White, both sexes.....	395	-	-	-	-	1	1	2	2	3	6	9
Male.....	208	-	-	-	-	-	1	2	-	2	4	6
Female.....	187	-	-	-	-	1	-	-	2	1	2	3
Black, both sexes.....	77	-	-	-	-	-	-	1	-	1	2	8
Male.....	39	-	-	-	-	-	-	1	-	-	2	3
Female.....	38	-	-	-	-	-	-	-	-	1	-	5
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4,234	-	-	-	-	1	4	7	18	35	74	112
Male.....	2,153	-	-	-	-	1	2	7	12	22	38	67
Female.....	2,081	-	-	-	-	-	2	-	6	13	36	45
White, both sexes.....	3,427	-	-	-	-	1	4	6	13	31	50	80
Male.....	1,747	-	-	-	-	1	2	6	8	20	28	50
Female.....	1,680	-	-	-	-	-	2	-	5	11	22	30
Black, both sexes.....	374	-	-	-	-	-	-	-	1	2	10	16
Male.....	190	-	-	-	-	-	-	-	1	1	6	8
Female.....	184	-	-	-	-	-	-	-	-	1	4	8
American Indian 1/, both sexes.....	20	-	-	-	-	-	-	-	-	-	2	2
Male.....	12	-	-	-	-	-	-	-	-	-	1	2
Female.....	8	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	413	-	-	-	-	-	-	1	4	2	12	14
Male.....	204	-	-	-	-	-	-	1	3	1	3	7
Female.....	209	-	-	-	-	-	-	-	1	1	9	7

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Colon (C18)

Colorado

All races, both sexes.....	545	-	-	-	-	-	-	2	4	2	8	21
Male.....	252	-	-	-	-	-	-	1	1	2	4	11
Female.....	293	-	-	-	-	-	-	1	3	-	4	10
White, both sexes.....	511	-	-	-	-	-	-	2	4	2	8	17
Male.....	238	-	-	-	-	-	-	1	1	2	4	10
Female.....	273	-	-	-	-	-	-	1	3	-	4	7
Black, both sexes.....	25	-	-	-	-	-	-	-	-	-	-	4
Male.....	12	-	-	-	-	-	-	-	-	-	-	1
Female.....	13	-	-	-	-	-	-	-	-	-	-	3
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	517	-	-	-	-	-	-	1	3	3	6	9
Male.....	218	-	-	-	-	-	-	-	1	-	2	6
Female.....	299	-	-	-	-	-	-	1	2	3	4	3
White, both sexes.....	473	-	-	-	-	-	-	1	1	3	4	7
Male.....	202	-	-	-	-	-	-	-	1	-	1	6
Female.....	271	-	-	-	-	-	-	1	-	3	3	1
Black, both sexes.....	40	-	-	-	-	-	-	-	1	-	1	2
Male.....	15	-	-	-	-	-	-	-	-	-	-	-
Female.....	25	-	-	-	-	-	-	-	1	-	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	1	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Colon (C18)

Hawaii

All races, both sexes.....	157	-	-	-	-	-	-	1	-	1	3	7
Male.....	89	-	-	-	-	-	-	1	-	-	-	4
Female.....	68	-	-	-	-	-	-	-	-	1	3	3
White, both sexes.....	43	-	-	-	-	-	-	-	-	-	-	3
Male.....	25	-	-	-	-	-	-	-	-	-	-	1
Female.....	18	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	113	-	-	-	-	-	-	1	-	1	3	3
Male.....	64	-	-	-	-	-	-	1	-	-	-	3
Female.....	49	-	-	-	-	-	-	-	-	1	3	-

Idaho

All races, both sexes.....	179	-	-	-	-	2	-	-	-	1	2	4
Male.....	79	-	-	-	-	1	-	-	-	1	1	1
Female.....	100	-	-	-	-	1	-	-	-	-	1	3
White, both sexes.....	174	-	-	-	-	1	-	-	-	1	2	4
Male.....	75	-	-	-	-	1	-	-	-	1	1	1
Female.....	99	-	-	-	-	-	-	-	-	-	1	3
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Colon (C18)												
New Mexico												
All races, both sexes.....	234	-	-	-	-	-	-	1	3	2	4	11
Male.....	110	-	-	-	-	-	-	-	1	1	3	7
Female.....	124	-	-	-	-	-	-	1	2	1	1	4
White, both sexes.....	216	-	-	-	-	-	-	-	3	1	4	11
Male.....	104	-	-	-	-	-	-	-	1	-	3	7
Female.....	112	-	-	-	-	-	-	-	2	1	1	4
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	1	-	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	1	-	-
Female.....	10	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	2,946	-	-	-	-	-	-	3	11	17	38	65
Male.....	1,371	-	-	-	-	-	-	2	5	7	19	38
Female.....	1,575	-	-	-	-	-	-	1	6	10	19	27
White, both sexes.....	2,413	-	-	-	-	-	-	1	7	11	27	46
Male.....	1,132	-	-	-	-	-	-	1	4	6	14	30
Female.....	1,281	-	-	-	-	-	-	-	3	5	13	16
Black, both sexes.....	437	-	-	-	-	-	-	2	2	5	8	17
Male.....	184	-	-	-	-	-	-	1	-	1	3	8
Female.....	253	-	-	-	-	-	-	1	2	4	5	9
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	93	-	-	-	-	-	-	-	2	1	3	2
Male.....	53	-	-	-	-	-	-	-	1	-	2	-
Female.....	40	-	-	-	-	-	-	-	1	1	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Colon (C18)

Alaska

All races, both sexes.....	3	4	4	5	5	6	3	7	-	-	1	-
Male.....	2	2	2	3	3	4	3	5	-	-	1	-
Female.....	1	2	2	2	2	2	-	2	-	-	-	-
White, both sexes.....	-	1	2	4	4	2	1	6	-	-	1	-
Male.....	-	1	2	2	2	2	1	4	-	-	1	-
Female.....	-	-	-	2	2	-	-	2	-	-	-	-
Black, both sexes.....	1	1	1	-	-	2	-	1	-	-	-	-
Male.....	-	1	-	-	-	1	-	1	-	-	-	-
Female.....	1	-	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	2	1	1	1	1	2	-	-	-	-	-
Male.....	2	-	-	1	1	-	2	-	-	-	-	-
Female.....	-	2	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	28	50	67	93	95	122	122	102	41	17	3	-
Male.....	14	33	35	66	49	71	57	44	16	7	1	-
Female.....	14	17	32	27	46	51	65	58	25	10	2	-
White, both sexes.....	22	47	61	88	91	117	119	98	41	16	3	-
Male.....	11	32	34	63	48	69	56	42	16	6	1	-
Female.....	11	15	27	25	43	48	63	56	25	10	2	-
Black, both sexes.....	4	3	5	3	2	2	2	3	-	-	-	-
Male.....	3	1	1	2	1	1	-	1	-	-	-	-
Female.....	1	2	4	1	1	1	2	2	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	1	1	1	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	2	-	-	1	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	2	1	-	-	-	-	-
Male.....	-	-	-	1	-	1	1	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Colon (C18)

Arkansas

All races, both sexes.....	23	35	51	60	55	72	61	42	36	5	-	-
Male.....	11	20	28	41	28	48	24	17	11	1	-	-
Female.....	12	15	23	19	27	24	37	25	25	4	-	-
White, both sexes.....	20	24	44	53	48	63	52	34	28	5	-	-
Male.....	8	13	24	35	25	42	23	14	8	1	-	-
Female.....	12	11	20	18	23	21	29	20	20	4	-	-
Black, both sexes.....	3	11	7	6	5	8	9	8	8	-	-	-
Male.....	3	7	4	5	2	5	1	3	3	-	-	-
Female.....	-	4	3	1	3	3	8	5	5	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	1	-	-	-	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

California

All races, both sexes.....	208	322	365	384	524	617	681	527	247	96	12	-
Male.....	114	183	211	231	292	315	329	213	87	28	1	-
Female.....	94	139	154	153	232	302	352	314	160	68	11	-
White, both sexes.....	151	237	287	299	432	503	582	439	220	81	11	-
Male.....	80	133	172	184	247	257	282	179	74	23	1	-
Female.....	71	104	115	115	185	246	300	260	146	58	10	-
Black, both sexes.....	28	40	35	51	39	53	41	37	11	9	1	-
Male.....	18	24	20	30	16	26	19	14	4	3	-	-
Female.....	10	16	15	21	23	27	22	23	7	6	1	-
American Indian 1/, both sexes.....	1	2	2	2	1	4	2	1	1	-	-	-
Male.....	1	2	1	2	-	1	1	-	1	-	-	-
Female.....	-	-	1	-	1	3	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	43	41	32	52	57	56	50	15	6	-	-
Male.....	15	24	18	15	29	31	27	20	8	2	-	-
Female.....	13	19	23	17	23	26	29	30	7	4	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Colon (C18)

Illinois

All races, both sexes.....	92	135	129	192	226	304	327	263	145	50	6	-
Male.....	60	75	81	103	125	156	146	112	49	14	1	-
Female.....	32	60	48	89	101	148	181	151	96	36	5	-
White, both sexes.....	67	88	88	145	181	248	283	236	129	41	4	-
Male.....	43	47	58	79	103	129	130	101	43	9	-	-
Female.....	24	41	30	66	78	119	153	135	86	32	4	-
Black, both sexes.....	24	46	39	40	40	56	38	25	14	8	2	-
Male.....	17	28	21	20	20	27	14	10	5	4	1	-
Female.....	7	18	18	20	20	29	24	15	9	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	7	5	-	6	2	2	1	-	-
Male.....	-	-	2	4	2	-	2	1	1	1	-	-
Female.....	1	1	-	3	3	-	4	1	1	-	-	-

Indiana

All races, both sexes.....	44	81	97	99	132	147	175	125	66	19	4	-
Male.....	24	49	65	60	71	73	87	57	21	6	-	-
Female.....	20	32	32	39	61	74	88	68	45	13	4	-
White, both sexes.....	38	77	86	86	120	135	169	112	61	18	4	-
Male.....	22	46	58	51	65	69	84	53	19	6	-	-
Female.....	16	31	28	35	55	66	85	59	42	12	4	-
Black, both sexes.....	6	4	11	12	12	11	6	12	5	1	-	-
Male.....	2	3	7	8	6	4	3	4	2	-	-	-
Female.....	4	1	4	4	6	7	3	8	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Colon (C18)

Iowa

All races, both sexes.....	23	26	34	56	57	74	107	101	47	16	-	-
Male.....	14	18	17	28	32	42	53	37	13	2	-	-
Female.....	9	8	17	28	25	32	54	64	34	14	-	-
White, both sexes.....	22	25	34	56	55	74	105	100	46	16	-	-
Male.....	13	18	17	28	30	42	52	37	12	2	-	-
Female.....	9	7	17	28	25	32	53	63	34	14	-	-
Black, both sexes.....	1	1	-	-	2	-	2	1	1	-	-	-
Male.....	1	-	-	-	2	-	1	-	1	-	-	-
Female.....	-	1	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	21	26	39	44	53	71	68	71	30	12	-	-
Male.....	8	20	26	26	25	34	29	30	11	-	-	-
Female.....	13	6	13	18	28	37	39	41	19	12	-	-
White, both sexes.....	19	22	30	41	44	66	63	69	28	12	-	-
Male.....	7	17	22	25	23	30	27	29	10	-	-	-
Female.....	12	5	8	16	21	36	36	40	18	12	-	-
Black, both sexes.....	2	4	6	3	7	4	5	2	2	-	-	-
Male.....	1	3	3	1	2	3	2	1	1	-	-	-
Female.....	1	1	3	2	5	1	3	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	2	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
Kentucky												
All races, both sexes.....	29	40	68	81	97	107	125	85	53	14	-	-
Male.....	10	20	46	46	50	63	50	35	18	4	-	-
Female.....	19	20	22	35	47	44	75	50	35	10	-	-
White, both sexes.....	25	38	59	74	93	96	113	82	46	12	-	-
Male.....	10	19	41	42	48	59	45	33	17	3	-	-
Female.....	15	19	18	32	45	37	68	49	29	9	-	-
Black, both sexes.....	3	2	9	7	4	11	12	3	7	2	-	-
Male.....	-	1	5	4	2	4	5	2	1	1	-	-
Female.....	3	1	4	3	2	7	7	1	6	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	43	66	64	91	99	94	111	71	39	9	2	-
Male.....	30	37	36	55	54	59	46	32	14	2	1	-
Female.....	13	29	28	36	45	35	65	39	25	7	1	-
White, both sexes.....	30	34	42	58	59	59	72	50	27	8	1	-
Male.....	22	20	26	37	33	41	32	23	9	2	1	-
Female.....	8	14	16	21	26	18	40	27	18	6	-	-
Black, both sexes.....	13	32	22	33	39	33	39	21	11	1	1	-
Male.....	8	17	10	18	20	17	14	9	5	-	-	-
Female.....	5	15	12	15	19	16	25	12	6	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
Maine												
All races, both sexes.....	14	14	14	19	19	41	38	35	14	4	1	-
Male.....	6	8	7	10	12	20	22	14	4	-	-	-
Female.....	8	6	7	9	7	21	16	21	10	4	1	-
White, both sexes.....	14	14	12	19	19	39	38	35	14	4	1	-
Male.....	6	8	6	10	12	19	22	14	4	-	-	-
Female.....	8	6	6	9	7	20	16	21	10	4	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Maryland												
All races, both sexes.....	66	63	76	95	101	133	126	93	37	21	1	-
Male.....	40	38	49	61	61	66	57	29	13	8	-	-
Female.....	26	25	27	34	40	67	69	64	24	13	1	-
White, both sexes.....	37	35	51	62	78	94	97	70	33	14	1	-
Male.....	24	19	35	42	48	43	43	25	12	7	-	-
Female.....	13	16	16	20	30	51	54	45	21	7	1	-
Black, both sexes.....	29	26	24	32	22	35	29	22	4	7	-	-
Male.....	16	17	13	18	12	21	14	4	1	1	-	-
Female.....	13	9	11	14	10	14	15	18	3	6	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	1	1	4	-	1	-	-	-	-
Male.....	-	2	-	1	1	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Colon (C18)

Massachusetts

All races, both sexes.....	39	68	67	95	115	152	200	150	102	27	5	-
Male.....	23	36	36	55	67	78	80	61	24	7	2	-
Female.....	16	32	31	40	48	74	120	89	78	20	3	-
White, both sexes.....	34	61	59	87	108	146	193	144	100	27	4	-
Male.....	19	34	31	52	64	76	77	59	23	7	2	-
Female.....	15	27	28	35	44	70	116	85	77	20	2	-
Black, both sexes.....	3	7	7	6	3	5	7	5	2	-	1	-
Male.....	3	2	4	3	2	1	3	1	1	-	-	-
Female.....	-	5	3	3	1	4	4	4	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	2	4	-	-	1	-	-	-	-
Male.....	1	-	1	-	1	-	-	1	-	-	-	-
Female.....	1	-	-	2	3	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	80	101	132	143	181	246	261	208	107	25	6	-
Male.....	48	61	81	79	95	118	108	74	34	5	2	-
Female.....	32	40	51	64	86	128	153	134	73	20	4	-
White, both sexes.....	63	76	95	122	157	206	228	178	98	23	5	-
Male.....	37	48	56	65	86	99	90	65	32	5	1	-
Female.....	26	28	39	57	71	107	138	113	66	18	4	-
Black, both sexes.....	16	24	34	19	22	39	33	30	9	2	1	-
Male.....	11	13	22	13	8	18	18	9	2	-	1	-
Female.....	5	11	12	6	14	21	15	21	7	2	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	3	1	2	1	-	-	-	-	-	-
Male.....	-	-	3	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
Nebraska												
All races, both sexes.....	8	17	25	25	30	47	52	42	31	10	4	-
Male.....	5	10	16	16	15	21	27	15	14	3	1	-
Female.....	3	7	9	9	15	26	25	27	17	7	3	-
White, both sexes.....	8	17	23	24	30	47	50	40	31	8	4	-
Male.....	5	10	15	15	15	21	27	15	14	3	1	-
Female.....	3	7	8	9	15	26	23	25	17	5	3	-
Black, both sexes.....	-	-	1	1	-	-	2	2	-	2	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	2	2	-	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	15	24	45	58	35	52	48	41	12	2	-	-
Male.....	8	17	29	36	22	27	21	13	7	1	-	-
Female.....	7	7	16	22	13	25	27	28	5	1	-	-
White, both sexes.....	11	20	37	52	33	43	47	40	11	2	-	-
Male.....	5	13	23	31	21	21	21	13	7	1	-	-
Female.....	6	7	14	21	12	22	26	27	4	1	-	-
Black, both sexes.....	2	3	7	5	1	2	1	-	1	-	-	-
Male.....	2	3	6	4	-	2	-	-	-	-	-	-
Female.....	-	-	1	1	1	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	1	1	7	-	1	-	-	-	-
Male.....	1	1	-	1	1	4	-	-	-	-	-	-
Female.....	1	-	1	-	-	3	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
New Hampshire												
All races, both sexes.....	6	10	13	20	23	28	31	30	12	4	1	-
Male.....	4	5	6	11	14	13	10	11	6	1	-	-
Female.....	2	5	7	9	9	15	21	19	6	3	1	-
White, both sexes.....	6	10	13	20	23	28	31	30	12	4	1	-
Male.....	4	5	6	11	14	13	10	11	6	1	-	-
Female.....	2	5	7	9	9	15	21	19	6	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	54	94	113	114	167	239	294	214	105	31	6	-
Male.....	28	53	69	60	73	126	122	81	37	9	1	-
Female.....	26	41	44	54	94	113	172	133	68	22	5	-
White, both sexes.....	38	74	91	86	139	205	261	198	94	27	6	-
Male.....	20	46	53	48	58	110	106	77	32	7	1	-
Female.....	18	28	38	38	81	95	155	121	62	20	5	-
Black, both sexes.....	14	17	18	25	24	33	31	15	11	4	-	-
Male.....	6	6	13	10	13	15	15	3	5	2	-	-
Female.....	8	11	5	15	11	18	16	12	6	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	4	3	4	1	2	1	-	-	-	-
Male.....	2	1	3	2	2	1	1	1	-	-	-	-
Female.....	-	2	1	1	2	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
New Mexico												
All races, both sexes.....	9	6	18	18	35	32	39	33	17	6	-	-
Male.....	5	2	10	12	15	10	20	16	7	1	-	-
Female.....	4	4	8	6	20	22	19	17	10	5	-	-
White, both sexes.....	7	6	16	18	30	32	34	32	16	6	-	-
Male.....	5	2	8	12	13	10	20	15	7	1	-	-
Female.....	2	4	8	6	17	22	14	17	9	5	-	-
Black, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	3	-	4	1	1	-	-	-
Male.....	-	-	1	-	1	-	-	1	-	-	-	-
Female.....	2	-	-	-	2	-	4	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	113	168	218	261	373	449	521	395	239	73	2	-
Male.....	66	88	105	142	194	214	247	151	74	19	-	-
Female.....	47	80	113	119	179	235	274	244	165	54	2	-
White, both sexes.....	83	126	160	195	304	371	450	347	216	67	2	-
Male.....	51	68	76	106	165	168	221	139	66	17	-	-
Female.....	32	58	84	89	139	203	229	208	150	50	2	-
Black, both sexes.....	28	36	52	54	50	61	63	37	18	4	-	-
Male.....	13	17	25	25	19	37	23	6	5	1	-	-
Female.....	15	19	27	29	31	24	40	31	13	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	6	6	12	18	15	8	11	5	2	-	-
Male.....	2	3	4	11	9	8	3	6	3	1	-	-
Female.....	-	3	2	1	9	7	5	5	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Colon (C18)

Ohio

All races, both sexes.....	96	113	133	195	258	293	347	257	141	41	3	-
Male.....	55	69	74	120	130	151	161	90	41	9	1	-
Female.....	41	44	59	75	128	142	186	167	100	32	2	-
White, both sexes.....	73	91	116	168	228	260	316	232	135	36	3	-
Male.....	43	56	68	105	112	137	150	81	40	8	1	-
Female.....	30	35	48	63	116	123	166	151	95	28	2	-
Black, both sexes.....	23	21	17	26	30	32	31	24	6	5	-	-
Male.....	12	13	6	15	18	14	11	9	1	1	-	-
Female.....	11	8	11	11	12	18	20	15	5	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	1	-	-	-	-

Oklahoma

All races, both sexes.....	25	53	45	67	85	89	78	73	38	12	1	-
Male.....	16	33	27	37	51	50	42	24	8	1	-	-
Female.....	9	20	18	30	34	39	36	49	30	11	1	-
White, both sexes.....	18	39	37	53	75	80	71	67	32	11	1	-
Male.....	12	24	22	29	44	45	40	22	4	1	-	-
Female.....	6	15	15	24	31	35	31	45	28	10	1	-
Black, both sexes.....	3	7	2	9	4	7	4	3	6	1	-	-
Male.....	1	4	1	5	3	4	1	2	4	-	-	-
Female.....	2	3	1	4	1	3	3	1	2	1	-	-
American Indian 1/, both sexes.....	4	7	5	4	5	2	3	2	-	-	-	-
Male.....	3	5	3	3	4	1	1	-	-	-	-	-
Female.....	1	2	2	1	1	1	2	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
Oregon												
All races, both sexes.....	23	42	37	50	56	85	83	77	42	12	1	-
Male.....	11	21	17	30	21	45	35	29	15	3	-	-
Female.....	12	21	20	20	35	40	48	48	27	9	1	-
White, both sexes.....	23	41	35	49	55	82	79	75	42	10	1	-
Male.....	11	21	17	30	21	44	34	28	15	3	-	-
Female.....	12	20	18	19	34	38	45	47	27	7	1	-
Black, both sexes.....	-	-	1	1	-	-	3	1	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	1	-	-	2	1	-	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	2	1	-	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	1	-	-	1	-	-
Pennsylvania												
All races, both sexes.....	94	134	174	220	284	379	466	339	197	52	11	1
Male.....	53	88	105	124	154	177	233	127	66	18	4	1
Female.....	41	46	69	96	130	202	233	212	131	34	7	-
White, both sexes.....	80	111	150	194	255	350	430	313	190	47	11	-
Male.....	47	75	95	110	141	166	214	121	66	16	4	-
Female.....	33	36	55	84	114	184	216	192	124	31	7	-
Black, both sexes.....	14	20	23	24	27	28	35	26	7	5	-	1
Male.....	6	12	10	14	12	11	19	6	-	2	-	1
Female.....	8	8	13	10	15	17	16	20	7	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	1	2	1	1	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	1	2	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
Texas												
All races, both sexes.....	171	203	243	267	305	408	399	269	150	45	8	-
Male.....	94	125	145	163	175	228	181	109	47	13	-	-
Female.....	77	78	98	104	130	180	218	160	103	32	8	-
White, both sexes.....	126	165	198	212	246	362	354	233	130	39	6	-
Male.....	73	105	119	131	142	204	157	97	43	10	-	-
Female.....	53	60	79	81	104	158	197	136	87	29	6	-
Black, both sexes.....	42	37	42	53	54	40	44	34	18	6	2	-
Male.....	20	19	25	31	32	21	23	11	3	3	-	-
Female.....	22	18	17	22	22	19	21	23	15	3	2	-
American Indian 1/, both sexes.....	-	-	1	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	2	2	5	5	1	1	2	-	-	-
Male.....	1	1	1	1	1	3	1	-	1	-	-	-
Female.....	2	-	1	1	4	2	-	1	1	-	-	-
Utah												
All races, both sexes.....	12	13	14	20	24	35	26	24	9	4	1	-
Male.....	5	8	7	12	12	18	11	11	2	-	-	-
Female.....	7	5	7	8	12	17	15	13	7	4	1	-
White, both sexes.....	12	13	14	20	24	33	25	23	9	3	1	-
Male.....	5	8	7	12	12	17	11	10	2	-	-	-
Female.....	7	5	7	8	12	16	14	13	7	3	1	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Colon (C18)

Vermont

All races, both sexes.....	3	5	7	12	14	11	23	10	12	3	1	-
Male.....	1	2	4	7	11	8	9	6	2	-	1	-
Female.....	2	3	3	5	3	3	14	4	10	3	-	-
White, both sexes.....	3	5	7	12	14	11	23	10	12	3	1	-
Male.....	1	2	4	7	11	8	9	6	2	-	1	-
Female.....	2	3	3	5	3	3	14	4	10	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	60	61	92	111	128	143	157	115	54	14	1	-
Male.....	29	36	55	67	68	85	69	53	17	3	1	-
Female.....	31	25	37	44	60	58	88	62	37	11	-	-
White, both sexes.....	34	44	67	77	88	106	124	98	40	11	-	-
Male.....	16	29	39	49	52	64	55	43	14	2	-	-
Female.....	18	15	28	28	36	42	69	55	26	9	-	-
Black, both sexes.....	24	16	22	29	36	34	32	17	12	3	1	-
Male.....	13	7	14	14	14	19	14	10	3	1	1	-
Female.....	11	9	8	15	22	15	18	7	9	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	5	4	3	1	-	2	-	-	-
Male.....	-	-	2	4	2	2	-	-	-	-	-	-
Female.....	2	1	-	1	2	1	1	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Rectosigmoid junction and rectum (C19-C20)												
Arkansas												
All races, both sexes.....	95	-	-	-	-	-	-	-	2	1	3	6
Male.....	54	-	-	-	-	-	-	-	2	1	3	5
Female.....	41	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	83	-	-	-	-	-	-	-	2	1	3	2
Male.....	48	-	-	-	-	-	-	-	2	1	3	2
Female.....	35	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	4
Male.....	6	-	-	-	-	-	-	-	-	-	-	3
Female.....	5	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	884	-	-	-	-	1	1	2	8	10	14	47
Male.....	473	-	-	-	-	-	-	1	6	6	8	30
Female.....	411	-	-	-	-	1	1	1	2	4	6	17
White, both sexes.....	724	-	-	-	-	1	1	1	7	6	12	39
Male.....	390	-	-	-	-	-	-	1	5	4	6	24
Female.....	334	-	-	-	-	1	1	-	2	2	6	15
Black, both sexes.....	69	-	-	-	-	-	-	1	1	2	1	3
Male.....	35	-	-	-	-	-	-	-	1	1	1	3
Female.....	34	-	-	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	89	-	-	-	-	-	-	-	-	2	1	5
Male.....	46	-	-	-	-	-	-	-	-	1	1	3
Female.....	43	-	-	-	-	-	-	-	-	1	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Rectosigmoid junction and rectum (C19-C20)

Arkansas

All races, both sexes.....	8	8	8	11	7	18	10	6	4	2	1	-
Male.....	5	4	5	9	4	9	5	1	1	-	-	-
Female.....	3	4	3	2	3	9	5	5	3	2	1	-
White, both sexes.....	8	8	7	11	7	16	9	4	3	2	-	-
Male.....	5	4	5	9	4	7	5	1	-	-	-	-
Female.....	3	4	2	2	3	9	4	3	3	2	-	-
Black, both sexes.....	-	-	1	-	-	2	1	1	1	-	1	-
Male.....	-	-	-	-	-	2	-	-	1	-	-	-
Female.....	-	-	1	-	-	-	1	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	58	62	87	113	105	106	130	75	53	10	2	-
Male.....	34	36	53	77	62	47	63	29	16	5	-	-
Female.....	24	26	34	36	43	59	67	46	37	5	2	-
White, both sexes.....	46	44	70	89	89	83	112	67	46	9	2	-
Male.....	25	27	42	62	54	36	57	26	16	5	-	-
Female.....	21	17	28	27	35	47	55	41	30	4	2	-
Black, both sexes.....	5	9	9	10	8	9	9	1	-	1	-	-
Male.....	4	5	6	4	2	5	2	1	-	-	-	-
Female.....	1	4	3	6	6	4	7	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	9	8	13	8	13	9	7	7	-	-	-
Male.....	5	4	5	10	6	5	4	2	-	-	-	-
Female.....	2	5	3	3	2	8	5	5	7	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Rectosigmoid junction and rectum (C19-C20)

Colorado

All races, both sexes.....	6	14	5	7	13	20	15	10	5	2	-	-
Male.....	3	10	2	3	6	12	7	5	1	-	-	-
Female.....	3	4	3	4	7	8	8	5	4	2	-	-
White, both sexes.....	6	13	5	6	12	19	12	10	5	2	-	-
Male.....	3	9	2	3	5	12	7	5	1	-	-	-
Female.....	3	4	3	3	7	7	5	5	4	2	-	-
Black, both sexes.....	-	1	-	-	1	1	2	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Connecticut

All races, both sexes.....	8	5	8	7	11	16	25	12	10	-	-	-
Male.....	4	4	7	6	6	6	11	6	2	-	-	-
Female.....	4	1	1	1	5	10	14	6	8	-	-	-
White, both sexes.....	7	3	5	7	10	16	23	11	9	-	-	-
Male.....	3	3	5	6	5	6	11	5	2	-	-	-
Female.....	4	-	-	1	5	10	12	6	7	-	-	-
Black, both sexes.....	1	2	3	-	1	-	1	1	1	-	-	-
Male.....	1	1	2	-	1	-	-	1	-	-	-	-
Female.....	-	1	1	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Rectosigmoid junction and rectum (C19-C20)

New Hampshire

All races, both sexes.....	2	8	4	8	10	4	5	4	3	-	-	-
Male.....	2	5	3	6	6	3	5	2	-	-	-	-
Female.....	-	3	1	2	4	1	-	2	3	-	-	-
White, both sexes.....	2	8	4	8	10	4	5	4	3	-	-	-
Male.....	2	5	3	6	6	3	5	2	-	-	-	-
Female.....	-	3	1	2	4	1	-	2	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	13	21	30	25	41	47	34	25	14	7	-	-
Male.....	8	14	20	17	28	26	18	9	4	-	-	-
Female.....	5	7	10	8	13	21	16	16	10	7	-	-
White, both sexes.....	10	15	26	18	38	40	33	24	12	5	-	-
Male.....	8	10	16	14	25	24	18	9	3	-	-	-
Female.....	2	5	10	4	13	16	15	15	9	5	-	-
Black, both sexes.....	3	6	3	7	3	6	-	1	1	2	-	-
Male.....	-	4	3	3	3	2	-	-	1	-	-	-
Female.....	3	2	-	4	-	4	-	1	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	1	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Rectosigmoid junction and rectum (C19-C20)

New Mexico

All races, both sexes.....	5	5	5	8	13	9	11	6	2	-	-	-
Male.....	3	2	4	6	7	3	7	2	1	-	-	-
Female.....	2	3	1	2	6	6	4	4	1	-	-	-
White, both sexes.....	3	5	4	7	11	9	11	5	2	-	-	-
Male.....	2	2	3	5	6	3	7	2	1	-	-	-
Female.....	1	3	1	2	5	6	4	3	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	1	2	-	-	1	-	-	-	-
Male.....	1	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	37	44	45	58	62	78	72	61	45	10	2	-
Male.....	20	28	30	36	33	48	40	27	11	3	-	-
Female.....	17	16	15	22	29	30	32	34	34	7	2	-
White, both sexes.....	30	34	33	52	51	70	62	54	42	10	2	-
Male.....	14	23	20	33	29	41	34	23	10	3	-	-
Female.....	16	11	13	19	22	29	28	31	32	7	2	-
Black, both sexes.....	5	9	8	5	9	7	7	6	3	-	-	-
Male.....	4	5	7	2	3	6	4	3	1	-	-	-
Female.....	1	4	1	3	6	1	3	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	3	1	2	1	3	1	-	-	-	-
Male.....	2	-	2	1	1	1	2	1	-	-	-	-
Female.....	-	1	1	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Rectosigmoid junction and rectum (C19-C20)

Ohio

All races, both sexes.....	16	21	47	42	51	56	67	37	13	4	-	-
Male.....	9	13	29	30	28	33	26	13	3	1	-	-
Female.....	7	8	18	12	23	23	41	24	10	3	-	-
White, both sexes.....	14	17	39	36	50	45	60	33	10	4	-	-
Male.....	8	11	25	26	27	26	23	12	3	1	-	-
Female.....	6	6	14	10	23	19	37	21	7	3	-	-
Black, both sexes.....	2	4	7	5	1	10	7	4	3	-	-	-
Male.....	1	2	4	4	1	6	3	1	-	-	-	-
Female.....	1	2	3	1	-	4	4	3	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	7	12	21	5	13	8	18	13	6	-	-	-
Male.....	6	7	13	3	11	4	8	6	2	-	-	-
Female.....	1	5	8	2	2	4	10	7	4	-	-	-
White, both sexes.....	6	10	21	5	13	7	16	10	4	-	-	-
Male.....	6	7	13	3	11	3	7	4	2	-	-	-
Female.....	-	3	8	2	2	4	9	6	2	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	1	2	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	2	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	1	2	1	-	-	-	-
Male.....	-	-	-	-	-	1	1	1	-	-	-	-
Female.....	1	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Rectosigmoid junction and rectum (C19-C20)

Vermont

All races, both sexes.....	-	1	2	-	4	4	1	2	1	1	-	-
Male.....	-	1	1	-	2	3	1	2	-	1	-	-
Female.....	-	-	1	-	2	1	-	-	1	-	-	-
White, both sexes.....	-	1	2	-	4	4	1	2	1	1	-	-
Male.....	-	1	1	-	2	3	1	2	-	1	-	-
Female.....	-	-	1	-	2	1	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	17	24	27	33	31	22	32	15	4	6	-	-
Male.....	11	20	18	22	18	12	16	5	-	3	-	-
Female.....	6	4	9	11	13	10	16	10	4	3	-	-
White, both sexes.....	14	19	23	24	26	15	27	12	2	6	-	-
Male.....	9	16	16	15	15	8	15	4	-	3	-	-
Female.....	5	3	7	9	11	7	12	8	2	3	-	-
Black, both sexes.....	3	5	3	9	3	7	5	3	2	-	-	-
Male.....	2	4	2	7	2	4	1	1	-	-	-	-
Female.....	1	1	1	2	1	3	4	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Anus and anal canal (C21)

Arkansas

All races, both sexes.....	1	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	2	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	7	7	7	10	6	9	7	10	2	1	2	-
Male.....	1	-	3	4	3	2	2	4	-	-	-	-
Female.....	6	7	4	6	3	7	5	6	2	1	2	-
White, both sexes.....	7	6	7	8	6	9	5	9	2	1	2	-
Male.....	1	-	3	3	3	2	1	4	-	-	-	-
Female.....	6	6	4	5	3	7	4	5	2	1	2	-
Black, both sexes.....	-	1	-	2	-	-	1	1	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of liver and intrahepatic bile ducts (C22)												
Arkansas												
All races, both sexes.....	181	-	-	-	-	-	1	-	-	2	3	8
Male.....	111	-	-	-	-	-	-	-	-	1	3	6
Female.....	70	-	-	-	-	-	1	-	-	1	-	2
White, both sexes.....	157	-	-	-	-	-	1	-	-	2	3	7
Male.....	93	-	-	-	-	-	-	-	-	1	3	5
Female.....	64	-	-	-	-	-	1	-	-	1	-	2
Black, both sexes.....	24	-	-	-	-	-	-	-	-	-	-	1
Male.....	18	-	-	-	-	-	-	-	-	-	-	1
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	2,185	2	4	1	1	2	3	3	7	19	48	119
Male.....	1,417	-	4	-	-	1	3	1	6	13	36	95
Female.....	768	2	-	1	1	1	-	2	1	6	12	24
White, both sexes.....	1,536	1	3	-	1	2	-	2	3	8	23	79
Male.....	1,000	-	3	-	-	1	-	-	3	6	16	66
Female.....	536	1	-	-	1	1	-	2	-	2	7	13
Black, both sexes.....	169	1	1	-	-	-	2	1	1	4	5	11
Male.....	114	-	1	-	-	-	2	1	1	1	3	7
Female.....	55	1	-	-	-	-	-	-	-	3	2	4
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	-	1	1	1
Male.....	13	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	463	-	-	1	-	-	1	-	3	6	19	28
Male.....	290	-	-	-	-	-	1	-	2	6	17	21
Female.....	173	-	-	1	-	-	-	-	1	-	2	7

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of liver and intrahepatic bile ducts (C22)

Massachusetts

All races, both sexes.....	395	-	2	-	-	-	-	1	1	1	4	18
Male.....	287	-	1	-	-	-	-	1	1	1	4	14
Female.....	108	-	1	-	-	-	-	-	-	-	-	4
White, both sexes.....	342	-	2	-	-	-	-	-	-	-	4	14
Male.....	246	-	1	-	-	-	-	-	-	-	4	12
Female.....	96	-	1	-	-	-	-	-	-	-	-	2
Black, both sexes.....	22	-	-	-	-	-	-	1	-	-	-	2
Male.....	15	-	-	-	-	-	-	1	-	-	-	1
Female.....	7	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	-	-	-	-	-	-	-	1	1	-	2
Male.....	24	-	-	-	-	-	-	-	1	1	-	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	1

Michigan

All races, both sexes.....	491	-	-	-	-	-	-	1	-	1	8	24
Male.....	321	-	-	-	-	-	-	-	-	-	4	19
Female.....	170	-	-	-	-	-	-	1	-	1	4	5
White, both sexes.....	381	-	-	-	-	-	-	-	-	-	7	15
Male.....	243	-	-	-	-	-	-	-	-	-	4	12
Female.....	138	-	-	-	-	-	-	-	-	-	3	3
Black, both sexes.....	98	-	-	-	-	-	-	1	-	-	1	9
Male.....	72	-	-	-	-	-	-	-	-	-	-	7
Female.....	26	-	-	-	-	-	-	1	-	-	1	2
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	-	-	-	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of liver and intrahepatic bile ducts (C22)

New Mexico

All races, both sexes.....	111	-	1	-	-	-	-	-	1	-	1	4
Male.....	67	-	1	-	-	-	-	-	-	-	1	3
Female.....	44	-	-	-	-	-	-	-	1	-	-	1
White, both sexes.....	98	-	1	-	-	-	-	-	1	-	1	3
Male.....	63	-	1	-	-	-	-	-	-	-	1	2
Female.....	35	-	-	-	-	-	-	-	1	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1,112	-	1	1	-	-	2	5	4	10	14	46
Male.....	740	-	-	-	-	-	2	3	4	7	10	36
Female.....	372	-	1	1	-	-	-	2	-	3	4	10
White, both sexes.....	816	-	1	-	-	-	1	1	1	4	7	26
Male.....	531	-	-	-	-	-	1	-	1	2	6	20
Female.....	285	-	1	-	-	-	-	1	-	2	1	6
Black, both sexes.....	182	-	-	1	-	-	-	2	3	3	4	12
Male.....	124	-	-	-	-	-	-	1	3	3	2	8
Female.....	58	-	-	1	-	-	-	1	-	-	2	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	114	-	-	-	-	-	1	2	-	3	3	8
Male.....	85	-	-	-	-	-	1	2	-	2	2	8
Female.....	29	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of liver and intrahepatic bile ducts (C22)

Texas

All races, both sexes.....	1,417	-	4	-	2	1	1	3	5	4	25	75
Male.....	937	-	1	-	1	1	1	2	3	4	16	65
Female.....	480	-	3	-	1	-	-	1	2	-	9	10
White, both sexes.....	1,187	-	3	-	1	1	1	1	3	2	15	58
Male.....	791	-	1	-	1	1	1	1	2	2	9	52
Female.....	396	-	2	-	-	-	-	-	1	-	6	6
Black, both sexes.....	166	-	1	-	-	-	-	2	1	1	8	15
Male.....	106	-	-	-	-	-	-	1	-	1	6	11
Female.....	60	-	1	-	-	-	-	1	1	-	2	4
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	60	-	-	-	1	-	-	-	1	1	1	2
Male.....	39	-	-	-	-	-	-	-	1	1	1	2
Female.....	21	-	-	-	1	-	-	-	-	-	-	-

Utah

All races, both sexes.....	70	-	1	-	-	-	1	1	-	-	2	1
Male.....	45	-	-	-	-	-	-	-	-	-	1	1
Female.....	25	-	1	-	-	-	1	1	-	-	1	-
White, both sexes.....	58	-	1	-	-	-	1	-	-	-	1	1
Male.....	39	-	-	-	-	-	-	-	-	-	-	1
Female.....	19	-	1	-	-	-	1	-	-	-	1	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	-	1	-	-	1	-
Male.....	4	-	-	-	-	-	-	-	-	-	1	-
Female.....	5	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

United States

All races, both sexes.....	1,690	1,767	1,671	1,680	2,067	2,235	1,941	1,122	424	94	15	1
Male.....	1,347	1,404	1,211	1,144	1,326	1,333	1,041	521	173	24	1	-
Female.....	343	363	460	536	741	902	900	601	251	70	14	1
White, both sexes.....	1,223	1,300	1,264	1,327	1,662	1,903	1,661	994	363	84	12	-
Male.....	958	1,025	916	900	1,076	1,155	892	474	152	23	1	-
Female.....	265	275	348	427	586	748	769	520	211	61	11	-
Black, both sexes.....	334	341	278	211	229	174	162	70	31	7	1	1
Male.....	282	286	202	151	141	101	85	23	10	1	-	-
Female.....	52	55	76	60	88	73	77	47	21	6	1	1
American Indian 1/, both sexes.....	17	9	19	12	23	9	11	3	3	-	-	-
Male.....	13	8	15	6	15	2	3	2	1	-	-	-
Female.....	4	1	4	6	8	7	8	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	116	117	110	130	153	149	107	55	27	3	2	-
Male.....	94	85	78	87	94	75	61	22	10	-	-	-
Female.....	22	32	32	43	59	74	46	33	17	3	2	-

Alabama

All races, both sexes.....	27	38	28	30	24	25	22	12	2	1	-	-
Male.....	18	28	20	18	13	15	10	7	1	1	-	-
Female.....	9	10	8	12	11	10	12	5	1	-	-	-
White, both sexes.....	16	27	21	21	19	19	17	10	1	1	-	-
Male.....	9	20	16	12	10	11	7	6	-	1	-	-
Female.....	7	7	5	9	9	8	10	4	1	-	-	-
Black, both sexes.....	10	11	5	9	4	6	5	2	1	-	-	-
Male.....	8	8	3	6	3	4	3	1	1	-	-	-
Female.....	2	3	2	3	1	2	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

Alaska

All races, both sexes.....	4	4	2	2	4	4	2	1	-	-	-	-
Male.....	1	3	1	2	2	3	1	1	-	-	-	-
Female.....	3	1	1	-	2	1	1	-	-	-	-	-
White, both sexes.....	3	1	1	2	3	2	-	1	-	-	-	-
Male.....	1	1	1	2	2	1	-	1	-	-	-	-
Female.....	2	-	-	-	1	1	-	-	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	-	1	1	2	-	-	-	-	-
Male.....	-	1	-	-	-	1	1	-	-	-	-	-
Female.....	1	-	1	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	30	51	25	37	44	41	33	21	11	-	-	-
Male.....	23	40	22	22	23	24	21	8	4	-	-	-
Female.....	7	11	3	15	21	17	12	13	7	-	-	-
White, both sexes.....	27	46	22	36	36	38	29	21	9	-	-	-
Male.....	21	37	20	21	19	24	19	8	4	-	-	-
Female.....	6	9	2	15	17	14	10	13	5	-	-	-
Black, both sexes.....	2	2	1	-	1	1	-	-	1	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	1	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	3	2	-	5	1	1	-	1	-	-	-
Male.....	-	2	2	-	3	-	-	-	-	-	-	-
Female.....	1	1	-	-	2	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	1	3	-	-	-	-	-
Male.....	-	-	-	1	1	-	2	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

Arkansas

All races, both sexes.....	19	15	22	18	31	23	23	14	2	-	-	-
Male.....	13	11	17	11	20	14	9	5	1	-	-	-
Female.....	6	4	5	7	11	9	14	9	1	-	-	-
White, both sexes.....	14	12	20	15	28	20	21	13	1	-	-	-
Male.....	9	8	16	10	18	11	8	4	-	-	-	-
Female.....	5	4	4	5	10	9	13	9	1	-	-	-
Black, both sexes.....	5	3	2	3	3	3	2	1	1	-	-	-
Male.....	4	3	1	1	2	3	1	1	1	-	-	-
Female.....	1	-	1	2	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	219	250	224	245	312	278	240	126	68	8	6	-
Male.....	170	209	174	162	173	154	123	66	23	3	1	-
Female.....	49	41	50	83	139	124	117	60	45	5	5	-
White, both sexes.....	152	189	162	173	213	201	172	89	50	7	6	-
Male.....	116	158	125	113	121	115	88	49	16	3	1	-
Female.....	36	31	37	60	92	86	84	40	34	4	5	-
Black, both sexes.....	21	23	19	21	23	9	16	8	3	-	-	-
Male.....	17	20	14	17	14	5	9	2	-	-	-	-
Female.....	4	3	5	4	9	4	7	6	3	-	-	-
American Indian 1/, both sexes.....	6	2	1	2	3	-	-	-	-	-	-	-
Male.....	5	2	1	1	3	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	40	36	42	49	73	68	52	29	15	1	-	-
Male.....	32	29	34	31	35	34	26	15	7	-	-	-
Female.....	8	7	8	18	38	34	26	14	8	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

Colorado

All races, both sexes.....	29	17	16	13	21	29	18	13	7	1	-	-
Male.....	23	9	15	7	14	18	8	6	3	1	-	-
Female.....	6	8	1	6	7	11	10	7	4	-	-	-
White, both sexes.....	26	13	15	11	18	27	17	13	7	1	-	-
Male.....	21	5	14	6	13	17	8	6	3	1	-	-
Female.....	5	8	1	5	5	10	9	7	4	-	-	-
Black, both sexes.....	2	2	1	1	2	-	-	-	-	-	-	-
Male.....	2	2	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	-	1	2	1	-	-	-	-	-
Male.....	-	2	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	1	1	-	-	-	-	-

Connecticut

All races, both sexes.....	18	15	16	15	24	39	27	16	5	-	-	-
Male.....	16	11	10	11	13	26	17	6	3	-	-	-
Female.....	2	4	6	4	11	13	10	10	2	-	-	-
White, both sexes.....	16	14	14	13	20	36	25	16	5	-	-	-
Male.....	14	10	8	9	12	24	15	6	3	-	-	-
Female.....	2	4	6	4	8	12	10	10	2	-	-	-
Black, both sexes.....	1	1	1	1	3	3	-	-	-	-	-	-
Male.....	1	1	1	1	1	2	-	-	-	-	-	-
Female.....	-	-	-	-	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	1	-	2	-	-	-	-	-
Male.....	1	-	1	1	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

Illinois

All races, both sexes.....	64	69	62	66	80	100	99	53	15	7	1	-
Male.....	50	58	46	48	58	56	54	22	6	1	-	-
Female.....	14	11	16	18	22	44	45	31	9	6	1	-
White, both sexes.....	40	54	45	52	68	86	87	47	13	7	1	-
Male.....	29	46	34	39	47	51	49	20	5	1	-	-
Female.....	11	8	11	13	21	35	38	27	8	6	1	-
Black, both sexes.....	16	14	16	11	10	11	9	4	1	-	-	-
Male.....	14	11	12	7	9	4	3	2	1	-	-	-
Female.....	2	3	4	4	1	7	6	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	1	3	2	3	3	2	1	-	-	-
Male.....	7	1	-	2	2	1	2	-	-	-	-	-
Female.....	1	-	1	1	-	2	1	2	1	-	-	-

Indiana

All races, both sexes.....	29	23	35	37	51	57	34	31	12	2	-	-
Male.....	20	18	26	23	31	36	19	10	3	-	-	-
Female.....	9	5	9	14	20	21	15	21	9	2	-	-
White, both sexes.....	24	16	30	31	44	50	34	31	12	2	-	-
Male.....	15	12	22	18	28	32	19	10	3	-	-	-
Female.....	9	4	8	13	16	18	15	21	9	2	-	-
Black, both sexes.....	5	7	5	5	7	6	-	-	-	-	-	-
Male.....	5	6	4	4	3	4	-	-	-	-	-	-
Female.....	-	1	1	1	4	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

Maine

All races, both sexes.....	3	5	8	5	13	11	15	6	2	-	-	-
Male.....	3	3	5	2	10	7	8	3	1	-	-	-
Female.....	-	2	3	3	3	4	7	3	1	-	-	-
White, both sexes.....	3	3	8	5	13	11	15	6	2	-	-	-
Male.....	3	2	5	2	10	7	8	3	1	-	-	-
Female.....	-	1	3	3	3	4	7	3	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	34	26	38	34	35	32	29	15	4	3	-	-
Male.....	23	19	28	24	26	17	12	10	1	1	-	-
Female.....	11	7	10	10	9	15	17	5	3	2	-	-
White, both sexes.....	17	11	21	20	29	25	25	11	4	2	-	-
Male.....	12	10	16	12	24	13	11	9	1	1	-	-
Female.....	5	1	5	8	5	12	14	2	3	1	-	-
Black, both sexes.....	15	13	15	11	4	7	4	4	-	1	-	-
Male.....	10	8	11	11	1	4	1	1	-	-	-	-
Female.....	5	5	4	-	3	3	3	3	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	2	3	2	-	-	-	-	-	-	-
Male.....	1	1	1	1	1	-	-	-	-	-	-	-
Female.....	1	1	1	2	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of liver and intrahepatic bile ducts (C22)

Massachusetts

All races, both sexes.....	42	50	39	38	44	54	59	26	14	2	-	-
Male.....	37	42	32	32	36	37	30	12	7	-	-	-
Female.....	5	8	7	6	8	17	29	14	7	2	-	-
White, both sexes.....	38	40	36	30	38	49	54	21	14	2	-	-
Male.....	33	32	29	25	31	34	28	10	7	-	-	-
Female.....	5	8	7	5	7	15	26	11	7	2	-	-
Black, both sexes.....	3	4	1	2	-	3	4	2	-	-	-	-
Male.....	3	4	1	2	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	2	3	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	6	2	6	5	2	1	2	-	-	-	-
Male.....	1	6	2	5	4	2	1	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	2	-	-	-	-

Michigan

All races, both sexes.....	68	54	47	56	57	61	61	39	12	2	-	-
Male.....	59	43	38	36	35	32	30	21	4	-	-	-
Female.....	9	11	9	20	22	29	31	18	8	2	-	-
White, both sexes.....	48	36	34	46	49	48	52	35	10	1	-	-
Male.....	40	26	28	29	30	25	25	20	4	-	-	-
Female.....	8	10	6	17	19	23	27	15	6	1	-	-
Black, both sexes.....	18	18	12	8	7	12	7	3	1	1	-	-
Male.....	17	17	9	6	5	7	3	1	-	-	-	-
Female.....	1	1	3	2	2	5	4	2	1	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	1	-	1	1	1	-	-	-
Male.....	1	-	1	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

Nebraska

All races, both sexes.....	4	11	-	12	9	7	9	5	2	-	-	-
Male.....	4	10	-	7	5	5	6	1	-	-	-	-
Female.....	-	1	-	5	4	2	3	4	2	-	-	-
White, both sexes.....	2	9	-	11	9	7	9	5	2	-	-	-
Male.....	2	9	-	7	5	5	6	1	-	-	-	-
Female.....	-	-	-	4	4	2	3	4	2	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	16	11	14	13	16	25	17	3	5	-	-	-
Male.....	13	9	9	9	8	11	7	2	2	-	-	-
Female.....	3	2	5	4	8	14	10	1	3	-	-	-
White, both sexes.....	15	9	12	10	14	23	10	3	4	-	-	-
Male.....	12	7	8	7	7	10	4	2	2	-	-	-
Female.....	3	2	4	3	7	13	6	1	2	-	-	-
Black, both sexes.....	1	1	1	1	-	1	4	-	-	-	-	-
Male.....	1	1	1	-	-	1	2	-	-	-	-	-
Female.....	-	-	-	1	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	2	1	3	-	1	-	-	-
Male.....	-	1	-	2	1	-	1	-	-	-	-	-
Female.....	-	-	1	-	1	1	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

New Hampshire

All races, both sexes.....	3	10	8	7	13	7	3	8	-	-	-	-
Male.....	3	8	5	5	9	3	2	3	-	-	-	-
Female.....	-	2	3	2	4	4	1	5	-	-	-	-
White, both sexes.....	3	10	8	6	12	7	3	8	-	-	-	-
Male.....	3	8	5	4	8	3	2	3	-	-	-	-
Female.....	-	2	3	2	4	4	1	5	-	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	45	43	49	64	58	58	53	39	21	5	-	-
Male.....	33	37	37	49	39	35	29	19	9	1	-	-
Female.....	12	6	12	15	19	23	24	20	12	4	-	-
White, both sexes.....	31	32	31	50	46	53	45	35	20	5	-	-
Male.....	22	27	23	42	31	33	24	18	8	1	-	-
Female.....	9	5	8	8	15	20	21	17	12	4	-	-
Black, both sexes.....	5	5	15	10	8	4	5	2	1	-	-	-
Male.....	5	4	11	3	4	1	2	-	1	-	-	-
Female.....	-	1	4	7	4	3	3	2	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	5	3	4	4	1	3	2	-	-	-	-
Male.....	6	5	3	4	4	1	3	1	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

New Mexico

All races, both sexes.....	10	6	17	18	14	14	14	10	1	-	-	-
Male.....	9	4	8	10	7	8	10	6	-	-	-	-
Female.....	1	2	9	8	7	6	4	4	1	-	-	-
White, both sexes.....	9	6	14	16	12	11	14	10	-	-	-	-
Male.....	8	4	7	10	7	7	10	6	-	-	-	-
Female.....	1	2	7	6	5	4	4	4	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	2	2	2	2	-	-	-	-	-	-
Male.....	1	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	2	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	1	-	-	-

New York

All races, both sexes.....	107	133	121	108	144	160	154	72	21	6	3	-
Male.....	92	106	90	76	100	90	85	32	5	2	-	-
Female.....	15	27	31	32	44	70	69	40	16	4	3	-
White, both sexes.....	70	102	80	77	105	127	128	63	17	5	1	-
Male.....	64	79	59	51	73	70	69	29	5	2	-	-
Female.....	6	23	21	26	32	57	59	34	12	3	1	-
Black, both sexes.....	26	21	28	20	23	17	15	4	2	-	1	-
Male.....	18	20	20	15	12	11	9	2	-	-	-	-
Female.....	8	1	8	5	11	6	6	2	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	10	13	11	16	16	11	5	2	1	1	-
Male.....	10	7	11	10	15	9	7	1	-	-	-	-
Female.....	1	3	2	1	1	7	4	4	2	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of liver and intrahepatic bile ducts (C22)

Oregon

All races, both sexes.....	35	23	16	20	12	24	22	12	5	-	-	-
Male.....	27	21	12	14	7	14	11	4	3	-	-	-
Female.....	8	2	4	6	5	10	11	8	2	-	-	-
White, both sexes.....	29	22	14	17	10	22	20	12	5	-	-	-
Male.....	22	20	11	13	5	12	9	4	3	-	-	-
Female.....	7	2	3	4	5	10	11	8	2	-	-	-
Black, both sexes.....	-	-	-	2	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	1	1	2	2	1	-	-	-	-	-
Male.....	5	1	1	1	2	2	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	70	70	73	51	85	112	109	61	21	5	2	-
Male.....	55	57	47	35	59	77	61	33	11	1	-	-
Female.....	15	13	26	16	26	35	48	28	10	4	2	-
White, both sexes.....	49	50	59	38	69	105	100	60	20	4	2	-
Male.....	39	42	37	25	46	71	54	32	10	-	-	-
Female.....	10	8	22	13	23	34	46	28	10	4	2	-
Black, both sexes.....	18	20	12	12	16	5	8	1	-	1	-	-
Male.....	15	15	9	9	13	5	6	1	-	1	-	-
Female.....	3	5	3	3	3	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	2	1	-	2	-	-	1	-	-	-
Male.....	1	-	1	1	-	1	-	-	1	-	-	-
Female.....	2	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of liver and intrahepatic bile ducts (C22)

Rhode Island

All races, both sexes.....	3	5	4	4	5	8	4	7	1	2	-	-
Male.....	3	4	4	4	4	3	3	3	-	2	-	-
Female.....	-	1	-	-	1	5	1	4	1	-	-	-
White, both sexes.....	2	3	4	4	4	8	4	6	1	2	-	-
Male.....	2	2	4	4	3	3	3	3	-	2	-	-
Female.....	-	1	-	-	1	5	1	3	1	-	-	-
Black, both sexes.....	1	2	-	-	1	-	-	-	-	-	-	-
Male.....	1	2	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

South Carolina

All races, both sexes.....	26	30	21	29	24	26	33	6	5	1	-	-
Male.....	22	23	16	23	18	17	19	2	-	-	-	-
Female.....	4	7	5	6	6	9	14	4	5	1	-	-
White, both sexes.....	19	19	15	21	17	19	28	5	4	1	-	-
Male.....	15	14	11	17	12	14	17	2	-	-	-	-
Female.....	4	5	4	4	5	5	11	3	4	1	-	-
Black, both sexes.....	7	10	6	6	7	5	5	1	1	-	-	-
Male.....	7	9	5	5	6	2	2	-	-	-	-	-
Female.....	-	1	1	1	1	3	3	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	-	2	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

South Dakota

All races, both sexes.....	1	2	8	5	6	6	5	4	1	-	-	-
Male.....	1	2	6	2	3	2	4	1	1	-	-	-
Female.....	-	-	2	3	3	4	1	3	-	-	-	-
White, both sexes.....	1	2	6	3	6	6	5	4	1	-	-	-
Male.....	1	2	4	1	3	2	4	1	1	-	-	-
Female.....	-	-	2	2	3	4	1	3	-	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	2	-	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	27	36	39	22	33	45	27	18	5	4	-	-
Male.....	21	31	26	17	21	24	15	5	-	2	-	-
Female.....	6	5	13	5	12	21	12	13	5	2	-	-
White, both sexes.....	21	23	31	18	29	40	20	17	5	4	-	-
Male.....	16	20	21	13	18	21	11	5	-	2	-	-
Female.....	5	3	10	5	11	19	9	12	5	2	-	-
Black, both sexes.....	5	13	5	3	3	4	7	1	-	-	-	-
Male.....	4	11	3	3	2	3	4	-	-	-	-	-
Female.....	1	2	2	-	1	1	3	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	3	1	1	1	-	-	-	-	-	-
Male.....	1	-	2	1	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

Texas

All races, both sexes.....	162	161	165	159	192	194	139	72	47	6	-	-
Male.....	136	124	110	103	118	112	75	39	24	2	-	-
Female.....	26	37	55	56	74	82	64	33	23	4	-	-
White, both sexes.....	130	124	134	131	166	173	128	69	42	5	-	-
Male.....	109	93	90	89	103	104	70	39	22	2	-	-
Female.....	21	31	44	42	63	69	58	30	20	3	-	-
Black, both sexes.....	27	26	21	14	20	14	7	3	5	1	-	-
Male.....	23	23	13	6	11	7	2	-	2	-	-	-
Female.....	4	3	8	8	9	7	5	3	3	1	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	11	9	13	6	6	4	-	-	-	-	-
Male.....	4	8	6	8	4	1	3	-	-	-	-	-
Female.....	1	3	3	5	2	5	1	-	-	-	-	-

Utah

All races, both sexes.....	6	10	9	10	10	8	4	5	1	1	-	-
Male.....	4	8	7	4	8	5	4	3	-	-	-	-
Female.....	2	2	2	6	2	3	-	2	1	1	-	-
White, both sexes.....	6	8	6	9	9	5	4	5	1	1	-	-
Male.....	4	7	6	4	7	3	4	3	-	-	-	-
Female.....	2	1	-	5	2	2	-	2	1	1	-	-
Black, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	-	3	-	-	-	-	-	-
Male.....	-	-	1	-	-	2	-	-	-	-	-	-
Female.....	-	1	1	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

Vermont

All races, both sexes.....	2	3	2	4	2	1	2	1	-	-	-	-
Male.....	1	2	1	3	1	-	1	1	-	-	-	-
Female.....	1	1	1	1	1	1	1	-	-	-	-	-
White, both sexes.....	2	3	2	4	2	1	2	1	-	-	-	-
Male.....	1	2	1	3	1	-	1	1	-	-	-	-
Female.....	1	1	1	1	1	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	31	41	31	24	36	47	38	22	9	5	-	-
Male.....	24	33	19	21	25	31	16	11	6	1	-	-
Female.....	7	8	12	3	11	16	22	11	3	4	-	-
White, both sexes.....	17	26	24	17	23	39	27	19	6	4	-	-
Male.....	13	19	16	15	17	28	9	10	4	1	-	-
Female.....	4	7	8	2	6	11	18	9	2	3	-	-
Black, both sexes.....	11	12	6	5	10	5	8	3	3	1	-	-
Male.....	9	11	3	4	6	2	6	1	2	-	-	-
Female.....	2	1	3	1	4	3	2	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	1	2	2	3	3	-	-	-	-	-
Male.....	2	3	-	2	1	1	1	-	-	-	-	-
Female.....	1	-	1	-	1	2	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Liver (C22.0,C22.2-C22.9)

Arkansas

All races, both sexes.....	165	-	-	-	-	-	1	-	-	2	3	7
Male.....	102	-	-	-	-	-	-	-	-	1	3	5
Female.....	63	-	-	-	-	-	1	-	-	1	-	2
White, both sexes.....	141	-	-	-	-	-	1	-	-	2	3	6
Male.....	84	-	-	-	-	-	-	-	-	1	3	4
Female.....	57	-	-	-	-	-	1	-	-	1	-	2
Black, both sexes.....	24	-	-	-	-	-	-	-	-	-	-	1
Male.....	18	-	-	-	-	-	-	-	-	-	-	1
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,732	2	4	1	1	2	3	2	4	12	34	103
Male.....	1,198	-	4	-	-	1	3	1	3	10	28	87
Female.....	534	2	-	1	1	1	-	1	1	2	6	16
White, both sexes.....	1,176	1	3	-	1	2	-	1	1	4	16	67
Male.....	824	-	3	-	-	1	-	-	1	4	12	59
Female.....	352	1	-	-	1	1	-	1	-	-	4	8
Black, both sexes.....	147	1	1	-	-	-	2	1	-	2	2	10
Male.....	106	-	1	-	-	-	2	1	-	1	1	7
Female.....	41	1	-	-	-	-	-	-	-	1	1	3
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	-	-	1	-	1
Male.....	11	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	395	-	-	1	-	-	1	-	3	5	16	25
Male.....	257	-	-	-	-	-	1	-	2	5	15	20
Female.....	138	-	-	1	-	-	-	-	1	-	1	5

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Liver (C22.0,C22.2-C22.9)

Massachusetts

All races, both sexes.....	303	-	2	-	-	-	-	1	1	1	4	15
Male.....	236	-	1	-	-	-	-	1	1	1	4	13
Female.....	67	-	1	-	-	-	-	-	-	-	-	2
White, both sexes.....	257	-	2	-	-	-	-	-	-	-	4	11
Male.....	199	-	1	-	-	-	-	-	-	-	4	11
Female.....	58	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	18	-	-	-	-	-	-	1	-	-	-	2
Male.....	14	-	-	-	-	-	-	1	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	-	-	-	-	-	-	-	1	1	-	2
Male.....	22	-	-	-	-	-	-	-	1	1	-	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	1

Michigan

All races, both sexes.....	396	-	-	-	-	-	-	-	-	1	5	23
Male.....	273	-	-	-	-	-	-	-	-	-	3	18
Female.....	123	-	-	-	-	-	-	-	-	1	2	5
White, both sexes.....	299	-	-	-	-	-	-	-	-	-	4	14
Male.....	200	-	-	-	-	-	-	-	-	-	3	11
Female.....	99	-	-	-	-	-	-	-	-	-	1	3
Black, both sexes.....	87	-	-	-	-	-	-	-	-	-	1	9
Male.....	68	-	-	-	-	-	-	-	-	-	-	7
Female.....	19	-	-	-	-	-	-	-	-	-	1	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Liver (C22.0,C22.2-C22.9)

New Mexico

All races, both sexes.....	82	-	1	-	-	-	-	-	-	-	1	3
Male.....	58	-	1	-	-	-	-	-	-	-	1	3
Female.....	24	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	73	-	1	-	-	-	-	-	-	-	1	2
Male.....	55	-	1	-	-	-	-	-	-	-	1	2
Female.....	18	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	834	-	1	1	-	-	2	5	2	8	9	37
Male.....	591	-	-	-	-	-	2	3	2	6	7	29
Female.....	243	-	1	1	-	-	-	2	-	2	2	8
White, both sexes.....	591	-	1	-	-	-	1	1	1	2	3	18
Male.....	411	-	-	-	-	-	1	-	1	1	3	13
Female.....	180	-	1	-	-	-	-	1	-	1	-	5
Black, both sexes.....	150	-	-	1	-	-	-	2	1	3	3	11
Male.....	107	-	-	-	-	-	-	1	1	3	2	8
Female.....	43	-	-	1	-	-	-	1	-	-	1	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	93	-	-	-	-	-	1	2	-	3	3	8
Male.....	73	-	-	-	-	-	1	2	-	2	2	8
Female.....	20	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Liver (C22.0,C22.2-C22.9)												
Texas												
All races, both sexes.....	1,218	-	4	-	1	1	1	2	5	3	24	64
Male.....	833	-	1	-	-	1	1	1	3	3	16	60
Female.....	385	-	3	-	1	-	-	1	2	-	8	4
White, both sexes.....	1,022	-	3	-	-	1	1	-	3	1	14	51
Male.....	703	-	1	-	-	1	1	-	2	1	9	48
Female.....	319	-	2	-	-	-	-	-	1	-	5	3
Black, both sexes.....	143	-	1	-	-	-	-	2	1	1	8	11
Male.....	96	-	-	-	-	-	-	1	-	1	6	10
Female.....	47	-	1	-	-	-	-	1	1	-	2	1
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	49	-	-	-	1	-	-	-	1	1	1	2
Male.....	33	-	-	-	-	-	-	-	1	1	1	2
Female.....	16	-	-	-	1	-	-	-	-	-	-	-
Utah												
All races, both sexes.....	58	-	1	-	-	-	-	1	-	-	2	1
Male.....	38	-	-	-	-	-	-	-	-	-	1	1
Female.....	20	-	1	-	-	-	-	1	-	-	1	-
White, both sexes.....	48	-	1	-	-	-	-	-	-	-	1	1
Male.....	33	-	-	-	-	-	-	-	-	-	-	1
Female.....	15	-	1	-	-	-	-	-	-	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	1	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	5	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Liver (C22.0,C22.2-C22.9)

United States

All races, both sexes.....	1,467	1,486	1,313	1,285	1,605	1,634	1,440	817	304	61	8	1
Male.....	1,228	1,252	1,013	930	1,073	1,032	814	395	123	18	1	-
Female.....	239	234	300	355	532	602	626	422	181	43	7	1
White, both sexes.....	1,046	1,064	963	1,000	1,275	1,370	1,230	716	253	54	6	-
Male.....	867	898	746	723	864	893	699	357	105	17	1	-
Female.....	179	166	217	277	411	477	531	359	148	37	5	-
Black, both sexes.....	305	314	240	174	182	127	130	54	28	6	1	1
Male.....	263	274	183	133	117	74	71	18	9	1	-	-
Female.....	42	40	57	41	65	53	59	36	19	5	1	1
American Indian 1/, both sexes.....	13	9	15	11	13	8	8	2	3	-	-	-
Male.....	11	8	13	5	8	2	3	2	1	-	-	-
Female.....	2	1	2	6	5	6	5	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	103	99	95	100	135	129	72	45	20	1	1	-
Male.....	87	72	71	69	84	63	41	18	8	-	-	-
Female.....	16	27	24	31	51	66	31	27	12	1	1	-

Alabama

All races, both sexes.....	26	32	19	25	20	23	19	11	2	1	-	-
Male.....	18	25	16	16	12	14	9	6	1	1	-	-
Female.....	8	7	3	9	8	9	10	5	1	-	-	-
White, both sexes.....	15	22	14	17	16	18	14	9	1	1	-	-
Male.....	9	17	12	11	10	11	6	5	-	1	-	-
Female.....	6	5	2	6	6	7	8	4	1	-	-	-
Black, both sexes.....	10	10	3	8	3	5	5	2	1	-	-	-
Male.....	8	8	3	5	2	3	3	1	1	-	-	-
Female.....	2	2	-	3	1	2	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Liver (C22.0,C22.2-C22.9)

Alaska

All races, both sexes.....	2	4	2	1	4	4	1	1	-	-	-	-
Male.....	1	3	1	1	2	3	1	1	-	-	-	-
Female.....	1	1	1	-	2	1	-	-	-	-	-	-
White, both sexes.....	2	1	1	1	3	2	-	1	-	-	-	-
Male.....	1	1	1	1	2	1	-	1	-	-	-	-
Female.....	1	-	-	-	1	1	-	-	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	1	1	1	-	-	-	-	-
Male.....	-	1	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	27	40	22	33	35	34	27	16	10	-	-	-
Male.....	22	33	19	20	18	21	17	8	3	-	-	-
Female.....	5	7	3	13	17	13	10	8	7	-	-	-
White, both sexes.....	24	35	19	33	30	31	23	16	8	-	-	-
Male.....	20	30	17	20	16	21	15	8	3	-	-	-
Female.....	4	5	2	13	14	10	8	8	5	-	-	-
Black, both sexes.....	2	2	1	-	1	1	-	-	1	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	1	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	3	2	-	2	1	1	-	1	-	-	-
Male.....	-	2	2	-	1	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	3	-	-	-	-	-
Male.....	-	-	-	-	1	-	2	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Liver (C22.0,C22.2-C22.9)

Arkansas

All races, both sexes.....	17	14	21	15	29	20	22	13	1	-	-	-
Male.....	11	11	16	9	19	12	9	5	1	-	-	-
Female.....	6	3	5	6	10	8	13	8	-	-	-	-
White, both sexes.....	12	11	19	12	26	17	20	12	-	-	-	-
Male.....	7	8	15	8	17	9	8	4	-	-	-	-
Female.....	5	3	4	4	9	8	12	8	-	-	-	-
Black, both sexes.....	5	3	2	3	3	3	2	1	1	-	-	-
Male.....	4	3	1	1	2	3	1	1	1	-	-	-
Female.....	1	-	1	2	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	190	221	182	201	250	212	166	86	46	6	4	-
Male.....	157	191	149	142	143	121	93	44	18	2	1	-
Female.....	33	30	33	59	107	91	73	42	28	4	3	-
White, both sexes.....	128	163	128	139	162	146	118	55	32	5	4	-
Male.....	106	142	103	99	95	87	66	31	12	2	1	-
Female.....	22	21	25	40	67	59	52	24	20	3	3	-
Black, both sexes.....	21	23	17	18	20	7	12	7	3	-	-	-
Male.....	17	20	14	15	13	4	9	1	-	-	-	-
Female.....	4	3	3	3	7	3	3	6	3	-	-	-
American Indian 1/, both sexes.....	4	2	1	2	3	-	-	-	-	-	-	-
Male.....	3	2	1	1	3	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	37	33	36	42	65	59	36	24	11	1	-	-
Male.....	31	27	31	27	32	30	18	12	6	-	-	-
Female.....	6	6	5	15	33	29	18	12	5	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Liver (C22.0,C22.2-C22.9)

Colorado

All races, both sexes.....	23	10	13	11	12	20	10	7	4	1	-	-
Male.....	21	7	12	7	9	14	7	3	3	1	-	-
Female.....	2	3	1	4	3	6	3	4	1	-	-	-
White, both sexes.....	20	7	12	9	12	18	10	7	4	1	-	-
Male.....	19	4	11	6	9	13	7	3	3	1	-	-
Female.....	1	3	1	3	3	5	3	4	1	-	-	-
Black, both sexes.....	2	2	1	1	-	-	-	-	-	-	-	-
Male.....	2	2	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	2	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Connecticut

All races, both sexes.....	16	11	12	10	16	21	22	11	5	-	-	-
Male.....	14	10	9	9	10	17	14	6	3	-	-	-
Female.....	2	1	3	1	6	4	8	5	2	-	-	-
White, both sexes.....	14	10	10	8	12	19	20	11	5	-	-	-
Male.....	12	9	7	7	9	16	12	6	3	-	-	-
Female.....	2	1	3	1	3	3	8	5	2	-	-	-
Black, both sexes.....	1	1	1	1	3	2	-	-	-	-	-	-
Male.....	1	1	1	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	1	-	2	-	-	-	-	-
Male.....	1	-	1	1	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Liver (C22.0,C22.2-C22.9)

Illinois

All races, both sexes.....	57	54	46	43	62	69	77	42	14	4	-	-
Male.....	49	49	37	34	48	42	47	15	5	-	-	-
Female.....	8	5	9	9	14	27	30	27	9	4	-	-
White, both sexes.....	36	41	31	32	51	60	68	38	12	4	-	-
Male.....	29	39	26	27	38	39	42	15	4	-	-	-
Female.....	7	2	5	5	13	21	26	23	8	4	-	-
Black, both sexes.....	14	12	15	10	9	7	6	2	1	-	-	-
Male.....	14	9	11	6	8	3	3	-	1	-	-	-
Female.....	-	3	4	4	1	4	3	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	1	2	2	3	2	1	-	-	-
Male.....	6	1	-	1	2	-	2	-	-	-	-	-
Female.....	1	-	-	-	-	2	1	2	1	-	-	-

Indiana

All races, both sexes.....	25	17	26	28	38	49	22	22	7	1	-	-
Male.....	19	15	21	18	22	31	12	7	1	-	-	-
Female.....	6	2	5	10	16	18	10	15	6	1	-	-
White, both sexes.....	20	10	21	22	31	44	22	22	7	1	-	-
Male.....	14	9	17	13	19	29	12	7	1	-	-	-
Female.....	6	1	4	9	12	15	10	15	6	1	-	-
Black, both sexes.....	5	7	5	5	7	4	-	-	-	-	-	-
Male.....	5	6	4	4	3	2	-	-	-	-	-	-
Female.....	-	1	1	1	4	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Liver (C22.0,C22.2-C22.9)

Maine

All races, both sexes.....	3	4	4	4	11	8	10	3	1	-	-	-
Male.....	3	3	2	2	10	5	6	2	-	-	-	-
Female.....	-	1	2	2	1	3	4	1	1	-	-	-
White, both sexes.....	3	2	4	4	11	8	10	3	1	-	-	-
Male.....	3	2	2	2	10	5	6	2	-	-	-	-
Female.....	-	-	2	2	1	3	4	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	27	20	32	22	26	23	22	11	4	3	-	-
Male.....	19	17	23	19	21	12	11	9	1	1	-	-
Female.....	8	3	9	3	5	11	11	2	3	2	-	-
White, both sexes.....	13	9	18	12	22	18	18	9	4	2	-	-
Male.....	9	8	14	10	19	10	10	8	1	1	-	-
Female.....	4	1	4	2	3	8	8	1	3	1	-	-
Black, both sexes.....	12	9	12	8	2	5	4	2	-	1	-	-
Male.....	9	8	8	8	1	2	1	1	-	-	-	-
Female.....	3	1	4	-	1	3	3	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	2	2	2	-	-	-	-	-	-	-
Male.....	1	1	1	1	1	-	-	-	-	-	-	-
Female.....	1	1	1	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Liver (C22.0,C22.2-C22.9)

Massachusetts

All races, both sexes.....	36	40	30	32	35	36	47	16	7	-	-	-
Male.....	32	36	26	27	30	26	25	10	3	-	-	-
Female.....	4	4	4	5	5	10	22	6	4	-	-	-
White, both sexes.....	32	32	27	24	30	33	43	12	7	-	-	-
Male.....	28	28	23	20	26	24	23	8	3	-	-	-
Female.....	4	4	4	4	4	9	20	4	4	-	-	-
Black, both sexes.....	3	4	1	2	-	1	3	1	-	-	-	-
Male.....	3	4	1	2	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	2	6	5	2	1	2	-	-	-	-
Male.....	1	4	2	5	4	2	1	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	2	-	-	-	-

Michigan

All races, both sexes.....	63	45	40	41	45	42	48	33	9	1	-	-
Male.....	56	39	33	26	29	25	24	19	1	-	-	-
Female.....	7	6	7	15	16	17	24	14	8	1	-	-
White, both sexes.....	43	28	29	32	39	33	40	29	7	1	-	-
Male.....	37	23	24	20	24	19	20	18	1	-	-	-
Female.....	6	5	5	12	15	14	20	11	6	1	-	-
Black, both sexes.....	18	17	10	7	5	9	7	3	1	-	-	-
Male.....	17	16	8	5	5	6	3	1	-	-	-	-
Female.....	1	1	2	2	-	3	4	2	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	1	-	-	1	1	-	-	-
Male.....	1	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Liver (C22.0,C22.2-C22.9)

Nebraska

All races, both sexes.....	4	10	-	8	7	7	7	4	2	-	-	-
Male.....	4	9	-	4	3	5	5	1	-	-	-	-
Female.....	-	1	-	4	4	2	2	3	2	-	-	-
White, both sexes.....	2	8	-	7	7	7	7	4	2	-	-	-
Male.....	2	8	-	4	3	5	5	1	-	-	-	-
Female.....	-	-	-	3	4	2	2	3	2	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	15	11	14	9	15	20	15	2	5	-	-	-
Male.....	12	9	9	5	7	9	6	1	2	-	-	-
Female.....	3	2	5	4	8	11	9	1	3	-	-	-
White, both sexes.....	14	9	12	7	13	19	8	2	4	-	-	-
Male.....	11	7	8	4	6	9	3	1	2	-	-	-
Female.....	3	2	4	3	7	10	5	1	2	-	-	-
Black, both sexes.....	1	1	1	1	-	-	4	-	-	-	-	-
Male.....	1	1	1	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	1	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	2	1	3	-	1	-	-	-
Male.....	-	1	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	1	-	1	1	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Liver (C22.0,C22.2-C22.9)

New Hampshire

All races, both sexes.....	3	6	5	4	10	5	2	5	-	-	-	-
Male.....	3	5	4	4	8	2	2	1	-	-	-	-
Female.....	-	1	1	-	2	3	-	4	-	-	-	-
White, both sexes.....	3	6	5	3	9	5	2	5	-	-	-	-
Male.....	3	5	4	3	7	2	2	1	-	-	-	-
Female.....	-	1	1	-	2	3	-	4	-	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	39	38	41	41	48	48	41	21	15	3	-	-
Male.....	31	34	32	33	37	31	22	8	9	-	-	-
Female.....	8	4	9	8	11	17	19	13	6	3	-	-
White, both sexes.....	26	27	25	33	39	43	35	18	14	3	-	-
Male.....	20	24	19	28	29	29	18	7	8	-	-	-
Female.....	6	3	6	5	10	14	17	11	6	3	-	-
Black, both sexes.....	5	5	13	5	5	4	4	1	1	-	-	-
Male.....	5	4	10	2	4	1	2	-	1	-	-	-
Female.....	-	1	3	3	1	3	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	5	3	3	4	1	2	2	-	-	-	-
Male.....	6	5	3	3	4	1	2	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Liver (C22.0,C22.2-C22.9)

New Mexico

All races, both sexes.....	10	5	10	13	8	11	10	9	1	-	-	-
Male.....	9	4	5	8	6	6	9	6	-	-	-	-
Female.....	1	1	5	5	2	5	1	3	1	-	-	-
White, both sexes.....	9	5	9	11	8	8	10	9	-	-	-	-
Male.....	8	4	5	8	6	5	9	6	-	-	-	-
Female.....	1	1	4	3	2	3	1	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	2	-	2	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	2	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	1	-	-	-

New York

All races, both sexes.....	91	117	91	85	103	113	104	46	13	3	3	-
Male.....	82	101	72	66	76	63	57	22	2	1	-	-
Female.....	9	16	19	19	27	50	47	24	11	2	3	-
White, both sexes.....	57	90	55	59	75	87	87	40	10	3	1	-
Male.....	55	76	44	45	54	48	47	20	2	1	-	-
Female.....	2	14	11	14	21	39	40	20	8	2	1	-
Black, both sexes.....	24	19	25	19	15	11	11	2	2	-	1	-
Male.....	17	19	19	14	9	7	6	1	-	-	-	-
Female.....	7	-	6	5	6	4	5	1	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	8	11	7	13	15	6	4	1	-	1	-
Male.....	10	6	9	7	13	8	4	1	-	-	-	-
Female.....	-	2	2	-	-	7	2	3	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Liver (C22.0,C22.2-C22.9)

Oregon

All races, both sexes.....	29	22	10	15	7	18	15	6	5	-	-	-
Male.....	23	20	7	12	6	12	9	3	3	-	-	-
Female.....	6	2	3	3	1	6	6	3	2	-	-	-
White, both sexes.....	24	21	8	14	5	16	13	6	5	-	-	-
Male.....	19	19	6	11	4	10	7	3	3	-	-	-
Female.....	5	2	2	3	1	6	6	3	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	1	1	2	2	1	-	-	-	-	-
Male.....	4	1	1	1	2	2	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	60	59	49	33	61	82	81	42	16	2	-	-
Male.....	52	51	35	27	43	62	48	24	10	1	-	-
Female.....	8	8	14	6	18	20	33	18	6	1	-	-
White, both sexes.....	41	41	39	23	47	77	74	41	15	1	-	-
Male.....	37	37	27	17	32	58	43	23	9	-	-	-
Female.....	4	4	12	6	15	19	31	18	6	1	-	-
Black, both sexes.....	17	18	9	9	14	4	6	1	-	1	-	-
Male.....	14	14	7	9	11	4	4	1	-	1	-	-
Female.....	3	4	2	-	3	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	1	-	1	-	-	1	-	-	-
Male.....	1	-	1	1	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Liver (C22.0,C22.2-C22.9)

Rhode Island

All races, both sexes.....	2	4	4	4	3	6	3	7	1	1	-	-
Male.....	2	3	4	4	3	3	2	3	-	1	-	-
Female.....	-	1	-	-	-	3	1	4	1	-	-	-
White, both sexes.....	2	2	4	4	3	6	3	6	1	1	-	-
Male.....	2	1	4	4	3	3	2	3	-	1	-	-
Female.....	-	1	-	-	-	3	1	3	1	-	-	-
Black, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

South Carolina

All races, both sexes.....	23	27	19	19	20	15	21	5	3	1	-	-
Male.....	20	22	14	15	14	10	13	2	-	-	-	-
Female.....	3	5	5	4	6	5	8	3	3	1	-	-
White, both sexes.....	16	17	13	14	14	10	19	4	2	1	-	-
Male.....	13	14	9	11	9	8	13	2	-	-	-	-
Female.....	3	3	4	3	5	2	6	2	2	1	-	-
Black, both sexes.....	7	9	6	5	6	3	2	1	1	-	-	-
Male.....	7	8	5	4	5	1	-	-	-	-	-	-
Female.....	-	1	1	1	1	2	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Liver (C22.0,C22.2-C22.9)

South Dakota

All races, both sexes.....	1	2	3	5	3	5	2	3	-	-	-	-
Male.....	1	2	3	2	2	2	2	1	-	-	-	-
Female.....	-	-	-	3	1	3	-	2	-	-	-	-
White, both sexes.....	1	2	1	3	3	5	2	3	-	-	-	-
Male.....	1	2	1	1	2	2	2	1	-	-	-	-
Female.....	-	-	-	2	1	3	-	2	-	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	2	-	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	26	32	24	18	27	32	22	11	4	3	-	-
Male.....	20	30	17	15	16	18	12	2	-	2	-	-
Female.....	6	2	7	3	11	14	10	9	4	1	-	-
White, both sexes.....	21	20	18	14	23	27	15	10	4	3	-	-
Male.....	16	19	13	11	13	15	8	2	-	2	-	-
Female.....	5	1	5	3	10	12	7	8	4	1	-	-
Black, both sexes.....	4	12	3	3	3	4	7	1	-	-	-	-
Male.....	3	11	2	3	2	3	4	-	-	-	-	-
Female.....	1	1	1	-	1	1	3	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	3	1	1	1	-	-	-	-	-	-
Male.....	1	-	2	1	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Liver (C22.0,C22.2-C22.9)

Texas

All races, both sexes.....	152	140	145	131	171	155	117	59	37	6	-	-
Male.....	128	114	103	86	107	91	66	32	18	2	-	-
Female.....	24	26	42	45	64	64	51	27	19	4	-	-
White, both sexes.....	121	108	117	108	150	139	108	58	34	5	-	-
Male.....	102	86	84	75	95	85	62	32	17	2	-	-
Female.....	19	22	33	33	55	54	46	26	17	3	-	-
Black, both sexes.....	26	25	19	12	16	10	6	1	3	1	-	-
Male.....	22	23	12	6	8	5	1	-	1	-	-	-
Female.....	4	2	7	6	8	5	5	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	7	8	10	5	5	3	-	-	-	-	-
Male.....	4	5	6	5	4	1	3	-	-	-	-	-
Female.....	1	2	2	5	1	4	-	-	-	-	-	-

Utah

All races, both sexes.....	6	9	8	6	9	4	4	5	1	1	-	-
Male.....	4	7	7	1	7	3	4	3	-	-	-	-
Female.....	2	2	1	5	2	1	-	2	1	1	-	-
White, both sexes.....	6	7	6	5	8	2	4	5	1	1	-	-
Male.....	4	6	6	1	6	2	4	3	-	-	-	-
Female.....	2	1	-	4	2	-	-	2	1	1	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	-	2	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	1	1	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Liver (C22.0,C22.2-C22.9)

Vermont

All races, both sexes.....	2	3	1	4	2	-	1	1	-	-	-	-
Male.....	1	2	-	3	1	-	1	1	-	-	-	-
Female.....	1	1	1	1	1	-	-	-	-	-	-	-
White, both sexes.....	2	3	1	4	2	-	1	1	-	-	-	-
Male.....	1	2	-	3	1	-	1	1	-	-	-	-
Female.....	1	1	1	1	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	28	29	21	17	24	34	31	17	6	2	-	-
Male.....	21	25	16	15	18	22	13	9	5	-	-	-
Female.....	7	4	5	2	6	12	18	8	1	2	-	-
White, both sexes.....	14	15	18	10	16	29	21	15	4	1	-	-
Male.....	10	12	13	9	14	20	7	8	3	-	-	-
Female.....	4	3	5	1	2	9	14	7	1	1	-	-
Black, both sexes.....	11	11	3	5	6	2	7	2	2	1	-	-
Male.....	9	10	3	4	3	1	5	1	2	-	-	-
Female.....	2	1	-	1	3	1	2	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	-	2	2	3	3	-	-	-	-	-
Male.....	2	3	-	2	1	1	1	-	-	-	-	-
Female.....	1	-	-	-	1	2	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intrahepatic bile duct carcinoma (C22.1)

Arkansas

All races, both sexes.....	2	1	1	3	2	3	1	1	1	-	-	-
Male.....	2	-	1	2	1	2	-	-	-	-	-	-
Female.....	-	1	-	1	1	1	1	1	1	-	-	-
White, both sexes.....	2	1	1	3	2	3	1	1	1	-	-	-
Male.....	2	-	1	2	1	2	-	-	-	-	-	-
Female.....	-	1	-	1	1	1	1	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	29	29	42	44	62	66	74	40	22	2	2	-
Male.....	13	18	25	20	30	33	30	22	5	1	-	-
Female.....	16	11	17	24	32	33	44	18	17	1	2	-
White, both sexes.....	24	26	34	34	51	55	54	34	18	2	2	-
Male.....	10	16	22	14	26	28	22	18	4	1	-	-
Female.....	14	10	12	20	25	27	32	16	14	1	2	-
Black, both sexes.....	-	-	2	3	3	2	4	1	-	-	-	-
Male.....	-	-	-	2	1	1	-	1	-	-	-	-
Female.....	-	-	2	1	2	1	4	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	6	7	8	9	16	5	4	-	-	-
Male.....	1	2	3	4	3	4	8	3	1	-	-	-
Female.....	2	1	3	3	5	5	8	2	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intrahepatic bile duct carcinoma (C22.1)

New Mexico

All races, both sexes.....	-	1	7	5	6	3	4	1	-	-	-	-
Male.....	-	-	3	2	1	2	1	-	-	-	-	-
Female.....	-	1	4	3	5	1	3	1	-	-	-	-
White, both sexes.....	-	1	5	5	4	3	4	1	-	-	-	-
Male.....	-	-	2	2	1	2	1	-	-	-	-	-
Female.....	-	1	3	3	3	1	3	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	2	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	16	16	30	23	41	47	50	26	8	3	-	-
Male.....	10	5	18	10	24	27	28	10	3	1	-	-
Female.....	6	11	12	13	17	20	22	16	5	2	-	-
White, both sexes.....	13	12	25	18	30	40	41	23	7	2	-	-
Male.....	9	3	15	6	19	22	22	9	3	1	-	-
Female.....	4	9	10	12	11	18	19	14	4	1	-	-
Black, both sexes.....	2	2	3	1	8	6	4	2	-	-	-	-
Male.....	1	1	1	1	3	4	3	1	-	-	-	-
Female.....	1	1	2	-	5	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	4	3	1	5	1	1	1	-	-
Male.....	-	1	2	3	2	1	3	-	-	-	-	-
Female.....	1	1	-	1	1	-	2	1	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of gallbladder and extrahepatic bile ducts (C23-C24)

Arkansas

All races, both sexes.....	1	8	3	2	5	7	4	4	-	-	-	-
Male.....	1	3	1	1	2	2	2	1	-	-	-	-
Female.....	-	5	2	1	3	5	2	3	-	-	-	-
White, both sexes.....	1	6	3	2	4	6	4	3	-	-	-	-
Male.....	1	3	1	1	2	1	2	-	-	-	-	-
Female.....	-	3	2	1	2	5	2	3	-	-	-	-
Black, both sexes.....	-	2	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	2	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	18	29	27	35	41	52	62	47	23	3	3	-
Male.....	5	10	11	9	14	22	21	16	7	-	-	-
Female.....	13	19	16	26	27	30	41	31	16	3	3	-
White, both sexes.....	15	19	20	27	32	43	51	38	19	3	2	-
Male.....	5	6	7	7	10	18	15	15	6	-	-	-
Female.....	10	13	13	20	22	25	36	23	13	3	2	-
Black, both sexes.....	1	3	1	-	2	3	5	1	1	-	1	-
Male.....	-	1	1	-	2	1	2	-	-	-	-	-
Female.....	1	2	-	-	-	2	3	1	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	7	6	8	6	6	6	7	3	-	-	-
Male.....	-	3	3	2	2	3	4	1	1	-	-	-
Female.....	2	4	3	6	4	3	2	6	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of gallbladder and extrahepatic bile ducts (C23-C24)

Florida

All races, both sexes.....	9	12	19	21	41	43	26	26	18	5	-	-
Male.....	5	5	6	9	15	19	7	7	7	3	-	-
Female.....	4	7	13	12	26	24	19	19	11	2	-	-
White, both sexes.....	6	11	15	18	37	39	26	23	15	5	-	-
Male.....	3	5	5	9	13	19	7	6	5	3	-	-
Female.....	3	6	10	9	24	20	19	17	10	2	-	-
Black, both sexes.....	2	1	4	3	4	3	-	3	3	-	-	-
Male.....	1	-	1	-	2	-	-	1	2	-	-	-
Female.....	1	1	3	3	2	3	-	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Georgia

All races, both sexes.....	2	6	3	5	12	8	6	4	2	3	-	-
Male.....	1	3	3	3	6	4	3	2	-	1	-	-
Female.....	1	3	-	2	6	4	3	2	2	2	-	-
White, both sexes.....	-	5	2	4	8	6	4	2	2	3	-	-
Male.....	-	3	2	2	5	3	2	2	-	1	-	-
Female.....	-	2	-	2	3	3	2	-	2	2	-	-
Black, both sexes.....	2	1	-	1	2	1	2	2	-	-	-	-
Male.....	1	-	-	1	-	-	1	-	-	-	-	-
Female.....	1	1	-	2	1	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	1	-	-	-	-	-	-
Male.....	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of gallbladder and extrahepatic bile ducts (C23-C24)

Maine

All races, both sexes.....	1	1	-	1	5	2	5	2	2	2	-	-
Male.....	1	-	-	-	2	1	1	1	-	-	-	-
Female.....	-	1	-	1	3	1	4	1	2	2	-	-
White, both sexes.....	1	1	-	1	5	2	5	2	2	2	-	-
Male.....	1	-	-	-	2	1	1	1	-	-	-	-
Female.....	-	1	-	1	3	1	4	1	2	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	2	6	11	9	7	10	15	4	4	-	-	-
Male.....	1	5	8	3	5	3	2	1	-	-	-	-
Female.....	1	1	3	6	2	7	13	3	4	-	-	-
White, both sexes.....	2	3	8	8	4	8	10	3	4	-	-	-
Male.....	1	2	7	3	4	3	1	1	-	-	-	-
Female.....	1	1	1	5	-	5	9	2	4	-	-	-
Black, both sexes.....	-	3	2	-	1	-	5	1	-	-	-	-
Male.....	-	3	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	2	-	1	-	4	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	2	2	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of gallbladder and extrahepatic bile ducts (C23-C24)

New Hampshire

All races, both sexes.....	1	1	2	1	2	-	-	5	-	-	-	-
Male.....	-	1	2	-	1	-	-	1	-	-	-	-
Female.....	1	-	-	1	1	-	-	4	-	-	-	-
White, both sexes.....	1	1	2	1	2	-	-	5	-	-	-	-
Male.....	-	1	2	-	1	-	-	1	-	-	-	-
Female.....	1	-	-	1	1	-	-	4	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	3	9	5	9	17	19	30	17	4	-	-	-
Male.....	1	3	2	2	10	9	9	-	2	-	-	-
Female.....	2	6	3	7	7	10	21	17	2	-	-	-
White, both sexes.....	3	8	4	6	17	14	29	15	4	-	-	-
Male.....	1	3	2	2	10	5	9	-	2	-	-	-
Female.....	2	5	2	4	7	9	20	15	2	-	-	-
Black, both sexes.....	-	-	1	3	-	5	1	1	-	-	-	-
Male.....	-	-	-	-	-	4	-	-	-	-	-	-
Female.....	-	-	1	3	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of gallbladder and extrahepatic bile ducts (C23-C24)

New Mexico

All races, both sexes.....	2	2	5	1	2	5	3	2	1	1	-	-
Male.....	1	-	1	-	1	1	2	1	-	-	-	-
Female.....	1	2	4	1	1	4	1	1	1	1	-	-
White, both sexes.....	2	1	4	1	2	4	3	1	1	1	-	-
Male.....	1	-	1	-	1	1	2	-	-	-	-	-
Female.....	1	1	3	1	1	3	1	1	1	1	-	-
Black, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

New York

All races, both sexes.....	18	17	25	41	34	39	43	33	12	1	1	-
Male.....	4	6	12	16	16	12	17	8	4	-	-	-
Female.....	14	11	13	25	18	27	26	25	8	1	1	-
White, both sexes.....	12	12	19	32	25	33	34	30	11	1	1	-
Male.....	4	5	10	12	12	9	13	7	4	-	-	-
Female.....	8	7	9	20	13	24	21	23	7	1	1	-
Black, both sexes.....	5	5	3	8	7	4	6	2	1	-	-	-
Male.....	-	1	2	3	3	2	1	-	-	-	-	-
Female.....	5	4	1	5	4	2	5	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	3	1	2	2	3	1	-	-	-	-
Male.....	-	-	-	1	1	1	3	1	-	-	-	-
Female.....	1	-	3	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of gallbladder and extrahepatic bile ducts (C23-C24)

Vermont

All races, both sexes.....	-	-	-	-	2	1	2	-	1	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	2	-	1	-	-	-
White, both sexes.....	-	-	-	-	2	1	2	-	1	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	2	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	4	2	10	6	8	12	9	8	1	2	-	-
Male.....	2	-	2	1	4	6	3	3	-	-	-	-
Female.....	2	2	8	5	4	6	6	5	1	2	-	-
White, both sexes.....	2	1	9	5	6	8	7	8	-	2	-	-
Male.....	1	-	2	1	3	5	2	3	-	-	-	-
Female.....	1	1	7	4	3	3	5	5	-	2	-	-
Black, both sexes.....	2	1	1	1	2	4	1	-	1	-	-	-
Male.....	1	-	-	-	1	1	1	-	-	-	-	-
Female.....	1	1	1	1	1	3	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of pancreas (C25)												
Arkansas												
All races, both sexes.....	351	-	-	-	-	-	-	-	-	6	9	11
Male.....	196	-	-	-	-	-	-	-	-	4	5	5
Female.....	155	-	-	-	-	-	-	-	-	2	4	6
White, both sexes.....	295	-	-	-	-	-	-	-	-	4	6	10
Male.....	172	-	-	-	-	-	-	-	-	3	3	5
Female.....	123	-	-	-	-	-	-	-	-	1	3	5
Black, both sexes.....	55	-	-	-	-	-	-	-	-	2	3	1
Male.....	24	-	-	-	-	-	-	-	-	1	2	-
Female.....	31	-	-	-	-	-	-	-	-	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	3,457	-	-	-	-	-	-	-	6	12	44	105
Male.....	1,666	-	-	-	-	-	-	-	2	8	27	62
Female.....	1,791	-	-	-	-	-	-	-	4	4	17	43
White, both sexes.....	2,859	-	-	-	-	-	-	-	5	10	30	85
Male.....	1,406	-	-	-	-	-	-	-	2	6	20	53
Female.....	1,453	-	-	-	-	-	-	-	3	4	10	32
Black, both sexes.....	265	-	-	-	-	-	-	-	-	-	5	13
Male.....	106	-	-	-	-	-	-	-	-	-	2	6
Female.....	159	-	-	-	-	-	-	-	-	-	3	7
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	324	-	-	-	-	-	-	-	1	2	9	7
Male.....	149	-	-	-	-	-	-	-	-	2	5	3
Female.....	175	-	-	-	-	-	-	-	1	-	4	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of pancreas (C25)

United States

All races, both sexes.....	1,741	2,724	3,260	3,811	4,477	5,158	4,989	3,203	1,400	330	29	1
Male.....	1,038	1,654	1,897	2,074	2,347	2,454	2,086	1,174	399	70	5	-
Female.....	703	1,070	1,363	1,737	2,130	2,704	2,903	2,029	1,001	260	24	1
White, both sexes.....	1,359	2,234	2,746	3,220	3,849	4,506	4,436	2,878	1,247	287	24	1
Male.....	820	1,361	1,631	1,773	2,070	2,175	1,875	1,060	359	63	5	-
Female.....	539	873	1,115	1,447	1,779	2,331	2,561	1,818	888	224	19	1
Black, both sexes.....	315	402	422	485	517	520	433	254	123	36	4	-
Male.....	182	246	218	249	226	215	166	77	27	4	-	-
Female.....	133	156	204	236	291	305	267	177	96	32	4	-
American Indian 1/, both sexes.....	13	15	13	13	21	28	13	4	3	1	-	-
Male.....	4	12	8	11	10	12	5	2	2	-	-	-
Female.....	9	3	5	2	11	16	8	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	54	73	79	93	90	104	107	67	27	6	1	-
Male.....	32	35	40	41	41	52	40	35	11	3	-	-
Female.....	22	38	39	52	49	52	67	32	16	3	1	-

Alabama

All races, both sexes.....	41	41	55	54	83	69	75	46	23	8	1	-
Male.....	27	28	29	27	43	31	32	16	5	3	-	-
Female.....	14	13	26	27	40	38	43	30	18	5	1	-
White, both sexes.....	22	26	40	39	69	51	69	34	15	8	1	-
Male.....	13	18	23	17	35	21	28	16	3	3	-	-
Female.....	9	8	17	22	34	30	41	18	12	5	1	-
Black, both sexes.....	18	15	15	15	14	16	6	12	8	-	-	-
Male.....	14	10	6	10	8	9	4	-	2	-	-	-
Female.....	4	5	9	5	6	7	2	12	6	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
Arkansas												
All races, both sexes.....	15	21	36	45	53	60	47	28	17	3	-	-
Male.....	8	13	23	27	32	33	24	16	6	-	-	-
Female.....	7	8	13	18	21	27	23	12	11	3	-	-
White, both sexes.....	11	16	31	40	50	47	39	25	14	2	-	-
Male.....	5	11	21	24	31	26	22	15	6	-	-	-
Female.....	6	5	10	16	19	21	17	10	8	2	-	-
Black, both sexes.....	4	5	5	5	3	13	7	3	3	1	-	-
Male.....	3	2	2	3	1	7	2	1	-	-	-	-
Female.....	1	3	3	2	2	6	5	2	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
California												
All races, both sexes.....	179	289	386	399	451	509	536	340	156	41	3	1
Male.....	104	159	203	214	226	238	232	122	56	12	1	-
Female.....	75	130	183	185	225	271	304	218	100	29	2	1
White, both sexes.....	140	228	311	331	371	438	456	287	130	34	2	1
Male.....	85	137	169	181	193	208	200	97	45	9	1	-
Female.....	55	91	142	150	178	230	256	190	85	25	1	1
Black, both sexes.....	23	30	39	31	31	24	35	20	11	3	-	-
Male.....	8	12	20	18	12	7	12	7	2	-	-	-
Female.....	15	18	19	13	19	17	23	13	9	3	-	-
American Indian 1/, both sexes.....	-	-	-	1	3	2	2	1	-	-	-	-
Male.....	-	-	-	1	1	1	2	-	-	-	-	-
Female.....	-	-	-	-	2	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	31	36	36	46	45	43	32	15	4	1	-
Male.....	11	10	14	14	20	22	18	18	9	3	-	-
Female.....	5	21	22	22	26	23	25	14	6	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
Colorado												
All races, both sexes.....	22	31	47	42	57	83	37	35	12	1	-	-
Male.....	14	18	34	23	29	39	14	13	6	1	-	-
Female.....	8	13	13	19	28	44	23	22	6	-	-	-
White, both sexes.....	20	28	44	40	56	74	34	33	12	1	-	-
Male.....	13	17	31	23	28	35	12	13	6	1	-	-
Female.....	7	11	13	17	28	39	22	20	6	-	-	-
Black, both sexes.....	2	3	2	1	-	5	1	1	-	-	-	-
Male.....	1	1	2	-	-	2	1	-	-	-	-	-
Female.....	1	2	-	1	-	3	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	3	2	-	-	-	-	-
Male.....	-	-	1	-	1	2	1	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	-	-	-	-
Connecticut												
All races, both sexes.....	25	32	44	49	63	83	73	55	23	13	-	-
Male.....	14	25	20	25	35	44	37	16	10	-	-	-
Female.....	11	7	24	24	28	39	36	39	13	13	-	-
White, both sexes.....	22	30	39	39	56	75	70	52	23	13	-	-
Male.....	12	23	17	19	33	41	35	14	10	-	-	-
Female.....	10	7	22	20	23	34	35	38	13	13	-	-
Black, both sexes.....	3	2	5	9	7	7	3	2	-	-	-	-
Male.....	2	2	3	5	2	3	2	1	-	-	-	-
Female.....	1	-	2	4	5	4	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of pancreas (C25)

Florida

All races, both sexes.....	99	162	195	268	345	382	405	268	108	30	1	-
Male.....	61	105	109	155	205	201	178	100	40	7	-	-
Female.....	38	57	86	113	140	181	227	168	68	23	1	-
White, both sexes.....	79	135	166	238	309	355	388	250	101	25	1	-
Male.....	51	85	96	135	186	185	172	89	38	6	-	-
Female.....	28	50	70	103	123	170	216	161	63	19	1	-
Black, both sexes.....	17	25	25	30	33	25	14	16	6	4	-	-
Male.....	9	19	11	20	18	14	5	9	1	1	-	-
Female.....	8	6	14	10	15	11	9	7	5	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	4	-	3	2	3	2	1	1	-	-
Male.....	1	1	2	-	1	2	1	2	1	-	-	-
Female.....	2	1	2	-	2	-	2	-	-	1	-	-

Georgia

All races, both sexes.....	49	82	79	122	114	113	98	54	33	2	1	-
Male.....	28	54	48	73	69	47	33	17	12	1	-	-
Female.....	21	28	31	49	45	66	65	37	21	1	1	-
White, both sexes.....	24	51	54	89	82	87	77	40	28	1	1	-
Male.....	15	35	35	53	54	37	24	14	11	1	-	-
Female.....	9	16	19	36	28	50	53	26	17	-	1	-
Black, both sexes.....	23	27	24	30	29	25	19	14	5	1	-	-
Male.....	12	16	12	20	14	10	8	3	1	-	-	-
Female.....	11	11	12	10	15	15	11	11	4	1	-	-
American Indian 1/, both sexes.....	-	1	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	-	3	2	1	2	-	-	-	-	-
Male.....	1	3	-	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	3	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
Maine												
All races, both sexes.....	9	17	18	20	34	27	29	16	16	1	-	-
Male.....	7	10	12	14	17	14	13	7	4	-	-	-
Female.....	2	7	6	6	17	13	16	9	12	1	-	-
White, both sexes.....	9	17	18	20	34	26	29	16	16	1	-	-
Male.....	7	10	12	14	17	14	13	7	4	-	-	-
Female.....	2	7	6	6	17	12	16	9	12	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	29	58	66	82	84	102	80	64	29	5	1	-
Male.....	15	33	39	41	40	44	23	28	13	1	-	-
Female.....	14	25	27	41	44	58	57	36	16	4	1	-
White, both sexes.....	18	32	46	51	55	77	56	50	27	5	1	-
Male.....	10	18	27	27	30	35	19	23	13	1	-	-
Female.....	8	14	19	24	25	42	37	27	14	4	1	-
Black, both sexes.....	10	25	19	30	26	22	22	12	2	-	-	-
Male.....	4	14	11	14	10	8	4	5	-	-	-	-
Female.....	6	11	8	16	16	14	18	7	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	1	2	3	2	2	-	-	-	-
Male.....	1	1	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	2	2	2	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
Nebraska												
All races, both sexes.....	9	11	14	19	24	33	23	19	14	2	-	-
Male.....	4	9	10	11	16	11	12	10	4	-	-	-
Female.....	5	2	4	8	8	22	11	9	10	2	-	-
White, both sexes.....	8	11	13	17	24	32	21	19	14	2	-	-
Male.....	4	9	9	10	16	10	11	10	4	-	-	-
Female.....	4	2	4	7	8	22	10	9	10	2	-	-
Black, both sexes.....	-	-	1	2	-	1	2	-	-	-	-	-
Male.....	-	-	1	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	18	25	34	32	37	34	26	13	7	1	-	-
Male.....	12	13	21	19	22	15	7	9	4	-	-	-
Female.....	6	12	13	13	15	19	19	4	3	1	-	-
White, both sexes.....	11	23	30	28	32	30	24	10	6	-	-	-
Male.....	8	13	20	16	20	13	7	7	3	-	-	-
Female.....	3	10	10	12	12	17	17	3	3	-	-	-
Black, both sexes.....	2	1	2	3	5	2	2	2	1	1	-	-
Male.....	2	-	-	3	2	2	-	1	1	-	-	-
Female.....	-	1	2	3	3	-	2	1	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	2	1	-	1	-	1	-	-	-	-
Male.....	2	-	1	-	-	-	-	1	-	-	-	-
Female.....	2	1	1	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
New Hampshire												
All races, both sexes.....	12	14	14	15	18	25	22	22	7	2	-	-
Male.....	7	7	8	8	7	14	8	6	1	1	-	-
Female.....	5	7	6	7	11	11	14	16	6	1	-	-
White, both sexes.....	12	14	14	14	18	25	22	22	7	2	-	-
Male.....	7	7	8	7	7	14	8	6	1	1	-	-
Female.....	5	7	6	7	11	11	14	16	6	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	48	82	88	131	129	158	167	103	35	14	1	-
Male.....	27	59	54	68	61	76	68	36	6	2	1	-
Female.....	21	23	34	63	68	82	99	67	29	12	-	-
White, both sexes.....	37	71	81	111	107	148	155	94	35	8	1	-
Male.....	23	49	50	60	54	70	63	34	6	-	1	-
Female.....	14	22	31	51	53	78	92	60	29	8	-	-
Black, both sexes.....	8	8	6	19	19	6	8	8	-	6	-	-
Male.....	2	7	3	8	7	4	3	2	-	2	-	-
Female.....	6	1	3	11	12	2	5	6	-	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	1	1	3	4	4	1	-	-	-	-
Male.....	2	3	1	-	-	2	2	-	-	-	-	-
Female.....	1	-	-	1	3	2	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
New Mexico												
All races, both sexes.....	13	18	35	31	31	33	27	20	5	2	-	-
Male.....	7	11	20	21	16	13	12	10	2	2	-	-
Female.....	6	7	15	10	15	20	15	10	3	-	-	-
White, both sexes.....	10	18	31	30	28	31	26	20	4	1	-	-
Male.....	5	11	17	20	14	11	12	10	1	1	-	-
Female.....	5	7	14	10	14	20	14	10	3	-	-	-
Black, both sexes.....	1	-	-	-	2	-	-	-	-	1	-	-
Male.....	1	-	-	-	2	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	3	1	1	2	1	-	1	-	-	-
Male.....	1	-	3	1	-	2	-	-	1	-	-	-
Female.....	1	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	121	180	235	253	283	371	372	232	103	21	4	-
Male.....	68	100	145	122	138	173	152	76	31	5	1	-
Female.....	53	80	90	131	145	198	220	156	72	16	3	-
White, both sexes.....	96	134	194	211	235	337	333	205	95	19	3	-
Male.....	53	71	123	101	119	159	143	70	29	5	1	-
Female.....	43	63	71	110	116	178	190	135	66	14	2	-
Black, both sexes.....	18	33	37	30	40	30	31	23	6	2	1	-
Male.....	9	21	19	13	16	13	9	5	2	-	-	-
Female.....	9	12	18	17	24	17	22	18	4	2	1	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	12	4	12	7	4	7	4	2	-	-	-
Male.....	6	7	3	8	3	1	-	1	-	-	-	-
Female.....	1	5	1	4	4	3	7	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
Rhode Island												
All races, both sexes.....	4	9	5	10	19	21	24	9	4	-	-	-
Male.....	1	7	-	4	10	10	15	4	2	-	-	-
Female.....	3	2	5	6	9	11	9	5	2	-	-	-
White, both sexes.....	4	8	5	9	18	21	23	9	4	-	-	-
Male.....	1	6	-	3	9	10	14	4	2	-	-	-
Female.....	3	2	5	6	9	11	9	5	2	-	-	-
Black, both sexes.....	-	-	-	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
South Carolina												
All races, both sexes.....	34	34	52	71	60	64	66	47	14	2	-	-
Male.....	16	21	37	34	31	28	28	22	5	-	-	-
Female.....	18	13	15	37	29	36	38	25	9	2	-	-
White, both sexes.....	24	21	38	53	49	48	48	32	9	2	-	-
Male.....	7	13	28	27	27	21	23	16	3	-	-	-
Female.....	17	8	10	26	22	27	25	16	6	2	-	-
Black, both sexes.....	10	13	14	18	11	14	18	15	5	-	-	-
Male.....	9	8	9	7	4	6	5	6	2	-	-	-
Female.....	1	5	5	11	7	8	13	9	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of pancreas (C25)

Texas

All races, both sexes.....	122	157	222	218	293	277	257	191	70	27	2	-
Male.....	74	96	151	120	148	129	113	73	18	11	2	-
Female.....	48	61	71	98	145	148	144	118	52	16	-	-
White, both sexes.....	93	130	198	182	260	234	229	173	57	27	2	-
Male.....	54	85	138	102	131	113	100	68	13	11	2	-
Female.....	39	45	60	80	129	121	129	105	44	16	-	-
Black, both sexes.....	28	26	20	34	32	38	26	17	13	-	-	-
Male.....	19	11	11	16	16	13	13	5	5	-	-	-
Female.....	9	15	9	18	16	25	13	12	8	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	4	1	1	4	2	1	-	-	-	-
Male.....	1	-	2	1	1	2	-	-	-	-	-	-
Female.....	-	1	2	-	-	2	2	1	-	-	-	-

Utah

All races, both sexes.....	9	7	13	24	26	26	20	23	2	-	-	-
Male.....	6	4	5	16	15	13	7	12	-	-	-	-
Female.....	3	3	8	8	11	13	13	11	2	-	-	-
White, both sexes.....	8	7	12	23	25	25	20	23	2	-	-	-
Male.....	5	4	5	16	14	13	7	12	-	-	-	-
Female.....	3	3	7	7	11	12	13	11	2	-	-	-
Black, both sexes.....	1	-	1	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
Vermont												
All races, both sexes.....	2	10	6	9	5	11	13	8	1	1	-	-
Male.....	1	7	1	6	2	3	4	4	1	-	-	-
Female.....	1	3	5	3	3	8	9	4	-	1	-	-
White, both sexes.....	2	9	6	9	5	11	13	8	1	1	-	-
Male.....	1	6	1	6	2	3	4	4	1	-	-	-
Female.....	1	3	5	3	3	8	9	4	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	44	81	96	83	124	131	141	71	30	2	1	-
Male.....	23	55	54	41	66	62	56	25	7	-	-	-
Female.....	21	26	42	42	58	69	85	46	23	2	1	-
White, both sexes.....	37	57	72	60	102	109	110	62	21	-	1	-
Male.....	19	38	40	29	53	56	44	23	3	-	-	-
Female.....	18	19	32	31	49	53	66	39	18	-	1	-
Black, both sexes.....	7	23	23	20	22	20	29	8	9	2	-	-
Male.....	4	17	13	10	13	6	12	1	4	-	-	-
Female.....	3	6	10	10	9	14	17	7	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	-	1	2	1	-	-	-	-
Male.....	-	-	1	1	-	-	-	1	-	-	-	-
Female.....	-	1	-	1	-	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other and ill-defined digestive organs (C26)

Arkansas

All races, both sexes.....	1	1	1	-	-	1	2	4	-	-	-	-
Male.....	1	-	1	-	-	1	1	1	-	-	-	-
Female.....	-	1	-	-	-	-	1	3	-	-	-	-
White, both sexes.....	-	1	1	-	-	1	1	4	-	-	-	-
Male.....	-	-	1	-	-	1	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	1	3	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3	6	10	12	10	13	19	20	6	1	-	-
Male.....	2	5	7	6	7	6	4	11	2	-	-	-
Female.....	1	1	3	6	3	7	15	9	4	1	-	-
White, both sexes.....	2	6	7	10	6	12	18	18	5	1	-	-
Male.....	2	5	4	4	4	5	3	9	2	-	-	-
Female.....	-	1	3	6	2	7	15	9	3	1	-	-
Black, both sexes.....	1	-	1	-	3	1	-	1	-	-	-	-
Male.....	-	-	1	-	2	1	-	1	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	2	1	-	1	1	1	-	-	-
Male.....	-	-	2	2	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Arkansas

All races, both sexes.....	2,224	-	-	-	-	-	-	-	4	6	29	64
Male.....	1,363	-	-	-	-	-	-	-	1	2	16	47
Female.....	861	-	-	-	-	-	-	-	3	4	13	17
White, both sexes.....	1,967	-	-	-	-	-	-	-	4	4	21	50
Male.....	1,195	-	-	-	-	-	-	-	1	2	12	34
Female.....	772	-	-	-	-	-	-	-	3	2	9	16
Black, both sexes.....	250	-	-	-	-	-	-	-	-	2	8	14
Male.....	165	-	-	-	-	-	-	-	-	-	4	13
Female.....	85	-	-	-	-	-	-	-	-	2	4	1
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	13,763	-	1	1	-	2	4	8	14	25	145	310
Male.....	7,373	-	1	-	-	2	1	5	5	17	68	155
Female.....	6,390	-	-	1	-	-	3	3	9	8	77	155
White, both sexes.....	11,486	-	1	1	-	2	3	7	6	16	107	231
Male.....	6,015	-	1	-	-	2	1	4	1	12	49	116
Female.....	5,471	-	-	1	-	-	2	3	5	4	58	115
Black, both sexes.....	1,090	-	-	-	-	-	-	1	1	1	18	48
Male.....	619	-	-	-	-	-	-	1	1	-	8	23
Female.....	471	-	-	-	-	-	-	-	-	1	10	25
American Indian 1/, both sexes.....	65	-	-	-	-	-	-	-	-	-	3	1
Male.....	38	-	-	-	-	-	-	-	-	-	2	-
Female.....	27	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	1,122	-	-	-	-	-	1	-	7	8	17	30
Male.....	701	-	-	-	-	-	-	-	3	5	9	16
Female.....	421	-	-	-	-	-	1	-	4	3	8	14

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Florida

All races, both sexes.....	12,479	1	-	-	-	-	-	1	4	32	131	362
Male.....	7,289	-	-	-	-	-	-	1	4	19	75	227
Female.....	5,190	1	-	-	-	-	-	-	-	13	56	135
White, both sexes.....	11,483	1	-	-	-	-	-	1	3	26	105	293
Male.....	6,627	-	-	-	-	-	-	1	3	13	61	182
Female.....	4,856	1	-	-	-	-	-	-	-	13	44	111
Black, both sexes.....	917	-	-	-	-	-	-	-	1	6	24	65
Male.....	615	-	-	-	-	-	-	-	1	6	12	43
Female.....	302	-	-	-	-	-	-	-	-	-	12	22
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	-	-	-
Male.....	11	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	64	-	-	-	-	-	-	-	-	-	2	4
Male.....	36	-	-	-	-	-	-	-	-	-	2	2
Female.....	28	-	-	-	-	-	-	-	-	-	-	2

Georgia

All races, both sexes.....	4,500	-	1	-	-	-	1	3	8	11	72	170
Male.....	2,743	-	1	-	-	-	-	-	4	8	39	103
Female.....	1,757	-	-	-	-	-	1	3	4	3	33	67
White, both sexes.....	3,526	-	1	-	-	-	1	2	7	5	52	109
Male.....	2,126	-	1	-	-	-	-	-	4	3	28	64
Female.....	1,400	-	-	-	-	-	1	2	3	2	24	45
Black, both sexes.....	945	-	-	-	-	-	-	-	1	5	20	61
Male.....	602	-	-	-	-	-	-	-	-	5	11	39
Female.....	343	-	-	-	-	-	-	-	1	-	9	22
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	-	-	-	-	-	1	-	1	-	-
Male.....	10	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
New Mexico												
All races, both sexes.....	731	-	-	-	-	-	-	1	1	3	5	16
Male.....	409	-	-	-	-	-	-	-	-	2	2	9
Female.....	322	-	-	-	-	-	-	1	1	1	3	7
White, both sexes.....	701	-	-	-	-	-	-	1	1	3	4	15
Male.....	394	-	-	-	-	-	-	-	-	2	2	9
Female.....	307	-	-	-	-	-	-	1	1	1	2	6
Black, both sexes.....	12	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	-	1	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	9,629	-	-	1	-	-	1	6	7	37	134	287
Male.....	5,191	-	-	-	-	-	1	3	6	18	67	152
Female.....	4,438	-	-	1	-	-	-	3	1	19	67	135
White, both sexes.....	8,201	-	-	-	-	-	1	5	6	28	93	202
Male.....	4,386	-	-	-	-	-	1	2	5	16	47	110
Female.....	3,815	-	-	-	-	-	-	3	1	12	46	92
Black, both sexes.....	1,186	-	-	-	-	-	-	-	1	6	36	77
Male.....	651	-	-	-	-	-	-	-	1	2	16	37
Female.....	535	-	-	-	-	-	-	-	-	4	20	40
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	-	-	1	-
Male.....	11	-	-	-	-	-	-	-	-	-	1	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	225	-	-	1	-	-	-	1	-	3	4	8
Male.....	143	-	-	-	-	-	-	1	-	-	3	5
Female.....	82	-	-	1	-	-	-	-	-	3	1	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

United States

All races, both sexes.....	8,362	13,309	19,135	22,827	26,914	28,202	21,964	11,308	3,753	728	57	4
Male.....	5,044	8,067	11,462	13,540	15,687	15,950	12,054	5,766	1,728	293	18	3
Female.....	3,318	5,242	7,673	9,287	11,227	12,252	9,910	5,542	2,025	435	39	1
White, both sexes.....	6,677	10,943	16,340	19,825	23,798	25,465	19,966	10,278	3,433	629	46	3
Male.....	4,027	6,507	9,652	11,670	13,792	14,399	10,921	5,203	1,581	248	16	2
Female.....	2,650	4,436	6,688	8,155	10,006	11,066	9,045	5,075	1,852	381	30	1
Black, both sexes.....	1,474	2,064	2,388	2,575	2,562	2,230	1,592	780	253	85	10	1
Male.....	894	1,371	1,555	1,626	1,560	1,263	891	413	116	37	1	1
Female.....	580	693	833	949	1,002	967	701	367	137	48	9	-
American Indian 1/, both sexes.....	47	66	115	106	122	92	59	27	7	1	-	-
Male.....	26	46	60	48	68	48	33	13	3	1	-	-
Female.....	21	20	55	58	54	44	26	14	4	-	-	-
Asian or Pacific Islander 2/, both sexes.....	164	236	292	321	432	415	347	223	60	13	1	-
Male.....	97	143	195	196	267	240	209	137	28	7	1	-
Female.....	67	93	97	125	165	175	138	86	32	6	-	-

Alabama

All races, both sexes.....	185	296	392	514	534	532	369	188	52	8	1	-
Male.....	112	205	267	331	328	321	212	99	26	3	-	-
Female.....	73	91	125	183	206	211	157	89	26	5	1	-
White, both sexes.....	128	210	305	406	456	445	315	158	47	6	-	-
Male.....	74	141	205	259	286	266	180	81	22	3	-	-
Female.....	54	69	100	147	170	179	135	77	25	3	-	-
Black, both sexes.....	56	86	86	108	78	85	54	29	5	2	1	-
Male.....	37	64	61	72	42	54	32	18	4	-	-	-
Female.....	19	22	25	36	36	31	22	11	1	2	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Alaska

All races, both sexes.....	20	20	27	34	36	30	19	11	6	-	-	-
Male.....	13	12	19	18	22	13	8	6	3	-	-	-
Female.....	7	8	8	16	14	17	11	5	3	-	-	-
White, both sexes.....	14	12	21	27	26	21	15	7	5	-	-	-
Male.....	9	7	16	15	17	10	6	4	2	-	-	-
Female.....	5	5	5	12	9	11	9	3	3	-	-	-
Black, both sexes.....	2	1	1	-	-	1	-	-	-	-	-	-
Male.....	1	-	1	-	-	1	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	5	4	6	10	6	2	3	-	-	-	-
Male.....	2	4	2	3	5	2	1	2	-	-	-	-
Female.....	1	1	2	3	5	4	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	1	-	2	2	1	1	-	-	-
Male.....	1	1	-	-	-	-	1	-	1	-	-	-
Female.....	-	1	1	1	-	2	1	1	-	-	-	-

Arizona

All races, both sexes.....	105	200	304	388	491	480	399	194	51	15	-	-
Male.....	58	110	181	231	279	264	217	101	28	4	-	-
Female.....	47	90	123	157	212	216	182	93	23	11	-	-
White, both sexes.....	99	193	294	374	469	473	392	189	50	15	-	-
Male.....	55	105	175	224	266	260	213	98	27	4	-	-
Female.....	44	88	119	150	203	213	179	91	23	11	-	-
Black, both sexes.....	6	7	7	9	16	4	4	3	1	-	-	-
Male.....	3	5	4	4	9	2	3	2	1	-	-	-
Female.....	3	2	3	5	7	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	2	2	3	1	1	-	-	-	-
Male.....	-	-	1	1	2	2	-	1	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	3	4	-	2	1	-	-	-	-
Male.....	-	-	1	2	2	-	1	-	-	-	-	-
Female.....	-	-	1	1	2	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Arkansas

All races, both sexes.....	132	182	304	341	378	342	256	125	52	8	1	-
Male.....	79	118	181	210	239	209	160	69	29	3	-	-
Female.....	53	64	123	131	139	133	96	56	23	5	1	-
White, both sexes.....	115	159	259	297	357	306	234	110	43	7	1	-
Male.....	71	101	147	183	223	186	147	59	27	2	-	-
Female.....	44	58	112	114	134	120	87	51	16	5	1	-
Black, both sexes.....	16	23	45	40	21	35	22	15	8	1	-	-
Male.....	8	17	34	25	16	22	13	10	2	1	-	-
Female.....	8	6	11	15	5	13	9	5	6	-	-	-
American Indian 1/, both sexes.....	1	-	-	3	-	-	-	-	-	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-

California

All races, both sexes.....	594	965	1,364	1,741	2,269	2,490	2,153	1,167	413	92	3	2
Male.....	341	550	782	962	1,259	1,305	1,126	565	190	38	-	1
Female.....	253	415	582	779	1,010	1,185	1,027	602	223	54	3	1
White, both sexes.....	445	770	1,107	1,452	1,903	2,123	1,876	994	368	70	3	1
Male.....	265	435	612	788	1,038	1,078	947	468	169	29	-	-
Female.....	180	335	495	664	865	1,045	929	526	199	41	3	1
Black, both sexes.....	89	98	139	156	177	170	101	61	18	11	-	1
Male.....	40	61	87	95	106	101	57	28	7	3	-	1
Female.....	49	37	52	61	71	69	44	33	11	8	-	-
American Indian 1/, both sexes.....	1	-	9	13	17	9	8	3	1	-	-	-
Male.....	1	-	5	8	11	5	4	2	-	-	-	-
Female.....	-	-	4	5	6	4	4	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	59	97	109	120	172	188	168	109	26	11	-	-
Male.....	35	54	78	71	104	121	118	67	14	6	-	-
Female.....	24	43	31	49	68	67	50	42	12	5	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Colorado

All races, both sexes.....	88	120	165	185	279	279	244	109	52	3	-	-
Male.....	43	71	86	103	141	149	129	53	24	-	-	-
Female.....	45	49	79	82	138	130	115	56	28	3	-	-
White, both sexes.....	81	108	153	178	263	264	236	106	51	3	-	-
Male.....	39	63	80	98	133	141	124	52	24	-	-	-
Female.....	42	45	73	80	130	123	112	54	27	3	-	-
Black, both sexes.....	4	6	6	3	11	7	5	1	1	-	-	-
Male.....	3	5	4	3	7	4	3	-	-	-	-	-
Female.....	1	1	2	-	4	3	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	3	1	1	1	-	-	-	-
Male.....	-	1	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	2	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	5	5	4	2	7	2	1	-	-	-	-
Male.....	1	2	2	2	-	3	2	1	-	-	-	-
Female.....	2	3	3	2	2	4	-	-	-	-	-	-

Connecticut

All races, both sexes.....	88	114	230	213	302	342	283	157	72	12	2	-
Male.....	47	54	124	130	168	180	140	79	30	3	-	-
Female.....	41	60	106	83	134	162	143	78	42	9	2	-
White, both sexes.....	80	102	209	197	281	330	278	150	70	12	2	-
Male.....	45	50	112	119	155	173	136	74	28	3	-	-
Female.....	35	52	97	78	126	157	142	76	42	9	2	-
Black, both sexes.....	7	12	20	15	15	10	4	7	2	-	-	-
Male.....	2	4	12	10	9	5	3	5	2	-	-	-
Female.....	5	8	8	5	6	5	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	6	1	1	-	-	-	-	-
Male.....	-	-	-	1	4	1	1	-	-	-	-	-
Female.....	1	-	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Delaware

All races, both sexes.....	30	49	73	88	84	106	73	42	13	7	1	-
Male.....	20	30	41	57	41	54	44	19	6	4	1	-
Female.....	10	19	32	31	43	52	29	23	7	3	-	-
White, both sexes.....	22	43	56	71	70	94	65	36	12	4	1	-
Male.....	15	27	29	46	36	50	38	15	6	3	1	-
Female.....	7	16	27	25	34	44	27	21	6	1	-	-
Black, both sexes.....	8	5	17	16	12	12	8	5	1	3	-	-
Male.....	5	2	12	10	3	4	6	3	-	1	-	-
Female.....	3	3	5	6	9	8	2	2	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	-	-	1	-	-	-	-
Male.....	-	1	-	1	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	21	30	36	40	49	36	39	21	9	2	-	-
Male.....	11	18	23	27	31	16	24	11	5	2	-	-
Female.....	10	12	13	13	18	20	15	10	4	-	-	-
White, both sexes.....	2	2	6	3	8	5	9	6	1	-	-	-
Male.....	-	1	3	2	6	1	7	4	3	1	-	-
Female.....	2	1	3	1	2	4	2	5	3	-	-	-
Black, both sexes.....	19	27	29	37	40	30	30	12	3	1	-	-
Male.....	11	16	19	25	25	14	17	7	2	1	-	-
Female.....	8	11	10	12	15	16	13	5	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Florida

All races, both sexes.....	591	935	1,365	1,681	2,022	2,249	1,779	957	311	54	4	-
Male.....	351	570	835	1,021	1,234	1,273	1,012	487	153	25	2	-
Female.....	240	365	530	660	788	976	767	470	158	29	2	-
White, both sexes.....	503	818	1,248	1,525	1,856	2,140	1,699	911	301	49	4	-
Male.....	298	493	746	912	1,124	1,201	960	460	148	23	2	-
Female.....	205	325	502	613	732	939	739	451	153	26	2	-
Black, both sexes.....	79	111	107	146	156	97	72	39	10	4	-	-
Male.....	49	73	82	103	104	65	49	22	5	1	-	-
Female.....	30	38	25	43	52	32	23	17	5	3	-	-
American Indian 1/, both sexes.....	1	2	3	3	2	3	-	1	-	-	-	-
Male.....	-	1	2	2	2	3	-	1	-	-	-	-
Female.....	1	1	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	4	7	7	8	9	8	6	-	1	-	-
Male.....	4	3	5	4	4	4	3	4	-	1	-	-
Female.....	4	1	2	3	4	5	5	2	-	-	-	-

Georgia

All races, both sexes.....	279	456	613	667	752	670	494	226	61	13	3	-
Male.....	178	299	417	415	454	397	280	119	24	4	1	-
Female.....	101	157	196	252	298	273	214	107	37	9	2	-
White, both sexes.....	180	324	476	516	608	561	437	194	47	5	1	-
Male.....	119	214	319	312	367	334	241	104	15	-	1	-
Female.....	61	110	157	204	241	227	196	90	32	5	-	-
Black, both sexes.....	95	131	133	147	136	105	56	31	14	8	2	-
Male.....	58	85	95	100	82	60	39	15	9	4	-	-
Female.....	37	46	38	47	54	45	17	16	5	4	2	-
American Indian 1/, both sexes.....	1	1	1	-	2	2	-	-	-	-	-	-
Male.....	-	-	1	-	2	2	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	3	4	6	2	1	1	-	-	-	-
Male.....	1	-	2	3	3	1	-	-	-	-	-	-
Female.....	2	-	1	1	3	1	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Hawaii

All races, both sexes.....	25	51	65	69	99	110	76	58	12	2	1	-
Male.....	15	35	45	43	59	60	40	33	5	-	1	-
Female.....	10	16	20	26	40	50	36	25	7	2	-	-
White, both sexes.....	10	17	25	27	34	44	21	21	3	2	-	-
Male.....	5	12	18	15	18	27	11	9	-	-	-	-
Female.....	5	5	7	12	16	17	10	12	3	2	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	33	40	42	65	66	55	37	9	-	1	-
Male.....	10	22	27	28	41	33	29	24	5	-	1	-
Female.....	5	11	13	14	24	33	26	13	4	-	-	-

Idaho

All races, both sexes.....	30	37	60	94	108	126	84	44	22	4	-	-
Male.....	18	20	34	54	72	80	40	25	13	4	-	-
Female.....	12	17	26	40	36	46	44	19	9	-	-	-
White, both sexes.....	30	34	59	92	106	126	81	44	21	4	-	-
Male.....	18	17	33	53	71	80	38	25	12	4	-	-
Female.....	12	17	26	39	35	46	43	19	9	-	-	-
Black, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	1	1	1	-	-	-	1	-	-	-
Male.....	-	2	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	3	-	-	-	-	-
Male.....	-	1	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Illinois

All races, both sexes.....	349	589	781	876	1,122	1,214	911	475	151	32	-	-
Male.....	215	355	456	492	643	666	495	242	73	12	-	-
Female.....	134	234	325	384	479	548	416	233	78	20	-	-
White, both sexes.....	263	465	613	723	940	1,079	798	426	134	27	-	-
Male.....	160	279	353	409	534	595	436	215	67	11	-	-
Female.....	103	186	260	314	406	484	362	211	67	16	-	-
Black, both sexes.....	82	112	156	143	169	128	107	43	15	5	-	-
Male.....	52	66	96	77	101	65	55	24	5	1	-	-
Female.....	30	46	60	66	68	63	52	19	10	4	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	12	11	10	13	7	6	6	2	-	-	-
Male.....	3	10	6	6	8	6	4	3	1	-	-	-
Female.....	1	2	5	4	5	1	2	3	1	-	-	-

Indiana

All races, both sexes.....	220	362	462	611	674	715	555	229	80	15	-	-
Male.....	122	238	269	358	380	403	305	108	45	10	-	-
Female.....	98	124	193	253	294	312	250	121	35	5	-	-
White, both sexes.....	196	328	423	570	631	666	525	216	76	13	-	-
Male.....	110	214	249	332	356	375	286	101	43	9	-	-
Female.....	86	114	174	238	275	291	239	115	33	4	-	-
Black, both sexes.....	22	33	36	41	41	49	30	13	4	2	-	-
Male.....	12	24	19	26	24	28	19	7	2	1	-	-
Female.....	10	9	17	15	17	21	11	6	2	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	-	2	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	1	1	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Iowa

All races, both sexes.....	84	137	212	239	335	311	284	140	53	14	-	-
Male.....	51	80	122	142	200	204	168	72	27	8	-	-
Female.....	33	57	90	97	135	107	116	68	26	6	-	-
White, both sexes.....	81	135	207	234	328	305	278	138	52	14	-	-
Male.....	48	79	119	138	196	201	167	70	26	8	-	-
Female.....	33	56	88	96	132	104	111	68	26	6	-	-
Black, both sexes.....	2	2	3	5	7	3	4	1	-	-	-	-
Male.....	2	1	2	4	4	3	1	1	-	-	-	-
Female.....	-	1	1	1	3	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	-	-	2	1	1	-	-	-	-
Male.....	1	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	2	1	-	-	-	-	-

Kansas

All races, both sexes.....	69	126	204	219	283	290	235	131	34	5	1	-
Male.....	33	68	127	104	156	185	139	66	16	2	1	-
Female.....	36	58	77	115	127	105	96	65	18	3	-	-
White, both sexes.....	61	116	192	202	269	271	224	127	31	5	1	-
Male.....	28	60	119	94	151	172	132	63	16	2	1	-
Female.....	33	56	73	108	118	99	92	64	15	3	-	-
Black, both sexes.....	7	9	10	15	12	15	8	2	3	-	-	-
Male.....	4	8	8	9	5	11	5	1	-	-	-	-
Female.....	3	1	2	6	7	4	3	1	3	-	-	-
American Indian 1/, both sexes.....	1	-	2	2	2	3	2	-	-	-	-	-
Male.....	1	-	-	1	-	2	1	-	-	-	-	-
Female.....	-	-	2	1	2	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	1	2	-	-	-	-
Male.....	-	-	-	-	-	-	1	2	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Kentucky

All races, both sexes.....	168	329	492	578	597	550	384	158	51	11	1	-
Male.....	102	176	313	357	350	330	220	93	24	2	-	-
Female.....	66	153	179	221	247	220	164	65	27	9	1	-
White, both sexes.....	151	301	469	546	567	528	369	149	46	11	-	-
Male.....	93	161	296	340	333	316	211	90	22	2	-	-
Female.....	58	140	173	206	234	212	158	59	24	9	-	-
Black, both sexes.....	16	27	22	32	28	21	15	9	4	-	1	-
Male.....	9	15	16	17	17	13	9	3	2	-	-	-
Female.....	7	12	6	15	11	8	6	6	2	-	1	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	1	-	-	1	-	-	-	1	-	-	-

Louisiana

All races, both sexes.....	184	256	387	420	461	494	324	160	49	17	1	-
Male.....	113	174	244	259	266	303	191	89	20	8	-	-
Female.....	71	82	143	161	195	191	133	71	29	9	1	-
White, both sexes.....	94	151	275	302	345	389	246	135	40	10	1	-
Male.....	60	97	170	181	195	234	142	72	14	5	-	-
Female.....	34	54	105	121	150	155	104	63	26	5	1	-
Black, both sexes.....	87	104	110	116	114	101	77	23	9	7	-	-
Male.....	50	77	72	77	71	67	49	15	6	3	-	-
Female.....	37	27	38	39	43	34	28	8	3	4	-	-
American Indian 1/, both sexes.....	1	-	-	2	2	1	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	-	-	3	1	2	-	-	-	-
Male.....	2	-	2	-	-	2	-	2	-	-	-	-
Female.....	-	1	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Maine

All races, both sexes.....	42	85	127	125	153	156	136	73	22	5	-	-
Male.....	28	56	70	75	85	82	82	34	12	2	-	-
Female.....	14	29	57	50	68	74	54	39	10	3	-	-
White, both sexes.....	41	84	127	123	152	156	136	73	22	5	-	-
Male.....	27	55	70	75	84	82	82	34	12	2	-	-
Female.....	14	29	57	48	68	74	54	39	10	3	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	2	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	176	274	369	411	458	529	438	207	56	10	3	-
Male.....	107	156	222	245	260	290	217	104	25	7	-	-
Female.....	69	118	147	166	198	239	221	103	31	3	3	-
White, both sexes.....	110	190	263	296	349	432	360	170	48	8	2	-
Male.....	70	102	156	171	185	235	173	89	24	5	-	-
Female.....	40	88	107	125	164	197	187	81	24	3	2	-
Black, both sexes.....	60	80	100	109	101	91	69	30	8	2	1	-
Male.....	35	51	60	69	67	52	41	11	1	2	-	-
Female.....	25	29	40	40	34	39	28	19	7	-	1	-
American Indian 1/, both sexes.....	1	-	1	1	1	1	1	1	-	-	-	-
Male.....	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	4	5	5	7	5	8	6	-	-	-	-
Male.....	2	3	5	4	7	3	3	4	-	-	-	-
Female.....	3	1	-	1	-	2	5	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Massachusetts

All races, both sexes.....	168	275	380	491	645	662	544	305	107	19	-	-
Male.....	92	140	216	268	351	340	282	144	49	6	-	-
Female.....	76	135	164	223	294	322	262	161	58	13	-	-
White, both sexes.....	154	256	360	457	611	639	525	291	104	18	-	-
Male.....	84	130	201	245	328	326	270	135	49	5	-	-
Female.....	70	126	159	212	283	313	255	156	55	13	-	-
Black, both sexes.....	10	17	16	28	29	17	13	10	1	1	-	-
Male.....	4	8	11	19	18	10	7	6	-	1	-	-
Female.....	6	9	5	9	11	7	6	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	4	6	5	5	6	3	2	-	-	-
Male.....	4	2	4	4	5	4	5	3	-	-	-	-
Female.....	-	-	-	2	-	1	1	-	2	-	-	-

Michigan

All races, both sexes.....	339	482	716	845	992	1,013	824	365	122	16	3	-
Male.....	215	290	424	487	583	595	435	185	49	10	3	-
Female.....	124	192	292	358	409	418	389	180	73	6	-	-
White, both sexes.....	273	368	588	751	892	916	725	344	110	13	3	-
Male.....	178	214	352	432	516	545	383	170	45	8	3	-
Female.....	95	154	236	319	376	371	342	174	65	5	-	-
Black, both sexes.....	63	103	112	90	92	91	92	18	10	3	-	-
Male.....	36	70	64	53	62	47	48	13	3	2	-	-
Female.....	27	33	48	37	30	44	44	5	7	1	-	-
American Indian 1/, both sexes.....	1	7	13	4	3	5	4	3	-	-	-	-
Male.....	-	4	7	2	-	3	3	2	-	-	-	-
Female.....	1	3	6	2	3	2	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	3	-	5	1	3	-	2	-	-	-
Male.....	1	2	1	-	5	-	1	-	1	-	-	-
Female.....	1	2	2	-	-	1	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Minnesota

All races, both sexes.....	110	188	264	279	401	409	362	168	65	11	4	-
Male.....	59	111	151	152	227	236	208	92	31	6	2	-
Female.....	51	77	113	127	174	173	154	76	34	5	2	-
White, both sexes.....	95	179	244	267	384	398	354	165	65	11	4	-
Male.....	51	106	139	146	215	229	205	89	31	6	2	-
Female.....	44	73	105	121	169	169	149	76	34	5	2	-
Black, both sexes.....	10	7	14	10	8	6	3	2	-	-	-	-
Male.....	6	4	11	5	6	5	1	2	-	-	-	-
Female.....	4	3	3	5	2	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	5	1	5	4	2	-	-	-	-	-
Male.....	1	-	1	1	4	2	1	-	-	-	-	-
Female.....	2	-	4	-	1	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	1	1	4	1	3	1	-	-	-	-
Male.....	1	1	-	-	2	-	1	1	-	-	-	-
Female.....	1	1	1	1	2	1	2	-	-	-	-	-

Mississippi

All races, both sexes.....	115	183	255	317	316	292	205	102	30	5	1	-
Male.....	71	128	160	204	200	178	124	65	13	2	1	-
Female.....	44	55	95	113	116	114	81	37	17	3	-	-
White, both sexes.....	66	119	168	247	232	242	151	77	23	5	-	-
Male.....	41	78	101	153	147	146	90	48	10	2	-	-
Female.....	25	41	67	94	85	96	61	29	13	3	-	-
Black, both sexes.....	48	62	87	69	82	49	52	24	7	-	1	-
Male.....	30	48	59	50	52	31	34	16	3	-	1	-
Female.....	18	14	28	19	30	18	18	8	4	-	-	-
American Indian 1/, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	2	1	2	1	-	-	-	-
Male.....	-	-	-	1	1	1	-	1	-	-	-	-
Female.....	1	-	-	-	1	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Nebraska

All races, both sexes.....	23	80	95	132	169	160	135	71	19	7	-	-
Male.....	15	41	61	82	101	86	82	40	5	3	-	-
Female.....	8	39	34	50	68	74	53	31	14	4	-	-
White, both sexes.....	21	77	92	125	160	157	132	69	17	6	-	-
Male.....	14	38	59	78	95	85	80	40	5	3	-	-
Female.....	7	39	33	47	65	72	52	29	12	3	-	-
Black, both sexes.....	2	2	2	5	7	2	3	2	2	1	-	-
Male.....	1	2	1	3	4	1	2	-	-	-	-	-
Female.....	1	-	1	2	3	1	1	2	2	1	-	-
American Indian 1/, both sexes.....	-	1	-	1	2	1	-	-	-	-	-	-
Male.....	-	1	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	52	105	161	197	223	270	166	79	23	7	-	-
Male.....	28	56	87	116	125	142	79	45	10	3	-	-
Female.....	24	49	74	81	98	128	87	34	13	4	-	-
White, both sexes.....	48	90	141	178	199	252	157	75	21	7	-	-
Male.....	27	44	73	106	111	130	76	43	9	3	-	-
Female.....	21	46	68	72	88	122	81	32	12	4	-	-
Black, both sexes.....	3	12	8	11	13	11	6	4	1	-	-	-
Male.....	1	9	7	6	9	7	2	2	1	-	-	-
Female.....	2	3	1	5	4	4	4	2	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	2	-	-	-	1	-	-	-
Male.....	-	1	1	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	11	8	9	7	3	-	-	-	-	-
Male.....	-	2	6	4	3	5	1	-	-	-	-	-
Female.....	1	-	5	4	6	2	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

New Hampshire

All races, both sexes.....	39	66	100	113	103	124	105	46	16	2	-	-
Male.....	22	34	59	64	60	75	56	23	7	-	-	-
Female.....	17	32	41	49	43	49	49	23	9	2	-	-
White, both sexes.....	39	66	99	113	102	120	105	46	16	2	-	-
Male.....	22	34	58	64	60	74	56	23	7	-	-	-
Female.....	17	32	41	49	42	46	49	23	9	2	-	-
Black, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	3	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	2	-	-	-	-	-	-

New Jersey

All races, both sexes.....	223	328	509	588	692	841	717	382	145	19	1	-
Male.....	129	188	274	339	403	446	365	171	71	8	-	-
Female.....	94	140	235	249	289	395	352	211	74	11	1	-
White, both sexes.....	173	261	419	508	602	764	644	359	139	17	1	-
Male.....	96	142	221	290	348	414	331	157	66	7	-	-
Female.....	77	119	198	218	254	350	313	202	73	10	1	-
Black, both sexes.....	46	59	81	77	79	74	64	17	6	1	-	-
Male.....	31	39	48	46	48	32	29	10	5	-	-	-
Female.....	15	20	33	31	31	42	35	7	1	1	-	-
American Indian 1/, both sexes.....	-	-	3	-	2	-	1	2	-	1	-	-
Male.....	-	-	-	-	1	-	-	1	-	1	-	-
Female.....	-	-	3	-	1	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	8	6	3	9	3	8	4	-	-	-	-
Male.....	2	7	5	3	6	-	5	3	-	-	-	-
Female.....	2	1	1	-	3	3	3	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

New Mexico

All races, both sexes.....	29	61	79	112	118	134	93	54	21	4	-	-
Male.....	17	36	44	69	67	74	46	30	11	2	-	-
Female.....	12	25	35	43	51	60	47	24	10	2	-	-
White, both sexes.....	25	58	77	107	114	129	88	54	21	4	-	-
Male.....	14	34	42	67	65	73	43	30	11	2	-	-
Female.....	11	24	35	40	49	56	45	24	10	2	-	-
Black, both sexes.....	2	-	1	3	1	2	3	-	-	-	-	-
Male.....	1	-	1	-	1	-	2	-	-	-	-	-
Female.....	1	-	-	3	-	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	3	-	2	2	1	2	-	-	-	-	-
Male.....	1	2	-	2	1	1	1	-	-	-	-	-
Female.....	-	1	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	1	2	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	2	-	-	-	-	-	-

New York

All races, both sexes.....	523	753	1,048	1,267	1,514	1,719	1,256	766	252	54	3	1
Male.....	323	426	592	707	843	917	652	361	107	15	-	1
Female.....	200	327	456	560	671	802	604	405	145	39	3	-
White, both sexes.....	402	611	855	1,065	1,283	1,529	1,139	694	236	49	2	1
Male.....	247	334	464	592	710	816	597	328	101	15	-	1
Female.....	155	277	391	473	573	713	542	366	135	34	2	-
Black, both sexes.....	98	129	168	165	191	153	89	56	12	4	1	-
Male.....	61	82	110	90	107	77	39	26	3	-	-	-
Female.....	37	47	58	75	84	76	50	30	9	4	1	-
American Indian 1/, both sexes.....	2	1	4	3	1	2	3	-	-	-	-	-
Male.....	2	1	3	-	1	-	3	-	-	-	-	-
Female.....	-	-	1	3	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	12	21	34	39	35	25	16	4	1	-	-
Male.....	13	9	15	25	25	24	13	7	3	-	-	-
Female.....	8	3	6	9	14	11	12	9	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Ohio

All races, both sexes.....	415	625	889	1,064	1,247	1,292	995	483	170	32	1	-
Male.....	282	399	508	643	717	723	557	237	78	11	1	-
Female.....	133	226	381	421	530	569	438	246	92	21	-	-
White, both sexes.....	349	526	777	921	1,131	1,157	908	444	160	27	1	-
Male.....	239	331	448	566	650	647	515	216	71	8	1	-
Female.....	110	195	329	355	481	510	393	228	89	19	-	-
Black, both sexes.....	62	95	110	140	114	135	83	39	9	5	-	-
Male.....	40	66	58	77	66	76	42	21	7	3	-	-
Female.....	22	29	52	63	48	59	41	18	2	2	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	2	3	2	-	3	-	1	-	-	-
Male.....	2	1	2	-	1	-	-	-	-	-	-	-
Female.....	1	2	-	3	1	-	3	-	1	-	-	-

Oklahoma

All races, both sexes.....	139	210	342	369	418	379	271	139	46	4	1	-
Male.....	85	138	190	226	259	236	147	76	25	3	-	-
Female.....	54	72	152	143	159	143	124	63	21	1	1	-
White, both sexes.....	118	171	292	329	368	340	247	130	44	4	1	-
Male.....	73	112	160	207	227	213	132	72	25	3	-	-
Female.....	45	59	132	122	141	127	115	58	19	1	1	-
Black, both sexes.....	12	23	22	16	20	18	13	3	-	-	-	-
Male.....	7	16	15	10	14	13	8	2	-	-	-	-
Female.....	5	7	7	6	6	5	5	1	-	-	-	-
American Indian 1/, both sexes.....	9	15	26	21	27	20	11	5	2	-	-	-
Male.....	5	9	13	9	16	9	7	1	-	-	-	-
Female.....	4	6	13	12	11	11	4	4	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	3	3	1	-	1	-	-	-	-
Male.....	-	1	2	-	2	1	-	1	-	-	-	-
Female.....	-	-	-	3	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Oregon

All races, both sexes.....	91	161	237	293	367	385	282	180	53	15	-	-
Male.....	47	93	142	151	208	219	147	98	23	4	-	-
Female.....	44	68	95	142	159	166	135	82	30	11	-	-
White, both sexes.....	87	158	229	287	360	375	279	174	53	14	-	-
Male.....	45	92	138	147	203	217	145	94	23	4	-	-
Female.....	42	66	91	140	157	158	134	80	30	10	-	-
Black, both sexes.....	2	-	2	3	3	4	1	4	-	1	-	-
Male.....	1	-	1	2	3	1	1	2	-	-	-	-
Female.....	1	-	1	1	-	3	-	2	-	1	-	-
American Indian 1/, both sexes.....	1	1	1	1	3	3	1	-	-	-	-	-
Male.....	-	-	1	1	1	1	-	-	-	-	-	-
Female.....	1	1	-	-	2	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	5	2	1	3	1	2	-	-	-	-
Male.....	1	1	2	1	1	-	1	2	-	-	-	-
Female.....	-	1	3	1	-	3	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	407	631	944	1,107	1,308	1,528	1,237	648	217	31	1	-
Male.....	231	388	563	678	761	883	702	336	87	14	-	-
Female.....	176	243	381	429	547	645	535	312	130	17	1	-
White, both sexes.....	344	560	825	981	1,191	1,417	1,155	606	198	25	1	-
Male.....	192	353	490	604	697	836	668	315	79	9	-	-
Female.....	152	207	335	377	494	581	487	291	119	16	1	-
Black, both sexes.....	58	67	115	119	108	104	78	41	18	6	-	-
Male.....	35	35	71	68	57	45	32	20	8	5	-	-
Female.....	23	32	44	51	51	59	46	21	10	1	-	-
American Indian 1/, both sexes.....	1	-	-	1	2	-	1	-	-	-	-	-
Male.....	1	-	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	4	4	6	7	7	3	1	1	1	-	-
Male.....	3	-	2	5	6	2	1	1	-	-	-	-
Female.....	1	4	2	1	1	5	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Rhode Island

All races, both sexes.....	28	37	61	78	95	129	98	69	8	2	1	1
Male.....	15	19	32	40	54	63	52	33	3	1	-	1
Female.....	13	18	29	38	41	66	46	36	5	1	1	-
White, both sexes.....	27	36	57	71	90	121	95	68	8	2	1	1
Male.....	15	18	31	39	50	57	51	32	3	1	-	1
Female.....	12	18	26	32	40	64	44	36	5	1	1	-
Black, both sexes.....	1	1	3	5	4	5	3	1	-	-	-	-
Male.....	-	1	1	1	3	3	1	1	-	-	-	-
Female.....	1	-	2	4	1	2	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	2	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	182	286	349	444	450	457	289	152	40	9	3	-
Male.....	111	197	224	289	278	275	166	82	19	2	-	-
Female.....	71	89	125	155	172	182	123	70	21	7	3	-
White, both sexes.....	120	191	268	356	372	386	243	126	33	7	2	-
Male.....	69	129	164	225	229	231	140	66	16	2	-	-
Female.....	51	62	104	131	143	155	103	60	17	5	2	-
Black, both sexes.....	61	92	80	86	76	69	42	25	7	2	1	-
Male.....	41	65	59	64	48	43	26	15	3	-	-	-
Female.....	20	27	21	22	28	26	16	10	4	2	1	-
American Indian 1/, both sexes.....	-	1	1	1	1	-	-	1	-	-	-	-
Male.....	-	1	1	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	1	1	2	4	-	-	-	-	-
Male.....	1	2	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	4	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

South Dakota

All races, both sexes.....	29	44	58	57	71	76	72	43	11	5	-	-
Male.....	20	28	32	30	40	40	40	25	7	2	-	-
Female.....	9	16	26	27	31	36	32	18	4	3	-	-
White, both sexes.....	28	42	52	53	68	74	69	41	10	5	-	-
Male.....	20	26	29	30	40	40	38	24	6	2	-	-
Female.....	8	16	23	23	28	34	31	17	4	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	6	4	3	2	2	2	1	-	-	-
Male.....	-	2	3	-	-	-	2	1	1	-	-	-
Female.....	1	-	3	4	3	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Tennessee

All races, both sexes.....	254	436	590	760	711	696	499	226	64	18	4	-
Male.....	148	288	367	479	449	428	291	115	30	2	1	-
Female.....	106	148	223	281	262	268	208	111	34	16	3	-
White, both sexes.....	197	347	510	672	629	626	440	201	55	16	3	-
Male.....	116	227	313	425	404	393	263	101	25	2	1	-
Female.....	81	120	197	247	225	233	177	100	30	14	2	-
Black, both sexes.....	56	87	72	84	81	70	59	24	9	2	1	-
Male.....	32	59	48	53	45	35	28	13	5	-	-	-
Female.....	24	28	24	31	36	35	31	11	4	2	1	-
American Indian 1/, both sexes.....	1	2	2	1	-	-	-	1	-	-	-	-
Male.....	-	2	2	1	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	6	3	1	-	-	-	-	-	-	-
Male.....	-	-	4	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	3	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Texas

All races, both sexes.....	484	832	1,208	1,452	1,671	1,688	1,254	638	217	41	5	-
Male.....	310	512	739	903	1,040	982	710	347	105	17	2	-
Female.....	174	320	469	549	631	706	544	291	112	24	3	-
White, both sexes.....	374	684	1,037	1,253	1,468	1,488	1,137	569	193	36	4	-
Male.....	238	418	636	779	912	870	638	309	90	15	2	-
Female.....	136	266	401	474	556	618	499	260	103	21	2	-
Black, both sexes.....	103	135	163	175	185	180	110	67	20	5	1	-
Male.....	67	85	97	110	116	100	67	37	13	2	-	-
Female.....	36	50	66	65	69	80	43	30	7	3	1	-
American Indian 1/, both sexes.....	2	1	-	2	-	1	-	-	-	-	-	-
Male.....	1	1	-	1	-	1	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	12	8	22	18	19	7	2	4	-	-	-
Male.....	4	8	6	13	12	11	5	1	2	-	-	-
Female.....	1	4	2	9	6	8	2	1	2	-	-	-

Utah

All races, both sexes.....	15	28	55	69	72	74	65	30	8	1	-	-
Male.....	10	18	40	47	46	39	43	18	4	-	-	-
Female.....	5	10	15	22	26	35	22	12	4	1	-	-
White, both sexes.....	15	26	53	69	68	68	64	30	7	1	-	-
Male.....	10	17	38	47	44	37	42	18	3	-	-	-
Female.....	5	9	15	22	24	31	22	12	4	1	-	-
Black, both sexes.....	-	2	1	-	-	-	-	-	1	-	-	-
Male.....	-	1	1	-	-	-	-	-	1	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	4	1	-	-	-	-	-
Male.....	-	-	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	3	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Vermont

All races, both sexes.....	21	21	38	50	59	56	48	23	13	2	-	-
Male.....	13	11	24	22	31	33	23	11	5	1	-	-
Female.....	8	10	14	28	28	23	25	12	8	1	-	-
White, both sexes.....	21	21	38	50	58	56	48	23	13	2	-	-
Male.....	13	11	24	22	31	33	23	11	5	1	-	-
Female.....	8	10	14	28	27	23	25	12	8	1	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	241	350	534	649	700	701	527	259	77	18	1	-
Male.....	150	214	334	405	412	402	284	129	30	6	-	-
Female.....	91	136	200	244	288	299	243	130	47	12	1	-
White, both sexes.....	185	254	420	523	576	588	453	207	59	16	1	-
Male.....	113	143	258	313	334	330	242	103	23	6	-	-
Female.....	72	111	162	210	242	258	211	104	36	10	1	-
Black, both sexes.....	51	88	104	121	111	107	72	49	16	2	-	-
Male.....	36	67	72	89	69	69	42	25	7	-	-	-
Female.....	15	21	32	32	42	38	30	24	9	2	-	-
American Indian 1/, both sexes.....	-	-	1	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	8	9	3	13	6	2	3	2	-	-	-
Male.....	1	4	4	2	9	3	-	1	-	-	-	-
Female.....	4	4	5	1	4	3	2	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of nasal cavity, middle ear and accessory sinuses (C30-C31)

Arkansas

All races, both sexes.....	-	-	1	1	1	1	1	1	2	-	-	-
Male.....	-	-	1	1	1	-	1	1	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
White, both sexes.....	-	-	-	1	1	1	1	-	2	-	-	-
Male.....	-	-	-	1	1	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	7	2	2	10	5	6	3	1	3	-	-
Male.....	6	6	2	1	7	2	3	-	-	-	-	-
Female.....	-	1	-	1	3	3	3	3	1	3	-	-
White, both sexes.....	5	6	2	-	8	3	6	1	1	2	-	-
Male.....	5	5	2	-	6	1	3	-	-	-	-	-
Female.....	-	1	-	-	2	2	3	1	1	2	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	2	1	2	-	2	-	-	-	-
Male.....	1	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of larynx (C32)

Arkansas

All races, both sexes.....	4	3	6	7	5	4	3	1	1	-	-	-
Male.....	4	3	6	7	4	4	3	1	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	3	3	5	6	4	4	2	1	1	-	-	-
Male.....	3	3	5	6	3	4	2	1	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	1	-	1	1	1	-	1	-	-	-	-	-
Male.....	1	-	1	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	14	26	21	39	63	48	47	30	7	3	-	-
Male.....	11	18	18	32	49	39	38	24	7	2	-	-
Female.....	3	8	3	7	14	9	9	6	-	1	-	-
White, both sexes.....	12	17	14	34	52	41	40	26	6	3	-	-
Male.....	10	11	12	28	41	34	32	20	6	2	-	-
Female.....	2	6	2	6	11	7	8	6	-	1	-	-
Black, both sexes.....	2	8	6	4	5	5	4	3	-	-	-	-
Male.....	1	6	6	3	3	3	3	3	-	-	-	-
Female.....	1	2	-	1	2	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	6	2	3	1	1	-	-	-
Male.....	-	1	-	-	5	2	3	1	1	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of larynx (C32)

Florida

All races, both sexes.....	23	39	39	43	56	44	30	18	9	-	-	-
Male.....	19	31	33	39	39	33	25	11	5	-	-	-
Female.....	4	8	6	4	17	11	5	7	4	-	-	-
White, both sexes.....	21	34	33	31	42	42	28	14	9	-	-	-
Male.....	17	27	27	28	25	31	23	8	5	-	-	-
Female.....	4	7	6	3	17	11	5	6	4	-	-	-
Black, both sexes.....	2	4	6	12	12	2	2	4	-	-	-	-
Male.....	2	3	6	11	12	2	2	3	-	-	-	-
Female.....	-	1	-	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	2	-	-	-	-	-	-	-
Male.....	-	1	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	10	13	20	15	13	11	8	4	-	-	-	-
Male.....	9	10	17	12	12	8	7	1	-	-	-	-
Female.....	1	3	3	3	1	3	1	3	-	-	-	-
White, both sexes.....	6	7	14	10	11	8	6	3	-	-	-	-
Male.....	5	6	11	8	11	7	5	1	-	-	-	-
Female.....	1	1	3	2	-	1	1	2	-	-	-	-
Black, both sexes.....	3	6	6	5	2	3	2	-	-	-	-	-
Male.....	3	4	6	4	1	1	2	-	-	-	-	-
Female.....	-	2	-	1	1	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of trachea, bronchus and lung (C33-C34)												
Arkansas												
All races, both sexes.....	2,176	-	-	-	-	-	-	-	4	6	27	62
Male.....	1,321	-	-	-	-	-	-	-	1	2	14	46
Female.....	855	-	-	-	-	-	-	-	3	4	13	16
White, both sexes.....	1,929	-	-	-	-	-	-	-	4	4	20	50
Male.....	1,162	-	-	-	-	-	-	-	1	2	11	34
Female.....	767	-	-	-	-	-	-	-	3	2	9	16
Black, both sexes.....	240	-	-	-	-	-	-	-	-	2	7	12
Male.....	156	-	-	-	-	-	-	-	-	-	3	12
Female.....	84	-	-	-	-	-	-	-	-	2	4	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	13,354	-	1	1	-	2	3	6	13	23	137	296
Male.....	7,072	-	1	-	-	2	1	4	5	15	63	147
Female.....	6,282	-	-	1	-	-	2	2	8	8	74	149
White, both sexes.....	11,155	-	1	1	-	2	2	5	5	15	100	220
Male.....	5,767	-	1	-	-	2	1	3	1	11	44	110
Female.....	5,388	-	-	1	-	-	1	2	4	4	56	110
Black, both sexes.....	1,044	-	-	-	-	-	-	1	1	1	17	46
Male.....	587	-	-	-	-	-	-	1	1	-	8	21
Female.....	457	-	-	-	-	-	-	-	-	1	9	25
American Indian 1/, both sexes.....	64	-	-	-	-	-	-	-	-	-	3	1
Male.....	37	-	-	-	-	-	-	-	-	-	2	-
Female.....	27	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	1,091	-	-	-	-	-	1	-	7	7	17	29
Male.....	681	-	-	-	-	-	-	-	3	4	9	16
Female.....	410	-	-	-	-	-	1	-	4	3	8	13

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of trachea, bronchus and lung (C33-C34)												
Florida												
All races, both sexes.....	12,107	-	-	-	-	-	-	-	3	28	122	340
Male.....	7,005	-	-	-	-	-	-	-	3	16	68	209
Female.....	5,102	-	-	-	-	-	-	-	-	12	54	131
White, both sexes.....	11,171	-	-	-	-	-	-	-	2	24	98	276
Male.....	6,396	-	-	-	-	-	-	-	2	12	55	168
Female.....	4,775	-	-	-	-	-	-	-	-	12	43	108
Black, both sexes.....	861	-	-	-	-	-	-	-	1	4	23	60
Male.....	566	-	-	-	-	-	-	-	1	4	12	39
Female.....	295	-	-	-	-	-	-	-	-	-	11	21
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	-	-	-
Male.....	11	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	60	-	-	-	-	-	-	-	-	-	1	4
Male.....	32	-	-	-	-	-	-	-	-	-	1	2
Female.....	28	-	-	-	-	-	-	-	-	-	-	2
Georgia												
All races, both sexes.....	4,369	-	1	-	-	-	1	3	6	11	66	162
Male.....	2,644	-	1	-	-	-	-	-	3	8	35	97
Female.....	1,725	-	-	-	-	-	1	3	3	3	31	65
White, both sexes.....	3,432	-	1	-	-	-	1	2	5	5	48	103
Male.....	2,054	-	1	-	-	-	-	-	3	3	26	60
Female.....	1,378	-	-	-	-	-	1	2	2	2	22	43
Black, both sexes.....	910	-	-	-	-	-	-	-	1	5	18	59
Male.....	576	-	-	-	-	-	-	-	-	5	9	37
Female.....	334	-	-	-	-	-	-	-	1	-	9	22
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	-	-	1	-	1	-	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	-	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of trachea, bronchus and lung (C33-C34)												
New Mexico												
All races, both sexes.....	705	-	-	-	-	-	-	-	1	3	5	15
Male.....	391	-	-	-	-	-	-	-	-	2	2	9
Female.....	314	-	-	-	-	-	-	-	1	1	3	6
White, both sexes.....	681	-	-	-	-	-	-	-	1	3	4	14
Male.....	380	-	-	-	-	-	-	-	-	2	2	9
Female.....	301	-	-	-	-	-	-	-	1	1	2	5
Black, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	-	-	-	1	1
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	9,312	-	-	-	-	-	-	6	6	34	126	280
Male.....	4,956	-	-	-	-	-	-	3	5	16	63	147
Female.....	4,356	-	-	-	-	-	-	3	1	18	63	133
White, both sexes.....	7,952	-	-	-	-	-	-	5	5	25	88	197
Male.....	4,205	-	-	-	-	-	-	2	4	14	43	107
Female.....	3,747	-	-	-	-	-	-	3	1	11	45	90
Black, both sexes.....	1,127	-	-	-	-	-	-	-	1	6	33	77
Male.....	605	-	-	-	-	-	-	-	1	2	16	37
Female.....	522	-	-	-	-	-	-	-	-	4	17	40
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	-	1	-
Male.....	9	-	-	-	-	-	-	-	-	-	1	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	218	-	-	-	-	-	-	1	-	3	4	6
Male.....	137	-	-	-	-	-	-	1	-	-	3	3
Female.....	81	-	-	-	-	-	-	-	-	3	1	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of trachea, bronchus and lung (C33-C34)

United States

All races, both sexes.....	8,028	12,807	18,556	22,157	26,233	27,591	21,441	11,001	3,647	701	55	3
Male.....	4,792	7,668	10,995	13,007	15,200	15,512	11,684	5,553	1,658	278	17	2
Female.....	3,236	5,139	7,561	9,150	11,033	12,079	9,757	5,448	1,989	423	38	1
White, both sexes.....	6,429	10,570	15,899	19,289	23,238	24,929	19,499	10,012	3,338	609	44	2
Male.....	3,836	6,212	9,305	11,240	13,398	14,011	10,595	5,019	1,519	237	15	1
Female.....	2,593	4,358	6,594	8,049	9,840	10,918	8,904	4,993	1,819	372	29	1
Black, both sexes.....	1,393	1,946	2,265	2,450	2,462	2,162	1,541	749	244	79	10	1
Male.....	838	1,276	1,445	1,528	1,485	1,218	851	388	110	34	1	1
Female.....	555	670	820	922	977	944	690	361	134	45	9	-
American Indian 1/, both sexes.....	45	63	109	103	118	90	59	25	7	-	-	-
Male.....	24	43	56	46	64	47	33	12	3	-	-	-
Female.....	21	20	53	57	54	43	26	13	4	-	-	-
Asian or Pacific Islander 2/, both sexes.....	161	228	283	315	415	410	342	215	58	13	1	-
Male.....	94	137	189	193	253	236	205	134	26	7	1	-
Female.....	67	91	94	122	162	174	137	81	32	6	-	-

Alabama

All races, both sexes.....	181	283	371	496	526	518	361	187	51	8	1	-
Male.....	109	195	249	319	323	310	207	99	25	3	-	-
Female.....	72	88	122	177	203	208	154	88	26	5	1	-
White, both sexes.....	126	204	295	390	449	435	309	157	46	6	-	-
Male.....	73	138	198	248	281	257	176	81	21	3	-	-
Female.....	53	66	97	142	168	178	133	76	25	3	-	-
Black, both sexes.....	54	79	76	106	77	81	52	29	5	2	1	-
Male.....	35	57	51	71	42	52	31	18	4	-	-	-
Female.....	19	22	25	35	35	29	21	11	1	2	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Alaska

All races, both sexes.....	20	20	27	34	35	29	19	11	6	-	-	-
Male.....	13	12	19	18	21	12	8	6	3	-	-	-
Female.....	7	8	8	16	14	17	11	5	3	-	-	-
White, both sexes.....	14	12	21	27	26	20	15	7	5	-	-	-
Male.....	9	7	16	15	17	9	6	4	2	-	-	-
Female.....	5	5	5	12	9	11	9	3	3	-	-	-
Black, both sexes.....	2	1	1	-	-	1	-	-	-	-	-	-
Male.....	1	-	1	-	-	1	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	5	4	6	9	6	2	3	-	-	-	-
Male.....	2	4	2	3	4	2	1	2	-	-	-	-
Female.....	1	1	2	3	5	4	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	1	-	2	2	1	1	-	-	-
Male.....	1	1	-	-	-	-	1	-	1	-	-	-
Female.....	-	1	1	1	-	2	1	1	-	-	-	-

Arizona

All races, both sexes.....	101	195	294	375	480	472	387	189	49	15	-	-
Male.....	55	106	175	221	272	258	210	99	26	4	-	-
Female.....	46	89	119	154	208	214	177	90	23	11	-	-
White, both sexes.....	95	188	284	362	460	467	380	184	48	15	-	-
Male.....	52	101	169	215	261	256	206	96	25	4	-	-
Female.....	43	87	115	147	199	211	174	88	23	11	-	-
Black, both sexes.....	6	7	7	8	15	3	4	3	1	-	-	-
Male.....	3	5	4	3	8	1	3	2	1	-	-	-
Female.....	3	2	3	5	7	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	2	1	2	1	1	-	-	-	-
Male.....	-	-	1	1	1	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	3	4	-	2	1	-	-	-	-
Male.....	-	-	1	2	2	-	1	-	-	-	-	-
Female.....	-	-	1	1	2	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of trachea, bronchus and lung (C33-C34)

Arkansas

All races, both sexes.....	128	179	297	333	372	336	252	123	48	8	1	-
Male.....	75	115	174	202	234	205	156	67	27	3	-	-
Female.....	53	64	123	131	138	131	96	56	21	5	1	-
White, both sexes.....	112	156	254	290	352	300	231	109	39	7	1	-
Male.....	68	98	142	176	219	182	144	58	25	2	-	-
Female.....	44	58	112	114	133	118	87	51	14	5	1	-
Black, both sexes.....	15	23	43	39	20	35	21	14	8	1	-	-
Male.....	7	17	32	24	15	22	12	9	2	1	-	-
Female.....	8	6	11	15	5	13	9	5	6	-	-	-
American Indian 1/, both sexes.....	1	-	-	3	-	-	-	-	-	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-

California

All races, both sexes.....	573	928	1,339	1,693	2,190	2,429	2,096	1,130	403	86	3	2
Male.....	323	525	760	923	1,201	1,260	1,083	540	182	36	-	1
Female.....	250	403	579	770	989	1,169	1,013	590	221	50	3	1
White, both sexes.....	427	745	1,089	1,411	1,841	2,072	1,827	964	359	65	3	1
Male.....	249	418	596	754	991	1,039	911	447	162	27	-	-
Female.....	178	327	493	657	850	1,033	916	517	197	38	3	1
Black, both sexes.....	87	89	133	152	169	164	97	58	18	10	-	1
Male.....	39	55	81	92	101	98	54	25	7	3	-	1
Female.....	48	34	52	60	68	66	43	33	11	7	-	-
American Indian 1/, both sexes.....	1	-	9	12	17	9	8	3	1	-	-	-
Male.....	1	-	5	7	11	5	4	2	-	-	-	-
Female.....	-	-	4	5	6	4	4	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	58	94	108	118	163	184	164	105	25	11	-	-
Male.....	34	52	78	70	98	118	114	66	13	6	-	-
Female.....	24	42	30	48	65	66	50	39	12	5	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Colorado

All races, both sexes.....	83	116	160	180	266	272	235	108	49	3	-	-
Male.....	40	69	82	99	133	144	125	53	24	-	-	-
Female.....	43	47	78	81	133	128	110	55	25	3	-	-
White, both sexes.....	76	105	149	173	250	257	227	105	48	3	-	-
Male.....	36	62	77	94	125	136	120	52	24	-	-	-
Female.....	40	43	72	79	125	121	107	53	24	3	-	-
Black, both sexes.....	4	5	6	3	11	7	5	1	1	-	-	-
Male.....	3	4	4	3	7	4	3	-	-	-	-	-
Female.....	1	1	2	-	4	3	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	3	1	1	1	-	-	-	-
Male.....	-	1	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	2	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	5	4	4	2	7	2	1	-	-	-	-
Male.....	1	2	1	2	-	3	2	1	-	-	-	-
Female.....	2	3	3	2	2	4	-	-	-	-	-	-

Connecticut

All races, both sexes.....	86	109	228	209	289	335	273	153	68	12	2	-
Male.....	46	49	122	127	158	175	135	75	27	3	-	-
Female.....	40	60	106	82	131	160	138	78	41	9	2	-
White, both sexes.....	78	97	207	193	271	324	269	146	66	12	2	-
Male.....	44	45	110	116	147	169	131	70	25	3	-	-
Female.....	34	52	97	77	124	155	138	76	41	9	2	-
Black, both sexes.....	7	12	20	15	12	9	3	7	2	-	-	-
Male.....	2	4	12	10	7	4	3	5	2	-	-	-
Female.....	5	8	8	5	5	5	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	6	1	1	-	-	-	-	-
Male.....	-	-	-	1	4	1	1	-	-	-	-	-
Female.....	1	-	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Delaware												
All races, both sexes.....	29	48	71	85	79	103	72	42	13	7	1	-
Male.....	20	29	40	54	39	51	43	19	6	4	1	-
Female.....	9	19	31	31	40	52	29	23	7	3	-	-
White, both sexes.....	21	42	55	70	67	91	64	36	12	4	1	-
Male.....	15	26	29	45	35	47	37	15	6	3	1	-
Female.....	6	16	26	25	32	44	27	21	6	1	-	-
Black, both sexes.....	8	5	16	14	11	12	8	5	1	3	-	-
Male.....	5	2	11	8	3	4	6	3	-	1	-	-
Female.....	3	3	5	6	8	8	2	2	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	-	-	1	-	-	-	-
Male.....	-	1	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Dist. of Columbia												
All races, both sexes.....	18	29	33	39	48	34	38	20	9	2	-	-
Male.....	8	17	21	26	30	14	23	10	5	2	-	-
Female.....	10	12	12	13	18	20	15	10	4	-	-	-
White, both sexes.....	2	2	5	3	8	5	9	8	6	1	-	-
Male.....	-	1	3	2	6	1	7	3	3	1	-	-
Female.....	2	1	2	1	2	4	2	5	3	-	-	-
Black, both sexes.....	16	26	27	36	39	28	29	12	3	1	-	-
Male.....	8	15	17	24	24	12	16	7	2	1	-	-
Female.....	8	11	10	12	15	16	13	5	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of trachea, bronchus and lung (C33-C34)

Florida

All races, both sexes.....	566	889	1,320	1,634	1,962	2,203	1,746	934	302	54	4	-
Male.....	330	535	798	980	1,192	1,239	985	475	148	25	2	-
Female.....	236	354	522	654	770	964	761	459	154	29	2	-
White, both sexes.....	481	779	1,209	1,491	1,810	2,096	1,668	892	292	49	4	-
Male.....	280	463	715	882	1,096	1,169	935	451	143	23	2	-
Female.....	201	316	494	609	714	927	733	441	149	26	2	-
Black, both sexes.....	76	105	101	133	144	95	70	35	10	4	-	-
Male.....	46	69	76	92	92	63	47	19	5	1	-	-
Female.....	30	36	25	41	52	32	23	16	5	3	-	-
American Indian 1/, both sexes.....	1	2	3	3	2	3	-	1	-	-	-	-
Male.....	-	1	2	2	2	3	-	1	-	-	-	-
Female.....	1	1	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	3	7	7	6	9	8	6	-	1	-	-
Male.....	4	2	5	4	2	4	3	4	-	1	-	-
Female.....	4	1	2	3	4	5	5	2	-	-	-	-

Georgia

All races, both sexes.....	267	438	589	649	737	656	486	221	60	13	3	-
Male.....	168	286	398	401	441	387	273	117	24	4	1	-
Female.....	99	152	191	248	296	269	213	104	36	9	2	-
White, both sexes.....	172	313	459	503	596	550	431	190	47	5	1	-
Male.....	113	205	307	302	355	325	236	102	15	-	1	-
Female.....	59	108	152	201	241	225	195	88	32	5	-	-
Black, both sexes.....	92	124	126	142	133	102	54	31	13	8	2	-
Male.....	55	81	88	96	81	59	37	15	9	4	-	-
Female.....	37	43	38	46	52	43	17	16	4	4	2	-
American Indian 1/, both sexes.....	1	1	1	-	2	2	-	-	-	-	-	-
Male.....	-	-	1	-	2	2	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	3	4	6	2	1	-	-	-	-	-
Male.....	-	-	2	3	3	1	-	-	-	-	-	-
Female.....	2	-	1	1	3	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of trachea, bronchus and lung (C33-C34)

Hawaii

All races, both sexes.....	25	49	63	67	97	109	74	53	12	2	1	-
Male.....	15	33	44	42	58	59	40	29	5	-	1	-
Female.....	10	16	19	25	39	50	34	24	7	2	-	-
White, both sexes.....	10	17	24	27	33	44	20	19	3	2	-	-
Male.....	5	12	17	15	18	27	11	7	-	-	-	-
Female.....	5	5	7	12	15	17	9	12	3	2	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	31	39	40	64	65	54	34	9	-	1	-
Male.....	10	20	27	27	40	32	29	22	5	-	1	-
Female.....	5	11	12	13	24	33	25	12	4	-	-	-

Idaho

All races, both sexes.....	28	34	59	91	104	125	83	43	22	4	-	-
Male.....	16	17	33	51	70	79	40	24	13	4	-	-
Female.....	12	17	26	40	34	46	43	19	9	-	-	-
White, both sexes.....	28	31	58	89	102	125	80	43	21	4	-	-
Male.....	16	14	32	50	69	79	38	24	12	4	-	-
Female.....	12	17	26	39	33	46	42	19	9	-	-	-
Black, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	1	1	1	-	-	-	1	-	-	-
Male.....	-	2	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	3	-	-	-	-	-
Male.....	-	1	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Illinois

All races, both sexes.....	332	570	759	846	1,098	1,189	895	460	145	32	-	-
Male.....	203	340	439	467	626	648	484	228	69	12	-	-
Female.....	129	230	320	379	472	541	411	232	76	20	-	-
White, both sexes.....	249	452	599	701	921	1,058	783	412	128	27	-	-
Male.....	150	269	343	389	520	580	426	202	63	11	-	-
Female.....	99	183	256	312	401	478	357	210	65	16	-	-
Black, both sexes.....	79	106	148	136	164	124	106	42	15	5	-	-
Male.....	50	61	89	73	98	62	54	23	5	1	-	-
Female.....	29	45	59	63	66	62	52	19	10	4	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	12	11	9	13	7	6	6	2	-	-	-
Male.....	3	10	6	5	8	6	4	3	1	-	-	-
Female.....	1	2	5	4	5	1	2	3	1	-	-	-

Indiana

All races, both sexes.....	214	349	454	596	660	703	544	224	79	15	-	-
Male.....	118	230	262	346	369	395	295	104	44	10	-	-
Female.....	96	119	192	250	291	308	249	120	35	5	-	-
White, both sexes.....	191	317	417	558	621	656	516	211	75	13	-	-
Male.....	107	208	243	323	348	369	277	97	42	9	-	-
Female.....	84	109	174	235	273	287	239	114	33	4	-	-
Black, both sexes.....	21	31	35	38	37	47	28	13	4	2	-	-
Male.....	11	22	18	23	21	26	18	7	2	1	-	-
Female.....	10	9	17	15	16	21	10	6	2	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	-	2	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of trachea, bronchus and lung (C33-C34)

Iowa

All races, both sexes.....	80	133	205	234	329	305	280	138	53	12	-	-
Male.....	48	77	117	138	197	200	166	71	27	6	-	-
Female.....	32	56	88	96	132	105	114	67	26	6	-	-
White, both sexes.....	78	131	200	229	322	299	274	136	52	12	-	-
Male.....	46	76	114	134	193	197	165	69	26	6	-	-
Female.....	32	55	86	95	129	102	109	67	26	6	-	-
Black, both sexes.....	1	2	3	5	7	3	4	1	-	-	-	-
Male.....	1	1	2	4	4	3	1	1	-	-	-	-
Female.....	-	1	1	1	3	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	-	-	2	1	1	-	-	-	-
Male.....	1	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	2	1	-	-	-	-	-

Kansas

All races, both sexes.....	67	123	200	214	279	288	226	128	34	5	1	-
Male.....	33	65	124	100	154	183	134	64	16	2	1	-
Female.....	34	58	76	114	125	105	92	64	18	3	-	-
White, both sexes.....	60	113	188	198	265	270	215	124	31	5	1	-
Male.....	28	57	116	90	149	171	127	61	16	2	1	-
Female.....	32	56	72	108	116	99	88	63	15	3	-	-
Black, both sexes.....	6	9	10	14	12	14	8	2	3	-	-	-
Male.....	4	8	8	9	5	10	5	1	-	-	-	-
Female.....	2	1	2	5	7	4	3	1	3	-	-	-
American Indian 1/, both sexes.....	1	-	2	2	2	3	2	-	-	-	-	-
Male.....	1	-	-	1	-	2	1	-	-	-	-	-
Female.....	-	-	2	1	2	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	1	2	-	-	-	-
Male.....	-	-	-	-	-	-	1	2	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Kentucky

All races, both sexes.....	163	315	482	564	587	536	379	155	50	10	1	-
Male.....	99	168	304	349	344	319	217	91	24	1	-	-
Female.....	64	147	178	215	243	217	162	64	26	9	1	-
White, both sexes.....	147	289	459	534	559	514	364	146	45	10	-	-
Male.....	90	155	287	333	328	305	208	88	22	1	-	-
Female.....	57	134	172	201	231	209	156	58	23	9	-	-
Black, both sexes.....	15	25	22	30	26	21	15	9	4	-	1	-
Male.....	9	13	16	16	16	13	9	3	2	-	-	-
Female.....	6	12	6	14	10	8	6	6	2	-	1	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	1	-	-	1	-	-	-	1	-	-	-

Louisiana

All races, both sexes.....	177	244	376	408	451	485	320	157	46	16	1	-
Male.....	108	163	235	249	259	295	187	87	17	8	-	-
Female.....	69	81	141	159	192	190	133	70	29	8	1	-
White, both sexes.....	91	148	269	296	337	383	244	132	38	10	1	-
Male.....	58	94	166	177	190	229	140	70	12	5	-	-
Female.....	33	54	103	119	147	154	104	62	26	5	1	-
Black, both sexes.....	83	95	105	110	112	98	75	23	8	6	-	-
Male.....	47	69	67	71	69	64	47	15	5	3	-	-
Female.....	36	26	38	39	43	34	28	8	3	3	-	-
American Indian 1/, both sexes.....	1	-	-	2	2	1	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	-	-	3	1	2	-	-	-	-
Male.....	2	-	2	-	-	2	-	2	-	-	-	-
Female.....	-	1	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Maine												
All races, both sexes.....	42	84	124	124	148	151	132	69	22	5	-	-
Male.....	28	56	67	74	81	79	80	32	12	2	-	-
Female.....	14	28	57	50	67	72	52	37	10	3	-	-
White, both sexes.....	41	83	124	122	147	151	132	69	22	5	-	-
Male.....	27	55	67	74	80	79	80	32	12	2	-	-
Female.....	14	28	57	48	67	72	52	37	10	3	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	2	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	169	264	355	401	447	519	427	203	55	10	3	-
Male.....	105	148	211	236	251	285	210	100	25	7	-	-
Female.....	64	116	144	165	196	234	217	103	30	3	3	-
White, both sexes.....	107	182	254	292	342	425	350	167	47	8	2	-
Male.....	68	95	149	167	179	231	166	86	24	5	-	-
Female.....	39	87	105	125	163	194	184	81	23	3	2	-
Black, both sexes.....	56	78	95	103	97	88	68	29	8	2	1	-
Male.....	35	50	56	64	64	51	41	10	1	2	-	-
Female.....	21	28	39	39	33	37	27	19	7	-	1	-
American Indian 1/, both sexes.....	1	-	1	1	1	1	1	1	-	-	-	-
Male.....	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	4	5	5	7	5	8	6	-	-	-	-
Male.....	2	3	5	4	7	3	3	4	-	-	-	-
Female.....	3	1	-	1	-	2	5	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Massachusetts

All races, both sexes.....	160	267	367	480	633	644	523	299	102	17	-	-
Male.....	86	135	207	260	341	328	268	140	45	5	-	-
Female.....	74	132	160	220	292	316	255	159	57	12	-	-
White, both sexes.....	147	249	349	447	599	621	505	286	99	17	-	-
Male.....	78	126	194	238	318	314	257	132	45	5	-	-
Female.....	69	123	155	209	281	307	248	154	54	12	-	-
Black, both sexes.....	9	16	16	27	29	17	12	9	1	-	-	-
Male.....	4	7	11	18	18	10	6	5	-	-	-	-
Female.....	5	9	5	9	11	7	6	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	2	6	5	5	6	3	2	-	-	-
Male.....	4	2	2	4	5	4	5	3	-	-	-	-
Female.....	-	-	-	2	-	1	1	-	2	-	-	-

Michigan

All races, both sexes.....	320	463	690	818	958	997	799	349	119	14	3	-
Male.....	200	272	405	465	556	585	422	175	46	9	3	-
Female.....	120	191	285	353	402	412	377	174	73	5	-	-
White, both sexes.....	260	355	567	732	864	901	701	329	107	12	3	-
Male.....	168	201	337	418	495	536	371	161	42	7	3	-
Female.....	92	154	230	314	369	365	330	168	65	5	-	-
Black, both sexes.....	57	98	108	82	86	90	91	17	10	2	-	-
Male.....	31	66	61	45	56	46	47	12	3	2	-	-
Female.....	26	32	47	37	30	44	44	5	7	-	-	-
American Indian 1/, both sexes.....	1	6	12	4	3	5	4	3	-	-	-	-
Male.....	-	3	6	2	-	3	3	2	-	-	-	-
Female.....	1	3	6	2	3	2	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	3	-	5	1	3	-	2	-	-	-
Male.....	1	2	1	-	5	-	1	-	1	-	-	-
Female.....	1	2	2	-	-	1	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Minnesota

All races, both sexes.....	108	182	255	270	395	395	354	162	64	11	3	-
Male.....	58	105	143	146	222	227	203	87	30	6	2	-
Female.....	50	77	112	124	173	168	151	75	34	5	1	-
White, both sexes.....	93	174	236	258	378	386	346	159	64	11	3	-
Male.....	50	101	132	140	210	221	200	84	30	6	2	-
Female.....	43	73	104	118	168	165	146	75	34	5	1	-
Black, both sexes.....	10	6	14	10	8	5	3	2	-	-	-	-
Male.....	6	3	11	5	6	4	1	2	-	-	-	-
Female.....	4	3	3	5	2	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	4	1	5	3	2	-	-	-	-	-
Male.....	1	-	-	1	4	2	1	-	-	-	-	-
Female.....	2	-	4	-	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	1	1	4	1	3	1	-	-	-	-
Male.....	1	1	-	-	2	-	1	1	-	-	-	-
Female.....	1	1	1	1	2	1	2	-	-	-	-	-

Mississippi

All races, both sexes.....	113	178	244	310	309	284	202	99	30	5	1	-
Male.....	70	124	149	197	196	170	122	62	13	2	1	-
Female.....	43	54	95	113	113	114	80	37	17	3	-	-
White, both sexes.....	65	117	164	242	227	235	150	76	23	5	-	-
Male.....	40	77	97	148	145	139	90	47	10	2	-	-
Female.....	25	40	67	94	82	96	60	29	13	3	-	-
Black, both sexes.....	47	59	80	67	80	48	50	22	7	-	1	-
Male.....	30	45	52	48	50	30	32	14	3	-	1	-
Female.....	17	14	28	19	30	18	18	8	4	-	-	-
American Indian 1/, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	2	1	2	1	-	-	-	-
Male.....	-	-	-	1	1	1	-	1	-	-	-	-
Female.....	1	-	-	-	1	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Nebraska

All races, both sexes.....	22	77	93	128	165	158	133	67	19	7	-	-
Male.....	14	40	59	79	98	85	81	37	5	3	-	-
Female.....	8	37	34	49	67	73	52	30	14	4	-	-
White, both sexes.....	20	75	90	121	157	155	130	65	17	6	-	-
Male.....	13	38	57	75	92	84	79	37	5	3	-	-
Female.....	7	37	33	46	65	71	51	28	12	3	-	-
Black, both sexes.....	2	1	2	5	6	2	3	2	2	1	-	-
Male.....	1	1	1	3	4	1	2	-	-	-	-	-
Female.....	1	-	1	2	2	1	1	2	2	1	-	-
American Indian 1/, both sexes.....	-	1	-	1	2	1	-	-	-	-	-	-
Male.....	-	1	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	51	102	154	189	221	268	162	76	23	7	-	-
Male.....	28	53	81	111	124	141	76	42	10	3	-	-
Female.....	23	49	73	78	97	127	86	34	13	4	-	-
White, both sexes.....	47	87	134	171	197	250	153	72	21	7	-	-
Male.....	27	41	67	101	110	129	73	40	9	3	-	-
Female.....	20	46	67	70	87	121	80	32	12	4	-	-
Black, both sexes.....	3	12	8	10	13	11	6	4	1	-	-	-
Male.....	1	9	7	6	9	7	2	2	1	-	-	-
Female.....	2	3	1	4	4	4	4	2	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	2	-	-	-	1	-	-	-
Male.....	-	1	1	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	11	8	9	7	3	-	-	-	-	-
Male.....	-	2	6	4	3	5	1	-	-	-	-	-
Female.....	1	-	5	4	6	2	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of trachea, bronchus and lung (C33-C34)

New Hampshire

All races, both sexes.....	38	64	99	111	100	121	102	46	15	1	-	-
Male.....	22	32	58	63	59	72	54	23	6	-	-	-
Female.....	16	32	41	48	41	49	48	23	9	1	-	-
White, both sexes.....	38	64	98	111	99	117	102	46	15	1	-	-
Male.....	22	32	57	63	59	71	54	23	6	-	-	-
Female.....	16	32	41	48	40	46	48	23	9	1	-	-
Black, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	3	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	2	-	-	-	-	-	-

New Jersey

All races, both sexes.....	209	314	492	569	664	823	697	371	140	17	1	-
Male.....	118	177	262	325	384	434	352	163	69	6	-	-
Female.....	91	137	230	244	280	389	345	208	71	11	1	-
White, both sexes.....	166	251	408	496	579	749	629	348	134	16	1	-
Male.....	90	135	212	282	334	405	321	149	64	6	-	-
Female.....	76	116	196	214	245	344	308	199	70	10	1	-
Black, both sexes.....	39	56	76	70	75	71	59	17	6	1	-	-
Male.....	26	36	46	40	44	29	26	10	5	-	-	-
Female.....	13	20	30	30	31	42	33	7	1	1	-	-
American Indian 1/, both sexes.....	-	-	3	-	2	-	1	2	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	3	-	1	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	7	5	3	8	3	8	4	-	-	-	-
Male.....	2	6	4	3	5	-	5	3	-	-	-	-
Female.....	2	1	1	-	3	3	3	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

New Mexico

All races, both sexes.....	27	60	76	107	114	129	91	52	21	4	-	-
Male.....	15	36	41	65	63	71	46	28	11	2	-	-
Female.....	12	24	35	42	51	58	45	24	10	2	-	-
White, both sexes.....	24	57	74	104	112	125	86	52	21	4	-	-
Male.....	13	34	39	64	63	70	43	28	11	2	-	-
Female.....	11	23	35	40	49	55	43	24	10	2	-	-
Black, both sexes.....	2	-	1	2	-	1	3	-	-	-	-	-
Male.....	1	-	1	-	-	2	-	-	-	-	-	-
Female.....	1	-	-	2	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	3	-	1	1	1	2	-	-	-	-	-
Male.....	1	2	-	1	-	1	1	-	-	-	-	-
Female.....	-	1	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	2	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	2	-	-	-	-	-	-

New York

All races, both sexes.....	496	719	1,006	1,223	1,470	1,666	1,232	749	242	53	3	1
Male.....	301	399	562	673	808	880	632	352	100	14	-	1
Female.....	195	320	444	550	662	786	600	397	142	39	3	-
White, both sexes.....	385	584	828	1,029	1,250	1,480	1,116	681	228	48	2	1
Male.....	234	313	447	564	685	783	578	321	95	14	-	1
Female.....	151	271	381	465	565	697	538	360	133	34	2	-
Black, both sexes.....	89	122	154	157	183	149	88	52	11	4	1	-
Male.....	53	76	98	84	100	73	38	24	3	-	-	-
Female.....	36	46	56	73	83	76	50	28	8	4	1	-
American Indian 1/, both sexes.....	1	1	3	3	1	2	3	-	-	-	-	-
Male.....	1	1	2	-	1	-	3	-	-	-	-	-
Female.....	-	-	1	3	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	12	21	34	36	35	25	16	3	1	-	-
Male.....	13	9	15	25	22	24	13	7	2	-	-	-
Female.....	8	3	6	9	14	11	12	9	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Ohio

All races, both sexes.....	402	602	863	1,028	1,214	1,269	968	471	164	32	1	-
Male.....	271	382	486	616	696	707	538	228	74	11	1	-
Female.....	131	220	377	412	518	562	430	243	90	21	-	-
White, both sexes.....	338	509	756	894	1,101	1,139	885	434	155	27	1	-
Male.....	230	318	431	544	631	633	498	209	68	8	1	-
Female.....	108	191	325	350	470	506	387	225	87	19	-	-
Black, both sexes.....	60	89	105	132	111	130	79	37	8	5	-	-
Male.....	38	62	53	72	64	74	40	19	6	3	-	-
Female.....	22	27	52	60	47	56	39	18	2	2	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	2	2	2	-	3	-	1	-	-	-
Male.....	2	1	2	-	1	-	-	-	-	-	-	-
Female.....	1	2	-	2	1	-	3	-	1	-	-	-

Oklahoma

All races, both sexes.....	130	204	333	361	411	373	266	136	46	4	1	-
Male.....	77	133	184	221	253	232	143	74	25	3	-	-
Female.....	53	71	149	140	158	141	123	62	21	1	1	-
White, both sexes.....	112	167	286	322	362	334	243	128	44	4	1	-
Male.....	68	109	156	202	222	209	129	70	25	3	-	-
Female.....	44	58	130	120	140	125	114	58	19	1	1	-
Black, both sexes.....	10	23	20	15	20	18	12	3	-	-	-	-
Male.....	5	16	14	10	14	13	7	2	-	-	-	-
Female.....	5	7	6	5	6	5	5	1	-	-	-	-
American Indian 1/, both sexes.....	8	13	25	21	26	20	11	4	2	-	-	-
Male.....	4	7	12	9	15	9	7	1	-	-	-	-
Female.....	4	6	13	12	11	11	4	3	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	3	3	1	-	1	-	-	-	-
Male.....	-	1	2	-	2	1	-	1	-	-	-	-
Female.....	-	-	-	3	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Oregon

All races, both sexes.....	86	156	231	286	363	378	279	175	52	15	-	-
Male.....	43	89	138	147	206	214	144	96	22	4	-	-
Female.....	43	67	93	139	157	164	135	79	30	11	-	-
White, both sexes.....	82	153	223	280	356	368	276	170	52	14	-	-
Male.....	41	88	134	143	201	212	142	92	22	4	-	-
Female.....	41	65	89	137	155	156	134	78	30	10	-	-
Black, both sexes.....	2	-	2	3	3	4	1	3	-	1	-	-
Male.....	1	-	1	2	3	1	1	2	-	-	-	-
Female.....	1	-	1	1	-	3	-	1	-	1	-	-
American Indian 1/, both sexes.....	1	1	1	1	3	3	1	-	-	-	-	-
Male.....	-	-	1	1	1	1	-	-	-	-	-	-
Female.....	1	1	-	-	2	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	5	2	1	3	1	2	-	-	-	-
Male.....	1	1	2	1	1	-	1	2	-	-	-	-
Female.....	-	1	3	1	-	3	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	385	606	924	1,071	1,283	1,486	1,198	633	212	30	1	-
Male.....	219	366	549	647	743	855	669	325	82	13	-	-
Female.....	166	240	375	424	540	631	529	308	130	17	1	-
White, both sexes.....	327	539	810	948	1,171	1,378	1,117	591	193	25	1	-
Male.....	182	335	480	574	683	809	636	304	74	9	-	-
Female.....	145	204	330	374	488	569	481	287	119	16	1	-
Black, both sexes.....	53	63	110	116	103	101	77	41	18	5	-	-
Male.....	33	31	67	67	53	44	31	20	8	4	-	-
Female.....	20	32	43	49	50	57	46	21	10	1	-	-
American Indian 1/, both sexes.....	1	-	-	1	2	-	1	-	-	-	-	-
Male.....	1	-	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	4	4	6	7	7	3	1	1	1	-	-
Male.....	3	-	2	5	6	2	1	1	-	-	-	-
Female.....	1	4	2	1	1	5	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of trachea, bronchus and lung (C33-C34)

Rhode Island

All races, both sexes.....	28	37	58	73	94	125	94	67	8	2	1	-
Male.....	15	19	30	36	53	61	49	32	3	1	-	-
Female.....	13	18	28	37	41	64	45	35	5	1	1	-
White, both sexes.....	27	36	55	66	89	117	91	66	8	2	1	-
Male.....	15	18	29	35	49	55	48	31	3	1	-	-
Female.....	12	18	26	31	40	62	43	35	5	1	1	-
Black, both sexes.....	1	1	3	5	4	5	3	1	-	-	-	-
Male.....	-	1	1	1	3	3	1	1	-	-	-	-
Female.....	1	-	2	4	1	2	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	2	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	176	270	340	431	442	450	281	147	40	9	3	-
Male.....	106	182	216	277	273	270	159	78	19	2	-	-
Female.....	70	88	124	154	169	180	122	69	21	7	3	-
White, both sexes.....	118	182	260	351	365	380	236	122	33	7	2	-
Male.....	67	120	157	221	224	227	134	63	16	2	-	-
Female.....	51	62	103	130	141	153	102	59	17	5	2	-
Black, both sexes.....	57	85	79	78	75	68	41	24	7	2	1	-
Male.....	38	59	58	56	48	42	25	14	3	-	-	-
Female.....	19	26	21	22	27	26	16	10	4	2	1	-
American Indian 1/, both sexes.....	-	1	1	1	1	-	-	1	-	-	-	-
Male.....	-	1	1	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	1	1	2	4	-	-	-	-	-
Male.....	1	2	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	4	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of trachea, bronchus and lung (C33-C34)

South Dakota

All races, both sexes.....	27	43	58	57	67	74	72	42	11	5	-	-
Male.....	18	27	32	30	38	39	40	24	7	2	-	-
Female.....	9	16	26	27	29	35	32	18	4	3	-	-
White, both sexes.....	26	41	52	53	64	72	69	41	10	5	-	-
Male.....	18	25	29	30	38	39	38	24	6	2	-	-
Female.....	8	16	23	23	26	33	31	17	4	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	6	4	3	2	2	1	1	-	-	-
Male.....	-	2	3	-	-	-	2	-	1	-	-	-
Female.....	1	-	3	4	3	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Tennessee

All races, both sexes.....	247	419	568	745	697	680	487	220	64	17	3	-
Male.....	142	273	346	465	439	415	281	110	30	2	-	-
Female.....	105	146	222	280	258	265	206	110	34	15	3	-
White, both sexes.....	192	334	492	659	615	613	431	196	55	15	2	-
Male.....	112	215	296	413	394	382	254	97	25	2	-	-
Female.....	80	119	196	246	221	231	177	99	30	13	2	-
Black, both sexes.....	54	83	69	82	81	67	56	23	9	2	1	-
Male.....	30	56	45	51	45	33	27	12	5	-	-	-
Female.....	24	27	24	31	36	34	29	11	4	2	1	-
American Indian 1/, both sexes.....	1	2	2	1	-	-	-	1	-	-	-	-
Male.....	-	2	2	1	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	5	3	1	-	-	-	-	-	-	-
Male.....	-	-	3	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	3	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Texas

All races, both sexes.....	466	802	1,169	1,415	1,627	1,651	1,221	612	207	40	5	-
Male.....	295	487	709	871	1,006	953	685	324	99	16	2	-
Female.....	171	315	460	544	621	698	536	288	108	24	3	-
White, both sexes.....	362	663	1,006	1,222	1,429	1,455	1,111	546	185	35	4	-
Male.....	227	400	612	751	881	843	620	289	86	14	2	-
Female.....	135	263	394	471	548	612	491	257	99	21	2	-
Black, both sexes.....	97	126	155	169	180	176	103	64	18	5	1	-
Male.....	63	78	91	106	113	98	60	34	11	2	-	-
Female.....	34	48	64	63	67	78	43	30	7	3	1	-
American Indian 1/, both sexes.....	2	1	-	2	-	1	-	-	-	-	-	-
Male.....	1	1	-	1	-	1	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	12	8	22	18	19	7	2	4	-	-	-
Male.....	4	8	6	13	12	11	5	1	2	-	-	-
Female.....	1	4	2	9	6	8	2	1	2	-	-	-

Utah

All races, both sexes.....	14	27	55	67	72	74	64	29	7	1	-	-
Male.....	10	18	40	47	46	39	42	17	4	-	-	-
Female.....	4	9	15	20	26	35	22	12	3	1	-	-
White, both sexes.....	14	25	53	67	68	68	63	29	6	1	-	-
Male.....	10	17	38	47	44	37	41	17	3	-	-	-
Female.....	4	8	15	20	24	31	22	12	3	1	-	-
Black, both sexes.....	-	2	1	-	-	-	-	-	1	-	-	-
Male.....	-	1	1	-	-	-	-	-	1	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	4	1	-	-	-	-	-
Male.....	-	-	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	3	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of trachea, bronchus and lung (C33-C34)

Vermont

All races, both sexes.....	21	20	34	50	57	53	46	22	13	2	-	-
Male.....	13	10	21	22	29	30	23	11	5	1	-	-
Female.....	8	10	13	28	28	23	23	11	8	1	-	-
White, both sexes.....	21	20	34	50	56	53	46	22	13	2	-	-
Male.....	13	10	21	22	29	30	23	11	5	1	-	-
Female.....	8	10	13	28	27	23	23	11	8	1	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	236	337	518	627	684	689	519	255	75	16	1	-
Male.....	147	205	319	387	400	393	279	127	29	6	-	-
Female.....	89	132	199	240	284	296	240	128	46	10	1	-
White, both sexes.....	182	247	411	506	567	579	447	206	58	14	1	-
Male.....	111	138	250	299	326	323	239	102	23	6	-	-
Female.....	71	109	161	207	241	256	208	104	35	8	1	-
Black, both sexes.....	49	82	97	116	104	104	70	46	15	2	-	-
Male.....	35	63	65	85	65	67	40	24	6	-	-	-
Female.....	14	19	32	31	39	37	30	22	9	2	-	-
American Indian 1/, both sexes.....	-	-	1	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	8	9	3	13	6	2	3	2	-	-	-
Male.....	1	4	4	2	9	3	-	1	-	-	-	-
Female.....	4	4	5	1	4	3	2	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of thymus, heart, mediastinum and pleura (C37-C38)

Arkansas

All races, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
White, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1	4	2	7	6	8	4	4	2	-	-	-
Male.....	1	1	2	6	2	4	2	1	1	-	-	-
Female.....	-	3	-	1	4	4	2	3	1	-	-	-
White, both sexes.....	1	2	2	7	2	7	3	3	2	-	-	-
Male.....	1	1	2	6	-	4	1	1	1	-	-	-
Female.....	-	1	-	1	2	3	2	2	1	-	-	-
Black, both sexes.....	-	1	-	-	2	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	2	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of bone and articular cartilage (C40-C41)

Arkansas

All races, both sexes.....	25	-	-	-	-	2	3	1	-	-	-	-
Male.....	11	-	-	-	-	2	2	1	-	-	-	-
Female.....	14	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	21	-	-	-	-	1	3	1	-	-	-	-
Male.....	9	-	-	-	-	1	2	1	-	-	-	-
Female.....	12	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	4	-	-	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	174	-	1	1	10	16	14	9	6	2	7	8
Male.....	101	-	1	-	4	11	12	5	3	1	7	4
Female.....	73	-	-	1	6	5	2	4	3	1	-	4
White, both sexes.....	145	-	1	1	10	12	12	8	5	2	5	7
Male.....	85	-	1	-	4	8	11	4	2	1	5	4
Female.....	60	-	-	1	6	4	1	4	3	1	-	3
Black, both sexes.....	16	-	-	-	-	1	2	1	-	-	1	1
Male.....	10	-	-	-	-	1	1	1	-	-	1	-
Female.....	6	-	-	-	-	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	2	-	-	1	-	1	-
Male.....	4	-	-	-	-	1	-	-	1	-	1	-
Female.....	7	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of bone and articular cartilage (C40-C41)

Massachusetts

All races, both sexes.....	26	-	-	1	-	1	2	1	1	-	-	1
Male.....	13	-	-	-	-	-	1	-	1	-	-	1
Female.....	13	-	-	1	-	1	1	1	-	-	-	-
White, both sexes.....	24	-	-	1	-	1	2	1	-	-	-	1
Male.....	12	-	-	-	-	-	1	-	-	-	-	1
Female.....	12	-	-	1	-	1	1	1	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	45	-	-	-	4	2	2	2	-	3	1	4
Male.....	28	-	-	-	3	-	1	2	-	2	1	1
Female.....	17	-	-	-	1	2	1	-	-	1	-	3
White, both sexes.....	38	-	-	-	2	2	2	2	-	1	1	4
Male.....	23	-	-	-	1	-	1	2	-	1	1	1
Female.....	15	-	-	-	1	2	1	-	-	-	-	3
Black, both sexes.....	6	-	-	-	2	-	-	-	-	1	-	-
Male.....	5	-	-	-	2	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of bone and articular cartilage (C40-C41)

Vermont

All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	29	-	-	-	-	3	7	-	2	-	1	3
Male.....	14	-	-	-	-	1	4	-	1	-	-	3
Female.....	15	-	-	-	-	2	3	-	1	-	1	-
White, both sexes.....	24	-	-	-	-	3	7	-	-	-	1	3
Male.....	12	-	-	-	-	1	4	-	-	-	-	3
Female.....	12	-	-	-	-	2	3	-	-	-	1	-
Black, both sexes.....	4	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of bone and articular cartilage (C40-C41)

Arkansas

All races, both sexes.....	1	4	1	2	2	3	2	1	2	1	-	-
Male.....	-	1	-	-	-	2	2	-	1	-	-	-
Female.....	1	3	1	2	2	1	-	1	1	1	-	-
White, both sexes.....	1	2	1	2	2	3	2	1	1	1	-	-
Male.....	-	1	-	-	-	2	2	-	-	-	-	-
Female.....	1	1	1	2	2	1	-	1	1	1	-	-
Black, both sexes.....	-	2	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	14	7	9	12	14	12	14	10	6	1	1	-
Male.....	8	3	3	7	10	9	6	3	3	1	-	-
Female.....	6	4	6	5	4	3	8	7	3	-	1	-
White, both sexes.....	8	6	8	9	12	10	13	9	5	1	1	-
Male.....	5	2	2	7	8	9	5	3	3	1	-	-
Female.....	3	4	6	2	4	1	8	6	2	-	1	-
Black, both sexes.....	3	-	1	1	1	1	1	1	1	-	-	-
Male.....	3	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	2	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	3	-	-	2	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of bone and articular cartilage (C40-C41)

New Hampshire

All races, both sexes.....	-	-	-	1	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	1	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1	1	-	-	2	5	3	-	1	-	-	-
Male.....	1	-	-	-	-	2	1	-	-	-	-	-
Female.....	-	1	-	-	2	3	2	-	1	-	-	-
White, both sexes.....	1	1	-	-	2	4	3	-	-	-	-	-
Male.....	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	1	-	-	2	3	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Melanoma and other malignant neoplasms of skin (C43-C44)

New Hampshire

All races, both sexes.....	51	-	-	-	-	-	-	-	-	1	3	4
Male.....	34	-	-	-	-	-	-	-	-	-	3	3
Female.....	17	-	-	-	-	-	-	-	-	1	-	1
White, both sexes.....	51	-	-	-	-	-	-	-	-	1	3	4
Male.....	34	-	-	-	-	-	-	-	-	-	3	3
Female.....	17	-	-	-	-	-	-	-	-	1	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	328	-	-	-	-	-	2	3	1	4	13	14
Male.....	206	-	-	-	-	-	-	2	-	3	9	9
Female.....	122	-	-	-	-	-	2	1	1	1	4	5
White, both sexes.....	322	-	-	-	-	-	1	3	1	4	13	14
Male.....	203	-	-	-	-	-	-	2	-	3	9	9
Female.....	119	-	-	-	-	-	1	1	1	1	4	5
Black, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Melanoma and other malignant neoplasms of skin (C43-C44)

Alaska

All races, both sexes.....	-	-	3	2	2	1	1	-	1	-	-	-
Male.....	-	-	3	2	2	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
White, both sexes.....	-	-	3	2	-	1	1	-	-	-	-	-
Male.....	-	-	3	2	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	-	-	1	-	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	15	20	19	28	27	39	25	16	12	1	-	-
Male.....	13	15	15	20	24	29	20	13	8	-	-	-
Female.....	2	5	4	8	3	10	5	3	4	1	-	-
White, both sexes.....	14	20	19	28	27	38	25	16	12	1	-	-
Male.....	12	15	15	20	24	29	20	13	8	-	-	-
Female.....	2	5	4	8	3	9	5	3	4	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Melanoma and other malignant neoplasms of skin (C43-C44)

Arkansas

All races, both sexes.....	8	9	10	13	12	10	16	5	2	1	-	-
Male.....	5	6	5	9	11	7	12	2	1	-	-	-
Female.....	3	3	5	4	1	3	4	3	1	1	-	-
White, both sexes.....	7	9	9	13	12	9	16	4	2	1	-	-
Male.....	4	6	5	9	11	7	12	2	1	-	-	-
Female.....	3	3	4	4	1	2	4	2	1	1	-	-
Black, both sexes.....	1	-	1	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	86	93	95	105	112	126	148	121	59	19	1	-
Male.....	58	68	70	76	75	93	101	78	35	8	1	-
Female.....	28	25	25	29	37	33	47	43	24	11	-	-
White, both sexes.....	81	85	93	97	106	124	147	116	58	18	1	-
Male.....	56	63	70	71	71	92	101	74	35	8	1	-
Female.....	25	22	23	26	35	32	46	42	23	10	-	-
Black, both sexes.....	2	3	-	4	2	2	-	1	-	-	-	-
Male.....	1	1	-	3	2	1	-	-	-	-	-	-
Female.....	1	2	-	1	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	5	2	4	4	-	1	4	1	-	-	-
Male.....	1	4	-	2	2	-	-	4	-	-	-	-
Female.....	2	1	2	2	2	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Melanoma and other malignant neoplasms of skin (C43-C44)

Massachusetts

All races, both sexes.....	25	23	25	25	31	49	34	24	18	4	2	-
Male.....	17	11	17	16	16	27	18	16	11	3	-	-
Female.....	8	12	8	9	15	22	16	8	7	1	2	-
White, both sexes.....	25	23	24	25	31	49	34	23	18	4	2	-
Male.....	17	11	17	16	16	27	18	15	11	3	-	-
Female.....	8	12	7	9	15	22	16	8	7	1	2	-
Black, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	25	30	36	28	36	45	42	32	15	2	1	-
Male.....	17	22	22	18	24	30	27	20	6	1	-	-
Female.....	8	8	14	10	12	15	15	12	9	1	1	-
White, both sexes.....	24	30	32	26	35	43	39	31	15	2	1	-
Male.....	17	22	20	16	24	30	25	20	6	1	-	-
Female.....	7	8	12	10	11	13	14	11	9	1	1	-
Black, both sexes.....	1	-	2	2	1	2	1	1	-	-	-	-
Male.....	-	-	1	2	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	1	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	2	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Melanoma and other malignant neoplasms of skin (C43-C44)

Nebraska

All races, both sexes.....	11	6	5	2	11	10	10	7	3	2	-	-
Male.....	7	4	5	2	8	7	6	3	2	1	-	-
Female.....	4	2	-	-	3	3	4	4	1	1	-	-
White, both sexes.....	11	6	5	2	11	10	10	7	3	2	-	-
Male.....	7	4	5	2	8	7	6	3	2	1	-	-
Female.....	4	2	-	-	3	3	4	4	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	11	7	8	13	14	11	10	4	-	1	-	-
Male.....	7	5	7	11	11	10	8	3	-	1	-	-
Female.....	4	2	1	2	3	1	2	1	-	-	-	-
White, both sexes.....	10	7	8	13	13	11	10	4	-	1	-	-
Male.....	7	5	7	11	11	10	8	3	-	1	-	-
Female.....	3	2	1	2	2	1	2	1	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Melanoma and other malignant neoplasms of skin (C43-C44)

New Mexico

All races, both sexes.....	4	6	5	7	5	4	7	9	5	1	1	-
Male.....	3	4	4	5	4	2	5	6	3	-	-	-
Female.....	1	2	1	2	1	2	2	3	2	1	1	-
White, both sexes.....	4	6	5	7	5	4	7	8	5	1	1	-
Male.....	3	4	4	5	4	2	5	6	3	-	-	-
Female.....	1	2	1	2	1	2	2	2	2	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	44	39	45	65	64	69	75	63	30	12	2	-
Male.....	27	29	26	39	37	42	43	40	18	3	-	-
Female.....	17	10	19	26	27	27	32	23	12	9	2	-
White, both sexes.....	41	36	45	63	62	69	72	61	30	12	2	-
Male.....	27	27	26	38	37	42	41	40	18	3	-	-
Female.....	14	9	19	25	25	27	31	21	12	9	2	-
Black, both sexes.....	2	2	-	2	1	-	2	2	-	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	2	1	-	1	1	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Melanoma and other malignant neoplasms of skin (C43-C44)

Ohio

All races, both sexes.....	35	42	37	40	47	60	54	39	9	5	-	-
Male.....	26	31	21	27	29	34	33	24	5	1	-	-
Female.....	9	11	16	13	18	26	21	15	4	4	-	-
White, both sexes.....	33	41	34	39	47	59	53	39	9	5	-	-
Male.....	24	30	20	26	29	34	32	24	5	1	-	-
Female.....	9	11	14	13	18	25	21	15	4	4	-	-
Black, both sexes.....	2	1	3	1	-	1	1	-	-	-	-	-
Male.....	2	1	1	1	-	1	1	-	-	-	-	-
Female.....	-	-	2	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	11	13	15	15	21	31	18	8	3	2	1	-
Male.....	6	7	10	11	16	21	12	7	-	2	-	-
Female.....	5	6	5	4	5	10	6	1	3	-	1	-
White, both sexes.....	10	12	13	14	20	29	18	8	3	2	1	-
Male.....	5	6	9	10	16	19	12	7	-	2	-	-
Female.....	5	6	4	4	4	10	6	1	3	-	1	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	2	1	-	1	-	-	-	-	-	-
Male.....	1	1	1	1	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant melanoma of skin (C43)

New Hampshire

All races, both sexes.....	38	-	-	-	-	-	-	-	-	1	1	4
Male.....	25	-	-	-	-	-	-	-	-	-	1	3
Female.....	13	-	-	-	-	-	-	-	-	1	-	1
White, both sexes.....	38	-	-	-	-	-	-	-	-	1	1	4
Male.....	25	-	-	-	-	-	-	-	-	-	1	3
Female.....	13	-	-	-	-	-	-	-	-	1	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	261	-	-	-	-	-	2	3	1	4	13	14
Male.....	162	-	-	-	-	-	-	2	-	3	9	9
Female.....	99	-	-	-	-	-	2	1	1	1	4	5
White, both sexes.....	258	-	-	-	-	-	1	3	1	4	13	14
Male.....	160	-	-	-	-	-	-	2	-	3	9	9
Female.....	98	-	-	-	-	-	1	1	1	1	4	5
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant melanoma of skin (C43)

Alaska

All races, both sexes.....	-	-	1	2	1	-	1	-	1	-	-	-
Male.....	-	-	1	2	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
White, both sexes.....	-	-	1	2	-	-	1	-	-	-	-	-
Male.....	-	-	1	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	9	16	16	21	18	27	17	13	7	1	-	-
Male.....	7	11	13	14	17	21	14	10	6	-	-	-
Female.....	2	5	3	7	1	6	3	3	1	1	-	-
White, both sexes.....	8	16	16	21	18	26	17	13	7	1	-	-
Male.....	6	11	13	14	17	21	14	10	6	-	-	-
Female.....	2	5	3	7	1	5	3	3	1	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant melanoma of skin (C43)

Arkansas

All races, both sexes.....	4	7	9	11	9	8	12	2	1	1	-	-
Male.....	2	4	4	7	8	6	10	-	1	-	-	-
Female.....	2	3	5	4	1	2	2	2	-	1	-	-
White, both sexes.....	4	7	8	11	9	8	12	1	1	1	-	-
Male.....	2	4	4	7	8	6	10	-	1	-	-	-
Female.....	2	3	4	4	1	2	2	1	-	1	-	-
Black, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	79	81	75	80	88	94	92	87	33	7	1	-
Male.....	53	57	53	56	57	72	63	58	21	3	1	-
Female.....	26	24	22	24	31	22	29	29	12	4	-	-
White, both sexes.....	75	75	74	77	85	93	91	82	33	7	1	-
Male.....	52	54	53	55	55	72	63	54	21	3	1	-
Female.....	23	21	21	22	30	21	28	28	12	4	-	-
Black, both sexes.....	1	2	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	2	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	4	1	3	3	-	1	4	-	-	-	-
Male.....	1	3	-	1	2	-	-	4	-	-	-	-
Female.....	2	1	1	2	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant melanoma of skin (C43)

Massachusetts

All races, both sexes.....	23	18	20	21	26	44	26	16	9	2	-	-
Male.....	15	9	12	13	14	24	14	10	6	1	-	-
Female.....	8	9	8	8	12	20	12	6	3	1	-	-
White, both sexes.....	23	18	19	21	26	44	26	15	9	2	-	-
Male.....	15	9	12	13	14	24	14	9	6	1	-	-
Female.....	8	9	7	8	12	20	12	6	3	1	-	-
Black, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	19	26	27	22	27	38	35	23	8	2	1	-
Male.....	13	18	16	15	19	26	22	15	3	1	-	-
Female.....	6	8	11	7	8	12	13	8	5	1	1	-
White, both sexes.....	19	26	25	20	26	37	32	22	8	2	1	-
Male.....	13	18	15	13	19	26	20	15	3	1	-	-
Female.....	6	8	10	7	7	11	12	7	5	1	1	-
Black, both sexes.....	-	-	-	2	1	1	1	1	-	-	-	-
Male.....	-	-	-	2	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	2	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant melanoma of skin (C43)

Nebraska

All races, both sexes.....	9	6	4	1	6	9	7	5	1	1	-	-
Male.....	5	4	4	1	4	6	5	3	-	-	-	-
Female.....	4	2	-	-	2	3	2	2	1	1	-	-
White, both sexes.....	9	6	4	1	6	9	7	5	1	1	-	-
Male.....	5	4	4	1	4	6	5	3	-	-	-	-
Female.....	4	2	-	-	2	3	2	2	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	8	7	6	10	10	9	7	3	-	1	-	-
Male.....	5	5	5	8	7	8	5	3	-	1	-	-
Female.....	3	2	1	2	3	1	2	-	-	-	-	-
White, both sexes.....	8	7	6	10	9	9	7	3	-	1	-	-
Male.....	5	5	5	8	7	8	5	3	-	1	-	-
Female.....	3	2	1	2	2	1	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant melanoma of skin (C43)

New Mexico

All races, both sexes.....	4	4	5	3	3	3	4	5	3	-	1	-
Male.....	3	2	4	2	2	1	3	3	1	-	-	-
Female.....	1	2	1	1	1	2	1	2	2	-	1	-
White, both sexes.....	4	4	5	3	3	3	4	5	3	-	1	-
Male.....	3	2	4	2	2	1	3	3	1	-	-	-
Female.....	1	2	1	1	1	2	1	2	2	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	40	34	40	51	52	56	52	40	16	8	2	-
Male.....	25	25	23	31	30	35	29	24	11	2	-	-
Female.....	15	9	17	20	22	21	23	16	5	6	2	-
White, both sexes.....	39	31	40	51	51	56	52	39	16	8	2	-
Male.....	25	23	23	31	30	35	29	24	11	2	-	-
Female.....	14	8	17	20	21	21	23	15	5	6	2	-
Black, both sexes.....	-	2	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of skin (C44)

Arkansas

All races, both sexes.....	4	2	1	2	3	2	4	3	1	-	-	-
Male.....	3	2	1	2	3	1	2	2	-	-	-	-
Female.....	1	-	-	-	-	1	2	1	1	-	-	-
White, both sexes.....	3	2	1	2	3	1	4	3	1	-	-	-
Male.....	2	2	1	2	3	1	2	2	-	-	-	-
Female.....	1	-	-	-	-	-	2	1	1	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	7	12	20	25	24	32	56	34	26	12	-	-
Male.....	5	11	17	20	18	21	38	20	14	5	-	-
Female.....	2	1	3	5	6	11	18	14	12	7	-	-
White, both sexes.....	6	10	19	20	21	31	56	34	25	11	-	-
Male.....	4	9	17	16	16	20	38	20	14	5	-	-
Female.....	2	1	2	4	5	11	18	14	11	6	-	-
Black, both sexes.....	1	1	-	4	2	1	-	-	-	-	-	-
Male.....	1	1	-	3	2	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	1	-	-	-	1	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of skin (C44)

Ohio

All races, both sexes.....	7	11	8	10	7	13	10	18	5	3	-	-
Male.....	6	8	7	5	5	10	5	11	4	1	-	-
Female.....	1	3	1	5	2	3	5	7	1	2	-	-
White, both sexes.....	5	10	7	9	7	13	9	18	5	3	-	-
Male.....	4	7	6	4	5	10	4	11	4	1	-	-
Female.....	1	3	1	5	2	3	5	7	1	2	-	-
Black, both sexes.....	2	1	1	1	-	-	1	-	-	-	-	-
Male.....	2	1	1	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	-	2	3	3	5	5	6	4	1	2	1	-
Male.....	-	1	2	2	2	5	3	3	-	2	-	-
Female.....	-	1	1	1	3	-	3	1	1	-	1	-
White, both sexes.....	-	2	3	3	4	3	6	4	1	2	1	-
Male.....	-	1	2	2	2	3	3	3	-	2	-	-
Female.....	-	1	1	1	2	-	3	1	1	-	1	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of mesothelial and soft tissue (C45-C49)

Arkansas

All races, both sexes.....	50	-	-	1	-	-	1	1	-	-	1	1
Male.....	30	-	-	-	-	-	1	1	-	-	1	1
Female.....	20	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	47	-	-	1	-	-	1	1	-	-	1	1
Male.....	29	-	-	-	-	-	1	1	-	-	1	1
Female.....	18	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	767	1	2	2	6	11	6	11	10	13	30	28
Male.....	442	1	-	-	3	5	5	8	5	8	16	17
Female.....	325	-	2	2	3	6	1	3	5	5	14	11
White, both sexes.....	646	1	1	2	4	6	6	9	7	11	23	20
Male.....	374	1	-	-	2	1	5	6	3	6	13	13
Female.....	272	-	1	2	2	5	1	3	4	5	10	7
Black, both sexes.....	48	-	-	-	1	-	-	1	-	1	3	3
Male.....	32	-	-	-	1	-	-	1	-	1	2	2
Female.....	16	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	69	-	1	-	1	5	-	1	3	1	4	4
Male.....	34	-	-	-	-	4	-	1	2	1	1	1
Female.....	35	-	1	-	1	1	-	-	1	-	3	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of mesothelial and soft tissue (C45-C49)

New Mexico

All races, both sexes.....	44	-	-	-	-	-	-	-	1	1	-	2
Male.....	26	-	-	-	-	-	-	-	1	1	-	1
Female.....	18	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	40	-	-	-	-	-	-	-	1	1	-	2
Male.....	23	-	-	-	-	-	-	-	1	1	-	1
Female.....	17	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	426	-	-	1	-	5	6	8	12	11	12	16
Male.....	241	-	-	-	-	2	4	7	6	6	5	6
Female.....	185	-	-	1	-	3	2	1	6	5	7	10
White, both sexes.....	380	-	-	1	-	5	5	8	9	7	11	12
Male.....	229	-	-	-	-	2	3	7	5	5	5	6
Female.....	151	-	-	1	-	3	2	1	4	2	6	6
Black, both sexes.....	39	-	-	-	-	-	1	-	2	4	1	3
Male.....	11	-	-	-	-	-	1	-	1	1	-	-
Female.....	28	-	-	-	-	-	-	-	1	3	1	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of mesothelial and soft tissue (C45-C49)

Alaska

All races, both sexes.....	1	1	1	3	2	1	1	-	-	-	-	-
Male.....	1	1	1	1	1	1	1	-	-	-	-	-
Female.....	-	-	-	2	1	-	-	-	-	-	-	-
White, both sexes.....	-	1	1	3	2	1	1	-	-	-	-	-
Male.....	-	1	1	1	1	1	1	-	-	-	-	-
Female.....	-	-	-	2	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	8	10	8	16	12	24	17	13	2	1	1	-
Male.....	4	4	4	13	8	14	10	3	1	-	-	-
Female.....	4	6	4	3	4	10	7	10	1	1	1	-
White, both sexes.....	7	9	8	16	11	23	16	12	2	1	1	-
Male.....	3	3	4	13	8	14	9	3	1	-	-	-
Female.....	4	6	4	3	3	9	7	9	1	1	1	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of mesothelial and soft tissue (C45-C49)

Arkansas

All races, both sexes.....	1	4	3	7	6	8	11	2	3	-	-	-
Male.....	1	1	1	7	4	7	4	1	1	-	-	-
Female.....	-	3	2	-	2	1	7	2	2	-	-	-
White, both sexes.....	1	2	3	7	5	8	11	2	3	-	-	-
Male.....	1	1	1	7	3	7	4	-	1	-	-	-
Female.....	-	1	2	-	2	1	7	2	2	-	-	-
Black, both sexes.....	-	2	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	44	55	80	80	89	110	96	64	23	6	-	-
Male.....	21	30	45	52	51	68	53	36	15	3	-	-
Female.....	23	25	35	28	38	42	43	28	8	3	-	-
White, both sexes.....	35	44	63	65	79	98	90	57	19	6	-	-
Male.....	18	25	33	40	45	62	50	33	15	3	-	-
Female.....	17	19	30	25	34	36	40	24	4	3	-	-
Black, both sexes.....	3	6	9	7	3	3	2	4	2	-	-	-
Male.....	2	3	6	7	2	2	2	1	-	-	-	-
Female.....	1	3	3	-	1	1	-	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	5	6	8	6	9	4	3	2	-	-	-
Male.....	1	2	5	5	4	4	1	2	-	-	-	-
Female.....	5	3	1	3	2	5	3	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of mesothelial and soft tissue (C45-C49)

Florida

All races, both sexes.....	18	24	39	58	54	66	67	42	13	1	-	-
Male.....	11	7	25	42	27	42	42	24	6	-	-	-
Female.....	7	17	14	16	27	24	25	18	7	1	-	-
White, both sexes.....	17	22	37	53	51	63	64	40	12	-	-	-
Male.....	10	6	24	39	27	42	40	23	5	-	-	-
Female.....	7	16	13	14	24	21	24	17	7	-	-	-
Black, both sexes.....	-	2	2	5	3	3	3	1	1	1	-	-
Male.....	-	1	1	3	-	-	2	-	1	-	-	-
Female.....	-	1	1	2	3	3	1	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	12	12	17	11	26	10	12	10	2	2	-	-
Male.....	4	5	9	7	11	6	9	5	1	-	-	-
Female.....	8	7	8	4	15	4	3	5	1	2	-	-
White, both sexes.....	8	9	15	9	24	7	12	10	2	1	-	-
Male.....	3	3	7	6	11	6	9	5	1	-	-	-
Female.....	5	6	8	3	13	1	3	5	1	1	-	-
Black, both sexes.....	4	3	2	2	1	3	-	-	-	1	-	-
Male.....	1	2	2	1	-	-	-	-	-	-	-	-
Female.....	3	1	-	1	1	3	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of mesothelial and soft tissue (C45-C49)

Hawaii

All races, both sexes.....	3	1	4	2	3	8	2	1	2	-	-	-
Male.....	1	1	2	1	1	6	1	1	2	-	-	-
Female.....	2	-	2	1	2	2	1	-	-	-	-	-
White, both sexes.....	1	-	2	2	1	2	-	-	1	-	-	-
Male.....	-	-	1	1	1	2	-	-	1	-	-	-
Female.....	1	-	1	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	-	2	5	2	1	1	-	-	-
Male.....	1	1	1	-	-	3	1	1	1	-	-	-
Female.....	1	-	1	-	2	2	1	-	-	-	-	-

Idaho

All races, both sexes.....	1	5	2	2	7	6	6	1	3	-	-	-
Male.....	1	4	1	2	5	4	5	-	1	-	-	-
Female.....	-	1	1	-	2	2	1	1	2	-	-	-
White, both sexes.....	1	5	2	2	6	6	6	1	3	-	-	-
Male.....	1	4	1	2	5	4	5	-	1	-	-	-
Female.....	-	1	1	-	1	2	1	1	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of mesothelial and soft tissue (C45-C49)

Maine

All races, both sexes.....	3	2	2	6	7	8	8	3	1	-	1	-
Male.....	2	2	1	3	3	5	6	-	1	-	-	-
Female.....	1	-	1	3	4	3	2	3	-	-	1	-
White, both sexes.....	3	2	2	6	7	8	8	3	1	-	1	-
Male.....	2	2	1	3	3	5	6	-	1	-	-	-
Female.....	1	-	1	3	4	3	2	3	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	9	7	12	9	18	9	23	15	4	-	1	-
Male.....	7	3	5	5	12	8	17	12	-	-	-	-
Female.....	2	4	7	4	6	1	6	3	4	-	1	-
White, both sexes.....	5	3	9	9	16	7	22	13	3	-	1	-
Male.....	4	2	5	5	12	6	16	10	-	-	-	-
Female.....	1	1	4	4	4	1	6	3	3	-	1	-
Black, both sexes.....	3	4	3	-	1	2	1	1	-	-	-	-
Male.....	2	1	-	-	-	2	1	1	-	-	-	-
Female.....	1	3	3	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of mesothelial and soft tissue (C45-C49)

New Mexico

All races, both sexes.....	2	8	4	3	7	5	9	-	-	1	1	-
Male.....	-	5	4	2	6	2	3	-	-	1	-	-
Female.....	2	3	-	1	1	3	6	-	-	-	1	-
White, both sexes.....	2	7	2	3	6	5	9	-	-	1	1	-
Male.....	-	5	2	2	5	2	3	-	-	1	-	-
Female.....	2	2	-	1	1	3	6	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	2	-	1	-	-	-	-	-	-	-
Male.....	-	-	2	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	25	36	36	36	51	59	62	30	17	2	1	-
Male.....	13	16	17	23	37	33	36	19	10	1	-	-
Female.....	12	20	19	13	14	26	26	11	7	1	1	-
White, both sexes.....	21	31	30	32	48	56	58	27	16	2	1	-
Male.....	11	15	16	22	34	33	35	19	10	1	-	-
Female.....	10	16	14	10	14	23	23	8	6	1	1	-
Black, both sexes.....	2	5	5	3	3	3	4	2	1	-	-	-
Male.....	1	1	1	1	3	-	1	-	-	-	-	-
Female.....	1	4	4	2	-	3	3	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	1	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of other mesothelial and soft tissue (C47-C49)

Arkansas

All races, both sexes.....	33	-	-	1	-	-	1	1	-	-	-	-
Male.....	16	-	-	-	-	-	1	1	-	-	-	-
Female.....	17	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	30	-	-	1	-	-	1	1	-	-	-	-
Male.....	15	-	-	-	-	-	1	1	-	-	-	-
Female.....	15	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	510	1	2	2	6	11	6	11	9	12	27	24
Male.....	234	1	-	-	3	5	5	8	5	8	13	15
Female.....	276	-	2	2	3	6	1	3	4	4	14	9
White, both sexes.....	414	1	1	2	4	6	6	9	6	10	20	17
Male.....	188	1	-	-	2	1	5	6	3	6	10	12
Female.....	226	-	1	2	2	5	1	3	3	4	10	5
Black, both sexes.....	32	-	-	-	1	-	-	1	-	1	3	2
Male.....	18	-	-	-	1	-	-	1	-	1	2	1
Female.....	14	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	61	-	1	-	1	5	-	1	3	1	4	4
Male.....	27	-	-	-	-	4	-	1	2	1	1	1
Female.....	34	-	1	-	1	1	-	-	1	-	3	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of other mesothelial and soft tissue (C47-C49)

New Mexico

All races, both sexes.....	28	-	-	-	-	-	-	-	1	1	-	2
Male.....	16	-	-	-	-	-	-	-	1	1	-	1
Female.....	12	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	27	-	-	-	-	-	-	-	1	1	-	2
Male.....	15	-	-	-	-	-	-	-	1	1	-	1
Female.....	12	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	273	-	-	1	-	5	6	7	10	10	10	15
Male.....	122	-	-	-	-	2	4	6	5	5	3	5
Female.....	151	-	-	1	-	3	2	1	5	5	7	10
White, both sexes.....	235	-	-	1	-	5	5	7	7	6	9	11
Male.....	115	-	-	-	-	2	3	6	4	4	3	5
Female.....	120	-	-	1	-	3	2	1	3	2	6	6
Black, both sexes.....	31	-	-	-	-	-	1	-	2	4	1	3
Male.....	6	-	-	-	-	-	1	-	1	1	-	-
Female.....	25	-	-	-	-	-	-	-	1	3	1	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other mesothelial and soft tissue (C47-C49)

Alaska

All races, both sexes.....	1	1	-	1	1	1	1	-	-	-	-	-
Male.....	1	1	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
White, both sexes.....	-	1	-	1	1	1	1	-	-	-	-	-
Male.....	-	1	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	5	7	6	6	6	14	9	9	2	-	1	-
Male.....	3	4	2	5	3	5	2	1	1	-	-	-
Female.....	2	3	4	1	3	9	7	8	1	-	1	-
White, both sexes.....	4	6	6	6	5	13	9	8	2	-	1	-
Male.....	2	3	2	5	3	5	2	1	1	-	-	-
Female.....	2	3	4	1	2	8	7	7	1	-	1	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other mesothelial and soft tissue (C47-C49)

Arkansas

All races, both sexes.....	-	4	3	4	3	6	7	1	2	-	-	-
Male.....	-	1	1	4	1	5	2	-	-	-	-	-
Female.....	-	3	2	-	2	1	5	1	2	-	-	-
White, both sexes.....	-	2	3	4	2	6	7	1	2	-	-	-
Male.....	-	1	1	4	-	5	2	-	-	-	-	-
Female.....	-	1	2	-	2	1	5	1	2	-	-	-
Black, both sexes.....	-	2	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	39	38	54	43	54	57	59	36	15	4	-	-
Male.....	18	17	26	19	26	23	21	11	8	2	-	-
Female.....	21	21	28	24	28	34	38	25	7	2	-	-
White, both sexes.....	31	29	42	35	46	49	54	31	11	4	-	-
Male.....	16	14	18	14	22	20	19	9	8	2	-	-
Female.....	15	15	24	21	24	29	35	22	3	2	-	-
Black, both sexes.....	2	5	7	2	2	-	1	3	2	-	-	-
Male.....	1	2	4	2	1	-	1	1	-	-	-	-
Female.....	1	3	3	-	1	-	-	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	4	4	6	5	8	4	2	2	-	-	-
Male.....	1	1	4	3	3	3	1	1	-	-	-	-
Female.....	5	3	-	3	2	5	3	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other mesothelial and soft tissue (C47-C49)

Florida

All races, both sexes.....	16	20	23	32	36	38	39	21	10	-	-	-
Male.....	10	4	9	21	14	18	18	5	5	-	-	-
Female.....	6	16	14	11	22	20	21	16	5	-	-	-
White, both sexes.....	15	18	21	28	33	35	36	19	9	-	-	-
Male.....	9	3	8	18	14	18	16	4	4	-	-	-
Female.....	6	15	13	10	19	17	20	15	5	-	-	-
Black, both sexes.....	-	2	2	4	3	3	3	1	1	-	-	-
Male.....	-	1	1	3	-	2	-	1	-	-	-	-
Female.....	-	1	1	1	3	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	11	8	9	10	14	6	7	5	2	2	-	-
Male.....	3	3	4	6	2	2	5	2	1	-	-	-
Female.....	8	5	5	4	12	4	2	3	1	2	-	-
White, both sexes.....	7	5	7	8	12	3	7	5	2	1	-	-
Male.....	2	1	2	5	2	2	5	2	1	-	-	-
Female.....	5	4	5	3	10	1	2	3	1	1	-	-
Black, both sexes.....	4	3	2	2	1	3	-	-	-	1	-	-
Male.....	1	2	2	1	-	-	-	-	-	-	-	-
Female.....	3	1	-	1	1	3	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other mesothelial and soft tissue (C47-C49)

Hawaii

All races, both sexes.....	2	1	1	1	3	5	2	-	1	-	-	-
Male.....	1	1	-	-	1	4	1	-	1	-	-	-
Female.....	1	-	1	1	2	1	1	-	-	-	-	-
White, both sexes.....	1	-	-	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	2	3	2	-	1	-	-	-
Male.....	1	1	-	-	-	2	1	-	1	-	-	-
Female.....	-	-	1	-	2	1	1	-	-	-	-	-

Idaho

All races, both sexes.....	1	2	1	-	5	5	3	1	2	-	-	-
Male.....	1	1	-	-	3	3	2	-	-	-	-	-
Female.....	-	1	1	-	2	2	1	1	2	-	-	-
White, both sexes.....	1	2	1	-	4	5	3	1	2	-	-	-
Male.....	1	1	-	-	3	3	2	-	-	-	-	-
Female.....	-	1	1	-	1	2	1	1	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other mesothelial and soft tissue (C47-C49)

Maine

All races, both sexes.....	3	2	1	4	4	2	2	2	-	-	1	-
Male.....	2	2	-	2	-	1	1	-	-	-	-	-
Female.....	1	-	1	2	4	1	1	2	-	-	1	-
White, both sexes.....	3	2	1	4	4	2	2	2	-	-	1	-
Male.....	2	2	-	2	-	1	1	-	-	-	-	-
Female.....	1	-	1	2	4	1	1	2	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	8	6	9	3	9	2	11	10	3	-	1	-
Male.....	6	3	3	-	3	2	7	7	-	-	-	-
Female.....	2	3	6	3	6	-	4	3	3	-	1	-
White, both sexes.....	4	3	6	3	7	2	11	8	2	-	1	-
Male.....	3	2	3	-	3	2	7	5	-	-	-	-
Female.....	1	1	3	3	4	-	4	3	2	-	1	-
Black, both sexes.....	3	3	3	-	1	-	-	1	-	-	-	-
Male.....	2	1	-	-	-	-	-	1	-	-	-	-
Female.....	1	2	3	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other mesothelial and soft tissue (C47-C49)

New Mexico

All races, both sexes.....	1	3	3	2	3	3	7	-	-	1	1	-
Male.....	-	3	3	1	2	1	2	-	-	1	-	-
Female.....	1	-	-	1	1	2	5	-	-	-	1	-
White, both sexes.....	1	3	2	2	3	3	7	-	-	1	1	-
Male.....	-	3	2	1	2	1	2	-	-	1	-	-
Female.....	1	-	-	1	1	2	5	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	22	25	22	18	22	35	38	16	9	1	1	-
Male.....	11	10	7	8	14	12	19	6	4	1	-	-
Female.....	11	15	15	10	8	23	19	10	5	-	1	-
White, both sexes.....	19	21	17	14	21	32	36	13	9	1	1	-
Male.....	9	10	7	7	13	12	19	6	4	1	-	-
Female.....	10	11	10	7	8	20	17	7	5	-	1	-
Black, both sexes.....	1	4	4	3	1	3	2	2	-	-	-	-
Male.....	1	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	4	4	2	-	3	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	1	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasm of breast (C50)

Alaska

All races, both sexes.....	47	-	-	-	-	-	-	-	-	3	2	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	47	-	-	-	-	-	-	-	-	3	2	3
White, both sexes.....	37	-	-	-	-	-	-	-	-	1	-	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	37	-	-	-	-	-	-	-	-	1	-	3
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	2	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	690	-	-	-	-	-	-	-	6	9	27	43
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	683	-	-	-	-	-	-	-	6	9	27	43
White, both sexes.....	650	-	-	-	-	-	-	-	3	9	25	39
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	643	-	-	-	-	-	-	-	3	9	25	39
Black, both sexes.....	20	-	-	-	-	-	-	-	1	-	-	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	20	-	-	-	-	-	-	-	1	-	-	3
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	1	-	2	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	13	-	-	-	-	-	-	-	1	-	2	1
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of breast (C50)												
Arkansas												
All races, both sexes.....	411	-	-	-	-	-	-	3	-	12	16	30
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	409	-	-	-	-	-	-	3	-	12	16	30
White, both sexes.....	344	-	-	-	-	-	-	2	-	8	11	22
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	342	-	-	-	-	-	-	2	-	8	11	22
Black, both sexes.....	66	-	-	-	-	-	-	1	-	4	5	8
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	66	-	-	-	-	-	-	1	-	4	5	8
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	4,196	-	-	-	-	-	1	6	23	90	187	291
Male.....	28	-	-	-	-	-	-	-	-	1	1	-
Female.....	4,168	-	-	-	-	-	1	6	23	89	186	291
White, both sexes.....	3,447	-	-	-	-	-	1	5	20	71	144	206
Male.....	25	-	-	-	-	-	-	-	-	1	-	-
Female.....	3,422	-	-	-	-	-	1	5	20	70	144	206
Black, both sexes.....	388	-	-	-	-	-	-	-	2	10	23	47
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	386	-	-	-	-	-	-	-	2	10	22	47
American Indian 1/, both sexes.....	18	-	-	-	-	-	-	-	-	-	1	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	18	-	-	-	-	-	-	-	-	-	1	2
Asian or Pacific Islander 2/, both sexes.....	343	-	-	-	-	-	-	1	1	9	19	36
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	342	-	-	-	-	-	-	1	1	9	19	36

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of breast (C50)												
Maine												
All races, both sexes.....	200	-	-	-	-	-	-	-	1	4	4	7
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	198	-	-	-	-	-	-	-	1	4	4	7
White, both sexes.....	196	-	-	-	-	-	-	-	1	3	4	7
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	194	-	-	-	-	-	-	-	1	3	4	7
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-
Maryland												
All races, both sexes.....	828	-	-	-	-	-	1	-	6	23	38	62
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	821	-	-	-	-	-	1	-	6	23	38	62
White, both sexes.....	576	-	-	-	-	-	1	-	2	12	13	39
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	571	-	-	-	-	-	1	-	2	12	13	39
Black, both sexes.....	233	-	-	-	-	-	-	-	2	10	20	22
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	231	-	-	-	-	-	-	-	2	10	20	22
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	-	-	-	-	-	-	2	1	5	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	19	-	-	-	-	-	-	-	2	1	5	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of breast (C50)												
New Hampshire												
All races, both sexes.....	184	-	-	-	-	-	-	-	-	3	3	9
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	183	-	-	-	-	-	-	-	-	3	3	9
White, both sexes.....	184	-	-	-	-	-	-	-	-	3	3	9
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	183	-	-	-	-	-	-	-	-	3	3	9
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	1,466	-	-	-	-	-	1	2	5	23	57	84
Male.....	28	-	-	-	-	-	-	-	-	-	1	-
Female.....	1,438	-	-	-	-	-	1	2	5	23	56	84
White, both sexes.....	1,236	-	-	-	-	-	1	1	4	16	36	62
Male.....	21	-	-	-	-	-	-	-	-	-	1	-
Female.....	1,215	-	-	-	-	-	1	1	4	16	35	62
Black, both sexes.....	191	-	-	-	-	-	-	1	-	4	19	19
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	184	-	-	-	-	-	-	1	-	4	19	19
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	38	-	-	-	-	-	-	-	1	3	2	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	38	-	-	-	-	-	-	-	1	3	2	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of breast (C50)												
New Mexico												
All races, both sexes.....	244	-	-	-	-	-	-	1	1	3	2	22
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	241	-	-	-	-	-	-	1	1	3	2	22
White, both sexes.....	228	-	-	-	-	-	-	-	1	3	2	19
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	225	-	-	-	-	-	-	-	1	3	2	19
Black, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	1	-	-	-	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	1	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	2,878	1	-	-	-	-	-	3	24	62	113	153
Male.....	19	1	-	-	-	-	-	-	-	-	1	-
Female.....	2,859	-	-	-	-	-	-	3	24	62	112	153
White, both sexes.....	2,276	1	-	-	-	-	-	2	14	37	71	95
Male.....	18	1	-	-	-	-	-	-	-	-	1	-
Female.....	2,258	-	-	-	-	-	-	2	14	37	70	95
Black, both sexes.....	523	-	-	-	-	-	-	1	7	19	37	51
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	522	-	-	-	-	-	-	1	7	19	37	51
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	73	-	-	-	-	-	-	-	3	6	5	7
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	73	-	-	-	-	-	-	-	3	6	5	7

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of breast (C50)												
Texas												
All races, both sexes.....	2,550	-	-	-	-	-	-	7	28	50	142	188
Male.....	18	-	-	-	-	-	-	-	-	-	-	-
Female.....	2,532	-	-	-	-	-	-	7	28	50	142	188
White, both sexes.....	2,130	-	-	-	-	-	-	6	17	41	112	135
Male.....	13	-	-	-	-	-	-	-	-	-	-	-
Female.....	2,117	-	-	-	-	-	-	6	17	41	112	135
Black, both sexes.....	395	-	-	-	-	-	-	1	10	8	27	45
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	390	-	-	-	-	-	-	1	10	8	27	45
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	-	-	-	-	-	-	-	1	1	3	8
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	25	-	-	-	-	-	-	-	1	1	3	8
Utah												
All races, both sexes.....	243	-	-	-	-	-	-	-	2	8	11	16
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	240	-	-	-	-	-	-	-	2	8	11	16
White, both sexes.....	232	-	-	-	-	-	-	-	2	6	9	16
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	230	-	-	-	-	-	-	-	2	6	9	16
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	-	-	-	2	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

Alaska

All races, both sexes.....	6	9	7	6	4	2	3	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	9	7	6	4	2	3	1	1	-	-	-
White, both sexes.....	4	7	6	6	4	2	2	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	7	6	6	4	2	2	1	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	55	72	72	85	78	74	73	56	27	9	4	-
Male.....	-	-	1	-	3	1	2	-	-	-	-	-
Female.....	55	72	71	85	75	73	71	56	27	9	4	-
White, both sexes.....	52	67	66	75	77	73	71	55	26	8	4	-
Male.....	-	-	1	-	3	1	2	-	-	-	-	-
Female.....	52	67	65	75	74	72	69	55	26	8	4	-
Black, both sexes.....	1	3	3	6	1	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	3	3	6	1	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	1	1	-	4	-	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	4	-	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	3	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

Arkansas

All races, both sexes.....	34	50	45	46	38	38	40	30	20	5	4	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	34	49	45	46	38	38	39	30	20	5	4	-
White, both sexes.....	26	41	39	42	32	34	35	27	18	4	3	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	26	40	39	42	32	34	34	27	18	4	3	-
Black, both sexes.....	7	9	6	4	6	4	5	3	2	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	9	6	4	6	4	5	3	2	1	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	392	453	440	388	442	467	479	301	171	58	7	-
Male.....	3	4	3	5	2	2	4	3	-	-	-	-
Female.....	389	449	437	383	440	465	475	298	171	58	7	-
White, both sexes.....	278	361	357	327	373	393	430	264	155	57	5	-
Male.....	3	4	3	4	2	2	4	2	-	-	-	-
Female.....	275	357	354	323	371	391	426	262	155	57	5	-
Black, both sexes.....	57	48	36	34	37	37	31	16	9	1	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	57	48	36	33	37	37	31	16	9	1	-	-
American Indian 1/, both sexes.....	1	1	-	1	3	6	3	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	1	3	6	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	56	43	47	26	29	31	15	21	7	-	2	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	56	43	47	26	29	31	15	20	7	-	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

Colorado

All races, both sexes.....	49	70	51	53	50	55	53	50	17	8	-	-
Male.....	1	1	1	1	-	3	3	-	-	-	-	-
Female.....	48	69	50	52	50	52	50	50	17	8	-	-
White, both sexes.....	45	65	48	49	49	53	50	48	17	8	-	-
Male.....	1	1	1	1	-	3	3	-	-	-	-	-
Female.....	44	64	47	48	49	50	47	48	17	8	-	-
Black, both sexes.....	3	4	3	2	1	1	2	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	4	3	2	1	1	2	2	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	2	-	1	1	-	-	-	-	-

Connecticut

All races, both sexes.....	42	49	46	45	67	60	62	57	32	14	4	-
Male.....	-	-	-	-	2	-	-	-	-	1	-	-
Female.....	42	49	46	45	65	60	62	57	32	13	4	-
White, both sexes.....	36	43	43	38	65	57	58	54	32	14	4	-
Male.....	-	-	-	-	2	-	-	-	-	1	-	-
Female.....	36	43	43	38	63	57	58	54	32	13	4	-
Black, both sexes.....	5	5	3	7	1	3	4	3	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	5	3	7	1	3	4	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasm of breast (C50)

Hawaii

All races, both sexes.....	11	27	19	12	11	24	15	7	2	3	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	27	19	12	11	24	15	7	2	3	1	-
White, both sexes.....	4	10	7	5	3	9	3	2	-	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	10	7	5	3	9	3	2	-	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	16	11	7	8	15	12	5	2	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	16	11	7	8	15	12	5	2	1	1	-

Idaho

All races, both sexes.....	8	13	12	23	20	13	16	16	6	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	13	12	23	20	13	16	16	6	2	-	-
White, both sexes.....	8	13	12	23	19	13	16	16	6	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	13	12	23	19	13	16	16	6	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasm of breast (C50)

Maine

All races, both sexes.....	13	28	26	22	16	24	28	15	7	2	3	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	13	28	26	22	16	24	27	14	7	2	3	-
White, both sexes.....	13	28	26	20	16	23	28	15	7	2	3	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	13	28	26	20	16	23	27	14	7	2	3	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	79	100	84	90	60	75	90	69	42	9	-	-
Male.....	1	1	1	-	-	3	-	-	1	-	-	-
Female.....	78	99	83	90	60	72	90	69	41	9	-	-
White, both sexes.....	41	64	57	73	41	64	74	55	34	6	-	-
Male.....	1	-	1	-	-	2	-	-	1	-	-	-
Female.....	40	64	56	73	41	62	74	55	33	6	-	-
Black, both sexes.....	38	35	25	16	17	9	14	14	8	3	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	38	34	25	16	17	8	14	14	8	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	2	2	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	2	1	2	2	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

Massachusetts

All races, both sexes.....	58	91	96	96	82	104	118	116	45	14	6	-
Male.....	1	1	1	2	1	1	1	1	-	-	-	-
Female.....	57	90	95	94	81	103	117	115	45	14	6	-
White, both sexes.....	54	84	93	88	77	102	111	111	45	13	6	-
Male.....	1	1	1	2	1	1	1	1	-	-	-	-
Female.....	53	83	92	86	76	101	110	110	45	13	6	-
Black, both sexes.....	4	6	3	6	4	1	6	5	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	6	3	6	4	1	6	5	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	2	1	1	-	-	-	-	-	-

Michigan

All races, both sexes.....	119	143	141	144	134	176	143	145	59	17	3	-
Male.....	1	2	1	3	3	2	1	3	-	-	-	-
Female.....	118	141	140	141	131	174	142	142	59	17	3	-
White, both sexes.....	95	115	105	122	118	159	125	134	54	12	3	-
Male.....	1	2	1	1	3	1	1	3	-	-	-	-
Female.....	94	113	104	121	115	158	124	131	54	12	3	-
Black, both sexes.....	23	26	36	21	14	17	16	10	5	5	-	-
Male.....	-	-	-	2	-	1	-	-	-	-	-	-
Female.....	23	26	36	19	14	16	16	10	5	5	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	2	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	-	-	2	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasm of breast (C50)

Nebraska

All races, both sexes.....	21	23	21	22	32	27	31	28	19	14	1	-
Male.....	2	-	-	1	2	1	1	-	-	-	-	-
Female.....	19	23	21	21	30	26	30	28	19	14	1	-
White, both sexes.....	21	21	20	21	32	27	31	28	19	14	1	-
Male.....	2	-	-	1	2	1	1	-	-	-	-	-
Female.....	19	21	20	20	30	26	30	28	19	14	1	-
Black, both sexes.....	-	2	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	31	39	34	29	35	31	30	23	10	2	1	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	31	38	34	28	35	31	30	23	10	2	1	-
White, both sexes.....	26	34	30	25	34	28	28	22	9	1	1	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	26	33	30	24	34	28	28	22	9	1	1	-
Black, both sexes.....	3	3	1	2	1	2	2	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	3	1	2	1	2	2	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	2	2	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	2	2	2	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

New Hampshire

All races, both sexes.....	24	22	13	23	20	14	19	20	8	6	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	24	22	13	22	20	14	19	20	8	6	-	-
White, both sexes.....	24	22	13	23	20	14	19	20	8	6	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	24	22	13	22	20	14	19	20	8	6	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	132	132	154	121	151	188	164	157	73	17	5	-
Male.....	-	2	3	5	3	5	4	5	-	-	-	-
Female.....	132	130	151	116	148	183	160	152	73	17	5	-
White, both sexes.....	101	100	125	100	130	172	155	145	67	16	5	-
Male.....	-	1	2	3	1	5	4	4	-	-	-	-
Female.....	101	99	123	97	129	167	151	141	67	16	5	-
Black, both sexes.....	24	27	22	18	18	13	8	11	6	1	-	-
Male.....	-	1	1	2	2	-	-	1	-	-	-	-
Female.....	24	26	21	16	16	13	8	10	6	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	5	7	3	3	3	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	5	7	3	3	3	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasm of breast (C50)

New Mexico

All races, both sexes.....	17	22	25	26	27	29	28	28	12	1	-	-
Male.....	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	17	21	24	26	27	29	27	28	12	1	-	-
White, both sexes.....	16	21	24	24	27	26	26	26	12	1	-	-
Male.....	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	16	20	23	24	27	26	25	26	12	1	-	-
Black, both sexes.....	-	-	1	-	-	1	1	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	2	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	2	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	2	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	243	300	292	266	263	372	322	257	144	61	2	-
Male.....	-	1	2	1	4	4	2	2	1	-	-	-
Female.....	243	299	290	265	259	368	320	255	143	61	2	-
White, both sexes.....	181	211	217	208	212	315	297	230	126	57	2	-
Male.....	-	1	1	1	4	4	2	2	1	-	-	-
Female.....	181	210	216	207	208	311	295	228	125	57	2	-
Black, both sexes.....	53	78	60	52	46	50	21	27	17	4	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	53	78	59	52	46	50	21	27	17	4	-	-
American Indian 1/, both sexes.....	1	-	2	1	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	2	1	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	11	13	5	5	6	4	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	11	13	5	5	6	4	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasm of breast (C50)

Oregon

All races, both sexes.....	31	45	59	37	67	57	55	40	28	10	2	-
Male.....	2	-	1	-	1	-	2	-	-	-	-	-
Female.....	29	45	58	37	66	57	53	40	28	10	2	-
White, both sexes.....	30	42	55	36	65	53	54	40	28	10	2	-
Male.....	2	-	1	-	1	-	2	-	-	-	-	-
Female.....	28	42	54	36	64	53	52	40	28	10	2	-
Black, both sexes.....	-	3	1	1	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	3	1	1	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	-	1	2	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	179	160	191	199	229	266	276	241	138	44	6	-
Male.....	1	3	-	1	2	3	3	2	1	-	-	-
Female.....	178	157	191	198	227	263	273	239	137	44	6	-
White, both sexes.....	140	143	171	175	204	243	258	229	129	41	4	-
Male.....	-	3	-	1	1	2	3	2	1	-	-	-
Female.....	140	140	171	174	203	241	255	227	128	41	4	-
Black, both sexes.....	39	16	19	24	25	23	17	12	9	3	1	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	38	16	19	24	24	22	17	12	9	3	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasm of breast (C50)

South Dakota

All races, both sexes.....	11	9	15	7	12	16	17	13	3	7	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	9	15	7	12	16	17	13	3	7	-	-
White, both sexes.....	9	9	14	6	12	16	17	12	2	7	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	9	14	6	12	16	17	12	2	7	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	1	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	1	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	71	104	91	95	101	105	87	92	33	10	-	-
Male.....	-	2	1	1	1	1	-	-	-	-	-	-
Female.....	71	102	90	94	100	104	87	92	33	10	-	-
White, both sexes.....	57	80	75	84	87	91	76	75	25	7	-	-
Male.....	-	1	-	1	1	1	-	-	-	-	-	-
Female.....	57	79	75	83	86	90	76	75	25	7	-	-
Black, both sexes.....	13	24	16	11	14	14	10	17	8	3	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	13	23	15	11	14	14	10	17	8	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

Texas

All races, both sexes.....	257	300	277	256	243	240	248	181	89	34	10	-
Male.....	1	3	1	4	5	2	2	-	-	-	-	-
Female.....	256	297	276	252	238	238	246	181	89	34	10	-
White, both sexes.....	199	242	236	215	214	213	221	161	81	29	8	-
Male.....	-	3	-	3	4	1	2	-	-	-	-	-
Female.....	199	239	236	212	210	212	219	161	81	29	8	-
Black, both sexes.....	56	55	39	40	29	24	26	20	8	5	2	-
Male.....	1	-	1	1	1	1	-	-	-	-	-	-
Female.....	55	55	38	39	28	23	26	20	8	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	2	1	-	3	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	3	2	1	-	3	1	-	-	-	-	-

Utah

All races, both sexes.....	17	21	34	21	26	29	28	13	13	4	-	-
Male.....	-	-	2	1	-	-	-	-	-	-	-	-
Female.....	17	21	32	20	26	29	28	13	13	4	-	-
White, both sexes.....	17	21	31	21	24	27	28	13	13	4	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	17	21	30	20	24	27	28	13	13	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	-	2	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	-	2	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasm of breast (C50)

Vermont

All races, both sexes.....	3	11	6	7	11	8	8	9	4	1	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	3	11	6	7	11	8	6	9	4	1	-	-
White, both sexes.....	3	11	5	7	11	8	8	9	4	1	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	3	11	5	7	11	8	6	9	4	1	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	105	137	133	92	102	99	107	88	42	22	4	-
Male.....	2	1	1	1	2	2	-	-	-	-	-	-
Female.....	103	136	132	91	100	97	107	88	42	22	4	-
White, both sexes.....	73	98	99	67	79	79	94	71	39	20	2	-
Male.....	2	1	1	-	-	2	-	-	-	-	-	-
Female.....	71	97	98	67	79	77	94	71	39	20	2	-
Black, both sexes.....	31	35	30	25	20	20	11	17	3	2	2	-
Male.....	-	-	-	1	2	-	-	-	-	-	-	-
Female.....	31	35	30	24	18	20	11	17	3	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	4	-	2	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	4	4	-	2	-	2	-	-	-	-	-

