

Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)												
All origins 3/, both sexes.....	2.6	4.1	0.4	0.2	0.2	0.3	0.9	3.2	4.2	7.0	13.7	21.2
Male.....	2.9	4.8	0.5	0.1	0.2	0.4	1.2	4.5	5.3	8.3	16.4	23.6
Female.....	2.3	3.4	0.3	0.2	0.2	0.3	0.6	2.0	3.2	5.9	11.8	20.1
Hispanic, both sexes.....	1.8	3.5	*	*	*	0.4	1.3	4.8	5.5	8.6	13.3	15.4
Male.....	2.0	*	*	*	*	0.5	1.7	7.0	7.2	8.8	13.0	*
Female.....	1.6	*	*	*	*	0.8	2.6	4.0	8.3	13.5	17.6	17.6
Non-Hispanic 4/, both sexes.....	2.7	4.3	0.4	0.2	0.2	0.3	0.9	3.0	4.1	6.9	13.7	21.5
Male.....	3.0	5.1	0.5	0.1	0.2	0.4	1.1	4.2	5.0	8.3	16.5	24.2
Female.....	2.5	3.4	*	0.2	0.2	0.2	0.6	1.9	3.1	5.7	11.7	20.2
Non-Hispanic white 5/, both sexes.....	2.8	3.7	0.4	0.2	0.2	0.2	0.7	2.9	3.8	6.7	13.4	21.5
Male.....	3.1	4.4	0.4	*	*	0.2	1.0	4.1	4.7	8.2	16.2	24.4
Female.....	2.5	2.9	*	0.2	0.2	0.5	1.7	3.0	5.5	11.4	20.1	20.1
Non-Hispanic black 5/, both sexes.....	2.6	6.8	*	*	0.4	0.8	1.5	4.2	6.0	7.8	15.2	22.7
Male.....	2.9	8.4	*	*	*	0.9	2.1	5.2	8.2	9.4	19.6	23.8
Female.....	2.3	*	*	*	*	*	1.0	3.4	4.2	6.7	12.7	22.2
Malignant neoplasms (C00-C97)												
All origins 3/, both sexes.....	188.7	1.8	2.3	2.5	4.1	9.0	33.2	118.6	326.9	742.7	1,274.8	1,637.7
Male.....	198.9	2.1	2.6	2.7	4.8	8.8	28.9	121.6	369.5	899.1	1,649.7	2,319.3
Female.....	178.8	1.5	2.0	2.2	3.3	9.1	37.5	115.8	287.4	610.9	1,020.3	1,324.6
Hispanic, both sexes.....	61.3	*	2.2	2.5	4.5	6.8	22.1	77.9	203.3	481.3	882.8	1,128.1
Male.....	63.0	*	2.8	2.5	5.3	6.5	17.8	75.9	236.9	603.5	1,161.8	1,601.5
Female.....	59.5	*	1.6	2.5	3.6	7.1	27.0	79.9	172.5	382.5	688.5	880.4
Non-Hispanic 4/, both sexes.....	209.8	1.8	2.3	2.5	4.0	9.5	35.0	122.9	336.9	761.5	1,296.6	1,660.5
Male.....	222.8	2.4	2.6	2.7	4.7	9.4	30.8	126.5	379.9	919.5	1,677.1	2,354.9
Female.....	197.5	*	2.1	2.2	3.3	9.5	39.2	119.5	296.8	627.7	1,038.6	1,343.6
Non-Hispanic white 5/, both sexes.....	227.7	2.0	2.3	2.5	4.0	9.0	34.0	117.1	329.0	762.3	1,304.0	1,668.6
Male.....	240.7	2.7	2.5	2.7	4.7	9.0	30.5	120.3	366.1	910.4	1,673.7	2,358.3
Female.....	215.1	*	2.2	2.2	3.3	8.9	37.5	113.9	293.6	634.4	1,049.5	1,353.2
Non-Hispanic black 5/, both sexes.....	167.4	*	2.5	2.6	4.1	12.7	46.2	179.7	466.0	906.1	1,435.5	1,764.4
Male.....	181.8	*	2.8	3.1	4.8	12.3	37.4	190.4	581.2	1,205.6	2,047.4	2,720.4
Female.....	154.3	*	2.1	2.2	3.5	13.1	54.0	170.6	373.3	692.1	1,088.7	1,379.5
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
All origins 3/, both sexes.....	2.6	*	*	*	0.1	0.1	0.6	2.6	6.4	9.8	12.8	17.0
Male.....	3.6	*	*	*	*	0.2	0.9	4.2	10.3	15.3	18.9	22.0
Female.....	1.7	*	*	*	*	0.1	0.3	1.2	2.8	5.2	8.7	14.7
Hispanic, both sexes.....	0.7	*	*	*	*	*	*	1.2	3.5	5.4	10.4	*
Male.....	1.1	*	*	*	*	*	1.9	6.1	10.0	16.0	16.0	*
Female.....	0.4	*	*	*	*	*	*	*	*	6.5	6.5	*
Non-Hispanic 4/, both sexes.....	2.9	*	*	*	0.1	0.2	0.7	2.8	6.6	10.2	12.9	17.6
Male.....	4.1	*	*	*	*	0.2	1.0	4.4	10.6	15.7	19.1	22.8
Female.....	1.9	*	*	*	*	0.1	0.4	1.2	2.9	5.5	8.8	15.2
Non-Hispanic white 5/, both sexes.....	3.0	*	*	*	*	0.1	0.6	2.5	6.2	9.8	12.9	17.9
Male.....	4.1	*	*	*	*	*	0.8	3.9	9.7	14.8	18.5	22.9
Female.....	2.0	*	*	*	*	*	0.4	1.1	2.8	5.6	9.1	15.6
Non-Hispanic black 5/, both sexes.....	2.9	*	*	*	*	*	0.9	5.1	10.9	14.2	13.7	12.8
Male.....	4.7	*	*	*	*	*	1.6	8.8	20.0	26.7	27.8	21.9
Female.....	1.2	*	*	*	*	*	*	1.9	3.5	5.2	5.7	9.2

Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasm of esophagus (C15)												
All origins 3/, both sexes.....	4.6	*	*	*	*	0.1	0.7	3.6	10.2	19.8	27.4	24.9
Male.....	7.3	*	*	*	*	0.1	1.2	6.2	17.9	34.9	50.7	46.0
Female.....	1.9	*	*	*	*	*	0.2	1.0	3.1	7.0	11.6	15.3
Hispanic, both sexes.....	1.1	*	*	*	*	*	*	1.6	4.3	11.2	14.5	18.8
Male.....	1.8	*	*	*	*	*	*	2.7	7.8	20.7	26.7	37.4
Female.....	0.4	*	*	*	*	*	*	*	*	3.6	6.0	*
Non-Hispanic 4/, both sexes.....	5.1	*	*	*	*	0.1	0.8	3.8	10.7	20.4	28.2	25.2
Male.....	8.2	*	*	*	*	0.2	1.4	6.6	18.7	35.9	52.2	46.3
Female.....	2.2	*	*	*	*	*	0.3	1.0	3.2	7.2	11.9	15.5
Non-Hispanic white 5/, both sexes.....	5.6	*	*	*	*	0.1	0.8	3.8	10.6	20.7	28.8	26.2
Male.....	9.1	*	*	*	*	0.2	1.4	6.7	18.7	36.4	53.4	49.0
Female.....	2.3	*	*	*	*	*	0.2	0.8	3.0	7.1	11.8	15.8
Non-Hispanic black 5/, both sexes.....	3.9	*	*	*	*	*	0.9	4.9	14.5	22.9	27.7	17.5
Male.....	6.0	*	*	*	*	*	1.5	8.0	25.2	41.1	52.1	26.6
Female.....	2.0	*	*	*	*	*	*	2.3	5.9	9.9	13.8	13.8
Malignant neoplasm of stomach (C16)												
All origins 3/, both sexes.....	3.9	*	*	*	0.0	0.3	1.0	2.6	5.9	14.0	26.6	38.5
Male.....	4.6	*	*	*	*	0.3	1.2	3.3	8.2	19.7	37.4	54.2
Female.....	3.2	*	*	*	*	0.3	0.8	1.9	3.7	9.2	19.3	31.2
Hispanic, both sexes.....	3.0	*	*	*	*	0.5	1.5	4.6	9.3	20.7	44.0	50.9
Male.....	3.4	*	*	*	*	0.5	1.5	5.0	12.1	27.6	65.8	76.0
Female.....	2.6	*	*	*	*	*	1.4	4.2	6.8	15.2	28.8	37.8
Non-Hispanic 4/, both sexes.....	4.0	*	*	*	*	0.2	0.9	2.4	5.6	13.5	25.5	37.8
Male.....	4.8	*	*	*	*	0.2	1.1	3.1	7.9	19.1	35.6	53.0
Female.....	3.3	*	*	*	*	0.3	0.7	1.6	3.4	8.7	18.7	30.9
Non-Hispanic white 5/, both sexes.....	3.7	*	*	*	*	0.1	0.7	1.9	4.6	11.3	22.0	33.8
Male.....	4.4	*	*	*	*	*	0.8	2.5	6.5	15.9	30.8	47.2
Female.....	3.0	*	*	*	*	*	0.6	1.3	2.8	7.3	15.9	27.7
Non-Hispanic black 5/, both sexes.....	5.2	*	*	*	*	0.4	1.8	4.6	11.5	27.0	52.6	75.4
Male.....	6.4	*	*	*	*	*	2.6	6.5	18.3	41.6	72.0	117.0
Female.....	4.1	*	*	*	*	*	1.1	3.0	6.0	16.5	41.6	58.6
Malignant neoplasms of colon, rectum and anus (C18-C21)												
All origins 3/, both sexes.....	18.0	*	*	*	0.1	0.8	3.0	10.2	26.9	63.3	124.5	216.9
Male.....	18.4	*	*	*	0.1	0.8	3.2	11.5	32.9	79.6	151.6	245.9
Female.....	17.6	*	*	*	0.1	0.7	2.8	9.0	21.2	49.5	106.1	203.6
Hispanic, both sexes.....	6.0	*	*	*	*	0.5	1.9	7.1	18.4	46.5	92.4	146.7
Male.....	6.1	*	*	*	*	*	1.8	8.0	23.3	60.3	111.6	176.8
Female.....	5.8	*	*	*	*	0.7	2.0	6.2	13.9	35.3	79.1	131.0
Non-Hispanic 4/, both sexes.....	20.0	*	*	*	0.1	0.8	3.1	10.5	27.5	64.4	126.2	220.1
Male.....	20.5	*	*	*	0.1	0.9	3.4	11.9	33.7	80.9	153.7	249.2
Female.....	19.4	*	*	*	*	0.7	2.9	9.3	21.8	50.5	107.6	206.8
Non-Hispanic white 5/, both sexes.....	21.2	*	*	*	0.1	0.8	3.0	9.6	25.7	62.5	124.0	218.8
Male.....	21.8	*	*	*	*	0.8	3.3	10.9	31.5	78.5	151.2	248.8
Female.....	20.6	*	*	*	*	0.7	2.6	8.3	20.2	48.6	105.2	205.1
Non-Hispanic black 5/, both sexes.....	18.2	*	*	*	*	1.2	4.4	18.1	46.1	92.4	170.7	264.1
Male.....	18.5	*	*	*	*	1.5	4.5	20.2	58.5	116.4	213.6	297.8
Female.....	17.9	*	*	*	*	0.8	4.3	16.3	36.2	75.3	146.3	250.5

