

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cryptosporidiosis (A07.2)													
All races, both sexes.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral and other specified intestinal infections (A08)													
All races, both sexes.....	169	7	12	21	21	15	8	11	4	3	5	20	42
Male.....	58	2	3	9	3	4	4	4	1	1	1	9	17
Female.....	111	5	9	12	18	11	4	7	3	2	4	11	25
White, both sexes.....	153	6	10	18	18	14	8	10	3	3	3	19	41
Male.....	54	2	2	8	3	4	4	3	1	1	1	9	16
Female.....	99	4	8	10	15	10	4	7	2	2	2	10	25
Black, both sexes.....	9	1	2	-	2	1	-	1	-	-	1	1	-
Male.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	7	1	1	-	2	1	-	-	-	-	1	1	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	3	1	-	-	-	1	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	2	1	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diarrhea and gastroenteritis of infectious origin (A09)													
All races, both sexes.....	149	13	15	10	18	12	10	15	6	7	11	19	13
Male.....	51	2	4	2	7	3	4	5	2	1	4	12	5
Female.....	98	11	11	8	11	9	6	10	4	6	7	7	8
White, both sexes.....	132	11	13	10	17	11	8	12	5	6	9	18	12
Male.....	47	2	3	2	7	3	3	4	2	1	3	12	5
Female.....	85	9	10	8	10	8	5	8	3	5	6	6	7
Black, both sexes.....	16	2	2	-	1	1	2	3	1	1	1	1	1
Male.....	3	-	1	-	-	-	1	1	-	-	-	-	-
Female.....	13	2	1	-	1	1	1	2	1	1	1	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis, not confirmed bacteriologically or histologically (A16)													
All races, both sexes.....	490	43	43	47	41	39	49	32	34	43	39	37	43
Male.....	335	23	29	34	27	29	35	26	25	25	29	21	32
Female.....	155	20	14	13	14	10	14	6	9	18	10	16	11
White, both sexes.....	287	27	25	28	24	18	30	18	20	24	21	24	28
Male.....	182	12	16	19	15	12	19	14	14	12	16	14	19
Female.....	105	15	9	9	9	6	11	4	6	12	5	10	9
Black, both sexes.....	121	10	14	9	10	12	8	8	9	12	10	11	8
Male.....	91	6	10	8	6	11	7	7	6	8	8	6	8
Female.....	30	4	4	1	4	1	1	1	3	4	2	5	-
American Indian 1/, both sexes.....	11	-	1	3	-	1	1	-	-	1	3	1	-
Male.....	7	-	1	2	-	-	1	-	-	-	3	-	-
Female.....	4	-	-	1	-	1	-	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	71	6	3	7	7	8	10	6	5	6	5	1	7
Male.....	55	5	2	5	6	6	8	5	5	5	2	1	5
Female.....	16	1	1	2	1	2	2	1	-	1	3	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Respiratory tuberculosis unspecified, without mention of bacteriological or histological confirmation (A16.9)													
All races, both sexes.....	175	12	9	19	19	14	22	14	14	16	8	15	13
Male.....	120	6	4	16	12	11	15	13	10	8	7	9	9
Female.....	55	6	5	3	7	3	7	1	4	8	1	6	4
White, both sexes.....	97	7	4	11	11	6	11	7	9	7	6	9	9
Male.....	59	3	1	9	6	5	6	6	5	2	5	6	5
Female.....	38	4	3	2	5	1	5	1	4	5	1	3	4
Black, both sexes.....	48	1	5	2	5	4	7	5	4	7	1	5	2
Male.....	37	-	3	2	3	4	6	5	4	5	1	2	2
Female.....	11	1	2	-	2	-	1	-	-	2	-	3	-
American Indian 1/, both sexes.....	7	-	-	3	-	1	1	-	-	1	1	-	-
Male.....	4	-	-	2	-	-	1	-	-	-	1	-	-
Female.....	3	-	-	1	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	4	-	3	3	3	3	2	1	1	-	1	2
Male.....	20	3	-	3	3	2	2	2	1	1	-	1	2
Female.....	3	1	-	-	-	1	1	-	-	-	-	-	-
Tuberculosis of nervous system (A17)													
All races, both sexes.....	13	1	-	-	2	-	4	-	1	1	3	1	-
Male.....	7	1	-	-	2	-	2	-	1	1	-	-	-
Female.....	6	-	-	-	-	-	2	-	-	-	3	1	-
White, both sexes.....	4	1	-	-	1	-	-	-	-	1	1	-	-
Male.....	3	1	-	-	1	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	5	-	-	-	1	-	1	-	1	-	1	1	-
Male.....	3	-	-	-	1	-	1	-	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	3	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	2	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tuberculous meningitis (A17.0)													
All races, both sexes.....	10	1	-	-	1	-	3	-	-	1	3	1	-
Male.....	5	1	-	-	1	-	2	-	-	1	-	-	-
Female.....	5	-	-	-	-	-	1	-	-	-	3	1	-
White, both sexes.....	4	1	-	-	1	-	-	-	-	1	1	-	-
Male.....	3	1	-	-	1	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	3	-	-	-	-	-	1	-	-	-	1	1	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	2	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Other tuberculosis of nervous system (A17.8)													
All races, both sexes.....	3	-	-	-	1	-	1	-	1	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tuberculosis of other organs (A18)													
All races, both sexes.....	96	8	5	11	4	10	5	5	9	8	8	13	10
Male.....	53	3	3	5	2	2	1	2	8	4	6	10	7
Female.....	43	5	2	6	2	8	4	3	1	4	2	3	3
White, both sexes.....	68	7	3	8	1	6	4	3	5	6	5	12	8
Male.....	37	2	1	4	1	1	1	1	4	4	4	9	5
Female.....	31	5	2	4	-	5	3	2	1	2	1	3	3
Black, both sexes.....	20	-	2	2	2	3	1	2	1	2	2	1	2
Male.....	12	-	2	1	1	1	-	1	1	-	2	1	2
Female.....	8	-	-	1	1	2	1	1	-	2	-	-	-
American Indian 1/, both sexes.....	3	-	-	1	-	-	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	-	1	1	-	-	2	-	-	-	-
Male.....	3	1	-	-	-	-	-	-	2	-	-	-	-
Female.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Tuberculosis of bones and joints (A18.0)													
All races, both sexes.....	84	8	4	10	3	8	4	4	8	6	8	11	10
Male.....	46	3	3	5	1	1	1	1	7	2	6	9	7
Female.....	38	5	1	5	2	7	3	3	1	4	2	2	3
White, both sexes.....	61	7	2	8	1	5	3	3	5	4	5	10	8
Male.....	34	2	1	4	1	1	1	1	4	2	4	8	5
Female.....	27	5	1	4	-	4	2	2	1	2	1	2	3
Black, both sexes.....	16	-	2	1	1	2	1	1	1	2	2	1	2
Male.....	9	-	2	1	-	-	-	-	1	-	2	1	2
Female.....	7	-	-	-	1	2	1	1	-	2	-	-	-
American Indian 1/, both sexes.....	3	-	-	1	-	-	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	1	1	-	-	1	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	1	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Leprosy, unspecified (A30.9)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Infection due to other mycobacteria (A31)													
All races, both sexes.....	226	17	16	14	17	15	19	17	33	18	23	19	18
Male.....	98	5	9	5	6	5	7	10	15	9	10	7	10
Female.....	128	12	7	9	11	10	12	7	18	9	13	12	8
White, both sexes.....	194	16	15	13	15	12	15	17	24	14	20	18	15
Male.....	74	4	8	4	5	3	4	10	9	6	7	6	8
Female.....	120	12	7	9	10	9	11	7	15	8	13	12	7
Black, both sexes.....	19	-	1	1	1	3	2	-	5	3	1	-	2
Male.....	15	-	1	1	1	2	1	-	4	3	1	-	1
Female.....	4	-	-	-	-	1	1	-	1	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	-	-	1	-	2	-	3	1	1	1	1
Male.....	8	1	-	-	-	-	2	-	2	-	1	1	1
Female.....	3	-	-	-	1	-	-	-	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mycobacterial infection, unspecified (A31.9)													
All races, both sexes.....	35	3	1	2	3	1	7	3	6	-	2	1	6
Male.....	12	-	1	-	-	-	3	2	3	-	-	-	3
Female.....	23	3	-	2	3	1	4	1	3	-	2	1	3
White, both sexes.....	30	3	1	2	3	1	5	3	4	-	2	1	5
Male.....	8	-	1	-	-	-	1	2	1	-	-	-	3
Female.....	22	3	-	2	3	1	4	1	3	-	2	1	2
Black, both sexes.....	3	-	-	-	-	-	1	-	1	-	-	-	1
Male.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Listeriosis (A32)													
All races, both sexes.....	30	-	2	-	1	4	4	1	5	4	2	5	2
Male.....	16	-	-	-	1	3	2	-	1	3	1	4	1
Female.....	14	-	2	-	-	1	2	1	4	1	1	1	1
White, both sexes.....	26	-	2	-	1	3	3	1	3	4	2	5	2
Male.....	14	-	-	-	1	2	1	-	1	3	1	4	1
Female.....	12	-	2	-	-	1	2	1	2	1	1	1	1
Black, both sexes.....	3	-	-	-	-	1	1	-	1	-	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Septicemia due to streptococcus, group B (A40.1)													
All races, both sexes.....	20	2	-	4	4	-	3	1	4	-	1	1	-
Male.....	7	2	-	-	1	-	2	-	1	-	-	1	-
Female.....	13	-	-	4	3	-	1	1	3	-	1	-	-
White, both sexes.....	17	1	-	3	4	-	3	-	4	-	1	1	-
Male.....	6	1	-	-	1	-	2	-	1	-	-	1	-
Female.....	11	-	-	3	3	-	1	-	3	-	1	-	-
Black, both sexes.....	3	1	-	1	-	-	-	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia due to streptococcus, group D (A40.2)													
All races, both sexes.....	128	13	9	10	13	11	21	7	7	3	9	12	13
Male.....	58	5	1	5	7	6	10	2	3	1	4	5	9
Female.....	70	8	8	5	6	5	11	5	4	2	5	7	4
White, both sexes.....	105	9	7	8	11	9	19	5	4	3	9	10	11
Male.....	47	3	1	3	6	5	8	2	1	1	4	5	8
Female.....	58	6	6	5	5	4	11	3	3	2	5	5	3
Black, both sexes.....	20	3	2	2	1	1	2	2	3	-	-	2	2
Male.....	9	1	-	2	-	1	2	-	2	-	-	-	1
Female.....	11	2	2	-	1	-	-	2	1	-	-	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	1	1	-	-	-	-	-	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Streptococcal septicemia, unspecified (A40.9)													
All races, both sexes.....	118	8	7	18	17	11	10	5	8	8	10	7	9
Male.....	56	5	4	10	9	5	6	-	2	3	6	3	3
Female.....	62	3	3	8	8	6	4	5	6	5	4	4	6
White, both sexes.....	93	7	4	16	12	10	7	3	7	8	9	4	6
Male.....	43	5	2	9	6	4	4	-	1	3	5	1	3
Female.....	50	2	2	7	6	6	3	3	6	5	4	3	3
Black, both sexes.....	19	1	2	1	3	1	3	2	1	-	-	3	2
Male.....	10	-	1	1	2	1	2	-	1	-	-	2	-
Female.....	9	1	1	-	1	-	1	2	-	-	-	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	1	2	-	-	-	-	-	-	-	1
Male.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	1	-	-	-	-	-	-	-	1
Other septicemia (A41)													
All races, both sexes.....	33,766	3,131	2,859	3,227	2,850	2,747	2,578	2,684	2,519	2,626	2,819	2,647	3,079
Male.....	15,303	1,415	1,260	1,496	1,268	1,272	1,172	1,201	1,125	1,221	1,247	1,186	1,440
Female.....	18,463	1,716	1,599	1,731	1,582	1,475	1,406	1,483	1,394	1,405	1,572	1,461	1,639
White, both sexes.....	26,996	2,492	2,316	2,568	2,282	2,215	2,047	2,122	1,979	2,098	2,280	2,102	2,495
Male.....	12,275	1,138	1,006	1,186	1,035	1,016	947	958	888	978	1,017	940	1,166
Female.....	14,721	1,354	1,310	1,382	1,247	1,199	1,100	1,164	1,091	1,120	1,263	1,162	1,329
Black, both sexes.....	6,031	563	485	572	507	467	477	510	474	469	483	500	524
Male.....	2,680	245	225	262	205	218	209	220	206	213	207	225	245
Female.....	3,351	318	260	310	302	249	268	290	268	256	276	275	279
American Indian 1/, both sexes.....	204	23	18	23	20	14	13	11	16	15	22	16	13
Male.....	96	11	10	10	7	10	4	6	6	10	9	8	5
Female.....	108	12	8	13	13	4	9	5	10	5	13	8	8
Asian or Pacific Islander 2/, both sexes.....	535	53	40	64	41	51	41	41	50	44	34	29	47
Male.....	252	21	19	38	21	28	12	17	25	20	14	13	24
Female.....	283	32	21	26	20	23	29	24	25	24	20	16	23

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Septicemia due to anaerobes (A41.4)													
All races, both sexes.....	126	4	4	22	13	12	6	9	9	11	12	12	12
Male.....	40	3	3	7	3	6	1	2	1	3	3	4	4
Female.....	86	1	1	15	10	6	5	7	8	8	9	8	8
White, both sexes.....	108	4	3	19	12	12	4	6	7	11	9	10	11
Male.....	35	3	2	5	3	6	1	2	1	3	2	4	3
Female.....	73	1	1	14	9	6	3	4	6	8	7	6	8
Black, both sexes.....	14	-	1	3	1	-	1	3	2	-	2	-	1
Male.....	5	-	1	2	-	-	-	-	-	-	1	-	1
Female.....	9	-	-	1	1	-	1	3	2	-	1	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Septicemia due to other Gram-negative organisms (A41.5)													
All races, both sexes.....	887	78	65	68	85	61	75	72	80	85	81	56	81
Male.....	422	38	26	36	38	30	39	31	42	44	33	32	33
Female.....	465	40	39	32	47	31	36	41	38	41	48	24	48
White, both sexes.....	703	62	56	54	67	47	61	56	65	64	62	41	68
Male.....	345	33	22	30	32	21	34	26	33	36	24	24	30
Female.....	358	29	34	24	35	26	27	30	32	28	38	17	38
Black, both sexes.....	149	15	7	10	16	12	13	13	10	20	11	12	10
Male.....	62	4	4	3	6	8	5	3	6	7	7	6	3
Female.....	87	11	3	7	10	4	8	10	4	13	4	6	7
American Indian 1/, both sexes.....	15	-	1	-	1	1	-	1	3	1	3	2	2
Male.....	6	-	-	-	-	-	-	-	2	1	1	2	-
Female.....	9	-	1	-	1	1	-	1	1	-	2	-	2
Asian or Pacific Islander 2/, both sexes.....	20	1	1	4	1	1	1	2	2	-	5	1	1
Male.....	9	1	-	3	-	1	-	2	1	-	1	-	-
Female.....	11	-	1	1	1	-	1	-	1	-	4	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified septicemia (A41.8)													
All races, both sexes.....	87	9	8	4	10	7	9	7	9	8	4	8	4
Male.....	39	2	4	2	6	2	3	3	2	4	4	3	4
Female.....	48	7	4	2	4	5	6	4	7	4	-	5	-
White, both sexes.....	63	6	6	3	8	4	8	6	8	4	4	3	3
Male.....	30	2	3	1	5	1	3	3	2	2	4	1	3
Female.....	33	4	3	2	3	3	5	3	6	2	-	2	-
Black, both sexes.....	21	3	2	1	1	2	1	1	1	4	-	5	-
Male.....	6	-	1	1	-	-	-	-	-	2	-	2	-
Female.....	15	3	1	-	1	2	1	1	1	2	-	3	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia, unspecified (A41.9)													
All races, both sexes.....	31,290	2,899	2,671	2,999	2,636	2,536	2,385	2,484	2,318	2,411	2,618	2,472	2,861
Male.....	14,109	1,298	1,161	1,391	1,162	1,166	1,073	1,103	1,032	1,116	1,158	1,106	1,343
Female.....	17,181	1,601	1,510	1,608	1,474	1,370	1,312	1,381	1,286	1,295	1,460	1,366	1,518
White, both sexes.....	24,974	2,309	2,166	2,381	2,104	2,042	1,892	1,957	1,807	1,929	2,112	1,965	2,310
Male.....	11,294	1,042	928	1,100	946	933	864	872	811	894	943	879	1,082
Female.....	13,680	1,267	1,238	1,281	1,158	1,109	1,028	1,085	996	1,035	1,169	1,086	1,228
Black, both sexes.....	5,644	522	453	539	475	432	443	478	453	425	459	467	498
Male.....	2,494	227	204	249	190	197	193	210	194	194	194	208	234
Female.....	3,150	295	249	290	285	235	250	268	259	231	265	259	264
American Indian 1/, both sexes.....	174	19	15	21	17	13	13	10	12	13	18	13	10
Male.....	85	10	10	9	5	10	4	6	4	8	8	6	5
Female.....	89	9	5	12	12	3	9	4	8	5	10	7	5
Asian or Pacific Islander 2/, both sexes.....	498	49	37	58	40	49	37	39	46	44	29	27	43
Male.....	236	19	19	33	21	26	12	15	23	20	13	13	22
Female.....	262	30	18	25	19	23	25	24	23	24	16	14	21

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified bacterial diseases (A48.8)													
All races, both sexes.....	6	-	-	2	-	1	-	-	-	-	1	-	2
Male.....	3	-	-	1	-	-	-	-	-	-	1	-	1
Female.....	3	-	-	1	-	1	-	-	-	-	-	-	1
White, both sexes.....	6	-	-	2	-	1	-	-	-	-	1	-	2
Male.....	3	-	-	1	-	-	-	-	-	-	1	-	1
Female.....	3	-	-	1	-	1	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial infection of unspecified site (A49)													
All races, both sexes.....	1,125	100	93	124	96	75	85	92	82	81	98	93	106
Male.....	581	53	42	65	41	37	50	43	45	39	63	48	55
Female.....	544	47	51	59	55	38	35	49	37	42	35	45	51
White, both sexes.....	910	84	80	100	79	60	66	75	65	63	87	70	81
Male.....	474	43	36	53	37	31	38	36	34	30	57	36	43
Female.....	436	41	44	47	42	29	28	39	31	33	30	34	38
Black, both sexes.....	184	15	12	18	15	13	15	13	16	15	9	20	23
Male.....	86	9	6	7	3	4	10	4	10	7	5	11	10
Female.....	98	6	6	11	12	9	5	9	6	8	4	9	13
American Indian 1/, both sexes.....	11	-	-	2	-	-	4	1	-	-	1	2	1
Male.....	7	-	-	1	-	-	2	1	-	-	1	1	1
Female.....	4	-	-	1	-	-	2	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	20	1	1	4	2	2	-	3	1	3	1	1	1
Male.....	14	1	-	4	1	2	-	2	1	2	-	-	1
Female.....	6	-	1	-	1	-	-	1	-	1	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Staphylococcal infection, unspecified (A49.0)													
All races, both sexes.....	418	40	40	48	35	23	31	43	28	28	33	29	40
Male.....	217	25	16	23	14	10	19	22	18	14	20	13	23
Female.....	201	15	24	25	21	13	12	21	10	14	13	16	17
White, both sexes.....	354	34	37	39	33	20	23	34	23	21	31	23	36
Male.....	183	21	14	19	14	9	13	17	14	11	19	10	22
Female.....	171	13	23	20	19	11	10	17	9	10	12	13	14
Black, both sexes.....	53	6	3	5	2	3	6	6	5	7	2	4	4
Male.....	25	4	2	1	-	1	4	2	4	3	1	2	1
Female.....	28	2	1	4	2	2	4	1	4	1	2	3	3
American Indian 1/, both sexes.....	6	-	-	1	-	-	2	1	-	-	-	2	-
Male.....	4	-	-	-	-	-	2	1	-	-	-	1	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	3	-	-	-	2	-	-	-	-	-
Male.....	5	-	-	3	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal infection, unspecified (A49.1)													
All races, both sexes.....	96	11	11	8	11	10	5	5	5	4	6	7	13
Male.....	55	5	5	7	6	8	3	2	3	2	4	3	7
Female.....	41	6	6	1	5	2	2	3	2	2	2	4	6
White, both sexes.....	71	11	8	6	8	7	3	4	3	3	6	4	8
Male.....	45	5	5	6	5	6	1	2	2	2	4	2	5
Female.....	26	6	3	-	3	1	2	2	1	1	2	2	3
Black, both sexes.....	19	-	2	2	2	1	2	-	2	1	-	3	4
Male.....	7	-	-	1	1	-	2	-	1	-	-	1	1
Female.....	12	-	2	1	1	1	-	-	1	1	-	2	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	1	2	-	1	-	-	-	-	1
Male.....	3	-	-	-	-	2	-	-	-	-	-	-	1
Female.....	3	-	1	-	1	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other bacterial infections of unspecified site (A49.8)													
All races, both sexes.....	136	9	9	12	16	8	12	8	13	11	16	10	12
Male.....	70	7	6	5	6	5	8	2	7	4	11	4	5
Female.....	66	2	3	7	10	3	4	6	6	7	5	6	7
White, both sexes.....	114	8	8	10	15	8	10	6	10	8	13	7	11
Male.....	59	6	5	4	6	5	7	2	5	3	9	3	4
Female.....	55	2	3	6	9	3	3	4	5	5	4	4	7
Black, both sexes.....	18	1	1	2	1	-	1	2	2	3	2	3	-
Male.....	8	1	1	1	-	-	1	-	1	1	1	1	-
Female.....	10	-	-	1	1	-	-	2	1	2	1	2	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	-	-	1	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial infection, unspecified (A49.9)													
All races, both sexes.....	470	40	33	56	34	34	37	33	36	38	42	46	41
Male.....	238	16	15	30	15	14	20	16	17	19	28	28	20
Female.....	232	24	18	26	19	20	17	17	19	19	14	18	21
White, both sexes.....	366	31	27	45	23	25	30	28	29	31	36	35	26
Male.....	186	11	12	24	12	11	17	14	13	14	25	21	12
Female.....	180	20	15	21	11	14	13	14	16	17	11	14	14
Black, both sexes.....	94	8	6	9	10	9	6	5	7	4	5	10	15
Male.....	46	4	3	4	2	3	3	2	4	3	3	7	8
Female.....	48	4	3	5	8	6	3	3	3	1	2	3	7
American Indian 1/, both sexes.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	-	1	1	-	-	-	-	3	1	1	-
Male.....	5	1	-	1	1	-	-	-	-	2	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Atypical virus infections of central nervous system (A81)													
All races, both sexes.....	249	23	24	24	23	17	15	14	20	19	22	23	25
Male.....	123	11	11	14	19	7	5	6	10	10	13	10	7
Female.....	126	12	13	10	4	10	10	8	10	9	9	13	18
White, both sexes.....	237	22	24	24	20	15	15	14	20	19	20	21	23
Male.....	117	10	11	14	17	7	5	6	10	10	12	9	6
Female.....	120	12	13	10	3	8	10	8	10	9	8	12	17
Black, both sexes.....	7	1	-	-	1	1	-	-	-	-	1	1	2
Male.....	3	1	-	-	-	-	-	-	-	-	-	1	1
Female.....	4	-	-	-	1	1	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	2	1	-	-	-	-	1	1	-
Male.....	3	-	-	-	2	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Creutzfeldt-Jakob disease (A81.0)													
All races, both sexes.....	213	20	21	19	19	13	14	13	17	16	20	20	21
Male.....	109	11	9	13	15	4	5	5	10	9	12	9	7
Female.....	104	9	12	6	4	9	9	8	7	7	8	11	14
White, both sexes.....	205	19	21	19	16	12	14	13	17	16	19	19	20
Male.....	104	10	9	13	13	4	5	5	10	9	11	9	6
Female.....	101	9	12	6	3	8	9	8	7	7	8	10	14
Black, both sexes.....	3	1	-	-	1	-	-	-	-	-	-	-	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	2	1	-	-	-	-	1	1	-
Male.....	3	-	-	-	2	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rabies, unspecified (A82.9)													
All races, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Mosquito-borne viral encephalitis (A83)													
All races, both sexes.....	5	-	-	-	-	-	1	1	2	-	-	1	-
Male.....	4	-	-	-	-	-	1	-	2	-	-	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Eastern equine encephalitis (A83.2)													
All races, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Louis encephalitis (A83.3)													
All races, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
California encephalitis (A83.5)													
All races, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other viral encephalitis, not elsewhere classified (A85)													
All races, both sexes.....	3	-	1	-	-	-	-	-	-	1	-	1	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Enteroviral encephalitis (A85.0)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified viral encephalitis (A85.8)													
All races, both sexes.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified viral encephalitis (A86)													
All races, both sexes.....	110	7	2	14	8	10	4	13	12	13	13	6	8
Male.....	51	3	1	7	3	6	3	6	7	4	7	4	-
Female.....	59	4	1	7	5	4	1	7	5	9	6	2	8
White, both sexes.....	97	7	2	12	8	9	4	10	12	12	9	6	6
Male.....	45	3	1	7	3	5	3	4	7	4	4	4	-
Female.....	52	4	1	5	5	4	1	6	5	8	5	2	6
Black, both sexes.....	10	-	-	1	-	1	-	3	-	-	3	-	2
Male.....	5	-	-	-	-	1	-	2	-	-	2	-	-
Female.....	5	-	-	1	-	-	-	1	-	-	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	-	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Viral meningitis (A87)													
All races, both sexes.....	49	5	4	3	6	3	4	3	5	5	4	2	5
Male.....	19	2	2	2	2	-	2	-	2	2	2	1	2
Female.....	30	3	2	1	4	3	2	3	3	3	2	1	3
White, both sexes.....	37	2	4	3	4	2	1	2	5	3	4	2	5
Male.....	16	1	2	2	2	-	1	-	2	1	2	1	2
Female.....	21	1	2	1	2	2	-	2	3	2	2	1	3
Black, both sexes.....	9	3	-	-	1	1	2	1	-	1	-	-	-
Male.....	3	1	-	-	-	-	1	-	-	1	-	-	-
Female.....	6	2	-	-	1	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Varicella without complications (B01.9)													
All races, both sexes.....	9	-	-	2	-	1	-	1	1	-	1	-	3
Male.....	6	-	-	1	-	1	-	1	1	-	1	-	1
Female.....	3	-	-	1	-	-	-	-	-	-	-	-	2
White, both sexes.....	9	-	-	2	-	1	-	1	1	-	1	-	3
Male.....	6	-	-	1	-	1	-	1	1	-	1	-	1
Female.....	3	-	-	1	-	-	-	-	-	-	-	-	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Zoster [herpes zoster] (B02)													
All races, both sexes.....	167	15	9	8	19	13	11	18	13	16	16	12	17
Male.....	65	8	2	4	7	7	4	10	3	4	7	5	4
Female.....	102	7	7	4	12	6	7	8	10	12	9	7	13
White, both sexes.....	151	14	8	8	17	12	9	16	12	12	15	12	16
Male.....	56	7	2	4	6	6	3	9	2	3	6	5	3
Female.....	95	7	6	4	11	6	6	7	10	9	9	7	13
Black, both sexes.....	14	1	1	-	2	1	2	2	1	3	-	-	1
Male.....	8	1	-	-	1	1	1	1	1	1	-	-	1
Female.....	6	-	1	-	1	-	1	1	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Enteroviral vesicular pharyngitis (B08.5)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute hepatitis A (B15)													
All races, both sexes.....	34	3	4	4	2	5	-	2	2	2	2	4	4
Male.....	17	1	3	1	-	3	-	-	2	1	1	2	3
Female.....	17	2	1	3	2	2	-	2	-	1	1	2	1
White, both sexes.....	26	3	3	1	1	4	-	1	2	2	2	3	4
Male.....	14	1	2	1	-	2	-	-	2	1	1	1	3
Female.....	12	2	1	-	1	2	-	1	-	1	1	2	1
Black, both sexes.....	6	-	1	3	-	1	-	-	-	-	-	1	-
Male.....	3	-	1	-	-	1	-	-	-	-	-	1	-
Female.....	3	-	-	3	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hepatitis A without hepatic coma (B15.9)													
All races, both sexes.....	34	3	4	4	2	5	-	2	2	2	2	4	4
Male.....	17	1	3	1	-	3	-	-	2	1	1	2	3
Female.....	17	2	1	3	2	2	-	2	-	1	1	2	1
White, both sexes.....	26	3	3	1	1	4	-	1	2	2	2	3	4
Male.....	14	1	2	1	-	2	-	-	2	1	1	1	3
Female.....	12	2	1	-	1	2	-	1	-	1	1	2	1
Black, both sexes.....	6	-	1	3	-	1	-	-	-	-	-	1	-
Male.....	3	-	1	-	-	1	-	-	-	-	-	1	-
Female.....	3	-	-	3	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Acute hepatitis B (B16)													
All races, both sexes.....	576	68	46	51	54	42	40	46	47	54	49	37	42
Male.....	397	50	28	37	42	27	22	33	25	44	34	24	31
Female.....	179	18	18	14	12	15	18	13	22	10	15	13	11
White, both sexes.....	365	41	37	33	32	28	29	26	32	31	28	21	27
Male.....	264	32	24	26	24	20	18	20	19	26	22	12	21
Female.....	101	9	13	7	8	8	11	6	13	5	6	9	6
Black, both sexes.....	106	15	3	8	15	9	4	11	8	9	9	9	6
Male.....	66	10	2	5	13	4	1	9	1	7	4	7	3
Female.....	40	5	1	3	2	5	3	2	7	2	5	2	3
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	1	-	-	-	1
Male.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	102	12	6	10	7	5	7	8	6	14	12	7	8
Male.....	65	8	2	6	5	3	3	3	4	11	8	5	7
Female.....	37	4	4	4	2	2	4	5	2	3	4	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute hepatitis B without delta-agent with hepatic coma (B16.2)													
All races, both sexes.....	37	5	5	4	2	2	2	1	2	6	1	3	4
Male.....	23	4	2	3	2	1	1	-	1	4	1	1	3
Female.....	14	1	3	1	-	1	1	1	1	2	-	2	1
White, both sexes.....	24	1	4	4	-	2	1	1	2	4	1	2	2
Male.....	13	1	1	3	-	1	-	-	1	2	1	1	2
Female.....	11	-	3	1	-	1	1	1	1	2	-	1	-
Black, both sexes.....	11	4	1	-	2	-	-	-	-	1	-	1	2
Male.....	8	3	1	-	2	-	-	-	-	1	-	-	1
Female.....	3	1	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute hepatitis B without delta-agent and without hepatic coma (B16.9)													
All races, both sexes.....	539	63	41	47	52	40	38	45	45	48	48	34	38
Male.....	374	46	26	34	40	26	21	33	24	40	33	23	28
Female.....	165	17	15	13	12	14	17	12	21	8	15	11	10
White, both sexes.....	341	40	33	29	32	26	28	25	30	27	27	19	25
Male.....	251	31	23	23	24	19	18	20	18	24	21	11	19
Female.....	90	9	10	6	8	7	10	5	12	3	6	8	6
Black, both sexes.....	95	11	2	8	13	9	4	11	8	8	9	8	4
Male.....	58	7	1	5	11	4	1	9	1	6	4	7	2
Female.....	37	4	1	3	2	5	3	2	7	2	5	1	2
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	1	-	-	-	1
Male.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	100	12	6	10	7	5	6	8	6	13	12	7	8
Male.....	63	8	2	6	5	3	2	3	4	10	8	5	7
Female.....	37	4	4	4	2	2	4	5	2	3	4	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified acute viral hepatitis (B17.8)													
All races, both sexes.....	5	-	1	1	-	-	-	-	-	1	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	4	-	1	1	-	-	-	-	-	-	1	1	-
White, both sexes.....	5	-	1	1	-	-	-	-	-	1	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	4	-	1	1	-	-	-	-	-	-	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic viral hepatitis (B18)													
All races, both sexes.....	6,539	580	511	615	544	573	522	487	527	513	532	575	560
Male.....	4,273	374	314	386	342	383	341	318	337	359	354	380	385
Female.....	2,266	206	197	229	202	190	181	169	190	154	178	195	175
White, both sexes.....	5,281	472	415	491	438	463	420	390	430	419	423	465	455
Male.....	3,495	315	253	313	286	313	284	245	280	295	288	310	313
Female.....	1,786	157	162	178	152	150	136	145	150	124	135	155	142
Black, both sexes.....	972	82	69	86	77	86	83	80	78	76	91	91	73
Male.....	619	45	45	54	43	59	47	61	47	53	56	57	52
Female.....	353	37	24	32	34	27	36	19	31	23	35	34	21
American Indian 1/, both sexes.....	98	12	10	16	11	11	6	5	6	4	6	7	4
Male.....	63	7	7	10	6	4	4	5	5	2	4	6	3
Female.....	35	5	3	6	5	7	2	-	1	2	2	1	1
Asian or Pacific Islander 2/, both sexes.....	188	14	17	22	18	13	13	12	13	14	12	12	28
Male.....	96	7	9	9	7	7	6	7	5	9	6	7	17
Female.....	92	7	8	13	11	6	7	5	8	5	6	5	11

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic viral hepatitis B without delta-agent (B18.1)													
All races, both sexes.....	124	12	9	14	10	7	12	2	10	11	9	17	11
Male.....	85	9	6	9	5	4	9	1	9	8	6	12	7
Female.....	39	3	3	5	5	3	3	1	1	3	3	5	4
White, both sexes.....	85	6	8	7	9	6	10	2	8	5	8	11	5
Male.....	59	5	5	5	4	4	8	1	7	2	6	8	4
Female.....	26	1	3	2	5	2	2	1	1	3	2	3	1
Black, both sexes.....	7	-	-	2	-	-	-	-	-	2	-	2	1
Male.....	4	-	-	1	-	-	-	-	-	2	-	1	-
Female.....	3	-	-	1	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	31	5	1	5	1	1	2	-	2	4	1	4	5
Male.....	22	4	1	3	1	-	1	-	2	4	-	3	3
Female.....	9	1	-	2	-	1	1	-	-	-	1	1	2
Chronic viral hepatitis C (B18.2)													
All races, both sexes.....	6,406	566	502	601	533	566	510	485	514	502	522	558	547
Male.....	4,184	364	308	377	336	379	332	317	328	351	347	368	377
Female.....	2,222	202	194	224	197	187	178	168	186	151	175	190	170
White, both sexes.....	5,188	464	407	484	428	457	410	388	419	414	414	454	449
Male.....	3,433	309	248	308	281	309	276	244	273	293	281	302	309
Female.....	1,755	155	159	176	147	148	134	144	146	121	133	152	140
Black, both sexes.....	964	82	69	84	77	86	83	80	78	74	91	89	71
Male.....	614	45	45	53	43	59	47	61	47	51	56	56	51
Female.....	350	37	24	31	34	27	36	19	31	23	35	33	20
American Indian 1/, both sexes.....	97	11	10	16	11	11	6	5	6	4	6	7	4
Male.....	63	7	7	10	6	4	4	5	5	2	4	6	3
Female.....	34	4	3	6	5	7	2	-	1	2	2	1	1
Asian or Pacific Islander 2/, both sexes.....	157	9	16	17	17	12	11	12	11	10	11	8	23
Male.....	74	3	8	6	6	7	5	7	3	5	6	4	14
Female.....	83	6	8	11	11	5	6	5	8	5	5	4	9

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified viral hepatitis without coma (B19.9)													
All races, both sexes.....	83	9	9	10	5	7	9	6	4	5	4	10	5
Male.....	48	5	5	5	3	3	6	3	1	4	3	6	4
Female.....	35	4	4	5	2	4	3	3	3	1	1	4	1
White, both sexes.....	71	6	9	9	5	5	7	6	3	4	4	10	3
Male.....	41	4	5	4	3	2	5	3	1	3	3	6	2
Female.....	30	2	4	5	2	3	2	3	2	1	1	4	1
Black, both sexes.....	9	2	-	1	-	2	1	-	1	1	-	-	1
Male.....	5	-	-	1	-	1	1	-	-	1	-	-	1
Female.....	4	2	-	-	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	1	-	-	-	-	-	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases (B20)													
All races, both sexes.....	4,597	413	368	429	417	375	341	343	388	357	394	367	405
Male.....	3,274	306	262	303	281	267	260	247	261	257	277	257	296
Female.....	1,323	107	106	126	136	108	81	96	127	100	117	110	109
White, both sexes.....	2,031	187	160	186	186	160	168	153	155	149	173	178	176
Male.....	1,618	150	123	148	146	124	142	120	113	118	141	148	145
Female.....	413	37	37	38	40	36	26	33	42	31	32	30	31
Black, both sexes.....	2,485	217	199	239	225	210	167	187	223	200	218	183	217
Male.....	1,593	149	133	151	129	140	112	124	141	133	135	104	142
Female.....	892	68	66	88	96	70	55	63	82	67	83	79	75
American Indian 1/, both sexes.....	38	3	7	1	3	2	1	1	3	6	3	4	4
Male.....	25	2	4	1	3	-	1	1	2	5	1	3	2
Female.....	13	1	3	-	-	2	-	-	1	1	2	1	2
Asian or Pacific Islander 2/, both sexes.....	43	6	2	3	3	3	5	2	7	2	-	2	8
Male.....	38	5	2	3	3	3	5	2	5	1	-	2	7
Female.....	5	1	-	-	-	-	-	-	2	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
HIV disease resulting in Pneumocystis carinii pneumonia (B20.6)													
All races, both sexes.....	366	33	32	29	30	32	32	24	25	41	31	19	38
Male.....	263	25	24	22	20	21	23	18	18	27	23	12	30
Female.....	103	8	8	7	10	11	9	6	7	14	8	7	8
White, both sexes.....	187	14	17	14	14	16	17	15	10	16	19	11	24
Male.....	155	11	15	14	11	13	12	13	7	14	16	9	20
Female.....	32	3	2	-	3	3	5	2	3	2	3	2	4
Black, both sexes.....	167	16	12	14	16	16	13	8	13	25	12	8	14
Male.....	97	11	7	7	9	8	9	4	9	13	7	3	10
Female.....	70	5	5	7	7	8	4	4	4	12	5	5	4
American Indian 1/, both sexes.....	3	1	2	-	-	-	-	-	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	2	1	1	-	-	2	1	2	-	-	-	-
Male.....	9	2	1	1	-	-	2	1	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in multiple infections (B20.7)													
All races, both sexes.....	1,174	101	95	104	117	98	88	86	100	83	106	91	105
Male.....	835	77	71	77	77	70	70	66	61	62	71	64	69
Female.....	339	24	24	27	40	28	18	20	39	21	35	27	36
White, both sexes.....	507	43	42	53	55	40	49	34	38	34	42	43	34
Male.....	398	36	32	43	42	30	41	27	28	27	32	35	25
Female.....	109	7	10	10	13	10	8	7	10	7	10	8	9
Black, both sexes.....	644	57	51	49	61	56	36	52	60	47	64	45	66
Male.....	420	40	37	32	34	39	26	39	33	33	39	27	41
Female.....	224	17	14	17	27	17	10	13	27	14	25	18	25
American Indian 1/, both sexes.....	12	-	2	1	1	1	-	-	-	2	-	3	2
Male.....	9	-	2	1	1	-	-	-	-	2	-	2	1
Female.....	3	-	-	-	-	1	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	11	1	-	1	-	1	3	-	2	-	-	-	3
Male.....	8	1	-	1	-	1	3	-	-	-	-	-	2
Female.....	3	-	-	-	-	-	-	-	2	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
HIV disease resulting in wasting syndrome (B22.2)													
All races, both sexes.....	156	10	13	14	8	16	12	9	12	13	19	15	15
Male.....	107	6	9	10	6	9	10	8	9	11	12	7	10
Female.....	49	4	4	4	2	7	2	1	3	2	7	8	5
White, both sexes.....	51	3	4	8	2	6	3	2	5	3	3	7	5
Male.....	41	2	4	6	2	5	2	2	5	3	2	4	4
Female.....	10	1	-	2	-	1	1	-	-	-	1	3	1
Black, both sexes.....	105	7	9	6	6	10	9	7	7	10	16	8	10
Male.....	66	4	5	4	4	4	8	6	4	8	10	3	6
Female.....	39	3	4	2	2	6	1	1	3	2	6	5	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in multiple diseases classified elsewhere (B22.7)													
All races, both sexes.....	883	76	77	77	71	70	79	74	75	55	63	77	89
Male.....	694	57	59	63	58	56	57	62	63	47	50	56	66
Female.....	189	19	18	14	13	14	22	12	12	8	13	21	23
White, both sexes.....	429	36	41	46	35	33	31	39	33	20	35	39	41
Male.....	375	33	34	41	32	29	29	34	27	20	31	32	33
Female.....	54	3	7	5	3	4	2	5	6	-	4	7	8
Black, both sexes.....	443	40	36	30	35	35	46	34	42	35	26	37	47
Male.....	312	24	25	21	26	25	26	27	36	27	19	24	32
Female.....	131	16	11	9	9	10	20	7	6	8	7	13	15
American Indian 1/, both sexes.....	4	-	-	-	-	1	1	-	-	-	1	-	1
Male.....	3	-	-	-	-	1	1	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	1	1	1	1	1	-	-	1	1	-
Male.....	4	-	-	1	-	1	1	1	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	-	-	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
HIV disease resulting in other specified conditions (B23.8)													
All races, both sexes.....	1,866	163	160	157	134	184	157	183	162	149	141	132	144
Male.....	1,336	124	109	112	100	131	107	137	118	108	106	84	100
Female.....	530	39	51	45	34	53	50	46	44	41	35	48	44
White, both sexes.....	636	57	55	54	44	62	47	58	60	56	48	42	53
Male.....	525	48	44	41	39	52	37	54	51	46	42	31	40
Female.....	111	9	11	13	5	10	10	4	9	10	6	11	13
Black, both sexes.....	1,213	104	103	101	89	120	107	123	101	92	92	90	91
Male.....	799	76	63	70	60	77	67	81	67	61	64	53	60
Female.....	414	28	40	31	29	43	40	42	34	31	28	37	31
American Indian 1/, both sexes.....	11	2	-	2	1	2	2	-	-	1	1	-	-
Male.....	7	-	-	1	1	2	2	-	-	1	-	-	-
Female.....	4	2	-	1	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	2	-	-	-	1	2	1	-	-	-	-
Male.....	5	-	2	-	-	-	1	2	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Unspecified human immunodeficiency virus [HIV] disease (B24)													
All races, both sexes.....	3,317	283	293	257	280	258	275	283	295	239	288	280	286
Male.....	2,353	197	207	190	195	176	196	204	204	179	198	205	202
Female.....	964	86	86	67	85	82	79	79	91	60	90	75	84
White, both sexes.....	1,318	104	113	102	124	101	113	110	119	82	119	114	117
Male.....	1,078	84	93	84	97	77	90	90	99	73	99	96	96
Female.....	240	20	20	18	27	24	23	20	20	9	20	18	21
Black, both sexes.....	1,968	178	177	153	153	155	159	170	172	155	165	165	166
Male.....	1,253	112	112	106	96	98	103	111	103	104	95	108	105
Female.....	715	66	65	47	57	57	56	59	69	51	70	57	61
American Indian 1/, both sexes.....	11	1	1	-	-	1	2	1	2	1	1	-	1
Male.....	8	1	1	-	-	-	2	1	1	1	1	-	-
Female.....	3	-	-	-	-	1	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	20	-	2	2	3	1	1	2	2	1	3	1	2
Male.....	14	-	1	-	2	1	1	2	1	1	3	1	1
Female.....	6	-	1	2	1	-	-	-	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other viral diseases, not elsewhere classified (B33)													
All races, both sexes.....	60	6	5	8	6	5	7	1	3	5	2	6	6
Male.....	33	1	1	2	4	2	5	1	2	5	1	5	4
Female.....	27	5	4	6	2	3	2	-	1	-	1	1	2
White, both sexes.....	48	4	5	6	4	5	5	1	2	5	2	5	4
Male.....	26	1	1	-	3	2	4	1	2	5	1	4	2
Female.....	22	3	4	6	1	3	1	-	-	-	1	1	2
Black, both sexes.....	4	1	-	1	-	-	-	-	1	-	-	1	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	1	2	-	1	-	-	-	-	-	2
Male.....	4	-	-	1	1	-	-	-	-	-	-	-	2
Female.....	3	1	-	-	1	-	1	-	-	-	-	-	-
Viral carditis (B33.2)													
All races, both sexes.....	43	6	5	4	5	4	5	-	2	4	1	4	3
Male.....	21	1	1	1	3	2	3	-	1	4	-	3	2
Female.....	22	5	4	3	2	2	2	-	1	-	1	1	1
White, both sexes.....	35	4	5	3	3	4	4	-	1	4	1	3	3
Male.....	18	1	1	-	2	2	3	-	1	4	-	2	2
Female.....	17	3	4	3	1	2	1	-	-	-	1	1	1
Black, both sexes.....	4	1	-	1	-	-	-	-	1	-	-	1	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	2	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	1	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Candidiasis, unspecified (B37.9)													
All races, both sexes.....	24	2	1	3	3	-	4	3	3	-	3	1	1
Male.....	13	-	-	2	1	-	1	3	3	-	3	-	-
Female.....	11	2	1	1	2	-	3	-	-	-	-	1	1
White, both sexes.....	20	2	1	2	2	-	4	2	3	-	2	1	1
Male.....	9	-	-	1	-	-	1	2	3	-	2	-	-
Female.....	11	2	1	1	2	-	3	-	-	-	-	1	1
Black, both sexes.....	3	-	-	-	1	-	-	1	-	-	1	-	-
Male.....	3	-	-	-	1	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Coccidioidomycosis (B38)													
All races, both sexes.....	110	11	7	12	9	10	7	2	10	10	8	11	13
Male.....	79	8	5	10	8	6	4	2	8	8	5	8	7
Female.....	31	3	2	2	1	4	3	-	2	2	3	3	6
White, both sexes.....	78	10	5	11	3	3	7	1	8	7	6	8	9
Male.....	53	7	4	9	3	1	4	1	7	5	3	6	3
Female.....	25	3	1	2	-	2	3	-	1	2	3	2	6
Black, both sexes.....	21	1	1	-	5	3	-	-	1	3	2	2	3
Male.....	18	1	1	-	5	2	-	-	-	3	2	1	3
Female.....	3	-	-	-	-	1	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	1	-	1	4	-	1	1	-	-	1	-
Male.....	6	-	-	-	-	3	-	1	1	-	-	1	-
Female.....	3	-	1	-	1	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other forms of sporotrichosis (B42.8)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Aspergillosis (B44)													
All races, both sexes.....	132	18	11	13	10	8	10	14	13	10	9	10	6
Male.....	77	9	7	9	7	6	4	9	8	4	5	6	3
Female.....	55	9	4	4	3	2	6	5	5	6	4	4	3
White, both sexes.....	106	14	9	11	9	8	9	13	7	6	8	8	4
Male.....	64	8	5	8	6	6	4	9	4	3	4	5	2
Female.....	42	6	4	3	3	2	5	4	3	3	4	3	2
Black, both sexes.....	21	2	2	1	1	-	1	1	4	4	1	2	2
Male.....	11	1	2	-	1	-	-	-	3	1	1	1	1
Female.....	10	1	-	1	-	-	1	1	1	3	-	1	1
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	1	-	-	-	-	2	-	-	-	-
Male.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aspergillosis, unspecified (B44.9)													
All races, both sexes.....	40	4	1	2	3	3	2	5	9	4	4	1	2
Male.....	27	3	1	1	2	3	-	5	5	2	2	1	2
Female.....	13	1	-	1	1	-	2	-	4	2	2	-	-
White, both sexes.....	30	2	1	2	3	3	2	5	4	3	3	1	1
Male.....	21	2	1	1	2	3	-	5	2	2	1	1	1
Female.....	9	-	-	1	1	-	2	-	2	1	2	-	-
Black, both sexes.....	7	1	-	-	-	-	-	-	3	1	1	-	1
Male.....	5	1	-	-	-	-	-	-	2	-	1	-	1
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	-	-	2	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Cryptococcosis (B45)													
All races, both sexes.....	100	7	6	9	12	14	6	6	2	15	8	10	5
Male.....	68	5	4	6	8	11	2	4	1	9	5	8	5
Female.....	32	2	2	3	4	3	4	2	1	6	3	2	-
White, both sexes.....	66	6	5	5	8	9	4	3	1	9	4	8	4
Male.....	46	4	3	3	6	7	2	2	1	5	2	7	4
Female.....	20	2	2	2	2	2	2	1	-	4	2	1	-
Black, both sexes.....	29	1	1	4	3	4	2	3	1	3	4	2	1
Male.....	19	1	1	3	1	4	-	2	-	2	3	1	1
Female.....	10	-	-	1	2	-	2	1	1	1	1	1	-
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	-	2	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pulmonary cryptococcosis (B45.0)													
All races, both sexes.....	11	1	-	1	1	1	1	2	-	1	1	2	-
Male.....	7	1	-	1	1	1	-	1	-	-	-	2	-
Female.....	4	-	-	-	-	-	1	1	-	1	1	-	-
White, both sexes.....	8	1	-	-	1	-	1	2	-	1	-	2	-
Male.....	5	1	-	-	1	-	-	1	-	-	-	2	-
Female.....	3	-	-	-	-	-	1	1	-	1	-	-	-
Black, both sexes.....	3	-	-	1	-	1	-	-	-	-	1	-	-
Male.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral cryptococcosis (B45.1)													
All races, both sexes.....	69	5	5	6	8	11	4	3	1	8	6	8	4
Male.....	49	4	4	3	5	8	2	3	1	5	4	6	4
Female.....	20	1	1	3	3	3	2	-	-	3	2	2	-
White, both sexes.....	45	4	4	3	5	7	3	1	1	4	4	6	3
Male.....	33	3	3	1	4	5	2	1	1	3	2	5	3
Female.....	12	1	1	2	1	2	1	-	-	1	2	1	-
Black, both sexes.....	21	1	1	3	3	3	1	2	-	2	2	2	1
Male.....	15	1	1	2	1	3	-	2	-	1	2	1	1
Female.....	6	-	-	1	2	-	1	-	-	1	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mycetoma, unspecified (B47.9)													
All races, both sexes.....	4	1	-	-	-	-	-	1	1	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Female.....	2	1	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	3	-	-	-	-	-	-	1	1	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mycosis (B49)													
All races, both sexes.....	371	38	42	32	38	27	28	36	25	35	30	21	19
Male.....	197	21	19	17	18	14	16	20	12	22	21	10	7
Female.....	174	17	23	15	20	13	12	16	13	13	9	11	12
White, both sexes.....	282	32	30	30	25	23	26	25	17	27	19	14	14
Male.....	159	18	16	16	13	11	15	15	10	17	14	7	7
Female.....	123	14	14	14	12	12	11	10	7	10	5	7	7
Black, both sexes.....	81	6	11	2	12	4	2	10	6	6	11	6	5
Male.....	36	3	3	1	5	3	1	4	2	4	7	3	-
Female.....	45	3	8	1	7	1	1	6	4	2	4	3	5
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	-	-	1	1	2	-	1	-
Male.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	4	-	1	-	-	-	-	-	1	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Toxoplasmosis, unspecified (B58.9)													
All races, both sexes.....	4	-	-	-	-	1	-	1	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	1	-	-	1	-
White, both sexes.....	3	-	-	-	-	-	-	1	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumocystosis (B59)													
All races, both sexes.....	148	11	7	11	15	12	8	19	10	15	14	12	14
Male.....	85	6	6	6	7	6	7	9	6	10	8	5	9
Female.....	63	5	1	5	8	6	1	10	4	5	6	7	5
White, both sexes.....	104	9	5	8	8	8	6	12	8	8	12	9	11
Male.....	61	6	4	3	5	4	5	6	5	6	7	4	6
Female.....	43	3	1	5	3	4	1	6	3	2	5	5	5
Black, both sexes.....	38	2	2	2	6	4	2	6	1	6	2	3	2
Male.....	20	-	2	2	2	2	2	3	-	3	1	1	2
Female.....	18	2	-	-	4	2	-	3	1	3	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	1	1	-	-	1	1	1	-	-	1
Male.....	4	-	-	1	-	-	-	-	1	1	-	-	1
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified parasitic disease (B89)													
All races, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of tuberculosis (B90)													
All races, both sexes.....	42	4	10	1	2	2	1	5	5	1	4	6	1
Male.....	21	3	6	-	2	2	-	2	1	-	1	3	1
Female.....	21	1	4	1	-	-	1	3	4	1	3	3	-
White, both sexes.....	28	3	8	-	1	2	1	2	4	1	3	2	1
Male.....	14	2	5	-	1	2	-	-	1	-	1	1	1
Female.....	14	1	3	-	-	-	1	2	3	1	2	1	-
Black, both sexes.....	6	-	1	1	1	-	-	1	-	-	-	2	-
Male.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	4	-	-	1	-	-	-	1	-	-	-	2	-
American Indian 1/, both sexes.....	3	1	1	-	-	-	-	1	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	1	1	-	1	2	-
Male.....	3	-	-	-	-	-	-	1	-	-	-	2	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of other and unspecified infectious and parasitic diseases (B94)													
All races, both sexes.....	903	82	80	87	77	72	79	86	62	61	73	81	63
Male.....	475	41	43	35	43	39	52	38	30	40	35	45	34
Female.....	428	41	37	52	34	33	27	48	32	21	38	36	29
White, both sexes.....	763	71	68	78	66	64	64	72	52	50	67	62	49
Male.....	400	34	38	32	38	35	42	32	26	31	31	33	28
Female.....	363	37	30	46	28	29	22	40	26	19	36	29	21
Black, both sexes.....	112	9	9	6	10	7	10	13	8	11	4	14	11
Male.....	58	5	4	1	4	4	7	5	4	9	3	8	4
Female.....	54	4	5	5	6	3	3	8	4	2	1	6	7
American Indian 1/, both sexes.....	4	1	-	-	-	-	1	-	-	-	-	1	1
Male.....	3	1	-	-	-	-	-	-	-	-	-	1	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	1	3	3	1	1	4	1	2	-	2	4	2
Male.....	14	1	1	2	1	-	3	1	-	-	1	3	1
Female.....	10	-	2	1	-	1	1	-	2	-	1	1	1
Sequelae of viral encephalitis (B94.1)													
All races, both sexes.....	6	1	1	-	-	-	-	-	2	1	-	-	1
Male.....	3	-	1	-	-	-	-	-	-	1	-	-	1
Female.....	3	1	-	-	-	-	-	-	2	-	-	-	-
White, both sexes.....	4	-	1	-	-	-	-	-	1	1	-	-	1
Male.....	3	-	1	-	-	-	-	-	-	1	-	-	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of viral hepatitis (B94.2)													
All races, both sexes.....	179	19	15	17	12	16	24	12	13	11	15	11	14
Male.....	129	13	12	11	10	11	20	8	9	7	9	10	9
Female.....	50	6	3	6	2	5	4	4	4	4	6	1	5
White, both sexes.....	147	15	13	16	10	13	18	9	10	11	14	9	9
Male.....	107	10	12	10	8	10	15	6	8	7	8	8	5
Female.....	40	5	1	6	2	3	3	3	2	4	6	1	4
Black, both sexes.....	18	2	1	-	1	2	3	3	2	-	1	-	3
Male.....	13	1	-	-	1	1	3	2	1	-	1	-	3
Female.....	5	1	1	-	-	1	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	4	1	-	-	-	-	1	-	-	-	-	1	1
Male.....	3	1	-	-	-	-	-	-	-	-	-	1	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	1	1	1	1	2	-	1	-	-	1	1
Male.....	6	1	-	1	1	-	2	-	-	-	-	1	-
Female.....	4	-	1	-	-	1	-	-	1	-	-	-	1
Sequelae of other specified infectious and parasitic diseases (B94.8)													
All races, both sexes.....	714	62	64	70	64	55	55	74	46	49	58	69	48
Male.....	341	28	30	24	33	28	32	30	20	32	26	34	24
Female.....	373	34	34	46	31	27	23	44	26	17	32	35	24
White, both sexes.....	610	56	54	62	55	51	46	63	40	38	53	53	39
Male.....	289	24	25	22	30	25	27	26	17	23	23	25	22
Female.....	321	32	29	40	25	26	19	37	23	15	30	28	17
Black, both sexes.....	91	6	8	6	9	4	7	10	6	11	3	13	8
Male.....	44	4	4	1	3	3	4	3	3	9	2	7	1
Female.....	47	2	4	5	6	1	3	7	3	2	1	6	7
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	2	2	-	-	2	1	-	-	2	3	1
Male.....	8	-	1	1	-	-	1	1	-	-	1	2	1
Female.....	5	-	1	1	-	-	1	-	-	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lingual tonsil (C02.4)													
All races, both sexes.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Tongue, unspecified (C02.9)													
All races, both sexes.....	1,759	169	116	162	152	154	128	160	151	153	142	133	139
Male.....	1,145	109	81	103	104	99	85	97	91	96	98	77	105
Female.....	614	60	35	59	48	55	43	63	60	57	44	56	34
White, both sexes.....	1,538	147	99	141	136	126	113	143	127	137	127	121	121
Male.....	999	96	67	90	93	81	75	88	78	84	87	70	90
Female.....	539	51	32	51	43	45	38	55	49	53	40	51	31
Black, both sexes.....	171	17	14	18	15	25	11	13	14	10	12	9	13
Male.....	117	11	11	13	11	16	9	6	10	6	9	4	11
Female.....	54	6	3	5	4	9	2	7	4	4	3	5	2
American Indian 1/, both sexes.....	7	-	2	-	1	1	-	1	1	-	-	-	1
Male.....	4	-	2	-	-	-	-	1	-	-	-	-	1
Female.....	3	-	-	-	1	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	43	5	1	3	-	2	4	3	9	6	3	3	4
Male.....	25	2	1	-	-	2	1	2	3	6	2	3	3
Female.....	18	3	-	3	-	-	3	1	6	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of floor of mouth (C04)													
All races, both sexes.....	114	15	11	11	3	17	6	8	7	10	7	12	7
Male.....	76	11	9	8	2	11	1	5	5	5	6	7	6
Female.....	38	4	2	3	1	6	5	3	2	5	1	5	1
White, both sexes.....	96	13	10	10	2	13	6	6	7	8	5	11	5
Male.....	63	10	8	7	1	8	1	4	5	4	4	6	5
Female.....	33	3	2	3	1	5	5	2	2	4	1	5	-
Black, both sexes.....	14	1	1	1	1	4	-	1	-	2	2	-	1
Male.....	11	1	1	1	1	3	-	1	-	1	2	-	-
Female.....	3	-	-	-	-	1	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Floor of mouth, unspecified (C04.9)													
All races, both sexes.....	114	15	11	11	3	17	6	8	7	10	7	12	7
Male.....	76	11	9	8	2	11	1	5	5	5	6	7	6
Female.....	38	4	2	3	1	6	5	3	2	5	1	5	1
White, both sexes.....	96	13	10	10	2	13	6	6	7	8	5	11	5
Male.....	63	10	8	7	1	8	1	4	5	4	4	6	5
Female.....	33	3	2	3	1	5	5	2	2	4	1	5	-
Black, both sexes.....	14	1	1	1	1	4	-	1	-	2	2	-	1
Male.....	11	1	1	1	1	3	-	1	-	1	2	-	-
Female.....	3	-	-	-	-	1	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Palate, unspecified (C05.9)													
All races, both sexes.....	71	6	8	6	7	5	7	1	6	4	8	6	7
Male.....	30	2	3	1	5	1	3	-	2	1	5	4	3
Female.....	41	4	5	5	2	4	4	1	4	3	3	2	4
White, both sexes.....	58	5	7	5	6	5	6	1	3	3	7	4	6
Male.....	24	2	3	1	4	1	2	-	-	1	4	3	3
Female.....	34	3	4	4	2	4	4	1	3	2	3	1	3
Black, both sexes.....	11	1	-	1	1	-	1	-	3	1	1	1	1
Male.....	5	-	-	-	1	-	1	-	2	-	1	-	-
Female.....	6	1	-	1	-	-	-	-	1	1	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of other and unspecified parts of mouth (C06)													
All races, both sexes.....	895	66	76	90	59	83	60	75	74	87	77	69	79
Male.....	504	37	49	49	37	43	31	43	45	51	47	31	41
Female.....	391	29	27	41	22	40	29	32	29	36	30	38	38
White, both sexes.....	789	58	62	77	51	75	54	65	64	79	68	63	73
Male.....	436	32	40	43	30	40	27	36	36	46	40	28	38
Female.....	353	26	22	34	21	35	27	29	28	33	28	35	35
Black, both sexes.....	82	8	12	10	6	7	4	6	8	7	8	4	2
Male.....	53	5	8	6	5	3	2	5	7	4	6	2	-
Female.....	29	3	4	4	1	4	2	1	1	3	2	2	2
American Indian 1/, both sexes.....	4	-	1	-	-	1	-	-	-	1	-	1	-
Male.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	20	-	1	3	2	-	2	4	2	-	1	1	4
Male.....	13	-	-	-	2	-	2	2	2	-	1	1	3
Female.....	7	-	1	3	-	-	-	2	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Retromolar area (C06.2)													
All races, both sexes.....	18	-	2	3	1	4	1	4	-	1	-	2	-
Male.....	12	-	2	2	-	2	1	3	-	1	-	1	-
Female.....	6	-	-	1	1	2	-	1	-	-	-	1	-
White, both sexes.....	14	-	2	3	-	2	-	4	-	1	-	2	-
Male.....	10	-	2	2	-	1	-	3	-	1	-	1	-
Female.....	4	-	-	1	-	1	-	1	-	-	-	1	-
Black, both sexes.....	4	-	-	-	1	2	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	2	-	-	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Mouth, unspecified (C06.9)													
All races, both sexes.....	847	63	70	86	56	78	57	69	68	85	73	65	77
Male.....	480	36	44	47	36	40	29	39	43	50	45	30	41
Female.....	367	27	26	39	20	38	28	30	25	35	28	35	36
White, both sexes.....	747	55	57	73	49	72	52	59	58	77	64	60	71
Male.....	414	31	35	41	29	38	26	32	34	45	38	27	38
Female.....	333	24	22	32	20	34	26	27	24	32	26	33	33
Black, both sexes.....	76	8	11	10	5	5	3	6	8	7	8	3	2
Male.....	51	5	8	6	5	2	1	5	7	4	6	2	-
Female.....	25	3	3	4	-	3	2	1	1	3	2	1	2
American Indian 1/, both sexes.....	4	-	1	-	-	1	-	-	-	1	-	1	-
Male.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	20	-	1	3	2	-	2	4	2	-	1	1	4
Male.....	13	-	-	-	2	-	2	2	2	-	1	1	3
Female.....	7	-	1	3	-	-	-	2	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Major salivary gland, unspecified (C08.9)													
All races, both sexes.....	152	11	17	18	6	9	10	7	11	17	14	17	15
Male.....	96	9	7	13	5	4	8	4	5	12	8	11	10
Female.....	56	2	10	5	1	5	2	3	6	5	6	6	5
White, both sexes.....	134	11	13	16	5	9	9	7	10	12	12	16	14
Male.....	88	9	7	11	4	4	7	4	5	10	7	11	9
Female.....	46	2	6	5	1	5	2	3	5	2	5	5	5
Black, both sexes.....	13	-	1	1	1	-	1	-	1	4	2	1	1
Male.....	6	-	-	1	1	-	1	-	-	1	1	-	1
Female.....	7	-	1	-	-	-	-	-	1	3	1	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	3	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	-	3	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of tonsil (C09)													
All races, both sexes.....	654	54	46	49	52	47	51	63	53	58	57	66	58
Male.....	498	42	35	42	36	36	38	46	42	41	43	54	43
Female.....	156	12	11	7	16	11	13	17	11	17	14	12	15
White, both sexes.....	543	42	42	41	43	37	44	50	44	53	51	46	50
Male.....	412	31	32	35	29	28	33	36	34	36	40	39	39
Female.....	131	11	10	6	14	9	11	14	10	17	11	7	11
Black, both sexes.....	100	11	2	8	8	9	6	12	9	3	6	18	8
Male.....	77	10	1	7	6	7	5	9	8	3	3	14	4
Female.....	23	1	1	1	2	2	1	3	1	-	3	4	4
American Indian 1/, both sexes.....	5	1	1	-	-	-	-	1	-	1	-	1	-
Male.....	5	1	1	-	-	-	-	1	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	1	1	1	-	-	1	-	1	-
Male.....	4	-	1	-	1	1	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tonsil, unspecified (C09.9)													
All races, both sexes.....	631	51	44	48	51	45	47	61	50	58	54	65	57
Male.....	478	39	33	41	35	34	35	45	39	41	41	53	42
Female.....	153	12	11	7	16	11	12	16	11	17	13	12	15
White, both sexes.....	523	39	40	40	42	36	40	48	43	53	48	45	49
Male.....	395	28	30	34	28	27	30	35	33	36	38	38	38
Female.....	128	11	10	6	14	9	10	13	10	17	10	7	11
Black, both sexes.....	97	11	2	8	8	8	6	12	7	3	6	18	8
Male.....	74	10	1	7	6	6	5	9	6	3	3	14	4
Female.....	23	1	1	1	2	2	1	3	1	-	3	4	4
American Indian 1/, both sexes.....	5	1	1	-	-	-	-	1	-	1	-	1	-
Male.....	5	1	1	-	-	-	-	1	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	1	1	1	-	-	1	-	1	-
Male.....	4	-	1	-	1	1	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Malignant neoplasm of oropharynx (C10)													
All races, both sexes.....	650	63	51	51	57	44	50	46	58	63	66	43	58
Male.....	473	44	38	38	43	35	40	28	43	41	50	28	45
Female.....	177	19	13	13	14	9	10	18	15	22	16	15	13
White, both sexes.....	510	46	37	35	47	28	38	39	51	49	56	33	51
Male.....	364	33	27	24	34	22	29	24	36	32	43	22	38
Female.....	146	13	10	11	13	6	9	15	15	17	13	11	13
Black, both sexes.....	129	16	13	14	10	15	12	5	7	12	8	10	7
Male.....	103	11	10	12	9	12	11	4	7	8	6	6	7
Female.....	26	5	3	2	1	3	1	1	-	4	2	4	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	1	1	-	1	-	2	-	2	1	-	-
Male.....	5	-	1	1	-	1	-	-	-	1	1	-	-
Female.....	4	1	-	-	-	-	-	2	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Vallecula (C10.0)													
All races, both sexes.....	3	-	-	-	-	-	-	1	1	1	-	-	-
Male.....	3	-	-	-	-	-	-	1	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	-	-	-	-	1	1	1	-	-	-
Male.....	3	-	-	-	-	-	-	1	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Oropharynx, unspecified (C10.9)													
All races, both sexes.....	647	63	51	51	57	44	50	45	57	62	66	43	58
Male.....	470	44	38	38	43	35	40	27	42	40	50	28	45
Female.....	177	19	13	13	14	9	10	18	15	22	16	15	13
White, both sexes.....	507	46	37	35	47	28	38	38	50	48	56	33	51
Male.....	361	33	27	24	34	22	29	23	35	31	43	22	38
Female.....	146	13	10	11	13	6	9	15	15	17	13	11	13
Black, both sexes.....	129	16	13	14	10	15	12	5	7	12	8	10	7
Male.....	103	11	10	12	9	12	11	4	7	8	6	6	7
Female.....	26	5	3	2	1	3	1	1	-	4	2	4	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	1	1	-	1	-	2	-	2	1	-	-
Male.....	5	-	1	1	-	1	-	-	-	1	1	-	-
Female.....	4	1	-	-	-	-	-	2	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of nasopharynx (C11)													
All races, both sexes.....	633	56	55	46	55	62	45	62	55	51	45	52	49
Male.....	423	37	37	30	37	40	34	40	35	36	27	37	33
Female.....	210	19	18	16	18	22	11	22	20	15	18	15	16
White, both sexes.....	429	36	39	30	32	44	35	44	35	37	29	38	30
Male.....	277	21	24	19	20	27	26	29	24	24	16	26	21
Female.....	152	15	15	11	12	17	9	15	11	13	13	12	9
Black, both sexes.....	78	8	4	6	7	7	4	9	6	4	7	9	7
Male.....	56	7	4	5	4	4	3	4	5	4	4	7	5
Female.....	22	1	-	1	3	3	1	5	1	-	3	2	2
American Indian 1/, both sexes.....	7	1	1	-	-	1	-	1	1	1	1	-	-
Male.....	5	-	1	-	-	1	-	1	-	1	1	-	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	119	11	11	10	16	10	6	8	13	9	8	5	12
Male.....	85	9	8	6	13	8	5	6	6	7	6	4	7
Female.....	34	2	3	4	3	2	1	2	7	2	2	1	5
Posterior wall of nasopharynx (C11.1)													
All races, both sexes.....	13	1	-	1	1	3	-	-	2	2	1	-	2
Male.....	6	1	-	-	-	-	-	-	2	1	1	-	1
Female.....	7	-	-	1	1	3	-	-	-	1	-	-	1
White, both sexes.....	10	1	-	1	1	1	-	-	2	2	1	-	1
Male.....	6	1	-	-	-	-	-	-	2	1	1	-	1
Female.....	4	-	-	1	1	1	-	-	-	1	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Anterior wall of nasopharynx (C11.3)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Nasopharynx, unspecified (C11.9)													
All races, both sexes.....	619	55	55	45	54	59	45	61	53	49	44	52	47
Male.....	416	36	37	30	37	40	34	39	33	35	26	37	32
Female.....	203	19	18	15	17	19	11	22	20	14	18	15	15
White, both sexes.....	418	35	39	29	31	43	35	43	33	35	28	38	29
Male.....	270	20	24	19	20	27	26	28	22	23	15	26	20
Female.....	148	15	15	10	11	16	9	15	11	12	13	12	9
Black, both sexes.....	77	8	4	6	7	6	4	9	6	4	7	9	7
Male.....	56	7	4	5	4	4	3	4	5	4	4	7	5
Female.....	21	1	-	1	3	2	1	5	1	-	3	2	2
American Indian 1/, both sexes.....	7	1	1	-	-	1	-	1	1	1	1	-	-
Male.....	5	-	1	-	-	1	-	1	-	1	1	-	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	117	11	11	10	16	9	6	8	13	9	8	5	11
Male.....	85	9	8	6	13	8	5	6	6	7	6	4	7
Female.....	32	2	3	4	3	1	1	2	7	2	2	1	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lower third of esophagus (C15.5)													
All races, both sexes.....	76	3	4	10	8	9	3	6	9	6	5	6	7
Male.....	66	3	2	10	8	9	2	6	6	5	5	4	6
Female.....	10	-	2	-	-	-	1	-	3	1	-	2	1
White, both sexes.....	74	3	4	10	8	7	3	6	9	6	5	6	7
Male.....	64	3	2	10	8	7	2	6	6	5	5	4	6
Female.....	10	-	2	-	-	-	1	-	3	1	-	2	1
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Esophagus, unspecified (C15.9)													
All races, both sexes.....	13,596	1,180	1,093	1,122	1,122	1,134	1,069	1,160	1,167	1,113	1,158	1,059	1,219
Male.....	10,649	905	841	906	867	875	854	930	921	847	923	841	939
Female.....	2,947	275	252	216	255	259	215	230	246	266	235	218	280
White, both sexes.....	11,873	1,040	969	981	983	982	929	1,014	1,007	974	1,015	932	1,047
Male.....	9,406	800	756	798	767	767	745	825	802	758	811	756	821
Female.....	2,467	240	213	183	216	215	184	189	205	216	204	176	226
Black, both sexes.....	1,449	124	101	116	112	125	120	126	141	115	125	105	139
Male.....	1,042	90	72	87	85	87	94	90	102	74	98	67	96
Female.....	407	34	29	29	27	38	26	36	39	41	27	38	43
American Indian 1/, both sexes.....	65	3	4	7	6	5	6	6	4	7	2	5	10
Male.....	44	2	2	6	3	5	3	5	2	5	1	3	7
Female.....	21	1	2	1	3	-	3	1	2	2	1	2	3
Asian or Pacific Islander 2/, both sexes.....	209	13	19	18	21	22	14	14	15	17	16	17	23
Male.....	157	13	11	15	12	16	12	10	15	10	13	15	15
Female.....	52	-	8	3	9	6	2	4	-	7	3	2	8

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Greater curvature of stomach, unspecified (C16.6)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach, unspecified (C16.9)													
All races, both sexes.....	10,610	890	840	919	833	872	938	833	898	934	883	878	892
Male.....	6,080	492	471	546	478	516	567	475	502	518	515	515	485
Female.....	4,530	398	369	373	355	356	371	358	396	416	368	363	407
White, both sexes.....	7,889	662	617	692	630	659	698	630	647	697	632	664	661
Male.....	4,558	365	353	419	345	394	434	367	373	383	371	389	365
Female.....	3,331	297	264	273	285	265	264	263	274	314	261	275	296
Black, both sexes.....	1,883	152	156	160	133	154	164	145	169	172	183	147	148
Male.....	1,069	80	82	92	95	90	93	77	92	102	102	83	81
Female.....	814	72	74	68	38	64	71	68	77	70	81	64	67
American Indian 1/, both sexes.....	83	7	7	8	6	2	6	6	6	7	14	3	11
Male.....	57	5	5	3	5	1	3	4	4	7	10	2	8
Female.....	26	2	2	5	1	1	3	2	2	-	4	1	3
Asian or Pacific Islander 2/, both sexes.....	755	69	60	59	64	57	70	52	76	58	54	64	72
Male.....	396	42	31	32	33	31	37	27	33	26	32	41	31
Female.....	359	27	29	27	31	26	33	25	43	32	22	23	41

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of small intestine (C17)													
All races, both sexes.....	1,091	100	76	94	102	106	80	86	101	78	101	77	90
Male.....	570	61	35	42	63	54	39	41	50	43	49	40	53
Female.....	521	39	41	52	39	52	41	45	51	35	52	37	37
White, both sexes.....	913	81	62	75	90	89	71	74	77	63	85	65	81
Male.....	490	52	30	37	56	44	34	38	42	40	39	32	46
Female.....	423	29	32	38	34	45	37	36	35	23	46	33	35
Black, both sexes.....	154	18	10	19	10	15	8	10	19	13	13	12	7
Male.....	72	8	5	5	7	9	5	3	7	3	7	8	5
Female.....	82	10	5	14	3	6	3	7	12	10	6	4	2
American Indian 1/, both sexes.....	5	1	1	-	1	1	-	-	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	1	-	1	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	3	-	1	1	1	2	4	2	3	-	2
Male.....	7	-	-	-	-	1	-	-	1	-	3	-	2
Female.....	12	-	3	-	1	-	1	2	3	2	-	-	-
Duodenum (C17.0)													
All races, both sexes.....	580	58	37	51	54	61	45	43	56	42	48	42	43
Male.....	301	35	17	22	33	31	22	21	27	25	23	21	24
Female.....	279	23	20	29	21	30	23	22	29	17	25	21	19
White, both sexes.....	480	46	28	39	48	55	39	38	43	31	40	35	38
Male.....	262	30	13	17	31	28	20	20	25	23	18	16	21
Female.....	218	16	15	22	17	27	19	18	18	8	22	19	17
Black, both sexes.....	83	11	6	12	4	5	5	4	9	9	7	7	4
Male.....	35	4	4	5	2	2	2	1	2	2	4	5	2
Female.....	48	7	2	7	2	3	3	3	7	7	3	2	2
American Indian 1/, both sexes.....	4	1	1	-	1	-	-	-	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	2	-	1	1	1	1	3	2	1	-	1
Male.....	3	-	-	-	-	1	-	-	-	-	1	-	1
Female.....	10	-	2	-	1	-	1	1	3	2	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Meckel's diverticulum (C17.3)													
All races, both sexes.....	3	-	1	-	-	-	1	-	-	-	-	1	-
Male.....	3	-	1	-	-	-	1	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Small intestine, unspecified (C17.9)													
All races, both sexes.....	426	33	34	33	43	33	30	36	36	27	49	30	42
Male.....	227	19	14	16	28	17	15	17	20	13	24	17	27
Female.....	199	14	20	17	15	16	15	19	16	14	25	13	15
White, both sexes.....	369	28	31	28	37	27	28	31	29	25	42	25	38
Male.....	195	16	14	16	23	12	13	16	16	12	20	14	23
Female.....	174	12	17	12	14	15	15	15	13	13	22	11	15
Black, both sexes.....	51	5	2	5	6	6	2	4	6	2	5	5	3
Male.....	28	3	-	-	5	5	2	1	3	1	2	3	3
Female.....	23	2	2	5	1	1	-	3	3	1	3	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	-	-	1	1	-	2	-	1
Male.....	4	-	-	-	-	-	-	-	1	-	2	-	1
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of colon (C18)													
All races, both sexes.....	44,061	3,836	3,529	3,818	3,542	3,682	3,618	3,596	3,695	3,610	3,892	3,554	3,689
Male.....	21,759	1,868	1,746	1,913	1,777	1,820	1,772	1,767	1,824	1,780	1,917	1,724	1,851
Female.....	22,302	1,968	1,783	1,905	1,765	1,862	1,846	1,829	1,871	1,830	1,975	1,830	1,838
White, both sexes.....	37,121	3,247	2,991	3,197	2,969	3,088	3,034	2,985	3,162	3,077	3,242	3,007	3,122
Male.....	18,342	1,581	1,475	1,605	1,487	1,524	1,501	1,470	1,560	1,534	1,594	1,454	1,557
Female.....	18,779	1,666	1,516	1,592	1,482	1,564	1,533	1,515	1,602	1,543	1,648	1,553	1,565
Black, both sexes.....	5,816	493	437	526	478	513	499	511	453	433	545	454	474
Male.....	2,871	241	222	270	240	256	232	248	221	195	272	219	255
Female.....	2,945	252	215	256	238	257	267	263	232	238	273	235	219
American Indian 1/, both sexes.....	185	18	15	14	17	13	10	22	13	16	19	13	15
Male.....	99	10	10	5	9	7	6	8	10	8	9	12	5
Female.....	86	8	5	9	8	6	4	14	3	8	10	1	10
Asian or Pacific Islander 2/, both sexes.....	939	78	86	81	78	68	75	78	67	84	86	80	78
Male.....	447	36	39	33	41	33	33	41	33	43	42	39	34
Female.....	492	42	47	48	37	35	42	37	34	41	44	41	44
Cecum (C18.0)													
All races, both sexes.....	282	18	29	22	23	24	22	32	21	23	22	26	20
Male.....	119	5	14	11	8	10	7	11	8	11	10	17	7
Female.....	163	13	15	11	15	14	15	21	13	12	12	9	13
White, both sexes.....	242	15	26	17	18	21	19	29	19	19	19	23	17
Male.....	95	3	12	7	5	7	6	11	7	9	8	15	5
Female.....	147	12	14	10	13	14	13	18	12	10	11	8	12
Black, both sexes.....	38	2	3	5	5	3	3	3	2	3	3	3	3
Male.....	23	1	2	4	3	3	1	-	1	2	2	2	2
Female.....	15	1	1	1	2	-	2	3	1	1	1	1	1
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Appendix (C18.1)													
All races, both sexes.....	348	35	25	33	25	32	20	35	22	27	28	30	36
Male.....	173	14	16	17	13	22	6	15	12	12	20	10	16
Female.....	175	21	9	16	12	10	14	20	10	15	8	20	20
White, both sexes.....	309	31	21	32	23	28	17	31	19	23	28	25	31
Male.....	153	12	14	17	12	19	5	14	10	10	20	6	14
Female.....	156	19	7	15	11	9	12	17	9	13	8	19	17
Black, both sexes.....	29	3	1	1	1	4	2	4	2	3	-	4	4
Male.....	14	1	-	-	-	3	1	1	1	2	-	3	2
Female.....	15	2	1	1	1	1	1	3	1	1	-	1	2
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	3	-	1	-	1	-	1	1	-	1	1
Male.....	5	-	2	-	1	-	-	-	1	-	-	1	-
Female.....	4	-	1	-	-	-	1	-	-	1	-	-	1
Ascending colon (C18.2)													
All races, both sexes.....	295	18	22	10	22	21	34	20	33	33	32	24	26
Male.....	135	6	6	6	9	8	11	13	17	16	18	11	14
Female.....	160	12	16	4	13	13	23	7	16	17	14	13	12
White, both sexes.....	253	16	19	9	19	18	30	13	31	30	28	21	19
Male.....	115	6	5	6	8	7	10	7	15	14	15	10	12
Female.....	138	10	14	3	11	11	20	6	16	16	13	11	7
Black, both sexes.....	25	2	-	-	2	1	4	4	2	1	3	1	5
Male.....	13	-	-	-	1	-	1	4	2	-	3	1	1
Female.....	12	2	-	-	1	1	3	-	-	1	-	-	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	-	3	1	1	2	-	3	-	2	1	2	2
Male.....	7	-	1	-	-	1	-	2	-	2	-	-	1
Female.....	10	-	2	1	1	1	-	1	-	-	1	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Splenic flexure (C18.5)													
All races, both sexes.....	6	1	-	1	1	-	1	-	-	-	-	1	1
Male.....	4	1	-	1	1	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-	1
White, both sexes.....	5	1	-	-	1	-	1	-	-	-	-	1	1
Male.....	3	1	-	-	1	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Descending colon (C18.6)													
All races, both sexes.....	56	6	4	3	6	3	1	4	8	4	4	5	8
Male.....	30	3	3	-	4	1	1	3	4	2	3	3	3
Female.....	26	3	1	3	2	2	-	1	4	2	1	2	5
White, both sexes.....	45	4	3	2	3	3	1	3	6	3	4	5	8
Male.....	25	2	3	-	2	1	1	3	3	1	3	3	3
Female.....	20	2	-	2	1	2	-	-	3	2	1	2	5
Black, both sexes.....	6	1	-	-	2	-	-	1	1	1	-	-	-
Male.....	3	-	-	-	1	-	-	-	1	1	-	-	-
Female.....	3	1	-	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	1	1	1	-	-	-	1	-	-	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	3	-	1	1	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sigmoid colon (C18.7)													
All races, both sexes.....	354	23	29	27	35	35	20	29	33	28	34	34	27
Male.....	184	12	13	19	21	19	7	11	17	17	18	16	14
Female.....	170	11	16	8	14	16	13	18	16	11	16	18	13
White, both sexes.....	294	21	22	22	30	27	19	20	27	23	30	30	23
Male.....	155	10	10	16	19	14	7	8	15	14	17	14	11
Female.....	139	11	12	6	11	13	12	12	12	9	13	16	12
Black, both sexes.....	39	2	3	2	4	4	-	6	6	3	3	2	4
Male.....	22	2	2	2	2	3	-	2	2	2	-	2	3
Female.....	17	-	1	-	2	1	-	4	4	1	3	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	4	3	1	3	1	3	-	2	1	2	-
Male.....	6	-	1	1	-	1	-	1	-	1	1	-	-
Female.....	14	-	3	2	1	2	1	2	-	1	-	2	-
Colon, unspecified (C18.9)													
All races, both sexes.....	42,673	3,730	3,418	3,717	3,428	3,562	3,515	3,471	3,576	3,489	3,770	3,429	3,568
Male.....	21,091	1,824	1,693	1,858	1,720	1,758	1,737	1,709	1,764	1,720	1,847	1,665	1,796
Female.....	21,582	1,906	1,725	1,859	1,708	1,804	1,778	1,762	1,812	1,769	1,923	1,764	1,772
White, both sexes.....	35,932	3,155	2,898	3,111	2,874	2,986	2,944	2,884	3,058	2,973	3,131	2,898	3,020
Male.....	17,776	1,544	1,430	1,558	1,440	1,474	1,471	1,422	1,508	1,484	1,530	1,404	1,511
Female.....	18,156	1,611	1,468	1,553	1,434	1,512	1,473	1,462	1,550	1,489	1,601	1,494	1,509
Black, both sexes.....	5,674	482	430	516	463	501	489	493	440	422	536	444	458
Male.....	2,793	237	218	263	232	247	228	241	214	188	267	211	247
Female.....	2,881	245	212	253	231	254	261	252	226	234	269	233	211
American Indian 1/, both sexes.....	182	16	15	14	17	12	10	22	13	16	19	13	15
Male.....	96	8	10	5	9	6	6	8	10	8	9	12	5
Female.....	86	8	5	9	8	6	4	14	3	8	10	1	10
Asian or Pacific Islander 2/, both sexes.....	885	77	75	76	74	63	72	72	65	78	84	74	75
Male.....	426	35	35	32	39	31	32	38	32	40	41	38	33
Female.....	459	42	40	44	35	32	40	34	33	38	43	36	42

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of rectosigmoid junction (C19)													
All races, both sexes.....	2,566	209	192	204	220	228	216	235	201	188	223	234	216
Male.....	1,412	123	96	120	109	134	113	127	111	103	115	136	125
Female.....	1,154	86	96	84	111	94	103	108	90	85	108	98	91
White, both sexes.....	2,171	181	167	166	187	196	192	196	167	161	179	197	182
Male.....	1,207	111	87	95	92	118	97	105	91	91	90	120	110
Female.....	964	70	80	71	95	78	95	91	76	70	89	77	72
Black, both sexes.....	336	23	22	34	26	29	22	32	32	23	36	30	27
Male.....	176	11	7	22	15	14	15	19	18	10	22	13	10
Female.....	160	12	15	12	11	15	7	13	14	13	14	17	17
American Indian 1/, both sexes.....	12	2	1	1	-	-	1	3	-	-	3	1	-
Male.....	5	1	1	-	-	-	-	2	-	-	1	-	-
Female.....	7	1	-	1	-	-	1	1	-	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	47	3	2	3	7	3	1	4	2	4	5	6	7
Male.....	24	-	1	3	2	2	1	1	2	2	2	3	5
Female.....	23	3	1	-	5	1	-	3	-	2	3	3	2
Malignant neoplasm of rectum (C20)													
All races, both sexes.....	6,299	518	473	547	471	540	502	513	523	540	564	563	545
Male.....	3,514	291	266	296	247	290	282	286	303	311	326	311	305
Female.....	2,785	227	207	251	224	250	220	227	220	229	238	252	240
White, both sexes.....	5,408	443	399	482	409	451	424	447	445	454	492	495	467
Male.....	3,016	246	220	255	213	236	239	250	258	268	286	278	267
Female.....	2,392	197	179	227	196	215	185	197	187	186	206	217	200
Black, both sexes.....	673	57	53	50	48	63	60	49	63	66	53	47	64
Male.....	367	32	33	31	26	37	34	25	38	31	29	22	29
Female.....	306	25	20	19	22	26	26	24	25	35	24	25	35
American Indian 1/, both sexes.....	31	4	2	3	4	1	4	3	4	2	1	-	3
Male.....	19	3	-	3	3	-	2	2	2	1	1	-	2
Female.....	12	1	2	-	1	1	2	1	2	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	187	14	19	12	10	25	14	14	11	18	18	21	11
Male.....	112	10	13	7	5	17	7	9	5	11	10	11	7
Female.....	75	4	6	5	5	8	7	5	6	7	8	10	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of rectum, anus, and anal canal (C21.8)													
All races, both sexes.....	66	4	5	4	5	4	7	4	7	6	8	4	8
Male.....	22	1	2	1	1	3	1	2	2	2	4	1	2
Female.....	44	3	3	3	4	1	6	2	5	4	4	3	6
White, both sexes.....	57	4	4	3	5	4	6	3	5	6	7	3	7
Male.....	20	1	1	1	1	3	1	2	2	2	3	1	2
Female.....	37	3	3	2	4	1	5	1	3	4	4	2	5
Black, both sexes.....	6	-	1	1	-	-	1	-	2	-	1	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	4	-	-	1	-	-	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	1	1
Malignant neoplasm of liver and intrahepatic bile ducts (C22)													
All races, both sexes.....	16,525	1,346	1,254	1,409	1,313	1,341	1,391	1,357	1,374	1,407	1,461	1,440	1,432
Male.....	10,759	840	798	913	861	885	896	884	876	949	965	928	964
Female.....	5,766	506	456	496	452	456	495	473	498	458	496	512	468
White, both sexes.....	13,103	1,062	990	1,113	1,050	1,069	1,089	1,076	1,098	1,128	1,151	1,150	1,127
Male.....	8,419	645	611	714	682	700	694	678	693	746	748	741	767
Female.....	4,684	417	379	399	368	369	395	398	405	382	403	409	360
Black, both sexes.....	2,187	185	163	203	169	172	192	167	178	181	208	170	199
Male.....	1,515	125	117	140	117	122	122	124	120	132	144	114	138
Female.....	672	60	46	63	52	50	70	43	58	49	64	56	61
American Indian 1/, both sexes.....	134	14	6	8	5	7	10	16	12	12	11	13	20
Male.....	88	9	5	6	5	5	7	9	7	9	9	6	11
Female.....	46	5	1	2	-	2	3	7	5	3	2	7	9
Asian or Pacific Islander 2/, both sexes.....	1,101	85	95	85	89	93	100	98	86	86	91	107	86
Male.....	737	61	65	53	57	58	73	73	56	62	64	67	48
Female.....	364	24	30	32	32	35	27	25	30	24	27	40	38

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Liver cell carcinoma (C22.0)													
All races, both sexes.....	6,815	524	507	555	543	523	618	578	576	579	623	580	609
Male.....	5,177	390	375	424	404	410	473	426	433	458	469	433	482
Female.....	1,638	134	132	131	139	113	145	152	143	121	154	147	127
White, both sexes.....	5,116	402	375	422	406	390	449	420	437	430	472	445	468
Male.....	3,888	297	267	323	308	304	341	303	337	341	352	340	375
Female.....	1,228	105	108	99	98	86	108	117	100	89	120	105	93
Black, both sexes.....	1,053	72	78	82	93	76	107	103	80	92	90	80	100
Male.....	828	55	67	65	66	64	84	81	58	76	71	62	79
Female.....	225	17	11	17	27	12	23	22	22	16	19	18	21
American Indian 1/, both sexes.....	63	6	3	5	2	4	5	8	9	5	6	5	5
Male.....	46	3	3	4	2	4	4	4	6	4	4	3	5
Female.....	17	3	-	1	-	-	1	4	3	1	2	2	-
Asian or Pacific Islander 2/, both sexes.....	583	44	51	46	42	53	57	47	50	52	55	50	36
Male.....	415	35	38	32	28	38	44	38	32	37	42	28	23
Female.....	168	9	13	14	14	15	13	9	18	15	13	22	13
Intrahepatic bile duct carcinoma (C22.1)													
All races, both sexes.....	3,693	297	277	333	294	312	301	296	328	309	310	322	314
Male.....	1,802	139	135	159	142	149	157	141	150	159	154	169	148
Female.....	1,891	158	142	174	152	163	144	155	178	150	156	153	166
White, both sexes.....	3,220	250	238	284	257	275	265	261	293	273	272	288	264
Male.....	1,570	114	115	136	126	133	139	122	133	136	135	152	129
Female.....	1,650	136	123	148	131	142	126	139	160	137	137	136	135
Black, both sexes.....	290	30	22	36	22	27	21	12	24	24	24	19	29
Male.....	133	13	11	15	10	14	9	4	12	14	10	9	12
Female.....	157	17	11	21	12	13	12	8	12	10	14	10	17
American Indian 1/, both sexes.....	22	5	-	-	-	1	3	3	1	1	1	2	5
Male.....	11	3	-	-	-	-	2	2	-	1	1	1	1
Female.....	11	2	-	-	-	1	1	1	1	-	-	1	4
Asian or Pacific Islander 2/, both sexes.....	161	12	17	13	15	9	12	20	10	11	13	13	16
Male.....	88	9	9	8	6	2	7	13	5	8	8	7	6
Female.....	73	3	8	5	9	7	5	7	5	3	5	6	10

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other sarcomas of liver (C22.4)													
All races, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified carcinomas of liver (C22.7)													
All races, both sexes.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Liver, unspecified (C22.9)													
All races, both sexes.....	5,968	523	469	516	471	503	465	481	468	515	518	532	507
Male.....	3,752	310	287	326	314	324	263	316	293	330	334	323	332
Female.....	2,216	213	182	190	157	179	202	165	175	185	184	209	175
White, both sexes.....	4,727	409	377	403	382	402	370	394	367	421	397	412	393
Male.....	2,938	234	229	252	247	262	211	252	223	267	253	247	261
Female.....	1,789	175	148	151	135	140	159	142	144	154	144	165	132
Black, both sexes.....	838	82	62	84	54	69	62	51	74	65	94	71	70
Male.....	551	56	38	59	41	44	29	39	50	42	63	43	47
Female.....	287	26	24	25	13	25	33	12	24	23	31	28	23
American Indian 1/, both sexes.....	49	3	3	3	3	2	2	5	2	6	4	6	10
Male.....	31	3	2	2	3	1	1	3	1	4	4	2	5
Female.....	18	-	1	1	-	1	1	2	1	2	-	4	5
Asian or Pacific Islander 2/, both sexes.....	354	29	27	26	32	30	31	31	25	23	23	43	34
Male.....	232	17	18	13	23	17	22	22	19	17	14	31	19
Female.....	122	12	9	13	9	13	9	9	6	6	9	12	15
Malignant neoplasm of gallbladder (C23)													
All races, both sexes.....	2,000	176	160	190	168	177	154	170	178	173	177	140	137
Male.....	575	46	39	66	47	45	55	43	61	47	47	38	41
Female.....	1,425	130	121	124	121	132	99	127	117	126	130	102	96
White, both sexes.....	1,689	153	130	159	134	153	130	150	151	150	150	118	111
Male.....	499	38	34	57	38	38	46	39	56	42	44	31	36
Female.....	1,190	115	96	102	96	115	84	111	95	108	106	87	75
Black, both sexes.....	229	20	20	23	27	20	17	12	21	18	19	15	17
Male.....	57	7	2	7	7	6	7	4	4	3	2	5	3
Female.....	172	13	18	16	20	14	10	8	17	15	17	10	14
American Indian 1/, both sexes.....	27	1	1	3	3	1	4	4	-	1	4	4	1
Male.....	7	-	1	1	-	1	1	-	-	1	2	-	-
Female.....	20	1	-	2	3	-	3	4	-	1	3	2	1
Asian or Pacific Islander 2/, both sexes.....	55	2	9	5	4	3	3	4	6	4	4	3	8
Male.....	12	1	2	1	2	-	1	-	1	2	-	-	2
Female.....	43	1	7	4	2	3	2	4	5	2	4	3	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of other and unspecified parts of biliary tract (C24)													
All races, both sexes.....	1,427	129	121	138	130	114	123	115	107	114	108	116	112
Male.....	704	54	63	68	64	55	73	52	53	58	56	60	48
Female.....	723	75	58	70	66	59	50	63	54	56	52	56	64
White, both sexes.....	1,252	108	108	120	115	102	105	106	91	100	96	100	101
Male.....	619	49	56	61	60	47	59	47	44	50	49	53	44
Female.....	633	59	52	59	55	55	46	59	47	50	47	47	57
Black, both sexes.....	108	11	8	11	11	7	14	6	6	11	9	8	6
Male.....	49	1	4	3	3	4	12	3	4	5	5	3	2
Female.....	59	10	4	8	8	3	2	3	2	6	4	5	4
American Indian 1/, both sexes.....	11	1	-	1	-	1	-	2	1	1	-	3	1
Male.....	6	-	-	-	-	1	-	1	1	1	-	2	-
Female.....	5	1	-	1	-	-	-	1	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	56	9	5	6	4	4	4	1	9	2	3	5	4
Male.....	30	4	3	4	1	3	2	1	4	2	2	2	2
Female.....	26	5	2	2	3	1	2	-	5	-	1	3	2
Extrahepatic bile duct (C24.0)													
All races, both sexes.....	635	60	53	62	54	48	53	54	53	55	43	50	50
Male.....	317	29	26	32	26	20	31	25	30	29	23	27	19
Female.....	318	31	27	30	28	28	22	29	23	26	20	23	31
White, both sexes.....	563	54	46	56	46	44	44	50	46	49	41	42	45
Male.....	278	27	22	29	22	18	24	23	25	26	21	24	17
Female.....	285	27	24	27	24	26	20	27	21	23	20	18	28
Black, both sexes.....	44	3	3	4	4	1	7	2	4	6	2	5	3
Male.....	25	-	2	2	3	-	6	1	3	3	2	2	1
Female.....	19	3	1	2	1	1	1	1	1	3	-	3	2
American Indian 1/, both sexes.....	5	-	-	1	-	-	-	2	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	4	-	-	1	-	-	-	1	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	23	3	4	1	4	3	2	-	3	-	-	2	1
Male.....	13	2	2	1	1	2	1	-	2	-	-	1	1
Female.....	10	1	2	-	3	1	1	-	1	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ampulla of Vater (C24.1)													
All races, both sexes.....	158	12	13	24	8	11	18	9	13	11	19	10	10
Male.....	91	6	9	12	5	6	15	7	5	6	9	5	6
Female.....	67	6	4	12	3	5	3	2	8	5	10	5	4
White, both sexes.....	138	9	11	19	8	10	17	8	10	10	17	10	9
Male.....	81	6	8	10	5	5	14	6	4	5	8	5	5
Female.....	57	3	3	9	3	5	3	2	6	5	9	5	4
Black, both sexes.....	13	2	2	2	-	1	1	-	2	1	1	-	1
Male.....	7	-	1	-	-	1	1	-	1	1	1	-	1
Female.....	6	2	1	2	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	3	-	-	-	1	1	-	1	-	-
Male.....	3	-	-	2	-	-	-	1	-	-	-	-	-
Female.....	4	1	-	1	-	-	-	-	1	-	1	-	-
Biliary tract, unspecified (C24.9)													
All races, both sexes.....	634	57	55	52	68	55	52	52	41	48	46	56	52
Male.....	296	19	28	24	33	29	27	20	18	23	24	28	23
Female.....	338	38	27	28	35	26	25	32	23	25	22	28	29
White, both sexes.....	551	45	51	45	61	48	44	48	35	41	38	48	47
Male.....	260	16	26	22	33	24	21	18	15	19	20	24	22
Female.....	291	29	25	23	28	24	23	30	20	22	18	24	25
Black, both sexes.....	51	6	3	5	7	5	6	4	-	4	6	3	2
Male.....	17	1	1	1	-	3	5	2	-	1	2	1	-
Female.....	34	5	2	4	7	2	1	2	-	3	4	2	2
American Indian 1/, both sexes.....	6	1	-	-	-	1	-	-	1	1	-	2	-
Male.....	5	-	-	-	-	1	-	-	1	1	-	2	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	26	5	1	2	-	1	2	-	5	2	2	3	3
Male.....	14	2	1	1	-	1	1	-	2	2	2	1	1
Female.....	12	3	-	1	-	-	1	-	3	-	-	2	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pancreatic duct (C25.3)													
All races, both sexes.....	21	-	2	2	2	2	3	1	3	1	3	1	1
Male.....	11	-	1	-	2	1	2	-	2	-	2	1	-
Female.....	10	-	1	2	-	1	1	1	1	1	1	-	1
White, both sexes.....	18	-	2	2	2	1	1	1	3	1	3	1	1
Male.....	9	-	1	-	2	-	1	-	2	-	2	1	-
Female.....	9	-	1	2	-	1	-	1	1	1	1	-	1
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Endocrine pancreas (C25.4)													
All races, both sexes.....	89	4	9	11	5	7	7	14	10	7	8	4	3
Male.....	48	3	3	7	2	2	6	9	6	3	4	3	-
Female.....	41	1	6	4	3	5	1	5	4	4	4	1	3
White, both sexes.....	76	3	6	11	4	6	5	13	9	6	7	4	2
Male.....	42	2	2	7	2	2	5	8	6	2	3	3	-
Female.....	34	1	4	4	2	4	-	5	3	4	4	1	2
Black, both sexes.....	10	-	3	-	1	1	1	1	-	1	1	-	1
Male.....	5	-	1	-	-	-	1	1	-	1	1	-	-
Female.....	5	-	2	-	1	1	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	1	-	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pancreas, unspecified (C25.9)													
All races, both sexes.....	33,222	2,816	2,526	2,785	2,603	2,784	2,752	2,850	2,816	2,789	2,797	2,815	2,889
Male.....	16,442	1,398	1,260	1,405	1,276	1,378	1,346	1,372	1,403	1,365	1,372	1,429	1,438
Female.....	16,780	1,418	1,266	1,380	1,327	1,406	1,406	1,478	1,413	1,424	1,425	1,386	1,451
White, both sexes.....	28,476	2,416	2,180	2,385	2,242	2,374	2,357	2,437	2,407	2,390	2,395	2,396	2,497
Male.....	14,274	1,208	1,104	1,207	1,128	1,182	1,162	1,181	1,224	1,174	1,194	1,250	1,260
Female.....	14,202	1,208	1,076	1,178	1,114	1,192	1,195	1,256	1,183	1,216	1,201	1,146	1,237
Black, both sexes.....	3,845	319	291	325	288	332	327	328	320	317	323	345	330
Male.....	1,755	152	126	156	120	164	153	161	140	148	134	151	150
Female.....	2,090	167	165	169	168	168	174	167	180	169	189	194	180
American Indian 1/, both sexes.....	138	10	7	18	13	10	10	12	16	8	11	14	9
Male.....	55	5	4	9	3	6	4	3	5	3	5	3	5
Female.....	83	5	3	9	10	4	6	9	11	5	6	11	4
Asian or Pacific Islander 2/, both sexes.....	763	71	48	57	60	68	58	73	73	74	68	60	53
Male.....	358	33	26	33	25	26	27	27	34	40	39	25	23
Female.....	405	38	22	24	35	42	31	46	39	34	29	35	30
Malignant neoplasm of other and ill-defined digestive organs (C26)													
All races, both sexes.....	1,196	106	106	103	100	99	94	96	100	94	91	98	109
Male.....	602	50	62	51	57	53	43	47	45	51	42	46	55
Female.....	594	56	44	52	43	46	51	49	55	43	49	52	54
White, both sexes.....	1,018	91	91	85	86	81	77	80	88	84	78	83	94
Male.....	502	40	49	40	48	42	34	38	39	47	35	41	49
Female.....	516	51	42	45	38	39	43	42	49	37	43	42	45
Black, both sexes.....	140	12	12	13	13	15	13	13	8	8	11	11	11
Male.....	79	8	11	8	9	9	5	7	5	2	6	4	5
Female.....	61	4	1	5	4	6	8	6	3	6	5	7	6
American Indian 1/, both sexes.....	7	-	1	1	-	1	-	-	1	1	1	-	1
Male.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	5	-	-	1	-	1	-	-	1	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	31	3	2	4	1	2	4	3	3	1	1	4	3
Male.....	19	2	1	3	-	2	4	2	1	1	1	1	1
Female.....	12	1	1	1	1	-	-	1	2	-	-	3	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of digestive system (C26.8)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Ill-defined sites within the digestive system (C26.9)													
All races, both sexes.....	905	68	80	74	77	79	70	66	75	75	75	77	89
Male.....	474	36	48	37	42	43	36	33	38	41	37	38	45
Female.....	431	32	32	37	35	36	34	33	37	34	38	39	44
White, both sexes.....	760	56	67	59	67	65	58	52	64	68	64	65	75
Male.....	391	28	37	27	36	36	28	26	32	37	30	34	40
Female.....	369	28	30	32	31	29	30	26	32	31	34	31	35
Black, both sexes.....	112	11	10	11	9	11	8	11	8	5	9	9	10
Male.....	64	7	9	8	6	5	4	5	5	2	6	3	4
Female.....	48	4	1	3	3	6	4	6	3	3	3	6	6
American Indian 1/, both sexes.....	7	-	1	1	-	1	-	-	1	1	1	-	1
Male.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	5	-	-	1	-	1	-	-	1	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	26	1	2	3	1	2	4	3	2	1	1	3	3
Male.....	17	1	1	2	-	2	4	2	1	1	1	1	1
Female.....	9	-	1	1	1	-	-	1	1	-	-	2	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Middle ear (C30.1)													
All races, both sexes.....	6	-	-	-	-	-	-	2	1	1	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Female.....	4	-	-	-	-	-	-	2	1	-	-	1	-
White, both sexes.....	6	-	-	-	-	-	-	2	1	1	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Female.....	4	-	-	-	-	-	-	2	1	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of accessory sinuses (C31)													
All races, both sexes.....	376	30	32	31	36	21	31	32	25	33	29	41	35
Male.....	197	14	16	15	20	12	18	19	13	18	14	21	17
Female.....	179	16	16	16	16	9	13	13	12	15	15	20	18
White, both sexes.....	326	27	24	27	32	19	24	26	23	29	28	37	30
Male.....	172	14	11	13	19	11	13	17	12	17	13	18	14
Female.....	154	13	13	14	13	8	11	9	11	12	15	19	16
Black, both sexes.....	43	3	7	4	4	2	4	4	2	4	1	4	4
Male.....	21	-	5	2	1	1	2	2	1	1	1	3	2
Female.....	22	3	2	2	3	1	2	2	1	3	-	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	1	-	-	-	3	2	-	-	-	-	1
Male.....	4	-	-	-	-	-	3	-	-	-	-	-	1
Female.....	3	-	1	-	-	-	-	2	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accessory sinus, unspecified (C31.9)													
All races, both sexes.....	212	16	17	17	18	11	18	22	13	22	18	19	21
Male.....	116	8	8	8	11	7	10	14	8	13	9	10	10
Female.....	96	8	9	9	7	4	8	8	5	9	9	9	11
White, both sexes.....	188	15	13	14	17	10	16	18	11	19	18	18	19
Male.....	102	8	5	7	10	6	9	12	7	12	9	9	8
Female.....	86	7	8	7	7	4	7	6	4	7	9	9	11
Black, both sexes.....	23	1	4	3	1	1	2	3	2	3	-	1	2
Male.....	14	-	3	1	1	1	1	2	1	1	-	1	2
Female.....	9	1	1	2	-	-	1	1	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Malignant neoplasm of larynx (C32)													
All races, both sexes.....	3,821	300	308	343	331	322	335	306	306	306	336	337	291
Male.....	2,991	235	244	259	254	260	251	246	239	245	266	259	233
Female.....	830	65	64	84	77	62	84	60	67	61	70	78	58
White, both sexes.....	3,123	245	248	299	266	249	275	253	254	251	266	287	230
Male.....	2,420	186	196	225	200	198	207	199	198	197	214	221	179
Female.....	703	59	52	74	66	51	68	54	56	54	52	66	51
Black, both sexes.....	635	52	56	39	60	65	54	50	46	50	62	47	54
Male.....	515	46	44	29	49	54	38	45	38	43	47	35	47
Female.....	120	6	12	10	11	11	16	5	8	7	15	12	7
American Indian 1/, both sexes.....	18	-	3	2	-	2	2	1	3	2	1	1	1
Male.....	15	-	3	2	-	2	2	-	1	2	1	1	1
Female.....	3	-	-	-	-	-	-	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	45	3	1	3	5	6	4	2	3	3	7	2	6
Male.....	41	3	1	3	5	6	4	2	2	3	4	2	6
Female.....	4	-	-	-	-	-	-	-	1	-	3	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Larynx, unspecified (C32.9)													
All races, both sexes.....	3,521	280	282	307	303	302	312	280	282	289	306	312	266
Male.....	2,774	218	224	240	237	243	234	228	221	233	246	239	211
Female.....	747	62	58	67	66	59	78	52	61	56	60	73	55
White, both sexes.....	2,865	229	225	266	240	232	256	232	233	236	241	265	210
Male.....	2,241	173	179	209	185	184	193	185	183	186	198	204	162
Female.....	624	56	46	57	55	48	63	47	50	43	61	48	48
Black, both sexes.....	596	48	53	36	58	62	50	45	43	49	57	44	51
Male.....	480	42	41	26	47	51	35	41	35	43	43	32	44
Female.....	116	6	12	10	11	11	15	4	8	6	14	12	7
American Indian 1/, both sexes.....	18	-	3	2	-	2	2	1	3	2	1	1	1
Male.....	15	-	3	2	-	2	2	-	1	2	1	1	1
Female.....	3	-	-	-	-	-	-	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	42	3	1	3	5	6	4	2	3	2	7	2	4
Male.....	38	3	1	3	5	6	4	2	2	2	4	2	4
Female.....	4	-	-	-	-	-	-	-	1	-	3	-	-
Malignant neoplasm of trachea (C33)													
All races, both sexes.....	64	6	5	4	6	5	6	8	5	9	3	4	3
Male.....	36	5	4	2	4	2	3	1	1	5	2	4	3
Female.....	28	1	1	2	2	3	3	7	4	4	1	-	-
White, both sexes.....	55	6	5	2	6	5	3	7	5	7	3	4	2
Male.....	32	5	4	1	4	2	2	1	1	4	2	4	2
Female.....	23	1	1	1	2	3	1	6	4	3	1	-	-
Black, both sexes.....	8	-	-	2	-	-	2	1	-	2	-	-	1
Male.....	4	-	-	1	-	-	1	-	-	1	-	-	1
Female.....	4	-	-	1	-	-	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bronchus or lung, unspecified (C34.9)													
All races, both sexes.....	157,807	13,688	12,368	13,938	12,802	13,372	12,725	13,104	13,019	12,846	13,302	13,126	13,517
Male.....	88,783	7,700	6,962	7,833	7,186	7,587	7,145	7,217	7,372	7,333	7,451	7,423	7,574
Female.....	69,024	5,988	5,406	6,105	5,616	5,785	5,580	5,887	5,647	5,513	5,851	5,703	5,943
White, both sexes.....	138,055	12,027	10,804	12,285	11,258	11,671	11,152	11,489	11,369	11,194	11,587	11,417	11,802
Male.....	77,044	6,705	6,024	6,849	6,257	6,555	6,198	6,267	6,421	6,371	6,473	6,391	6,533
Female.....	61,011	5,322	4,780	5,436	5,001	5,116	4,954	5,222	4,948	4,823	5,114	5,026	5,269
Black, both sexes.....	16,423	1,410	1,306	1,382	1,281	1,440	1,297	1,337	1,353	1,353	1,411	1,421	1,432
Male.....	9,777	836	791	831	760	880	782	792	784	794	812	860	855
Female.....	6,646	574	515	551	521	560	515	545	569	559	599	561	577
American Indian 1/, both sexes.....	633	57	40	49	49	58	49	50	48	67	51	53	62
Male.....	338	32	21	22	30	33	31	25	24	37	21	26	36
Female.....	295	25	19	27	19	25	18	25	24	30	30	27	26
Asian or Pacific Islander 2/, both sexes.....	2,696	194	218	222	214	203	227	228	249	232	253	235	221
Male.....	1,624	127	126	131	139	119	134	133	143	131	145	146	150
Female.....	1,072	67	92	91	75	84	93	95	106	101	108	89	71
Malignant neoplasm of thymus (C37)													
All races, both sexes.....	189	14	15	22	17	18	17	9	16	15	21	9	16
Male.....	94	2	7	14	4	10	8	7	9	7	12	6	8
Female.....	95	12	8	8	13	8	9	2	7	8	9	3	8
White, both sexes.....	149	12	10	14	12	15	15	8	12	13	18	9	11
Male.....	78	2	6	8	4	8	7	7	6	7	10	6	7
Female.....	71	10	4	6	8	7	8	1	6	6	8	3	4
Black, both sexes.....	29	2	5	6	3	2	1	1	4	1	2	-	2
Male.....	13	-	1	5	-	2	-	-	3	-	1	-	1
Female.....	16	2	4	1	3	-	1	1	1	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	2	2	1	1	-	-	1	1	-	3
Male.....	3	-	-	1	-	-	1	-	-	-	1	-	-
Female.....	8	-	-	1	2	1	-	-	-	1	-	-	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of heart, mediastinum, and pleura (C38)													
All races, both sexes.....	249	19	21	21	25	17	23	29	24	16	21	15	18
Male.....	131	10	8	11	13	9	18	17	10	6	13	6	10
Female.....	118	9	13	10	12	8	5	12	14	10	8	9	8
White, both sexes.....	211	17	20	18	20	12	18	26	20	13	18	15	14
Male.....	110	10	8	9	9	8	14	15	8	5	11	6	7
Female.....	101	7	12	9	11	4	4	11	12	8	7	9	7
Black, both sexes.....	27	2	1	2	2	5	4	1	3	2	1	-	4
Male.....	13	-	-	1	1	1	4	1	1	-	1	-	3
Female.....	14	2	1	1	1	4	-	-	2	2	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	1	2	-	1	2	1	1	1	-	-
Male.....	6	-	-	1	2	-	-	1	1	1	-	-	-
Female.....	3	-	-	-	-	-	1	1	-	-	1	-	-
Heart (C38.0)													
All races, both sexes.....	87	5	11	7	9	4	6	12	8	3	8	4	10
Male.....	39	2	4	3	4	2	3	6	1	1	5	1	7
Female.....	48	3	7	4	5	2	3	6	7	2	3	3	3
White, both sexes.....	71	5	11	6	6	2	4	10	7	2	7	4	7
Male.....	28	2	4	2	1	2	2	4	1	1	4	1	4
Female.....	43	3	7	4	5	-	2	6	6	1	3	3	3
Black, both sexes.....	12	-	-	1	1	2	1	1	1	1	1	-	3
Male.....	8	-	-	1	1	-	1	1	-	-	1	-	3
Female.....	4	-	-	-	-	2	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	1	1	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mediastinum, part unspecified (C38.3)													
All races, both sexes.....	98	10	7	6	14	8	7	8	11	7	10	7	3
Male.....	52	5	2	3	8	4	6	6	5	3	5	3	2
Female.....	46	5	5	3	6	4	1	2	6	4	5	4	1
White, both sexes.....	82	8	6	5	12	5	6	8	9	6	8	7	2
Male.....	45	5	2	2	7	3	5	6	4	2	4	3	2
Female.....	37	3	4	3	5	2	1	2	5	4	4	4	-
Black, both sexes.....	10	2	1	-	1	3	1	-	1	-	-	-	1
Male.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	8	2	1	-	1	2	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	1	-	-	-	1	1	1	-	-
Male.....	4	-	-	1	1	-	-	-	1	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Pleura (C38.4)													
All races, both sexes.....	64	4	3	8	2	5	10	9	5	6	3	4	5
Male.....	40	3	2	5	1	3	9	5	4	2	3	2	1
Female.....	24	1	1	3	1	2	1	4	1	4	-	2	4
White, both sexes.....	58	4	3	7	2	5	8	8	4	5	3	4	5
Male.....	37	3	2	5	1	3	7	5	3	2	3	2	1
Female.....	21	1	1	2	1	2	1	3	1	3	-	2	4
Black, both sexes.....	5	-	-	1	-	-	2	-	1	1	-	-	-
Male.....	3	-	-	-	-	-	2	-	1	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bone and articular cartilage of limb, unspecified (C40.9)													
All races, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of bone and articular cartilage of other and unspecified sites (C41)													
All races, both sexes.....	1,249	81	102	106	107	126	109	92	97	119	84	109	117
Male.....	684	41	55	62	60	70	56	43	51	68	51	61	66
Female.....	565	40	47	44	47	56	53	49	46	51	33	48	51
White, both sexes.....	1,054	76	79	89	87	113	91	79	84	104	65	88	99
Male.....	579	36	41	52	47	65	49	37	45	58	41	51	57
Female.....	475	40	38	37	40	48	42	42	39	46	24	37	42
Black, both sexes.....	152	4	20	11	18	11	13	12	11	9	15	14	14
Male.....	80	4	13	6	11	4	5	6	5	5	8	7	6
Female.....	72	-	7	5	7	7	8	6	6	4	7	7	8
American Indian 1/, both sexes.....	15	-	1	2	2	-	2	-	-	2	3	2	1
Male.....	10	-	-	1	2	-	1	-	-	2	2	1	1
Female.....	5	-	1	1	-	-	1	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	28	1	2	4	-	2	3	1	2	4	1	5	3
Male.....	15	1	1	3	-	1	1	-	1	3	-	2	2
Female.....	13	-	1	1	-	1	2	1	1	1	1	3	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pelvic bones, sacrum, and coccyx (C41.4)													
All races, both sexes.....	52	3	7	8	1	6	4	1	3	6	4	6	3
Male.....	23	2	5	3	-	2	2	1	-	-	3	2	3
Female.....	29	1	2	5	1	4	2	-	3	6	1	4	-
White, both sexes.....	45	3	7	6	1	6	4	1	3	5	3	3	3
Male.....	21	2	5	2	-	2	2	1	-	-	3	1	3
Female.....	24	1	2	4	1	4	2	-	3	5	-	2	-
Black, both sexes.....	4	-	-	2	-	-	-	-	-	-	-	2	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	1	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Bone and articular cartilage, unspecified (C41.9)													
All races, both sexes.....	935	63	71	78	80	93	86	73	76	86	68	74	87
Male.....	521	36	35	48	48	53	45	33	40	54	41	43	45
Female.....	414	27	36	30	32	40	41	40	36	32	27	31	42
White, both sexes.....	786	58	52	66	65	82	70	63	64	75	54	63	74
Male.....	438	31	23	39	39	48	39	28	35	46	34	37	39
Female.....	348	27	29	27	26	34	31	35	29	29	20	26	35
Black, both sexes.....	118	4	17	8	14	9	11	9	10	7	12	6	11
Male.....	63	4	11	5	8	4	4	5	4	4	6	4	4
Female.....	55	-	6	3	6	5	7	4	6	3	6	2	7
American Indian 1/, both sexes.....	9	-	-	1	1	-	2	-	-	1	2	1	1
Male.....	7	-	-	1	1	-	1	-	-	1	1	1	1
Female.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	22	1	2	3	-	2	3	1	2	3	-	4	1
Male.....	13	1	1	3	-	1	1	-	1	3	-	1	1
Female.....	9	-	1	-	-	1	2	1	1	-	-	3	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant melanoma of lower limb, including hip (C43.7)													
All races, both sexes.....	113	14	12	12	6	14	7	6	9	9	5	8	11
Male.....	48	7	3	5	1	10	3	-	2	5	4	3	5
Female.....	65	7	9	7	5	4	4	6	7	4	1	5	6
White, both sexes.....	105	14	12	11	5	11	7	6	8	8	4	8	11
Male.....	42	7	3	4	1	8	3	-	1	4	3	3	5
Female.....	63	7	9	7	4	3	4	6	7	4	1	5	6
Black, both sexes.....	5	-	-	1	-	2	-	-	1	-	1	-	-
Male.....	4	-	-	1	-	1	-	-	1	-	1	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Malignant melanoma of skin, unspecified (C43.9)													
All races, both sexes.....	7,808	648	603	674	638	644	644	658	661	661	655	659	663
Male.....	5,058	423	393	432	422	427	412	432	426	419	431	411	430
Female.....	2,750	225	210	242	216	217	232	226	235	242	224	248	233
White, both sexes.....	7,629	638	585	663	629	629	629	642	638	645	647	645	639
Male.....	4,971	419	388	426	418	420	405	422	415	415	425	403	415
Female.....	2,658	219	197	237	211	209	224	220	223	230	222	242	224
Black, both sexes.....	120	7	11	6	8	6	10	9	17	11	5	10	20
Male.....	61	3	4	4	4	-	5	7	7	4	3	7	13
Female.....	59	4	7	2	4	6	5	2	10	7	2	3	7
American Indian 1/, both sexes.....	18	3	1	1	-	3	2	3	3	1	-	1	-
Male.....	9	1	-	1	-	3	1	1	2	-	-	-	-
Female.....	9	2	1	-	-	-	1	2	1	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	41	-	6	4	1	6	3	4	3	4	3	3	4
Male.....	17	-	1	1	-	4	1	2	2	-	3	1	2
Female.....	24	-	5	3	1	2	2	2	1	4	-	2	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Skin of other and unspecified parts of face (C44.3)													
All races, both sexes.....	227	25	14	26	19	20	10	21	18	16	16	23	19
Male.....	148	16	11	17	14	12	8	13	12	7	10	14	14
Female.....	79	9	3	9	5	8	2	8	6	9	6	9	5
White, both sexes.....	224	24	14	26	19	20	10	21	17	16	16	23	18
Male.....	147	16	11	17	14	12	8	13	12	7	10	14	13
Female.....	77	8	3	9	5	8	2	8	5	9	6	9	5
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Skin of scalp and neck (C44.4)													
All races, both sexes.....	1,096	89	89	94	98	92	84	88	112	89	98	76	87
Male.....	840	69	66	72	71	75	68	63	83	71	78	59	65
Female.....	256	20	23	22	27	17	16	25	29	18	20	17	22
White, both sexes.....	978	79	77	84	88	84	76	76	97	78	89	70	80
Male.....	738	59	55	63	61	69	62	54	73	61	69	54	58
Female.....	240	20	22	21	27	15	14	22	24	17	20	16	22
Black, both sexes.....	92	6	8	10	6	5	6	10	13	9	7	5	7
Male.....	81	6	7	9	6	5	5	7	9	8	7	5	7
Female.....	11	-	1	1	-	-	1	3	4	1	-	-	-
American Indian 1/, both sexes.....	5	-	1	-	1	-	-	-	-	1	2	-	-
Male.....	5	-	1	-	1	-	-	-	-	1	2	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	4	3	-	3	3	2	2	2	1	-	1	-
Male.....	16	4	3	-	3	1	1	2	1	1	-	-	-
Female.....	5	-	-	-	-	2	1	-	1	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Skin of lower limb, including hip (C44.7)													
All races, both sexes.....	48	5	1	9	5	5	3	2	4	1	5	5	3
Male.....	15	1	-	4	2	1	1	-	1	1	2	2	-
Female.....	33	4	1	5	3	4	2	2	3	-	3	3	3
White, both sexes.....	48	5	1	9	5	5	3	2	4	1	5	5	3
Male.....	15	1	-	4	2	1	1	-	1	1	2	2	-
Female.....	33	4	1	5	3	4	2	2	3	-	3	3	3
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of skin, unspecified (C44.9)													
All races, both sexes.....	1,068	88	78	90	87	87	69	77	96	78	112	105	101
Male.....	770	61	65	66	61	63	49	54	64	57	80	73	77
Female.....	298	27	13	24	26	24	20	23	32	21	32	32	24
White, both sexes.....	1,025	83	75	86	83	82	65	71	95	75	108	104	98
Male.....	736	57	62	65	57	58	48	48	63	55	76	72	75
Female.....	289	26	13	21	26	24	17	23	32	20	32	32	23
Black, both sexes.....	32	3	1	4	4	2	3	4	1	3	3	1	3
Male.....	24	2	1	1	4	2	1	4	1	2	3	1	2
Female.....	8	1	-	3	-	-	2	-	-	1	-	-	1
American Indian 1/, both sexes.....	6	1	1	-	-	2	-	1	-	-	1	-	-
Male.....	6	1	1	-	-	2	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	1	-	-	1	1	1	-	-	-	-	-
Male.....	4	1	1	-	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mesothelioma of other sites (C45.7)													
All races, both sexes.....	309	29	25	30	28	21	31	17	27	18	30	20	33
Male.....	242	24	16	26	21	18	22	10	21	17	24	17	26
Female.....	67	5	9	4	7	3	9	7	6	1	6	3	7
White, both sexes.....	289	29	24	29	26	18	29	16	27	15	27	19	30
Male.....	226	24	16	25	19	15	20	9	21	14	23	16	24
Female.....	63	5	8	4	7	3	9	7	6	1	4	3	6
Black, both sexes.....	15	-	1	1	2	3	1	1	-	1	3	-	2
Male.....	12	-	-	1	2	3	1	1	-	1	1	-	2
Female.....	3	-	1	-	-	-	-	-	-	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	1	-	-	2	-	1	1
Male.....	4	-	-	-	-	-	1	-	-	2	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Mesothelioma, unspecified (C45.9)													
All races, both sexes.....	1,886	147	157	174	162	155	144	154	138	180	155	163	157
Male.....	1,548	118	122	145	136	128	121	129	112	143	129	137	128
Female.....	338	29	35	29	26	27	23	25	26	37	26	26	29
White, both sexes.....	1,780	139	145	167	157	147	136	146	130	171	140	155	147
Male.....	1,467	111	113	139	133	121	114	122	107	137	119	129	122
Female.....	313	28	32	28	24	26	22	24	23	34	21	26	25
Black, both sexes.....	92	8	11	7	5	8	8	5	5	9	11	7	8
Male.....	69	7	8	6	3	7	7	4	3	6	6	7	5
Female.....	23	1	3	1	2	1	1	2	3	5	-	-	3
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	2	2	-	2	-	2
Male.....	7	-	-	-	-	-	-	2	2	-	2	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	-	-	1	1	-	2	1	-
Male.....	5	-	1	-	-	-	-	1	-	-	2	1	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peripheral nerves and autonomic nervous system, unspecified (C47.9)													
All races, both sexes.....	75	5	6	1	7	9	7	8	5	9	6	5	7
Male.....	41	3	2	-	3	5	4	7	1	6	5	1	4
Female.....	34	2	4	1	4	4	3	1	4	3	1	4	3
White, both sexes.....	62	5	4	1	5	8	5	8	3	7	5	5	6
Male.....	38	3	2	-	1	5	4	7	1	5	5	1	4
Female.....	24	2	2	1	4	3	1	1	2	2	-	4	2
Black, both sexes.....	12	-	2	-	1	1	2	-	2	2	1	-	1
Male.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	10	-	2	-	-	1	2	-	2	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of retroperitoneum and peritoneum (C48)													
All races, both sexes.....	888	90	69	67	76	61	75	77	75	79	85	62	72
Male.....	152	20	11	15	9	10	12	13	12	12	17	12	9
Female.....	736	70	58	52	67	51	63	64	63	67	68	50	63
White, both sexes.....	817	81	67	62	69	57	71	69	68	74	76	57	66
Male.....	140	17	11	14	8	10	10	13	11	11	16	10	9
Female.....	677	64	56	48	61	47	61	56	57	63	60	47	57
Black, both sexes.....	55	9	2	3	5	3	2	8	6	4	6	4	3
Male.....	11	3	-	1	1	-	2	-	1	1	-	2	-
Female.....	44	6	2	2	4	3	-	8	5	3	6	2	3
American Indian 1/, both sexes.....	4	-	-	1	1	-	-	-	-	-	-	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	1	1	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	12	-	-	1	1	1	2	-	1	1	3	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	11	-	-	1	1	1	2	-	1	1	2	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peritoneum, unspecified (C48.2)													
All races, both sexes.....	652	65	51	45	56	41	56	56	59	53	65	49	56
Male.....	40	6	4	1	4	-	5	3	2	5	5	5	-
Female.....	612	59	47	44	52	41	51	53	57	48	60	44	56
White, both sexes.....	605	60	49	41	52	38	54	52	54	50	57	47	51
Male.....	36	5	4	1	4	-	4	3	2	4	4	5	-
Female.....	569	55	45	40	48	38	50	49	52	46	53	42	51
Black, both sexes.....	32	5	2	2	2	2	1	4	4	2	5	1	2
Male.....	3	1	-	-	-	-	1	-	-	1	-	-	-
Female.....	29	4	2	2	2	2	-	4	4	1	5	1	2
American Indian 1/, both sexes.....	4	-	-	1	1	-	-	-	-	-	-	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	1	1	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	11	-	-	1	1	1	1	-	1	1	3	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	10	-	-	1	1	1	1	-	1	1	2	-	2
Malignant neoplasm of other connective and soft tissue (C49)													
All races, both sexes.....	3,785	309	301	330	324	304	300	333	317	329	318	301	319
Male.....	1,928	143	154	165	167	156	157	170	159	187	185	137	148
Female.....	1,857	166	147	165	157	148	143	163	158	142	133	164	171
White, both sexes.....	3,271	274	259	286	285	262	264	278	274	284	274	255	276
Male.....	1,701	130	139	140	150	140	142	147	137	166	163	118	129
Female.....	1,570	144	120	146	135	122	122	131	137	118	111	137	147
Black, both sexes.....	398	22	35	33	30	33	29	39	38	35	35	35	34
Male.....	172	6	11	20	11	13	13	16	19	18	16	14	15
Female.....	226	16	24	13	19	20	16	23	19	17	19	21	19
American Indian 1/, both sexes.....	20	1	2	-	1	3	1	3	1	2	-	4	2
Male.....	8	-	1	-	1	1	-	2	-	2	-	1	-
Female.....	12	1	1	-	-	2	1	1	1	-	-	3	2
Asian or Pacific Islander 2/, both sexes.....	96	12	5	11	8	6	6	13	4	8	9	7	7
Male.....	47	7	3	5	5	2	2	5	3	1	6	4	4
Female.....	49	5	2	6	3	4	4	8	1	7	3	3	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Connective and soft tissue of head, face, and neck (C49.0)													
All races, both sexes.....	97	7	6	10	6	6	8	9	9	12	4	10	10
Male.....	56	5	3	6	2	4	4	4	7	6	3	6	6
Female.....	41	2	3	4	4	2	4	5	2	6	1	4	4
White, both sexes.....	89	4	6	10	6	6	7	8	8	11	4	10	9
Male.....	52	3	3	6	2	4	4	4	6	6	3	6	5
Female.....	37	1	3	4	4	2	3	4	2	5	1	4	4
Black, both sexes.....	4	1	-	-	-	-	1	1	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	-	-	-	-	-	-	1	-	-	-	1
Male.....	3	1	-	-	-	-	-	-	1	-	-	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Connective and soft tissue of upper limb, including shoulder (C49.1)													
All races, both sexes.....	56	-	3	2	4	3	12	4	12	3	2	6	5
Male.....	39	-	2	2	3	2	7	4	8	2	1	3	5
Female.....	17	-	1	-	1	1	5	-	4	1	1	3	-
White, both sexes.....	43	-	2	1	3	3	9	3	8	2	1	6	5
Male.....	31	-	2	1	3	2	5	3	5	2	-	3	5
Female.....	12	-	-	-	-	1	4	-	3	-	1	3	-
Black, both sexes.....	10	-	1	1	1	-	2	-	4	-	1	-	-
Male.....	7	-	-	1	-	-	2	-	3	-	1	-	-
Female.....	3	-	1	-	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Connective and soft tissue of abdomen (C49.4)													
All races, both sexes.....	271	19	19	25	27	21	21	30	16	23	29	17	24
Male.....	154	8	9	14	16	14	15	16	9	11	21	9	12
Female.....	117	11	10	11	11	7	6	14	7	12	8	8	12
White, both sexes.....	231	18	15	19	24	18	18	23	12	21	25	15	23
Male.....	132	8	7	10	15	12	12	14	7	10	17	8	12
Female.....	99	10	8	9	9	6	6	9	5	11	8	7	11
Black, both sexes.....	28	-	3	3	3	3	3	4	2	2	4	-	1
Male.....	16	-	1	1	1	2	3	2	1	1	4	-	-
Female.....	12	-	2	2	2	1	-	2	1	-	-	-	1
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	1	3	-	-	-	3	2	-	-	1	-
Male.....	5	-	1	3	-	-	-	-	1	-	-	-	-
Female.....	5	-	-	-	-	-	-	3	1	-	-	1	-
Connective and soft tissue of pelvis (C49.5)													
All races, both sexes.....	136	12	9	15	13	14	10	8	10	16	11	9	9
Male.....	54	4	4	3	7	7	4	4	6	7	5	1	2
Female.....	82	8	5	12	6	7	6	4	4	9	6	8	7
White, both sexes.....	116	10	7	14	12	13	9	5	10	11	9	8	8
Male.....	48	4	4	3	6	6	3	3	6	5	5	1	2
Female.....	68	6	3	11	6	7	6	2	4	6	4	7	6
Black, both sexes.....	8	1	2	-	1	1	1	1	-	-	1	-	-
Male.....	3	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	5	1	2	-	-	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	-	1	-	-	-	1	-	4	1	1	1
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	9	1	-	1	-	-	-	1	-	3	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Connective and soft tissue, unspecified (C49.9)													
All races, both sexes.....	2,916	251	244	241	254	234	221	254	246	249	249	228	245
Male.....	1,469	117	127	120	129	115	114	126	114	145	140	110	112
Female.....	1,447	134	117	121	125	119	107	128	132	104	109	118	133
White, both sexes.....	2,534	226	212	212	223	200	196	215	218	215	218	188	211
Male.....	1,313	108	116	104	116	103	107	110	102	129	129	92	97
Female.....	1,221	118	96	108	107	97	89	105	116	86	89	96	114
Black, both sexes.....	312	19	26	24	23	25	21	31	26	30	25	32	30
Male.....	122	5	8	14	7	9	6	12	11	15	7	14	14
Female.....	190	14	18	10	16	16	15	19	15	15	18	18	16
American Indian 1/, both sexes.....	14	-	2	-	1	3	-	1	1	1	-	3	2
Male.....	4	-	1	-	1	1	-	-	-	1	-	-	-
Female.....	10	-	1	-	-	2	-	1	1	-	-	3	2
Asian or Pacific Islander 2/, both sexes.....	56	6	4	5	7	6	4	7	1	3	6	5	2
Male.....	30	4	2	2	5	2	1	4	1	-	4	4	1
Female.....	26	2	2	3	2	4	3	3	-	3	2	1	1
Malignant neoplasm of breast (C50)													
All races, both sexes.....	41,210	3,703	3,286	3,519	3,253	3,477	3,199	3,498	3,506	3,464	3,576	3,400	3,329
Male.....	389	37	38	43	32	36	14	28	27	41	35	25	33
Female.....	40,821	3,666	3,248	3,476	3,221	3,441	3,185	3,470	3,479	3,423	3,541	3,375	3,296
White, both sexes.....	34,464	3,117	2,741	2,940	2,704	2,871	2,691	2,927	2,934	2,918	2,992	2,828	2,801
Male.....	327	31	31	39	27	30	12	25	25	32	32	15	28
Female.....	34,137	3,086	2,710	2,901	2,677	2,841	2,679	2,902	2,909	2,886	2,960	2,813	2,773
Black, both sexes.....	5,752	506	469	502	469	517	425	488	476	460	504	481	455
Male.....	58	4	7	3	5	6	2	3	2	9	3	10	4
Female.....	5,694	502	462	499	464	511	423	485	474	451	501	471	451
American Indian 1/, both sexes.....	160	11	11	14	12	11	15	16	17	11	20	15	7
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	160	11	11	14	12	11	15	16	17	11	20	15	7
Asian or Pacific Islander 2/, both sexes.....	834	69	65	63	68	78	68	67	79	75	60	76	66
Male.....	4	2	-	1	-	-	-	-	-	-	-	-	1
Female.....	830	67	65	62	68	78	68	67	79	75	60	76	65

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Breast, unspecified (C50.9)													
All races, both sexes.....	41,206	3,703	3,286	3,519	3,251	3,477	3,199	3,498	3,506	3,464	3,575	3,399	3,329
Male.....	389	37	38	43	32	36	14	28	27	41	35	25	33
Female.....	40,817	3,666	3,248	3,476	3,219	3,441	3,185	3,470	3,479	3,423	3,540	3,374	3,296
White, both sexes.....	34,460	3,117	2,741	2,940	2,702	2,871	2,691	2,927	2,934	2,918	2,991	2,827	2,801
Male.....	327	31	31	39	27	30	12	25	25	32	32	15	28
Female.....	34,133	3,086	2,710	2,901	2,675	2,841	2,679	2,902	2,909	2,886	2,959	2,812	2,773
Black, both sexes.....	5,752	506	469	502	469	517	425	488	476	460	504	481	455
Male.....	58	4	7	3	5	6	2	3	2	9	3	10	4
Female.....	5,694	502	462	499	464	511	423	485	474	451	501	471	451
American Indian 1/, both sexes.....	160	11	11	14	12	11	15	16	17	11	20	15	7
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	160	11	11	14	12	11	15	16	17	11	20	15	7
Asian or Pacific Islander 2/, both sexes.....	834	69	65	63	68	78	68	67	79	75	60	76	66
Male.....	4	2	-	1	-	-	-	-	-	-	-	-	1
Female.....	830	67	65	62	68	78	68	67	79	75	60	76	65
Malignant neoplasm of vulva (C51)													
All races, both sexes.....	862	87	65	78	62	64	70	67	73	67	90	63	76
Male.....
Female.....	862	87	65	78	62	64	70	67	73	67	90	63	76
White, both sexes.....	810	77	57	77	58	62	68	62	69	62	84	60	74
Male.....
Female.....	810	77	57	77	58	62	68	62	69	62	84	60	74
Black, both sexes.....	42	8	7	1	3	2	2	4	4	4	3	3	1
Male.....
Female.....	42	8	7	1	3	2	2	4	4	4	3	3	1
American Indian 1/, both sexes.....	5	2	-	-	-	-	-	1	-	-	1	-	1
Male.....
Female.....	5	2	-	-	-	-	-	1	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	1	-	-	-	-	1	2	-	-
Male.....
Female.....	5	-	1	-	1	-	-	-	-	1	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Vulva, unspecified (C51.9)													
All races, both sexes.....	851	85	63	76	62	64	69	66	72	66	90	63	75
Male.....
Female.....	851	85	63	76	62	64	69	66	72	66	90	63	75
White, both sexes.....	801	75	55	75	58	62	67	61	69	62	84	60	73
Male.....
Female.....	801	75	55	75	58	62	67	61	69	62	84	60	73
Black, both sexes.....	40	8	7	1	3	2	2	4	3	3	3	3	1
Male.....
Female.....	40	8	7	1	3	2	2	4	3	3	3	3	1
American Indian 1/, both sexes.....	5	2	-	-	-	-	-	1	-	-	1	-	1
Male.....
Female.....	5	2	-	-	-	-	-	1	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	1	-	-	-	-	1	2	-	-
Male.....
Female.....	5	-	1	-	1	-	-	-	-	1	2	-	-
Malignant neoplasm of vagina (C52)													
All races, both sexes.....	396	43	28	35	33	37	39	36	31	28	27	31	28
Male.....
Female.....	396	43	28	35	33	37	39	36	31	28	27	31	28
White, both sexes.....	324	38	27	26	25	32	34	28	27	22	20	24	21
Male.....
Female.....	324	38	27	26	25	32	34	28	27	22	20	24	21
Black, both sexes.....	62	4	1	8	6	5	5	7	3	6	7	4	6
Male.....
Female.....	62	4	1	8	6	5	5	7	3	6	7	4	6
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	-	1	2	-	-	1	1	-	-	3	1
Male.....
Female.....	10	1	-	1	2	-	-	1	1	-	-	3	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of cervix uteri (C53.8)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cervix uteri, unspecified (C53.9)													
All races, both sexes.....	3,957	342	295	310	283	329	343	388	352	307	317	325	366
Male.....
Female.....	3,957	342	295	310	283	329	343	388	352	307	317	325	366
White, both sexes.....	3,000	261	215	241	221	253	255	294	268	227	234	246	285
Male.....
Female.....	3,000	261	215	241	221	253	255	294	268	227	234	246	285
Black, both sexes.....	780	59	69	58	51	63	77	79	65	59	67	62	71
Male.....
Female.....	780	59	69	58	51	63	77	79	65	59	67	62	71
American Indian 1/, both sexes.....	25	1	2	3	3	2	1	2	3	1	4	3	-
Male.....
Female.....	25	1	2	3	3	2	1	2	3	1	4	3	-
Asian or Pacific Islander 2/, both sexes.....	152	21	9	8	8	11	10	13	16	20	12	14	10
Male.....
Female.....	152	21	9	8	8	11	10	13	16	20	12	14	10

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of corpus uteri (C54)													
All races, both sexes.....	3,449	318	272	307	256	272	270	295	309	264	287	288	311
Male.....
Female.....	3,449	318	272	307	256	272	270	295	309	264	287	288	311
White, both sexes.....	2,809	255	218	255	209	218	220	244	253	213	238	232	254
Male.....
Female.....	2,809	255	218	255	209	218	220	244	253	213	238	232	254
Black, both sexes.....	550	54	47	49	40	47	43	41	51	42	41	46	49
Male.....
Female.....	550	54	47	49	40	47	43	41	51	42	41	46	49
American Indian 1/, both sexes.....	15	1	2	-	2	1	-	2	1	-	2	3	1
Male.....
Female.....	15	1	2	-	2	1	-	2	1	-	2	3	1
Asian or Pacific Islander 2/, both sexes.....	75	8	5	3	5	6	7	8	4	9	6	7	7
Male.....
Female.....	75	8	5	3	5	6	7	8	4	9	6	7	7
Endometrium (C54.1)													
All races, both sexes.....	3,407	316	269	302	254	266	266	293	304	261	283	286	307
Male.....
Female.....	3,407	316	269	302	254	266	266	293	304	261	283	286	307
White, both sexes.....	2,774	253	215	251	207	213	218	243	248	211	235	230	250
Male.....
Female.....	2,774	253	215	251	207	213	218	243	248	211	235	230	250
Black, both sexes.....	543	54	47	48	40	46	41	40	51	41	40	46	49
Male.....
Female.....	543	54	47	48	40	46	41	40	51	41	40	46	49
American Indian 1/, both sexes.....	15	1	2	-	2	1	-	2	1	-	2	3	1
Male.....
Female.....	15	1	2	-	2	1	-	2	1	-	2	3	1
Asian or Pacific Islander 2/, both sexes.....	75	8	5	3	5	6	7	8	4	9	6	7	7
Male.....
Female.....	75	8	5	3	5	6	7	8	4	9	6	7	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of uterus, part unspecified (C55)													
All races, both sexes.....	3,935	351	297	321	332	339	346	308	341	312	342	306	340
Male.....
Female.....	3,935	351	297	321	332	339	346	308	341	312	342	306	340
White, both sexes.....	3,145	280	240	241	261	269	278	250	274	247	274	247	284
Male.....
Female.....	3,145	280	240	241	261	269	278	250	274	247	274	247	284
Black, both sexes.....	690	65	53	69	64	63	54	47	59	55	58	51	52
Male.....
Female.....	690	65	53	69	64	63	54	47	59	55	58	51	52
American Indian 1/, both sexes.....	15	-	-	3	1	1	2	2	-	1	2	2	1
Male.....
Female.....	15	-	-	3	1	1	2	2	-	1	2	2	1
Asian or Pacific Islander 2/, both sexes.....	85	6	4	8	6	6	12	9	8	9	8	6	3
Male.....
Female.....	85	6	4	8	6	6	12	9	8	9	8	6	3
Malignant neoplasm of ovary (C56)													
All races, both sexes.....	14,857	1,240	1,146	1,317	1,189	1,313	1,235	1,263	1,222	1,206	1,313	1,175	1,238
Male.....
Female.....	14,857	1,240	1,146	1,317	1,189	1,313	1,235	1,263	1,222	1,206	1,313	1,175	1,238
White, both sexes.....	13,289	1,124	1,022	1,166	1,065	1,163	1,114	1,126	1,107	1,089	1,194	1,035	1,084
Male.....
Female.....	13,289	1,124	1,022	1,166	1,065	1,163	1,114	1,126	1,107	1,089	1,194	1,035	1,084
Black, both sexes.....	1,185	92	90	116	100	111	88	99	81	95	85	110	118
Male.....
Female.....	1,185	92	90	116	100	111	88	99	81	95	85	110	118
American Indian 1/, both sexes.....	62	2	6	6	3	3	7	7	6	5	9	4	4
Male.....
Female.....	62	2	6	6	3	3	7	7	6	5	9	4	4
Asian or Pacific Islander 2/, both sexes.....	321	22	28	29	21	36	26	31	28	17	25	26	32
Male.....
Female.....	321	22	28	29	21	36	26	31	28	17	25	26	32

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of other and unspecified female genital organs (C57)													
All races, both sexes.....	363	31	21	39	36	27	26	37	32	28	29	33	24
Male.....
Female.....	363	31	21	39	36	27	26	37	32	28	29	33	24
White, both sexes.....	304	27	17	34	28	21	24	28	28	26	22	31	18
Male.....
Female.....	304	27	17	34	28	21	24	28	28	26	22	31	18
Black, both sexes.....	46	2	3	3	6	4	2	7	4	1	6	2	6
Male.....
Female.....	46	2	3	3	6	4	2	7	4	1	6	2	6
American Indian 1/, both sexes.....	3	-	-	1	1	-	-	-	-	-	1	-	-
Male.....
Female.....	3	-	-	1	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	10	2	1	1	1	2	-	2	-	1	-	-	-
Male.....
Female.....	10	2	1	1	1	2	-	2	-	1	-	-	-
Fallopian tube (C57.0)													
All races, both sexes.....	156	15	8	16	19	13	6	17	18	11	10	14	9
Male.....
Female.....	156	15	8	16	19	13	6	17	18	11	10	14	9
White, both sexes.....	136	14	5	15	16	10	6	16	16	10	8	13	7
Male.....
Female.....	136	14	5	15	16	10	6	16	16	10	8	13	7
Black, both sexes.....	17	1	2	1	3	2	-	1	2	-	2	1	2
Male.....
Female.....	17	1	2	1	3	2	-	1	2	-	2	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	1	-	-	-	1	-	-	-
Male.....
Female.....	3	-	1	-	-	1	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of female genital organs (C57.8)													
All races, both sexes.....	5	-	-	-	1	-	-	2	1	-	-	-	1
Male.....
Female.....	5	-	-	-	1	-	-	2	1	-	-	-	1
White, both sexes.....	4	-	-	-	1	-	-	1	1	-	-	-	1
Male.....
Female.....	4	-	-	-	1	-	-	1	1	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female genital organ, unspecified (C57.9)													
All races, both sexes.....	196	16	12	22	16	13	20	17	13	17	18	19	13
Male.....
Female.....	196	16	12	22	16	13	20	17	13	17	18	19	13
White, both sexes.....	160	13	11	18	11	10	18	10	11	16	14	18	10
Male.....
Female.....	160	13	11	18	11	10	18	10	11	16	14	18	10
Black, both sexes.....	27	1	1	2	3	2	2	5	2	1	4	1	3
Male.....
Female.....	27	1	1	2	3	2	2	5	2	1	4	1	3
American Indian 1/, both sexes.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Male.....
Female.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	2	-	1	1	1	-	2	-	-	-	-	-
Male.....
Female.....	7	2	-	1	1	1	-	2	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of kidney, except renal pelvis (C64)													
All races, both sexes.....	12,214	1,070	961	1,051	1,009	1,049	953	955	999	1,028	1,081	1,001	1,057
Male.....	7,608	653	590	679	626	648	597	605	618	634	702	620	636
Female.....	4,606	417	371	372	383	401	356	350	381	394	379	381	421
White, both sexes.....	10,805	958	859	935	894	916	839	834	878	902	969	895	926
Male.....	6,725	584	519	600	557	556	532	531	553	562	626	554	551
Female.....	4,080	374	340	335	337	360	307	303	325	340	343	341	375
Black, both sexes.....	1,132	90	83	92	96	105	95	95	95	101	89	80	111
Male.....	710	57	56	60	60	73	54	60	53	57	62	48	70
Female.....	422	33	27	32	36	32	41	35	42	44	27	32	41
American Indian 1/, both sexes.....	79	6	4	8	5	8	8	8	8	7	3	7	7
Male.....	52	3	4	7	2	6	4	6	5	4	2	4	5
Female.....	27	3	-	1	3	2	4	2	3	3	1	3	2
Asian or Pacific Islander 2/, both sexes.....	198	16	15	16	14	20	11	18	18	18	20	19	13
Male.....	121	9	11	12	7	13	7	8	7	11	12	14	10
Female.....	77	7	4	4	7	7	4	10	11	7	8	5	3
Malignant neoplasm of renal pelvis (C65)													
All races, both sexes.....	165	16	17	14	12	15	16	8	14	14	15	11	13
Male.....	91	9	12	8	6	9	8	3	8	9	8	6	5
Female.....	74	7	5	6	6	6	8	5	6	5	7	5	8
White, both sexes.....	156	15	16	14	12	15	14	8	13	13	13	10	13
Male.....	86	8	11	8	6	9	8	3	8	8	7	5	5
Female.....	70	7	5	6	6	6	6	5	5	5	6	5	8
Black, both sexes.....	6	1	1	-	-	-	2	-	-	1	1	-	-
Male.....	4	1	1	-	-	-	-	-	-	1	1	-	-
Female.....	2	-	-	-	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of ureter (C66)													
All races, both sexes.....	361	24	34	23	31	32	29	30	30	32	36	27	33
Male.....	189	13	21	15	14	14	15	17	15	14	19	14	18
Female.....	172	11	13	8	17	18	14	13	15	18	17	13	15
White, both sexes.....	338	23	33	22	28	27	26	28	30	30	34	26	31
Male.....	180	13	20	15	12	14	14	16	15	14	17	13	17
Female.....	158	10	13	7	16	13	12	12	15	16	17	13	14
Black, both sexes.....	13	1	-	-	2	4	3	-	-	-	2	-	1
Male.....	5	-	-	-	2	-	1	-	-	-	2	-	-
Female.....	8	1	-	-	-	4	2	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	1	-	1	1	-	2	-	2	-	1	1
Male.....	4	-	1	-	-	-	-	1	-	-	-	1	1
Female.....	5	-	-	-	1	1	-	1	-	2	-	-	-
Malignant neoplasm of bladder (C67)													
All races, both sexes.....	13,474	1,121	1,086	1,125	1,058	1,136	1,073	1,189	1,127	1,106	1,130	1,124	1,199
Male.....	9,412	776	759	787	742	780	737	828	783	775	816	776	853
Female.....	4,062	345	327	338	316	356	336	361	344	331	314	348	346
White, both sexes.....	12,286	1,028	1,001	1,024	967	1,058	978	1,075	1,024	998	1,036	1,012	1,085
Male.....	8,735	721	715	724	690	742	684	769	720	717	758	713	782
Female.....	3,551	307	286	300	277	316	294	306	304	281	278	299	303
Black, both sexes.....	1,007	80	73	86	85	69	76	93	85	93	81	91	95
Male.....	558	47	38	51	48	33	40	46	49	48	49	49	60
Female.....	449	33	35	35	37	36	36	47	36	45	32	42	35
American Indian 1/, both sexes.....	37	2	1	4	1	2	3	1	3	3	4	8	5
Male.....	26	2	-	4	-	1	3	1	3	3	1	6	2
Female.....	11	-	1	-	1	1	-	-	-	-	3	2	3
Asian or Pacific Islander 2/, both sexes.....	144	11	11	11	5	7	16	20	15	12	9	13	14
Male.....	93	6	6	8	4	4	10	12	11	7	8	8	9
Female.....	51	5	5	3	1	3	6	8	4	5	1	5	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Urachus (C67.7)													
All races, both sexes.....	21	2	4	2	1	1	1	1	2	2	2	2	1
Male.....	11	1	2	2	1	1	1	1	1	-	-	1	-
Female.....	10	1	2	-	-	-	-	-	1	2	2	1	1
White, both sexes.....	17	-	4	1	1	1	1	1	2	2	1	2	1
Male.....	9	-	2	1	1	1	1	1	1	-	-	1	-
Female.....	8	-	2	-	-	-	-	-	1	2	1	1	1
Black, both sexes.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Bladder, unspecified (C67.9)													
All races, both sexes.....	13,446	1,119	1,082	1,121	1,056	1,134	1,072	1,188	1,125	1,103	1,126	1,122	1,198
Male.....	9,397	775	757	783	740	779	736	827	782	774	816	775	853
Female.....	4,049	344	325	338	316	355	336	361	343	329	310	347	345
White, both sexes.....	12,263	1,028	997	1,021	965	1,056	977	1,074	1,022	996	1,033	1,010	1,084
Male.....	8,723	721	713	721	688	741	683	768	719	717	758	712	782
Female.....	3,540	307	284	300	277	315	294	306	303	279	275	298	302
Black, both sexes.....	1,004	79	73	85	85	69	76	93	85	92	81	91	95
Male.....	555	46	38	50	48	33	40	46	49	47	49	49	60
Female.....	449	33	35	35	37	36	36	47	36	45	32	42	35
American Indian 1/, both sexes.....	36	2	1	4	1	2	3	1	3	3	3	8	5
Male.....	26	2	-	4	-	1	3	1	3	3	1	6	2
Female.....	10	-	1	-	1	1	-	-	-	-	2	2	3
Asian or Pacific Islander 2/, both sexes.....	143	10	11	11	5	7	16	20	15	12	9	13	14
Male.....	93	6	6	8	4	4	10	12	11	7	8	8	9
Female.....	50	4	5	3	1	3	6	8	4	5	1	5	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of other and unspecified urinary organs (C68)													
All races, both sexes.....	435	45	39	43	38	30	33	30	34	32	39	30	42
Male.....	268	29	28	25	22	20	21	16	17	19	28	21	22
Female.....	167	16	11	18	16	10	12	14	17	13	11	9	20
White, both sexes.....	370	38	33	33	33	25	31	27	30	25	31	26	38
Male.....	246	27	25	21	20	19	20	16	17	16	24	19	22
Female.....	124	11	8	12	13	6	11	11	13	9	7	7	16
Black, both sexes.....	51	5	4	9	3	5	1	3	3	6	6	2	4
Male.....	14	-	2	4	1	1	-	-	-	2	3	1	-
Female.....	37	5	2	5	2	4	1	3	3	4	3	1	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	2	2	1	2	-	1	-	1	1	2	2	-
Male.....	8	2	1	-	1	-	1	-	-	1	1	1	-
Female.....	6	-	1	1	1	-	-	-	1	-	1	1	-
Urethra (C68.0)													
All races, both sexes.....	191	17	19	21	15	12	13	17	13	14	17	14	19
Male.....	108	11	11	11	7	7	7	8	4	9	13	11	9
Female.....	83	6	8	10	8	5	6	9	9	5	4	3	10
White, both sexes.....	142	13	14	14	10	8	11	15	9	8	13	11	16
Male.....	93	10	9	9	5	6	6	8	4	6	11	10	9
Female.....	49	3	5	5	5	2	5	7	5	2	2	1	7
Black, both sexes.....	40	3	4	6	3	4	1	2	3	5	4	2	3
Male.....	11	-	2	2	1	1	-	-	-	2	2	1	-
Female.....	29	3	2	4	2	3	1	2	3	3	2	1	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	1	1	2	-	1	-	1	1	-	1	-
Male.....	4	1	-	-	1	-	1	-	-	1	-	-	-
Female.....	5	-	1	1	1	-	-	-	1	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of urinary organs (C68.8)													
All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Urinary organ, unspecified (C68.9)													
All races, both sexes.....	243	28	20	22	23	18	19	13	21	18	22	16	23
Male.....	160	18	17	14	15	13	14	8	13	10	15	10	13
Female.....	83	10	3	8	8	5	5	5	8	8	7	6	10
White, both sexes.....	227	25	19	19	23	17	19	12	21	17	18	15	22
Male.....	153	17	16	12	15	13	14	8	13	10	13	9	13
Female.....	74	8	3	7	8	4	5	4	8	7	5	6	9
Black, both sexes.....	11	2	-	3	-	1	-	1	-	1	2	-	1
Male.....	3	-	-	2	-	-	-	-	-	-	1	-	-
Female.....	8	2	-	1	-	1	-	1	-	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	1	-	-	-	-	-	-	-	2	1	-
Male.....	4	1	1	-	-	-	-	-	-	-	1	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lacrimal gland and duct (C69.5)													
All races, both sexes.....	7	1	-	-	1	-	1	1	1	-	1	-	1
Male.....	6	1	-	-	1	-	-	1	1	-	1	-	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	7	1	-	-	1	-	1	1	1	-	1	-	1
Male.....	6	1	-	-	1	-	-	1	1	-	1	-	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Orbit (C69.6)													
All races, both sexes.....	45	4	3	6	4	8	3	1	-	7	4	5	-
Male.....	26	3	1	5	1	5	2	-	-	4	2	3	-
Female.....	19	1	2	1	3	3	1	1	-	3	2	2	-
White, both sexes.....	41	4	3	6	4	7	2	1	-	7	4	3	-
Male.....	24	3	1	5	1	5	1	-	-	4	2	2	-
Female.....	17	1	2	1	3	2	1	1	-	3	2	1	-
Black, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	2	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Eye, unspecified (C69.9)													
All races, both sexes.....	139	11	6	14	15	9	7	12	17	12	9	9	18
Male.....	64	7	2	5	8	7	4	3	8	7	3	3	7
Female.....	75	4	4	9	7	2	3	9	9	5	6	6	11
White, both sexes.....	136	11	6	14	15	9	6	12	17	12	9	9	16
Male.....	64	7	2	5	8	7	4	3	8	7	3	3	7
Female.....	72	4	4	9	7	2	2	9	9	5	6	6	9
Black, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	-	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	-	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of meninges (C70)													
All races, both sexes.....	110	12	10	9	10	8	6	9	11	12	11	6	6
Male.....	51	3	6	5	4	4	1	4	6	7	7	2	2
Female.....	59	9	4	4	6	4	5	5	5	5	4	4	4
White, both sexes.....	93	9	10	7	10	6	6	7	10	11	8	6	3
Male.....	43	3	6	4	4	2	1	4	5	6	5	2	1
Female.....	50	6	4	3	6	4	5	3	5	5	3	4	2
Black, both sexes.....	13	1	-	2	-	2	-	2	-	1	2	-	3
Male.....	7	-	-	1	-	2	-	-	-	1	2	-	1
Female.....	6	1	-	1	-	-	-	2	-	-	-	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	-	-	-	-	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	2	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral meninges (C70.0)													
All races, both sexes.....	9	1	2	1	1	-	-	-	1	1	1	-	1
Male.....	5	-	1	1	-	-	-	-	1	1	1	-	-
Female.....	4	1	1	-	1	-	-	-	-	-	-	-	1
White, both sexes.....	7	1	2	-	1	-	-	-	1	1	1	-	-
Male.....	4	-	1	-	-	-	-	-	1	1	1	-	-
Female.....	3	1	1	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Meninges, unspecified (C70.9)													
All races, both sexes.....	101	11	8	8	9	8	6	9	10	11	10	6	5
Male.....	46	3	5	4	4	4	1	4	5	6	6	2	2
Female.....	55	8	3	4	5	4	5	5	5	5	4	4	3
White, both sexes.....	86	8	8	7	9	6	6	7	9	10	7	6	3
Male.....	39	3	5	4	4	2	1	4	4	5	4	2	1
Female.....	47	5	3	3	5	4	5	3	5	5	3	4	2
Black, both sexes.....	11	1	-	1	-	2	-	2	-	1	2	-	2
Male.....	6	-	-	-	-	2	-	-	-	1	2	-	1
Female.....	5	1	-	1	-	-	-	2	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	-	-	-	-	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	2	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of brain (C71)													
All races, both sexes.....	12,670	1,134	1,009	1,140	1,016	1,082	985	1,017	1,052	978	1,049	1,121	1,087
Male.....	7,088	635	560	689	571	603	550	562	594	545	580	601	598
Female.....	5,582	499	449	451	445	479	435	455	458	433	469	520	489
White, both sexes.....	11,664	1,053	928	1,047	940	1,003	899	934	961	899	965	1,033	1,002
Male.....	6,554	593	520	633	530	560	509	510	549	505	537	554	554
Female.....	5,110	460	408	414	410	443	390	424	412	394	428	479	448
Black, both sexes.....	743	67	58	63	56	57	64	60	69	57	58	67	67
Male.....	399	35	32	39	31	33	31	34	33	29	29	40	33
Female.....	344	32	26	24	25	24	33	26	36	28	29	27	34
American Indian 1/, both sexes.....	39	1	2	4	3	2	6	4	3	4	5	2	3
Male.....	20	-	1	2	1	-	3	3	1	3	3	1	2
Female.....	19	1	1	2	2	2	3	1	2	1	2	1	1
Asian or Pacific Islander 2/, both sexes.....	224	13	21	26	17	20	16	19	19	18	21	19	15
Male.....	115	7	7	15	9	10	7	15	11	8	11	6	9
Female.....	109	6	14	11	8	10	9	4	8	10	10	13	6
Cerebrum, except lobes and ventricles (C71.0)													
All races, both sexes.....	173	12	13	20	15	8	14	21	14	11	12	24	9
Male.....	92	6	6	10	9	4	6	12	9	8	7	11	4
Female.....	81	6	7	10	6	4	8	9	5	3	5	13	5
White, both sexes.....	157	9	13	18	14	7	12	20	14	9	12	21	8
Male.....	84	4	6	10	8	4	5	11	9	7	7	9	4
Female.....	73	5	7	8	6	3	7	9	5	2	5	12	4
Black, both sexes.....	10	3	-	-	1	1	1	-	-	-	-	3	1
Male.....	6	2	-	-	1	-	1	-	-	-	-	2	-
Female.....	4	1	-	-	-	1	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	2	-	-	1	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	4	-	-	2	-	-	1	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Frontal lobe (C71.1)													
All races, both sexes.....	83	6	6	8	7	5	5	7	7	5	11	10	6
Male.....	40	1	3	3	4	1	2	4	3	3	7	5	4
Female.....	43	5	3	5	3	4	3	3	4	2	4	5	2
White, both sexes.....	79	6	5	8	7	5	5	7	7	5	11	8	5
Male.....	37	1	2	3	4	1	2	4	3	3	7	4	3
Female.....	42	5	3	5	3	4	3	3	4	2	4	4	2
Black, both sexes.....	3	-	1	-	-	-	-	-	-	-	-	2	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Temporal lobe (C71.2)													
All races, both sexes.....	95	12	10	7	5	9	2	10	9	3	9	9	10
Male.....	60	8	7	5	3	6	-	7	4	2	6	7	5
Female.....	35	4	3	2	2	3	2	3	5	1	3	2	5
White, both sexes.....	89	11	10	7	5	6	2	10	8	3	8	9	10
Male.....	57	8	7	5	3	4	-	7	4	2	5	7	5
Female.....	32	3	3	2	2	2	2	3	4	1	3	2	5
Black, both sexes.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	2	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral ventricle (C71.5)													
All races, both sexes.....	10	-	2	-	-	-	-	1	2	1	2	1	1
Male.....	5	-	2	-	-	-	-	-	-	1	2	-	-
Female.....	5	-	-	-	-	-	-	1	2	-	-	1	1
White, both sexes.....	9	-	1	-	-	-	-	1	2	1	2	1	1
Male.....	4	-	1	-	-	-	-	-	-	1	2	-	-
Female.....	5	-	-	-	-	-	-	1	2	-	-	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebellum (C71.6)													
All races, both sexes.....	160	12	16	16	9	17	8	19	19	11	10	15	8
Male.....	98	5	9	12	6	11	5	10	10	6	6	11	7
Female.....	62	7	7	4	3	6	3	9	9	5	4	4	1
White, both sexes.....	142	11	16	16	6	13	7	17	17	9	10	14	6
Male.....	91	5	9	12	4	10	4	9	10	6	6	10	6
Female.....	51	6	7	4	2	3	3	8	7	3	4	4	-
Black, both sexes.....	13	1	-	-	1	3	1	1	1	2	-	1	2
Male.....	5	-	-	-	1	-	1	1	-	-	-	1	1
Female.....	8	1	-	-	-	3	-	-	1	2	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	1	-	1	1	-	-	-	-
Male.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Brain, unspecified (C71.9)													
All races, both sexes.....	11,834	1,072	929	1,057	955	1,022	933	938	966	923	968	1,039	1,032
Male.....	6,622	603	516	637	536	571	523	524	544	513	531	557	567
Female.....	5,212	469	413	420	419	451	410	414	422	410	437	482	465
White, both sexes.....	10,925	1,002	855	975	887	954	853	862	879	854	892	960	952
Male.....	6,132	567	480	586	498	533	485	475	499	477	492	514	526
Female.....	4,793	435	375	389	389	421	368	387	380	377	400	446	426
Black, both sexes.....	676	56	53	56	52	50	61	56	67	51	50	61	63
Male.....	368	29	29	36	29	31	29	33	33	27	25	36	31
Female.....	308	27	24	20	23	19	32	23	34	24	25	25	32
American Indian 1/, both sexes.....	34	1	2	4	2	1	5	4	3	2	5	2	3
Male.....	17	-	1	2	1	-	2	3	1	1	3	1	2
Female.....	17	1	1	2	1	1	3	1	2	1	2	1	1
Asian or Pacific Islander 2/, both sexes.....	199	13	19	22	14	17	14	16	17	16	21	16	14
Male.....	105	7	6	13	8	7	7	13	11	8	11	6	8
Female.....	94	6	13	9	6	10	7	3	6	8	10	10	6
Malignant neoplasm of spinal cord, cranial nerves, and other parts of central nervous system (C72)													
All races, both sexes.....	106	11	8	13	4	11	8	12	10	5	7	7	10
Male.....	59	7	5	8	4	5	6	5	5	3	1	5	5
Female.....	47	4	3	5	-	6	2	7	5	2	6	2	5
White, both sexes.....	93	11	7	11	4	7	7	10	8	5	6	7	10
Male.....	53	7	4	8	4	3	5	4	4	3	1	5	5
Female.....	40	4	3	3	-	4	2	6	4	2	5	2	5
Black, both sexes.....	9	-	1	2	-	2	-	1	2	-	1	-	-
Male.....	3	-	1	-	-	1	-	-	1	-	-	-	-
Female.....	6	-	-	2	-	1	-	1	1	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	2	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of brain and other parts of central nervous system (C72.8)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Central nervous system, unspecified (C72.9)													
All races, both sexes.....	53	5	2	7	1	5	5	6	8	1	6	2	5
Male.....	25	4	-	4	1	2	4	2	3	1	1	1	2
Female.....	28	1	2	3	-	3	1	4	5	-	5	1	3
White, both sexes.....	47	5	2	6	1	4	4	5	7	1	5	2	5
Male.....	23	4	-	4	1	2	3	1	3	1	1	1	2
Female.....	24	1	2	2	-	2	1	4	4	-	4	1	3
Black, both sexes.....	3	-	-	1	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of thyroid gland (C73)													
All races, both sexes.....	1,518	114	123	127	139	128	108	121	147	128	115	142	126
Male.....	614	46	51	51	59	57	47	47	55	50	46	57	48
Female.....	904	68	72	76	80	71	61	74	92	78	69	85	78
White, both sexes.....	1,321	103	108	114	115	116	95	107	123	109	100	125	106
Male.....	560	41	47	46	55	52	44	44	48	45	42	55	41
Female.....	761	62	61	68	60	64	51	63	75	64	58	70	65
Black, both sexes.....	131	7	10	8	19	7	9	9	17	10	12	12	11
Male.....	31	2	3	3	4	4	2	1	3	3	3	-	3
Female.....	100	5	7	5	15	3	7	8	14	7	9	12	8
American Indian 1/, both sexes.....	3	1	-	-	-	1	-	-	1	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	63	3	5	5	5	4	4	5	6	9	3	5	9
Male.....	21	2	1	2	-	1	1	2	3	2	1	2	4
Female.....	42	1	4	3	5	3	3	3	3	7	2	3	5
Malignant neoplasm of adrenal gland (C74)													
All races, both sexes.....	559	48	46	48	37	57	56	44	48	45	43	45	42
Male.....	281	26	29	25	20	32	22	23	24	20	25	17	18
Female.....	278	22	17	23	17	25	34	21	24	25	18	28	24
White, both sexes.....	476	37	40	41	32	51	48	37	40	38	38	39	35
Male.....	239	21	25	22	17	27	18	18	20	16	23	15	17
Female.....	237	16	15	19	15	24	30	19	20	22	15	24	18
Black, both sexes.....	62	9	5	4	4	6	5	5	3	6	4	5	6
Male.....	33	4	3	2	3	5	3	3	2	4	2	2	-
Female.....	29	5	2	2	1	1	2	2	1	2	2	3	6
American Indian 1/, both sexes.....	5	1	-	-	-	-	1	-	2	-	1	-	-
Male.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	16	1	1	3	1	-	2	2	3	1	-	1	1
Male.....	7	-	1	1	-	-	1	2	1	-	-	-	1
Female.....	9	1	-	2	1	-	1	-	2	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Endocrine gland, unspecified (C75.9)													
All races, both sexes.....	35	-	1	2	5	2	2	3	5	5	2	3	5
Male.....	16	-	1	1	3	1	1	2	1	1	1	1	3
Female.....	19	-	-	1	2	1	1	1	4	4	1	2	2
White, both sexes.....	33	-	1	2	5	2	2	3	5	5	2	3	3
Male.....	14	-	1	1	3	1	1	2	1	1	1	1	1
Female.....	19	-	-	1	2	1	1	1	4	4	1	2	2
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of other and ill-defined sites (C76)													
All races, both sexes.....	1,734	173	148	137	134	133	129	145	132	136	143	154	170
Male.....	763	75	74	54	64	65	61	66	53	55	54	77	65
Female.....	971	98	74	83	70	68	68	79	79	81	89	77	105
White, both sexes.....	1,508	148	126	124	118	117	109	130	115	119	122	132	148
Male.....	658	62	62	51	56	57	50	63	47	45	47	63	55
Female.....	850	86	64	73	62	60	59	67	68	74	75	69	93
Black, both sexes.....	177	17	17	10	14	15	17	12	10	16	14	20	15
Male.....	85	9	8	3	6	7	10	2	5	9	5	12	9
Female.....	92	8	9	7	8	8	7	10	5	7	9	8	6
American Indian 1/, both sexes.....	12	3	1	1	-	-	-	2	2	-	1	1	1
Male.....	5	1	1	-	-	-	-	1	1	-	-	1	-
Female.....	7	2	-	1	-	-	-	1	1	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	37	5	4	2	2	1	3	1	5	1	6	1	6
Male.....	15	3	3	-	2	1	1	-	-	1	2	1	1
Female.....	22	2	1	2	-	-	2	1	5	-	4	-	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Abdomen (C76.2)													
All races, both sexes.....	688	61	53	60	63	51	51	61	55	52	58	48	75
Male.....	206	21	20	14	24	16	12	21	18	14	12	13	21
Female.....	482	40	33	46	39	35	39	40	37	38	46	35	54
White, both sexes.....	592	52	46	51	54	45	42	52	46	47	49	44	64
Male.....	176	18	17	12	20	14	10	19	15	10	11	13	17
Female.....	416	34	29	39	34	31	32	33	31	37	38	31	47
Black, both sexes.....	76	7	6	7	7	6	8	6	5	4	7	4	9
Male.....	25	3	2	2	2	2	2	1	3	3	1	-	4
Female.....	51	4	4	5	5	4	6	5	2	1	6	4	5
American Indian 1/, both sexes.....	5	1	-	-	-	-	-	2	1	-	-	-	1
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	4	1	-	-	-	-	-	1	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	15	1	1	2	2	-	1	1	3	1	2	-	1
Male.....	4	-	1	-	2	-	-	-	-	1	-	-	-
Female.....	11	1	-	2	-	-	1	1	3	-	2	-	1
Pelvis (C76.3)													
All races, both sexes.....	234	22	19	15	15	13	13	23	19	22	24	21	28
Male.....	32	4	3	2	2	2	2	2	4	2	4	2	3
Female.....	202	18	16	13	13	11	11	21	15	20	20	19	25
White, both sexes.....	209	20	15	14	13	12	11	22	17	18	22	20	25
Male.....	26	2	1	2	2	2	1	2	4	2	4	2	2
Female.....	183	18	14	12	11	10	10	20	13	16	18	18	23
Black, both sexes.....	18	-	3	1	2	1	2	1	1	4	1	1	1
Male.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	16	-	2	1	2	1	1	1	1	4	1	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	1	-	-	-	-	-	1	-	-	-	2
Male.....	4	2	1	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lymph node, unspecified (C77.9)													
All races, both sexes.....	28	2	1	2	4	2	4	4	3	1	2	2	1
Male.....	14	-	-	1	2	2	3	2	1	-	2	1	-
Female.....	14	2	1	1	2	-	1	2	2	1	-	1	1
White, both sexes.....	26	2	1	2	4	2	3	4	3	1	1	2	1
Male.....	12	-	-	1	2	2	2	2	1	-	1	1	-
Female.....	14	2	1	1	2	-	1	2	2	1	-	1	1
Black, both sexes.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of respiratory and digestive organs (C78)													
All races, both sexes.....	3,231	273	270	262	261	305	244	285	247	264	272	266	282
Male.....	1,567	125	131	117	120	134	125	140	128	136	140	132	139
Female.....	1,664	148	139	145	141	171	119	145	119	128	132	134	143
White, both sexes.....	2,678	221	219	221	213	265	203	229	203	224	225	223	232
Male.....	1,282	94	106	100	100	118	98	108	109	112	117	108	112
Female.....	1,396	127	113	121	113	147	105	121	94	112	108	115	120
Black, both sexes.....	404	39	33	34	32	33	29	41	33	30	34	31	35
Male.....	218	24	17	16	14	12	21	26	15	20	17	19	17
Female.....	186	15	16	18	18	21	8	15	18	10	17	12	18
American Indian 1/, both sexes.....	23	-	5	2	2	3	1	3	2	2	1	1	1
Male.....	9	-	3	-	1	2	-	-	1	-	-	1	1
Female.....	14	-	2	2	1	1	1	3	1	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	126	13	13	5	14	4	11	12	9	8	12	11	14
Male.....	58	7	5	1	5	2	6	6	3	4	6	4	9
Female.....	68	6	8	4	9	2	5	6	6	4	6	7	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of retroperitoneum and peritoneum (C78.6)													
All races, both sexes.....	457	43	34	44	34	35	39	39	30	38	45	43	33
Male.....	137	10	6	10	10	8	14	16	9	14	14	17	9
Female.....	320	33	28	34	24	27	25	23	21	24	31	26	24
White, both sexes.....	401	36	29	40	30	30	38	36	24	30	41	38	29
Male.....	120	6	5	9	8	7	14	16	8	10	13	16	8
Female.....	281	30	24	31	22	23	24	20	16	20	28	22	21
Black, both sexes.....	41	7	2	3	1	4	-	2	5	5	4	4	4
Male.....	13	4	-	1	-	1	-	-	1	3	1	1	1
Female.....	28	3	2	2	1	3	-	2	4	2	3	3	3
American Indian 1/, both sexes.....	3	-	2	-	1	-	-	-	-	-	-	-	-
Male.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	1	1	2	1	1	1	1	3	-	1	-
Male.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	10	-	1	1	1	1	1	1	1	2	-	1	-
Secondary malignant neoplasm of liver (C78.7)													
All races, both sexes.....	2,170	181	183	168	183	197	152	199	162	177	184	180	204
Male.....	1,134	94	98	90	94	91	84	96	88	95	99	89	116
Female.....	1,036	87	85	78	89	106	68	103	74	82	85	91	88
White, both sexes.....	1,761	145	147	138	144	167	121	158	134	151	142	149	165
Male.....	914	73	80	76	78	78	62	72	74	79	78	72	92
Female.....	847	72	67	62	66	89	59	86	60	72	64	77	73
Black, both sexes.....	290	24	24	26	26	24	23	28	20	20	29	20	26
Male.....	161	15	12	13	12	9	17	18	10	13	15	12	15
Female.....	129	9	12	13	14	15	6	10	10	7	14	8	11
American Indian 1/, both sexes.....	16	-	3	-	1	3	1	3	1	1	1	1	1
Male.....	7	-	2	-	-	2	-	-	1	-	-	1	1
Female.....	9	-	1	-	1	1	3	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	103	12	9	4	12	3	7	10	7	5	12	10	12
Male.....	52	6	4	1	4	2	5	6	3	3	6	4	8
Female.....	51	6	5	3	8	1	2	4	4	2	6	6	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of other and unspecified digestive organs (C78.8)													
All races, both sexes.....	69	6	8	4	6	8	7	4	7	8	3	4	4
Male.....	41	4	6	3	3	3	5	1	4	5	2	3	2
Female.....	28	2	2	1	3	5	2	3	3	3	1	1	2
White, both sexes.....	51	5	5	3	4	7	3	2	3	8	3	4	4
Male.....	31	3	3	3	2	3	3	-	2	5	2	3	2
Female.....	20	2	2	-	2	4	-	2	1	3	1	1	2
Black, both sexes.....	16	1	2	1	2	1	3	2	4	-	-	-	-
Male.....	9	1	2	-	1	-	2	1	2	-	-	-	-
Female.....	7	-	-	1	1	1	1	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Secondary malignant neoplasm of other sites (C79)													
All races, both sexes.....	4,354	374	356	359	350	408	338	377	350	351	371	351	369
Male.....	2,776	233	216	216	219	268	209	251	230	230	236	226	242
Female.....	1,578	141	140	143	131	140	129	126	120	121	135	125	127
White, both sexes.....	3,615	318	295	299	289	331	291	310	291	297	304	283	307
Male.....	2,297	197	180	178	176	210	184	207	188	199	198	180	200
Female.....	1,318	121	115	121	113	121	107	103	103	98	106	103	107
Black, both sexes.....	642	50	53	54	54	69	42	55	49	48	56	59	53
Male.....	423	35	31	35	38	53	23	37	35	28	33	40	35
Female.....	219	15	22	19	16	16	19	18	14	20	23	19	18
American Indian 1/, both sexes.....	22	4	2	2	2	3	2	2	1	2	1	1	-
Male.....	10	-	1	1	1	2	1	1	1	1	-	1	-
Female.....	12	4	1	1	1	1	1	1	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	75	2	6	4	5	5	3	10	9	4	10	8	9
Male.....	46	1	4	2	4	3	1	6	6	2	5	5	7
Female.....	29	1	2	2	1	2	2	4	3	2	5	3	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of kidney and renal pelvis (C79.0)													
All races, both sexes.....	7	1	1	-	1	-	1	1	-	-	1	1	-
Male.....	4	1	1	-	-	-	1	-	-	-	-	1	-
Female.....	3	-	-	-	1	-	-	1	-	-	1	-	-
White, both sexes.....	5	1	1	-	-	-	1	-	-	-	1	1	-
Male.....	4	1	1	-	-	-	1	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of bladder and other and unspecified urinary organs (C79.1)													
All races, both sexes.....	24	1	3	1	-	2	2	3	2	4	2	1	3
Male.....	17	1	2	1	-	2	2	2	2	2	1	-	2
Female.....	7	-	1	-	-	-	-	1	-	2	1	1	1
White, both sexes.....	19	1	3	1	-	1	1	3	2	4	1	1	1
Male.....	13	1	2	1	-	1	1	2	2	2	1	-	-
Female.....	6	-	1	-	-	-	-	1	-	2	-	1	1
Black, both sexes.....	4	-	-	-	-	1	1	-	-	-	-	-	2
Male.....	4	-	-	-	-	1	1	-	-	-	-	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of skin (C79.2)													
All races, both sexes.....	10	2	1	-	-	2	-	-	-	-	-	3	2
Male.....	7	1	1	-	-	1	-	-	-	-	-	2	2
Female.....	3	1	-	-	-	1	-	-	-	-	-	1	-
White, both sexes.....	9	2	1	-	-	2	-	-	-	-	-	3	1
Male.....	6	1	1	-	-	1	-	-	-	-	-	2	1
Female.....	3	1	-	-	-	1	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of brain and cerebral meninges (C79.3)													
All races, both sexes.....	712	65	55	52	56	55	63	58	57	64	69	53	65
Male.....	333	33	21	17	26	26	17	37	28	38	32	29	29
Female.....	379	32	34	35	30	29	46	21	29	26	37	24	36
White, both sexes.....	616	58	51	47	47	45	51	53	49	56	61	39	59
Male.....	295	31	20	16	23	21	17	33	25	33	31	20	25
Female.....	321	27	31	31	24	24	34	20	24	23	30	19	34
Black, both sexes.....	80	6	3	5	9	9	10	2	6	7	7	10	6
Male.....	33	2	1	1	3	5	-	2	2	5	1	7	4
Female.....	47	4	2	4	6	4	10	-	4	2	6	3	2
American Indian 1/, both sexes.....	4	1	-	-	-	-	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	-	-	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	1	-	-	1	1	2	2	-	1	4	-
Male.....	5	-	-	-	-	-	-	2	1	-	-	2	-
Female.....	7	-	1	-	-	1	1	-	1	-	1	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of other and unspecified parts of nervous system (C79.4)													
All races, both sexes.....	15	2	1	-	2	1	3	1	1	1	2	1	-
Male.....	5	1	1	-	1	-	1	-	1	-	-	-	-
Female.....	10	1	-	-	1	1	2	1	-	1	2	1	-
White, both sexes.....	9	1	1	-	1	-	2	1	1	-	1	1	-
Male.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	7	1	-	-	1	-	2	1	-	-	1	1	-
Black, both sexes.....	6	1	-	-	1	1	1	-	-	1	1	-	-
Male.....	3	1	-	-	1	-	1	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of bone and bone marrow (C79.5)													
All races, both sexes.....	445	42	30	47	29	36	37	42	30	33	48	32	39
Male.....	243	19	15	27	17	23	24	21	17	12	31	16	21
Female.....	202	23	15	20	12	13	13	21	13	21	17	16	18
White, both sexes.....	373	36	26	37	26	31	32	32	29	26	40	26	32
Male.....	202	16	13	20	16	19	20	18	16	9	25	12	18
Female.....	171	20	13	17	10	12	12	14	13	17	15	14	14
Black, both sexes.....	59	5	3	10	3	3	5	8	1	6	7	5	3
Male.....	33	3	1	7	1	2	4	2	1	2	5	4	1
Female.....	26	2	2	3	2	1	1	6	-	4	2	1	2
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	1	-	-	2	-	2	-	-	1	1	4
Male.....	7	-	1	-	-	2	-	1	-	-	1	-	2
Female.....	4	-	-	-	-	-	-	1	-	-	-	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of other specified sites (C79.8)													
All races, both sexes.....	3,132	261	265	258	262	311	232	270	260	249	247	258	259
Male.....	2,165	177	175	171	175	215	164	190	182	178	172	178	188
Female.....	967	84	90	87	87	96	68	80	78	71	75	80	71
White, both sexes.....	2,578	219	212	213	215	252	204	219	210	211	199	211	213
Male.....	1,774	147	142	141	137	168	145	153	144	155	141	145	156
Female.....	804	72	70	72	78	84	59	66	66	56	58	66	57
Black, both sexes.....	489	38	47	39	40	54	25	44	42	34	41	43	42
Male.....	349	29	29	27	33	44	17	33	32	21	27	29	28
Female.....	140	9	18	12	7	10	8	11	10	13	14	14	14
American Indian 1/, both sexes.....	16	2	2	2	2	3	1	1	1	-	1	1	-
Male.....	9	-	1	1	1	2	1	1	1	-	-	1	-
Female.....	7	2	1	1	1	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	49	2	4	4	5	2	2	6	7	4	6	3	4
Male.....	33	1	3	2	4	1	1	3	5	2	4	3	4
Female.....	16	1	1	2	1	1	1	3	2	2	2	-	-
Malignant neoplasm without specification of site (C80)													
All races, both sexes.....	25,989	2,114	2,025	2,277	2,066	2,157	2,042	2,236	2,246	2,147	2,213	2,205	2,261
Male.....	12,875	1,061	1,013	1,157	1,027	1,056	1,012	1,066	1,118	1,048	1,114	1,084	1,119
Female.....	13,114	1,053	1,012	1,120	1,039	1,101	1,030	1,170	1,128	1,099	1,099	1,121	1,142
White, both sexes.....	22,536	1,840	1,773	1,967	1,779	1,895	1,770	1,913	1,953	1,827	1,916	1,906	1,997
Male.....	11,254	922	888	1,014	889	938	879	912	988	900	982	956	986
Female.....	11,282	918	885	953	890	957	891	1,001	965	927	934	950	1,011
Black, both sexes.....	2,858	221	202	263	243	212	235	262	241	264	247	251	217
Male.....	1,358	117	105	124	116	95	115	123	107	126	117	108	105
Female.....	1,500	104	97	139	127	117	120	139	134	138	130	143	112
American Indian 1/, both sexes.....	139	11	13	11	10	13	6	15	16	12	8	15	9
Male.....	53	3	5	3	6	4	3	5	7	5	1	6	5
Female.....	86	8	8	8	4	9	3	10	9	7	7	9	4
Asian or Pacific Islander 2/, both sexes.....	456	42	37	36	34	37	31	46	36	44	42	33	38
Male.....	210	19	15	16	16	19	15	26	16	17	14	14	23
Female.....	246	23	22	20	18	18	16	20	20	27	28	19	15

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hodgkin's disease, unspecified (C81.9)													
All races, both sexes.....	1,303	125	101	108	123	113	108	99	107	124	104	102	89
Male.....	757	77	59	62	73	66	61	65	56	71	63	49	55
Female.....	546	48	42	46	50	47	47	34	51	53	41	53	34
White, both sexes.....	1,137	109	92	96	102	102	93	88	94	107	88	87	79
Male.....	654	66	54	54	61	59	52	57	48	61	51	42	49
Female.....	483	43	38	42	41	43	41	31	46	46	37	45	30
Black, both sexes.....	136	12	7	10	16	9	12	11	11	15	10	14	9
Male.....	81	8	3	7	10	5	7	8	6	9	7	6	5
Female.....	55	4	4	3	6	4	5	3	5	6	3	8	4
American Indian 1/, both sexes.....	6	-	1	-	1	-	2	-	1	-	1	-	-
Male.....	4	-	1	-	-	-	1	-	1	-	1	-	-
Female.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	4	1	2	4	2	1	-	1	2	5	1	1
Male.....	18	3	1	1	2	2	1	-	1	1	4	1	1
Female.....	6	1	-	1	2	-	-	-	-	1	1	-	-
Follicular [nodular] non-Hodgkin's lymphoma (C82)													
All races, both sexes.....	287	12	22	31	26	21	26	33	20	27	25	18	26
Male.....	143	5	13	12	12	11	12	14	14	11	13	11	15
Female.....	144	7	9	19	14	10	14	19	6	16	12	7	11
White, both sexes.....	267	11	21	30	22	18	24	31	20	26	23	15	26
Male.....	135	4	12	11	11	11	12	13	14	11	11	10	15
Female.....	132	7	9	19	11	7	12	18	6	15	12	5	11
Black, both sexes.....	16	-	1	1	3	3	1	2	-	-	2	3	-
Male.....	6	-	1	1	-	-	-	1	-	-	2	1	-
Female.....	10	-	-	-	3	3	1	1	-	-	-	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	1	-	1	-	-	-	-	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Follicular non-Hodgkin's lymphoma, unspecified (C82.9)													
All races, both sexes.....	264	11	22	27	22	19	25	31	20	24	23	15	25
Male.....	131	5	13	10	10	10	11	13	14	10	12	9	14
Female.....	133	6	9	17	12	9	14	18	6	14	11	6	11
White, both sexes.....	246	10	21	27	18	17	23	29	20	23	21	12	25
Male.....	124	4	12	10	9	10	11	12	14	10	10	8	14
Female.....	122	6	9	17	9	7	12	17	6	13	11	4	11
Black, both sexes.....	14	-	1	-	3	2	1	2	-	-	2	3	-
Male.....	5	-	1	-	-	-	-	1	-	-	2	1	-
Female.....	9	-	-	-	3	2	1	1	-	-	-	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	1	-	1	-	-	-	-	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Diffuse non-Hodgkin's lymphoma (C83)													
All races, both sexes.....	2,164	195	171	197	190	162	182	179	185	167	199	170	167
Male.....	1,294	122	102	118	111	94	113	115	107	104	112	106	90
Female.....	870	73	69	79	79	68	69	64	78	63	87	64	77
White, both sexes.....	2,010	183	160	189	178	156	168	161	171	150	182	155	157
Male.....	1,199	113	97	115	102	92	106	104	98	90	100	98	84
Female.....	811	70	63	74	76	64	62	57	73	60	82	57	73
Black, both sexes.....	120	11	8	6	8	3	12	13	13	16	14	11	5
Male.....	76	9	2	2	6	2	6	8	9	13	10	6	3
Female.....	44	2	6	4	2	1	6	5	4	3	4	5	2
American Indian 1/, both sexes.....	5	-	-	1	-	-	-	-	-	1	-	1	2
Male.....	3	-	-	-	-	-	-	-	-	1	-	-	2
Female.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	29	1	3	1	4	3	2	5	1	-	3	3	3
Male.....	16	-	3	1	3	-	1	3	-	-	2	2	1
Female.....	13	1	-	-	1	3	1	2	1	-	1	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mixed small and large cell (diffuse) (C83.2)													
All races, both sexes.....	16	-	-	1	3	1	1	1	4	3	-	2	-
Male.....	6	-	-	-	2	-	1	-	1	1	-	1	-
Female.....	10	-	-	1	1	1	-	1	3	2	-	1	-
White, both sexes.....	16	-	-	1	3	1	1	1	4	3	-	2	-
Male.....	6	-	-	-	2	-	1	-	1	1	-	1	-
Female.....	10	-	-	1	1	1	-	1	3	2	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Large cell (diffuse) (C83.3)													
All races, both sexes.....	939	86	78	91	87	67	77	81	78	75	78	71	70
Male.....	478	47	41	44	41	32	41	44	39	39	37	36	37
Female.....	461	39	37	47	46	35	36	37	39	36	41	35	33
White, both sexes.....	869	82	69	89	80	64	74	73	72	64	69	65	68
Male.....	440	44	37	44	36	32	40	39	37	30	33	33	35
Female.....	429	38	32	45	44	32	34	34	35	34	36	32	33
Black, both sexes.....	52	4	7	2	4	-	2	7	5	10	8	2	1
Male.....	28	3	2	-	3	-	-	4	2	8	4	1	1
Female.....	24	1	5	2	1	-	2	3	3	2	4	1	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	15	-	2	-	3	3	1	1	1	-	1	3	-
Male.....	8	-	2	-	2	-	1	1	-	-	-	2	-
Female.....	7	-	-	-	1	3	-	-	1	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Undifferentiated (diffuse) (C83.6)													
All races, both sexes.....	3	-	-	-	-	-	-	1	1	-	-	-	1
Male.....	3	-	-	-	-	-	-	1	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	-	-	-	-	1	1	-	-	-	1
Male.....	3	-	-	-	-	-	-	1	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Burkitt's tumor (C83.7)													
All races, both sexes.....	244	18	21	23	18	17	20	27	25	17	27	15	16
Male.....	166	12	13	16	11	10	15	19	17	13	20	12	8
Female.....	78	6	8	7	7	7	5	8	8	4	7	3	8
White, both sexes.....	221	16	20	20	17	16	18	25	23	14	25	12	15
Male.....	152	11	13	14	10	9	15	19	15	11	18	10	7
Female.....	69	5	7	6	7	7	3	6	8	3	7	2	8
Black, both sexes.....	18	2	1	2	1	1	1	-	2	3	2	3	-
Male.....	12	1	-	1	1	1	-	-	2	2	2	2	-
Female.....	6	1	1	1	-	-	1	-	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	-	-	1	2	-	-	-	-	1
Male.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	1	2	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peripheral and cutaneous T-cell lymphomas (C84)													
All races, both sexes.....	964	86	81	69	68	85	87	72	88	67	87	85	89
Male.....	546	50	43	34	37	45	50	46	52	36	48	48	57
Female.....	418	36	38	35	31	40	37	26	36	31	39	37	32
White, both sexes.....	753	68	66	54	54	70	74	51	63	50	65	68	70
Male.....	434	40	32	30	30	38	39	33	38	30	36	41	47
Female.....	319	28	34	24	24	32	35	18	25	20	29	27	23
Black, both sexes.....	178	13	13	14	12	13	12	17	23	15	19	14	13
Male.....	92	7	9	4	5	5	10	11	13	6	10	6	6
Female.....	86	6	4	10	7	8	2	6	10	9	9	8	7
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	3	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	29	5	2	1	2	2	1	2	2	3	3	3	5
Male.....	18	3	2	-	2	2	1	-	1	-	2	1	4
Female.....	11	2	-	1	-	-	-	1	1	2	1	2	1
Mycosis fungoides (C84.0)													
All races, both sexes.....	77	6	5	9	5	3	6	3	11	3	6	9	11
Male.....	51	4	3	3	3	2	5	3	6	2	5	7	8
Female.....	26	2	2	6	2	1	1	-	5	1	1	2	3
White, both sexes.....	54	4	2	5	3	2	4	2	8	2	4	7	11
Male.....	40	3	1	3	2	1	3	2	5	2	4	6	8
Female.....	14	1	1	2	1	1	1	-	3	-	-	1	3
Black, both sexes.....	20	2	3	3	2	1	2	1	2	1	1	2	-
Male.....	10	1	2	-	1	1	2	1	1	-	-	1	-
Female.....	10	1	1	3	1	-	-	-	1	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	1	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peripheral T-cell lymphoma (C84.4)													
All races, both sexes.....	90	7	14	6	7	10	6	7	2	7	8	9	7
Male.....	50	5	6	3	4	7	6	5	-	3	5	3	3
Female.....	40	2	8	3	3	3	-	2	2	4	3	6	4
White, both sexes.....	73	4	12	6	5	8	4	5	1	5	8	9	6
Male.....	39	3	4	3	2	5	4	4	-	3	5	3	3
Female.....	34	1	8	3	3	3	-	1	1	2	3	6	3
Black, both sexes.....	12	2	1	-	1	2	2	2	1	1	-	-	-
Male.....	8	1	1	-	1	2	2	1	-	-	-	-	-
Female.....	4	1	-	-	-	-	-	1	1	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	4	1	1	-	1	-	-	-	-	1	-	-	-
Male.....	3	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Other and unspecified T-cell lymphomas (C84.5)													
All races, both sexes.....	782	72	62	52	56	69	74	61	74	55	72	66	69
Male.....	435	40	34	27	30	34	38	38	45	29	38	37	45
Female.....	347	32	28	25	26	35	36	23	29	26	34	29	24
White, both sexes.....	617	59	52	42	46	58	66	43	53	42	53	51	52
Male.....	348	33	27	23	26	31	32	27	32	24	27	31	35
Female.....	269	26	25	19	20	27	34	16	21	18	26	20	17
Black, both sexes.....	140	9	9	10	9	9	7	14	20	12	17	12	12
Male.....	71	5	6	4	3	1	5	9	12	5	10	5	6
Female.....	69	4	3	6	6	8	2	5	8	7	7	7	6
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	3	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	4	1	-	1	2	1	1	1	1	2	3	5
Male.....	14	2	1	-	1	2	1	-	1	-	1	1	4
Female.....	8	2	-	-	-	-	-	1	-	1	1	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Multiple myeloma and malignant plasma cell neoplasms (C90)													
All races, both sexes.....	10,784	970	868	953	869	880	883	867	903	853	966	860	912
Male.....	5,690	527	446	524	421	454	476	467	477	439	515	448	496
Female.....	5,094	443	422	429	448	426	407	400	426	414	451	412	416
White, both sexes.....	8,726	821	696	762	692	694	721	694	742	684	778	702	740
Male.....	4,662	445	362	419	339	358	405	378	402	362	417	367	408
Female.....	4,064	376	334	343	353	336	316	316	340	322	361	335	332
Black, both sexes.....	1,834	131	155	175	152	167	146	159	143	158	159	138	151
Male.....	920	71	74	97	72	86	66	84	65	73	87	71	74
Female.....	914	60	81	78	80	81	80	75	78	85	72	67	77
American Indian 1/, both sexes.....	49	6	5	-	4	4	2	3	4	2	5	7	7
Male.....	25	3	5	-	-	3	-	2	3	2	1	3	3
Female.....	24	3	-	-	4	1	2	1	1	-	4	4	4
Asian or Pacific Islander 2/, both sexes.....	175	12	12	16	21	15	14	11	14	9	24	13	14
Male.....	83	8	5	8	10	7	5	3	7	2	10	7	11
Female.....	92	4	7	8	11	8	9	8	7	7	14	6	3
Multiple myeloma (C90.0)													
All races, both sexes.....	10,599	952	852	935	856	862	866	859	889	837	945	840	906
Male.....	5,585	516	438	513	413	445	468	465	470	428	503	433	493
Female.....	5,014	436	414	422	443	417	398	394	419	409	442	407	413
White, both sexes.....	8,572	803	687	746	683	680	708	686	730	671	760	683	735
Male.....	4,576	434	358	410	333	351	400	376	396	353	407	352	406
Female.....	3,996	369	329	336	350	329	308	310	334	318	353	331	329
Black, both sexes.....	1,808	131	149	173	148	164	142	159	142	156	157	137	150
Male.....	903	71	71	95	70	84	63	84	64	71	86	71	73
Female.....	905	60	78	78	78	80	79	75	78	85	71	66	77
American Indian 1/, both sexes.....	48	6	4	-	4	4	2	3	4	2	5	7	7
Male.....	24	3	4	-	-	3	-	2	3	2	1	3	3
Female.....	24	3	-	-	4	1	2	1	1	-	4	4	4
Asian or Pacific Islander 2/, both sexes.....	171	12	12	16	21	14	14	11	13	8	23	13	14
Male.....	82	8	5	8	10	7	5	3	7	2	9	7	11
Female.....	89	4	7	8	11	7	9	8	6	6	14	6	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Plasma cell leukemia (C90.1)													
All races, both sexes.....	72	7	5	5	6	8	7	4	5	5	9	7	4
Male.....	41	5	3	3	4	5	4	-	1	4	6	4	2
Female.....	31	2	2	2	2	3	3	4	4	1	3	3	2
White, both sexes.....	59	7	3	4	3	6	5	4	5	4	9	6	3
Male.....	31	5	1	2	2	4	2	-	1	3	6	4	1
Female.....	28	2	2	2	1	2	3	4	4	1	3	2	2
Black, both sexes.....	11	-	1	1	3	1	2	-	-	1	-	1	1
Male.....	9	-	1	1	2	1	2	-	-	1	-	-	1
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Plasmacytoma, extramedullary (C90.2)													
All races, both sexes.....	113	11	11	13	7	10	10	4	9	11	12	13	2
Male.....	64	6	5	8	4	4	4	2	6	7	6	11	1
Female.....	49	5	6	5	3	6	6	2	3	4	6	2	1
White, both sexes.....	95	11	6	12	6	8	8	4	7	9	9	13	2
Male.....	55	6	3	7	4	3	3	2	5	6	4	11	1
Female.....	40	5	3	5	2	5	5	2	2	3	5	2	1
Black, both sexes.....	15	-	5	1	1	2	2	-	1	1	2	-	-
Male.....	8	-	2	1	-	1	1	-	1	1	1	-	-
Female.....	7	-	3	-	1	1	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lymphoid leukemia (C91)													
All races, both sexes.....	6,395	569	508	558	538	525	532	503	500	520	562	517	563
Male.....	3,748	340	282	320	319	305	332	304	297	308	327	305	309
Female.....	2,647	229	226	238	219	220	200	199	203	212	235	212	254
White, both sexes.....	5,750	509	447	513	485	472	482	444	449	469	511	461	508
Male.....	3,352	296	245	292	286	267	302	269	269	280	297	274	275
Female.....	2,398	213	202	221	199	205	180	175	180	189	214	187	233
Black, both sexes.....	558	54	56	39	45	45	42	45	46	45	44	48	49
Male.....	344	41	34	23	27	30	25	27	25	25	27	27	33
Female.....	214	13	22	16	18	15	17	18	21	20	17	21	16
American Indian 1/, both sexes.....	16	-	1	2	2	2	1	5	-	-	2	1	-
Male.....	10	-	-	1	2	2	1	4	-	-	-	-	-
Female.....	6	-	1	1	-	-	-	1	-	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	71	6	4	4	6	6	7	9	5	6	5	7	6
Male.....	42	3	3	4	4	6	4	4	3	3	3	4	1
Female.....	29	3	1	-	2	-	3	5	2	3	2	3	5
Acute lymphoblastic leukemia (C91.0)													
All races, both sexes.....	1,393	116	101	116	98	120	130	104	118	132	122	111	125
Male.....	770	68	49	66	53	66	92	57	60	61	65	56	77
Female.....	623	48	52	50	45	54	38	47	58	71	57	55	48
White, both sexes.....	1,228	99	90	104	82	105	118	89	106	118	108	95	114
Male.....	673	57	43	56	45	55	82	51	54	56	57	48	69
Female.....	555	42	47	48	37	50	36	38	52	62	51	47	45
Black, both sexes.....	117	12	7	9	11	10	9	8	9	10	11	12	9
Male.....	67	9	3	7	5	6	7	3	5	3	6	6	7
Female.....	50	3	4	2	6	4	2	5	4	7	5	6	2
American Indian 1/, both sexes.....	6	-	-	1	1	-	1	2	-	-	-	1	-
Male.....	5	-	-	1	1	-	1	2	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	42	5	4	2	4	5	2	5	3	4	3	3	2
Male.....	25	2	3	2	2	5	2	1	1	2	2	2	1
Female.....	17	3	1	-	2	-	-	4	2	2	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myeloid leukemia (C92)													
All races, both sexes.....	10,222	904	738	840	851	873	850	792	878	830	891	854	921
Male.....	5,706	486	423	461	464	483	473	454	483	482	521	449	527
Female.....	4,516	418	315	379	387	390	377	338	395	348	370	405	394
White, both sexes.....	9,094	799	662	746	762	782	756	700	776	739	799	757	816
Male.....	5,097	426	382	413	425	437	430	400	420	426	473	393	472
Female.....	3,997	373	280	333	337	345	326	300	356	313	326	364	344
Black, both sexes.....	834	84	54	73	61	66	71	73	77	57	74	62	82
Male.....	435	49	29	35	25	32	34	39	46	33	39	32	42
Female.....	399	35	25	38	36	34	37	34	31	24	35	30	40
American Indian 1/, both sexes.....	41	4	2	2	4	3	4	5	1	6	3	3	4
Male.....	28	1	2	1	1	1	1	5	1	6	2	3	4
Female.....	13	3	-	1	3	2	3	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	253	17	20	19	24	22	19	14	24	28	15	32	19
Male.....	146	10	10	12	13	13	8	10	16	17	7	21	9
Female.....	107	7	10	7	11	9	11	4	8	11	8	11	10
Acute myeloid leukemia (C92.0)													
All races, both sexes.....	8,214	723	591	670	692	698	687	629	719	662	714	689	740
Male.....	4,553	385	338	364	381	391	381	358	394	379	409	359	414
Female.....	3,661	338	253	306	311	307	306	271	325	283	305	330	326
White, both sexes.....	7,335	637	532	601	620	631	612	561	634	589	644	616	658
Male.....	4,099	336	309	332	349	357	348	325	340	334	374	321	374
Female.....	3,236	301	223	269	271	274	264	236	294	255	270	295	284
Black, both sexes.....	644	67	38	52	47	47	57	55	62	49	57	47	66
Male.....	323	39	17	23	19	24	26	24	38	29	29	23	32
Female.....	321	28	21	29	28	23	31	31	24	20	28	24	34
American Indian 1/, both sexes.....	27	3	2	2	3	2	3	2	1	4	1	2	2
Male.....	18	-	2	1	1	1	1	2	1	4	1	2	2
Female.....	9	3	-	1	2	1	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	208	16	19	15	22	18	15	11	22	20	12	24	14
Male.....	113	10	10	8	12	9	6	7	15	12	5	13	6
Female.....	95	6	9	7	10	9	9	4	7	8	7	11	8

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other myeloid leukemia (C92.7)													
All races, both sexes.....	394	32	37	26	33	35	27	36	27	38	38	30	35
Male.....	246	16	20	20	20	19	17	25	17	27	25	17	23
Female.....	148	16	17	6	13	16	10	11	10	11	13	13	12
White, both sexes.....	365	32	31	22	31	30	26	35	27	36	36	27	32
Male.....	227	16	17	17	19	16	16	24	17	26	24	15	20
Female.....	138	16	14	5	12	14	10	11	10	10	12	12	12
Black, both sexes.....	20	-	5	3	2	4	-	-	-	1	2	1	2
Male.....	12	-	3	2	1	2	-	-	-	1	1	-	2
Female.....	8	-	2	1	1	2	-	-	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	1	1	-	1	1	1	-	1	-	2	1
Male.....	7	-	-	1	-	1	1	1	-	-	-	2	1
Female.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Myeloid leukemia, unspecified (C92.9)													
All races, both sexes.....	223	18	16	20	19	21	18	25	20	13	10	23	20
Male.....	138	14	11	15	11	13	9	11	16	7	7	10	14
Female.....	85	4	5	5	8	8	9	14	4	6	3	13	6
White, both sexes.....	190	16	13	18	16	17	15	21	18	9	8	22	17
Male.....	115	13	8	14	10	9	7	9	14	5	6	9	11
Female.....	75	3	5	4	6	8	8	12	4	4	2	13	6
Black, both sexes.....	21	2	3	1	2	3	2	3	2	1	1	-	1
Male.....	14	1	3	-	1	3	1	1	2	-	1	-	1
Female.....	7	1	-	1	1	-	1	2	-	1	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	1	-	-	1	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	1	-	1	1	-	-	3	1	1	1
Male.....	7	-	-	1	-	1	1	-	-	2	-	1	1
Female.....	2	-	-	-	-	-	-	-	-	1	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified leukemias (C94.7)													
All races, both sexes.....	20	1	1	2	3	-	1	2	2	3	1	-	4
Male.....	7	-	-	-	2	-	1	2	-	1	-	-	1
Female.....	13	1	1	2	1	-	-	-	2	2	1	-	3
White, both sexes.....	18	1	1	1	3	-	1	2	2	2	1	-	4
Male.....	7	-	-	-	2	-	1	2	-	1	-	-	1
Female.....	11	1	1	1	1	-	-	-	2	1	1	-	3
Black, both sexes.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia of unspecified cell type (C95)													
All races, both sexes.....	5,155	443	435	442	397	430	417	436	456	401	418	426	454
Male.....	2,838	251	224	235	224	245	223	246	252	213	230	241	254
Female.....	2,317	192	211	207	173	185	194	190	204	188	188	185	200
White, both sexes.....	4,648	400	387	401	369	382	380	395	404	356	376	386	412
Male.....	2,573	225	202	211	215	219	203	223	230	191	200	221	233
Female.....	2,075	175	185	190	154	163	177	172	174	165	176	165	179
Black, both sexes.....	405	32	35	36	23	37	33	34	39	36	34	30	36
Male.....	217	18	17	21	7	20	18	22	19	17	26	14	18
Female.....	188	14	18	15	16	17	15	12	20	19	8	16	18
American Indian 1/, both sexes.....	14	3	4	1	-	1	-	-	-	2	-	2	1
Male.....	7	3	1	1	-	-	-	-	-	1	-	-	1
Female.....	7	-	3	-	-	1	-	-	-	1	-	2	-
Asian or Pacific Islander 2/, both sexes.....	88	8	9	4	5	10	4	7	13	7	8	8	5
Male.....	41	5	4	2	2	6	2	1	3	4	4	6	2
Female.....	47	3	5	2	3	4	2	6	10	3	4	2	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rectum (D12.8)													
All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of other and ill-defined parts of digestive system (D13)													
All races, both sexes.....	59	4	5	7	4	8	2	5	3	5	8	2	6
Male.....	19	1	3	2	2	3	1	1	1	-	3	-	2
Female.....	40	3	2	5	2	5	1	4	2	5	5	2	4
White, both sexes.....	48	4	5	5	3	6	-	3	3	3	8	2	6
Male.....	16	1	3	1	2	2	-	1	1	-	3	-	2
Female.....	32	3	2	4	1	4	-	2	2	3	5	2	4
Black, both sexes.....	8	-	-	1	-	2	2	1	-	2	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	6	-	-	1	-	1	1	1	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	1	-	-	1	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Duodenum (D13.2)													
All races, both sexes.....	6	2	-	1	-	-	-	1	-	1	-	-	1
Male.....	3	1	-	1	-	-	-	1	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	-	1	-	-	1
White, both sexes.....	5	2	-	-	-	-	-	1	-	1	-	-	1
Male.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	-	1	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Liver (D13.4)													
All races, both sexes.....	4	-	1	1	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	1	1	-	1	-	1	-	-	-	-	-
White, both sexes.....	3	-	1	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	1	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Corpus uteri (D26.1)													
All races, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of ovary (D27)													
All races, both sexes.....	10	1	1	-	-	1	-	1	-	1	1	2	2
Male.....
Female.....	10	1	1	-	-	1	-	1	-	1	1	2	2
White, both sexes.....	8	1	1	-	-	-	-	1	-	1	1	2	1
Male.....
Female.....	8	1	1	-	-	-	-	1	-	1	1	2	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ciliary body (D31.4)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of meninges (D32)													
All races, both sexes.....	798	70	68	85	71	58	53	67	63	59	75	79	50
Male.....	280	27	18	29	13	19	15	34	24	27	32	24	18
Female.....	518	43	50	56	58	39	38	33	39	32	43	55	32
White, both sexes.....	673	60	57	72	61	46	48	53	50	55	62	67	42
Male.....	234	24	15	26	12	12	14	29	18	26	26	19	13
Female.....	439	36	42	46	49	34	34	24	32	29	36	48	29
Black, both sexes.....	92	7	10	7	5	9	4	11	10	3	10	11	5
Male.....	35	2	2	1	1	6	1	4	4	1	5	5	3
Female.....	57	5	8	6	4	3	3	7	6	2	5	6	2
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	32	3	1	5	5	3	1	3	3	1	3	1	3
Male.....	11	1	1	2	-	1	-	1	2	-	1	-	2
Female.....	21	2	-	3	5	2	1	2	1	1	2	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Benign neoplasm of unspecified site (D36.9)													
All races, both sexes.....	19	1	2	2	1	4	1	2	1	1	-	-	4
Male.....	14	1	2	1	1	3	1	1	-	1	-	-	3
Female.....	5	-	-	1	-	1	-	1	1	-	-	-	1
White, both sexes.....	17	1	1	2	1	4	1	1	1	1	-	-	4
Male.....	12	1	1	1	1	3	1	-	-	1	-	-	3
Female.....	5	-	-	1	-	1	-	1	1	-	-	-	1
Black, both sexes.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs (D37)													
All races, both sexes.....	698	51	57	57	53	61	59	58	58	50	63	71	60
Male.....	311	22	25	23	24	28	33	28	29	25	22	26	26
Female.....	387	29	32	34	29	33	26	30	29	25	41	45	34
White, both sexes.....	589	46	49	45	48	55	51	49	48	39	54	53	52
Male.....	261	20	21	17	23	24	28	24	23	20	19	20	22
Female.....	328	26	28	28	25	31	23	25	25	19	35	33	30
Black, both sexes.....	83	5	5	10	5	4	5	6	6	10	8	15	4
Male.....	37	2	3	4	1	3	3	2	5	5	3	4	2
Female.....	46	3	2	6	4	1	2	4	1	5	5	11	2
American Indian 1/, both sexes.....	4	-	-	-	-	-	1	1	1	-	-	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	3	2	-	2	2	2	3	1	1	2	4
Male.....	11	-	1	2	-	1	1	2	1	-	-	1	2
Female.....	11	-	2	-	-	1	1	-	2	1	1	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Colon (D37.4)													
All races, both sexes.....	96	10	8	7	6	9	7	6	5	6	9	15	8
Male.....	43	7	6	2	4	4	1	3	1	2	1	8	4
Female.....	53	3	2	5	2	5	6	3	4	4	8	7	4
White, both sexes.....	86	9	7	5	6	9	7	6	5	6	9	10	7
Male.....	38	6	6	1	4	4	1	3	1	2	1	6	3
Female.....	48	3	1	4	2	5	6	3	4	4	8	4	4
Black, both sexes.....	10	1	1	2	-	-	-	-	-	-	-	5	1
Male.....	5	1	-	1	-	-	-	-	-	-	-	2	1
Female.....	5	-	1	1	-	-	-	-	-	-	-	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Rectum (D37.5)													
All races, both sexes.....	27	3	1	2	4	2	1	1	4	2	5	1	1
Male.....	9	1	-	1	2	1	1	-	2	1	-	-	-
Female.....	18	2	1	1	2	1	-	1	2	1	5	1	1
White, both sexes.....	22	3	1	2	3	2	1	1	3	2	2	1	1
Male.....	8	1	-	1	2	1	1	-	1	1	-	-	-
Female.....	14	2	1	1	1	1	-	1	2	1	2	1	1
Black, both sexes.....	4	-	-	-	1	-	-	-	1	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	1	-	-	-	-	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Liver, gallbladder, and bile ducts (D37.6)													
All races, both sexes.....	184	16	13	17	15	12	16	22	15	10	16	15	17
Male.....	80	6	6	6	5	5	9	7	8	6	7	6	9
Female.....	104	10	7	11	10	7	7	15	7	4	9	9	8
White, both sexes.....	159	16	10	12	14	12	14	19	12	9	13	13	15
Male.....	71	6	5	4	5	5	8	7	7	5	6	5	8
Female.....	88	10	5	8	9	7	6	12	5	4	7	8	7
Black, both sexes.....	17	-	1	4	1	-	2	2	1	1	3	1	1
Male.....	7	-	1	1	-	-	1	-	1	1	1	-	1
Female.....	10	-	-	3	1	-	1	2	-	-	2	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	2	1	-	-	-	-	2	-	-	1	1
Male.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	5	-	2	-	-	-	-	-	2	-	-	-	1
Other digestive organs (D37.7)													
All races, both sexes.....	220	15	20	15	13	20	23	17	15	15	21	24	22
Male.....	88	5	5	6	5	9	14	9	9	6	6	7	7
Female.....	132	10	15	9	8	11	9	8	6	9	15	17	15
White, both sexes.....	194	12	19	11	13	19	19	16	15	12	19	20	19
Male.....	76	4	4	4	5	8	11	8	9	6	5	6	6
Female.....	118	8	15	7	8	11	8	8	6	6	14	14	13
Black, both sexes.....	21	3	1	4	-	1	3	1	-	2	2	2	2
Male.....	9	1	1	2	-	1	2	1	-	-	1	-	-
Female.....	12	2	-	2	-	-	1	-	-	2	1	2	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Digestive organ, unspecified (D37.9)													
All races, both sexes.....	38	1	5	2	3	6	5	3	1	5	2	3	2
Male.....	21	-	2	1	1	4	3	2	1	4	1	1	1
Female.....	17	1	3	1	2	2	2	1	-	1	1	2	1
White, both sexes.....	29	-	5	2	3	3	4	2	-	5	2	2	1
Male.....	16	-	2	1	1	1	2	2	-	4	1	1	1
Female.....	13	-	3	1	2	2	2	-	-	1	1	1	-
Black, both sexes.....	6	1	-	-	-	2	-	1	1	-	-	1	-
Male.....	3	-	-	-	-	2	-	-	1	-	-	-	-
Female.....	3	1	-	-	-	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	1	-	-	-	-	-	1
Male.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Neoplasm of uncertain or unknown behavior of middle ear and respiratory and intrathoracic organs (D38)													
All races, both sexes.....	628	55	53	62	61	50	49	49	44	51	48	49	57
Male.....	302	18	25	30	29	27	24	22	20	28	23	20	36
Female.....	326	37	28	32	32	23	25	27	24	23	25	29	21
White, both sexes.....	550	48	47	59	51	43	45	41	35	43	44	43	51
Male.....	268	16	23	29	24	22	23	20	14	25	20	19	33
Female.....	282	32	24	30	27	21	22	21	21	18	24	24	18
Black, both sexes.....	63	7	4	3	8	5	4	7	7	6	3	5	4
Male.....	28	2	2	1	4	3	1	2	4	3	3	1	2
Female.....	35	5	2	2	4	2	3	5	3	3	-	4	2
American Indian 1/, both sexes.....	4	-	1	-	-	-	-	-	-	1	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	1	-	-	-	-	-	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	11	-	1	-	2	2	-	1	2	1	-	-	2
Male.....	6	-	-	-	1	2	-	-	2	-	-	-	1
Female.....	5	-	1	-	1	-	-	1	-	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Larynx (D38.0)													
All races, both sexes.....	15	-	4	1	1	-	1	1	2	3	-	-	2
Male.....	10	-	2	1	1	-	1	1	1	1	-	-	2
Female.....	5	-	2	-	-	-	-	-	1	2	-	-	-
White, both sexes.....	14	-	3	1	1	-	1	1	2	3	-	-	2
Male.....	9	-	1	1	1	-	1	1	1	1	-	-	2
Female.....	5	-	2	-	-	-	-	-	1	2	-	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Trachea, bronchus, and lung (D38.1)													
All races, both sexes.....	572	51	48	55	55	47	47	44	41	44	43	46	51
Male.....	271	18	22	26	27	26	22	17	19	26	20	18	30
Female.....	301	33	26	29	28	21	25	27	22	18	23	28	21
White, both sexes.....	501	45	43	52	47	41	43	36	32	36	40	41	45
Male.....	240	16	21	25	22	22	21	15	13	23	18	17	27
Female.....	261	29	22	27	25	19	22	21	19	13	22	24	18
Black, both sexes.....	56	6	3	3	6	4	4	7	7	6	2	4	4
Male.....	25	2	1	1	4	2	1	2	4	3	2	1	2
Female.....	31	4	2	2	2	2	3	5	3	3	-	3	2
American Indian 1/, both sexes.....	4	-	1	-	-	-	-	-	-	1	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	1	-	-	-	-	-	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	11	-	1	-	2	2	-	1	2	1	-	-	2
Male.....	6	-	-	-	1	2	-	-	2	-	-	-	1
Female.....	5	-	1	-	1	-	-	1	-	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Respiratory organ, unspecified (D38.6)													
All races, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Neoplasm of uncertain or unknown behavior of female genital organs (D39)													
All races, both sexes.....	94	11	4	10	7	10	3	6	6	13	8	9	7
Male.....
Female.....	94	11	4	10	7	10	3	6	6	13	8	9	7
White, both sexes.....	78	7	4	8	5	8	3	4	6	10	8	9	6
Male.....
Female.....	78	7	4	8	5	8	3	4	6	10	8	9	6
Black, both sexes.....	13	3	-	2	1	2	-	1	-	3	-	-	1
Male.....
Female.....	13	3	-	2	1	2	-	1	-	3	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	1	-	-	1	-	-	-	-	-
Male.....
Female.....	3	1	-	-	1	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Uterus (D39.0)													
All races, both sexes.....	28	1	1	2	2	2	2	1	1	6	4	3	3
Male.....
Female.....	28	1	1	2	2	2	2	1	1	6	4	3	3
White, both sexes.....	23	-	1	1	2	2	2	-	1	4	4	3	3
Male.....
Female.....	23	-	1	1	2	2	2	-	1	4	4	3	3
Black, both sexes.....	4	-	-	1	-	-	-	1	-	2	-	-	-
Male.....
Female.....	4	-	-	1	-	-	-	1	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Ovary (D39.1)													
All races, both sexes.....	60	7	2	8	5	8	1	5	5	7	3	5	4
Male.....
Female.....	60	7	2	8	5	8	1	5	5	7	3	5	4
White, both sexes.....	50	5	2	7	3	6	1	4	5	6	3	5	3
Male.....
Female.....	50	5	2	7	3	6	1	4	5	6	3	5	3
Black, both sexes.....	8	2	-	1	1	2	-	-	-	1	-	-	1
Male.....
Female.....	8	2	-	1	1	2	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Male.....
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Prostate (D40.0)													
All races, both sexes.....	16	1	2	-	2	-	2	3	1	1	-	2	2
Male.....	16	1	2	-	2	-	2	3	1	1	-	2	2
Female.....
White, both sexes.....	14	1	2	-	2	-	1	3	-	1	-	2	2
Male.....	14	1	2	-	2	-	1	3	-	1	-	2	2
Female.....
Black, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Female.....
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....
Neoplasm of uncertain or unknown behavior of urinary organs (D41)													
All races, both sexes.....	186	19	12	20	11	14	11	10	15	15	20	14	25
Male.....	93	8	8	10	7	5	5	8	8	8	9	5	12
Female.....	93	11	4	10	4	9	6	2	7	7	11	9	13
White, both sexes.....	164	16	11	17	10	14	10	9	13	12	16	11	25
Male.....	85	7	8	8	6	5	5	8	7	6	8	5	12
Female.....	79	9	3	9	4	9	5	1	6	6	8	6	13
Black, both sexes.....	14	2	1	2	-	-	-	1	2	2	3	1	-
Male.....	4	-	-	1	-	-	-	-	1	2	-	-	-
Female.....	10	2	1	1	-	-	-	1	1	-	3	1	-
American Indian 1/, both sexes.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	1	-	1	-	-	1	1	2	-
Male.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Female.....	4	-	-	-	-	-	1	-	-	1	-	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Meninges, unspecified (D42.9)													
All races, both sexes.....	12	-	2	1	2	-	1	3	1	1	-	-	1
Male.....	5	-	-	1	1	-	-	2	1	-	-	-	-
Female.....	7	-	2	-	1	-	1	1	-	1	-	-	1
White, both sexes.....	11	-	2	1	2	-	1	2	1	1	-	-	1
Male.....	4	-	-	1	1	-	-	1	1	-	-	-	-
Female.....	7	-	2	-	1	-	1	1	-	1	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Neoplasm of uncertain or unknown behavior of brain and central nervous system (D43)													
All races, both sexes.....	2,941	252	258	243	221	275	233	226	216	247	266	243	261
Male.....	1,407	132	106	120	106	140	116	101	110	114	125	113	124
Female.....	1,534	120	152	123	115	135	117	125	106	133	141	130	137
White, both sexes.....	2,586	220	223	218	192	244	207	197	189	218	236	216	226
Male.....	1,242	118	89	112	93	125	101	89	96	105	107	101	106
Female.....	1,344	102	134	106	99	119	106	108	93	113	129	115	120
Black, both sexes.....	293	24	31	21	26	24	22	25	23	24	24	21	28
Male.....	134	9	16	7	12	10	13	10	12	7	15	9	14
Female.....	159	15	15	14	14	14	9	15	11	17	9	12	14
American Indian 1/, both sexes.....	19	1	1	1	1	1	-	3	1	1	2	3	4
Male.....	7	1	-	-	-	1	-	2	-	-	1	-	2
Female.....	12	-	1	1	1	-	-	1	1	1	1	3	2
Asian or Pacific Islander 2/, both sexes.....	43	7	3	3	2	6	4	1	3	4	4	3	3
Male.....	24	4	1	1	1	4	2	-	2	2	2	3	2
Female.....	19	3	2	2	1	2	2	1	1	2	2	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Endocrine gland, unspecified (D44.9)													
All races, both sexes.....	11	1	1	1	3	1	-	-	-	1	1	-	2
Male.....	5	1	-	-	-	1	-	-	-	-	1	-	2
Female.....	6	-	1	1	3	-	-	-	-	1	-	-	-
White, both sexes.....	9	1	1	1	3	1	-	-	-	1	-	-	1
Male.....	3	1	-	-	-	1	-	-	-	-	-	-	1
Female.....	6	-	1	1	3	-	-	-	-	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Polycythemia vera (D45)													
All races, both sexes.....	281	27	21	32	30	23	24	23	18	17	23	19	24
Male.....	116	11	12	10	13	13	11	9	8	7	6	9	7
Female.....	165	16	9	22	17	10	13	14	10	10	17	10	17
White, both sexes.....	264	25	21	29	27	21	23	22	18	16	22	18	22
Male.....	111	11	12	9	12	11	11	9	8	7	6	8	7
Female.....	153	14	9	20	15	10	12	13	10	9	16	10	15
Black, both sexes.....	13	1	-	2	3	1	1	-	-	1	1	1	2
Male.....	4	-	-	1	1	1	-	-	-	-	-	1	-
Female.....	9	1	-	1	2	-	1	-	-	1	1	-	2
American Indian 1/, both sexes.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myelodysplastic syndrome, unspecified (D46.9)													
All races, both sexes.....	5,028	406	388	428	404	393	395	393	445	437	472	428	439
Male.....	2,850	223	210	245	234	218	227	226	247	248	275	245	252
Female.....	2,178	183	178	183	170	175	168	167	198	189	197	183	187
White, both sexes.....	4,662	379	352	398	373	371	369	363	417	400	434	402	404
Male.....	2,639	208	190	229	215	204	211	213	231	230	249	229	230
Female.....	2,023	171	162	169	158	167	158	150	186	170	185	173	174
Black, both sexes.....	256	20	28	20	18	15	21	25	20	26	22	17	24
Male.....	148	12	17	10	11	10	12	11	11	11	17	10	16
Female.....	108	8	11	10	7	5	9	14	9	15	5	7	8
American Indian 1/, both sexes.....	18	3	1	1	1	1	2	1	2	1	2	1	2
Male.....	10	2	-	1	1	-	1	-	1	1	-	1	2
Female.....	8	1	1	-	-	1	1	1	1	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	92	4	7	9	12	6	3	4	6	10	14	8	9
Male.....	53	1	3	5	7	4	3	2	4	6	9	5	4
Female.....	39	3	4	4	5	2	-	2	2	4	5	3	5
Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue (D47)													
All races, both sexes.....	1,549	162	124	140	131	124	124	118	126	124	128	124	124
Male.....	802	77	62	72	65	62	70	59	74	65	66	71	59
Female.....	747	85	62	68	66	62	54	59	52	59	62	53	65
White, both sexes.....	1,410	154	117	132	116	109	110	107	110	115	114	108	118
Male.....	729	74	59	68	59	52	62	52	63	64	58	60	58
Female.....	681	80	58	64	57	57	48	55	47	51	56	48	60
Black, both sexes.....	112	7	6	6	10	13	13	8	14	8	10	12	5
Male.....	58	3	2	3	3	8	8	5	10	1	5	9	1
Female.....	54	4	4	3	7	5	5	3	4	7	5	3	4
American Indian 1/, both sexes.....	5	-	-	-	2	-	-	1	-	-	1	1	-
Male.....	3	-	-	-	2	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	22	1	1	2	3	2	1	2	2	1	3	3	1
Male.....	12	-	1	1	1	2	-	2	1	-	3	1	-
Female.....	10	1	-	1	2	-	1	-	1	1	-	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neoplasm of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue, unspecified (D47.9)													
All races, both sexes.....	103	6	5	12	7	11	8	8	7	9	8	13	9
Male.....	54	4	2	8	5	6	3	4	2	5	2	10	3
Female.....	49	2	3	4	2	5	5	4	5	4	6	3	6
White, both sexes.....	90	6	5	12	6	9	8	5	6	9	7	9	8
Male.....	46	4	2	8	4	6	3	2	2	5	1	6	3
Female.....	44	2	3	4	2	3	5	3	4	4	6	3	5
Black, both sexes.....	10	-	-	-	1	2	-	2	1	-	-	4	-
Male.....	7	-	-	-	1	-	-	2	-	-	-	4	-
Female.....	3	-	-	-	-	2	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Neoplasm of uncertain or unknown behavior of other and unspecified sites (D48)													
All races, both sexes.....	873	66	82	74	71	62	64	76	59	83	78	81	77
Male.....	344	27	35	27	26	21	25	33	25	37	29	32	27
Female.....	529	39	47	47	45	41	39	43	34	46	49	49	50
White, both sexes.....	730	57	70	63	59	50	55	59	52	70	59	68	68
Male.....	290	24	31	23	21	17	21	26	24	33	24	25	21
Female.....	440	33	39	40	38	33	34	33	28	37	35	43	47
Black, both sexes.....	118	6	8	11	9	9	9	14	5	11	17	11	8
Male.....	48	1	3	4	5	4	4	6	1	4	4	7	5
Female.....	70	5	5	7	4	5	5	8	4	7	13	4	3
American Indian 1/, both sexes.....	8	2	2	-	1	-	-	1	-	1	1	-	-
Male.....	5	2	1	-	-	-	-	1	-	-	1	-	-
Female.....	3	-	1	-	1	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	1	2	-	2	3	-	2	2	1	1	2	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	16	1	2	-	2	3	-	2	2	1	1	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bone and articular cartilage (D48.0)													
All races, both sexes.....	51	3	9	1	1	3	5	3	4	5	6	5	6
Male.....	20	2	5	-	-	-	3	-	2	1	3	2	2
Female.....	31	1	4	1	1	3	2	3	2	4	3	3	4
White, both sexes.....	45	3	7	1	1	3	5	3	3	5	5	3	6
Male.....	19	2	4	-	-	-	3	-	2	1	3	2	2
Female.....	26	1	3	1	1	3	2	3	1	4	2	1	4
Black, both sexes.....	5	-	1	-	-	-	-	-	1	-	1	2	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	1	-	1	2	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Connective and other soft tissue (D48.1)													
All races, both sexes.....	211	9	17	20	16	13	20	24	12	23	24	18	15
Male.....	102	6	9	9	10	6	11	15	6	8	8	9	5
Female.....	109	3	8	11	6	7	9	9	6	15	16	9	10
White, both sexes.....	176	7	15	17	15	10	19	18	11	19	18	14	13
Male.....	85	5	8	7	9	5	10	12	6	7	6	7	3
Female.....	91	2	7	10	6	5	9	6	5	12	12	7	10
Black, both sexes.....	28	1	2	3	1	3	1	6	-	2	6	2	1
Male.....	15	-	1	2	1	1	1	3	-	1	2	2	1
Female.....	13	1	1	1	-	2	-	3	-	1	4	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	1	1	-	2	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	1	1	-	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Breast (D48.6)													
All races, both sexes.....	42	6	2	4	8	3	2	3	2	4	4	3	1
Male.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	40	6	2	4	8	3	2	3	2	2	4	3	1
White, both sexes.....	34	6	2	4	7	2	2	2	1	2	2	3	1
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	33	6	2	4	7	2	2	2	1	1	2	3	1
Black, both sexes.....	7	-	-	-	1	-	-	1	1	2	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	6	-	-	-	1	-	-	1	1	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Other specified sites (D48.7)													
All races, both sexes.....	262	26	29	20	28	22	13	23	16	24	15	19	27
Male.....	83	8	9	6	9	8	1	8	5	11	7	5	6
Female.....	179	18	20	14	19	14	12	15	11	13	8	14	21
White, both sexes.....	222	23	25	18	23	19	12	17	15	21	9	16	24
Male.....	73	8	9	5	7	7	1	6	5	11	5	4	5
Female.....	149	15	16	13	16	12	11	11	10	10	4	12	19
Black, both sexes.....	33	3	2	2	4	2	1	5	-	3	5	3	3
Male.....	9	-	-	1	2	1	-	2	-	-	1	1	1
Female.....	24	3	2	1	2	1	1	3	-	3	4	2	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	2	-	1	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	2	-	1	1	-	1	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiency (D55.0)													
All races, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Thalassemia (D56)													
All races, both sexes.....	21	1	1	3	1	1	1	3	2	1	4	1	2
Male.....	15	-	1	2	1	1	1	2	2	1	3	-	1
Female.....	6	1	-	1	-	-	-	1	-	-	1	1	1
White, both sexes.....	6	1	-	1	-	1	-	1	-	1	-	1	-
Male.....	3	-	-	-	-	1	-	1	-	1	-	-	-
Female.....	3	1	-	1	-	-	-	-	-	-	-	1	-
Black, both sexes.....	6	-	-	1	1	-	-	2	1	-	-	-	1
Male.....	5	-	-	1	1	-	-	1	1	-	-	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	1	1	-	-	1	-	1	-	4	-	1
Male.....	7	-	1	1	-	-	1	-	1	-	3	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other hemoglobinopathies (D58.2)													
All races, both sexes.....	4	1	1	-	-	-	-	1	-	-	-	-	1
Male.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	3	1	1	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary hemolytic anemia, unspecified (D58.9)													
All races, both sexes.....	129	9	8	5	8	21	3	15	10	17	6	15	12
Male.....	51	3	2	3	2	8	3	7	4	8	2	6	3
Female.....	78	6	6	2	6	13	-	8	6	9	4	9	9
White, both sexes.....	114	6	7	4	8	20	3	14	9	14	4	15	10
Male.....	46	2	2	2	2	8	3	6	4	8	1	6	2
Female.....	68	4	5	2	6	12	-	8	5	6	3	9	8
Black, both sexes.....	10	2	-	1	-	-	-	-	1	3	2	-	1
Male.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Female.....	8	2	-	-	-	-	-	-	1	3	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	1	-	-	1	-	1	-	-	-	-	1
Male.....	3	1	-	-	-	-	-	1	-	-	-	-	1
Female.....	2	-	1	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acquired hemolytic anemia (D59)													
All races, both sexes.....	143	18	11	15	12	9	14	16	14	11	6	7	10
Male.....	56	9	5	2	4	3	7	8	4	3	3	3	5
Female.....	87	9	6	13	8	6	7	8	10	8	3	4	5
White, both sexes.....	131	18	11	15	10	7	11	15	13	11	5	6	9
Male.....	52	9	5	2	4	3	6	7	4	3	2	3	4
Female.....	79	9	6	13	6	4	5	8	9	8	3	3	5
Black, both sexes.....	6	-	-	-	1	-	1	1	1	-	1	1	-
Male.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	4	-	-	-	1	-	1	-	1	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	1	2	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	3	-	-	-	1	1	1	-	-	-	-	-	-
Other autoimmune hemolytic anemias (D59.1)													
All races, both sexes.....	88	12	8	13	5	4	8	8	7	9	2	4	8
Male.....	36	7	2	2	2	1	4	5	2	3	2	2	4
Female.....	52	5	6	11	3	3	4	3	5	6	-	2	4
White, both sexes.....	82	12	8	13	5	3	6	7	6	9	2	4	7
Male.....	33	7	2	2	2	1	3	4	2	3	2	2	3
Female.....	49	5	6	11	3	2	3	3	4	6	-	2	4
Black, both sexes.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	2	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acquired pure red cell aplasia, unspecified (D60.9)													
All races, both sexes.....	12	2	2	1	1	-	-	-	1	1	-	1	3
Male.....	3	-	-	-	1	-	-	-	-	1	-	-	1
Female.....	9	2	2	1	-	-	-	-	1	-	-	1	2
White, both sexes.....	11	1	2	1	1	-	-	-	1	1	-	1	3
Male.....	3	-	-	-	1	-	-	-	-	1	-	-	1
Female.....	8	1	2	1	-	-	-	-	1	-	-	1	2
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other aplastic anemias (D61)													
All races, both sexes.....	889	81	70	77	73	77	73	70	74	60	79	70	85
Male.....	399	40	34	30	34	40	34	26	33	22	28	39	39
Female.....	490	41	36	47	39	37	39	44	41	38	51	31	46
White, both sexes.....	775	70	66	64	65	67	63	59	65	51	67	59	79
Male.....	354	35	33	24	29	35	31	21	31	19	26	33	37
Female.....	421	35	33	40	36	32	32	38	34	32	41	26	42
Black, both sexes.....	88	10	2	7	7	9	8	7	8	8	9	9	4
Male.....	37	5	1	4	4	4	2	4	1	3	2	5	2
Female.....	51	5	1	3	3	5	6	3	7	5	7	4	2
American Indian 1/, both sexes.....	5	-	1	1	-	-	-	1	-	-	1	-	1
Male.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	21	1	1	5	1	1	2	3	1	1	2	2	1
Male.....	6	-	-	1	1	1	1	-	1	-	-	1	-
Female.....	15	1	1	4	-	-	1	3	-	1	2	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified anemias (D64.8)													
All races, both sexes.....	44	4	3	9	3	-	2	7	2	5	3	1	5
Male.....	24	1	2	5	2	-	2	3	1	2	3	1	2
Female.....	20	3	1	4	1	-	-	4	1	3	-	-	3
White, both sexes.....	38	3	3	8	3	-	2	5	1	5	2	1	5
Male.....	22	1	2	5	2	-	2	2	1	2	2	1	2
Female.....	16	2	1	3	1	-	-	3	-	3	-	-	3
Black, both sexes.....	5	-	-	1	-	-	-	2	1	-	1	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	3	-	-	1	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Anemia, unspecified (D64.9)													
All races, both sexes.....	1,950	178	164	200	154	160	154	145	154	139	146	180	176
Male.....	709	77	60	73	52	58	52	53	55	58	41	67	63
Female.....	1,241	101	104	127	102	102	102	92	99	81	105	113	113
White, both sexes.....	1,620	148	137	158	135	131	125	117	132	112	113	161	151
Male.....	584	64	48	57	44	46	43	41	50	46	33	60	52
Female.....	1,036	84	89	101	91	85	82	76	82	66	80	101	99
Black, both sexes.....	293	28	21	35	15	26	28	26	22	22	30	17	23
Male.....	106	12	11	12	5	9	9	11	5	10	7	6	9
Female.....	187	16	10	23	10	17	19	15	17	12	23	11	14
American Indian 1/, both sexes.....	5	-	1	-	-	1	1	-	-	-	1	-	1
Male.....	3	-	-	-	-	1	-	-	-	-	1	-	1
Female.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	32	2	5	7	4	2	-	2	-	5	2	2	1
Male.....	16	1	1	4	3	2	-	1	-	2	-	1	1
Female.....	16	1	4	3	1	-	-	1	-	3	2	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hereditary factor IX deficiency (D67)													
All races, both sexes.....	3	-	-	-	1	1	-	-	1	-	-	-	-
Male.....	3	-	-	-	1	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	-	1	1	-	-	1	-	-	-	-
Male.....	3	-	-	-	1	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other coagulation defects (D68)													
All races, both sexes.....	1,148	115	86	126	99	79	77	106	80	97	99	81	103
Male.....	525	59	38	55	49	36	46	39	34	42	47	35	45
Female.....	623	56	48	71	50	43	31	67	46	55	52	46	58
White, both sexes.....	931	95	64	105	80	66	64	88	64	80	80	66	79
Male.....	428	51	29	48	39	33	39	33	27	35	35	26	33
Female.....	503	44	35	57	41	33	25	55	37	45	45	40	46
Black, both sexes.....	184	19	20	17	18	12	9	16	13	15	15	12	18
Male.....	77	7	9	6	9	3	4	4	5	5	10	7	8
Female.....	107	12	11	11	9	9	5	12	8	10	5	5	10
American Indian 1/, both sexes.....	6	-	2	-	-	1	1	-	-	1	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	4	-	2	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	1	-	4	1	-	3	2	3	1	3	3	6
Male.....	18	1	-	1	1	-	3	2	2	1	1	2	4
Female.....	9	-	-	3	-	-	-	-	1	-	2	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Coagulation defect, unspecified (D68.9)													
All races, both sexes.....	963	89	72	103	90	71	60	93	62	82	91	65	85
Male.....	442	47	33	43	46	34	36	35	24	32	43	29	40
Female.....	521	42	39	60	44	37	24	58	38	50	48	36	45
White, both sexes.....	768	70	50	85	72	60	48	77	46	68	74	53	65
Male.....	356	39	24	38	36	31	29	31	17	27	33	21	30
Female.....	412	31	26	47	36	29	19	46	29	41	41	32	35
Black, both sexes.....	166	18	20	15	17	10	8	15	13	13	14	9	14
Male.....	69	7	9	4	9	3	4	3	5	4	9	6	6
Female.....	97	11	11	11	8	7	4	12	8	9	5	3	8
American Indian 1/, both sexes.....	4	-	2	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	2	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	1	-	3	1	-	3	1	3	1	3	3	6
Male.....	17	1	-	1	1	-	3	1	2	1	1	2	4
Female.....	8	-	-	2	-	-	-	-	1	-	2	1	2
Purpura and other hemorrhagic conditions (D69)													
All races, both sexes.....	822	63	64	85	77	59	55	66	80	50	69	85	69
Male.....	379	26	28	44	35	32	29	29	33	17	30	45	31
Female.....	443	37	36	41	42	27	26	37	47	33	39	40	38
White, both sexes.....	673	51	58	66	59	46	45	49	65	46	59	74	55
Male.....	322	22	25	38	26	26	25	25	27	17	25	40	26
Female.....	351	29	33	28	33	20	20	24	38	29	34	34	29
Black, both sexes.....	118	12	6	14	13	11	9	11	11	3	9	8	11
Male.....	46	4	3	3	8	6	3	3	5	-	4	4	3
Female.....	72	8	3	11	5	5	6	8	6	3	5	4	8
American Indian 1/, both sexes.....	7	-	-	1	-	-	1	-	1	1	-	2	1
Male.....	3	-	-	-	-	-	1	-	-	-	-	1	1
Female.....	4	-	-	1	-	-	-	-	1	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	24	-	-	4	5	2	-	6	3	-	1	1	2
Male.....	8	-	-	3	1	-	-	1	1	-	1	-	1
Female.....	16	-	-	1	4	2	-	5	2	-	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other nonthrombocytopenic purpura (D69.2)													
All races, both sexes.....	4	2	-	1	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	2	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic thrombocytopenic purpura (D69.3)													
All races, both sexes.....	275	24	19	37	23	14	20	24	27	13	24	27	23
Male.....	123	10	10	19	5	6	10	8	8	3	13	16	15
Female.....	152	14	9	18	18	8	10	16	19	10	11	11	8
White, both sexes.....	230	22	17	32	18	10	17	16	23	11	19	25	20
Male.....	106	9	10	18	4	4	9	7	6	3	10	14	12
Female.....	124	13	7	14	14	6	8	9	17	8	9	11	8
Black, both sexes.....	34	2	2	5	3	4	3	5	2	1	4	1	2
Male.....	13	1	-	1	1	2	1	1	1	-	2	1	2
Female.....	21	1	2	4	2	2	2	4	1	1	2	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	2	-	-	3	2	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	6	-	-	-	2	-	-	3	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Functional disorders of polymorphonuclear neutrophils (D71)													
All races, both sexes.....	12	1	1	-	1	-	1	4	1	1	1	1	-
Male.....	9	-	1	-	1	-	1	2	1	1	1	1	-
Female.....	3	1	-	-	-	-	-	2	-	-	-	-	-
White, both sexes.....	9	1	1	-	1	-	1	4	-	-	-	1	-
Male.....	6	-	1	-	1	-	1	2	-	-	-	1	-
Female.....	3	1	-	-	-	-	-	2	-	-	-	-	-
Black, both sexes.....	3	-	-	-	-	-	-	-	1	1	1	-	-
Male.....	3	-	-	-	-	-	-	-	1	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of white blood cells (D72)													
All races, both sexes.....	118	10	13	7	7	15	9	4	10	9	7	14	13
Male.....	52	8	6	3	2	6	6	2	4	3	3	7	2
Female.....	66	2	7	4	5	9	3	2	6	6	4	7	11
White, both sexes.....	106	8	13	7	7	14	9	3	8	6	4	14	13
Male.....	48	7	6	3	2	6	6	1	4	2	2	7	2
Female.....	58	1	7	4	5	8	3	2	4	4	2	7	11
Black, both sexes.....	10	1	-	-	-	1	-	1	2	3	2	-	-
Male.....	4	1	-	-	-	-	-	1	-	1	1	-	-
Female.....	6	-	-	-	-	1	-	-	2	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Genetic anomalies of leukocytes (D72.0)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Eosinophilia (D72.1)													
All races, both sexes.....	24	2	3	1	1	2	3	2	-	4	2	4	-
Male.....	13	1	2	1	1	2	2	-	-	1	1	2	-
Female.....	11	1	1	-	-	-	1	2	-	3	1	2	-
White, both sexes.....	21	1	3	1	1	2	3	2	-	3	1	4	-
Male.....	13	1	2	1	1	2	2	-	-	1	1	2	-
Female.....	8	-	1	-	-	-	1	2	-	2	-	2	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Common variable immunodeficiency, unspecified (D83.9)													
All races, both sexes.....	23	3	1	-	5	2	-	1	2	1	2	2	4
Male.....	10	1	1	-	2	1	-	-	1	1	2	1	-
Female.....	13	2	-	-	3	1	-	1	1	-	-	1	4
White, both sexes.....	23	3	1	-	5	2	-	1	2	1	2	2	4
Male.....	10	1	1	-	2	1	-	-	1	1	2	1	-
Female.....	13	2	-	-	3	1	-	1	1	-	-	1	4
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other immunodeficiencies (D84)													
All races, both sexes.....	302	30	25	16	18	30	18	25	31	36	35	21	17
Male.....	171	14	12	9	12	20	10	13	18	23	21	9	10
Female.....	131	16	13	7	6	10	8	12	13	13	14	12	7
White, both sexes.....	189	19	9	10	13	21	13	15	22	20	20	16	11
Male.....	104	10	3	4	8	14	5	8	13	13	13	7	6
Female.....	85	9	6	6	5	7	8	7	9	7	7	9	5
Black, both sexes.....	104	11	15	6	4	9	4	8	9	15	15	4	4
Male.....	63	4	9	5	3	6	4	5	5	10	8	2	2
Female.....	41	7	6	1	1	3	-	3	4	5	7	2	2
American Indian 1/, both sexes.....	5	-	1	-	1	-	1	2	-	-	-	-	-
Male.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	1	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Immunodeficiency, unspecified (D84.9)													
All races, both sexes.....	283	27	25	13	18	29	17	22	29	35	33	19	16
Male.....	164	14	12	8	12	20	10	11	16	23	19	9	10
Female.....	119	13	13	5	6	9	7	11	13	12	14	10	6
White, both sexes.....	176	18	9	7	13	20	12	14	20	20	18	15	10
Male.....	98	10	3	3	8	14	5	7	11	13	11	7	6
Female.....	78	8	6	4	5	6	7	7	9	7	7	8	4
Black, both sexes.....	100	9	15	6	4	9	4	7	9	14	15	4	4
Male.....	62	4	9	5	3	6	4	4	5	10	8	2	2
Female.....	38	5	6	1	1	3	-	3	4	4	7	2	2
American Indian 1/, both sexes.....	4	-	1	-	1	-	1	1	-	-	-	-	-
Male.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Sarcoidosis (D86)													
All races, both sexes.....	931	86	89	88	70	81	68	67	61	80	76	77	88
Male.....	339	26	39	32	33	25	22	19	19	29	34	28	33
Female.....	592	60	50	56	37	56	46	48	42	51	42	49	55
White, both sexes.....	350	33	41	35	28	34	26	20	19	29	21	33	31
Male.....	125	9	19	11	12	12	6	7	6	9	8	15	11
Female.....	225	24	22	24	16	22	20	13	13	20	13	18	20
Black, both sexes.....	574	53	48	52	41	47	40	46	42	51	53	44	57
Male.....	210	17	20	21	20	13	15	11	13	20	25	13	22
Female.....	364	36	28	31	21	34	25	35	29	31	28	31	35
American Indian 1/, both sexes.....	4	-	-	1	-	-	1	1	-	-	1	-	-
Male.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	1	-	-	-	1	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sarcoidosis of other and combined sites (D86.8)													
All races, both sexes.....	92	6	14	9	8	7	12	8	5	7	5	5	6
Male.....	51	3	10	6	6	4	8	3	2	1	3	1	4
Female.....	41	3	4	3	2	3	4	5	3	6	2	4	2
White, both sexes.....	33	1	5	3	3	3	4	3	3	3	1	2	2
Male.....	16	-	3	2	1	2	1	1	2	1	1	-	2
Female.....	17	1	2	1	2	1	3	2	1	2	-	2	-
Black, both sexes.....	57	5	9	6	5	4	7	5	2	4	3	3	4
Male.....	34	3	7	4	5	2	6	2	-	-	2	1	2
Female.....	23	2	2	2	-	2	1	3	2	4	1	2	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Sarcoidosis, unspecified (D86.9)													
All races, both sexes.....	699	73	60	69	47	61	43	46	45	61	65	64	65
Male.....	247	21	25	23	22	18	12	11	15	23	27	26	24
Female.....	452	52	35	46	25	43	31	35	30	38	38	38	41
White, both sexes.....	266	30	31	27	20	28	15	14	11	21	18	27	24
Male.....	95	9	14	8	7	9	4	5	4	7	6	14	8
Female.....	171	21	17	19	13	19	11	9	7	14	12	13	16
Black, both sexes.....	429	43	29	41	26	33	27	32	34	40	46	37	41
Male.....	150	12	11	15	14	9	8	6	11	16	20	12	16
Female.....	279	31	18	26	12	24	19	26	23	24	26	25	25
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	1	-	-	-	1	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myxedema coma (E03.5)													
All races, both sexes.....	22	2	3	4	2	2	-	2	1	-	2	1	3
Male.....	6	1	2	-	-	1	-	-	-	-	-	-	2
Female.....	16	1	1	4	2	1	-	2	1	-	2	1	1
White, both sexes.....	17	1	2	3	2	2	-	2	1	-	2	1	1
Male.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	15	1	1	3	2	1	-	2	1	-	2	1	1
Black, both sexes.....	5	1	1	1	-	-	-	-	-	-	-	-	2
Male.....	4	1	1	-	-	-	-	-	-	-	-	-	2
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypothyroidism, unspecified (E03.9)													
All races, both sexes.....	1,378	131	94	133	120	123	106	111	94	101	108	108	149
Male.....	280	20	23	24	23	23	19	27	27	21	20	19	34
Female.....	1,098	111	71	109	97	100	87	84	67	80	88	89	115
White, both sexes.....	1,249	118	85	120	104	114	98	101	83	92	100	101	133
Male.....	238	17	21	22	17	19	18	23	20	20	16	17	28
Female.....	1,011	101	64	98	87	95	80	78	63	72	84	84	105
Black, both sexes.....	110	12	8	11	12	9	7	8	11	9	7	5	11
Male.....	36	2	2	1	4	4	1	4	7	1	3	2	5
Female.....	74	10	6	10	8	5	6	4	4	8	4	3	6
American Indian 1/, both sexes.....	3	-	-	1	1	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	1	1	1	3	-	1	1	-	-	1	2	5
Male.....	5	1	-	1	1	-	-	-	-	-	1	-	1
Female.....	11	-	1	-	2	-	1	1	-	-	-	2	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nontoxic multinodular goiter (E04.2)													
All races, both sexes.....	7	1	-	2	1	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	1	-	2	1	1	1	1	-	-	-	-	-
White, both sexes.....	5	1	-	1	1	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	1	-	1	1	-	1	1	-	-	-	-	-
Black, both sexes.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Nontoxic goiter, unspecified (E04.9)													
All races, both sexes.....	39	6	1	4	2	2	1	3	5	3	7	1	4
Male.....	9	-	1	1	2	1	-	1	-	-	2	-	1
Female.....	30	6	-	3	-	1	1	2	5	3	5	1	3
White, both sexes.....	26	5	-	3	1	1	-	3	4	2	5	-	2
Male.....	3	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	23	5	-	3	-	-	-	2	4	2	5	-	2
Black, both sexes.....	10	1	-	1	-	1	1	-	-	1	2	1	2
Male.....	4	-	-	1	-	-	-	-	-	-	2	-	1
Female.....	6	1	-	-	-	1	1	-	-	1	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	1	-	-	-	1	-	-	-	-
Male.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With ophthalmic complications (E10.3)													
All races, both sexes.....	6	-	1	-	1	1	-	1	-	2	-	-	-
Male.....	3	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	-	-	2	-	-	-
White, both sexes.....	4	-	-	-	1	1	-	-	-	2	-	-	-
Male.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
With neurological complications (E10.4)													
All races, both sexes.....	47	6	5	1	1	5	5	4	7	4	3	2	4
Male.....	20	1	3	-	1	2	3	4	2	1	3	-	-
Female.....	27	5	2	1	-	3	2	-	5	3	-	2	4
White, both sexes.....	39	4	5	-	1	4	4	4	6	2	3	2	4
Male.....	19	1	3	-	1	1	3	4	2	1	3	-	-
Female.....	20	3	2	-	-	3	1	-	4	1	-	2	4
Black, both sexes.....	6	2	-	1	-	1	-	-	-	2	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	5	2	-	1	-	-	-	-	-	2	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Without complications (E10.9)													
All races, both sexes.....	4,054	385	337	376	351	363	311	327	316	280	319	339	350
Male.....	1,967	176	174	180	170	169	149	159	141	144	154	162	189
Female.....	2,087	209	163	196	181	194	162	168	175	136	165	177	161
White, both sexes.....	3,353	325	288	312	284	314	250	272	250	227	257	289	285
Male.....	1,644	145	150	155	137	153	110	132	117	121	129	142	153
Female.....	1,709	180	138	157	147	161	140	140	133	106	128	147	132
Black, both sexes.....	630	56	40	55	58	45	58	47	61	49	59	44	58
Male.....	286	30	21	20	25	15	36	23	23	22	23	16	32
Female.....	344	26	19	35	33	30	22	24	38	27	36	28	26
American Indian 1/, both sexes.....	27	1	6	2	4	3	2	2	1	1	-	4	1
Male.....	12	-	1	1	3	-	2	1	1	-	-	2	1
Female.....	15	1	5	1	1	3	-	1	-	1	-	2	-
Asian or Pacific Islander 2/, both sexes.....	44	3	3	7	5	1	1	6	4	3	3	2	6
Male.....	25	1	2	4	5	1	1	3	-	1	2	2	3
Female.....	19	2	1	3	-	-	-	3	4	2	1	-	3
Noninsulin-dependent diabetes mellitus (E11)													
All races, both sexes.....	16,492	1,468	1,381	1,498	1,372	1,360	1,221	1,255	1,296	1,257	1,435	1,441	1,508
Male.....	7,948	702	642	730	705	644	585	598	610	601	676	699	756
Female.....	8,544	766	739	768	667	716	636	657	686	656	759	742	752
White, both sexes.....	13,762	1,236	1,151	1,237	1,157	1,122	1,019	1,050	1,072	1,039	1,211	1,221	1,247
Male.....	6,725	594	547	605	598	537	496	508	506	507	578	605	644
Female.....	7,037	642	604	632	559	585	523	542	566	532	633	616	603
Black, both sexes.....	2,165	192	188	208	172	190	158	166	166	170	175	169	211
Male.....	952	84	77	103	85	82	69	73	74	73	76	69	87
Female.....	1,213	108	111	105	87	108	89	93	92	97	99	100	124
American Indian 1/, both sexes.....	231	17	20	22	17	16	19	13	23	19	20	26	19
Male.....	101	9	5	11	7	9	7	5	10	8	8	11	11
Female.....	130	8	15	11	10	7	12	8	13	11	12	15	8
Asian or Pacific Islander 2/, both sexes.....	334	23	22	31	26	32	25	26	35	29	29	25	31
Male.....	170	15	13	11	15	16	13	12	20	13	14	14	14
Female.....	164	8	9	20	11	16	12	14	15	16	15	11	17

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With coma (E11.0)													
All races, both sexes.....	64	8	4	5	10	6	4	2	3	4	5	6	7
Male.....	32	5	3	1	5	5	-	-	2	2	3	3	3
Female.....	32	3	1	4	5	1	4	2	1	2	2	3	4
White, both sexes.....	46	5	2	4	8	5	2	2	2	2	4	6	4
Male.....	23	3	1	-	4	4	-	-	2	2	3	3	1
Female.....	23	2	1	4	4	1	2	2	-	-	1	3	3
Black, both sexes.....	15	3	2	1	2	1	2	-	-	2	-	-	2
Male.....	8	2	2	1	1	1	-	-	-	-	-	-	1
Female.....	7	1	-	-	1	-	2	-	-	2	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
With ketoacidosis (E11.1)													
All races, both sexes.....	104	9	13	10	8	9	7	8	8	12	4	7	9
Male.....	44	4	7	4	2	1	3	3	5	6	1	2	6
Female.....	60	5	6	6	6	8	4	5	3	6	3	5	3
White, both sexes.....	76	6	10	8	7	8	5	7	4	9	1	5	6
Male.....	31	1	6	3	1	1	1	3	3	6	1	1	4
Female.....	45	5	4	5	6	7	4	4	1	3	-	4	2
Black, both sexes.....	22	2	2	2	-	-	2	1	3	2	3	2	3
Male.....	10	2	1	1	-	-	2	-	1	-	-	1	2
Female.....	12	-	1	1	-	-	-	1	2	2	3	1	1
American Indian 1/, both sexes.....	4	1	1	-	1	1	-	-	-	-	-	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With neurological complications (E11.4)													
All races, both sexes.....	128	11	11	8	13	13	16	11	9	7	7	10	12
Male.....	64	2	6	3	8	9	10	4	4	1	3	7	7
Female.....	64	9	5	5	5	4	6	7	5	6	4	3	5
White, both sexes.....	111	11	9	6	12	10	14	9	9	6	7	7	11
Male.....	55	2	6	3	7	6	9	3	4	1	3	5	6
Female.....	56	9	3	3	5	4	5	6	5	5	4	2	5
Black, both sexes.....	16	-	2	2	1	3	2	2	-	1	-	3	-
Male.....	8	-	-	-	1	3	1	1	-	-	-	2	-
Female.....	8	-	2	2	-	-	1	1	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
With peripheral circulatory complications (E11.5)													
All races, both sexes.....	1,582	151	134	135	149	144	114	115	110	128	127	130	145
Male.....	808	74	57	67	79	71	59	65	57	63	67	69	80
Female.....	774	77	77	68	70	73	55	50	53	65	60	61	65
White, both sexes.....	1,290	121	109	111	127	113	96	92	92	107	101	105	116
Male.....	673	61	49	54	68	57	50	54	48	52	52	61	67
Female.....	617	60	60	57	59	56	46	38	44	55	49	44	49
Black, both sexes.....	244	28	21	16	16	28	15	20	16	20	24	17	23
Male.....	111	11	7	10	7	11	9	9	8	11	15	4	9
Female.....	133	17	14	6	9	17	6	11	8	9	9	13	14
American Indian 1/, both sexes.....	24	2	3	3	-	1	1	2	1	1	1	4	5
Male.....	11	2	1	1	-	1	-	1	-	-	-	1	4
Female.....	13	-	2	2	-	-	1	1	1	1	1	3	1
Asian or Pacific Islander 2/, both sexes.....	24	-	1	5	6	2	2	1	1	-	1	4	1
Male.....	13	-	-	2	4	2	-	1	1	-	-	3	-
Female.....	11	-	1	3	2	-	2	-	-	-	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With other specified complications (E11.6)													
All races, both sexes.....	59	9	4	6	5	4	2	4	9	5	4	4	3
Male.....	19	3	-	3	2	-	2	1	3	2	2	-	1
Female.....	40	6	4	3	3	4	-	3	6	3	2	4	2
White, both sexes.....	49	7	3	5	5	4	1	3	8	4	2	4	3
Male.....	13	2	-	2	2	-	1	1	2	2	-	-	1
Female.....	36	5	3	3	3	4	-	2	6	2	2	4	2
Black, both sexes.....	8	2	1	1	-	-	-	1	1	-	2	-	-
Male.....	5	1	-	1	-	-	-	-	1	-	2	-	-
Female.....	3	1	1	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
With multiple complications (E11.7)													
All races, both sexes.....	189	16	21	18	10	13	17	13	11	20	11	24	15
Male.....	105	10	13	10	5	7	9	5	4	12	5	15	10
Female.....	84	6	8	8	5	6	8	8	7	8	6	9	5
White, both sexes.....	158	12	21	16	9	11	13	11	9	15	9	19	13
Male.....	90	8	13	8	5	6	8	5	3	9	4	12	9
Female.....	68	4	8	8	4	5	5	6	6	6	5	7	4
Black, both sexes.....	19	1	-	2	-	2	1	2	2	3	1	3	2
Male.....	10	1	-	2	-	1	-	-	1	1	1	2	1
Female.....	9	-	-	-	-	1	1	2	1	2	-	1	1
American Indian 1/, both sexes.....	8	2	-	-	1	-	2	-	-	1	-	2	-
Male.....	4	1	-	-	-	-	1	-	-	1	-	1	-
Female.....	4	1	-	-	1	-	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	-	1	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	3	1	-	-	-	-	1	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With unspecified complications (E11.8)													
All races, both sexes.....	4	-	-	-	1	-	-	-	-	-	1	2	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	2	-
White, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Without complications (E11.9)													
All races, both sexes.....	13,728	1,231	1,152	1,252	1,134	1,117	1,021	1,043	1,094	1,022	1,207	1,200	1,255
Male.....	6,535	588	535	610	580	519	480	489	508	484	557	571	614
Female.....	7,193	643	617	642	554	598	541	554	586	538	650	629	641
White, both sexes.....	11,505	1,046	958	1,037	953	931	857	873	903	849	1,029	1,026	1,043
Male.....	5,558	505	453	509	491	441	411	415	422	409	481	494	527
Female.....	5,947	541	505	528	462	490	446	458	481	440	548	532	516
Black, both sexes.....	1,764	154	157	174	149	146	128	136	141	131	139	135	174
Male.....	759	65	65	83	74	59	52	60	61	57	56	58	69
Female.....	1,005	89	92	91	75	87	76	76	80	74	83	77	105
American Indian 1/, both sexes.....	183	11	16	19	15	12	16	10	21	17	15	19	12
Male.....	81	4	4	10	6	7	6	4	10	7	7	9	7
Female.....	102	7	12	9	9	5	10	6	11	10	8	10	5
Asian or Pacific Islander 2/, both sexes.....	276	20	21	22	17	28	20	24	29	25	24	20	26
Male.....	137	14	13	8	9	12	11	10	15	11	13	10	11
Female.....	139	6	8	14	8	16	9	14	14	14	11	10	15

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified diabetes mellitus (E14)													
All races, both sexes.....	50,860	4,706	4,380	4,735	4,148	4,249	3,954	4,050	3,950	3,818	4,129	4,227	4,514
Male.....	25,545	2,337	2,270	2,339	2,064	2,155	1,970	2,020	1,972	1,951	2,065	2,163	2,239
Female.....	25,315	2,369	2,110	2,396	2,084	2,094	1,984	2,030	1,978	1,867	2,064	2,064	2,275
White, both sexes.....	39,235	3,625	3,427	3,631	3,229	3,267	3,033	3,098	3,031	2,935	3,111	3,311	3,537
Male.....	20,236	1,836	1,834	1,845	1,636	1,698	1,539	1,572	1,577	1,543	1,611	1,754	1,791
Female.....	18,999	1,789	1,593	1,786	1,593	1,569	1,494	1,526	1,454	1,392	1,500	1,557	1,746
Black, both sexes.....	9,851	933	789	940	780	837	770	794	770	747	870	786	835
Male.....	4,447	437	355	402	350	384	363	371	330	343	385	349	378
Female.....	5,404	496	434	538	430	453	407	423	440	404	485	437	457
American Indian 1/, both sexes.....	544	37	50	45	42	46	57	66	45	41	45	37	33
Male.....	249	12	27	21	22	24	25	30	20	14	22	17	15
Female.....	295	25	23	24	20	22	32	36	25	27	23	20	18
Asian or Pacific Islander 2/, both sexes.....	1,230	111	114	119	97	99	94	92	104	95	103	93	109
Male.....	613	52	54	71	56	49	43	47	45	51	47	43	55
Female.....	617	59	60	48	41	50	51	45	59	44	56	50	54
With coma (E14.0)													
All races, both sexes.....	291	30	20	32	23	20	29	18	26	21	31	19	22
Male.....	140	14	10	18	8	7	16	7	14	11	13	14	8
Female.....	151	16	10	14	15	13	13	11	12	10	18	5	14
White, both sexes.....	207	21	15	25	19	16	22	12	19	12	19	11	16
Male.....	95	9	8	14	7	6	12	4	10	6	7	7	5
Female.....	112	12	7	11	12	10	10	8	9	6	12	4	11
Black, both sexes.....	76	8	5	6	2	4	6	5	7	9	11	7	6
Male.....	41	4	2	4	-	1	4	2	4	5	6	6	3
Female.....	35	4	3	2	2	3	2	3	3	4	5	1	3
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	1	1	-	1	1	-	-	1	1	-
Male.....	3	1	-	-	-	-	-	1	-	-	-	1	-
Female.....	4	-	-	1	1	-	1	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With ketoacidosis (E14.1)													
All races, both sexes.....	1,637	165	135	170	126	120	127	141	115	119	119	135	165
Male.....	937	86	78	99	71	72	78	77	71	73	67	78	87
Female.....	700	79	57	71	55	48	49	64	44	46	52	57	78
White, both sexes.....	1,116	108	93	118	86	78	87	95	76	79	86	93	117
Male.....	623	55	51	66	46	51	50	52	48	48	46	52	58
Female.....	493	53	42	52	40	27	37	43	28	31	40	41	59
Black, both sexes.....	466	51	37	47	35	36	37	41	34	35	32	38	43
Male.....	286	30	24	29	22	17	26	23	21	23	20	24	27
Female.....	180	21	13	18	13	19	11	18	13	12	12	14	16
American Indian 1/, both sexes.....	18	-	3	1	1	2	1	2	3	2	-	1	2
Male.....	11	-	2	1	1	2	-	1	2	-	-	1	1
Female.....	7	-	1	-	-	-	1	1	1	2	-	-	1
Asian or Pacific Islander 2/, both sexes.....	37	6	2	4	4	4	2	3	2	3	1	3	3
Male.....	17	1	1	3	2	2	2	1	-	2	1	1	1
Female.....	20	5	1	1	2	2	-	2	2	1	-	2	2
With renal complications (E14.2)													
All races, both sexes.....	1,646	133	138	129	141	119	122	133	133	121	147	169	161
Male.....	822	68	73	57	74	64	58	69	66	57	71	76	89
Female.....	824	65	65	72	67	55	64	64	67	64	76	93	72
White, both sexes.....	1,244	99	102	98	109	82	90	108	99	87	113	131	126
Male.....	633	52	52	46	57	47	46	56	53	41	54	59	70
Female.....	611	47	50	52	52	35	44	52	46	46	59	72	56
Black, both sexes.....	322	26	31	18	26	30	27	20	30	24	28	34	28
Male.....	156	12	19	6	15	15	11	10	13	12	14	14	15
Female.....	166	14	12	12	11	15	16	10	17	12	14	20	13
American Indian 1/, both sexes.....	32	2	2	6	4	4	3	-	1	5	1	1	3
Male.....	8	-	1	2	-	1	-	-	-	1	1	-	2
Female.....	24	2	1	4	4	3	3	-	1	4	-	1	1
Asian or Pacific Islander 2/, both sexes.....	48	6	3	7	2	3	2	5	3	5	5	3	4
Male.....	25	4	1	3	2	1	1	3	-	3	2	3	2
Female.....	23	2	2	4	-	2	1	2	3	2	3	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With ophthalmic complications (E14.3)													
All races, both sexes.....	18	2	2	-	-	2	3	1	-	3	3	1	1
Male.....	8	2	1	-	-	-	1	-	-	1	2	1	-
Female.....	10	-	1	-	-	2	2	1	-	2	1	-	1
White, both sexes.....	14	2	1	-	-	2	2	1	-	2	2	1	1
Male.....	6	2	1	-	-	-	1	-	-	-	1	1	-
Female.....	8	-	-	-	-	2	1	1	-	2	1	-	1
Black, both sexes.....	4	-	1	-	-	-	1	-	-	1	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	2	-	1	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
With neurological complications (E14.4)													
All races, both sexes.....	231	25	17	27	18	18	21	11	24	13	16	20	21
Male.....	127	15	9	12	12	5	12	7	13	8	10	11	13
Female.....	104	10	8	15	6	13	9	4	11	5	6	9	8
White, both sexes.....	196	20	14	23	14	18	18	10	19	12	12	19	17
Male.....	106	13	8	10	8	5	10	6	10	8	8	10	10
Female.....	90	7	6	13	6	13	8	4	9	4	4	9	7
Black, both sexes.....	28	5	2	4	4	-	3	-	3	-	4	1	2
Male.....	18	2	1	2	4	-	2	-	2	-	2	1	2
Female.....	10	3	1	2	-	-	1	-	1	-	2	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	-	-	1	2	-	-	-	2
Male.....	3	-	-	-	-	-	-	1	1	-	-	-	1
Female.....	3	-	1	-	-	-	-	-	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With peripheral circulatory complications (E14.5)													
All races, both sexes.....	4,455	372	384	417	360	366	353	364	383	327	353	374	402
Male.....	2,316	182	205	226	181	185	168	202	195	196	172	201	203
Female.....	2,139	190	179	191	179	181	185	162	188	131	181	173	199
White, both sexes.....	3,369	287	293	311	282	269	269	267	279	256	257	289	310
Male.....	1,833	145	162	177	148	137	135	154	151	155	138	168	163
Female.....	1,536	142	131	134	134	132	134	113	128	101	119	121	147
Black, both sexes.....	966	75	82	93	70	91	73	88	91	63	83	75	82
Male.....	428	34	37	42	27	44	28	45	40	37	28	27	39
Female.....	538	41	45	51	43	47	45	43	51	26	55	48	43
American Indian 1/, both sexes.....	43	3	3	4	1	4	5	7	4	3	5	3	1
Male.....	19	-	2	3	1	2	3	3	2	-	1	2	-
Female.....	24	3	1	1	-	2	2	4	2	3	4	1	1
Asian or Pacific Islander 2/, both sexes.....	77	7	6	9	7	2	6	2	9	5	8	7	9
Male.....	36	3	4	4	5	2	2	-	2	4	5	4	1
Female.....	41	4	2	5	2	-	4	2	7	1	3	3	8
With other specified complications (E14.6)													
All races, both sexes.....	176	15	15	19	17	13	12	20	13	16	12	12	12
Male.....	66	4	6	8	6	2	5	7	6	5	6	5	6
Female.....	110	11	9	11	11	11	7	13	7	11	6	7	6
White, both sexes.....	141	10	14	15	13	10	8	17	10	15	11	8	10
Male.....	55	3	6	6	5	-	4	6	5	5	6	3	6
Female.....	86	7	8	9	8	10	4	11	5	10	5	5	4
Black, both sexes.....	29	4	1	3	4	2	2	3	2	1	1	4	2
Male.....	9	1	-	2	1	2	-	1	-	-	-	2	-
Female.....	20	3	1	1	3	-	2	2	2	1	1	2	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	1	-	1	2	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	4	1	-	1	-	1	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nutritional marasmus (E41)													
All races, both sexes.....	52	7	4	2	6	3	6	4	6	4	2	5	3
Male.....	19	-	1	-	3	2	3	1	4	-	1	2	2
Female.....	33	7	3	2	3	1	3	3	2	4	1	3	1
White, both sexes.....	45	6	4	2	6	2	6	4	4	4	1	4	2
Male.....	15	-	1	-	3	1	3	1	2	-	1	2	1
Female.....	30	6	3	2	3	1	3	3	2	4	-	2	1
Black, both sexes.....	4	-	-	-	-	-	-	-	2	-	-	1	1
Male.....	3	-	-	-	-	-	-	-	2	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Unspecified severe protein-energy malnutrition (E43)													
All races, both sexes.....	322	23	32	29	35	21	26	31	32	19	25	25	24
Male.....	131	9	12	15	11	10	14	9	17	8	11	9	6
Female.....	191	14	20	14	24	11	12	22	15	11	14	16	18
White, both sexes.....	255	17	26	23	30	17	21	24	23	14	20	20	20
Male.....	97	6	10	12	8	8	10	6	11	4	9	9	4
Female.....	158	11	16	11	22	9	11	18	12	10	11	11	16
Black, both sexes.....	59	6	6	5	5	3	5	7	6	5	4	4	3
Male.....	30	3	2	2	3	1	4	3	4	4	2	-	2
Female.....	29	3	4	3	2	2	1	4	2	1	2	4	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	1	-	1	-	-	2	-	1	1	1
Male.....	4	-	-	1	-	1	-	-	2	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Retarded development following protein-energy malnutrition (E45)													
All races, both sexes.....	40	5	2	7	3	4	-	2	4	5	3	3	2
Male.....	12	3	-	3	1	1	-	1	1	2	-	-	-
Female.....	28	2	2	4	2	3	-	1	3	3	3	3	2
White, both sexes.....	30	4	-	7	2	3	-	1	4	4	2	2	1
Male.....	9	2	-	3	-	1	-	-	1	2	-	-	-
Female.....	21	2	-	4	2	2	-	1	3	2	2	2	1
Black, both sexes.....	8	-	2	-	1	1	-	1	-	-	1	1	1
Male.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	6	-	2	-	-	1	-	-	-	-	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Unspecified protein-energy malnutrition (E46)													
All races, both sexes.....	1,951	208	155	185	181	153	161	142	145	149	154	143	175
Male.....	682	74	58	67	69	48	55	52	36	54	54	49	66
Female.....	1,269	134	97	118	112	105	106	90	109	95	100	94	109
White, both sexes.....	1,658	181	137	150	150	128	135	126	131	124	125	124	147
Male.....	557	62	51	49	57	38	45	44	32	44	42	40	53
Female.....	1,101	119	86	101	93	90	90	82	99	80	83	84	94
Black, both sexes.....	254	24	17	31	29	21	18	14	13	22	23	19	23
Male.....	111	11	6	16	12	8	8	7	4	10	10	9	10
Female.....	143	13	11	15	17	13	10	7	9	12	13	10	13
American Indian 1/, both sexes.....	13	-	-	2	1	2	1	-	1	1	2	-	3
Male.....	4	-	-	1	-	1	-	-	-	-	-	-	2
Female.....	9	-	-	1	1	1	1	-	1	2	-	-	1
Asian or Pacific Islander 2/, both sexes.....	26	3	1	2	1	2	7	2	-	2	4	-	2
Male.....	10	1	1	1	-	1	2	1	-	-	2	-	1
Female.....	16	2	-	1	1	1	5	1	-	2	2	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Extreme obesity with alveolar hypoventilation (E66.2)													
All races, both sexes.....	130	10	15	13	7	14	10	13	11	9	13	7	8
Male.....	53	3	7	6	3	6	4	4	4	4	5	3	4
Female.....	77	7	8	7	4	8	6	9	7	5	8	4	4
White, both sexes.....	114	9	13	12	5	12	10	12	8	8	12	7	6
Male.....	45	3	5	5	3	4	4	3	3	4	5	3	3
Female.....	69	6	8	7	2	8	6	9	5	4	7	4	3
Black, both sexes.....	13	1	2	1	2	1	-	1	2	1	1	-	1
Male.....	6	-	2	1	-	1	-	1	-	-	-	-	1
Female.....	7	1	-	-	2	-	-	-	2	1	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other obesity (E66.8)													
All races, both sexes.....	2,900	255	260	272	235	241	204	238	227	206	254	237	271
Male.....	1,374	119	128	130	115	121	98	116	103	94	107	122	121
Female.....	1,526	136	132	142	120	120	106	122	124	112	147	115	150
White, both sexes.....	2,297	213	208	227	188	183	160	184	183	157	201	181	212
Male.....	1,129	104	105	108	94	101	82	95	85	73	89	93	100
Female.....	1,168	109	103	119	94	82	78	89	98	84	112	88	112
Black, both sexes.....	559	39	49	43	43	54	41	51	36	48	46	52	57
Male.....	217	15	22	20	17	19	13	20	12	21	13	25	20
Female.....	342	24	27	23	26	35	28	31	24	27	33	27	37
American Indian 1/, both sexes.....	20	3	2	1	2	2	1	1	3	1	2	1	1
Male.....	10	-	1	1	2	-	1	-	3	-	1	1	-
Female.....	10	3	1	-	-	2	-	1	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	24	-	1	1	2	2	2	2	5	-	5	3	1
Male.....	18	-	-	1	2	1	2	1	3	-	4	3	1
Female.....	6	-	1	-	-	1	-	1	2	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Albinism (E70.3)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism (E71)													
All races, both sexes.....	46	5	4	7	8	2	2	4	2	3	3	1	5
Male.....	29	3	3	4	4	2	2	3	1	3	2	-	2
Female.....	17	2	1	3	4	-	-	1	1	-	1	1	3
White, both sexes.....	37	4	3	6	6	2	1	4	2	2	2	1	4
Male.....	26	2	3	4	4	2	1	3	1	2	2	-	2
Female.....	11	2	-	2	2	-	-	1	1	-	-	1	2
Black, both sexes.....	6	1	-	1	2	-	1	-	-	-	-	-	1
Male.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	4	-	-	1	2	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of branched-chain amino-acid metabolism (E71.1)													
All races, both sexes.....	9	1	1	2	2	-	-	1	1	1	-	-	-
Male.....	5	1	-	2	1	-	-	-	-	1	-	-	-
Female.....	4	-	1	-	1	-	-	1	1	-	-	-	-
White, both sexes.....	7	1	-	2	2	-	-	1	1	-	-	-	-
Male.....	4	1	-	2	1	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Disorders of fatty-acid metabolism (E71.3)													
All races, both sexes.....	37	4	3	5	6	2	2	3	1	2	3	1	5
Male.....	24	2	3	2	3	2	2	3	1	2	2	-	2
Female.....	13	2	-	3	3	-	-	-	-	-	1	1	3
White, both sexes.....	30	3	3	4	4	2	1	3	1	2	2	1	4
Male.....	22	1	3	2	3	2	1	3	1	2	2	-	2
Female.....	8	2	-	2	1	-	-	-	-	-	-	1	2
Black, both sexes.....	6	1	-	1	2	-	1	-	-	-	-	-	1
Male.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	4	-	-	1	2	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of sulphur-bearing amino-acid metabolism (E72.1)													
All races, both sexes.....	8	-	2	-	-	-	-	-	-	1	1	2	2
Male.....	4	-	1	-	-	-	-	-	-	-	1	1	1
Female.....	4	-	1	-	-	-	-	-	-	1	-	1	1
White, both sexes.....	6	-	2	-	-	-	-	-	-	1	-	1	2
Male.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	1	-	-	-	-	-	-	1	-	1	1
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of urea cycle metabolism (E72.2)													
All races, both sexes.....	45	4	4	3	3	3	3	4	1	9	4	4	3
Male.....	22	1	3	1	2	1	2	1	1	5	2	2	1
Female.....	23	3	1	2	1	2	1	3	-	4	2	2	2
White, both sexes.....	35	1	4	3	2	2	2	4	1	7	3	3	3
Male.....	15	-	3	1	1	-	1	1	1	4	1	1	1
Female.....	20	1	1	2	1	2	1	3	-	3	2	2	2
Black, both sexes.....	6	2	-	-	1	1	1	-	-	-	-	1	-
Male.....	4	-	-	-	1	1	1	-	-	-	-	1	-
Female.....	2	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified disorders of carbohydrate metabolism (E74.8)													
All races, both sexes.....	10	-	-	2	2	1	-	-	1	-	1	1	2
Male.....	7	-	-	1	2	1	-	-	1	-	-	1	1
Female.....	3	-	-	1	-	-	-	-	-	-	1	-	1
White, both sexes.....	10	-	-	2	2	1	-	-	1	-	1	1	2
Male.....	7	-	-	1	2	1	-	-	1	-	-	1	1
Female.....	3	-	-	1	-	-	-	-	-	-	1	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of sphingolipid metabolism and other lipid storage disorders (E75)													
All races, both sexes.....	165	23	14	10	15	11	14	10	10	9	17	15	17
Male.....	73	10	7	7	3	4	4	2	3	6	9	9	9
Female.....	92	13	7	3	12	7	10	8	7	3	8	6	8
White, both sexes.....	143	21	13	9	12	9	13	7	8	9	15	12	15
Male.....	68	9	7	7	3	4	4	2	3	6	9	6	8
Female.....	75	12	6	2	9	5	9	5	5	3	6	6	7
Black, both sexes.....	15	2	1	1	1	2	-	3	1	-	-	2	2
Male.....	4	1	-	-	-	-	-	-	-	-	-	2	1
Female.....	11	1	1	1	1	2	-	3	1	-	-	-	1
American Indian 1/, both sexes.....	3	-	-	-	1	-	-	-	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	1	-	-	-	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	1	-	1	-	-	-	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other sphingolipidosis (E75.2)													
All races, both sexes.....	86	13	7	7	6	6	8	8	5	3	7	6	10
Male.....	35	6	2	4	1	2	3	1	-	2	4	4	6
Female.....	51	7	5	3	5	4	5	7	5	1	3	2	4
White, both sexes.....	71	11	6	6	4	4	8	6	4	3	5	5	9
Male.....	32	5	2	4	1	2	3	1	-	2	4	3	5
Female.....	39	6	4	2	3	2	5	5	4	1	1	2	4
Black, both sexes.....	11	2	1	1	1	2	-	2	-	-	-	1	1
Male.....	3	1	-	-	-	-	-	-	-	-	-	1	1
Female.....	8	1	1	1	1	2	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Neuronal ceroid lipofuscinosis (E75.4)													
All races, both sexes.....	31	4	6	1	4	3	3	-	1	4	2	3	-
Male.....	15	2	5	1	-	1	1	-	-	3	2	-	-
Female.....	16	2	1	-	4	2	2	-	1	1	-	3	-
White, both sexes.....	30	4	6	1	4	3	2	-	1	4	2	3	-
Male.....	15	2	5	1	-	1	1	-	-	3	2	-	-
Female.....	15	2	1	-	4	2	1	-	1	1	-	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of lipoprotein metabolism and other lipidemias (E78)													
All races, both sexes.....	7,414	725	595	675	616	601	551	590	594	547	626	663	631
Male.....	3,986	381	303	370	342	345	313	312	304	302	326	344	344
Female.....	3,428	344	292	305	274	256	238	278	290	245	300	319	287
White, both sexes.....	6,637	650	542	599	557	542	489	524	530	480	565	596	563
Male.....	3,620	351	282	329	314	318	278	278	278	272	299	315	306
Female.....	3,017	299	260	270	243	224	211	246	252	208	266	281	257
Black, both sexes.....	608	63	40	56	40	51	46	52	48	57	47	57	51
Male.....	273	25	14	31	20	21	23	27	19	27	18	23	25
Female.....	335	38	26	25	20	30	23	25	29	30	29	34	26
American Indian 1/, both sexes.....	37	5	2	5	2	2	4	5	2	1	2	3	4
Male.....	20	2	1	2	1	2	3	2	1	-	2	1	3
Female.....	17	3	1	3	1	-	1	3	1	1	-	2	1
Asian or Pacific Islander 2/, both sexes.....	132	7	11	15	17	6	12	9	14	9	12	7	13
Male.....	73	3	6	8	7	4	9	5	6	3	7	5	10
Female.....	59	4	5	7	10	2	3	4	8	6	5	2	3
Pure hypercholesterolemia (E78.0)													
All races, both sexes.....	1,823	173	133	174	170	132	120	152	154	134	148	177	156
Male.....	960	87	70	88	88	80	68	70	76	75	68	93	97
Female.....	863	86	63	86	82	52	52	82	78	59	80	84	59
White, both sexes.....	1,604	151	123	155	148	118	103	133	134	114	134	153	138
Male.....	863	80	66	80	77	72	60	61	67	67	63	84	86
Female.....	741	71	57	75	71	46	43	72	67	47	71	69	52
Black, both sexes.....	176	20	9	15	12	14	14	15	14	16	10	22	15
Male.....	78	6	3	8	8	8	7	7	6	6	3	8	8
Female.....	98	14	6	7	4	6	7	8	8	10	7	14	7
American Indian 1/, both sexes.....	6	-	-	-	1	-	1	2	1	-	-	1	-
Male.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	4	-	-	-	1	-	-	2	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	37	2	1	4	9	-	2	2	5	4	4	1	3
Male.....	17	1	1	-	3	-	-	2	2	2	2	1	3
Female.....	20	1	-	4	6	-	2	-	3	2	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other hyperlipidemia (E78.4)													
All races, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperlipidemia, unspecified (E78.5)													
All races, both sexes.....	5,486	541	451	494	436	462	424	425	429	409	473	475	467
Male.....	2,957	284	226	276	248	263	241	233	221	225	255	244	241
Female.....	2,529	257	225	218	188	199	183	192	208	184	218	231	226
White, both sexes.....	4,939	489	410	438	400	417	379	379	386	362	428	434	417
Male.....	2,697	262	211	244	232	244	214	209	205	203	233	226	214
Female.....	2,242	227	199	194	168	173	165	170	181	159	195	208	203
Black, both sexes.....	424	42	31	40	28	37	32	36	33	41	35	33	36
Male.....	189	18	11	22	12	13	16	19	12	21	15	13	17
Female.....	235	24	20	18	16	24	16	17	21	20	20	20	19
American Indian 1/, both sexes.....	31	5	2	5	1	2	3	3	1	1	2	2	4
Male.....	18	2	1	2	1	2	2	2	-	-	2	1	3
Female.....	13	3	1	3	-	-	1	1	1	1	-	1	1
Asian or Pacific Islander 2/, both sexes.....	92	5	8	11	7	6	10	7	9	5	8	6	10
Male.....	53	2	3	8	3	4	9	3	4	1	5	4	7
Female.....	39	3	5	3	4	2	1	4	5	4	3	2	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of magnesium metabolism (E83.4)													
All races, both sexes.....	9	1	1	-	1	-	1	2	1	1	-	1	-
Male.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	7	1	1	-	1	-	1	2	-	-	-	1	-
White, both sexes.....	8	1	1	-	1	-	-	2	1	1	-	1	-
Male.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	6	1	1	-	1	-	-	2	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Disorders of calcium metabolism (E83.5)													
All races, both sexes.....	191	13	19	12	24	22	17	17	8	17	15	15	12
Male.....	70	5	6	2	11	12	5	7	2	4	8	4	4
Female.....	121	8	13	10	13	10	12	10	6	13	7	11	8
White, both sexes.....	152	10	12	11	18	18	10	16	7	13	13	14	10
Male.....	56	3	4	2	9	9	3	7	2	2	7	4	4
Female.....	96	7	8	9	9	9	7	9	5	11	6	10	6
Black, both sexes.....	34	3	6	1	5	4	6	-	1	3	2	1	2
Male.....	12	2	2	-	1	3	2	-	-	1	1	-	-
Female.....	22	1	4	1	4	1	4	-	1	2	1	1	2
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cystic fibrosis (E84)													
All races, both sexes.....	438	33	38	41	25	29	39	41	41	36	39	43	33
Male.....	214	19	17	19	14	15	24	13	24	13	22	19	15
Female.....	224	14	21	22	11	14	15	28	17	23	17	24	18
White, both sexes.....	415	31	35	38	25	28	39	37	37	33	38	43	31
Male.....	202	18	15	17	14	15	24	11	21	13	21	19	14
Female.....	213	13	20	21	11	13	15	26	16	20	17	24	17
Black, both sexes.....	16	2	2	2	-	1	-	3	3	1	-	-	2
Male.....	9	1	1	2	-	-	-	2	2	-	-	-	1
Female.....	7	1	1	-	-	1	-	1	1	1	-	-	1
American Indian 1/, both sexes.....	4	-	1	-	-	-	-	1	-	1	1	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	-	-	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Cystic fibrosis with pulmonary manifestations (E84.0)													
All races, both sexes.....	240	14	23	14	14	18	28	23	26	17	24	18	21
Male.....	101	4	10	5	9	8	17	8	14	5	12	3	6
Female.....	139	10	13	9	5	10	11	15	12	12	12	15	15
White, both sexes.....	226	13	23	13	14	17	28	20	22	15	24	18	19
Male.....	94	4	10	4	9	8	17	6	11	5	12	3	5
Female.....	132	9	13	9	5	9	11	14	11	10	12	15	14
Black, both sexes.....	12	1	-	1	-	1	-	3	3	1	-	-	2
Male.....	6	-	-	1	-	-	-	2	2	-	-	-	1
Female.....	6	1	-	-	-	1	-	1	1	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cystic fibrosis, unspecified (E84.9)													
All races, both sexes.....	139	15	9	18	6	8	8	13	9	13	11	19	10
Male.....	77	13	3	9	2	4	5	3	5	5	9	12	7
Female.....	62	2	6	9	4	4	3	10	4	8	2	7	3
White, both sexes.....	130	14	6	16	6	8	8	12	9	12	10	19	10
Male.....	72	12	1	8	2	4	5	3	5	5	8	12	7
Female.....	58	2	5	8	4	4	3	9	4	7	2	7	3
Black, both sexes.....	4	1	2	1	-	-	-	-	-	-	-	-	-
Male.....	3	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	1	-	-	-	-	1	-	1	1	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Amyloidosis (E85)													
All races, both sexes.....	979	76	77	101	84	77	84	77	77	82	73	85	86
Male.....	569	44	43	58	53	48	50	41	41	46	35	57	53
Female.....	410	32	34	43	31	29	34	36	36	36	38	28	33
White, both sexes.....	824	64	67	82	72	64	73	65	67	66	63	71	70
Male.....	480	37	36	50	45	39	42	36	36	37	32	49	41
Female.....	344	27	31	32	27	25	31	29	31	29	31	22	29
Black, both sexes.....	128	9	6	15	11	11	9	8	10	15	9	12	13
Male.....	77	5	5	7	8	7	7	3	5	9	3	7	11
Female.....	51	4	1	8	3	4	2	5	5	6	6	5	2
American Indian 1/, both sexes.....	4	-	1	1	-	-	-	1	-	1	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	3	3	3	1	2	2	3	-	-	1	2	3
Male.....	11	2	1	1	-	2	1	2	-	-	-	1	1
Female.....	12	1	2	2	1	-	1	1	-	-	1	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary systemic amyloidosis (E85.3)													
All races, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Organ-limited amyloidosis (E85.4)													
All races, both sexes.....	465	47	37	46	48	36	34	33	35	37	32	34	46
Male.....	268	26	22	25	34	25	19	19	16	17	16	22	27
Female.....	197	21	15	21	14	11	15	14	19	20	16	12	19
White, both sexes.....	399	39	31	40	41	31	29	25	29	33	30	29	42
Male.....	229	22	18	22	27	21	15	16	13	15	15	21	24
Female.....	170	17	13	18	14	10	14	9	16	18	15	8	18
Black, both sexes.....	54	6	3	4	7	3	5	5	6	4	2	5	4
Male.....	33	3	2	3	7	2	4	2	3	2	1	1	3
Female.....	21	3	1	1	-	1	1	3	3	2	1	4	1
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	2	2	2	-	2	-	2	-	-	-	-	-
Male.....	5	1	1	-	-	2	-	1	-	-	-	-	-
Female.....	5	1	1	2	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other amyloidosis (E85.8)													
All races, both sexes.....	12	-	1	2	-	1	1	1	1	2	1	2	-
Male.....	6	-	-	2	-	1	-	-	-	1	-	2	-
Female.....	6	-	1	-	-	-	1	1	1	1	1	-	-
White, both sexes.....	9	-	1	1	-	1	1	-	1	2	1	1	-
Male.....	4	-	-	1	-	1	-	-	-	1	-	1	-
Female.....	5	-	1	-	-	-	1	-	1	1	1	-	-
Black, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Amyloidosis, unspecified (E85.9)													
All races, both sexes.....	481	27	39	52	34	38	47	39	41	40	39	46	39
Male.....	282	17	21	30	18	21	30	18	25	26	19	31	26
Female.....	199	10	18	22	16	17	17	21	16	14	20	15	13
White, both sexes.....	398	24	35	41	29	31	41	36	37	28	31	38	27
Male.....	236	15	18	27	17	16	26	16	23	19	17	25	17
Female.....	162	9	17	14	12	15	15	20	14	9	14	13	10
Black, both sexes.....	69	2	3	10	4	7	4	2	4	11	7	6	9
Male.....	41	1	3	3	1	5	3	1	2	7	2	5	8
Female.....	28	1	-	7	3	2	1	1	2	4	5	1	1
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	1	1	-	1	-	2	1	-	-	1	2	3
Male.....	5	1	-	-	-	-	1	1	-	-	-	1	1
Female.....	7	-	1	-	1	-	1	-	-	-	1	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Volume depletion (E86)													
All races, both sexes.....	3,509	310	311	334	317	273	287	235	273	241	278	304	346
Male.....	1,120	86	97	108	105	92	89	79	87	74	95	93	115
Female.....	2,389	224	214	226	212	181	198	156	186	167	183	211	231
White, both sexes.....	3,097	278	281	293	279	240	249	206	241	210	245	276	299
Male.....	958	72	87	87	91	81	73	67	74	61	88	82	95
Female.....	2,139	206	194	206	188	159	176	139	167	149	157	194	204
Black, both sexes.....	361	30	24	36	31	30	31	24	32	26	31	25	41
Male.....	144	14	9	19	9	11	13	11	13	11	7	11	16
Female.....	217	16	15	17	22	19	18	13	19	15	24	14	25
American Indian 1/, both sexes.....	12	1	2	1	1	-	3	-	-	2	-	1	1
Male.....	4	-	-	-	1	-	1	-	-	1	-	-	1
Female.....	8	1	2	1	-	-	2	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	39	1	4	4	6	3	4	5	-	3	2	2	5
Male.....	14	-	1	2	4	-	2	1	-	1	-	-	3
Female.....	25	1	3	2	2	3	2	4	-	2	2	2	2
Other disorders of fluid, electrolyte, and acid-base balance (E87)													
All races, both sexes.....	2,625	231	221	281	215	216	177	193	201	199	215	228	248
Male.....	1,030	81	82	124	83	85	63	83	85	82	84	88	90
Female.....	1,595	150	139	157	132	131	114	110	116	117	131	140	158
White, both sexes.....	2,121	193	178	223	166	185	144	151	162	163	169	179	208
Male.....	829	66	65	97	61	70	50	66	72	71	63	72	76
Female.....	1,292	127	113	126	105	115	94	85	90	92	106	107	132
Black, both sexes.....	440	32	40	50	43	28	31	36	32	31	36	45	36
Male.....	171	11	17	20	19	14	12	14	11	9	17	14	13
Female.....	269	21	23	30	24	14	19	22	21	22	19	31	23
American Indian 1/, both sexes.....	22	1	1	3	-	-	2	3	2	3	3	2	2
Male.....	9	1	-	2	-	-	1	1	-	1	2	1	-
Female.....	13	-	1	1	-	-	1	2	2	2	1	1	2
Asian or Pacific Islander 2/, both sexes.....	42	5	2	5	6	3	-	3	5	2	7	2	2
Male.....	21	3	-	5	3	1	-	2	2	1	2	1	1
Female.....	21	2	2	-	3	2	-	1	3	1	5	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mixed disorder of acid-base balance (E87.4)													
All races, both sexes.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperkalemia (E87.5)													
All races, both sexes.....	442	34	35	42	30	40	28	32	34	29	42	43	53
Male.....	184	13	14	15	11	18	10	16	15	15	16	21	20
Female.....	258	21	21	27	19	22	18	16	19	14	26	22	33
White, both sexes.....	340	31	28	30	23	36	19	25	28	21	28	27	44
Male.....	148	12	12	11	10	16	6	12	15	10	11	16	17
Female.....	192	19	16	19	13	20	13	13	13	11	17	11	27
Black, both sexes.....	89	2	7	11	6	3	7	7	5	6	11	15	9
Male.....	32	1	2	3	1	2	3	4	-	4	5	4	3
Female.....	57	1	5	8	5	1	4	3	5	2	6	11	6
American Indian 1/, both sexes.....	6	-	-	1	-	-	2	-	1	2	-	-	-
Male.....	3	-	-	1	-	-	1	-	-	1	-	-	-
Female.....	3	-	-	-	-	-	1	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	1	1	-	-	-	-	3	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	6	1	-	-	1	1	-	-	-	-	3	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of electrolyte and fluid balance, not elsewhere classified (E87.8)													
All races, both sexes.....	345	29	22	28	46	33	26	24	24	36	20	30	27
Male.....	103	8	8	14	13	7	7	10	5	9	7	8	7
Female.....	242	21	14	14	33	26	19	14	19	27	13	22	20
White, both sexes.....	288	24	19	23	37	29	22	21	19	28	16	24	26
Male.....	86	6	6	12	9	6	6	10	4	7	5	8	7
Female.....	202	18	13	11	28	23	16	11	15	21	11	16	19
Black, both sexes.....	54	4	3	5	9	4	4	3	4	7	4	6	1
Male.....	16	1	2	2	4	1	1	-	1	2	2	-	-
Female.....	38	3	1	3	5	3	3	3	3	5	2	6	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	-	-	1	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Other metabolic disorders (E88)													
All races, both sexes.....	778	62	60	75	57	71	47	56	49	72	87	64	78
Male.....	367	28	28	42	31	31	26	26	23	33	41	26	32
Female.....	411	34	32	33	26	40	21	30	26	39	46	38	46
White, both sexes.....	681	51	52	65	52	68	44	50	38	61	77	54	69
Male.....	321	23	24	37	30	29	24	22	17	29	37	19	30
Female.....	360	28	28	28	22	39	20	28	21	32	40	35	39
Black, both sexes.....	78	9	6	6	5	2	3	6	8	9	6	9	9
Male.....	35	4	3	3	1	2	2	4	4	2	2	6	2
Female.....	43	5	3	3	4	-	1	2	4	7	4	3	7
American Indian 1/, both sexes.....	4	1	-	1	-	-	-	-	1	-	1	-	-
Male.....	4	1	-	1	-	-	-	-	1	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	1	2	3	-	1	-	-	2	2	3	1	-
Male.....	7	-	1	1	-	-	-	-	1	2	1	1	-
Female.....	8	1	1	2	-	1	-	-	1	-	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Metabolic disorder, unspecified (E88.9)													
All races, both sexes.....	508	32	41	47	34	52	34	33	30	54	55	40	56
Male.....	246	17	21	27	17	24	19	16	16	27	25	13	24
Female.....	262	15	20	20	17	28	15	17	14	27	30	27	32
White, both sexes.....	423	22	35	38	30	49	32	28	19	44	47	32	47
Male.....	207	13	18	22	16	22	18	13	10	23	22	8	22
Female.....	216	9	17	16	14	27	14	15	9	21	25	24	25
Black, both sexes.....	67	8	4	5	4	2	2	5	8	8	5	7	9
Male.....	29	3	2	3	1	2	1	3	4	2	2	4	2
Female.....	38	5	2	2	3	-	1	2	4	6	3	3	7
American Indian 1/, both sexes.....	3	1	-	1	-	-	-	-	1	-	-	-	-
Male.....	3	1	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	1	2	3	-	1	-	-	2	2	3	1	-
Male.....	7	-	1	1	-	-	-	-	1	2	1	1	-
Female.....	8	1	1	2	-	1	-	-	1	-	2	-	-
Vascular dementia (F01)													
All races, both sexes.....	10,910	966	865	1,050	869	854	781	822	876	890	959	951	1,027
Male.....	3,724	322	276	364	318	286	250	301	295	320	331	312	349
Female.....	7,186	644	589	686	551	568	531	521	581	570	628	639	678
White, both sexes.....	9,674	863	760	943	766	745	682	730	787	789	843	848	918
Male.....	3,242	282	233	319	281	247	219	261	261	271	283	278	307
Female.....	6,432	581	527	624	485	498	463	469	526	518	560	570	611
Black, both sexes.....	1,008	86	87	82	88	90	78	76	69	79	100	81	92
Male.....	383	32	35	33	31	30	22	32	28	41	39	27	33
Female.....	625	54	52	49	57	60	56	44	41	38	61	54	59
American Indian 1/, both sexes.....	29	2	3	3	1	2	2	5	-	1	4	4	2
Male.....	11	-	1	1	-	1	1	3	-	-	1	1	2
Female.....	18	2	2	2	1	1	1	2	-	1	3	3	-
Asian or Pacific Islander 2/, both sexes.....	199	15	15	22	14	17	19	11	20	21	12	18	15
Male.....	88	8	7	11	6	8	8	5	6	8	8	6	7
Female.....	111	7	8	11	8	9	11	6	14	13	4	12	8

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Vascular dementia of acute onset (F01.0)													
All races, both sexes.....	6	1	1	-	-	1	1	2	-	-	-	-	-
Male.....	4	1	1	-	-	-	-	2	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-
White, both sexes.....	6	1	1	-	-	1	1	2	-	-	-	-	-
Male.....	4	1	1	-	-	-	-	2	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Multi-infarct dementia (F01.1)													
All races, both sexes.....	2,348	206	212	228	183	193	184	172	188	180	201	200	201
Male.....	832	66	73	90	70	58	60	64	63	61	73	78	76
Female.....	1,516	140	139	138	113	135	124	108	125	119	128	122	125
White, both sexes.....	2,102	185	191	200	165	173	161	158	167	162	174	182	184
Male.....	739	57	64	77	64	54	52	55	55	52	63	74	72
Female.....	1,363	128	127	123	101	119	109	103	112	110	111	108	112
Black, both sexes.....	192	19	17	20	16	14	16	11	17	12	21	14	15
Male.....	67	8	7	8	5	2	5	7	7	6	6	3	3
Female.....	125	11	10	12	11	12	11	4	10	6	15	11	12
American Indian 1/, both sexes.....	8	-	1	1	-	1	-	1	-	1	2	1	-
Male.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	6	-	1	-	-	1	-	-	-	1	2	1	-
Asian or Pacific Islander 2/, both sexes.....	46	2	3	7	2	5	7	2	4	5	4	3	2
Male.....	24	1	2	4	1	2	3	1	1	3	4	1	1
Female.....	22	1	1	3	1	3	4	1	3	2	-	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Vascular dementia, unspecified (F01.9)													
All races, both sexes.....	8,551	759	652	821	686	659	596	648	688	710	758	750	824
Male.....	2,887	255	202	274	248	228	190	235	232	259	258	233	273
Female.....	5,664	504	450	547	438	431	406	413	456	451	500	517	551
White, both sexes.....	7,561	677	568	742	601	570	520	570	620	627	669	665	732
Male.....	2,498	224	168	242	217	193	167	204	206	219	220	203	235
Female.....	5,063	453	400	500	384	377	353	366	414	408	449	462	497
Black, both sexes.....	816	67	70	62	72	76	62	65	52	67	79	67	77
Male.....	316	24	28	25	26	28	17	25	21	35	33	24	30
Female.....	500	43	42	37	46	48	45	40	31	32	46	43	47
American Indian 1/, both sexes.....	21	2	2	2	1	1	2	4	-	-	2	3	2
Male.....	9	-	1	-	-	1	1	2	-	-	1	1	2
Female.....	12	2	1	2	1	-	1	2	-	-	1	2	-
Asian or Pacific Islander 2/, both sexes.....	153	13	12	15	12	12	12	9	16	16	8	15	13
Male.....	64	7	5	7	5	6	5	4	5	5	4	5	6
Female.....	89	6	7	8	7	6	7	5	11	11	4	10	7
Unspecified dementia (F03)													
All races, both sexes.....	65,167	5,981	5,636	6,325	5,439	5,101	4,755	4,878	4,766	4,918	5,414	5,739	6,215
Male.....	19,649	1,804	1,699	1,921	1,606	1,517	1,462	1,490	1,491	1,507	1,635	1,662	1,855
Female.....	45,518	4,177	3,937	4,404	3,833	3,584	3,293	3,388	3,275	3,411	3,779	4,077	4,360
White, both sexes.....	59,078	5,412	5,103	5,764	4,934	4,606	4,275	4,385	4,344	4,459	4,939	5,219	5,638
Male.....	17,677	1,613	1,525	1,742	1,449	1,348	1,303	1,348	1,350	1,369	1,464	1,494	1,672
Female.....	41,401	3,799	3,578	4,022	3,485	3,258	2,972	3,037	2,994	3,090	3,475	3,725	3,966
Black, both sexes.....	5,120	485	443	476	425	415	400	394	357	382	396	448	499
Male.....	1,624	162	140	149	134	132	127	114	122	112	137	143	152
Female.....	3,496	323	303	327	291	283	273	280	235	270	259	305	347
American Indian 1/, both sexes.....	179	18	14	18	11	15	10	18	9	17	15	17	17
Male.....	56	7	1	2	1	9	7	2	2	8	5	5	7
Female.....	123	11	13	16	10	6	3	16	7	9	10	12	10
Asian or Pacific Islander 2/, both sexes.....	790	66	76	67	69	65	70	81	56	60	64	55	61
Male.....	292	22	33	28	22	28	25	26	17	18	29	20	24
Female.....	498	44	43	39	47	37	45	55	39	42	35	35	37

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mental and behavioral disorders due to use of alcohol (F10)													
All races, both sexes.....	7,648	712	583	628	615	707	621	675	592	585	585	636	709
Male.....	5,936	551	453	476	484	557	484	523	456	463	443	490	556
Female.....	1,712	161	130	152	131	150	137	152	136	122	142	146	153
White, both sexes.....	6,385	595	485	522	523	585	513	562	501	487	482	540	590
Male.....	4,958	466	379	395	412	462	401	439	382	387	361	419	455
Female.....	1,427	129	106	127	111	123	112	123	119	100	121	121	135
Black, both sexes.....	943	99	79	80	66	97	75	84	71	68	75	69	80
Male.....	734	72	59	61	51	78	57	65	58	54	62	49	68
Female.....	209	27	20	19	15	19	18	19	13	14	13	20	12
American Indian 1/, both sexes.....	235	14	11	21	18	22	22	23	14	22	21	18	29
Male.....	170	9	8	15	14	14	17	14	12	15	15	14	23
Female.....	65	5	3	6	4	8	5	9	2	7	6	4	6
Asian or Pacific Islander 2/, both sexes.....	85	4	8	5	8	3	11	6	6	8	7	9	10
Male.....	74	4	7	5	7	3	9	5	4	7	5	8	10
Female.....	11	-	1	-	1	-	2	1	2	1	2	1	-
Acute intoxication (F10.0)													
All races, both sexes.....	712	68	66	63	63	64	55	43	50	60	41	55	84
Male.....	566	59	55	48	49	50	44	30	39	42	32	46	72
Female.....	146	9	11	15	14	14	11	13	11	18	9	9	12
White, both sexes.....	601	57	61	54	53	49	44	36	42	50	37	46	72
Male.....	473	49	50	40	41	38	35	25	33	34	28	39	61
Female.....	128	8	11	14	12	11	9	11	9	16	9	7	11
Black, both sexes.....	81	10	3	7	7	12	8	4	6	6	2	7	9
Male.....	65	9	3	6	6	9	6	2	4	5	2	5	8
Female.....	16	1	-	1	1	3	2	2	2	1	-	2	1
American Indian 1/, both sexes.....	19	1	2	1	2	3	2	2	1	2	2	1	-
Male.....	18	1	2	1	1	3	2	2	1	2	2	1	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	1	1	-	1	1	1	2	-	1	3
Male.....	10	-	-	1	1	-	1	1	1	1	-	1	3
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Harmful use (F10.1)													
All races, both sexes.....	1,888	172	135	171	163	179	151	174	132	140	131	174	166
Male.....	1,463	133	110	129	130	140	117	138	101	115	100	125	125
Female.....	425	39	25	42	33	39	34	36	31	25	31	49	41
White, both sexes.....	1,572	142	112	137	138	153	123	148	115	115	101	146	142
Male.....	1,222	112	92	104	110	116	97	122	86	94	76	107	106
Female.....	350	30	20	33	28	37	26	26	29	21	25	39	36
Black, both sexes.....	243	26	20	27	20	25	23	20	11	16	18	21	16
Male.....	187	18	16	19	16	23	17	14	11	13	15	12	13
Female.....	56	8	4	8	4	2	6	6	-	3	3	9	3
American Indian 1/, both sexes.....	47	3	2	4	3	1	2	5	4	6	8	4	5
Male.....	29	2	1	3	2	1	1	1	2	5	5	3	3
Female.....	18	1	1	1	1	-	1	4	2	1	3	1	2
Asian or Pacific Islander 2/, both sexes.....	26	1	1	3	2	-	3	1	2	3	4	3	3
Male.....	25	1	1	3	2	-	2	1	2	3	4	3	3
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Dependence syndrome (F10.2)													
All races, both sexes.....	4,208	401	318	326	322	373	355	393	354	319	329	342	376
Male.....	3,251	304	240	250	255	294	277	304	270	254	248	265	290
Female.....	957	97	78	76	67	79	78	89	84	65	81	77	86
White, both sexes.....	3,504	332	257	272	275	312	292	327	295	269	273	289	311
Male.....	2,709	256	195	209	218	250	226	253	224	214	204	224	236
Female.....	795	76	62	63	57	62	66	74	71	55	69	65	75
Black, both sexes.....	531	58	49	41	33	48	40	46	49	40	45	38	44
Male.....	408	40	35	31	25	36	31	37	38	33	37	29	36
Female.....	123	18	14	10	8	12	9	9	11	7	8	9	8
American Indian 1/, both sexes.....	132	9	7	12	11	11	16	16	7	7	8	10	18
Male.....	100	6	5	9	9	6	14	11	7	4	6	8	15
Female.....	32	3	2	3	2	5	2	5	-	3	2	2	3
Asian or Pacific Islander 2/, both sexes.....	41	2	5	1	3	2	7	4	3	3	3	5	3
Male.....	34	2	5	1	3	2	6	3	1	3	1	4	3
Female.....	7	-	-	-	-	-	1	1	2	-	2	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified mental and behavioral disorder (F10.9)													
All races, both sexes.....	402	36	34	26	28	52	28	36	25	36	44	24	33
Male.....	303	27	25	16	21	39	19	28	19	30	34	18	27
Female.....	99	9	9	10	7	13	9	8	6	6	10	6	6
White, both sexes.....	333	32	29	24	23	36	26	29	23	30	38	19	24
Male.....	252	24	22	15	18	28	18	22	17	26	29	14	19
Female.....	81	8	7	9	5	8	8	7	6	4	9	5	5
Black, both sexes.....	43	2	4	-	3	9	1	7	1	3	5	2	6
Male.....	37	2	3	-	2	7	1	6	1	2	5	2	6
Female.....	6	-	1	-	1	2	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	22	1	-	2	1	6	1	-	1	3	1	3	3
Male.....	12	-	-	1	1	3	-	-	1	2	-	2	2
Female.....	10	1	-	1	-	3	1	-	-	1	1	1	1
Asian or Pacific Islander 2/, both sexes.....	4	1	1	-	1	1	-	-	-	-	-	-	-
Male.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Mental and behavioral disorders due to use of opioids (F11)													
All races, both sexes.....	322	22	26	27	22	28	32	33	32	22	29	28	21
Male.....	239	17	22	20	18	17	20	23	25	17	24	23	13
Female.....	83	5	4	7	4	11	12	10	7	5	5	5	8
White, both sexes.....	280	19	24	21	20	23	30	30	27	20	25	24	17
Male.....	206	15	20	15	16	13	19	21	20	15	22	19	11
Female.....	74	4	4	6	4	10	11	9	7	5	3	5	6
Black, both sexes.....	37	3	1	5	2	4	1	2	5	2	4	4	4
Male.....	30	2	1	4	2	4	1	1	5	2	2	4	2
Female.....	7	1	-	1	-	-	-	1	-	-	2	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	1	-	1	1	1	-	-	-	-	-
Male.....	3	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Harmful use (F11.1)													
All races, both sexes.....	106	9	6	10	6	10	8	12	9	10	5	9	12
Male.....	81	8	4	9	6	8	7	7	8	7	3	8	6
Female.....	25	1	2	1	-	2	1	5	1	3	2	1	6
White, both sexes.....	91	8	6	7	5	7	8	11	7	9	4	8	11
Male.....	70	7	4	7	5	5	7	7	6	6	3	7	6
Female.....	21	1	2	-	-	2	1	4	1	3	1	1	5
Black, both sexes.....	15	1	-	3	1	3	-	1	2	1	1	1	1
Male.....	11	1	-	2	1	3	-	-	2	1	-	1	-
Female.....	4	-	-	1	-	-	-	1	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Dependence syndrome (F11.2)													
All races, both sexes.....	91	10	11	6	4	11	14	6	6	4	11	4	4
Male.....	62	7	9	4	2	5	7	4	4	4	9	4	3
Female.....	29	3	2	2	2	6	7	2	2	-	2	-	1
White, both sexes.....	82	8	10	5	4	10	14	6	6	3	10	4	2
Male.....	56	6	8	3	2	5	7	4	4	3	9	4	1
Female.....	26	2	2	2	2	5	7	2	2	-	1	-	1
Black, both sexes.....	7	2	-	1	-	-	-	-	-	1	1	-	2
Male.....	5	1	-	1	-	-	-	-	-	1	-	-	2
Female.....	2	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified mental and behavioral disorder (F13.9)													
All races, both sexes.....	8	-	1	1	1	2	1	-	-	-	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	1	1	1	2	1	-	-	-	2	-	-
White, both sexes.....	7	-	1	1	1	2	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	1	1	1	2	1	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Mental and behavioral disorders due to use of cocaine (F14)													
All races, both sexes.....	700	56	49	59	64	68	58	71	71	47	56	58	43
Male.....	499	44	35	41	45	49	38	51	53	32	41	40	30
Female.....	201	12	14	18	19	19	20	20	18	15	15	18	13
White, both sexes.....	352	24	29	25	36	35	30	30	43	26	25	27	22
Male.....	261	22	21	18	25	25	21	20	36	20	19	19	15
Female.....	91	2	8	7	11	10	9	10	7	6	6	8	7
Black, both sexes.....	340	32	20	33	28	32	28	39	28	21	29	29	21
Male.....	232	22	14	22	20	23	17	29	17	12	21	20	15
Female.....	108	10	6	11	8	9	11	10	11	9	8	9	6
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	1	-	1	-	1	-	-	2	1	-
Male.....	5	-	-	1	-	1	-	1	-	-	1	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified mental and behavioral disorder (F14.9)													
All races, both sexes.....	228	19	14	20	14	23	18	28	24	13	19	24	12
Male.....	156	13	11	10	10	13	13	20	20	11	12	15	8
Female.....	72	6	3	10	4	10	5	8	4	2	7	9	4
White, both sexes.....	99	6	6	7	8	9	9	9	13	6	8	11	7
Male.....	71	6	3	4	6	4	7	7	12	6	5	7	4
Female.....	28	-	3	3	2	5	2	2	1	-	3	4	3
Black, both sexes.....	125	13	8	13	6	13	9	18	11	7	10	12	5
Male.....	82	7	8	6	4	8	6	12	8	5	7	7	4
Female.....	43	6	-	7	2	5	3	6	3	2	3	5	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	-	-	1	1	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Mental and behavioral disorders due to use of other stimulants, including caffeine (F15)													
All races, both sexes.....	108	6	7	4	7	9	10	13	13	6	14	6	13
Male.....	83	3	5	1	6	8	9	9	12	4	11	4	11
Female.....	25	3	2	3	1	1	1	4	1	2	3	2	2
White, both sexes.....	98	6	7	4	6	9	9	11	11	6	12	6	11
Male.....	74	3	5	1	5	8	8	7	10	4	10	4	9
Female.....	24	3	2	3	1	1	1	4	1	2	2	2	2
Black, both sexes.....	3	-	-	-	1	-	1	-	-	-	-	-	1
Male.....	3	-	-	-	1	-	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	2	2	-	2	-	1
Male.....	6	-	-	-	-	-	-	2	2	-	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Harmful use (F15.1)													
All races, both sexes.....	62	3	6	-	6	7	4	6	8	3	10	3	6
Male.....	50	3	4	-	5	6	3	3	7	2	10	2	5
Female.....	12	-	2	-	1	1	1	3	1	1	-	1	1
White, both sexes.....	60	3	6	-	5	7	4	6	8	3	9	3	6
Male.....	48	3	4	-	4	6	3	3	7	2	9	2	5
Female.....	12	-	2	-	1	1	1	3	1	1	-	1	1
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Dependence syndrome (F15.2)													
All races, both sexes.....	15	1	-	2	1	1	2	2	3	2	1	-	-
Male.....	11	-	-	1	1	1	2	2	3	1	-	-	-
Female.....	4	1	-	1	-	-	-	-	-	1	1	-	-
White, both sexes.....	9	1	-	2	1	1	1	-	1	2	-	-	-
Male.....	6	-	-	1	1	1	1	-	1	1	-	-	-
Female.....	3	1	-	1	-	-	-	-	-	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	2	2	-	1	-	-
Male.....	4	-	-	-	-	-	-	2	2	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Harmful use (F16.1)													
All races, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental and behavioral disorders due to use of tobacco (F17)													
All races, both sexes.....	1,415	134	107	118	125	123	102	112	105	94	132	123	140
Male.....	823	84	59	63	77	74	60	73	59	56	76	64	78
Female.....	592	50	48	55	48	49	42	39	46	38	56	59	62
White, both sexes.....	1,269	117	100	110	120	112	92	101	86	86	112	110	123
Male.....	748	77	54	61	76	71	51	67	49	50	63	56	73
Female.....	521	40	46	49	44	41	41	34	37	36	49	54	50
Black, both sexes.....	102	11	5	7	4	10	2	4	15	5	14	11	14
Male.....	49	3	4	1	1	3	1	2	9	4	9	7	5
Female.....	53	8	1	6	3	7	1	2	6	1	5	4	9
American Indian 1/, both sexes.....	22	3	2	-	1	1	1	4	2	1	4	2	1
Male.....	10	1	1	-	-	-	1	2	1	1	2	1	-
Female.....	12	2	1	-	1	1	-	2	1	-	2	1	1
Asian or Pacific Islander 2/, both sexes.....	22	3	-	1	-	-	7	3	2	2	2	-	2
Male.....	16	3	-	1	-	-	7	2	-	1	2	-	-
Female.....	6	-	-	-	-	-	-	1	2	1	-	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Delusional disorder (F22.0)													
All races, both sexes.....	7	1	-	1	-	-	-	1	2	2	-	-	-
Male.....	6	1	-	1	-	-	-	1	2	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	6	1	-	1	-	-	-	-	2	2	-	-	-
Male.....	5	1	-	1	-	-	-	-	2	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute and transient psychotic disorders (F23)													
All races, both sexes.....	7	1	1	-	-	1	1	1	2	-	-	-	-
Male.....	5	-	1	-	-	1	-	1	2	-	-	-	-
Female.....	2	1	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	3	1	-	-	-	-	-	1	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bipolar affective disorder, unspecified (F31.9)													
All races, both sexes.....	84	10	5	6	8	5	8	9	4	7	9	5	8
Male.....	25	3	-	-	2	2	3	5	1	2	3	-	4
Female.....	59	7	5	6	6	3	5	4	3	5	6	5	4
White, both sexes.....	77	9	5	5	8	4	8	8	4	6	8	5	7
Male.....	23	3	-	-	2	1	3	5	1	1	3	-	4
Female.....	54	6	5	5	6	3	5	3	3	5	5	5	3
Black, both sexes.....	6	1	-	1	-	1	-	1	-	-	1	-	1
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	5	1	-	1	-	-	-	1	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Depressive episode (F32)													
All races, both sexes.....	623	61	53	66	57	42	43	47	45	42	45	65	57
Male.....	187	24	7	19	13	13	15	18	14	16	12	21	15
Female.....	436	37	46	47	44	29	28	29	31	26	33	44	42
White, both sexes.....	585	55	49	63	54	39	43	45	41	40	45	60	51
Male.....	174	21	7	18	12	11	15	17	13	15	12	20	13
Female.....	411	34	42	45	42	28	28	28	28	25	33	40	38
Black, both sexes.....	31	5	4	3	1	3	-	1	3	2	-	4	5
Male.....	11	3	-	1	-	2	-	-	1	1	-	1	2
Female.....	20	2	4	2	1	1	-	1	2	1	-	3	3
American Indian 1/, both sexes.....	4	-	-	-	2	-	-	1	-	-	-	-	1
Male.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	-	-	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	1	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other depressive episodes (F32.8)													
All races, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
White, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Depressive episode, unspecified (F32.9)													
All races, both sexes.....	540	54	47	55	50	36	36	42	35	39	36	59	51
Male.....	165	21	6	16	12	10	13	17	10	14	12	20	14
Female.....	375	33	41	39	38	26	23	25	25	25	24	39	37
White, both sexes.....	508	49	44	52	47	33	36	40	32	38	36	56	45
Male.....	154	19	6	15	11	8	13	16	9	14	12	19	12
Female.....	354	30	38	37	36	25	23	24	23	24	24	37	33
Black, both sexes.....	25	4	3	3	1	3	-	1	2	1	-	2	5
Male.....	9	2	-	1	-	2	-	-	1	-	-	1	2
Female.....	16	2	3	2	1	1	-	1	1	1	-	1	3
American Indian 1/, both sexes.....	4	-	-	-	2	-	-	1	-	-	-	-	1
Male.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	-	-	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	1	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bulimia nervosa (F50.2)													
All races, both sexes.....	11	1	1	3	1	-	-	-	-	1	1	3	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	1	1	3	1	-	-	-	-	1	1	3	-
White, both sexes.....	11	1	1	3	1	-	-	-	-	1	1	3	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	1	1	3	1	-	-	-	-	1	1	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other eating disorders (F50.8)													
All races, both sexes.....	68	7	7	10	8	4	4	6	3	4	10	3	2
Male.....	18	3	2	3	2	2	-	3	-	-	2	-	1
Female.....	50	4	5	7	6	2	4	3	3	4	8	3	1
White, both sexes.....	62	7	6	9	8	4	4	5	3	4	7	3	2
Male.....	17	3	2	3	2	2	-	3	-	-	1	-	1
Female.....	45	4	4	6	6	2	4	2	3	4	6	3	1
Black, both sexes.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	1	-	-	3	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sexual aversion and lack of sexual enjoyment (F52.1)													
All races, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Psychological and behavioral factors associated with disorders or diseases classified elsewhere (F54)													
All races, both sexes.....	182	21	17	16	10	9	16	10	13	12	13	18	27
Male.....	86	10	11	5	6	5	13	2	3	2	7	8	14
Female.....	96	11	6	11	4	4	3	8	10	10	6	10	13
White, both sexes.....	149	19	14	13	5	8	12	9	10	9	10	17	23
Male.....	69	10	9	4	3	4	9	2	2	2	6	7	11
Female.....	80	9	5	9	2	4	3	7	8	7	4	10	12
Black, both sexes.....	30	2	3	3	5	-	3	1	3	2	3	1	4
Male.....	15	-	2	1	3	-	3	-	1	-	1	1	3
Female.....	15	2	1	2	2	-	-	1	2	2	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Staphylococcal meningitis (G00.3)													
All races, both sexes.....	14	1	-	1	-	2	2	-	1	2	1	2	2
Male.....	9	-	-	1	-	1	2	-	-	1	1	1	2
Female.....	5	1	-	-	-	1	-	-	1	1	-	1	-
White, both sexes.....	12	1	-	1	-	1	1	-	1	2	1	2	2
Male.....	7	-	-	1	-	-	1	-	-	1	1	1	2
Female.....	5	1	-	-	-	1	-	-	1	-	-	1	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other bacterial meningitis (G00.8)													
All races, both sexes.....	19	1	-	4	2	3	2	4	1	1	1	-	-
Male.....	12	1	-	2	2	1	1	2	1	1	1	-	-
Female.....	7	-	-	2	-	2	1	2	-	-	-	-	-
White, both sexes.....	11	-	-	4	-	3	1	1	1	1	-	-	-
Male.....	6	-	-	2	-	1	-	1	1	1	-	-	-
Female.....	5	-	-	2	-	2	1	-	-	-	-	-	-
Black, both sexes.....	6	1	-	-	2	-	1	1	-	-	1	-	-
Male.....	5	1	-	-	2	-	1	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bacterial meningitis, unspecified (G00.9)													
All races, both sexes.....	167	20	16	20	21	10	10	11	5	11	11	13	19
Male.....	84	12	9	11	7	4	6	6	3	5	6	9	6
Female.....	83	8	7	9	14	6	4	5	2	6	5	4	13
White, both sexes.....	126	15	12	16	17	6	8	7	2	9	9	11	14
Male.....	65	9	5	10	7	3	5	5	-	4	5	7	5
Female.....	61	6	7	6	10	3	3	2	2	5	4	4	9
Black, both sexes.....	38	5	3	4	4	3	2	4	3	2	2	2	4
Male.....	18	3	3	1	-	1	1	1	3	1	1	2	1
Female.....	20	2	-	3	4	2	1	3	-	1	1	-	3
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Meningitis due to other and unspecified causes (G03)													
All races, both sexes.....	311	40	27	27	21	25	29	27	26	21	29	18	21
Male.....	154	15	13	13	13	10	17	17	15	14	7	9	11
Female.....	157	25	14	14	8	15	12	10	11	7	22	9	10
White, both sexes.....	244	33	19	24	19	16	24	23	18	18	20	13	17
Male.....	124	13	10	11	13	6	14	14	11	11	6	6	9
Female.....	120	20	9	13	6	10	10	9	7	7	14	7	8
Black, both sexes.....	60	7	7	3	2	9	4	3	7	3	8	4	3
Male.....	28	2	3	2	-	4	3	3	4	3	1	2	1
Female.....	32	5	4	1	2	5	1	-	3	-	7	2	2
American Indian 1/, both sexes.....	4	-	1	-	-	-	-	-	1	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	1	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Meningitis, unspecified (G03.9)													
All races, both sexes.....	284	38	25	26	19	22	27	24	23	18	25	17	20
Male.....	139	14	12	13	12	9	16	14	13	11	6	8	11
Female.....	145	24	13	13	7	13	11	10	10	7	19	9	9
White, both sexes.....	222	31	17	23	18	14	22	21	15	15	18	12	16
Male.....	110	12	9	11	12	5	13	12	9	8	5	5	9
Female.....	112	19	8	12	6	9	9	9	6	7	13	7	7
Black, both sexes.....	55	7	7	3	1	8	4	2	7	3	6	4	3
Male.....	27	2	3	2	-	4	3	2	4	3	1	2	1
Female.....	28	5	4	1	1	4	1	-	3	-	5	2	2
American Indian 1/, both sexes.....	4	-	1	-	-	-	-	-	1	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	1	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Encephalitis, myelitis, and encephalomyelitis (G04)													
All races, both sexes.....	287	31	22	14	23	18	21	29	32	26	29	15	27
Male.....	141	16	13	6	8	4	7	17	15	17	16	9	13
Female.....	146	15	9	8	15	14	14	12	17	9	13	6	14
White, both sexes.....	229	24	19	14	18	15	16	23	26	23	19	10	22
Male.....	120	15	12	6	5	4	5	14	14	16	11	8	10
Female.....	109	9	7	8	13	11	11	9	12	7	8	2	12
Black, both sexes.....	52	5	3	-	5	3	4	6	6	3	8	5	4
Male.....	21	1	1	-	3	-	2	3	1	1	5	1	3
Female.....	31	4	2	-	2	3	2	3	5	2	3	4	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	-	-	-	-	1	-	-	-	2	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	2	-	-	-	-	1	-	-	-	2	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other encephalitis, myelitis, and encephalomyelitis (G04.8)													
All races, both sexes.....	13	3	1	-	4	-	1	1	1	1	-	-	1
Male.....	8	1	-	-	3	-	-	1	1	1	-	-	1
Female.....	5	2	1	-	1	-	1	-	-	-	-	-	-
White, both sexes.....	9	1	1	-	2	-	1	1	1	1	-	-	1
Male.....	6	1	-	-	1	-	-	1	1	1	-	-	1
Female.....	3	-	1	-	1	-	1	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, myelitis, and encephalomyelitis, unspecified (G04.9)													
All races, both sexes.....	262	25	20	14	18	17	18	27	31	25	29	13	25
Male.....	128	13	12	6	4	4	7	16	14	16	16	9	11
Female.....	134	12	8	8	14	13	11	11	17	9	13	4	14
White, both sexes.....	211	21	17	14	16	14	13	22	25	22	19	8	20
Male.....	110	12	11	6	4	4	5	13	13	15	11	8	8
Female.....	101	9	6	8	12	10	8	9	12	7	8	-	12
Black, both sexes.....	47	4	3	-	2	3	4	5	6	3	8	5	4
Male.....	18	1	1	-	-	-	2	3	1	1	5	1	3
Female.....	29	3	2	-	2	3	2	2	5	2	3	4	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	-	-	2	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	-	-	2	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intracranial and intraspinal phlebitis and thrombophlebitis (G08)													
All races, both sexes.....	31	3	1	3	4	3	1	3	6	5	1	1	-
Male.....	9	-	-	-	3	1	1	-	2	2	-	-	-
Female.....	22	3	1	3	1	2	-	3	4	3	1	1	-
White, both sexes.....	24	3	-	2	3	2	1	3	4	4	1	1	-
Male.....	7	-	-	-	2	1	1	-	1	2	-	-	-
Female.....	17	3	-	2	1	1	-	3	3	2	1	1	-
Black, both sexes.....	4	-	-	-	1	1	-	-	1	1	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	1	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Sequelae of inflammatory diseases of central nervous system (G09)													
All races, both sexes.....	93	8	7	5	13	8	7	4	8	11	10	3	9
Male.....	53	3	5	2	9	2	5	3	6	4	6	3	5
Female.....	40	5	2	3	4	6	2	1	2	7	4	-	4
White, both sexes.....	72	7	5	3	11	7	7	2	4	9	8	3	6
Male.....	42	2	4	1	8	2	5	1	3	4	6	3	3
Female.....	30	5	1	2	3	5	2	1	1	5	2	-	3
Black, both sexes.....	16	1	2	1	2	-	-	2	2	1	2	-	3
Male.....	9	1	1	1	1	-	-	2	1	-	-	-	2
Female.....	7	-	1	-	1	-	-	-	1	1	2	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	1	-	-	2	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other inherited spinal muscular atrophy (G12.1)													
All races, both sexes.....	8	2	-	2	1	1	-	1	1	-	-	-	-
Male.....	6	2	-	1	1	-	-	1	1	-	-	-	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-
White, both sexes.....	8	2	-	2	1	1	-	1	1	-	-	-	-
Male.....	6	2	-	1	1	-	-	1	1	-	-	-	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor neuron disease (G12.2)													
All races, both sexes.....	5,954	516	496	516	463	483	449	457	474	475	513	521	591
Male.....	3,287	289	247	260	250	276	244	256	267	281	307	280	330
Female.....	2,667	227	249	256	213	207	205	201	207	194	206	241	261
White, both sexes.....	5,549	479	470	475	429	448	416	421	443	451	477	489	551
Male.....	3,063	268	235	241	230	257	227	233	251	269	285	260	307
Female.....	2,486	211	235	234	199	191	189	188	192	182	192	229	244
Black, both sexes.....	314	30	21	36	28	26	22	30	20	17	27	25	32
Male.....	168	17	9	16	15	13	10	19	11	7	17	15	19
Female.....	146	13	12	20	13	13	12	11	9	10	10	10	13
American Indian 1/, both sexes.....	22	2	-	-	-	2	3	2	3	2	3	3	2
Male.....	11	1	-	-	-	1	2	1	1	2	-	2	1
Female.....	11	1	-	-	-	1	1	1	2	-	3	1	1
Asian or Pacific Islander 2/, both sexes.....	69	5	5	5	6	7	8	4	8	5	6	4	6
Male.....	45	3	3	3	5	5	5	3	4	3	5	3	3
Female.....	24	2	2	2	1	2	3	1	4	2	1	1	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Spinal muscular atrophy, unspecified (G12.9)													
All races, both sexes.....	114	13	8	14	12	10	15	4	5	5	12	7	9
Male.....	57	8	4	6	4	7	8	3	1	-	6	4	6
Female.....	57	5	4	8	8	3	7	1	4	5	6	3	3
White, both sexes.....	100	9	7	14	10	9	13	4	5	5	10	6	8
Male.....	46	6	3	6	3	6	6	3	1	-	4	3	5
Female.....	54	3	4	8	7	3	7	1	4	5	6	3	3
Black, both sexes.....	7	2	-	-	1	-	-	-	-	-	2	1	1
Male.....	6	2	-	-	-	-	-	-	-	-	2	1	1
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	1	-	1	1	1	-	-	-	-	-	-
Male.....	4	-	1	-	1	1	1	-	-	-	-	-	-
Female.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Parkinson's disease (G20)													
All races, both sexes.....	19,431	1,786	1,711	1,865	1,606	1,489	1,401	1,520	1,436	1,521	1,630	1,650	1,816
Male.....	11,214	1,038	990	1,047	935	853	797	890	793	889	946	975	1,061
Female.....	8,217	748	721	818	671	636	604	630	643	632	684	675	755
White, both sexes.....	18,395	1,688	1,618	1,760	1,512	1,411	1,329	1,435	1,363	1,441	1,557	1,561	1,720
Male.....	10,627	987	936	985	882	813	759	840	752	846	905	920	1,002
Female.....	7,768	701	682	775	630	598	570	595	611	595	652	641	718
Black, both sexes.....	673	66	61	64	57	46	49	59	48	57	47	56	63
Male.....	375	31	35	37	30	24	24	32	29	32	28	35	38
Female.....	298	35	26	27	27	22	25	27	19	25	19	21	25
American Indian 1/, both sexes.....	56	4	2	7	3	5	6	5	1	5	4	10	4
Male.....	31	3	1	4	1	3	3	4	-	-	2	6	4
Female.....	25	1	1	3	2	2	3	1	1	5	2	4	-
Asian or Pacific Islander 2/, both sexes.....	307	28	30	34	34	27	17	21	24	18	22	23	29
Male.....	181	17	18	21	22	13	11	14	12	11	11	14	17
Female.....	126	11	12	13	12	14	6	7	12	7	11	9	12

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary parkinsonism (G21)													
All races, both sexes.....	135	13	12	10	12	9	11	12	16	11	8	5	16
Male.....	86	4	7	6	7	7	8	8	14	10	4	2	9
Female.....	49	9	5	4	5	2	3	4	2	1	4	3	7
White, both sexes.....	122	13	10	9	11	8	10	9	15	10	7	5	15
Male.....	79	4	7	6	6	7	7	6	13	9	3	2	9
Female.....	43	9	3	3	5	1	3	3	2	1	4	3	6
Black, both sexes.....	9	-	-	1	1	-	-	3	1	1	1	-	1
Male.....	6	-	-	-	1	-	-	2	1	1	1	-	-
Female.....	3	-	-	1	-	-	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	2	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	2	-	-	1	-	-	-	-	-	-	-
Malignant neuroleptic syndrome (G21.0)													
All races, both sexes.....	63	4	5	6	4	3	2	9	11	4	3	2	10
Male.....	40	1	3	3	3	2	1	6	9	4	2	1	5
Female.....	23	3	2	3	1	1	1	3	2	-	1	1	5
White, both sexes.....	53	4	4	5	3	2	2	6	11	3	2	2	9
Male.....	35	1	3	3	2	2	1	4	9	3	1	1	5
Female.....	18	3	1	2	1	-	1	2	2	-	1	1	4
Black, both sexes.....	8	-	-	1	1	-	-	3	-	1	1	-	1
Male.....	5	-	-	-	1	-	-	2	-	1	1	-	-
Female.....	3	-	-	1	-	-	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary parkinsonism, unspecified (G21.9)													
All races, both sexes.....	40	4	3	1	3	3	7	2	4	5	3	2	3
Male.....	28	1	3	1	1	2	7	2	4	4	1	-	2
Female.....	12	3	-	-	2	1	-	-	-	1	2	2	1
White, both sexes.....	38	4	3	1	3	3	6	2	3	5	3	2	3
Male.....	26	1	3	1	1	2	6	2	3	4	1	-	2
Female.....	12	3	-	-	2	1	-	-	-	1	2	2	1
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other degenerative diseases of basal ganglia (G23)													
All races, both sexes.....	229	17	22	27	10	19	17	22	24	8	19	18	26
Male.....	122	9	10	12	6	9	12	13	12	5	10	13	11
Female.....	107	8	12	15	4	10	5	9	12	3	9	5	15
White, both sexes.....	208	15	21	24	8	15	17	19	19	8	19	17	26
Male.....	112	9	10	10	4	7	12	12	10	5	10	12	11
Female.....	96	6	11	14	4	8	5	7	9	3	9	5	15
Black, both sexes.....	17	1	-	3	2	4	-	2	5	-	-	-	-
Male.....	9	-	-	2	2	2	-	1	2	-	-	-	-
Female.....	8	1	-	1	-	2	-	1	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	1	-	-	-	-	1	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	1	1	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Alzheimer's disease, unspecified (G30.9)													
All races, both sexes.....	70,487	6,541	5,892	6,703	5,772	5,594	5,147	5,200	5,174	5,277	6,136	6,274	6,777
Male.....	20,639	1,912	1,698	1,943	1,698	1,643	1,550	1,494	1,592	1,582	1,738	1,824	1,965
Female.....	49,848	4,629	4,194	4,760	4,074	3,951	3,597	3,706	3,582	3,695	4,398	4,450	4,812
White, both sexes.....	65,250	6,051	5,467	6,228	5,351	5,168	4,761	4,800	4,771	4,864	5,705	5,827	6,257
Male.....	19,163	1,775	1,602	1,797	1,577	1,512	1,447	1,380	1,481	1,460	1,617	1,691	1,824
Female.....	46,087	4,276	3,865	4,431	3,774	3,656	3,314	3,420	3,290	3,404	4,088	4,136	4,433
Black, both sexes.....	4,371	430	335	405	353	346	318	337	338	330	373	368	438
Male.....	1,174	119	70	120	94	98	80	92	90	92	102	103	114
Female.....	3,197	311	265	285	259	248	238	245	248	238	271	265	324
American Indian 1/, both sexes.....	167	17	18	7	12	14	13	12	12	11	10	22	19
Male.....	62	6	5	3	5	5	5	4	3	6	4	8	8
Female.....	105	11	13	4	7	9	8	8	9	5	6	14	11
Asian or Pacific Islander 2/, both sexes.....	699	43	72	63	56	66	55	51	53	72	48	57	63
Male.....	240	12	21	23	22	28	18	18	18	24	15	22	19
Female.....	459	31	51	40	34	38	37	33	35	48	33	35	44
Other degenerative diseases of nervous system, not elsewhere classified (G31)													
All races, both sexes.....	2,923	227	240	245	231	232	217	190	234	283	269	259	296
Male.....	1,413	108	111	111	113	130	93	93	122	138	131	124	139
Female.....	1,510	119	129	134	118	102	124	97	112	145	138	135	157
White, both sexes.....	2,716	203	228	225	216	218	203	181	215	258	251	241	277
Male.....	1,323	98	107	100	108	122	85	89	115	127	122	119	131
Female.....	1,393	105	121	125	108	96	118	92	100	131	129	122	146
Black, both sexes.....	167	18	8	19	12	13	8	6	16	22	16	15	14
Male.....	74	8	3	10	5	8	4	3	5	9	8	4	7
Female.....	93	10	5	9	7	5	4	3	11	13	8	11	7
American Indian 1/, both sexes.....	9	-	2	-	1	-	-	-	-	1	-	1	4
Male.....	3	-	1	-	-	-	-	-	-	1	-	-	1
Female.....	6	-	1	-	1	-	-	-	-	-	-	1	3
Asian or Pacific Islander 2/, both sexes.....	31	6	2	1	2	1	6	3	3	2	2	2	1
Male.....	13	2	-	1	-	-	4	1	2	1	1	1	-
Female.....	18	4	2	-	2	1	2	2	1	1	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Degeneration of nervous system due to alcohol (G31.2)													
All races, both sexes.....	111	14	8	11	7	7	2	9	13	9	10	8	13
Male.....	88	9	7	11	5	7	2	7	10	8	9	6	7
Female.....	23	5	1	-	2	-	-	2	3	1	1	2	6
White, both sexes.....	95	13	8	10	5	6	2	8	12	6	7	8	10
Male.....	78	9	7	10	4	6	2	6	10	6	6	6	6
Female.....	17	4	1	-	1	-	-	2	2	-	1	2	4
Black, both sexes.....	14	1	-	1	2	1	-	1	1	3	3	-	1
Male.....	10	-	-	1	1	1	-	1	-	2	3	-	1
Female.....	4	1	-	-	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified degenerative diseases of nervous system (G31.8)													
All races, both sexes.....	1,150	83	83	85	95	99	80	80	96	112	110	103	124
Male.....	668	46	46	45	55	68	41	44	63	68	62	62	68
Female.....	482	37	37	40	40	31	39	36	33	44	48	41	56
White, both sexes.....	1,111	77	81	81	89	97	78	79	92	107	108	101	121
Male.....	652	43	45	44	53	67	40	44	61	64	62	62	67
Female.....	459	34	36	37	36	30	38	35	31	43	46	39	54
Black, both sexes.....	25	4	1	4	3	2	-	-	3	3	2	2	1
Male.....	11	3	1	1	2	1	-	-	1	2	-	-	-
Female.....	14	1	-	3	1	1	-	-	2	1	2	2	1
American Indian 1/, both sexes.....	3	-	-	-	1	-	-	-	-	1	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	2	1	-	2	-	2	1	1	1	-	-	1
Male.....	3	-	-	-	-	-	1	-	1	1	-	-	-
Female.....	8	2	1	-	2	-	1	1	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Degenerative disease of nervous system, unspecified (G31.9)													
All races, both sexes.....	1,402	107	124	123	111	107	114	87	113	132	123	125	136
Male.....	539	42	43	46	44	47	43	36	45	46	48	47	52
Female.....	863	65	81	77	67	60	71	51	68	86	75	78	84
White, both sexes.....	1,261	91	116	109	104	96	103	80	100	119	110	110	123
Male.....	481	36	40	38	42	41	37	33	40	44	42	42	46
Female.....	780	55	76	71	62	55	66	47	60	75	68	68	77
Black, both sexes.....	119	12	5	13	7	10	7	5	12	13	11	12	12
Male.....	47	4	2	7	2	6	3	2	4	2	5	4	6
Female.....	72	8	3	6	5	4	4	3	8	11	6	8	6
American Indian 1/, both sexes.....	4	-	2	-	-	-	-	-	-	-	-	1	1
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	18	4	1	1	-	1	4	2	1	-	2	2	-
Male.....	10	2	-	1	-	-	3	1	1	-	1	1	-
Female.....	8	2	1	-	-	1	1	1	-	-	1	1	-
Multiple sclerosis (G35)													
All races, both sexes.....	3,446	320	274	303	290	303	258	296	257	261	307	256	321
Male.....	1,189	113	92	113	102	94	94	123	68	99	87	88	116
Female.....	2,257	207	182	190	188	209	164	173	189	162	220	168	205
White, both sexes.....	3,041	286	241	272	251	262	223	256	233	232	273	230	282
Male.....	1,071	105	81	107	93	82	80	106	65	90	75	82	105
Female.....	1,970	181	160	165	158	180	143	150	168	142	198	148	177
Black, both sexes.....	381	31	30	29	37	39	32	35	24	28	34	24	38
Male.....	114	8	11	5	9	11	13	17	3	9	12	6	10
Female.....	267	23	19	24	28	28	19	18	21	19	22	18	28
American Indian 1/, both sexes.....	12	-	2	2	1	2	1	3	-	-	-	1	-
Male.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	10	-	2	1	1	1	3	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	12	3	1	-	1	-	2	2	-	1	-	1	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	10	3	1	-	1	-	1	2	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute transverse myelitis in demyelinating disease of central nervous system (G37.3)													
All races, both sexes.....	65	12	8	4	3	3	6	5	5	3	5	7	4
Male.....	29	8	5	2	1	2	4	1	-	2	3	1	-
Female.....	36	4	3	2	2	1	2	4	5	1	2	6	4
White, both sexes.....	54	10	4	4	3	3	6	4	4	3	4	6	3
Male.....	26	8	2	2	1	2	4	1	-	2	3	1	-
Female.....	28	2	2	2	2	1	2	3	4	1	1	5	3
Black, both sexes.....	9	2	4	-	-	-	-	-	-	-	1	1	1
Male.....	3	-	3	-	-	-	-	-	-	-	-	-	-
Female.....	6	2	1	-	-	-	-	-	-	-	1	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Other specified demyelinating diseases of central nervous system (G37.8)													
All races, both sexes.....	12	1	1	-	1	1	2	1	-	2	1	2	-
Male.....	9	1	-	-	1	1	2	-	-	2	-	2	-
Female.....	3	-	1	-	-	-	-	1	-	-	1	-	-
White, both sexes.....	7	-	-	-	1	1	1	-	-	1	1	2	-
Male.....	6	-	-	-	1	1	1	-	-	1	-	2	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	3	1	-	-	-	-	1	-	-	1	-	-	-
Male.....	3	1	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Demyelinating disease of central nervous system, unspecified (G37.9)													
All races, both sexes.....	57	6	5	4	3	5	5	8	3	4	3	7	4
Male.....	21	3	3	1	1	-	3	2	1	2	1	3	1
Female.....	36	3	2	3	2	5	2	6	2	2	2	4	3
White, both sexes.....	46	5	4	4	2	4	4	7	3	3	1	6	3
Male.....	18	3	3	1	1	-	2	1	1	2	-	3	1
Female.....	28	2	1	3	1	4	2	6	2	1	1	3	2
Black, both sexes.....	9	1	1	-	-	1	1	-	-	1	2	1	1
Male.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	7	1	1	-	-	1	-	-	-	1	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Epilepsy (G40)													
All races, both sexes.....	919	92	58	77	70	66	76	76	69	82	90	83	80
Male.....	517	56	31	48	41	36	42	44	36	46	47	52	38
Female.....	402	36	27	29	29	30	34	32	33	36	43	31	42
White, both sexes.....	727	78	45	58	53	55	62	56	58	63	70	62	67
Male.....	401	51	23	36	30	31	32	30	28	33	38	36	33
Female.....	326	27	22	22	23	24	30	26	30	30	32	26	34
Black, both sexes.....	169	13	13	17	16	11	12	18	10	17	15	16	11
Male.....	101	5	8	10	10	5	9	12	7	13	5	13	4
Female.....	68	8	5	7	6	6	3	6	3	4	10	3	7
American Indian 1/, both sexes.....	10	1	-	1	-	-	1	1	-	-	3	3	-
Male.....	6	-	-	1	-	-	1	1	-	-	2	1	-
Female.....	4	1	-	-	-	-	-	-	-	-	1	2	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	1	1	-	1	1	1	2	2	2	2
Male.....	9	-	-	1	1	-	-	1	1	-	2	2	1
Female.....	4	-	-	-	-	-	1	-	-	2	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Special epileptic syndromes (G40.5)													
All races, both sexes.....	5	-	-	1	1	-	-	-	1	2	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	3	-	-	1	-	-	-	-	1	1	-	-	-
White, both sexes.....	3	-	-	-	-	-	-	-	1	2	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Black, both sexes.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Grand mal seizures, unspecified (with or without petit mal) (G40.6)													
All races, both sexes.....	139	11	8	12	9	12	10	15	12	14	11	11	14
Male.....	73	8	3	7	4	7	6	6	6	8	4	6	8
Female.....	66	3	5	5	5	5	4	9	6	6	7	5	6
White, both sexes.....	109	8	5	11	7	10	8	11	11	11	6	9	12
Male.....	56	6	2	6	3	6	4	3	5	6	3	4	8
Female.....	53	2	3	5	4	4	4	8	6	5	3	5	4
Black, both sexes.....	27	3	3	-	2	2	2	4	1	2	4	2	2
Male.....	15	2	1	-	1	1	2	3	1	2	-	2	-
Female.....	12	1	2	-	1	1	-	1	-	-	4	-	2
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Epilepsy, unspecified (G40.9)													
All races, both sexes.....	708	75	48	58	57	47	60	58	50	58	72	65	60
Male.....	405	45	27	38	34	26	32	35	27	34	39	41	27
Female.....	303	30	21	20	23	21	28	23	23	24	33	24	33
White, both sexes.....	558	65	38	41	43	38	50	42	40	43	60	47	51
Male.....	312	42	20	27	25	22	25	24	20	23	33	28	23
Female.....	246	23	18	14	18	16	25	18	20	20	27	19	28
Black, both sexes.....	132	9	10	16	13	9	8	14	9	14	9	14	7
Male.....	82	3	7	10	8	4	6	9	6	11	4	11	3
Female.....	50	6	3	6	5	5	2	5	3	3	5	3	4
American Indian 1/, both sexes.....	7	1	-	-	-	-	1	1	-	-	1	3	-
Male.....	3	-	-	-	-	-	1	1	-	-	-	1	-
Female.....	4	1	-	-	-	-	-	-	-	-	1	2	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	1	1	-	1	1	1	1	2	1	2
Male.....	8	-	-	1	1	-	-	1	1	-	2	1	1
Female.....	3	-	-	-	-	-	1	-	-	1	-	-	1
Status epilepticus (G41)													
All races, both sexes.....	510	47	40	33	41	47	42	47	46	37	51	39	40
Male.....	240	25	17	10	16	22	21	22	22	15	27	22	21
Female.....	270	22	23	23	25	25	21	25	24	22	24	17	19
White, both sexes.....	358	35	26	25	27	38	27	30	36	27	33	27	27
Male.....	170	21	11	6	11	17	14	14	19	10	17	13	17
Female.....	188	14	15	19	16	21	13	16	17	17	16	14	10
Black, both sexes.....	135	7	12	7	14	8	15	15	8	9	17	11	12
Male.....	63	3	6	3	5	5	7	6	3	5	9	8	3
Female.....	72	4	6	4	9	3	8	9	5	4	8	3	9
American Indian 1/, both sexes.....	4	1	-	-	-	-	-	1	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	4	2	1	-	1	-	1	1	-	1	1	1
Male.....	6	1	-	1	-	-	-	1	-	-	1	1	1
Female.....	7	3	2	-	-	1	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Transient cerebral ischemic attack, unspecified (G45.9)													
All races, both sexes.....	118	12	13	14	9	10	10	9	9	9	11	5	7
Male.....	42	8	6	3	3	4	3	2	1	4	4	4	-
Female.....	76	4	7	11	6	6	7	7	8	5	7	1	7
White, both sexes.....	103	11	12	13	7	9	7	8	8	8	9	5	6
Male.....	39	7	5	3	3	4	2	2	1	4	4	4	-
Female.....	64	4	7	10	4	5	5	6	7	4	5	1	6
Black, both sexes.....	12	-	1	1	2	1	2	1	1	1	2	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	-	1	2	1	2	1	1	1	2	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Sleep disorders (G47)													
All races, both sexes.....	741	55	59	65	73	68	62	53	59	61	49	70	67
Male.....	406	31	38	33	45	40	31	22	28	38	29	33	38
Female.....	335	24	21	32	28	28	31	31	31	23	20	37	29
White, both sexes.....	616	47	52	56	61	58	49	44	47	54	35	55	58
Male.....	351	28	35	28	37	35	26	21	24	34	21	26	36
Female.....	265	19	17	28	24	23	23	23	23	20	14	29	22
Black, both sexes.....	117	8	6	9	12	9	13	8	11	6	12	14	9
Male.....	51	3	2	5	8	5	5	1	3	3	7	7	2
Female.....	66	5	4	4	4	4	8	7	8	3	5	7	7
American Indian 1/, both sexes.....	4	-	1	-	-	-	-	1	-	-	1	1	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	-	1	1	1	-	-
Male.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of initiating and maintaining sleep [insomnias] (G47.0)													
All races, both sexes.....	5	-	-	-	-	-	1	-	1	-	1	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	4	-	-	-	-	-	1	-	1	-	-	1	1
White, both sexes.....	5	-	-	-	-	-	1	-	1	-	1	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	4	-	-	-	-	-	1	-	1	-	-	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Sleep apnea (G47.3)													
All races, both sexes.....	728	55	58	65	72	68	60	51	58	60	48	68	65
Male.....	404	31	38	33	45	40	31	22	28	38	28	33	37
Female.....	324	24	20	32	27	28	29	29	30	22	20	35	28
White, both sexes.....	603	47	51	56	60	58	47	42	46	53	34	53	56
Male.....	349	28	35	28	37	35	26	21	24	34	20	26	35
Female.....	254	19	16	28	23	23	21	21	22	19	14	27	21
Black, both sexes.....	117	8	6	9	12	9	13	8	11	6	12	14	9
Male.....	51	3	2	5	8	5	5	1	3	3	7	7	2
Female.....	66	5	4	4	4	4	8	7	8	3	5	7	7
American Indian 1/, both sexes.....	4	-	1	-	-	-	-	1	-	-	1	1	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	-	1	1	1	-	-
Male.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of trigeminal nerve (G50)													
All races, both sexes.....	7	1	2	-	-	-	1	-	2	-	-	-	1
Male.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	5	1	1	-	-	-	1	-	1	-	-	-	1
White, both sexes.....	6	1	2	-	-	-	1	-	1	-	-	-	1
Male.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	4	1	1	-	-	-	1	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Trigeminal neuralgia (G50.0)													
All races, both sexes.....	7	1	2	-	-	-	1	-	2	-	-	-	1
Male.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	5	1	1	-	-	-	1	-	1	-	-	-	1
White, both sexes.....	6	1	2	-	-	-	1	-	1	-	-	-	1
Male.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	4	1	1	-	-	-	1	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Inflammatory polyneuropathy, unspecified (G61.9)													
All races, both sexes.....	4	-	-	1	1	-	1	-	-	-	1	-	-
Male.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	1	-	-
White, both sexes.....	4	-	-	1	1	-	1	-	-	-	1	-	-
Male.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other polyneuropathies (G62)													
All races, both sexes.....	333	26	28	32	16	34	30	27	25	32	29	29	25
Male.....	179	14	15	17	7	15	16	15	18	13	18	21	10
Female.....	154	12	13	15	9	19	14	12	7	19	11	8	15
White, both sexes.....	302	24	27	31	16	31	24	24	21	29	27	26	22
Male.....	159	12	15	17	7	13	13	13	15	11	16	18	9
Female.....	143	12	12	14	9	18	11	11	6	18	11	8	13
Black, both sexes.....	24	1	-	-	-	3	6	2	2	3	2	2	3
Male.....	16	1	-	-	-	2	3	1	2	2	2	2	1
Female.....	8	-	-	-	-	1	3	1	-	1	-	-	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	1	1	-	-	-	1	2	-	-	-	-
Male.....	3	1	-	-	-	-	-	1	1	-	-	-	-
Female.....	3	-	1	1	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Alcoholic polyneuropathy (G62.1)													
All races, both sexes.....	4	-	-	1	1	1	-	-	-	-	-	1	-
Male.....	4	-	-	1	1	1	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	1	1	1	-	-	-	-	-	-	-
Male.....	3	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified polyneuropathies (G62.8)													
All races, both sexes.....	88	10	9	8	3	11	6	6	5	8	7	11	4
Male.....	50	4	6	5	3	6	4	2	3	5	4	7	1
Female.....	38	6	3	3	-	5	2	4	2	3	3	4	3
White, both sexes.....	79	9	9	7	3	9	6	5	3	7	7	10	4
Male.....	44	3	6	5	3	5	4	1	2	4	4	6	1
Female.....	35	6	3	2	-	4	2	4	1	3	3	4	3
Black, both sexes.....	4	-	-	-	-	2	-	-	-	1	-	1	-
Male.....	3	-	-	-	-	1	-	-	-	1	-	1	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	1	-	-	-	1	2	-	-	-	-
Male.....	3	1	-	-	-	-	-	1	1	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Polyneuropathy, unspecified (G62.9)													
All races, both sexes.....	241	16	19	23	12	22	24	21	20	24	22	17	21
Male.....	125	10	9	11	3	8	12	13	15	8	14	13	9
Female.....	116	6	10	12	9	14	12	8	5	16	8	4	12
White, both sexes.....	220	15	18	23	12	21	18	19	18	22	20	16	18
Male.....	112	9	9	11	3	7	9	12	13	7	12	12	8
Female.....	108	6	9	12	9	14	9	7	5	15	8	4	10
Black, both sexes.....	20	1	-	-	-	1	6	2	2	2	2	1	3
Male.....	13	1	-	-	-	1	3	1	2	1	2	1	1
Female.....	7	-	-	-	-	-	3	1	-	1	-	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Myasthenia gravis and other myoneural disorders (G70)													
All races, both sexes.....	809	79	65	93	73	63	51	71	39	75	60	65	75
Male.....	437	47	31	49	40	26	30	33	20	46	34	37	44
Female.....	372	32	34	44	33	37	21	38	19	29	26	28	31
White, both sexes.....	740	76	60	87	65	61	44	58	35	73	54	58	69
Male.....	408	46	29	45	39	26	25	28	19	45	30	34	42
Female.....	332	30	31	42	26	35	19	30	16	28	24	24	27
Black, both sexes.....	50	1	3	4	3	2	5	10	3	2	6	7	4
Male.....	21	-	2	2	-	-	4	4	1	1	4	3	-
Female.....	29	1	1	2	3	2	1	6	2	1	2	4	4
American Indian 1/, both sexes.....	7	-	1	1	2	-	1	1	-	-	-	-	1
Male.....	4	-	-	1	1	-	1	-	-	-	-	-	1
Female.....	3	-	1	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	2	1	1	3	-	1	2	1	-	-	-	1
Male.....	4	1	-	1	-	-	-	1	-	-	-	-	1
Female.....	8	1	1	-	3	-	1	1	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myoneural disorder, unspecified (G70.9)													
All races, both sexes.....	230	16	13	23	26	17	22	23	11	18	19	18	24
Male.....	122	9	7	16	14	7	12	11	5	11	9	8	13
Female.....	108	7	6	7	12	10	10	12	6	7	10	10	11
White, both sexes.....	205	15	13	22	24	17	18	15	11	17	18	15	20
Male.....	109	8	7	15	13	7	10	7	5	10	8	7	12
Female.....	96	7	6	7	11	10	8	8	6	7	10	8	8
Black, both sexes.....	20	-	-	1	1	-	3	7	-	1	1	3	3
Male.....	9	-	-	1	-	-	2	3	-	1	1	1	-
Female.....	11	-	-	-	1	-	1	4	-	-	-	2	3
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	-	1	1	-	-	-	-	1
Male.....	3	1	-	-	-	-	-	1	-	-	-	-	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Primary disorders of muscles (G71)													
All races, both sexes.....	1,175	109	104	109	99	94	77	97	81	96	100	80	129
Male.....	752	77	63	66	65	66	48	60	55	64	56	46	86
Female.....	423	32	41	43	34	28	29	37	26	32	44	34	43
White, both sexes.....	1,074	95	95	95	84	86	71	91	76	95	90	74	122
Male.....	682	65	59	55	55	60	44	56	52	64	49	42	81
Female.....	392	30	36	40	29	26	27	35	24	31	41	32	41
Black, both sexes.....	78	13	7	10	12	8	3	4	4	1	8	5	3
Male.....	54	11	4	9	7	6	3	2	2	-	5	3	2
Female.....	24	2	3	1	5	2	-	2	2	1	3	2	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	20	1	2	4	3	-	3	2	1	-	1	-	3
Male.....	14	1	-	2	3	-	1	2	1	-	1	-	3
Female.....	6	-	2	2	-	-	2	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myopathy, unspecified (G72.9)													
All races, both sexes.....	97	12	8	7	4	6	6	15	4	5	10	9	11
Male.....	47	5	4	4	2	4	3	5	3	4	5	3	5
Female.....	50	7	4	3	2	2	3	10	1	1	5	6	6
White, both sexes.....	80	10	5	7	2	5	5	15	4	4	8	8	7
Male.....	40	3	4	4	1	3	2	5	3	4	4	3	4
Female.....	40	7	1	3	1	2	3	10	1	-	4	5	3
Black, both sexes.....	16	2	3	-	2	1	1	-	-	1	2	1	3
Male.....	7	2	-	-	1	1	1	-	-	-	1	-	1
Female.....	9	-	3	-	1	-	-	-	-	1	1	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Infantile cerebral palsy (G80)													
All races, both sexes.....	1,487	138	134	120	139	118	125	118	128	114	88	108	157
Male.....	824	72	68	61	78	66	69	70	71	67	51	63	88
Female.....	663	66	66	59	61	52	56	48	57	47	37	45	69
White, both sexes.....	1,169	109	104	91	112	96	112	97	95	84	66	84	119
Male.....	657	58	53	47	63	51	59	55	57	52	41	51	70
Female.....	512	51	51	44	49	45	53	42	38	32	25	33	49
Black, both sexes.....	285	26	25	22	25	22	12	21	29	26	21	22	34
Male.....	151	11	14	11	14	15	9	15	13	13	10	10	16
Female.....	134	15	11	11	11	7	3	6	16	13	11	12	18
American Indian 1/, both sexes.....	12	1	1	2	-	-	-	-	1	2	-	2	3
Male.....	7	1	-	1	-	-	-	-	-	1	-	2	2
Female.....	5	-	1	1	-	-	-	1	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	21	2	4	5	2	-	1	-	3	2	1	-	1
Male.....	9	2	1	2	1	-	1	-	1	1	-	-	-
Female.....	12	-	3	3	1	-	-	-	2	1	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other infantile cerebral palsy (G80.8)													
All races, both sexes.....	56	6	2	5	12	1	3	3	4	3	5	4	8
Male.....	38	3	1	4	8	-	2	2	4	3	2	3	6
Female.....	18	3	1	1	4	1	1	1	-	-	3	1	2
White, both sexes.....	46	4	2	5	11	1	2	3	3	2	4	2	7
Male.....	32	3	1	4	7	-	1	2	3	2	1	2	6
Female.....	14	1	1	1	4	1	1	1	-	-	3	-	1
Black, both sexes.....	10	2	-	-	1	-	1	-	1	1	1	2	1
Male.....	6	-	-	-	1	-	1	-	1	1	1	1	-
Female.....	4	2	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Infantile cerebral palsy, unspecified (G80.9)													
All races, both sexes.....	1,416	129	131	113	125	116	120	115	124	110	82	103	148
Male.....	779	69	66	57	69	65	65	68	67	63	49	59	82
Female.....	637	60	65	56	56	51	55	47	57	47	33	44	66
White, both sexes.....	1,109	102	101	84	99	94	108	94	92	82	61	81	111
Male.....	619	55	51	43	55	50	56	53	54	50	40	48	64
Female.....	490	47	50	41	44	44	52	41	38	32	21	33	47
Black, both sexes.....	274	24	25	22	24	22	11	21	28	24	20	20	33
Male.....	144	11	14	11	13	15	8	15	12	11	9	9	16
Female.....	130	13	11	11	11	7	3	6	16	13	11	11	17
American Indian 1/, both sexes.....	12	1	1	2	-	-	-	-	1	2	-	2	3
Male.....	7	1	-	1	-	-	-	-	-	1	-	2	2
Female.....	5	-	1	1	-	-	-	-	1	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	21	2	4	5	2	-	1	-	3	2	1	-	1
Male.....	9	2	1	2	1	-	1	-	1	1	-	-	-
Female.....	12	-	3	3	1	-	-	-	2	1	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hemiplegia, unspecified (G81.9)													
All races, both sexes.....	74	7	7	4	5	8	6	5	8	2	8	8	6
Male.....	34	3	4	2	2	4	3	-	3	2	5	3	3
Female.....	40	4	3	2	3	4	3	5	5	-	3	5	3
White, both sexes.....	60	5	6	3	2	8	6	5	7	2	6	4	6
Male.....	26	2	3	1	-	4	3	-	3	2	3	2	3
Female.....	34	3	3	2	2	4	3	5	4	-	3	2	3
Black, both sexes.....	12	2	1	1	3	-	-	-	1	-	2	2	-
Male.....	7	1	1	1	2	-	-	-	-	-	2	-	-
Female.....	5	1	-	-	1	-	-	-	1	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Paraplegia and tetraplegia (G82)													
All races, both sexes.....	739	71	70	79	60	59	51	59	41	57	57	61	74
Male.....	511	51	49	57	41	44	35	39	25	38	42	48	42
Female.....	228	20	21	22	19	15	16	20	16	19	15	13	32
White, both sexes.....	597	57	60	71	49	42	40	39	33	50	45	48	63
Male.....	414	41	44	53	35	30	26	25	22	34	32	37	35
Female.....	183	16	16	18	14	12	14	14	11	16	13	11	28
Black, both sexes.....	118	11	8	7	10	12	10	17	6	6	11	12	8
Male.....	82	8	5	4	5	9	8	13	2	4	9	10	5
Female.....	36	3	3	3	5	3	2	4	4	2	2	2	3
American Indian 1/, both sexes.....	9	3	1	-	-	1	-	2	1	-	-	-	1
Male.....	6	2	-	-	-	1	-	1	1	-	-	-	1
Female.....	3	1	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	1	1	1	4	1	1	1	1	1	1	2
Male.....	9	-	-	-	1	4	1	-	-	-	1	1	1
Female.....	6	-	1	1	-	-	-	1	1	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Spastic tetraplegia (G82.4)													
All races, both sexes.....	48	7	6	5	2	4	4	5	1	5	1	4	4
Male.....	28	5	2	3	1	3	3	4	-	3	1	3	-
Female.....	20	2	4	2	1	1	1	1	1	2	-	1	4
White, both sexes.....	35	4	5	4	2	4	3	3	-	5	-	1	4
Male.....	19	2	1	3	1	3	2	3	-	3	-	1	-
Female.....	16	2	4	1	1	1	1	-	-	2	-	-	4
Black, both sexes.....	10	3	1	-	-	-	1	1	1	-	-	3	-
Male.....	8	3	1	-	-	-	1	1	-	-	-	2	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	-	1	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Tetraplegia, unspecified (G82.5)													
All races, both sexes.....	378	34	35	42	31	30	26	31	20	30	31	36	32
Male.....	288	27	29	31	24	26	20	21	14	20	27	27	22
Female.....	90	7	6	11	7	4	6	10	6	10	4	9	10
White, both sexes.....	295	25	32	35	23	19	20	21	14	26	23	30	27
Male.....	228	21	27	27	20	15	15	13	11	18	20	22	19
Female.....	67	4	5	8	3	4	5	8	3	8	3	8	8
Black, both sexes.....	69	6	2	7	7	9	5	9	4	3	8	5	4
Male.....	50	4	2	4	3	9	4	7	2	2	7	4	2
Female.....	19	2	-	3	4	-	1	2	2	1	1	1	2
American Indian 1/, both sexes.....	7	3	-	-	-	1	-	1	1	-	-	-	1
Male.....	6	2	-	-	-	1	-	1	1	-	-	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	1	-	1	1	1	-	1	1	-	1	-
Male.....	4	-	-	-	1	1	1	-	-	-	-	1	-
Female.....	3	-	1	-	-	-	-	-	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Paralytic syndrome, unspecified (G83.9)													
All races, both sexes.....	57	3	8	6	3	5	2	4	5	3	7	3	8
Male.....	28	1	2	1	2	5	-	3	3	1	4	2	4
Female.....	29	2	6	5	1	-	2	1	2	2	3	1	4
White, both sexes.....	48	2	6	6	3	4	2	4	5	2	6	2	6
Male.....	24	1	2	1	2	4	-	3	3	1	3	1	3
Female.....	24	1	4	5	1	-	2	1	2	1	3	1	3
Black, both sexes.....	8	1	2	-	-	1	-	-	-	1	1	1	1
Male.....	4	-	-	-	-	1	-	-	-	-	1	1	1
Female.....	4	1	2	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Disorders of autonomic nervous system (G90)													
All races, both sexes.....	220	18	16	16	20	12	20	22	11	18	25	19	23
Male.....	143	12	12	10	12	8	13	16	7	8	17	13	15
Female.....	77	6	4	6	8	4	7	6	4	10	8	6	8
White, both sexes.....	200	18	14	15	16	9	18	20	8	18	23	19	22
Male.....	133	12	11	10	11	7	13	14	4	8	16	13	14
Female.....	67	6	3	5	5	2	5	6	4	10	7	6	8
Black, both sexes.....	14	-	2	-	2	2	1	1	3	-	2	-	1
Male.....	8	-	1	-	1	-	-	1	3	-	1	-	1
Female.....	6	-	1	-	1	2	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	1	1	1	1	-	-	-	-	-
Male.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	3	-	-	1	1	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Obstructive hydrocephalus (G91.1)													
All races, both sexes.....	40	5	-	2	6	3	1	7	2	3	3	3	5
Male.....	18	2	-	2	1	1	1	3	1	1	1	2	3
Female.....	22	3	-	-	5	2	-	4	1	2	2	1	2
White, both sexes.....	31	3	-	1	4	3	1	4	2	2	3	3	5
Male.....	14	1	-	1	-	1	1	2	1	1	1	2	3
Female.....	17	2	-	-	4	2	-	2	1	1	2	1	2
Black, both sexes.....	6	2	-	1	2	-	-	1	-	-	-	-	-
Male.....	4	1	-	1	1	-	-	1	-	-	-	-	-
Female.....	2	1	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	2	-	1	-	-	-
Normal-pressure hydrocephalus (G91.2)													
All races, both sexes.....	261	28	18	29	19	24	20	19	22	18	26	17	21
Male.....	153	16	10	16	12	15	15	10	13	8	15	11	12
Female.....	108	12	8	13	7	9	5	9	9	10	11	6	9
White, both sexes.....	244	27	18	25	17	24	19	18	19	14	26	17	20
Male.....	145	15	10	14	11	15	15	10	11	6	15	11	12
Female.....	99	12	8	11	6	9	4	8	8	8	11	6	8
Black, both sexes.....	12	1	-	4	1	-	1	1	2	1	-	-	1
Male.....	5	1	-	2	-	-	-	-	1	1	-	-	-
Female.....	7	-	-	2	1	-	1	1	1	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	-	-	1	2	-	-	-
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	2	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other hydrocephalus (G91.8)													
All races, both sexes.....	13	2	3	-	3	-	2	1	-	-	-	1	1
Male.....	9	2	2	-	3	-	2	-	-	-	-	-	-
Female.....	4	-	1	-	-	-	-	1	-	-	-	1	1
White, both sexes.....	9	1	3	-	3	-	1	-	-	-	-	-	1
Male.....	7	1	2	-	3	-	1	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	3	-	-	-	-	-	1	1	-	-	-	1	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrocephalus, unspecified (G91.9)													
All races, both sexes.....	362	33	24	42	27	22	19	31	24	33	39	28	40
Male.....	214	24	15	24	20	14	9	21	11	18	15	18	25
Female.....	148	9	9	18	7	8	10	10	13	15	24	10	15
White, both sexes.....	282	26	21	37	22	19	13	23	20	23	30	17	31
Male.....	167	18	13	20	17	12	5	17	8	14	11	11	21
Female.....	115	8	8	17	5	7	8	6	12	9	19	6	10
Black, both sexes.....	73	7	3	4	4	3	6	8	4	8	8	10	8
Male.....	41	6	2	3	2	2	4	4	3	3	3	6	3
Female.....	32	1	1	1	2	1	2	4	1	5	5	4	5
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	1	1	-	-	-	-	2	1	1	1
Male.....	6	-	-	1	1	-	-	-	-	1	1	1	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Toxic encephalopathy (G92)													
All races, both sexes.....	64	4	7	4	5	2	6	5	10	2	8	5	6
Male.....	30	2	2	-	3	2	5	2	3	-	5	3	3
Female.....	34	2	5	4	2	-	1	3	7	2	3	2	3
White, both sexes.....	57	1	7	4	4	2	5	5	10	2	7	5	5
Male.....	25	-	2	-	2	2	4	2	3	-	4	3	3
Female.....	32	1	5	4	2	-	1	3	7	2	3	2	2
Black, both sexes.....	6	3	-	-	-	-	1	-	-	-	1	-	1
Male.....	4	2	-	-	-	-	1	-	-	-	1	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of brain (G93)													
All races, both sexes.....	6,656	609	553	597	572	578	496	475	507	523	611	549	586
Male.....	3,347	295	270	295	308	313	252	238	256	250	319	271	280
Female.....	3,309	314	283	302	264	265	244	237	251	273	292	278	306
White, both sexes.....	5,014	456	429	450	430	444	368	355	362	388	472	424	436
Male.....	2,595	229	218	233	242	239	194	180	188	194	251	213	214
Female.....	2,419	227	211	217	188	205	174	175	174	194	221	211	222
Black, both sexes.....	1,440	125	109	134	120	120	116	104	122	117	125	113	135
Male.....	662	53	47	59	58	65	50	51	56	50	63	53	57
Female.....	778	72	62	75	62	55	66	53	66	67	62	60	78
American Indian 1/, both sexes.....	55	7	4	5	7	3	1	3	7	5	3	7	3
Male.....	22	3	3	2	2	1	1	1	4	-	1	3	1
Female.....	33	4	1	3	5	2	-	2	3	5	2	4	2
Asian or Pacific Islander 2/, both sexes.....	147	21	11	8	15	11	11	13	16	13	11	5	12
Male.....	68	10	2	1	6	8	7	6	8	6	4	2	8
Female.....	79	11	9	7	9	3	4	7	8	7	7	3	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral cysts (G93.0)													
All races, both sexes.....	37	4	5	1	5	3	2	4	1	2	4	4	2
Male.....	17	3	1	-	4	2	2	2	1	-	2	-	-
Female.....	20	1	4	1	1	1	-	2	-	2	2	4	2
White, both sexes.....	29	3	5	-	2	3	2	4	1	1	3	4	1
Male.....	14	2	1	-	2	2	2	2	1	-	2	-	-
Female.....	15	1	4	-	-	1	-	2	-	1	1	4	1
Black, both sexes.....	6	1	-	1	1	-	-	-	-	1	1	-	1
Male.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	4	-	-	1	-	-	-	-	-	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Anoxic brain damage, not elsewhere classified (G93.1)													
All races, both sexes.....	4,764	438	374	425	402	433	358	324	358	375	450	400	427
Male.....	2,422	215	187	201	215	238	189	166	187	184	229	200	211
Female.....	2,342	223	187	224	187	195	169	158	171	191	221	200	216
White, both sexes.....	3,548	323	285	325	305	328	266	230	253	274	348	301	310
Male.....	1,868	167	148	160	172	177	148	119	140	139	182	156	160
Female.....	1,680	156	137	165	133	151	118	111	113	135	166	145	150
Black, both sexes.....	1,081	94	80	91	87	93	84	81	93	86	93	92	107
Male.....	488	39	34	39	39	53	35	41	39	39	43	42	45
Female.....	593	55	46	52	48	40	49	40	54	47	50	50	62
American Indian 1/, both sexes.....	41	6	4	5	4	2	1	3	3	4	3	4	2
Male.....	16	2	3	2	2	1	1	1	2	-	1	1	-
Female.....	25	4	1	3	2	1	-	2	1	4	2	3	2
Asian or Pacific Islander 2/, both sexes.....	94	15	5	4	6	10	7	10	9	11	6	3	8
Male.....	50	7	2	-	2	7	5	5	6	6	3	1	6
Female.....	44	8	3	4	4	3	2	5	3	5	3	2	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Encephalopathy, unspecified (G93.4)													
All races, both sexes.....	999	88	103	98	81	68	71	76	67	80	96	76	95
Male.....	476	40	52	55	44	34	29	32	28	31	49	37	45
Female.....	523	48	51	43	37	34	42	44	39	49	47	39	50
White, both sexes.....	772	67	81	73	62	53	52	65	51	56	75	62	75
Male.....	373	31	43	43	35	27	21	28	20	21	38	31	35
Female.....	399	36	38	30	27	26	31	37	31	35	37	31	40
Black, both sexes.....	194	16	20	23	14	13	16	10	12	22	19	12	17
Male.....	94	7	9	12	8	6	7	4	7	10	11	5	8
Female.....	100	9	11	11	6	7	9	6	5	12	8	7	9
American Indian 1/, both sexes.....	6	1	-	-	2	1	-	-	-	1	-	1	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	2	1	-	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	27	4	2	2	3	1	3	1	4	1	2	1	3
Male.....	8	1	-	-	1	1	1	-	1	-	-	1	2
Female.....	19	3	2	2	2	-	2	1	3	1	2	-	1
Compression of brain (G93.5)													
All races, both sexes.....	177	19	16	18	14	14	15	21	15	12	14	10	9
Male.....	97	10	7	12	5	11	9	10	9	4	10	6	4
Female.....	80	9	9	6	9	3	6	11	6	8	4	4	5
White, both sexes.....	136	14	11	13	11	11	12	19	11	11	8	8	7
Male.....	77	8	6	10	3	9	8	9	7	4	5	4	4
Female.....	59	6	5	3	8	2	4	10	4	7	3	4	3
Black, both sexes.....	35	5	2	5	2	3	3	1	3	1	6	2	2
Male.....	19	2	1	2	2	2	1	-	2	-	5	2	-
Female.....	16	3	1	3	-	1	2	1	1	1	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	3	-	1	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	5	-	3	-	1	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified disorders of brain (G93.8)													
All races, both sexes.....	204	14	13	19	23	19	14	15	17	24	10	19	17
Male.....	129	8	8	10	14	13	9	10	9	18	9	12	9
Female.....	75	6	5	9	9	6	5	5	8	6	1	7	8
White, both sexes.....	160	11	11	15	15	17	8	11	10	22	10	16	14
Male.....	105	6	6	9	10	12	5	8	6	18	9	10	6
Female.....	55	5	5	6	5	5	3	3	4	4	1	6	8
Black, both sexes.....	35	3	2	3	5	2	5	4	6	1	-	2	2
Male.....	19	2	2	1	2	1	3	2	3	-	-	1	2
Female.....	16	1	-	2	3	1	2	2	3	1	-	1	-
American Indian 1/, both sexes.....	4	-	-	-	1	-	-	-	1	-	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	2	-	1	-	-	1	-	-	-
Male.....	3	-	-	-	2	-	1	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Disorder of brain, unspecified (G93.9)													
All races, both sexes.....	260	25	21	19	22	26	22	21	24	17	20	26	17
Male.....	120	11	8	12	12	10	9	10	13	7	10	13	5
Female.....	140	14	13	7	10	16	13	11	11	10	10	13	12
White, both sexes.....	210	22	17	15	18	20	15	16	19	15	19	22	12
Male.....	94	9	7	9	9	8	5	8	8	7	10	10	4
Female.....	116	13	10	6	9	12	10	8	11	8	9	12	8
Black, both sexes.....	43	2	4	3	4	6	7	5	3	2	-	3	4
Male.....	22	1	1	2	3	2	4	2	3	-	-	3	1
Female.....	21	1	3	1	1	4	3	3	-	2	-	-	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	1	-	-	-	-	1	-	1	1	1
Male.....	3	1	-	1	-	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other acute rheumatic heart disease (I01.8)													
All races, both sexes.....	8	1	2	-	-	-	1	-	1	-	-	1	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	7	1	2	-	-	-	1	-	1	-	-	1	1
White, both sexes.....	6	1	2	-	-	-	-	-	1	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	1	2	-	-	-	-	-	1	-	-	1	-
Black, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic mitral valve diseases (I05)													
All races, both sexes.....	1,503	138	127	140	139	132	104	135	118	113	113	115	129
Male.....	469	46	46	41	39	37	31	44	40	41	31	35	38
Female.....	1,034	92	81	99	100	95	73	91	78	72	82	80	91
White, both sexes.....	1,329	127	112	123	114	115	87	121	105	98	103	104	120
Male.....	413	43	40	35	32	35	25	39	33	35	29	32	35
Female.....	916	84	72	88	82	80	62	82	72	63	74	72	85
Black, both sexes.....	125	7	11	15	16	10	14	10	8	14	6	7	7
Male.....	41	3	3	4	6	1	6	3	3	6	1	3	2
Female.....	84	4	8	11	10	9	8	7	5	8	5	4	5
American Indian 1/, both sexes.....	10	2	-	1	-	2	1	1	-	1	1	1	-
Male.....	3	-	-	1	-	1	-	1	-	-	-	-	-
Female.....	7	2	-	-	-	1	1	-	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	39	2	4	1	9	5	2	3	5	-	3	3	2
Male.....	12	-	3	1	1	-	-	1	4	-	1	-	1
Female.....	27	2	1	-	8	5	2	2	1	-	2	3	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mitral stenosis (I05.0)													
All races, both sexes.....	389	39	32	34	37	37	23	36	27	28	33	30	33
Male.....	70	6	5	6	4	5	4	10	7	7	4	6	6
Female.....	319	33	27	28	33	32	19	26	20	21	29	24	27
White, both sexes.....	344	33	29	33	30	31	18	32	24	25	32	26	31
Male.....	60	6	5	6	4	4	2	8	4	7	4	5	5
Female.....	284	27	24	27	26	27	16	24	20	18	28	21	26
Black, both sexes.....	25	3	3	1	2	2	4	2	1	2	1	2	2
Male.....	5	-	-	-	-	-	2	-	1	-	-	1	1
Female.....	20	3	3	1	2	2	2	2	-	2	1	1	1
American Indian 1/, both sexes.....	5	1	-	-	-	2	-	1	-	1	-	-	-
Male.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	3	1	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	2	-	-	5	2	1	1	2	-	-	2	-
Male.....	3	-	-	-	-	-	-	1	2	-	-	-	-
Female.....	12	2	-	-	5	2	1	-	-	-	-	2	-
Rheumatic mitral insufficiency (I05.1)													
All races, both sexes.....	42	3	1	3	4	6	1	4	5	2	1	4	8
Male.....	12	1	1	-	1	-	1	1	3	1	-	1	2
Female.....	30	2	-	3	3	6	-	3	2	1	1	3	6
White, both sexes.....	37	3	-	3	3	5	1	3	5	2	1	4	7
Male.....	11	1	-	-	1	-	1	1	3	1	-	1	2
Female.....	26	2	-	3	2	5	-	2	2	1	1	3	5
Black, both sexes.....	3	-	1	-	1	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tricuspid valve disease, unspecified (I07.9)													
All races, both sexes.....	20	1	2	3	-	4	1	-	2	2	1	2	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	18	1	2	3	-	4	1	-	2	2	1	1	1
White, both sexes.....	20	1	2	3	-	4	1	-	2	2	1	2	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	18	1	2	3	-	4	1	-	2	2	1	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Multiple valve diseases (I08)													
All races, both sexes.....	866	76	94	83	72	66	71	71	75	55	64	69	70
Male.....	300	21	34	31	28	26	25	25	26	15	20	22	27
Female.....	566	55	60	52	44	40	46	46	49	40	44	47	43
White, both sexes.....	787	72	87	77	62	59	65	68	67	53	56	57	64
Male.....	270	20	31	30	26	23	22	23	24	13	18	16	24
Female.....	517	52	56	47	36	36	43	45	43	40	38	41	40
Black, both sexes.....	60	4	5	3	4	5	6	3	6	2	7	10	5
Male.....	22	1	2	-	1	2	3	2	-	2	2	4	3
Female.....	38	3	3	3	3	3	3	1	6	-	5	6	2
American Indian 1/, both sexes.....	3	-	1	1	1	-	-	-	-	-	-	-	-
Male.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	1	2	5	2	-	-	2	-	1	2	1
Male.....	6	-	-	-	1	1	-	-	2	-	-	2	-
Female.....	10	-	1	2	4	1	-	-	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other rheumatic heart diseases (I09)													
All races, both sexes.....	516	61	41	53	40	43	40	46	35	32	40	35	50
Male.....	132	19	12	16	9	16	13	8	11	2	8	8	10
Female.....	384	42	29	37	31	27	27	38	24	30	32	27	40
White, both sexes.....	454	56	38	42	38	35	33	41	32	26	38	30	45
Male.....	110	18	10	13	9	12	9	7	9	1	7	6	9
Female.....	344	38	28	29	29	23	24	34	23	25	31	24	36
Black, both sexes.....	36	4	3	7	1	5	5	1	3	2	-	3	2
Male.....	15	1	2	2	-	2	3	-	2	1	-	1	1
Female.....	21	3	1	5	1	3	2	1	1	1	-	2	1
American Indian 1/, both sexes.....	6	-	-	1	-	1	-	-	-	2	-	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	5	-	-	1	-	1	-	-	-	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	20	1	-	3	1	2	2	4	-	2	2	-	3
Male.....	6	-	-	1	-	2	1	1	-	-	1	-	-
Female.....	14	1	-	2	1	-	1	3	-	2	1	-	3
Rheumatic myocarditis (I09.0)													
All races, both sexes.....	24	2	1	4	4	3	-	1	1	3	1	2	2
Male.....	7	1	-	1	1	2	-	1	-	-	1	-	-
Female.....	17	1	1	3	3	1	-	-	1	3	-	2	2
White, both sexes.....	20	2	1	2	4	3	-	1	1	2	1	2	1
Male.....	7	1	-	1	1	2	-	1	-	-	1	-	-
Female.....	13	1	1	1	3	1	-	-	1	2	-	2	1
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	-	-	-	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rheumatic heart disease, unspecified (I09.9)													
All races, both sexes.....	334	38	23	37	26	21	27	28	25	21	25	26	37
Male.....	83	10	8	13	5	7	8	4	9	2	3	6	8
Female.....	251	28	15	24	21	14	19	24	16	19	22	20	29
White, both sexes.....	296	36	22	33	24	17	21	25	22	16	24	22	34
Male.....	71	10	7	12	5	5	5	4	7	1	3	4	8
Female.....	225	26	15	21	19	12	16	21	15	15	21	18	26
Black, both sexes.....	22	2	1	2	1	3	4	1	3	2	-	2	1
Male.....	9	-	1	-	-	2	2	-	2	1	-	1	-
Female.....	13	2	-	2	1	1	2	1	1	1	-	1	1
American Indian 1/, both sexes.....	6	-	-	1	-	1	-	-	-	2	-	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	5	-	-	1	-	1	-	-	-	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	1	1	-	2	2	-	1	1	-	2
Male.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	8	-	-	-	1	-	1	2	-	1	1	-	2
Essential (primary) hypertension (I10)													
All races, both sexes.....	14,024	1,287	1,159	1,298	1,137	1,117	1,032	1,165	1,123	1,046	1,208	1,182	1,270
Male.....	5,096	482	420	463	388	392	372	438	436	364	431	421	489
Female.....	8,928	805	739	835	749	725	660	727	687	682	777	761	781
White, both sexes.....	11,303	1,033	925	1,061	905	888	840	951	911	836	977	942	1,034
Male.....	3,977	375	317	360	303	300	293	348	346	279	334	333	389
Female.....	7,326	658	608	701	602	588	547	603	565	557	643	609	645
Black, both sexes.....	2,338	213	204	204	191	202	164	194	189	179	200	200	198
Male.....	962	88	92	89	67	82	66	83	82	71	89	75	78
Female.....	1,376	125	112	115	124	120	98	111	107	108	111	125	120
American Indian 1/, both sexes.....	50	5	4	4	1	2	4	4	4	6	3	6	7
Male.....	23	2	3	3	-	1	3	2	-	1	-	2	6
Female.....	27	3	1	1	1	1	1	2	4	5	3	4	1
Asian or Pacific Islander 2/, both sexes.....	333	36	26	29	40	25	24	16	19	25	28	34	31
Male.....	134	17	8	11	18	9	10	5	8	13	8	11	16
Female.....	199	19	18	18	22	16	14	11	11	12	20	23	15

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypertensive heart disease (I11)													
All races, both sexes.....	29,788	2,733	2,479	2,751	2,466	2,433	2,241	2,477	2,286	2,240	2,513	2,440	2,729
Male.....	13,677	1,256	1,167	1,255	1,108	1,116	1,030	1,182	1,071	999	1,155	1,091	1,247
Female.....	16,111	1,477	1,312	1,496	1,358	1,317	1,211	1,295	1,215	1,241	1,358	1,349	1,482
White, both sexes.....	22,220	2,032	1,823	2,063	1,873	1,845	1,668	1,841	1,666	1,654	1,856	1,848	2,051
Male.....	9,755	888	811	898	807	818	722	853	751	706	820	782	899
Female.....	12,465	1,144	1,012	1,165	1,066	1,027	946	988	915	948	1,036	1,066	1,152
Black, both sexes.....	6,845	618	597	625	529	535	519	582	560	529	617	539	595
Male.....	3,559	326	327	322	268	277	275	303	293	262	315	280	311
Female.....	3,286	292	270	303	261	258	244	279	267	267	302	259	284
American Indian 1/, both sexes.....	133	18	12	13	7	5	10	12	16	7	6	12	15
Male.....	80	9	10	9	6	3	6	8	10	4	2	6	7
Female.....	53	9	2	4	1	2	4	4	6	3	4	6	8
Asian or Pacific Islander 2/, both sexes.....	590	65	47	50	57	48	44	42	44	50	34	41	68
Male.....	283	33	19	26	27	18	27	18	17	27	18	23	30
Female.....	307	32	28	24	30	30	17	24	27	23	16	18	38
Hypertensive heart disease with (congestive) heart failure (I11.0)													
All races, both sexes.....	10,413	989	842	992	863	867	755	812	801	775	865	883	969
Male.....	3,332	298	272	333	263	294	250	261	256	233	271	288	313
Female.....	7,081	691	570	659	600	573	505	551	545	542	594	595	656
White, both sexes.....	8,558	806	685	805	718	720	619	670	634	645	709	741	806
Male.....	2,579	222	201	255	202	231	185	207	197	189	204	233	253
Female.....	5,979	584	484	550	516	489	434	463	437	456	505	508	553
Black, both sexes.....	1,634	161	140	167	122	131	118	126	149	116	145	129	130
Male.....	671	69	65	71	52	60	52	49	53	36	63	52	49
Female.....	963	92	75	96	70	71	66	77	96	80	82	77	81
American Indian 1/, both sexes.....	26	5	1	3	-	-	2	1	4	1	2	3	4
Male.....	12	1	-	2	-	-	1	1	3	1	1	1	1
Female.....	14	4	1	1	-	-	1	-	1	-	1	2	3
Asian or Pacific Islander 2/, both sexes.....	195	17	16	17	23	16	16	15	14	13	9	10	29
Male.....	70	6	6	5	9	3	12	4	3	7	3	2	10
Female.....	125	11	10	12	14	13	4	11	11	6	6	8	19

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypertensive heart disease without (congestive) heart failure (I11.9)													
All races, both sexes.....	19,375	1,744	1,637	1,759	1,603	1,566	1,486	1,665	1,485	1,465	1,648	1,557	1,760
Male.....	10,345	958	895	922	845	822	780	921	815	766	884	803	934
Female.....	9,030	786	742	837	758	744	706	744	670	699	764	754	826
White, both sexes.....	13,662	1,226	1,138	1,258	1,155	1,125	1,049	1,171	1,032	1,009	1,147	1,107	1,245
Male.....	7,176	666	610	643	605	587	537	646	554	517	616	549	646
Female.....	6,486	560	528	615	550	538	512	525	478	492	531	558	599
Black, both sexes.....	5,211	457	457	458	407	404	401	456	411	413	472	410	465
Male.....	2,888	257	262	251	216	217	223	254	240	226	252	228	262
Female.....	2,323	200	195	207	191	187	178	202	171	187	220	182	203
American Indian 1/, both sexes.....	107	13	11	10	7	5	8	11	12	6	4	9	11
Male.....	68	8	10	7	6	3	5	7	7	3	1	5	6
Female.....	39	5	1	3	1	2	3	4	5	3	3	4	5
Asian or Pacific Islander 2/, both sexes.....	395	48	31	33	34	32	28	27	30	37	25	31	39
Male.....	213	27	13	21	18	15	15	14	14	20	15	21	20
Female.....	182	21	18	12	16	17	13	13	16	17	10	10	19
Hypertensive renal disease (I12)													
All races, both sexes.....	9,822	911	846	867	802	810	776	787	787	775	840	805	816
Male.....	4,315	412	371	368	343	362	351	349	350	340	365	351	353
Female.....	5,507	499	475	499	459	448	425	438	437	435	475	454	463
White, both sexes.....	6,953	646	609	599	578	579	538	585	567	531	606	548	567
Male.....	3,010	303	261	240	248	249	241	257	250	231	264	230	236
Female.....	3,943	343	348	359	330	330	297	328	317	300	342	318	331
Black, both sexes.....	2,562	237	218	233	193	201	214	191	195	214	212	230	224
Male.....	1,164	97	101	111	82	98	97	87	91	98	90	105	107
Female.....	1,398	140	117	122	111	103	117	104	104	116	122	125	117
American Indian 1/, both sexes.....	56	4	3	10	5	4	1	1	5	5	3	4	11
Male.....	29	1	2	6	2	2	1	-	2	4	2	3	4
Female.....	27	3	1	4	3	2	-	1	3	1	1	1	7
Asian or Pacific Islander 2/, both sexes.....	251	24	16	25	26	26	23	10	20	25	19	23	14
Male.....	112	11	7	11	11	13	12	5	7	7	9	13	6
Female.....	139	13	9	14	15	13	11	5	13	18	10	10	8

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypertensive heart and renal disease with renal failure (I13.1)													
All races, both sexes.....	1,061	90	75	92	79	100	75	87	83	80	105	94	101
Male.....	540	50	30	49	36	52	40	51	37	45	48	49	53
Female.....	521	40	45	43	43	48	35	36	46	35	57	45	48
White, both sexes.....	578	48	46	48	43	49	43	51	35	47	56	49	63
Male.....	285	28	18	27	16	25	24	27	16	26	27	22	29
Female.....	293	20	28	21	27	24	19	24	19	21	29	27	34
Black, both sexes.....	430	33	28	41	30	39	30	33	44	29	48	42	33
Male.....	228	17	12	21	17	23	14	22	19	16	21	26	20
Female.....	202	16	16	20	13	16	16	11	25	13	27	16	13
American Indian 1/, both sexes.....	11	1	-	-	-	4	1	-	-	2	-	2	1
Male.....	5	1	-	-	-	1	1	-	-	2	-	-	-
Female.....	6	-	-	-	-	3	-	-	-	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	42	8	1	3	6	8	1	3	4	2	1	1	4
Male.....	22	4	-	1	3	3	1	2	2	1	-	1	4
Female.....	20	4	1	2	3	5	-	1	2	1	1	-	-
Hypertensive heart and renal disease with both (congestive) heart failure and renal failure (I13.2)													
All races, both sexes.....	1,755	171	161	168	167	143	125	129	128	133	130	144	156
Male.....	710	69	74	73	64	65	50	47	42	54	61	47	64
Female.....	1,045	102	87	95	103	78	75	82	86	79	69	97	92
White, both sexes.....	1,324	134	121	127	125	105	88	104	86	90	102	117	125
Male.....	518	55	56	55	45	43	32	39	24	32	49	36	52
Female.....	806	79	65	72	80	62	56	65	62	58	53	81	73
Black, both sexes.....	378	31	38	36	38	33	30	21	37	38	23	22	31
Male.....	170	11	17	15	19	18	14	8	17	20	10	9	12
Female.....	208	20	21	21	19	15	16	13	20	18	13	13	19
American Indian 1/, both sexes.....	6	-	-	1	-	1	-	-	1	1	1	1	-
Male.....	3	-	-	1	-	1	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	47	6	2	4	4	4	7	4	4	4	4	4	-
Male.....	19	3	1	2	-	3	4	-	1	2	2	1	-
Female.....	28	3	1	2	4	1	3	4	3	2	2	3	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other forms of acute ischemic heart disease (I24.8)													
All races, both sexes.....	1,598	165	132	154	146	131	118	122	104	119	123	126	158
Male.....	819	79	61	79	74	59	59	59	60	69	75	59	86
Female.....	779	86	71	75	72	72	59	63	44	50	48	67	72
White, both sexes.....	1,270	127	108	129	117	103	91	97	85	95	99	94	125
Male.....	631	60	50	61	60	41	43	43	51	55	56	44	67
Female.....	639	67	58	68	57	62	48	54	34	40	43	50	58
Black, both sexes.....	302	34	20	23	28	26	25	22	18	24	24	27	31
Male.....	173	17	9	16	13	17	14	14	8	14	19	14	18
Female.....	129	17	11	7	15	9	11	8	10	10	5	13	13
American Indian 1/, both sexes.....	11	2	1	1	-	2	1	2	-	-	-	1	1
Male.....	5	1	-	1	-	1	1	1	-	-	-	-	-
Female.....	6	1	1	-	-	1	-	1	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	15	2	3	1	1	-	1	1	1	-	-	4	1
Male.....	10	1	2	1	1	-	1	1	1	-	-	1	1
Female.....	5	1	1	-	-	-	-	-	-	-	-	3	-
Acute ischemic heart disease, unspecified (I24.9)													
All races, both sexes.....	2,331	195	208	186	194	185	186	201	177	183	208	213	195
Male.....	1,197	95	106	87	101	97	98	105	98	107	102	105	96
Female.....	1,134	100	102	99	93	88	88	96	79	76	106	108	99
White, both sexes.....	2,016	164	182	163	173	167	153	178	152	146	183	185	170
Male.....	1,033	81	91	74	92	90	79	95	86	88	90	87	80
Female.....	983	83	91	89	81	77	74	83	66	58	93	98	90
Black, both sexes.....	232	26	18	20	17	12	20	21	17	27	20	20	14
Male.....	118	10	9	12	7	4	13	9	8	14	9	13	10
Female.....	114	16	9	8	10	8	7	12	9	13	11	7	4
American Indian 1/, both sexes.....	41	2	2	1	4	2	6	1	3	8	1	4	7
Male.....	24	2	2	1	2	1	2	1	1	4	-	3	5
Female.....	17	-	-	-	2	1	4	-	2	4	1	1	2
Asian or Pacific Islander 2/, both sexes.....	42	3	6	2	-	4	7	1	5	2	4	4	4
Male.....	22	2	4	-	-	2	4	-	3	1	3	2	1
Female.....	20	1	2	2	-	2	3	1	2	1	1	2	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic ischemic heart disease (I25)													
All races, both sexes.....	279,822	26,121	23,919	25,834	23,707	23,050	21,260	22,291	21,816	21,008	23,032	22,941	24,843
Male.....	146,323	13,571	12,507	13,224	12,455	12,147	11,300	11,749	11,483	10,922	11,960	11,990	13,015
Female.....	133,499	12,550	11,412	12,610	11,252	10,903	9,960	10,542	10,333	10,086	11,072	10,951	11,828
White, both sexes.....	244,419	22,808	20,866	22,637	20,774	20,055	18,592	19,385	18,972	18,419	20,117	20,052	21,742
Male.....	127,711	11,862	10,873	11,575	10,932	10,608	9,862	10,225	9,976	9,566	10,423	10,432	11,377
Female.....	116,708	10,946	9,993	11,062	9,842	9,447	8,730	9,160	8,996	8,853	9,694	9,620	10,365
Black, both sexes.....	29,200	2,699	2,526	2,599	2,418	2,468	2,235	2,419	2,349	2,138	2,420	2,366	2,563
Male.....	15,024	1,356	1,317	1,303	1,243	1,237	1,172	1,252	1,216	1,100	1,254	1,251	1,323
Female.....	14,176	1,343	1,209	1,296	1,175	1,231	1,063	1,167	1,133	1,038	1,166	1,115	1,240
American Indian 1/, both sexes.....	1,163	114	101	124	85	98	84	92	90	90	90	99	96
Male.....	682	61	65	83	46	51	52	53	57	48	49	55	62
Female.....	481	53	36	41	39	47	32	39	33	42	41	44	34
Asian or Pacific Islander 2/, both sexes.....	5,040	500	426	474	430	429	349	395	405	361	405	424	442
Male.....	2,906	292	252	263	234	251	214	219	234	208	234	252	253
Female.....	2,134	208	174	211	196	178	135	176	171	153	171	172	189
Atherosclerotic cardiovascular disease, so described (I25.0)													
All races, both sexes.....	61,030	5,661	5,013	5,492	5,111	5,053	4,505	5,093	4,988	4,552	4,972	5,070	5,520
Male.....	34,157	3,129	2,822	3,044	2,844	2,839	2,604	2,902	2,806	2,506	2,800	2,826	3,035
Female.....	26,873	2,532	2,191	2,448	2,267	2,214	1,901	2,191	2,182	2,046	2,172	2,244	2,485
White, both sexes.....	50,146	4,679	4,138	4,540	4,169	4,133	3,671	4,140	4,025	3,767	4,091	4,198	4,595
Male.....	27,777	2,576	2,290	2,496	2,295	2,328	2,092	2,347	2,232	2,030	2,278	2,304	2,509
Female.....	22,369	2,103	1,848	2,044	1,874	1,805	1,579	1,793	1,793	1,737	1,813	1,894	2,086
Black, both sexes.....	9,362	823	752	800	807	789	721	839	830	677	754	741	829
Male.....	5,410	446	447	451	467	431	438	487	485	410	450	434	464
Female.....	3,952	377	305	349	340	358	283	352	345	267	304	307	365
American Indian 1/, both sexes.....	317	35	35	35	25	27	25	20	25	18	21	31	20
Male.....	210	21	26	26	17	16	15	13	20	9	11	22	14
Female.....	107	14	9	9	8	11	10	7	5	9	10	9	6
Asian or Pacific Islander 2/, both sexes.....	1,205	124	88	117	110	104	88	94	108	90	106	100	76
Male.....	760	86	59	71	65	64	59	55	69	57	61	66	48
Female.....	445	38	29	46	45	40	29	39	39	33	45	34	28

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Atherosclerotic heart disease (I25.1)													
All races, both sexes.....	193,209	18,076	16,630	17,843	16,361	15,851	14,749	15,234	14,821	14,566	15,979	15,880	17,219
Male.....	97,375	9,067	8,358	8,773	8,312	8,087	7,513	7,709	7,514	7,287	7,951	8,058	8,746
Female.....	95,834	9,009	8,272	9,070	8,049	7,764	7,236	7,525	7,307	7,279	8,028	7,822	8,473
White, both sexes.....	171,364	15,997	14,708	15,852	14,597	13,990	13,138	13,484	13,128	12,963	14,174	14,079	15,254
Male.....	86,634	8,039	7,409	7,805	7,462	7,175	6,717	6,868	6,686	6,517	7,063	7,140	7,753
Female.....	84,730	7,958	7,299	8,047	7,135	6,815	6,421	6,616	6,442	6,446	7,111	6,939	7,501
Black, both sexes.....	17,644	1,660	1,547	1,587	1,433	1,502	1,335	1,415	1,375	1,303	1,484	1,446	1,557
Male.....	8,411	799	735	742	684	712	629	667	653	603	708	718	761
Female.....	9,233	861	812	845	749	790	706	748	722	700	776	728	796
American Indian 1/, both sexes.....	714	71	60	78	47	62	46	63	55	55	54	57	66
Male.....	389	35	35	50	20	30	30	33	31	29	27	28	41
Female.....	325	36	25	28	27	32	16	30	24	26	27	29	25
Asian or Pacific Islander 2/, both sexes.....	3,487	348	315	326	284	297	230	272	263	245	267	298	342
Male.....	1,941	194	179	176	146	170	137	141	144	138	153	172	191
Female.....	1,546	154	136	150	138	127	93	131	119	107	114	126	151
Aneurysm of heart (I25.3)													
All races, both sexes.....	85	4	7	9	6	9	6	4	10	7	8	6	9
Male.....	49	1	2	4	5	3	3	3	4	4	6	5	9
Female.....	36	3	5	5	1	6	3	1	6	3	2	1	-
White, both sexes.....	67	2	7	7	4	7	4	3	7	6	7	6	7
Male.....	41	1	2	3	4	3	3	2	2	4	5	5	7
Female.....	26	1	5	4	-	4	1	1	5	2	2	1	-
Black, both sexes.....	11	-	-	1	1	1	2	-	3	1	1	-	1
Male.....	5	-	-	1	-	-	-	-	2	-	1	-	1
Female.....	6	-	-	-	1	1	2	-	1	1	-	-	-
American Indian 1/, both sexes.....	3	1	-	-	1	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	1	-	1	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	1	-	1	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Coronary artery aneurysm (I25.4)													
All races, both sexes.....	13	-	3	1	4	-	1	-	1	3	-	-	-
Male.....	7	-	2	1	1	-	1	-	-	2	-	-	-
Female.....	6	-	1	-	3	-	-	-	1	1	-	-	-
White, both sexes.....	10	-	2	-	3	-	1	-	1	3	-	-	-
Male.....	4	-	1	-	-	-	1	-	-	2	-	-	-
Female.....	6	-	1	-	3	-	-	-	1	1	-	-	-
Black, both sexes.....	3	-	1	1	1	-	-	-	-	-	-	-	-
Male.....	3	-	1	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic cardiomyopathy (I25.5)													
All races, both sexes.....	11,906	1,088	1,075	1,192	1,056	969	921	941	937	883	952	913	979
Male.....	7,309	659	680	751	630	584	565	574	579	563	574	549	601
Female.....	4,597	429	395	441	426	385	356	367	358	320	378	364	378
White, both sexes.....	10,867	1,009	972	1,088	983	875	839	854	864	807	864	820	892
Male.....	6,686	617	611	693	587	533	520	515	531	516	520	497	546
Female.....	4,181	392	361	395	396	342	319	339	333	291	344	323	346
Black, both sexes.....	823	66	93	81	55	77	62	68	55	61	64	75	66
Male.....	487	38	62	44	29	43	33	43	34	38	38	42	43
Female.....	336	28	31	37	26	34	29	25	21	23	26	33	23
American Indian 1/, both sexes.....	57	2	1	4	3	4	5	6	4	5	9	6	8
Male.....	36	-	1	2	2	1	3	5	3	3	8	3	5
Female.....	21	2	-	2	1	3	2	1	1	2	1	3	3
Asian or Pacific Islander 2/, both sexes.....	159	11	9	19	15	13	15	13	14	10	15	12	13
Male.....	100	4	6	12	12	7	9	11	11	6	8	7	7
Female.....	59	7	3	7	3	6	6	2	3	4	7	5	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Silent myocardial ischemia (I25.6)													
All races, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other forms of chronic ischemic heart disease (I25.8)													
All races, both sexes.....	1,770	178	168	167	145	152	147	131	129	136	154	132	131
Male.....	946	99	82	85	70	80	75	73	75	81	84	70	72
Female.....	824	79	86	82	75	72	72	58	54	55	70	62	59
White, both sexes.....	1,554	153	149	150	130	138	121	117	110	112	136	119	119
Male.....	830	87	70	74	64	71	60	63	65	68	77	63	68
Female.....	724	66	79	76	66	67	61	54	45	44	59	56	51
Black, both sexes.....	154	17	15	13	12	11	18	11	9	17	11	10	10
Male.....	81	9	9	10	4	7	10	7	4	8	3	6	4
Female.....	73	8	6	3	8	4	8	4	5	9	8	4	6
American Indian 1/, both sexes.....	11	-	1	2	1	1	1	-	1	2	1	1	-
Male.....	5	-	1	1	1	-	-	-	-	2	-	-	-
Female.....	6	-	-	1	-	1	1	-	1	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	51	8	3	2	2	2	7	3	9	5	6	2	2
Male.....	30	3	2	-	1	2	5	3	6	3	4	1	-
Female.....	21	5	1	2	1	-	2	-	3	2	2	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic ischemic heart disease, unspecified (I25.9)													
All races, both sexes.....	11,808	1,113	1,023	1,130	1,024	1,016	931	888	930	861	967	940	985
Male.....	6,479	615	561	566	593	554	539	488	505	479	545	482	552
Female.....	5,329	498	462	564	431	462	392	400	425	382	422	458	433
White, both sexes.....	10,410	967	890	1,000	888	912	818	787	837	761	845	830	875
Male.....	5,738	541	490	504	520	498	469	430	460	429	480	423	494
Female.....	4,672	426	400	496	368	414	349	357	377	332	365	407	381
Black, both sexes.....	1,203	133	118	116	109	88	97	86	77	79	106	94	100
Male.....	627	64	63	54	58	44	62	48	38	41	54	51	50
Female.....	576	69	55	62	51	44	35	38	39	38	52	43	50
American Indian 1/, both sexes.....	61	5	4	5	8	4	7	3	5	10	5	4	1
Male.....	40	5	2	4	5	4	4	2	3	5	3	2	1
Female.....	21	-	2	1	3	-	3	1	2	5	2	2	-
Asian or Pacific Islander 2/, both sexes.....	134	8	11	9	19	12	9	12	11	11	11	12	9
Male.....	74	5	6	4	10	8	4	8	4	4	8	6	7
Female.....	60	3	5	5	9	4	5	4	7	7	3	6	2
Pulmonary embolism (I26)													
All races, both sexes.....	6,924	614	543	627	590	557	534	554	537	559	601	581	627
Male.....	2,946	273	234	272	265	233	212	230	228	240	262	236	261
Female.....	3,978	341	309	355	325	324	322	324	309	319	339	345	366
White, both sexes.....	5,644	504	442	515	481	466	436	440	429	465	481	476	509
Male.....	2,397	222	188	220	218	202	168	185	181	201	208	190	214
Female.....	3,247	282	254	295	263	264	268	255	248	264	273	286	295
Black, both sexes.....	1,193	98	95	106	99	87	91	105	104	89	110	101	108
Male.....	515	42	45	50	45	30	41	41	46	37	49	44	45
Female.....	678	56	50	56	54	57	50	64	58	52	61	57	63
American Indian 1/, both sexes.....	33	4	1	3	2	2	3	3	3	2	3	3	4
Male.....	14	4	-	2	1	-	1	-	1	1	1	2	1
Female.....	19	-	1	1	1	2	2	3	2	1	2	1	3
Asian or Pacific Islander 2/, both sexes.....	54	8	5	3	8	2	4	6	1	3	7	1	6
Male.....	20	5	1	-	1	1	2	4	-	1	4	-	1
Female.....	34	3	4	3	7	1	2	2	1	2	3	1	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pulmonary embolism with mention of acute cor pulmonale (I26.0)													
All races, both sexes.....	14	2	1	1	2	1	3	1	-	1	-	2	-
Male.....	7	1	-	-	2	-	2	1	-	1	-	-	-
Female.....	7	1	1	1	-	1	1	-	-	-	-	2	-
White, both sexes.....	14	2	1	1	2	1	3	1	-	1	-	2	-
Male.....	7	1	-	-	2	-	2	1	-	1	-	-	-
Female.....	7	1	1	1	-	1	1	-	-	-	-	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary embolism without mention of acute cor pulmonale (I26.9)													
All races, both sexes.....	6,910	612	542	626	588	556	531	553	537	558	601	579	627
Male.....	2,939	272	234	272	263	233	210	229	228	239	262	236	261
Female.....	3,971	340	308	354	325	323	321	324	309	319	339	343	366
White, both sexes.....	5,630	502	441	514	479	465	433	439	429	464	481	474	509
Male.....	2,390	221	188	220	216	202	166	184	181	200	208	190	214
Female.....	3,240	281	253	294	263	263	267	255	248	264	273	284	295
Black, both sexes.....	1,193	98	95	106	99	87	91	105	104	89	110	101	108
Male.....	515	42	45	50	45	30	41	41	46	37	49	44	45
Female.....	678	56	50	56	54	57	50	64	58	52	61	57	63
American Indian 1/, both sexes.....	33	4	1	3	2	2	3	3	3	2	3	3	4
Male.....	14	4	-	2	1	-	1	-	1	1	1	2	1
Female.....	19	-	1	1	1	2	2	3	2	1	2	1	3
Asian or Pacific Islander 2/, both sexes.....	54	8	5	3	8	2	4	6	1	3	7	1	6
Male.....	20	5	1	-	1	1	2	4	-	1	4	-	1
Female.....	34	3	4	3	7	1	2	2	1	2	3	1	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other pulmonary heart diseases (I27)													
All races, both sexes.....	5,393	483	462	499	486	458	425	403	396	409	452	441	479
Male.....	1,809	151	144	177	154	157	141	129	138	140	145	154	179
Female.....	3,584	332	318	322	332	301	284	274	258	269	307	287	300
White, both sexes.....	4,435	413	394	399	383	379	352	324	326	341	377	345	402
Male.....	1,503	132	124	138	124	134	114	100	119	111	124	126	157
Female.....	2,932	281	270	261	259	245	238	224	207	230	253	219	245
Black, both sexes.....	847	64	63	89	92	70	63	71	68	55	66	84	62
Male.....	267	15	19	34	27	19	22	24	19	23	20	25	20
Female.....	580	49	44	55	65	51	41	47	49	32	46	59	42
American Indian 1/, both sexes.....	30	-	1	5	4	2	4	2	1	3	2	3	3
Male.....	10	-	-	3	2	1	2	1	-	-	1	-	-
Female.....	20	-	1	2	2	1	2	1	1	3	1	3	3
Asian or Pacific Islander 2/, both sexes.....	81	6	4	6	7	7	6	6	1	10	7	9	12
Male.....	29	4	1	2	1	3	3	4	-	6	-	3	2
Female.....	52	2	3	4	6	4	3	2	1	4	7	6	10
Primary pulmonary hypertension (I27.0)													
All races, both sexes.....	307	37	26	31	30	29	23	24	17	28	24	17	21
Male.....	83	11	5	11	4	3	6	6	6	8	9	5	9
Female.....	224	26	21	20	26	26	17	18	11	20	15	12	12
White, both sexes.....	246	33	23	23	23	26	16	16	15	23	20	14	14
Male.....	68	11	4	7	4	3	4	3	6	6	9	4	7
Female.....	178	22	19	16	19	23	12	13	9	17	11	10	7
Black, both sexes.....	51	4	3	6	6	2	7	8	1	4	3	3	4
Male.....	14	-	1	3	-	-	2	3	-	2	-	1	2
Female.....	37	4	2	3	6	2	5	5	1	2	3	2	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	9	-	-	2	1	1	-	-	1	1	1	-	2
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	1	1	1	-	-	1	1	1	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Kyphoscoliotic heart disease (I27.1)													
All races, both sexes.....	49	7	1	5	3	3	5	2	5	5	3	4	6
Male.....	9	1	-	-	1	-	1	-	1	2	-	1	2
Female.....	40	6	1	5	2	3	4	2	4	3	3	3	4
White, both sexes.....	48	7	1	5	2	3	5	2	5	5	3	4	6
Male.....	9	1	-	-	1	-	1	-	1	2	-	1	2
Female.....	39	6	1	5	1	3	4	2	4	3	3	3	4
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other secondary pulmonary hypertension (I27.2)													
All races, both sexes.....	3,956	335	351	353	370	322	321	291	284	297	338	334	360
Male.....	1,244	94	105	113	112	109	100	89	86	98	104	109	125
Female.....	2,712	241	246	240	258	213	221	202	198	199	234	225	235
White, both sexes.....	3,207	285	299	280	285	257	265	232	225	241	279	257	302
Male.....	1,016	81	92	88	85	91	82	68	71	75	85	88	110
Female.....	2,191	204	207	192	200	166	183	164	154	166	194	169	192
Black, both sexes.....	667	46	49	68	76	58	48	53	58	44	52	68	47
Male.....	202	11	13	23	25	15	15	17	15	17	18	19	14
Female.....	465	35	36	45	51	43	33	36	43	27	34	49	33
American Indian 1/, both sexes.....	25	-	1	3	3	2	4	1	1	3	2	3	2
Male.....	7	-	-	1	1	1	2	1	-	-	1	-	-
Female.....	18	-	1	2	2	1	2	-	1	3	1	3	2
Asian or Pacific Islander 2/, both sexes.....	57	4	2	2	6	5	4	5	-	9	5	6	9
Male.....	19	2	-	1	1	2	1	3	-	6	-	2	1
Female.....	38	2	2	1	5	3	3	2	-	3	5	4	8

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified pulmonary heart diseases (I27.8)													
All races, both sexes.....	37	1	2	2	3	4	3	3	3	3	7	4	2
Male.....	12	1	1	2	2	1	-	2	1	1	-	1	-
Female.....	25	-	1	-	1	3	3	1	2	2	7	3	2
White, both sexes.....	35	1	2	2	3	4	3	3	3	3	5	4	2
Male.....	12	1	1	2	2	1	-	2	1	1	-	1	-
Female.....	23	-	1	-	1	3	3	1	2	2	5	3	2
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary heart disease, unspecified (I27.9)													
All races, both sexes.....	1,044	103	82	108	80	100	73	83	87	76	80	82	90
Male.....	461	44	33	51	35	44	34	32	44	31	32	38	43
Female.....	583	59	49	57	45	56	39	51	43	45	48	44	47
White, both sexes.....	899	87	69	89	70	89	63	71	78	69	70	66	78
Male.....	398	38	27	41	32	39	27	27	40	27	30	32	38
Female.....	501	49	42	48	38	50	36	44	38	42	40	34	40
Black, both sexes.....	126	14	11	15	9	10	8	10	9	7	9	13	11
Male.....	51	4	5	8	2	4	5	4	4	4	2	5	4
Female.....	75	10	6	7	7	6	3	6	5	3	7	8	7
American Indian 1/, both sexes.....	4	-	-	2	1	-	-	1	-	-	-	-	-
Male.....	3	-	-	2	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	2	2	2	-	1	2	1	-	-	1	3	1
Male.....	9	2	1	-	-	1	2	1	-	-	-	1	1
Female.....	6	-	1	2	-	-	-	-	-	-	1	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pericardial effusion (noninflammatory) (I31.3)													
All races, both sexes.....	180	16	17	13	10	17	14	10	18	12	21	14	18
Male.....	81	8	9	4	3	7	5	6	9	6	11	6	7
Female.....	99	8	8	9	7	10	9	4	9	6	10	8	11
White, both sexes.....	145	11	14	12	9	11	10	9	16	10	16	14	13
Male.....	68	6	9	3	3	5	5	5	9	5	8	6	4
Female.....	77	5	5	9	6	6	5	4	7	5	8	8	9
Black, both sexes.....	29	5	2	1	1	4	4	1	1	2	5	-	3
Male.....	11	2	-	1	-	2	-	1	-	1	3	-	1
Female.....	18	3	2	-	1	2	4	-	1	1	2	-	2
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	2	-	-	1	-	-	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Female.....	3	-	-	-	-	2	-	-	1	-	-	-	-
Disease of pericardium, unspecified (I31.9)													
All races, both sexes.....	247	25	27	19	22	20	21	23	18	17	22	18	15
Male.....	138	15	8	13	15	13	10	15	9	7	14	9	10
Female.....	109	10	19	6	7	7	11	8	9	10	8	9	5
White, both sexes.....	210	21	24	17	18	18	14	16	18	15	20	16	13
Male.....	117	11	7	12	13	12	7	12	9	5	13	7	9
Female.....	93	10	17	5	5	6	7	4	9	10	7	9	4
Black, both sexes.....	29	4	3	1	2	2	6	6	-	2	1	1	1
Male.....	18	4	1	1	1	1	3	3	-	2	1	1	-
Female.....	11	-	2	-	1	1	3	3	-	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	1	1	-	1	1	-	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	5	-	-	1	1	-	1	1	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute and subacute endocarditis (I33)													
All races, both sexes.....	1,216	112	101	107	96	105	102	106	101	89	95	94	108
Male.....	660	64	58	58	48	54	62	50	55	48	48	59	56
Female.....	556	48	43	49	48	51	40	56	46	41	47	35	52
White, both sexes.....	958	90	83	87	77	86	79	85	78	67	66	69	91
Male.....	518	51	49	49	38	46	50	37	42	35	33	42	46
Female.....	440	39	34	38	39	40	29	48	36	32	33	27	45
Black, both sexes.....	228	20	17	16	18	17	20	18	21	17	28	21	15
Male.....	122	11	9	7	9	6	10	11	12	11	14	14	8
Female.....	106	9	8	9	9	11	10	7	9	6	14	7	7
American Indian 1/, both sexes.....	9	2	-	2	1	1	-	2	-	-	-	1	-
Male.....	6	2	-	-	1	1	-	1	-	-	-	1	-
Female.....	3	-	-	2	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	-	1	2	-	1	3	1	2	5	1	3	2
Male.....	14	-	-	2	-	1	2	1	1	2	1	2	2
Female.....	7	-	1	-	-	-	1	-	1	3	-	1	-
Acute and subacute infective endocarditis (I33.0)													
All races, both sexes.....	1,175	105	97	103	96	101	96	104	98	88	92	92	103
Male.....	637	60	55	56	48	52	58	50	53	48	45	58	54
Female.....	538	45	42	47	48	49	38	54	45	40	47	34	49
White, both sexes.....	927	83	80	84	77	83	74	83	78	66	65	68	86
Male.....	503	47	46	48	38	45	47	37	42	35	32	42	44
Female.....	424	36	34	36	39	38	27	46	36	31	33	26	42
Black, both sexes.....	218	20	16	15	18	16	19	18	18	17	26	20	15
Male.....	114	11	9	6	9	5	9	11	10	11	12	13	8
Female.....	104	9	7	9	9	11	10	7	8	6	14	7	7
American Indian 1/, both sexes.....	9	2	-	2	1	1	-	2	-	-	-	1	-
Male.....	6	2	-	-	1	1	-	1	-	-	-	1	-
Female.....	3	-	-	2	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	-	1	2	-	1	3	1	2	5	1	3	2
Male.....	14	-	-	2	-	1	2	1	1	2	1	2	2
Female.....	7	-	1	-	-	-	1	-	1	3	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute endocarditis, unspecified (I33.9)													
All races, both sexes.....	41	7	4	4	-	4	6	2	3	1	3	2	5
Male.....	23	4	3	2	-	2	4	-	2	-	3	1	2
Female.....	18	3	1	2	-	2	2	2	1	1	-	1	3
White, both sexes.....	31	7	3	3	-	3	5	2	-	1	1	1	5
Male.....	15	4	3	1	-	1	3	-	-	-	1	-	2
Female.....	16	3	-	2	-	2	2	2	-	1	-	1	3
Black, both sexes.....	10	-	1	1	-	1	1	-	3	-	2	1	-
Male.....	8	-	-	1	-	1	1	-	2	-	2	1	-
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonrheumatic mitral valve disorders (I34)													
All races, both sexes.....	2,581	199	228	266	241	238	219	183	182	165	244	192	224
Male.....	925	54	72	103	83	91	91	64	65	62	87	66	87
Female.....	1,656	145	156	163	158	147	128	119	117	103	157	126	137
White, both sexes.....	2,369	179	206	250	216	223	197	171	168	151	226	181	201
Male.....	846	47	66	95	76	84	83	62	58	57	79	63	76
Female.....	1,523	132	140	155	140	139	114	109	110	94	147	118	125
Black, both sexes.....	149	16	14	10	16	12	16	8	11	11	11	8	16
Male.....	55	6	3	5	4	6	6	1	4	5	5	2	8
Female.....	94	10	11	5	12	6	10	7	7	6	6	6	8
American Indian 1/, both sexes.....	10	-	-	-	1	-	1	3	-	1	2	-	2
Male.....	3	-	-	-	1	-	-	-	-	-	1	-	1
Female.....	7	-	-	-	-	-	1	3	-	1	1	-	1
Asian or Pacific Islander 2/, both sexes.....	53	4	8	6	8	3	5	1	3	2	5	3	5
Male.....	21	1	3	3	2	1	2	1	3	-	2	1	2
Female.....	32	3	5	3	6	2	3	-	-	2	3	2	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mitral (valve) insufficiency (I34.0)													
All races, both sexes.....	2,089	154	192	217	199	192	168	153	154	130	199	155	176
Male.....	750	41	61	81	71	78	69	53	55	48	71	54	68
Female.....	1,339	113	131	136	128	114	99	100	99	82	128	101	108
White, both sexes.....	1,926	140	174	205	178	180	152	141	143	121	187	149	156
Male.....	691	36	57	76	65	72	64	51	49	44	66	52	59
Female.....	1,235	104	117	129	113	108	88	90	94	77	121	97	97
Black, both sexes.....	110	11	10	6	14	10	10	8	8	7	7	6	13
Male.....	37	4	1	2	3	5	3	1	3	4	3	2	6
Female.....	73	7	9	4	11	5	7	7	5	3	4	4	7
American Indian 1/, both sexes.....	9	-	-	-	1	-	1	3	-	-	2	-	2
Male.....	3	-	-	-	1	-	-	-	-	-	1	-	1
Female.....	6	-	-	-	-	-	1	3	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	44	3	8	6	6	2	5	1	3	2	3	-	5
Male.....	19	1	3	3	2	1	2	1	3	-	1	-	2
Female.....	25	2	5	3	4	1	3	-	-	2	2	-	3
Mitral (valve) prolapse (I34.1)													
All races, both sexes.....	280	27	21	27	25	23	32	17	16	20	26	20	26
Male.....	105	10	6	12	6	7	12	6	5	9	11	8	13
Female.....	175	17	15	15	19	16	20	11	11	11	15	12	13
White, both sexes.....	256	23	19	25	23	22	28	17	14	18	23	18	26
Male.....	93	8	5	10	6	6	9	6	5	8	10	7	13
Female.....	163	15	14	15	17	16	19	11	9	10	13	11	13
Black, both sexes.....	19	4	2	2	1	1	4	-	2	2	1	-	-
Male.....	10	2	1	2	-	1	3	-	-	1	-	-	-
Female.....	9	2	1	-	1	-	1	-	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	-	-	-	-	-	2	2	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	3	-	-	-	1	-	-	-	-	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nonrheumatic mitral valve disorder, unspecified (I34.9)													
All races, both sexes.....	89	6	9	11	7	11	8	6	3	5	9	6	8
Male.....	33	-	4	7	3	4	3	3	1	2	1	2	3
Female.....	56	6	5	4	4	7	5	3	2	3	8	4	5
White, both sexes.....	80	5	8	9	7	10	8	6	2	4	9	5	7
Male.....	29	-	3	6	3	4	3	3	-	2	1	2	2
Female.....	51	5	5	3	4	6	5	3	2	2	8	3	5
Black, both sexes.....	7	-	1	2	-	-	-	-	1	1	-	1	1
Male.....	4	-	1	1	-	-	-	-	1	-	-	-	1
Female.....	3	-	-	1	-	-	-	-	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Nonrheumatic aortic valve disorders (I35)													
All races, both sexes.....	13,752	1,249	1,242	1,304	1,130	1,090	1,066	1,083	1,083	1,005	1,118	1,121	1,261
Male.....	5,468	493	487	495	447	431	443	421	441	402	454	461	493
Female.....	8,284	756	755	809	683	659	623	662	642	603	664	660	768
White, both sexes.....	12,942	1,187	1,175	1,222	1,064	1,029	1,001	1,036	1,003	950	1,052	1,047	1,176
Male.....	5,122	464	460	459	419	408	421	400	415	378	421	422	455
Female.....	7,820	723	715	763	645	621	580	636	588	572	631	625	721
Black, both sexes.....	589	45	46	61	54	46	39	31	64	37	46	58	62
Male.....	243	20	16	25	19	18	12	15	22	17	24	28	27
Female.....	346	25	30	36	35	28	27	16	42	20	22	30	35
American Indian 1/, both sexes.....	38	2	6	1	3	-	3	2	5	7	4	2	3
Male.....	23	2	4	1	3	-	1	2	1	3	2	2	2
Female.....	15	-	2	-	-	-	2	-	4	4	2	-	1
Asian or Pacific Islander 2/, both sexes.....	183	15	15	20	9	15	23	14	11	11	16	14	20
Male.....	80	7	7	10	6	5	9	4	3	4	7	9	9
Female.....	103	8	8	10	3	10	14	10	8	7	9	5	11

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aortic (valve) stenosis (I35.0)													
All races, both sexes.....	11,567	1,042	1,055	1,094	948	902	883	893	901	841	948	963	1,097
Male.....	4,346	394	390	392	348	339	352	335	337	320	359	380	400
Female.....	7,221	648	665	702	600	563	531	558	564	521	589	583	697
White, both sexes.....	10,960	994	1,007	1,034	895	855	835	861	843	802	901	902	1,031
Male.....	4,120	374	374	373	327	324	336	323	322	305	339	350	373
Female.....	6,840	620	633	661	568	531	499	538	521	497	562	552	658
Black, both sexes.....	437	36	31	41	43	34	27	22	47	27	34	47	48
Male.....	156	15	8	10	14	11	9	9	13	12	15	21	19
Female.....	281	21	23	31	29	23	18	13	34	15	19	26	29
American Indian 1/, both sexes.....	26	2	5	1	2	-	3	1	2	4	2	1	3
Male.....	15	2	3	1	2	-	1	1	-	1	1	1	2
Female.....	11	-	2	-	-	-	2	-	2	3	1	-	1
Asian or Pacific Islander 2/, both sexes.....	144	10	12	18	8	13	18	9	9	8	11	13	15
Male.....	55	3	5	8	5	4	6	2	2	2	4	8	6
Female.....	89	7	7	10	3	9	12	7	7	6	7	5	9
Aortic (valve) insufficiency (I35.1)													
All races, both sexes.....	508	52	30	47	49	45	43	43	38	40	49	37	35
Male.....	241	25	15	18	25	21	20	19	18	12	29	22	17
Female.....	267	27	15	29	24	24	23	24	20	28	20	15	18
White, both sexes.....	441	49	28	34	45	41	37	38	30	36	39	33	31
Male.....	201	25	14	8	23	17	17	16	14	10	23	18	16
Female.....	240	24	14	26	22	24	20	22	16	26	16	15	15
Black, both sexes.....	52	2	2	11	3	3	4	4	7	2	6	4	4
Male.....	31	-	1	8	1	3	2	3	3	1	4	4	1
Female.....	21	2	1	3	2	-	2	1	4	1	2	-	3
American Indian 1/, both sexes.....	4	-	-	-	1	-	-	-	1	1	1	-	-
Male.....	3	-	-	-	1	-	-	-	1	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	-	2	-	1	2	1	-	1	3	-	-
Male.....	6	-	-	2	-	1	1	-	-	-	2	-	-
Female.....	5	1	-	-	-	-	1	1	-	1	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aortic (valve) stenosis with insufficiency (I35.2)													
All races, both sexes.....	79	6	7	6	5	9	2	9	8	4	7	11	5
Male.....	27	4	1	2	2	2	-	3	3	2	3	4	1
Female.....	52	2	6	4	3	7	2	6	5	2	4	7	4
White, both sexes.....	74	5	7	4	5	9	2	8	8	4	7	11	4
Male.....	25	3	1	1	2	2	-	3	3	2	3	4	1
Female.....	49	2	6	3	3	7	2	5	5	2	4	7	3
Black, both sexes.....	3	-	-	2	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Other aortic valve disorders (I35.8)													
All races, both sexes.....	180	13	17	18	14	16	14	10	20	12	14	14	18
Male.....	105	8	12	12	7	7	8	6	14	6	8	6	11
Female.....	75	5	5	6	7	9	6	4	6	6	6	8	7
White, both sexes.....	153	13	13	15	12	12	13	8	18	10	11	11	17
Male.....	90	8	9	9	5	6	8	6	12	5	6	5	11
Female.....	63	5	4	6	7	6	5	2	6	5	5	6	6
Black, both sexes.....	24	-	4	3	2	3	1	2	2	2	2	3	-
Male.....	15	-	3	3	2	1	-	-	2	1	2	1	-
Female.....	9	-	1	-	-	2	1	2	-	1	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	-	-	1	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Endocarditis, valve unspecified (I38)													
All races, both sexes.....	5,029	444	418	476	406	429	399	379	379	401	399	431	468
Male.....	2,029	196	165	185	162	176	161	152	163	146	177	159	187
Female.....	3,000	248	253	291	244	253	238	227	216	255	222	272	281
White, both sexes.....	4,448	400	373	435	366	377	344	335	334	348	358	367	411
Male.....	1,772	174	145	165	146	150	138	134	145	125	152	134	164
Female.....	2,676	226	228	270	220	227	206	201	189	223	206	233	247
Black, both sexes.....	470	35	34	33	33	34	44	35	38	46	34	55	49
Male.....	213	21	15	16	14	18	19	15	13	16	21	22	23
Female.....	257	14	19	17	19	16	25	20	25	30	13	33	26
American Indian 1/, both sexes.....	25	-	2	3	1	1	3	3	2	2	3	2	3
Male.....	14	-	2	2	-	-	2	1	2	2	2	1	-
Female.....	11	-	-	1	1	1	1	2	-	-	1	1	3
Asian or Pacific Islander 2/, both sexes.....	86	9	9	5	6	17	8	6	5	5	4	7	5
Male.....	30	1	3	2	2	8	2	2	3	3	2	2	-
Female.....	56	8	6	3	4	9	6	4	2	2	2	5	5
Acute myocarditis (I40)													
All races, both sexes.....	259	23	16	29	24	22	20	16	23	14	27	17	28
Male.....	133	12	7	18	11	11	9	7	11	9	13	10	15
Female.....	126	11	9	11	13	11	11	9	12	5	14	7	13
White, both sexes.....	203	17	12	23	17	19	14	11	16	13	23	14	24
Male.....	108	8	6	14	8	10	6	4	9	9	12	9	13
Female.....	95	9	6	9	9	9	8	7	7	4	11	5	11
Black, both sexes.....	42	4	4	4	6	2	4	4	5	-	4	3	2
Male.....	20	3	1	2	3	-	2	3	2	-	1	1	2
Female.....	22	1	3	2	3	2	2	1	3	-	3	2	-
American Indian 1/, both sexes.....	4	-	-	-	-	1	1	-	1	-	-	-	1
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	10	2	-	2	1	-	1	1	1	1	-	-	1
Male.....	4	1	-	2	-	-	1	-	-	-	-	-	-
Female.....	6	1	-	-	1	-	-	1	1	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute myocarditis, unspecified (I40.9)													
All races, both sexes.....	67	7	4	3	7	3	8	5	6	3	9	6	6
Male.....	30	5	-	2	2	1	3	3	1	2	4	3	4
Female.....	37	2	4	1	5	2	5	2	5	1	5	3	2
White, both sexes.....	49	5	2	3	4	3	7	3	3	3	7	4	5
Male.....	25	3	-	2	2	1	2	2	-	2	4	3	4
Female.....	24	2	2	1	2	2	5	1	3	1	3	1	1
Black, both sexes.....	15	2	2	-	2	-	1	2	2	-	2	2	-
Male.....	5	2	-	-	-	-	1	1	1	-	-	-	-
Female.....	10	-	2	-	2	-	-	1	1	-	2	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Cardiomyopathy (I42)													
All races, both sexes.....	24,703	2,248	2,122	2,255	2,097	2,025	1,945	1,979	1,875	1,907	2,011	2,018	2,221
Male.....	14,399	1,321	1,247	1,296	1,204	1,170	1,162	1,153	1,094	1,098	1,167	1,202	1,285
Female.....	10,304	927	875	959	893	855	783	826	781	809	844	816	936
White, both sexes.....	19,865	1,821	1,724	1,816	1,674	1,622	1,559	1,604	1,491	1,560	1,617	1,627	1,750
Male.....	11,500	1,050	1,014	1,035	954	924	928	945	863	897	925	954	1,011
Female.....	8,365	771	710	781	720	698	631	659	628	663	692	673	739
Black, both sexes.....	4,255	368	349	390	380	362	330	321	332	304	350	352	417
Male.....	2,521	231	204	228	224	214	201	175	197	174	211	219	243
Female.....	1,734	137	145	162	156	148	129	146	135	130	139	133	174
American Indian 1/, both sexes.....	113	12	9	11	6	6	11	9	15	7	6	8	13
Male.....	78	10	5	10	3	3	8	6	11	4	6	5	7
Female.....	35	2	4	1	3	3	3	3	4	3	-	3	6
Asian or Pacific Islander 2/, both sexes.....	470	47	40	38	37	35	45	45	37	36	38	31	41
Male.....	300	30	24	23	23	29	25	27	23	23	25	24	24
Female.....	170	17	16	15	14	6	20	18	14	13	13	7	17

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Dilated cardiomyopathy (I42.0)													
All races, both sexes.....	5,129	468	422	460	447	469	381	403	381	412	422	422	442
Male.....	3,190	292	270	269	284	288	247	254	243	250	267	263	263
Female.....	1,939	176	152	191	163	181	134	149	138	162	155	159	179
White, both sexes.....	3,894	355	321	345	332	355	291	311	299	330	316	317	322
Male.....	2,390	208	204	195	212	214	190	199	187	191	202	196	192
Female.....	1,504	147	117	150	120	141	101	112	112	139	114	121	130
Black, both sexes.....	1,116	99	88	105	107	105	81	84	72	74	99	95	107
Male.....	718	73	59	67	67	67	51	49	48	54	59	60	64
Female.....	398	26	29	38	40	38	30	35	24	20	40	35	43
American Indian 1/, both sexes.....	23	2	4	3	1	1	1	1	3	1	1	3	2
Male.....	15	2	3	3	1	-	-	1	2	1	1	1	-
Female.....	8	-	1	-	-	1	1	-	1	-	-	2	2
Asian or Pacific Islander 2/, both sexes.....	96	12	9	7	7	8	8	7	7	7	6	7	11
Male.....	67	9	4	4	4	7	6	5	6	4	5	6	7
Female.....	29	3	5	3	3	1	2	2	1	3	1	1	4
Obstructive hypertrophic cardiomyopathy (I42.1)													
All races, both sexes.....	162	14	23	19	13	8	12	12	15	14	9	7	16
Male.....	53	4	9	7	4	2	2	6	3	2	3	6	5
Female.....	109	10	14	12	9	6	10	6	12	12	6	1	11
White, both sexes.....	146	12	19	18	11	8	12	11	14	13	7	6	15
Male.....	49	3	8	7	3	2	2	6	3	2	3	5	5
Female.....	97	9	11	11	8	6	10	5	11	11	4	1	10
Black, both sexes.....	15	2	4	1	2	-	-	1	-	1	2	1	1
Male.....	4	1	1	-	1	-	-	-	-	-	-	1	-
Female.....	11	1	3	1	1	-	-	1	-	1	2	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other cardiomyopathies (I42.8)													
All races, both sexes.....	86	6	8	6	12	7	6	10	11	5	4	6	5
Male.....	31	3	1	2	2	2	2	4	6	3	2	2	2
Female.....	55	3	7	4	10	5	4	6	5	2	2	4	3
White, both sexes.....	75	5	7	6	11	6	5	7	11	4	3	5	5
Male.....	23	2	-	2	2	1	2	2	6	2	1	1	2
Female.....	52	3	7	4	9	5	3	5	5	2	2	4	3
Black, both sexes.....	10	-	1	-	1	1	1	3	-	1	1	1	-
Male.....	7	-	1	-	-	1	-	2	-	1	1	1	-
Female.....	3	-	-	-	1	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cardiomyopathy, unspecified (I42.9)													
All races, both sexes.....	17,568	1,624	1,515	1,599	1,510	1,397	1,404	1,397	1,340	1,343	1,409	1,423	1,607
Male.....	9,938	940	862	900	830	780	814	780	759	751	779	828	915
Female.....	7,630	684	653	699	680	617	590	617	581	592	630	595	692
White, both sexes.....	14,375	1,335	1,255	1,312	1,226	1,139	1,144	1,151	1,075	1,105	1,158	1,181	1,294
Male.....	8,119	769	719	738	671	633	661	650	607	630	629	676	736
Female.....	6,256	566	536	574	555	506	483	501	468	475	529	505	558
Black, both sexes.....	2,801	250	232	254	252	231	220	209	233	207	219	217	277
Male.....	1,577	145	127	141	141	127	131	110	132	101	129	133	160
Female.....	1,224	105	105	113	111	104	89	99	101	106	90	84	117
American Indian 1/, both sexes.....	65	8	5	6	4	5	6	4	6	5	3	3	10
Male.....	43	7	2	5	1	3	5	2	5	2	3	2	6
Female.....	22	1	3	1	3	2	1	2	1	3	-	1	4
Asian or Pacific Islander 2/, both sexes.....	327	31	23	27	28	22	34	33	26	26	29	22	26
Male.....	199	19	14	16	17	17	17	18	15	18	18	17	13
Female.....	128	12	9	11	11	5	17	15	11	8	11	5	13

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other conduction disorders (I45)													
All races, both sexes.....	508	52	38	45	39	40	41	43	35	35	54	41	45
Male.....	251	24	16	28	27	16	25	21	12	15	24	19	24
Female.....	257	28	22	17	12	24	16	22	23	20	30	22	21
White, both sexes.....	413	46	27	41	30	37	31	36	25	26	43	36	35
Male.....	207	20	13	26	20	14	18	18	11	10	20	17	20
Female.....	206	26	14	15	10	23	13	18	14	16	23	19	15
Black, both sexes.....	89	5	11	3	7	3	9	7	10	9	10	5	10
Male.....	41	4	3	2	5	2	6	3	1	5	4	2	4
Female.....	48	1	8	1	2	1	3	4	9	4	6	3	6
American Indian 1/, both sexes.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	1	-	1	-	-	-	1	-	-
Male.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Other and unspecified right bundle-branch block (I45.1)													
All races, both sexes.....	7	-	1	1	-	-	-	-	-	-	5	-	-
Male.....	5	-	1	-	-	-	-	-	-	-	4	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-
White, both sexes.....	6	-	1	1	-	-	-	-	-	-	4	-	-
Male.....	5	-	1	-	-	-	-	-	-	-	4	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cardiac arrest (I46)													
All races, both sexes.....	15,394	1,401	1,342	1,467	1,305	1,196	1,154	1,222	1,166	1,135	1,252	1,270	1,484
Male.....	7,504	672	651	719	613	595	583	600	580	579	595	637	680
Female.....	7,890	729	691	748	692	601	571	622	586	556	657	633	804
White, both sexes.....	12,359	1,129	1,077	1,190	1,030	961	930	983	930	904	1,004	1,031	1,190
Male.....	6,015	539	522	586	487	471	478	481	468	459	467	510	547
Female.....	6,344	590	555	604	543	490	452	502	462	445	537	521	643
Black, both sexes.....	2,620	241	234	235	237	215	192	197	196	201	207	212	253
Male.....	1,266	114	115	108	104	113	88	97	94	104	106	114	109
Female.....	1,354	127	119	127	133	102	104	100	102	97	101	98	144
American Indian 1/, both sexes.....	69	8	5	7	5	3	4	11	5	6	5	2	8
Male.....	38	7	4	4	2	3	-	5	-	5	2	1	5
Female.....	31	1	1	3	3	-	4	6	5	1	3	1	3
Asian or Pacific Islander 2/, both sexes.....	346	23	26	35	33	17	28	31	35	24	36	25	33
Male.....	185	12	10	21	20	8	17	17	18	11	20	12	19
Female.....	161	11	16	14	13	9	11	14	17	13	16	13	14
Sudden cardiac death, so described (I46.1)													
All races, both sexes.....	2,783	277	263	270	219	229	217	208	198	200	222	232	248
Male.....	1,487	148	136	152	110	122	117	112	103	111	123	141	112
Female.....	1,296	129	127	118	109	107	100	96	95	89	99	91	136
White, both sexes.....	2,358	242	230	223	188	191	188	174	163	174	189	197	199
Male.....	1,267	130	120	129	97	99	103	95	90	97	102	116	89
Female.....	1,091	112	110	94	91	92	85	79	73	77	87	81	110
Black, both sexes.....	387	31	30	44	26	37	28	30	29	24	29	34	45
Male.....	201	17	16	21	11	22	13	15	12	13	18	24	19
Female.....	186	14	14	23	15	15	15	15	17	11	11	10	26
American Indian 1/, both sexes.....	10	2	-	1	1	-	-	2	2	1	1	-	-
Male.....	6	1	-	1	-	-	-	2	-	1	1	-	-
Female.....	4	1	-	-	1	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	2	3	2	4	1	1	2	4	1	3	1	4
Male.....	13	-	-	1	2	1	1	-	1	-	2	1	4
Female.....	15	2	3	1	2	-	-	2	3	1	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Paroxysmal tachycardia, unspecified (I47.9)													
All races, both sexes.....	3	-	-	2	-	1	-	-	-	-	-	-	-
Male.....	2	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Atrial fibrillation and flutter (I48)													
All races, both sexes.....	11,438	1,067	996	1,060	967	938	874	861	880	860	943	929	1,063
Male.....	4,007	358	356	336	337	364	305	312	295	302	338	329	375
Female.....	7,431	709	640	724	630	574	569	549	585	558	605	600	688
White, both sexes.....	10,664	993	942	990	899	873	822	801	813	797	879	867	988
Male.....	3,677	326	331	311	315	329	281	291	271	273	311	301	337
Female.....	6,987	667	611	679	584	544	541	510	542	524	568	566	651
Black, both sexes.....	581	59	38	49	57	46	37	46	54	53	46	41	55
Male.....	248	23	18	19	19	20	16	18	21	26	20	20	28
Female.....	333	36	20	30	38	26	21	28	33	27	26	21	27
American Indian 1/, both sexes.....	29	2	4	2	3	3	2	1	2	2	1	4	3
Male.....	14	1	3	-	1	3	1	-	-	-	1	2	2
Female.....	15	1	1	2	2	-	1	1	2	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	164	13	12	19	8	16	13	13	11	8	17	17	17
Male.....	68	8	4	6	2	12	7	3	3	3	6	6	8
Female.....	96	5	8	13	6	4	6	10	8	5	11	11	9

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other cardiac arrhythmias (I49)													
All races, both sexes.....	9,453	879	802	910	883	717	737	754	715	737	743	722	854
Male.....	4,493	422	366	453	452	355	332	354	328	349	359	334	389
Female.....	4,960	457	436	457	431	362	405	400	387	388	384	388	465
White, both sexes.....	7,932	750	666	767	739	616	625	637	591	598	628	614	701
Male.....	3,750	363	298	384	368	300	294	291	271	286	295	279	321
Female.....	4,182	387	368	383	371	316	331	346	320	312	333	335	380
Black, both sexes.....	1,380	117	121	130	133	91	99	106	111	127	104	100	141
Male.....	661	51	57	61	78	46	36	58	48	57	58	50	61
Female.....	719	66	64	69	55	45	63	48	63	70	46	50	80
American Indian 1/, both sexes.....	38	1	3	5	6	3	5	1	3	3	1	2	5
Male.....	18	1	1	3	2	2	-	1	3	-	1	1	3
Female.....	20	-	2	2	4	1	5	-	-	3	-	1	2
Asian or Pacific Islander 2/, both sexes.....	103	11	12	8	5	7	8	10	10	9	10	6	7
Male.....	64	7	10	5	4	7	2	4	6	6	5	4	4
Female.....	39	4	2	3	1	-	6	6	4	3	5	2	3
Ventricular fibrillation and flutter (I49.0)													
All races, both sexes.....	1,014	104	77	109	105	79	76	71	71	73	82	79	88
Male.....	609	64	48	67	63	43	49	51	34	46	54	47	43
Female.....	405	40	29	42	42	36	27	20	37	27	28	32	45
White, both sexes.....	866	91	65	93	93	71	62	64	59	61	71	67	69
Male.....	530	59	41	57	53	38	46	46	28	38	46	43	35
Female.....	336	32	24	36	40	33	16	18	31	23	25	24	34
Black, both sexes.....	133	11	12	14	11	7	14	6	11	9	9	11	18
Male.....	69	4	7	8	9	4	3	4	5	6	7	4	8
Female.....	64	7	5	6	2	3	11	2	6	3	2	7	10
American Indian 1/, both sexes.....	6	-	-	2	1	1	-	1	-	1	-	-	-
Male.....	5	-	-	2	1	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	2	-	-	-	-	-	-	1	2	2	1	1
Male.....	5	1	-	-	-	-	-	-	1	2	1	-	-
Female.....	4	1	-	-	-	-	-	-	-	-	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ventricular premature depolarization (I49.3)													
All races, both sexes.....	10	1	-	2	2	1	1	1	-	1	-	1	-
Male.....	5	-	-	-	1	1	1	1	-	1	-	-	-
Female.....	5	1	-	2	1	-	-	-	-	-	-	1	-
White, both sexes.....	8	1	-	1	1	1	1	1	-	1	-	1	-
Male.....	5	-	-	-	1	1	1	1	-	1	-	-	-
Female.....	3	1	-	1	-	-	-	-	-	-	-	1	-
Black, both sexes.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Sick sinus syndrome (I49.5)													
All races, both sexes.....	403	40	40	44	34	25	38	30	22	31	31	30	38
Male.....	150	15	13	16	11	13	15	11	12	11	13	6	14
Female.....	253	25	27	28	23	12	23	19	10	20	18	24	24
White, both sexes.....	357	38	34	38	30	21	32	28	22	27	28	26	33
Male.....	133	14	12	14	10	11	13	11	12	9	10	5	12
Female.....	224	24	22	24	20	10	19	17	10	18	18	21	21
Black, both sexes.....	35	2	4	6	3	2	4	1	-	4	2	2	5
Male.....	11	1	-	2	1	-	1	-	-	2	2	-	2
Female.....	24	1	4	4	2	2	3	1	-	2	-	2	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	10	-	2	-	1	2	2	1	-	-	1	1	-
Male.....	6	-	1	-	-	2	1	-	-	-	1	1	-
Female.....	4	-	1	-	1	-	1	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified cardiac arrhythmias (I49.8)													
All races, both sexes.....	103	5	9	8	9	5	7	11	8	12	10	11	8
Male.....	50	4	3	6	4	3	4	3	2	4	5	7	5
Female.....	53	1	6	2	5	2	3	8	6	8	5	4	3
White, both sexes.....	92	4	8	8	7	4	7	10	7	11	8	10	8
Male.....	45	3	3	6	2	2	4	3	2	4	4	7	5
Female.....	47	1	5	2	5	2	3	7	5	7	4	3	3
Black, both sexes.....	10	1	1	-	2	1	-	1	1	1	2	-	-
Male.....	5	1	-	-	2	1	-	-	-	-	1	-	-
Female.....	5	-	1	-	-	-	-	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Cardiac arrhythmia, unspecified (I49.9)													
All races, both sexes.....	7,923	729	676	747	733	607	615	641	614	620	620	601	720
Male.....	3,679	339	302	364	373	295	263	288	280	287	287	274	327
Female.....	4,244	390	374	383	360	312	352	353	334	333	333	327	393
White, both sexes.....	6,609	616	559	627	608	519	523	534	503	498	521	510	591
Male.....	3,037	287	242	307	302	248	230	230	229	234	235	224	269
Female.....	3,572	329	317	320	306	271	293	304	274	264	286	286	322
Black, both sexes.....	1,200	103	104	109	116	81	81	98	99	113	91	87	118
Male.....	576	45	50	51	66	41	32	54	43	49	48	46	51
Female.....	624	58	54	58	50	40	49	44	56	64	43	41	67
American Indian 1/, both sexes.....	31	1	3	3	5	2	5	-	3	2	1	1	5
Male.....	13	1	1	1	1	1	-	-	3	-	1	1	3
Female.....	18	-	2	2	4	1	5	-	-	2	-	-	2
Asian or Pacific Islander 2/, both sexes.....	83	9	10	8	4	5	6	9	9	7	7	3	6
Male.....	53	6	9	5	4	5	1	4	5	4	3	3	4
Female.....	30	3	1	3	-	-	5	5	4	3	4	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Heart failure (I50)													
All races, both sexes.....	60,337	5,589	5,216	5,858	5,225	5,022	4,685	4,600	4,488	4,538	4,839	4,789	5,488
Male.....	23,918	2,240	2,022	2,279	2,057	2,024	1,867	1,861	1,794	1,790	1,930	1,904	2,150
Female.....	36,419	3,349	3,194	3,579	3,168	2,998	2,818	2,739	2,694	2,748	2,909	2,885	3,338
White, both sexes.....	53,980	5,067	4,657	5,279	4,676	4,447	4,191	4,105	4,003	4,035	4,282	4,304	4,934
Male.....	21,236	2,022	1,799	2,019	1,829	1,774	1,655	1,675	1,579	1,566	1,704	1,693	1,921
Female.....	32,744	3,045	2,858	3,260	2,847	2,673	2,536	2,430	2,424	2,469	2,578	2,611	3,013
Black, both sexes.....	5,564	465	493	504	474	515	430	429	431	441	484	421	477
Male.....	2,335	189	200	219	199	223	191	154	187	193	197	183	200
Female.....	3,229	276	293	285	275	292	239	275	244	248	287	238	277
American Indian 1/, both sexes.....	218	17	19	21	18	16	24	10	16	17	22	17	21
Male.....	101	10	5	12	8	9	10	6	10	6	11	8	6
Female.....	117	7	14	9	10	7	14	4	6	11	11	9	15
Asian or Pacific Islander 2/, both sexes.....	575	40	47	54	57	44	40	56	38	45	51	47	56
Male.....	246	19	18	29	21	18	11	26	18	25	18	20	23
Female.....	329	21	29	25	36	26	29	30	20	20	33	27	33
Congestive heart failure (I50.0)													
All races, both sexes.....	55,923	5,224	4,857	5,443	4,839	4,658	4,341	4,260	4,120	4,204	4,503	4,421	5,053
Male.....	21,908	2,051	1,862	2,081	1,909	1,861	1,699	1,706	1,634	1,644	1,772	1,722	1,967
Female.....	34,015	3,173	2,995	3,362	2,930	2,797	2,642	2,554	2,486	2,560	2,731	2,699	3,086
White, both sexes.....	50,271	4,763	4,357	4,935	4,355	4,137	3,909	3,817	3,687	3,762	4,009	3,981	4,559
Male.....	19,583	1,865	1,669	1,858	1,713	1,637	1,525	1,545	1,449	1,451	1,572	1,537	1,762
Female.....	30,688	2,898	2,688	3,077	2,642	2,500	2,384	2,272	2,238	2,311	2,437	2,444	2,797
Black, both sexes.....	4,939	410	444	439	416	466	376	386	384	386	427	381	424
Male.....	2,010	158	175	186	170	198	156	132	158	166	173	160	178
Female.....	2,929	252	269	253	246	268	220	254	226	220	254	221	246
American Indian 1/, both sexes.....	198	15	16	19	18	16	22	6	15	17	19	15	20
Male.....	92	10	4	10	8	9	9	5	10	6	9	6	6
Female.....	106	5	12	9	10	7	13	1	5	11	10	9	14
Asian or Pacific Islander 2/, both sexes.....	515	36	40	50	50	39	34	51	34	39	48	44	50
Male.....	223	18	14	27	18	17	9	24	17	21	18	19	21
Female.....	292	18	26	23	32	22	25	27	17	18	30	25	29

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Left ventricular failure (I50.1)													
All races, both sexes.....	120	7	9	12	12	12	16	9	11	5	7	6	14
Male.....	55	3	3	5	6	8	6	4	5	2	5	3	5
Female.....	65	4	6	7	6	4	10	5	6	3	2	3	9
White, both sexes.....	111	7	8	11	11	10	15	8	11	5	7	6	12
Male.....	51	3	3	4	5	6	6	4	5	2	5	3	5
Female.....	60	4	5	7	6	4	9	4	6	3	2	3	7
Black, both sexes.....	7	-	1	1	1	1	1	1	-	-	-	-	1
Male.....	3	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	4	-	1	-	-	-	1	1	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart failure, unspecified (I50.9)													
All races, both sexes.....	4,294	358	350	403	374	352	328	331	357	329	329	362	421
Male.....	1,955	186	157	193	142	155	162	151	155	144	153	179	178
Female.....	2,339	172	193	210	232	197	166	180	202	185	176	183	243
White, both sexes.....	3,598	297	292	333	310	300	267	280	305	268	266	317	363
Male.....	1,602	154	127	157	111	131	124	126	125	113	127	153	154
Female.....	1,996	143	165	176	199	169	143	154	180	155	139	164	209
Black, both sexes.....	618	55	48	64	57	48	53	42	47	55	57	40	52
Male.....	322	31	25	32	28	24	35	22	29	27	24	23	22
Female.....	296	24	23	32	29	24	18	20	18	28	33	17	30
American Indian 1/, both sexes.....	19	2	3	2	-	-	2	4	1	-	3	2	-
Male.....	9	-	1	2	-	-	1	1	-	-	2	2	-
Female.....	10	2	2	-	-	-	1	3	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	59	4	7	4	7	4	6	5	6	3	3	3	6
Male.....	22	1	4	2	3	-	2	2	1	4	-	1	2
Female.....	37	3	3	2	4	4	4	3	3	2	3	2	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intracardiac thrombosis, not elsewhere classified (I51.3)													
All races, both sexes.....	19	1	1	1	2	3	2	2	-	2	1	1	3
Male.....	7	-	-	-	1	2	-	1	-	-	1	-	2
Female.....	12	1	1	1	1	1	2	1	-	2	-	1	1
White, both sexes.....	15	1	1	1	2	2	2	1	-	1	1	1	2
Male.....	4	-	-	-	1	1	-	-	-	-	1	-	1
Female.....	11	1	1	1	1	1	2	1	-	1	-	1	1
Black, both sexes.....	4	-	-	-	-	1	-	1	-	1	-	-	1
Male.....	3	-	-	-	-	1	-	1	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Myocarditis, unspecified (I51.4)													
All races, both sexes.....	531	45	42	39	60	54	40	48	30	39	37	49	48
Male.....	267	15	25	18	33	30	21	28	17	13	19	24	24
Female.....	264	30	17	21	27	24	19	20	13	26	18	25	24
White, both sexes.....	408	32	32	35	46	38	32	37	26	29	27	40	34
Male.....	213	10	20	17	28	21	16	24	16	10	12	21	18
Female.....	195	22	12	18	18	17	16	13	10	19	15	19	16
Black, both sexes.....	107	12	9	3	12	11	7	10	3	10	9	8	13
Male.....	45	5	4	1	4	6	5	4	-	3	6	2	5
Female.....	62	7	5	2	8	5	2	6	3	7	3	6	8
American Indian 1/, both sexes.....	4	-	-	1	-	1	-	1	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	1	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	1	1	-	2	4	1	-	1	-	-	1	1
Male.....	8	-	1	-	1	3	-	-	1	-	-	1	1
Female.....	4	1	-	-	1	1	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myocardial degeneration (I51.5)													
All races, both sexes.....	147	17	11	16	9	13	9	9	10	7	14	16	16
Male.....	75	10	5	8	4	3	6	7	7	4	7	9	5
Female.....	72	7	6	8	5	10	3	2	3	3	7	7	11
White, both sexes.....	128	15	11	15	7	12	8	8	9	6	11	13	13
Male.....	62	8	5	7	4	2	5	6	6	3	6	7	3
Female.....	66	7	6	8	3	10	3	2	3	3	5	6	10
Black, both sexes.....	16	2	-	1	1	1	1	1	-	-	3	3	3
Male.....	11	2	-	1	-	1	1	1	-	-	1	2	2
Female.....	5	-	-	-	1	-	-	-	-	-	2	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	-	-	1	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Cardiovascular disease, unspecified (I51.6)													
All races, both sexes.....	4,781	392	397	441	362	431	368	396	382	378	395	422	417
Male.....	2,222	167	181	207	173	208	176	178	170	175	193	192	202
Female.....	2,559	225	216	234	189	223	192	218	212	203	202	230	215
White, both sexes.....	4,127	345	351	368	316	379	304	341	330	319	338	366	370
Male.....	1,896	147	155	172	154	176	145	154	144	144	161	164	180
Female.....	2,231	198	196	196	162	203	159	187	186	175	177	202	190
Black, both sexes.....	562	40	41	60	36	43	54	48	43	55	53	48	41
Male.....	274	15	23	27	16	26	25	21	20	28	29	24	20
Female.....	288	25	18	33	20	17	29	27	23	27	24	24	21
American Indian 1/, both sexes.....	18	1	1	5	1	1	-	2	3	1	1	1	1
Male.....	13	1	1	4	-	-	-	3	1	1	1	1	1
Female.....	5	-	-	1	1	1	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	74	6	4	8	9	8	10	5	6	3	3	7	5
Male.....	39	4	2	4	3	6	6	3	3	2	2	3	1
Female.....	35	2	2	4	6	2	4	2	3	1	1	4	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Heart disease, unspecified (I51.9)													
All races, both sexes.....	3,707	319	304	323	285	321	291	312	284	319	314	304	331
Male.....	1,884	165	154	160	124	173	151	159	140	161	173	143	181
Female.....	1,823	154	150	163	161	148	140	153	144	158	141	161	150
White, both sexes.....	3,170	276	256	274	240	278	258	255	240	287	268	257	281
Male.....	1,601	139	133	131	107	144	136	129	117	142	146	124	153
Female.....	1,569	137	123	143	133	134	122	126	123	145	122	133	128
Black, both sexes.....	485	41	43	45	41	39	28	53	40	28	42	42	43
Male.....	258	24	20	28	16	27	12	29	21	17	24	17	23
Female.....	227	17	23	17	25	12	16	24	19	11	18	25	20
American Indian 1/, both sexes.....	17	1	1	3	2	2	1	1	2	-	-	-	4
Male.....	10	1	-	1	-	2	1	1	1	-	-	-	3
Female.....	7	-	1	2	2	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	35	1	4	1	2	2	4	3	2	4	4	5	3
Male.....	15	1	1	-	1	-	2	-	1	2	3	2	2
Female.....	20	-	3	1	1	2	2	3	1	2	1	3	1
Subarachnoid hemorrhage (I60)													
All races, both sexes.....	5,846	501	470	527	498	467	485	481	455	454	521	459	528
Male.....	2,089	182	171	185	184	161	167	172	170	154	180	171	192
Female.....	3,757	319	299	342	314	306	318	309	285	300	341	288	336
White, both sexes.....	4,689	402	380	424	412	370	400	384	370	349	414	360	424
Male.....	1,710	149	142	155	158	134	139	141	146	120	143	130	153
Female.....	2,979	253	238	269	254	236	261	243	224	229	271	230	271
Black, both sexes.....	850	79	68	71	67	67	65	66	62	75	82	70	78
Male.....	283	26	22	20	20	19	21	23	20	21	27	29	35
Female.....	567	53	46	51	47	48	44	43	42	54	55	41	43
American Indian 1/, both sexes.....	30	2	2	2	1	3	1	2	3	1	6	5	2
Male.....	9	-	-	1	-	-	-	1	-	1	3	2	1
Female.....	21	2	2	1	1	3	1	1	3	-	3	3	1
Asian or Pacific Islander 2/, both sexes.....	277	18	20	30	18	27	19	29	20	29	19	24	24
Male.....	87	7	7	9	6	8	7	7	4	12	7	10	3
Female.....	190	11	13	21	12	19	12	22	16	17	12	14	21

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Subarachnoid hemorrhage from carotid siphon and bifurcation (I60.0)													
All races, both sexes.....	85	10	7	6	8	9	5	5	4	8	9	6	8
Male.....	28	3	3	3	3	3	1	1	1	1	4	2	3
Female.....	57	7	4	3	5	6	4	4	3	7	5	4	5
White, both sexes.....	67	7	6	6	6	8	2	3	3	6	8	5	7
Male.....	23	1	3	3	3	3	-	1	1	1	3	2	2
Female.....	44	6	3	3	3	5	2	2	2	5	5	3	5
Black, both sexes.....	13	2	1	-	1	1	2	1	1	1	1	1	1
Male.....	5	2	-	-	-	-	1	-	-	-	1	-	1
Female.....	8	-	1	-	1	1	1	1	1	1	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	1	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	1	-	1	-	-	1	-	-	-
Subarachnoid hemorrhage from other intracranial arteries (I60.6)													
All races, both sexes.....	72	4	7	7	3	3	9	3	6	4	6	9	11
Male.....	25	2	3	2	1	1	4	-	5	1	1	3	2
Female.....	47	2	4	5	2	2	5	3	1	3	5	6	9
White, both sexes.....	57	3	5	6	3	3	5	3	6	3	5	7	8
Male.....	19	2	2	2	1	1	1	-	5	1	-	2	2
Female.....	38	1	3	4	2	2	4	3	1	2	5	5	6
Black, both sexes.....	13	-	2	1	-	-	4	-	-	-	1	2	3
Male.....	6	-	1	-	-	-	3	-	-	-	1	1	-
Female.....	7	-	1	1	-	-	1	-	-	-	-	1	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Subarachnoid hemorrhage from intracranial artery, unspecified (I60.7)													
All races, both sexes.....	430	29	33	41	47	39	34	28	38	27	34	37	43
Male.....	190	19	16	14	29	11	14	13	17	11	10	17	19
Female.....	240	10	17	27	18	28	20	15	21	16	24	20	24
White, both sexes.....	326	21	24	31	36	29	25	20	31	20	27	31	31
Male.....	151	16	11	12	23	9	11	11	14	8	10	13	13
Female.....	175	5	13	19	13	20	14	9	17	12	17	18	18
Black, both sexes.....	82	7	9	7	6	6	7	6	7	5	7	4	11
Male.....	33	3	5	2	4	1	3	2	3	2	-	2	6
Female.....	49	4	4	5	2	5	4	4	4	3	7	2	5
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	1	-	3	5	3	2	2	-	2	-	1	1
Male.....	5	-	-	-	2	1	-	-	-	1	-	1	-
Female.....	15	1	-	3	3	2	2	2	-	1	-	-	1
Other subarachnoid hemorrhage (I60.8)													
All races, both sexes.....	197	25	17	16	17	9	19	18	12	9	12	21	22
Male.....	89	13	6	7	6	2	10	10	5	4	3	11	12
Female.....	108	12	11	9	11	7	9	8	7	5	9	10	10
White, both sexes.....	161	21	16	13	15	8	15	15	11	7	6	16	18
Male.....	76	12	6	7	5	1	8	9	5	3	1	9	10
Female.....	85	9	10	6	10	7	7	6	6	4	5	7	8
Black, both sexes.....	26	4	1	2	2	-	2	2	1	2	4	2	4
Male.....	8	1	-	-	1	-	-	1	-	1	2	-	2
Female.....	18	3	1	2	1	-	2	1	1	1	2	2	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	1	-	1	2	1	-	-	1	3	-
Male.....	5	-	-	-	-	1	2	-	-	-	-	2	-
Female.....	4	-	-	1	-	-	-	1	-	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Subarachnoid hemorrhage, unspecified (I60.9)													
All races, both sexes.....	5,062	433	406	457	423	407	418	427	395	406	460	386	444
Male.....	1,757	145	143	159	145	144	138	148	142	137	162	138	156
Female.....	3,305	288	263	298	278	263	280	279	253	269	298	248	288
White, both sexes.....	4,078	350	329	368	352	322	353	343	319	313	368	301	360
Male.....	1,441	118	120	131	126	120	119	120	121	107	129	104	126
Female.....	2,637	232	209	237	226	202	234	223	198	206	239	197	234
Black, both sexes.....	716	66	55	61	58	60	50	57	53	67	69	61	59
Male.....	231	20	16	18	15	18	14	20	17	18	23	26	26
Female.....	485	46	39	43	43	42	36	37	36	49	46	35	33
American Indian 1/, both sexes.....	26	2	2	2	1	2	1	1	3	1	5	4	2
Male.....	8	-	-	1	-	-	-	1	-	1	3	1	1
Female.....	18	2	2	1	1	2	1	-	3	-	2	3	1
Asian or Pacific Islander 2/, both sexes.....	242	15	20	26	12	23	14	26	20	25	18	20	23
Male.....	77	7	7	9	4	6	5	7	4	11	7	7	3
Female.....	165	8	13	17	8	17	9	19	16	14	11	13	20
Intracerebral hemorrhage (I61)													
All races, both sexes.....	17,627	1,627	1,487	1,615	1,439	1,487	1,352	1,389	1,328	1,421	1,498	1,435	1,549
Male.....	8,154	741	677	741	670	700	622	651	627	659	705	672	689
Female.....	9,473	886	810	874	769	787	730	738	701	762	793	763	860
White, both sexes.....	14,288	1,310	1,187	1,317	1,170	1,192	1,108	1,131	1,079	1,161	1,206	1,156	1,271
Male.....	6,477	596	540	590	542	549	501	521	504	519	553	524	538
Female.....	7,811	714	647	727	628	643	607	610	575	642	653	632	733
Black, both sexes.....	2,548	242	221	229	210	218	192	186	188	207	220	217	218
Male.....	1,284	109	100	113	103	112	98	88	94	114	118	116	119
Female.....	1,264	133	121	116	107	106	94	98	94	93	102	101	99
American Indian 1/, both sexes.....	91	6	8	8	4	7	9	12	8	5	8	10	6
Male.....	42	3	3	3	1	2	4	8	5	1	3	7	2
Female.....	49	3	5	5	3	5	5	4	3	4	5	3	4
Asian or Pacific Islander 2/, both sexes.....	700	69	71	61	55	70	43	60	53	48	64	52	54
Male.....	351	33	34	35	24	37	19	34	24	25	31	25	30
Female.....	349	36	37	26	31	33	24	26	29	23	33	27	24

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intracerebral hemorrhage in hemisphere, subcortical (I61.0)													
All races, both sexes.....	210	14	15	20	14	24	15	19	14	19	18	14	24
Male.....	104	4	6	9	6	10	11	12	6	9	7	7	17
Female.....	106	10	9	11	8	14	4	7	8	10	11	7	7
White, both sexes.....	153	11	10	13	8	17	10	17	10	15	16	7	19
Male.....	70	3	4	5	3	7	6	10	3	5	7	2	15
Female.....	83	8	6	8	5	10	4	7	7	10	9	5	4
Black, both sexes.....	41	3	2	4	6	5	5	-	3	3	2	5	3
Male.....	23	1	1	3	3	1	5	-	2	3	-	3	1
Female.....	18	2	1	1	3	4	-	-	1	-	2	2	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	3	3	-	2	-	2	1	1	-	1	2
Male.....	10	-	1	1	-	2	-	2	1	1	-	1	1
Female.....	5	-	2	2	-	-	-	-	-	-	-	-	1
Intracerebral hemorrhage in hemisphere, cortical (I61.1)													
All races, both sexes.....	186	17	16	22	11	13	14	15	17	15	11	22	13
Male.....	72	6	5	10	4	5	6	3	8	6	2	10	7
Female.....	114	11	11	12	7	8	8	12	9	9	9	12	6
White, both sexes.....	157	13	13	18	9	12	12	11	14	14	9	19	13
Male.....	63	5	5	8	4	5	5	2	7	6	1	8	7
Female.....	94	8	8	10	5	7	7	9	7	8	8	11	6
Black, both sexes.....	20	2	2	3	1	1	2	3	1	1	1	3	-
Male.....	5	-	-	1	-	-	1	-	1	-	-	2	-
Female.....	15	2	2	2	1	1	1	3	-	1	1	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	2	1	1	1	-	-	-	2	-	1	-	-
Male.....	3	1	-	1	-	-	-	-	-	-	1	-	-
Female.....	5	1	1	-	1	-	-	-	2	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intracerebral hemorrhage in hemisphere, unspecified (I61.2)													
All races, both sexes.....	44	7	2	7	3	2	2	4	3	1	3	8	2
Male.....	21	2	1	4	3	-	1	1	3	-	3	3	-
Female.....	23	5	1	3	-	2	1	3	-	1	-	5	2
White, both sexes.....	41	7	2	6	3	2	2	3	3	1	2	8	2
Male.....	19	2	1	3	3	-	1	1	3	-	2	3	-
Female.....	22	5	1	3	-	2	1	2	-	1	-	5	2
Black, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral hemorrhage in brain stem (I61.3)													
All races, both sexes.....	650	65	54	59	56	54	50	52	38	55	68	50	49
Male.....	344	41	23	26	31	32	27	29	18	25	34	34	24
Female.....	306	24	31	33	25	22	23	23	20	30	34	16	25
White, both sexes.....	499	51	43	47	43	39	42	42	30	40	49	36	37
Male.....	260	36	18	20	23	22	22	21	15	17	23	24	19
Female.....	239	15	25	27	20	17	20	21	15	23	26	12	18
Black, both sexes.....	114	12	11	11	11	10	4	3	8	13	13	11	7
Male.....	66	5	5	5	7	7	3	2	3	8	10	8	3
Female.....	48	7	6	6	4	3	1	1	5	5	3	3	4
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	35	2	-	1	2	5	4	7	-	1	6	3	4
Male.....	18	-	-	1	1	3	2	6	-	-	1	2	2
Female.....	17	2	-	-	1	2	2	1	-	1	5	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intracerebral hemorrhage in cerebellum (I61.4)													
All races, both sexes.....	530	47	42	48	41	40	42	43	48	35	55	50	39
Male.....	265	23	20	23	19	21	19	23	24	15	32	27	19
Female.....	265	24	22	25	22	19	23	20	24	20	23	23	20
White, both sexes.....	407	33	31	35	32	30	32	36	38	23	46	40	31
Male.....	193	14	15	16	15	15	12	17	19	8	28	19	15
Female.....	214	19	16	19	17	15	20	19	19	15	18	21	16
Black, both sexes.....	92	10	10	11	6	6	6	4	9	10	6	9	5
Male.....	53	6	4	6	4	3	4	4	5	6	2	7	2
Female.....	39	4	6	5	2	3	2	-	4	4	4	2	3
American Indian 1/, both sexes.....	4	1	-	-	-	-	2	-	-	-	-	1	-
Male.....	3	-	-	-	-	-	2	-	-	-	-	1	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	3	1	2	3	4	2	3	1	2	3	-	3
Male.....	16	3	1	1	-	3	1	2	-	1	2	-	2
Female.....	11	-	-	1	3	1	1	1	1	1	1	-	1
Intracerebral hemorrhage, intraventricular (I61.5)													
All races, both sexes.....	709	55	54	63	53	87	57	54	54	57	52	61	62
Male.....	352	25	25	36	30	44	30	31	23	31	24	32	21
Female.....	357	30	29	27	23	43	27	23	31	26	28	29	41
White, both sexes.....	541	42	36	49	37	70	41	43	40	44	43	48	48
Male.....	263	19	16	31	22	33	21	25	15	22	21	25	13
Female.....	278	23	20	18	15	37	20	18	25	22	22	23	35
Black, both sexes.....	138	11	13	12	13	13	12	7	12	12	7	13	13
Male.....	75	5	8	3	7	8	8	3	7	9	3	7	7
Female.....	63	6	5	9	6	5	4	4	5	3	4	6	6
American Indian 1/, both sexes.....	4	1	-	1	-	-	-	2	-	-	-	-	-
Male.....	3	-	-	1	-	-	-	2	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	26	1	5	1	3	4	4	2	2	1	2	-	1
Male.....	11	1	1	1	1	3	1	1	1	-	-	-	1
Female.....	15	-	4	-	2	1	3	1	1	1	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other intracerebral hemorrhage (I61.8)													
All races, both sexes.....	62	7	6	7	7	2	5	3	3	5	6	5	6
Male.....	28	4	2	5	4	1	3	1	1	1	4	1	1
Female.....	34	3	4	2	3	1	2	2	2	4	2	4	5
White, both sexes.....	53	7	3	5	7	1	5	2	3	5	6	3	6
Male.....	23	4	-	4	4	-	3	-	1	1	4	1	1
Female.....	30	3	3	1	3	1	2	2	2	4	2	2	5
Black, both sexes.....	6	-	2	1	-	-	-	1	-	-	-	2	-
Male.....	4	-	2	1	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Intracerebral hemorrhage, unspecified (I61.9)													
All races, both sexes.....	15,236	1,415	1,298	1,389	1,254	1,265	1,167	1,199	1,151	1,234	1,285	1,225	1,354
Male.....	6,968	636	595	628	573	587	525	551	544	572	599	558	600
Female.....	8,268	779	703	761	681	678	642	648	607	662	686	667	754
White, both sexes.....	12,437	1,146	1,049	1,144	1,031	1,021	964	977	941	1,019	1,035	995	1,115
Male.....	5,586	513	481	503	468	467	431	445	441	460	467	442	468
Female.....	6,851	633	568	641	563	554	533	532	500	559	568	553	647
Black, both sexes.....	2,135	204	181	187	173	183	163	167	155	168	190	174	190
Male.....	1,057	92	80	94	82	93	77	78	76	88	102	89	106
Female.....	1,078	112	101	93	91	90	86	89	79	80	88	85	84
American Indian 1/, both sexes.....	78	4	7	7	4	7	7	9	8	4	8	8	5
Male.....	34	3	3	2	1	2	2	5	5	1	3	5	2
Female.....	44	1	4	5	3	5	5	4	3	3	5	3	3
Asian or Pacific Islander 2/, both sexes.....	586	61	61	51	46	54	33	46	47	43	52	48	44
Male.....	291	28	31	29	22	25	15	23	22	23	27	22	24
Female.....	295	33	30	22	24	29	18	23	25	20	25	26	20

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other nontraumatic intracranial hemorrhage (I62)													
All races, both sexes.....	9,589	852	779	769	819	767	729	815	776	770	810	845	858
Male.....	4,609	457	371	365	389	346	355	386	368	372	396	374	430
Female.....	4,980	395	408	404	430	421	374	429	408	398	414	471	428
White, both sexes.....	7,765	702	626	641	648	624	596	641	625	642	656	687	677
Male.....	3,678	371	288	304	297	279	281	302	298	304	319	298	337
Female.....	4,087	331	338	337	351	345	315	339	327	338	337	389	340
Black, both sexes.....	1,376	120	111	93	125	111	99	136	113	93	121	126	128
Male.....	702	66	64	43	69	52	57	65	53	47	58	61	67
Female.....	674	54	47	50	56	59	42	71	60	46	63	65	61
American Indian 1/, both sexes.....	53	7	1	6	7	1	4	6	2	5	2	4	8
Male.....	31	6	1	3	3	-	3	2	1	3	1	2	6
Female.....	22	1	-	3	4	1	1	4	1	2	1	2	2
Asian or Pacific Islander 2/, both sexes.....	395	23	41	29	39	31	30	32	36	30	31	28	45
Male.....	198	14	18	15	20	15	14	17	16	18	18	13	20
Female.....	197	9	23	14	19	16	16	15	20	12	13	15	25
Subdural hemorrhage (acute) (nontraumatic) (I62.0)													
All races, both sexes.....	1,941	163	136	142	161	146	171	184	169	163	167	170	169
Male.....	1,028	97	67	76	78	77	89	94	88	84	96	85	97
Female.....	913	66	69	66	83	69	82	90	81	79	71	85	72
White, both sexes.....	1,661	141	113	122	137	124	146	155	143	145	144	152	139
Male.....	874	86	57	65	65	68	73	81	74	75	80	72	78
Female.....	787	55	56	57	72	56	73	74	69	70	64	80	61
Black, both sexes.....	208	18	17	11	15	19	18	25	20	16	15	15	19
Male.....	115	9	9	6	8	8	12	13	12	7	8	10	13
Female.....	93	9	8	5	7	11	6	12	8	9	7	5	6
American Indian 1/, both sexes.....	18	2	-	2	2	1	3	2	1	-	1	1	3
Male.....	9	1	-	1	1	-	2	-	-	-	1	1	2
Female.....	9	1	-	1	1	1	1	2	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	54	2	6	7	7	2	4	2	5	2	7	2	8
Male.....	30	1	1	4	4	1	2	-	2	2	7	2	4
Female.....	24	1	5	3	3	1	2	2	3	-	-	-	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nontraumatic extradural hemorrhage (I62.1)													
All races, both sexes.....	11	2	-	-	-	1	-	1	1	2	3	-	1
Male.....	5	2	-	-	-	1	-	-	-	2	-	-	-
Female.....	6	-	-	-	-	-	-	1	1	-	3	-	1
White, both sexes.....	9	2	-	-	-	1	-	1	1	1	2	-	1
Male.....	4	2	-	-	-	1	-	-	-	1	-	-	-
Female.....	5	-	-	-	-	-	-	1	1	-	2	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial hemorrhage (nontraumatic), unspecified (I62.9)													
All races, both sexes.....	7,637	687	643	627	658	620	558	630	606	605	640	675	688
Male.....	3,576	358	304	289	311	268	266	292	280	286	300	289	333
Female.....	4,061	329	339	338	347	352	292	338	326	319	340	386	355
White, both sexes.....	6,095	559	513	519	511	499	450	485	481	496	510	535	537
Male.....	2,800	283	231	239	232	210	208	221	224	228	239	226	259
Female.....	3,295	276	282	280	279	289	242	264	257	268	271	309	278
Black, both sexes.....	1,167	102	94	82	110	92	81	111	93	76	106	111	109
Male.....	586	57	55	37	61	44	45	52	41	39	50	51	54
Female.....	581	45	39	45	49	48	36	59	52	37	56	60	55
American Indian 1/, both sexes.....	34	5	1	4	5	-	1	4	1	5	-	3	5
Male.....	22	5	1	2	2	-	1	2	1	3	-	1	4
Female.....	12	-	-	2	3	-	-	2	-	2	-	2	1
Asian or Pacific Islander 2/, both sexes.....	341	21	35	22	32	29	26	30	31	28	24	26	37
Male.....	168	13	17	11	16	14	12	17	14	16	11	11	16
Female.....	173	8	18	11	16	15	14	13	17	12	13	15	21

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral infarction due to embolism of precerebral arteries (I63.1)													
All races, both sexes.....	15	1	1	4	2	-	1	1	-	2	-	2	1
Male.....	7	1	-	3	1	-	1	-	-	1	-	-	-
Female.....	8	-	1	1	1	-	-	1	-	1	-	2	1
White, both sexes.....	11	1	1	2	2	-	1	1	-	1	-	2	-
Male.....	4	1	-	1	1	-	1	-	-	-	-	-	-
Female.....	7	-	1	1	1	-	-	1	-	1	-	2	-
Black, both sexes.....	3	-	-	2	-	-	-	-	-	1	-	-	-
Male.....	3	-	-	2	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries (I63.2)													
All races, both sexes.....	677	67	42	64	58	49	62	54	60	58	53	56	54
Male.....	376	38	19	41	29	32	33	29	30	32	30	36	27
Female.....	301	29	23	23	29	17	29	25	30	26	23	20	27
White, both sexes.....	602	61	37	55	50	40	57	46	54	55	46	55	46
Male.....	335	33	17	34	25	27	31	25	28	31	26	35	23
Female.....	267	28	20	21	25	13	26	21	26	24	20	20	23
Black, both sexes.....	58	4	3	6	6	8	4	7	6	2	6	1	5
Male.....	31	3	1	5	2	5	2	4	2	1	3	1	2
Female.....	27	1	2	1	4	3	2	3	4	1	3	-	3
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	2	1	3	2	1	1	1	-	1	1	-	3
Male.....	9	2	-	2	2	-	-	-	-	-	1	-	2
Female.....	7	-	1	1	-	1	1	1	-	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral infarction due to thrombosis of cerebral arteries (I63.3)													
All races, both sexes.....	1,116	105	92	100	105	97	80	88	79	89	88	93	100
Male.....	404	33	29	29	42	35	32	36	27	35	28	37	41
Female.....	712	72	63	71	63	62	48	52	52	54	60	56	59
White, both sexes.....	996	93	84	87	95	87	72	83	64	78	74	87	92
Male.....	363	29	27	25	35	32	30	34	23	33	22	35	38
Female.....	633	64	57	62	60	55	42	49	41	45	52	52	54
Black, both sexes.....	99	11	5	13	8	8	6	4	12	11	9	6	6
Male.....	31	3	1	4	6	3	2	2	2	2	2	2	2
Female.....	68	8	4	9	2	5	4	2	10	9	7	4	4
American Indian 1/, both sexes.....	3	-	1	-	-	-	-	-	1	-	1	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	1	2	-	2	2	2	1	2	-	4	-	2
Male.....	8	1	-	-	1	-	-	-	2	-	3	-	1
Female.....	10	-	2	-	1	2	2	1	-	-	1	-	1
Cerebral infarction due to embolism of cerebral arteries (I63.4)													
All races, both sexes.....	601	56	52	50	51	49	37	54	37	42	61	63	49
Male.....	270	25	25	24	26	26	21	23	14	17	22	25	22
Female.....	331	31	27	26	25	23	16	31	23	25	39	38	27
White, both sexes.....	540	53	48	46	46	39	31	51	33	41	56	52	44
Male.....	237	24	24	22	21	17	17	21	13	16	21	20	21
Female.....	303	29	24	24	25	22	14	30	20	25	35	32	23
Black, both sexes.....	40	1	3	3	1	9	2	2	2	1	2	10	4
Male.....	20	1	1	1	1	8	1	1	-	1	-	4	1
Female.....	20	-	2	2	-	1	1	1	2	-	2	6	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	2	1	1	4	1	4	1	2	-	3	1	1
Male.....	13	-	-	1	4	1	3	1	1	-	1	1	-
Female.....	8	2	1	-	-	-	1	-	1	-	2	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral infarction due to unspecified occlusion or stenosis of cerebral arteries (I63.5)													
All races, both sexes.....	198	16	19	16	20	17	10	15	13	15	20	19	18
Male.....	82	7	5	8	9	8	2	7	4	8	7	11	6
Female.....	116	9	14	8	11	9	8	8	9	7	13	8	12
White, both sexes.....	170	14	17	14	17	14	8	11	9	15	18	17	16
Male.....	75	7	5	8	8	8	2	6	2	8	6	10	5
Female.....	95	7	12	6	9	6	6	5	7	7	12	7	11
Black, both sexes.....	27	2	2	1	3	3	2	4	4	-	2	2	2
Male.....	7	-	-	-	1	-	-	1	2	-	1	1	1
Female.....	20	2	2	1	2	3	2	3	2	-	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Other cerebral infarction (I63.8)													
All races, both sexes.....	146	10	12	15	11	9	15	9	8	9	15	10	23
Male.....	53	4	2	6	4	5	3	3	1	3	7	5	10
Female.....	93	6	10	9	7	4	12	6	7	6	8	5	13
White, both sexes.....	130	10	12	13	11	6	13	9	8	8	13	9	18
Male.....	45	4	2	5	4	4	2	3	1	2	6	5	7
Female.....	85	6	10	8	7	2	11	6	7	6	7	4	11
Black, both sexes.....	15	-	-	2	-	2	2	-	-	1	2	1	5
Male.....	8	-	-	1	-	1	1	-	-	1	1	-	3
Female.....	7	-	-	1	-	1	1	-	-	-	1	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral infarction, unspecified (I63.9)													
All races, both sexes.....	4,139	401	352	374	358	365	309	331	307	330	331	342	339
Male.....	1,705	151	165	143	143	147	143	137	125	138	140	135	138
Female.....	2,434	250	187	231	215	218	166	194	182	192	191	207	201
White, both sexes.....	3,487	339	292	304	303	313	262	276	261	273	276	289	299
Male.....	1,379	117	137	110	116	124	113	113	102	112	108	105	122
Female.....	2,108	222	155	194	187	189	149	163	159	161	168	184	177
Black, both sexes.....	552	55	52	62	43	45	39	43	38	49	46	46	34
Male.....	269	29	23	29	19	21	25	16	21	19	28	26	13
Female.....	283	26	29	33	24	24	14	27	17	30	18	20	21
American Indian 1/, both sexes.....	16	1	1	1	1	1	3	1	2	1	2	2	-
Male.....	9	-	1	1	1	1	1	-	1	1	2	-	-
Female.....	7	1	-	-	-	-	2	1	1	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	84	6	7	7	11	6	5	11	6	7	7	5	6
Male.....	48	5	4	3	7	1	4	8	1	6	2	4	3
Female.....	36	1	3	4	4	5	1	3	5	1	5	1	3
Stroke, not specified as hemorrhage or infarction (I64)													
All races, both sexes.....	72,476	6,880	6,151	6,854	6,093	6,058	5,410	5,591	5,673	5,400	5,956	6,071	6,339
Male.....	27,241	2,618	2,231	2,555	2,319	2,340	2,050	2,112	2,155	1,988	2,210	2,300	2,363
Female.....	45,235	4,262	3,920	4,299	3,774	3,718	3,360	3,479	3,518	3,412	3,746	3,771	3,976
White, both sexes.....	62,065	5,902	5,283	5,870	5,256	5,148	4,609	4,749	4,864	4,649	5,108	5,189	5,438
Male.....	22,844	2,182	1,880	2,140	1,961	1,952	1,737	1,758	1,805	1,647	1,871	1,941	1,970
Female.....	39,221	3,720	3,403	3,730	3,295	3,196	2,872	2,991	3,059	3,002	3,237	3,248	3,468
Black, both sexes.....	8,582	810	712	810	683	739	655	711	649	631	701	720	761
Male.....	3,589	356	293	341	285	300	246	296	278	286	286	283	339
Female.....	4,993	454	419	469	398	439	409	415	371	345	415	437	422
American Indian 1/, both sexes.....	253	24	21	27	21	24	15	12	22	18	24	30	15
Male.....	102	8	8	7	12	16	5	3	7	13	7	10	6
Female.....	151	16	13	20	9	8	10	9	15	5	17	20	9
Asian or Pacific Islander 2/, both sexes.....	1,576	144	135	147	133	147	131	119	138	102	123	132	125
Male.....	706	72	50	67	61	72	62	55	65	42	46	66	48
Female.....	870	72	85	80	72	75	69	64	73	60	77	66	77

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral aneurysm, nonruptured (I67.1)													
All races, both sexes.....	360	24	30	27	32	27	32	24	30	35	29	37	33
Male.....	122	8	10	9	15	7	8	8	12	13	9	13	10
Female.....	238	16	20	18	17	20	24	16	18	22	20	24	23
White, both sexes.....	306	23	25	23	28	22	30	21	24	28	21	32	29
Male.....	103	8	8	6	12	5	7	8	11	10	7	11	10
Female.....	203	15	17	17	16	17	23	13	13	18	14	21	19
Black, both sexes.....	45	1	5	2	4	4	2	3	5	4	8	4	3
Male.....	16	-	2	2	3	2	1	-	1	1	2	2	-
Female.....	29	1	3	-	1	2	1	3	4	3	6	2	3
American Indian 1/, both sexes.....	6	-	-	2	-	1	-	-	-	1	-	1	1
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	4	-	-	1	-	1	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	2	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Cerebral atherosclerosis (I67.2)													
All races, both sexes.....	887	89	64	76	75	86	78	81	61	59	74	67	77
Male.....	315	28	21	31	30	27	24	33	16	26	27	26	26
Female.....	572	61	43	45	45	59	54	48	45	33	47	41	51
White, both sexes.....	762	78	52	66	68	66	68	70	54	54	59	57	70
Male.....	275	25	19	27	27	23	21	29	16	23	19	21	25
Female.....	487	53	33	39	41	43	47	41	38	31	40	36	45
Black, both sexes.....	116	9	10	10	7	18	9	11	7	4	15	9	7
Male.....	38	2	1	4	3	4	3	4	-	3	8	5	1
Female.....	78	7	9	6	4	14	6	7	7	1	7	4	6
American Indian 1/, both sexes.....	3	-	-	-	-	2	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	2	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	6	2	2	-	-	-	1	-	-	1	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	1	-	-	-	1	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified cerebrovascular diseases (I67.8)													
All races, both sexes.....	986	97	82	86	89	76	64	95	77	74	89	74	83
Male.....	410	35	31	48	29	25	19	38	32	33	42	32	46
Female.....	576	62	51	38	60	51	45	57	45	41	47	42	37
White, both sexes.....	814	83	73	75	73	59	54	78	56	61	72	64	66
Male.....	329	30	26	40	23	20	17	31	22	25	32	26	37
Female.....	485	53	47	35	50	39	37	47	34	36	40	38	29
Black, both sexes.....	150	11	7	10	16	15	7	13	20	10	16	10	15
Male.....	70	4	4	7	6	5	2	4	9	6	9	6	8
Female.....	80	7	3	3	10	10	5	9	11	4	7	4	7
American Indian 1/, both sexes.....	6	1	-	-	-	-	1	1	1	1	1	-	-
Male.....	4	-	-	-	-	-	-	1	1	1	1	-	-
Female.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	2	2	1	-	2	2	3	-	2	-	-	2
Male.....	7	1	1	1	-	-	-	2	-	1	-	-	1
Female.....	9	1	1	-	-	2	2	1	-	1	-	-	1
Cerebrovascular disease, unspecified (I67.9)													
All races, both sexes.....	5,455	524	469	514	472	422	410	420	378	402	487	492	465
Male.....	1,993	184	163	201	175	168	140	145	149	159	173	166	170
Female.....	3,462	340	306	313	297	254	270	275	229	243	314	326	295
White, both sexes.....	4,594	438	389	435	392	367	338	347	331	342	396	413	406
Male.....	1,660	150	128	174	139	145	108	116	134	141	136	138	151
Female.....	2,934	288	261	261	253	222	230	231	197	201	260	275	255
Black, both sexes.....	769	77	73	66	66	49	63	64	45	56	81	75	54
Male.....	297	31	31	24	30	20	28	26	15	16	34	26	16
Female.....	472	46	42	42	36	29	35	38	30	40	47	49	38
American Indian 1/, both sexes.....	17	2	1	2	4	-	2	2	1	1	2	-	-
Male.....	4	1	-	-	2	-	-	-	-	1	-	-	-
Female.....	13	1	1	2	2	-	2	2	1	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	75	7	6	11	10	6	7	7	1	3	8	4	5
Male.....	32	2	4	3	4	3	4	3	-	1	3	2	3
Female.....	43	5	2	8	6	3	3	4	1	2	5	2	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of cerebrovascular disease (I69)													
All races, both sexes.....	16,654	1,611	1,496	1,511	1,413	1,335	1,295	1,253	1,230	1,250	1,363	1,400	1,497
Male.....	6,525	641	554	591	566	550	509	513	472	477	533	541	578
Female.....	10,129	970	942	920	847	785	786	740	758	773	830	859	919
White, both sexes.....	14,372	1,385	1,309	1,308	1,205	1,156	1,103	1,088	1,050	1,073	1,190	1,202	1,303
Male.....	5,554	555	484	490	476	458	427	445	399	409	457	454	500
Female.....	8,818	830	825	818	729	698	676	643	651	664	733	748	803
Black, both sexes.....	1,755	168	151	165	160	130	155	123	139	136	135	155	138
Male.....	744	61	57	81	68	69	64	50	57	55	58	71	53
Female.....	1,011	107	94	84	92	61	91	73	82	81	77	84	85
American Indian 1/, both sexes.....	65	7	7	3	8	6	6	6	5	5	4	5	3
Male.....	24	2	3	-	3	2	3	2	3	2	1	3	-
Female.....	41	5	4	3	5	4	3	4	2	3	3	2	3
Asian or Pacific Islander 2/, both sexes.....	462	51	29	35	40	43	31	36	36	36	34	38	53
Male.....	203	23	10	20	19	21	15	16	13	11	17	13	25
Female.....	259	28	19	15	21	22	16	20	23	25	17	25	28
Sequelae of subarachnoid hemorrhage (I69.0)													
All races, both sexes.....	76	7	6	5	4	5	6	10	4	7	4	10	8
Male.....	24	1	5	-	1	2	4	-	1	2	1	5	2
Female.....	52	6	1	5	3	3	2	10	3	5	3	5	6
White, both sexes.....	61	6	5	5	4	5	4	8	3	7	4	5	5
Male.....	18	1	4	-	1	2	3	-	1	2	1	2	1
Female.....	43	5	1	5	3	3	1	8	2	5	3	3	4
Black, both sexes.....	9	1	-	-	-	-	2	1	-	-	-	2	3
Male.....	4	-	-	-	-	-	1	-	-	-	-	2	1
Female.....	5	1	-	-	-	-	1	1	-	-	-	-	2
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	1	1	-	-	3	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	-	-	-	-	1	1	-	-	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of intracerebral hemorrhage (I69.1)													
All races, both sexes.....	170	10	16	14	20	15	11	10	14	16	12	14	18
Male.....	76	4	5	4	7	5	6	7	9	7	4	8	10
Female.....	94	6	11	10	13	10	5	3	5	9	8	6	8
White, both sexes.....	139	8	13	10	18	11	10	9	14	12	10	11	13
Male.....	63	4	5	3	5	3	6	7	9	5	3	6	7
Female.....	76	4	8	7	13	8	4	2	5	7	7	5	6
Black, both sexes.....	22	1	2	4	2	2	1	1	-	2	2	2	3
Male.....	10	-	-	1	2	1	-	-	-	1	1	2	2
Female.....	12	1	2	3	-	1	1	1	-	1	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	1	-	-	1	-	-	-	2	-	1	2
Male.....	3	-	-	-	-	1	-	-	-	1	-	-	1
Female.....	5	1	1	-	-	-	-	-	-	1	-	1	1
Sequelae of other nontraumatic intracranial hemorrhage (I69.2)													
All races, both sexes.....	157	11	16	17	17	11	14	6	8	14	20	11	12
Male.....	89	5	12	11	8	5	8	5	4	8	11	7	5
Female.....	68	6	4	6	9	6	6	1	4	6	9	4	7
White, both sexes.....	130	8	13	15	12	9	12	3	7	13	17	11	10
Male.....	71	3	9	10	5	4	7	2	3	8	9	7	4
Female.....	59	5	4	5	7	5	5	1	4	5	8	4	6
Black, both sexes.....	14	1	2	1	3	-	1	3	-	-	1	-	2
Male.....	11	1	2	1	1	-	1	3	-	-	1	-	1
Female.....	3	-	-	-	2	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	5	-	-	1	1	1	1	-	-	-	1	-	-
Male.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	8	2	1	-	1	1	-	-	1	1	1	-	-
Male.....	5	1	1	-	1	-	-	-	1	-	1	-	-
Female.....	3	1	-	-	-	1	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of cerebral infarction (I69.3)													
All races, both sexes.....	628	62	59	57	64	52	39	43	46	47	47	63	49
Male.....	281	27	28	23	31	25	19	25	19	15	14	24	31
Female.....	347	35	31	34	33	27	20	18	27	32	33	39	18
White, both sexes.....	522	51	49	46	51	45	32	36	40	38	36	54	44
Male.....	235	21	24	17	23	23	15	22	17	12	11	21	29
Female.....	287	30	25	29	28	22	17	14	23	26	25	33	15
Black, both sexes.....	74	8	8	9	9	6	5	3	4	7	7	5	3
Male.....	31	3	2	4	5	2	4	3	1	2	2	1	2
Female.....	43	5	6	5	4	4	1	-	3	5	5	4	1
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	2	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	3	2	2	4	1	2	2	1	2	4	3	2
Male.....	14	3	2	2	3	-	-	-	1	1	1	1	-
Female.....	14	-	-	-	1	1	2	2	-	1	3	2	2
Sequelae of stroke, not specified as hemorrhage or infarction (I69.4)													
All races, both sexes.....	8,919	887	780	812	737	728	721	686	637	637	728	758	808
Male.....	3,714	381	304	352	301	316	278	292	268	256	311	312	343
Female.....	5,205	506	476	460	436	412	443	394	369	381	417	446	465
White, both sexes.....	7,492	747	666	676	618	621	585	580	525	535	625	628	686
Male.....	3,076	327	256	282	250	256	221	250	219	212	263	253	287
Female.....	4,416	420	410	394	368	365	364	330	306	323	362	375	399
Black, both sexes.....	1,096	105	93	108	93	77	109	78	86	80	80	109	78
Male.....	489	40	41	54	40	46	43	29	38	37	37	51	33
Female.....	607	65	52	54	53	31	66	49	48	43	43	58	45
American Indian 1/, both sexes.....	32	3	4	2	4	3	5	2	1	3	1	1	3
Male.....	12	1	2	-	1	1	3	1	1	2	-	-	-
Female.....	20	2	2	2	3	2	2	1	-	1	1	1	3
Asian or Pacific Islander 2/, both sexes.....	299	32	17	26	22	27	22	26	25	19	22	20	41
Male.....	137	13	5	16	10	13	11	12	10	5	11	8	23
Female.....	162	19	12	10	12	14	11	14	15	14	11	12	18

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of other and unspecified cerebrovascular diseases (I69.8)													
All races, both sexes.....	6,704	634	619	606	571	524	504	498	521	529	552	544	602
Male.....	2,341	223	200	201	218	197	194	184	171	189	192	185	187
Female.....	4,363	411	419	405	353	327	310	314	350	340	360	359	415
White, both sexes.....	6,028	565	563	556	502	465	460	452	461	468	498	493	545
Male.....	2,091	199	186	178	192	170	175	164	150	170	170	165	172
Female.....	3,937	366	377	378	310	295	285	288	311	298	328	328	373
Black, both sexes.....	540	52	46	43	53	45	37	37	49	47	45	37	49
Male.....	199	17	12	21	20	15	15	15	18	15	17	15	14
Female.....	341	35	34	22	33	25	22	22	31	32	28	22	35
American Indian 1/, both sexes.....	22	4	2	-	3	1	-	2	3	2	2	3	-
Male.....	8	1	-	-	1	-	-	1	2	-	1	2	-
Female.....	14	3	2	-	2	1	-	1	1	2	1	1	-
Asian or Pacific Islander 2/, both sexes.....	114	13	8	7	13	13	7	7	8	12	7	11	8
Male.....	43	6	2	2	5	7	4	4	1	4	4	3	1
Female.....	71	7	6	5	8	6	3	3	7	8	3	8	7
Atherosclerosis (I70)													
All races, both sexes.....	8,652	773	717	856	751	747	602	696	640	650	737	708	775
Male.....	3,359	290	266	329	287	263	269	279	242	279	285	275	295
Female.....	5,293	483	451	527	464	484	333	417	398	371	452	433	480
White, both sexes.....	7,820	704	647	781	675	676	536	638	575	581	663	637	707
Male.....	2,992	259	242	293	249	235	232	256	218	245	252	242	269
Female.....	4,828	445	405	488	426	441	304	382	357	336	411	395	438
Black, both sexes.....	709	59	62	64	64	67	55	47	51	61	63	58	58
Male.....	312	23	22	31	35	26	30	19	18	32	25	28	23
Female.....	397	36	40	33	29	41	25	28	33	29	38	30	35
American Indian 1/, both sexes.....	27	1	6	2	3	-	4	2	2	1	1	3	2
Male.....	6	-	2	-	-	-	2	-	1	-	1	-	-
Female.....	21	1	4	2	3	-	2	2	1	1	-	3	2
Asian or Pacific Islander 2/, both sexes.....	96	9	2	9	9	4	7	9	12	7	10	10	8
Male.....	49	8	-	5	3	2	5	4	5	2	7	5	3
Female.....	47	1	2	4	6	2	2	5	7	5	3	5	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Generalized and unspecified atherosclerosis (I70.9)													
All races, both sexes.....	8,268	743	687	825	719	705	570	662	609	624	704	672	748
Male.....	3,199	277	257	317	277	247	255	262	228	267	267	261	284
Female.....	5,069	466	430	508	442	458	315	400	381	357	437	411	464
White, both sexes.....	7,495	677	621	756	649	644	509	609	545	559	634	608	684
Male.....	2,856	248	234	282	241	223	219	243	205	236	234	230	261
Female.....	4,639	429	387	474	408	421	290	366	340	323	400	378	423
Black, both sexes.....	657	56	59	58	59	58	51	42	51	57	59	53	54
Male.....	292	21	22	30	33	23	30	15	18	29	25	26	20
Female.....	365	35	37	28	26	35	21	27	33	28	34	27	34
American Indian 1/, both sexes.....	25	1	5	2	3	-	4	2	2	1	1	2	2
Male.....	5	-	1	-	-	-	2	-	1	-	1	-	-
Female.....	20	1	4	2	3	-	2	2	1	1	-	2	2
Asian or Pacific Islander 2/, both sexes.....	91	9	2	9	8	3	6	9	11	7	10	9	8
Male.....	46	8	-	5	3	1	4	4	4	2	7	5	3
Female.....	45	1	2	4	5	2	2	5	7	5	3	4	5
Aortic aneurysm and dissection (I71)													
All races, both sexes.....	13,238	1,242	1,068	1,200	1,113	1,094	1,000	965	1,065	990	1,161	1,131	1,209
Male.....	7,732	701	637	711	640	636	602	569	638	571	685	650	692
Female.....	5,506	541	431	489	473	458	398	396	427	419	476	481	517
White, both sexes.....	11,613	1,103	941	1,051	969	959	867	811	939	867	1,026	996	1,084
Male.....	6,836	619	569	629	563	561	524	483	565	502	618	579	624
Female.....	4,777	484	372	422	406	398	343	328	374	365	408	417	460
Black, both sexes.....	1,267	110	106	115	107	110	107	124	98	93	104	104	89
Male.....	678	62	55	63	56	60	60	66	56	54	48	55	43
Female.....	589	48	51	52	51	50	47	58	42	39	56	49	46
American Indian 1/, both sexes.....	38	5	2	2	1	4	4	4	4	1	4	3	4
Male.....	20	3	-	-	-	1	2	2	3	1	2	2	4
Female.....	18	2	2	2	1	3	2	2	1	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	320	24	19	32	36	21	22	26	24	29	27	28	32
Male.....	198	17	13	19	21	14	16	18	14	14	17	14	21
Female.....	122	7	6	13	15	7	6	8	10	15	10	14	11

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Dissection of aorta [any part] (I71.0)													
All races, both sexes.....	3,605	352	317	325	289	283	262	264	285	253	310	333	332
Male.....	2,115	210	192	196	170	156	148	140	182	152	177	198	194
Female.....	1,490	142	125	129	119	127	114	124	103	101	133	135	138
White, both sexes.....	2,896	287	247	266	229	222	210	212	231	199	252	270	271
Male.....	1,702	174	148	160	136	120	118	115	143	119	148	163	158
Female.....	1,194	113	99	106	93	102	92	97	88	80	104	107	113
Black, both sexes.....	579	53	61	49	48	51	42	43	46	43	47	49	47
Male.....	342	29	38	31	28	32	23	22	33	28	24	27	27
Female.....	237	24	23	18	20	19	19	21	13	15	23	22	20
American Indian 1/, both sexes.....	9	1	-	1	1	-	1	1	-	-	-	2	2
Male.....	5	1	-	-	-	-	-	-	-	-	-	2	2
Female.....	4	-	-	1	1	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	121	11	9	9	11	10	9	8	8	11	11	12	12
Male.....	66	6	6	5	6	4	7	3	6	5	5	6	7
Female.....	55	5	3	4	5	6	2	5	2	6	6	6	5
Thoracic aortic aneurysm, ruptured (I71.1)													
All races, both sexes.....	779	80	62	81	57	66	55	45	67	58	71	61	76
Male.....	346	36	29	41	24	29	27	18	31	19	33	28	31
Female.....	433	44	33	40	33	37	28	27	36	39	38	33	45
White, both sexes.....	690	69	58	72	53	58	48	39	57	50	61	55	70
Male.....	305	32	28	36	21	26	23	14	27	16	30	25	27
Female.....	385	37	30	36	32	32	25	25	30	34	31	30	43
Black, both sexes.....	69	7	2	6	4	7	6	5	9	7	10	3	3
Male.....	30	2	-	4	3	2	3	4	3	3	3	2	1
Female.....	39	5	2	2	1	5	3	1	6	4	7	1	2
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	18	4	1	3	-	1	1	1	1	1	-	2	3
Male.....	11	2	1	1	-	1	1	-	1	-	-	1	3
Female.....	7	2	-	2	-	-	-	1	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thoracic aortic aneurysm, without mention of rupture (I71.2)													
All races, both sexes.....	699	52	63	72	60	58	49	57	56	61	69	53	49
Male.....	297	19	28	29	29	26	24	24	30	25	30	13	20
Female.....	402	33	35	43	31	32	25	33	26	36	39	40	29
White, both sexes.....	603	47	54	64	49	48	42	52	50	50	60	45	42
Male.....	250	16	24	25	25	21	18	22	28	17	26	11	17
Female.....	353	31	30	39	24	27	24	30	22	33	34	34	25
Black, both sexes.....	61	4	7	6	3	7	4	4	5	5	6	6	4
Male.....	27	3	2	3	1	2	4	1	2	4	2	2	1
Female.....	34	1	5	3	2	5	-	3	3	1	4	4	3
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	33	-	2	2	8	3	3	1	1	6	2	2	3
Male.....	20	-	2	1	3	3	2	1	-	4	2	-	2
Female.....	13	-	-	1	5	-	1	-	1	2	-	2	1
Abdominal aortic aneurysm, ruptured (I71.3)													
All races, both sexes.....	3,979	376	303	374	364	322	304	288	330	312	339	295	372
Male.....	2,576	229	205	248	227	210	201	204	211	194	231	189	227
Female.....	1,403	147	98	126	137	112	103	84	119	118	108	106	145
White, both sexes.....	3,691	347	285	348	336	303	278	260	301	292	316	275	350
Male.....	2,410	213	194	232	213	199	184	186	196	184	216	175	218
Female.....	1,281	134	91	116	123	104	94	74	105	108	100	100	132
Black, both sexes.....	204	24	14	18	20	16	20	19	17	14	15	15	12
Male.....	106	12	8	10	8	9	12	10	8	7	9	9	4
Female.....	98	12	6	8	12	7	8	9	9	7	6	6	8
American Indian 1/, both sexes.....	8	1	1	1	-	1	1	-	1	-	1	-	1
Male.....	4	-	-	-	-	-	1	-	1	-	1	-	1
Female.....	4	1	1	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	76	4	3	7	8	2	5	9	11	6	7	5	9
Male.....	56	4	3	6	6	2	4	8	6	3	5	5	4
Female.....	20	-	-	1	2	-	1	1	5	3	2	-	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Abdominal aortic aneurysm, without mention of rupture (I71.4)													
All races, both sexes.....	1,948	170	149	165	162	170	162	158	155	130	170	190	167
Male.....	1,169	93	90	97	95	110	94	104	88	81	103	114	100
Female.....	779	77	59	68	67	60	68	54	67	49	67	76	67
White, both sexes.....	1,759	161	142	145	139	157	140	126	148	122	153	169	157
Male.....	1,068	86	88	88	83	102	84	83	85	76	96	103	94
Female.....	691	75	54	57	56	55	56	43	63	46	57	66	63
Black, both sexes.....	149	5	6	14	17	12	18	28	5	7	13	16	8
Male.....	76	3	2	5	9	8	8	18	2	4	4	9	4
Female.....	73	2	4	9	8	4	10	10	3	3	9	7	4
American Indian 1/, both sexes.....	8	2	-	-	-	1	1	1	-	-	2	-	1
Male.....	5	2	-	-	-	-	-	1	-	-	1	-	1
Female.....	3	-	-	-	-	1	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	32	2	1	6	6	-	3	3	2	1	2	5	1
Male.....	20	2	-	4	3	-	2	2	1	1	2	2	1
Female.....	12	-	1	2	3	-	1	1	1	-	-	3	-
Thoracoabdominal aortic aneurysm, ruptured (I71.5)													
All races, both sexes.....	120	17	12	5	9	10	5	10	7	14	12	5	14
Male.....	53	4	4	3	3	4	4	5	5	6	6	3	6
Female.....	67	13	8	2	6	6	1	5	2	8	6	2	8
White, both sexes.....	107	15	11	4	8	8	4	10	5	14	12	5	11
Male.....	47	3	4	2	3	3	3	5	3	6	6	3	6
Female.....	60	12	7	2	5	5	1	5	2	8	6	2	5
Black, both sexes.....	12	2	1	1	1	1	1	-	2	-	-	-	3
Male.....	6	1	-	1	-	1	1	-	2	-	-	-	-
Female.....	6	1	1	-	1	-	-	-	-	-	-	-	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thoracoabdominal aortic aneurysm, without mention of rupture (I71.6)													
All races, both sexes.....	155	16	7	7	10	15	10	12	14	18	17	15	14
Male.....	93	11	6	3	3	6	9	8	7	11	10	8	11
Female.....	62	5	1	4	7	9	1	4	7	7	7	7	3
White, both sexes.....	123	12	6	3	10	15	6	9	12	13	15	10	12
Male.....	77	7	5	3	3	6	5	7	7	9	9	7	9
Female.....	46	5	1	-	7	9	1	2	5	4	6	3	3
Black, both sexes.....	26	3	1	4	-	-	3	3	2	3	2	4	1
Male.....	12	3	1	-	-	-	3	1	-	1	1	1	1
Female.....	14	-	-	4	-	-	-	2	2	2	1	3	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	-	-	-	-	-	-	2	-	1	1
Male.....	3	1	-	-	-	-	-	-	-	1	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Aortic aneurysm of unspecified site, ruptured (I71.8)													
All races, both sexes.....	1,259	118	94	108	109	111	102	80	101	91	112	116	117
Male.....	700	65	51	61	64	57	64	41	53	48	64	69	63
Female.....	559	53	43	47	45	54	38	39	48	43	48	47	54
White, both sexes.....	1,138	111	84	98	95	98	93	66	90	82	101	110	110
Male.....	643	60	48	56	56	50	60	34	47	46	59	67	60
Female.....	495	51	36	42	39	48	33	32	43	36	42	43	50
Black, both sexes.....	93	6	9	7	11	7	9	11	9	6	7	5	6
Male.....	39	4	3	3	5	2	4	5	5	1	3	2	2
Female.....	54	2	6	4	6	5	5	6	4	5	4	3	4
American Indian 1/, both sexes.....	6	-	-	-	-	2	-	2	1	-	-	-	-
Male.....	4	-	-	-	-	1	-	1	1	-	-	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	1	1	3	3	4	-	1	1	2	4	1	1
Male.....	14	1	-	2	3	4	-	1	-	-	2	-	1
Female.....	8	-	1	1	-	-	-	-	1	2	2	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aortic aneurysm of unspecified site, without mention of rupture (I71.9)													
All races, both sexes.....	694	61	61	63	53	59	51	51	50	53	61	63	68
Male.....	383	34	32	33	25	38	31	25	31	35	31	28	40
Female.....	311	27	29	30	28	21	20	26	19	18	30	35	28
White, both sexes.....	606	54	54	51	50	50	46	37	45	45	56	57	61
Male.....	334	28	30	27	23	34	29	17	29	29	28	25	35
Female.....	272	26	24	24	27	16	17	20	16	16	28	32	26
Black, both sexes.....	74	6	5	10	3	9	4	11	3	8	4	6	5
Male.....	40	5	1	6	2	4	2	5	1	6	2	3	3
Female.....	34	1	4	4	1	5	2	6	2	2	2	3	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	1	2	2	-	-	1	3	-	-	1	-	2
Male.....	8	1	1	-	-	-	-	3	-	-	1	-	2
Female.....	4	-	1	2	-	-	1	-	-	-	-	-	-
Other aneurysm (I72)													
All races, both sexes.....	662	58	56	69	45	50	52	51	52	63	52	59	55
Male.....	379	43	32	44	22	26	24	30	31	39	22	33	33
Female.....	283	15	24	25	23	24	28	21	21	24	30	26	22
White, both sexes.....	549	48	47	58	39	41	46	42	39	51	45	47	46
Male.....	316	37	27	39	20	23	24	23	22	32	17	24	28
Female.....	233	11	20	19	19	18	22	19	17	19	28	23	18
Black, both sexes.....	96	8	6	11	5	6	6	7	11	10	7	11	8
Male.....	52	5	3	5	1	2	-	5	9	5	5	8	4
Female.....	44	3	3	6	4	4	6	2	2	5	2	3	4
American Indian 1/, both sexes.....	4	1	2	-	-	-	-	1	-	-	-	-	-
Male.....	3	1	1	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	1	1	-	1	3	-	1	2	2	-	1	1
Male.....	8	-	1	-	1	1	-	1	-	2	-	1	1
Female.....	5	1	-	-	-	2	-	-	2	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aneurysm of other specified arteries (I72.8)													
All races, both sexes.....	94	15	11	7	5	8	2	5	9	9	6	6	11
Male.....	46	11	7	3	2	4	-	2	3	5	-	2	7
Female.....	48	4	4	4	3	4	2	3	6	4	6	4	4
White, both sexes.....	80	13	9	6	5	7	1	5	7	6	6	6	9
Male.....	39	10	6	3	2	4	-	2	2	3	-	2	5
Female.....	41	3	3	3	3	3	1	3	5	3	6	4	4
Black, both sexes.....	8	-	1	1	-	-	1	-	2	2	-	-	1
Male.....	3	-	-	-	-	-	-	-	1	1	-	-	1
Female.....	5	-	1	1	-	-	1	-	1	1	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	1	-	-	1	-	-	-	1	-	-	1
Male.....	3	-	1	-	-	-	-	-	-	1	-	-	1
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Aneurysm of unspecified site (I72.9)													
All races, both sexes.....	354	27	28	39	32	26	28	27	25	32	34	30	26
Male.....	183	19	13	26	14	10	11	13	15	19	11	16	16
Female.....	171	8	15	13	18	16	17	14	10	13	23	14	10
White, both sexes.....	296	20	24	34	27	21	26	23	19	25	30	24	23
Male.....	153	15	11	23	13	9	11	11	11	14	9	11	15
Female.....	143	5	13	11	14	12	15	12	8	11	21	13	8
Black, both sexes.....	51	7	3	5	4	4	2	4	4	6	4	5	3
Male.....	27	4	2	3	-	1	-	2	4	4	2	4	1
Female.....	24	3	1	2	4	3	2	2	-	2	2	1	2
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	1	1	-	-	2	1	-	1	-
Male.....	3	-	-	-	1	-	-	-	-	1	-	1	-
Female.....	3	-	-	-	-	1	-	-	2	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of arteries and arterioles (I77)													
All races, both sexes.....	948	82	60	84	76	80	73	82	90	79	63	78	101
Male.....	460	45	28	36	38	40	36	33	44	36	30	36	58
Female.....	488	37	32	48	38	40	37	49	46	43	33	42	43
White, both sexes.....	790	76	46	72	66	64	64	60	71	66	56	62	87
Male.....	382	43	20	31	32	28	30	24	35	31	28	27	53
Female.....	408	33	26	41	34	36	34	36	36	35	28	35	34
Black, both sexes.....	134	5	10	11	10	13	7	21	17	12	4	14	10
Male.....	67	1	6	4	6	10	4	9	8	5	2	8	4
Female.....	67	4	4	7	4	3	3	12	9	7	2	6	6
American Indian 1/, both sexes.....	7	-	1	1	-	1	-	-	1	1	-	-	2
Male.....	3	-	-	1	-	1	-	-	1	-	-	-	-
Female.....	4	-	1	-	-	-	-	-	-	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	17	1	3	-	-	2	2	1	1	-	3	2	2
Male.....	8	1	2	-	-	1	2	-	-	-	-	1	1
Female.....	9	-	1	-	-	1	-	1	1	-	3	1	1
Arteriovenous fistula, acquired (I77.0)													
All races, both sexes.....	53	2	-	1	-	7	3	7	5	8	3	7	10
Male.....	31	1	-	1	-	4	2	4	2	3	2	5	7
Female.....	22	1	-	-	-	3	1	3	3	5	1	2	3
White, both sexes.....	33	1	-	-	-	3	2	3	3	7	1	6	7
Male.....	20	1	-	-	-	1	2	3	1	2	1	4	5
Female.....	13	-	-	-	-	2	-	-	2	5	-	2	2
Black, both sexes.....	18	1	-	1	-	3	1	4	2	1	1	1	3
Male.....	10	-	-	1	-	2	-	1	1	1	1	1	2
Female.....	8	1	-	-	-	1	1	3	1	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Stricture of artery (I77.1)													
All races, both sexes.....	102	12	9	10	9	9	4	10	8	10	6	4	11
Male.....	40	8	3	4	3	3	1	2	5	2	2	2	5
Female.....	62	4	6	6	6	6	3	8	3	8	4	2	6
White, both sexes.....	85	11	7	10	8	7	4	7	7	8	5	3	8
Male.....	35	8	3	4	2	2	1	1	5	2	2	1	4
Female.....	50	3	4	6	6	5	3	6	2	6	3	2	4
Black, both sexes.....	16	1	1	-	1	2	-	3	1	2	1	1	3
Male.....	5	-	-	-	1	1	-	1	-	-	-	1	1
Female.....	11	1	1	-	-	1	-	2	1	2	1	-	2
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Rupture of artery (I77.2)													
All races, both sexes.....	143	11	8	10	15	11	9	15	15	10	10	13	16
Male.....	92	8	5	5	10	8	8	7	9	7	5	7	13
Female.....	51	3	3	5	5	3	1	8	6	3	5	6	3
White, both sexes.....	120	10	7	9	14	11	7	11	10	9	9	8	15
Male.....	78	7	4	5	9	8	6	6	6	6	5	4	12
Female.....	42	3	3	4	5	3	1	5	4	3	4	4	3
Black, both sexes.....	19	-	1	1	1	-	2	4	5	1	-	4	-
Male.....	11	-	1	-	1	-	2	1	3	1	-	2	-
Female.....	8	-	-	1	-	-	-	3	2	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	-	-	-	-	-	1	1	1
Male.....	3	1	-	-	-	-	-	-	-	-	-	1	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Arteritis, unspecified (I77.6)													
All races, both sexes.....	362	32	27	37	26	27	32	31	33	28	27	30	32
Male.....	145	13	12	14	11	8	11	11	14	15	11	13	12
Female.....	217	19	15	23	15	19	21	20	19	13	16	17	20
White, both sexes.....	318	31	21	33	24	24	30	26	28	22	25	26	28
Male.....	124	13	8	12	10	6	10	9	11	12	11	10	12
Female.....	194	18	13	21	14	18	20	17	17	10	14	16	16
Black, both sexes.....	33	1	3	3	2	2	2	5	4	5	1	3	2
Male.....	16	-	2	1	1	1	1	2	2	3	-	3	-
Female.....	17	1	1	2	1	1	1	3	2	2	1	-	2
American Indian 1/, both sexes.....	5	-	-	1	-	1	-	-	1	1	-	-	1
Male.....	3	-	-	1	-	1	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	6	-	3	-	-	-	-	-	-	-	1	1	1
Male.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	1	-	-	-	-	-	-	-	1	1	1
Other specified disorders of arteries and arterioles (I77.8)													
All races, both sexes.....	25	-	-	1	3	2	2	3	2	3	3	4	2
Male.....	10	-	-	-	1	-	1	2	1	1	1	2	1
Female.....	15	-	-	1	2	2	1	1	1	2	2	2	1
White, both sexes.....	21	-	-	1	3	1	2	2	1	3	3	3	2
Male.....	8	-	-	-	1	-	1	1	-	1	1	2	1
Female.....	13	-	-	1	2	1	1	1	1	2	2	1	1
Black, both sexes.....	3	-	-	-	-	-	-	1	1	-	-	1	-
Male.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorder of arteries and arterioles, unspecified (I77.9)													
All races, both sexes.....	257	25	15	23	22	24	23	16	26	19	14	20	30
Male.....	138	15	8	10	12	17	13	7	13	7	9	7	20
Female.....	119	10	7	13	10	7	10	9	13	12	5	13	10
White, both sexes.....	207	23	10	17	16	18	19	11	21	16	13	16	27
Male.....	113	14	5	8	9	11	10	4	12	7	8	6	19
Female.....	94	9	5	9	7	7	9	7	9	9	5	10	8
Black, both sexes.....	45	2	5	6	6	6	2	4	4	3	1	4	2
Male.....	23	1	3	2	3	6	1	3	1	-	1	1	1
Female.....	22	1	2	4	3	-	1	1	3	3	-	3	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	2	1	1	-	-	-	-
Male.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Diseases of capillaries (I78)													
All races, both sexes.....	60	4	4	5	7	9	5	2	4	4	4	7	5
Male.....	31	2	2	4	4	5	3	-	2	4	-	4	1
Female.....	29	2	2	1	3	4	2	2	2	-	4	3	4
White, both sexes.....	52	3	4	4	6	8	3	2	2	4	4	7	5
Male.....	26	2	2	3	3	4	2	-	1	4	-	4	1
Female.....	26	1	2	1	3	4	1	2	1	-	4	3	4
Black, both sexes.....	6	1	-	1	1	1	1	-	1	-	-	-	-
Male.....	4	-	-	1	1	1	-	-	1	-	-	-	-
Female.....	2	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Phlebitis and thrombophlebitis of femoral vein (I80.1)													
All races, both sexes.....	14	-	2	-	2	3	1	-	3	-	2	-	1
Male.....	6	-	1	-	2	1	-	-	1	-	-	-	1
Female.....	8	-	1	-	-	2	1	-	2	-	2	-	-
White, both sexes.....	10	-	1	-	2	1	1	-	2	-	2	-	1
Male.....	4	-	-	-	2	-	-	-	1	-	-	-	1
Female.....	6	-	1	-	-	1	1	-	1	-	2	-	-
Black, both sexes.....	4	-	1	-	-	2	-	-	1	-	-	-	-
Male.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis and thrombophlebitis of other deep vessels of lower extremities (I80.2)													
All races, both sexes.....	2,328	186	198	195	199	185	158	181	192	213	210	185	226
Male.....	977	74	91	80	81	80	67	77	83	94	92	81	77
Female.....	1,351	112	107	115	118	105	91	104	109	119	118	104	149
White, both sexes.....	1,820	151	161	160	158	146	114	144	142	166	160	147	171
Male.....	752	53	74	61	63	61	44	59	63	72	70	70	62
Female.....	1,068	98	87	99	95	85	70	85	79	94	90	77	109
Black, both sexes.....	472	32	35	30	40	36	40	34	46	43	46	36	54
Male.....	209	20	16	18	18	18	22	18	17	19	19	10	14
Female.....	263	12	19	12	22	18	18	16	29	24	27	26	40
American Indian 1/, both sexes.....	14	3	1	2	1	2	2	-	2	-	1	-	-
Male.....	4	1	-	-	-	1	-	-	1	-	1	-	-
Female.....	10	2	1	2	1	1	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	1	3	-	1	2	3	2	4	3	2	1
Male.....	12	-	1	1	-	-	1	-	2	3	2	1	1
Female.....	10	-	-	2	-	1	1	3	-	1	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Embolism and thrombosis of renal vein (I82.3)													
All races, both sexes.....	3	-	1	1	-	-	-	-	1	-	-	-	-
Male.....	3	-	1	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism and thrombosis of other specified veins (I82.8)													
All races, both sexes.....	46	9	4	3	1	3	6	4	4	4	1	1	6
Male.....	21	6	3	1	-	2	3	1	2	-	-	1	2
Female.....	25	3	1	2	1	1	3	3	2	4	1	-	4
White, both sexes.....	35	8	2	3	1	3	4	2	2	3	1	-	6
Male.....	15	5	2	1	-	2	2	-	1	-	-	-	2
Female.....	20	3	-	2	1	1	2	2	1	3	1	-	4
Black, both sexes.....	9	-	2	-	-	-	2	2	1	1	-	1	-
Male.....	5	-	1	-	-	-	1	1	1	-	-	1	-
Female.....	4	-	1	-	-	-	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Embolism and thrombosis of unspecified vein (I82.9)													
All races, both sexes.....	57	5	7	3	4	5	5	2	3	4	3	6	10
Male.....	30	1	5	1	1	3	3	-	1	2	2	4	7
Female.....	27	4	2	2	3	2	2	2	2	1	2	2	3
White, both sexes.....	47	4	6	2	4	4	4	2	1	3	2	5	10
Male.....	26	1	5	1	1	2	3	-	-	1	1	4	7
Female.....	21	3	1	1	3	2	1	2	1	2	1	1	3
Black, both sexes.....	10	1	1	1	-	1	1	-	2	1	1	1	-
Male.....	4	-	-	-	-	1	-	-	1	1	1	-	-
Female.....	6	1	1	1	-	-	1	-	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose veins of lower extremities (I83)													
All races, both sexes.....	146	14	13	14	12	14	12	7	8	16	7	15	14
Male.....	75	9	7	7	6	8	4	4	6	7	3	7	7
Female.....	71	5	6	7	6	6	8	3	2	9	4	8	7
White, both sexes.....	125	13	10	9	9	12	11	7	8	15	6	12	13
Male.....	67	8	5	5	6	8	4	4	6	7	3	5	6
Female.....	58	5	5	4	3	4	7	3	2	8	3	7	7
Black, both sexes.....	18	1	1	5	3	2	1	-	-	1	-	3	1
Male.....	7	1	1	2	-	-	-	-	-	-	-	2	1
Female.....	11	-	-	3	3	2	1	-	-	1	-	1	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Orthostatic hypotension (I95.1)													
All races, both sexes.....	19	2	3	-	2	1	-	2	-	1	2	3	3
Male.....	10	1	2	-	-	-	-	1	-	1	1	3	1
Female.....	9	1	1	-	2	1	-	1	-	-	1	-	2
White, both sexes.....	16	2	3	-	2	1	-	1	-	1	1	3	2
Male.....	8	1	2	-	-	-	-	-	-	1	-	3	1
Female.....	8	1	1	-	2	1	-	1	-	-	1	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other hypotension (I95.8)													
All races, both sexes.....	14	1	1	1	1	1	1	1	1	1	2	2	1
Male.....	5	-	-	-	1	1	-	-	-	-	1	2	-
Female.....	9	1	1	1	-	-	1	1	1	1	-	-	1
White, both sexes.....	9	1	1	1	1	1	-	-	-	-	1	2	1
Male.....	5	-	-	-	1	1	-	-	-	-	1	2	-
Female.....	4	1	1	1	-	-	-	-	-	-	-	-	1
Black, both sexes.....	4	-	-	-	-	-	1	-	1	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypotension, unspecified (I95.9)													
All races, both sexes.....	215	23	15	24	12	18	9	13	15	20	26	23	17
Male.....	86	11	7	7	4	6	2	5	5	9	11	12	7
Female.....	129	12	8	17	8	12	7	8	10	11	15	11	10
White, both sexes.....	174	18	12	22	9	16	7	9	12	12	22	21	14
Male.....	68	9	6	5	3	6	2	3	3	5	9	12	5
Female.....	106	9	6	17	6	10	5	6	9	7	13	9	9
Black, both sexes.....	36	5	3	2	2	2	2	1	3	7	4	2	3
Male.....	15	2	1	2	1	-	-	-	2	3	2	-	2
Female.....	21	3	2	-	1	2	2	1	1	4	2	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	-	-	3	-	1	-	-	-
Male.....	3	-	-	-	-	-	-	2	-	1	-	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Other and unspecified disorders of circulatory system (I99)													
All races, both sexes.....	333	39	20	36	28	34	23	22	20	34	25	24	28
Male.....	144	15	7	14	11	18	9	9	9	15	13	10	14
Female.....	189	24	13	22	17	16	14	13	11	19	12	14	14
White, both sexes.....	283	33	15	32	24	30	19	20	17	28	20	21	24
Male.....	121	13	5	13	9	16	7	9	8	10	9	9	13
Female.....	162	20	10	19	15	14	12	11	9	18	11	12	11
Black, both sexes.....	43	5	4	4	4	3	3	2	2	6	4	2	4
Male.....	20	2	2	1	2	1	1	-	1	5	3	1	1
Female.....	23	3	2	3	2	2	2	2	1	1	1	1	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	1	-	-	1	1	-	1	-	1	1	-
Male.....	3	-	-	-	-	1	1	-	-	-	1	-	-
Female.....	4	1	1	-	-	-	-	-	1	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute upper respiratory infection, unspecified (J06.9)													
All races, both sexes.....	91	13	15	16	4	6	6	2	6	3	9	2	9
Male.....	32	4	7	4	2	2	-	1	2	1	3	1	5
Female.....	59	9	8	12	2	4	6	1	4	2	6	1	4
White, both sexes.....	85	11	14	16	4	5	6	2	6	3	9	1	8
Male.....	27	3	6	4	2	1	-	1	2	1	3	-	4
Female.....	58	8	8	12	2	4	6	1	4	2	6	1	4
Black, both sexes.....	5	1	1	-	-	1	-	-	-	-	-	1	1
Male.....	4	-	1	-	-	1	-	-	-	-	-	1	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza due to identified influenza virus (J10)													
All races, both sexes.....	215	37	37	84	32	6	-	-	-	1	2	4	12
Male.....	98	18	17	40	16	2	-	-	-	-	-	-	5
Female.....	117	19	20	44	16	4	-	-	-	1	2	4	7
White, both sexes.....	195	34	36	74	30	5	-	-	-	-	1	4	11
Male.....	87	15	16	34	15	2	-	-	-	-	-	-	5
Female.....	108	19	20	40	15	3	-	-	-	-	1	4	6
Black, both sexes.....	12	2	-	8	-	-	-	-	-	1	-	-	1
Male.....	7	2	-	5	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	3	-	-	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	1	2	2	-	-	-	-	-	1	-	-
Male.....	4	1	1	1	1	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	1	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Influenza with pneumonia, influenza virus identified (J10.0)													
All races, both sexes.....	95	17	18	35	16	1	-	-	-	-	1	2	5
Male.....	42	7	8	14	10	-	-	-	-	-	-	-	3
Female.....	53	10	10	21	6	1	-	-	-	1	2	2	2
White, both sexes.....	89	15	18	32	15	1	-	-	-	-	1	2	5
Male.....	38	5	8	13	9	-	-	-	-	-	-	-	3
Female.....	51	10	10	19	6	1	-	-	-	-	1	2	2
Black, both sexes.....	4	1	-	3	-	-	-	-	-	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	2	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza with other respiratory manifestations, influenza virus identified (J10.1)													
All races, both sexes.....	112	20	18	48	13	4	-	-	-	1	1	2	5
Male.....	54	11	9	25	6	2	-	-	-	-	-	-	1
Female.....	58	9	9	23	7	2	-	-	-	1	1	2	4
White, both sexes.....	98	19	17	41	12	3	-	-	-	-	-	2	4
Male.....	47	10	8	20	6	2	-	-	-	-	-	-	1
Female.....	51	9	9	21	6	1	-	-	-	-	-	2	3
Black, both sexes.....	8	1	-	5	-	-	-	-	-	1	-	-	1
Male.....	5	1	-	4	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	2	1	-	-	-	-	-	1	-	-
Male.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	1	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Influenza with other manifestations, influenza virus identified (J10.8)													
All races, both sexes.....	8	-	1	1	3	1	-	-	-	-	-	-	2
Male.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Female.....	6	-	1	-	3	1	-	-	-	-	-	-	1
White, both sexes.....	8	-	1	1	3	1	-	-	-	-	-	-	2
Male.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Female.....	6	-	1	-	3	1	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza, virus not identified (J11)													
All races, both sexes.....	634	120	119	216	90	22	5	3	3	4	9	12	31
Male.....	264	48	51	88	38	9	2	1	-	2	2	7	16
Female.....	370	72	68	128	52	13	3	2	3	2	7	5	15
White, both sexes.....	593	111	112	205	84	20	4	3	3	4	8	11	28
Male.....	245	46	48	82	35	7	2	1	-	2	2	6	14
Female.....	348	65	64	123	49	13	2	2	3	2	6	5	14
Black, both sexes.....	29	7	5	9	3	1	-	-	-	-	1	1	2
Male.....	14	2	2	5	2	1	-	-	-	-	-	1	1
Female.....	15	5	3	4	1	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	2	1	2	3	1	1	-	-	-	-	-	-
Male.....	4	-	1	1	1	1	-	-	-	-	-	-	-
Female.....	6	2	-	1	2	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Influenza with other manifestations, virus not identified (J11.8)													
All races, both sexes.....	11	1	3	1	3	-	-	-	1	-	-	1	1
Male.....	4	-	1	1	1	-	-	-	-	-	-	-	1
Female.....	7	1	2	-	2	-	-	-	1	-	-	1	-
White, both sexes.....	11	1	3	1	3	-	-	-	1	-	-	1	1
Male.....	4	-	1	1	1	-	-	-	-	-	-	-	1
Female.....	7	1	2	-	2	-	-	-	1	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral pneumonia, not elsewhere classified (J12)													
All races, both sexes.....	242	38	24	36	21	14	14	17	15	11	5	21	26
Male.....	116	17	11	19	5	11	7	9	4	6	2	13	12
Female.....	126	21	13	17	16	3	7	8	11	5	3	8	14
White, both sexes.....	198	33	20	31	18	11	10	12	14	7	5	15	22
Male.....	90	13	9	15	4	9	4	7	4	3	2	10	10
Female.....	108	20	11	16	14	2	6	5	10	4	3	5	12
Black, both sexes.....	33	4	1	5	3	2	3	3	-	4	-	5	3
Male.....	19	3	1	4	1	1	2	1	-	3	-	2	1
Female.....	14	1	-	1	2	1	1	2	-	1	-	3	2
American Indian 1/, both sexes.....	4	1	2	-	-	-	-	1	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	1	-	-	1	1	1	1	-	-	1	1
Male.....	5	-	-	-	-	1	1	1	-	-	-	1	1
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Viral pneumonia, unspecified (J12.9)													
All races, both sexes.....	202	29	19	32	17	11	13	16	15	8	5	18	19
Male.....	95	13	8	17	4	9	6	9	4	3	2	12	8
Female.....	107	16	11	15	13	2	7	7	11	5	3	6	11
White, both sexes.....	171	26	17	28	16	9	10	11	14	5	5	14	16
Male.....	76	11	7	13	3	8	4	7	4	1	2	10	6
Female.....	95	15	10	15	13	1	6	4	10	4	3	4	10
Black, both sexes.....	25	3	1	4	1	2	3	3	-	3	-	3	2
Male.....	16	2	1	4	1	1	2	1	-	2	-	1	1
Female.....	9	1	-	-	-	1	1	2	-	1	-	2	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	-	-	-	1	1	-	-	1	1
Male.....	3	-	-	-	-	-	-	1	-	-	-	1	1
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Pneumonia due to Streptococcus pneumoniae (J13)													
All races, both sexes.....	356	52	50	47	40	30	17	17	8	16	15	26	38
Male.....	177	20	20	28	21	16	9	8	1	6	6	18	24
Female.....	179	32	30	19	19	14	8	9	7	10	9	8	14
White, both sexes.....	318	48	45	37	36	27	16	16	7	14	15	24	33
Male.....	158	17	19	24	18	14	9	7	1	5	6	16	22
Female.....	160	31	26	13	18	13	7	9	6	9	9	8	11
Black, both sexes.....	25	1	3	8	4	2	1	-	1	1	-	-	4
Male.....	12	1	-	4	3	2	-	-	-	1	-	-	1
Female.....	13	-	3	4	1	-	1	-	1	-	-	-	3
American Indian 1/, both sexes.....	5	2	1	1	-	-	-	-	-	-	-	1	-
Male.....	3	1	1	-	-	-	-	-	-	-	-	1	-
Female.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	1	1	-	1	-	1	-	1	-	1	1
Male.....	4	1	-	-	-	-	-	1	-	-	-	1	1
Female.....	4	-	1	1	-	1	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumonia due to Hemophilus influenzae (J14)													
All races, both sexes.....	39	4	9	5	5	2	2	3	-	2	3	3	1
Male.....	23	2	5	4	4	2	1	2	-	2	1	-	-
Female.....	16	2	4	1	1	-	1	1	-	-	2	3	1
White, both sexes.....	35	3	9	5	4	2	2	2	-	2	2	3	1
Male.....	21	2	5	4	3	2	1	2	-	2	-	-	-
Female.....	14	1	4	1	1	-	1	-	-	-	2	3	1
Black, both sexes.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Bacterial pneumonia, not elsewhere classified (J15)													
All races, both sexes.....	4,171	469	418	457	381	336	281	302	253	271	311	308	384
Male.....	2,195	251	218	252	186	165	152	150	137	141	164	167	212
Female.....	1,976	218	200	205	195	171	129	152	116	130	147	141	172
White, both sexes.....	3,586	404	349	401	332	297	240	262	214	234	270	258	325
Male.....	1,886	212	181	219	159	146	135	130	117	119	147	142	179
Female.....	1,700	192	168	182	173	151	105	132	97	115	123	116	146
Black, both sexes.....	456	53	49	45	35	32	27	32	28	29	35	38	53
Male.....	233	31	22	24	20	15	10	16	16	18	14	18	29
Female.....	223	22	27	21	15	17	17	16	12	11	21	20	24
American Indian 1/, both sexes.....	24	2	4	2	2	2	3	2	2	1	-	4	-
Male.....	14	2	3	2	1	1	1	-	-	-	-	4	-
Female.....	10	-	1	-	1	1	2	2	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	105	10	16	9	12	5	11	6	9	7	6	8	6
Male.....	62	6	12	7	6	3	6	4	4	4	3	3	4
Female.....	43	4	4	2	6	2	5	2	5	3	3	5	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumonia due to <i>Klebsiella pneumoniae</i> (J15.0)													
All races, both sexes.....	145	11	7	18	11	9	10	22	10	15	11	11	10
Male.....	78	4	3	11	3	8	6	12	5	13	5	4	4
Female.....	67	7	4	7	8	1	4	10	5	2	6	7	6
White, both sexes.....	115	9	3	15	9	6	9	18	9	11	9	9	8
Male.....	54	3	1	8	1	5	5	9	4	9	4	2	3
Female.....	61	6	2	7	8	1	4	9	5	2	5	7	5
Black, both sexes.....	26	2	4	2	2	2	1	4	1	4	1	1	2
Male.....	20	1	2	2	2	2	1	3	1	4	-	1	1
Female.....	6	1	2	-	-	-	-	1	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	1	-	-	-	-	1	1	-
Male.....	4	-	-	1	-	1	-	-	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia due to <i>Pseudomonas</i> (J15.1)													
All races, both sexes.....	343	37	24	29	31	20	29	25	26	21	42	31	28
Male.....	211	24	17	19	22	13	19	14	15	13	21	15	19
Female.....	132	13	7	10	9	7	10	11	11	8	21	16	9
White, both sexes.....	299	34	21	25	27	18	24	21	26	18	37	25	23
Male.....	192	23	15	17	19	12	16	12	15	13	21	14	15
Female.....	107	11	6	8	8	6	8	9	11	5	16	11	8
Black, both sexes.....	37	2	3	4	4	2	3	4	-	1	4	5	5
Male.....	16	-	2	2	3	1	1	2	-	-	-	1	4
Female.....	21	2	1	2	1	1	2	2	-	1	4	4	1
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	2	-	-	1	1	1	-
Male.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other bacterial pneumonia (J15.8)													
All races, both sexes.....	34	3	3	5	3	3	2	1	2	3	2	1	6
Male.....	20	2	3	2	1	1	1	1	2	-	2	-	5
Female.....	14	1	-	3	2	2	1	-	-	3	-	1	1
White, both sexes.....	27	1	2	4	3	2	2	1	2	3	1	1	5
Male.....	17	1	2	2	1	1	1	1	2	-	1	-	5
Female.....	10	-	-	2	2	1	1	-	-	3	-	1	-
Black, both sexes.....	5	-	1	1	-	1	-	-	-	-	1	-	1
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	1	-	1	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Bacterial pneumonia, unspecified (J15.9)													
All races, both sexes.....	1,948	216	209	217	172	160	116	132	114	134	147	146	185
Male.....	955	112	96	114	81	67	56	65	57	64	70	82	91
Female.....	993	104	113	103	91	93	60	67	57	70	77	64	94
White, both sexes.....	1,660	183	173	193	153	137	99	111	94	113	130	120	154
Male.....	816	94	79	100	70	57	51	56	47	53	63	71	75
Female.....	844	89	94	93	83	80	48	55	47	60	67	49	79
Black, both sexes.....	231	27	25	20	13	18	13	18	16	16	15	22	28
Male.....	105	15	9	10	6	8	4	7	8	8	7	9	14
Female.....	126	12	16	10	7	10	9	11	8	8	8	13	14
American Indian 1/, both sexes.....	9	-	1	2	2	1	-	1	1	-	-	1	-
Male.....	4	-	-	2	1	-	-	-	-	-	-	1	-
Female.....	5	-	1	-	1	1	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	48	6	10	2	4	4	4	2	3	5	2	3	3
Male.....	30	3	8	2	4	2	1	2	2	3	-	1	2
Female.....	18	3	2	-	-	2	3	-	1	2	2	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumonia due to other specified infectious organisms (J16.8)													
All races, both sexes.....	4	1	-	-	-	2	-	-	-	-	1	-	-
Male.....	4	1	-	-	-	2	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	1	-	-	-	1	-	-	-	-	1	-	-
Male.....	3	1	-	-	-	1	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia, organism unspecified (J18)													
All races, both sexes.....	50,661	5,796	4,901	5,619	4,317	3,904	3,527	3,376	3,241	3,422	3,859	3,981	4,718
Male.....	22,770	2,528	2,150	2,465	1,897	1,799	1,588	1,560	1,482	1,552	1,754	1,826	2,169
Female.....	27,891	3,268	2,751	3,154	2,420	2,105	1,939	1,816	1,759	1,870	2,105	2,155	2,549
White, both sexes.....	44,469	5,133	4,352	4,954	3,785	3,394	3,097	2,937	2,823	2,956	3,390	3,488	4,160
Male.....	19,817	2,202	1,887	2,160	1,646	1,542	1,399	1,347	1,279	1,336	1,523	1,585	1,911
Female.....	24,652	2,931	2,465	2,794	2,139	1,852	1,698	1,590	1,544	1,620	1,867	1,903	2,249
Black, both sexes.....	4,753	499	424	506	403	395	318	332	330	370	371	370	435
Male.....	2,199	235	198	226	176	187	135	156	164	170	181	181	190
Female.....	2,554	264	226	280	227	208	183	176	166	200	190	189	245
American Indian 1/, both sexes.....	230	41	24	28	19	16	14	18	8	16	14	16	16
Male.....	116	18	15	13	11	9	4	12	3	6	7	10	8
Female.....	114	23	9	15	8	7	10	6	5	10	7	6	8
Asian or Pacific Islander 2/, both sexes.....	1,209	123	101	131	110	99	98	89	80	80	84	107	107
Male.....	638	73	50	66	64	61	50	45	36	40	43	50	60
Female.....	571	50	51	65	46	38	48	44	44	40	41	57	47

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bronchopneumonia, unspecified (J18.0)													
All races, both sexes.....	1,138	152	122	131	106	78	75	68	76	73	82	90	85
Male.....	580	77	73	65	43	42	35	39	39	43	41	46	37
Female.....	558	75	49	66	63	36	40	29	37	30	41	44	48
White, both sexes.....	922	122	101	107	83	65	64	60	63	57	62	73	65
Male.....	458	57	59	50	34	35	27	35	31	34	32	36	28
Female.....	464	65	42	57	49	30	37	25	32	23	30	37	37
Black, both sexes.....	188	25	21	19	20	11	11	6	12	14	20	13	16
Male.....	109	17	14	12	8	6	8	3	8	9	9	8	7
Female.....	79	8	7	7	12	5	3	4	5	5	11	5	9
American Indian 1/, both sexes.....	12	2	-	2	-	2	-	2	-	1	-	2	1
Male.....	5	-	-	1	-	1	-	1	-	-	-	1	1
Female.....	7	2	-	1	-	1	-	1	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	16	3	-	3	3	-	-	-	1	1	-	2	3
Male.....	8	3	-	2	1	-	-	-	-	-	-	1	1
Female.....	8	-	-	1	2	-	-	-	1	1	-	1	2
Lobar pneumonia, unspecified (J18.1)													
All races, both sexes.....	1,456	158	147	171	103	122	132	92	80	101	101	110	139
Male.....	694	76	71	79	48	65	55	41	39	49	56	47	68
Female.....	762	82	76	92	55	57	77	51	41	52	45	63	71
White, both sexes.....	1,185	135	118	134	81	103	109	82	63	83	82	90	105
Male.....	566	62	55	62	41	53	51	34	28	39	47	42	52
Female.....	619	73	63	72	40	50	58	48	35	44	35	48	53
Black, both sexes.....	212	19	24	27	16	17	20	8	13	15	15	14	24
Male.....	99	11	13	11	5	11	4	6	9	8	6	3	12
Female.....	113	8	11	16	11	6	16	2	4	7	9	11	12
American Indian 1/, both sexes.....	8	1	1	1	1	-	-	-	-	1	1	1	1
Male.....	3	1	-	-	-	-	-	-	-	1	1	-	-
Female.....	5	-	1	1	1	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	51	3	4	9	5	2	3	2	4	2	3	5	9
Male.....	26	2	3	6	2	1	-	1	2	1	2	2	4
Female.....	25	1	1	3	3	1	3	1	2	1	1	3	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic rhinitis (J31.0)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic sinusitis (J32)													
All races, both sexes.....	99	8	9	12	11	8	7	4	10	7	5	10	8
Male.....	58	5	3	10	7	5	5	3	6	4	2	7	1
Female.....	41	3	6	2	4	3	2	1	4	3	3	3	7
White, both sexes.....	78	6	7	8	9	5	6	4	9	6	4	8	6
Male.....	46	5	3	7	6	2	5	3	5	3	2	5	-
Female.....	32	1	4	1	3	3	1	1	4	3	2	3	6
Black, both sexes.....	18	2	1	4	1	3	-	-	1	1	1	2	2
Male.....	12	-	-	3	1	3	-	-	1	1	-	2	1
Female.....	6	2	1	1	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	1	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic pansinusitis (J32.4)													
All races, both sexes.....	13	2	1	2	2	-	1	-	1	2	-	1	1
Male.....	10	2	-	2	2	-	1	-	-	1	-	1	1
Female.....	3	-	1	-	-	-	-	-	1	1	-	-	-
White, both sexes.....	11	2	1	2	2	-	1	-	1	2	-	-	-
Male.....	8	2	-	2	2	-	1	-	-	1	-	-	-
Female.....	3	-	1	-	-	-	-	-	1	1	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic sinusitis, unspecified (J32.9)													
All races, both sexes.....	73	3	7	8	9	7	6	3	9	5	4	5	7
Male.....	40	2	2	8	5	4	4	2	6	3	2	2	-
Female.....	33	1	5	-	4	3	2	1	3	2	2	3	7
White, both sexes.....	59	3	5	5	7	5	5	3	8	4	3	5	6
Male.....	32	2	2	5	4	2	4	2	5	2	2	2	-
Female.....	27	1	3	-	3	3	1	1	3	2	1	3	6
Black, both sexes.....	11	-	1	3	1	2	-	-	1	1	1	-	1
Male.....	8	-	-	3	1	2	-	-	1	1	-	-	-
Female.....	3	-	1	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	1	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diseases of vocal cords and larynx, not elsewhere classified (J38)													
All races, both sexes.....	119	9	9	11	10	8	9	13	13	7	8	9	13
Male.....	62	6	2	6	3	6	5	7	12	4	4	4	3
Female.....	57	3	7	5	7	2	4	6	1	3	4	5	10
White, both sexes.....	99	9	6	7	9	7	9	11	9	7	6	8	11
Male.....	51	6	1	4	3	6	5	5	8	4	4	3	2
Female.....	48	3	5	3	6	1	4	6	1	3	2	5	9
Black, both sexes.....	18	-	3	4	1	1	-	2	3	-	1	1	2
Male.....	10	-	1	2	-	-	-	2	3	-	-	1	1
Female.....	8	-	2	2	1	1	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Paralysis of vocal cords and larynx (J38.0)													
All races, both sexes.....	46	2	2	4	5	5	3	3	4	4	5	3	6
Male.....	28	2	1	2	1	4	2	2	4	4	3	2	1
Female.....	18	-	1	2	4	1	1	1	-	-	2	1	5
White, both sexes.....	42	2	2	4	4	5	3	3	3	4	4	2	6
Male.....	26	2	1	2	1	4	2	2	3	4	3	1	1
Female.....	16	-	1	2	3	1	1	1	-	-	1	1	5
Black, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified chronic bronchitis (J42)													
All races, both sexes.....	332	36	24	31	35	30	20	23	19	28	24	25	37
Male.....	133	11	12	9	18	11	10	11	8	13	8	11	11
Female.....	199	25	12	22	17	19	10	12	11	15	16	14	26
White, both sexes.....	295	32	22	30	29	25	18	21	18	22	22	21	35
Male.....	111	9	11	9	16	9	9	9	7	7	6	9	10
Female.....	184	23	11	21	13	16	9	12	11	15	16	12	25
Black, both sexes.....	28	3	2	1	6	2	2	2	1	3	1	3	2
Male.....	16	1	1	-	2	2	1	2	1	3	1	1	1
Female.....	12	2	1	1	4	-	1	-	-	-	-	2	1
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	-	-	-	2	-	-	-	3	1	1	-
Male.....	6	1	-	-	-	-	-	-	-	3	1	1	-
Female.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Emphysema (J43)													
All races, both sexes.....	12,551	1,280	1,167	1,372	1,121	1,037	925	918	890	787	960	990	1,104
Male.....	6,318	595	595	698	573	564	454	453	479	400	473	500	534
Female.....	6,233	685	572	674	548	473	471	465	411	387	487	490	570
White, both sexes.....	11,689	1,191	1,080	1,272	1,053	966	864	861	827	735	889	934	1,017
Male.....	5,784	549	537	627	528	518	413	420	439	366	436	464	487
Female.....	5,905	642	543	645	525	448	451	441	388	369	453	470	530
Black, both sexes.....	707	70	73	84	56	60	47	50	55	44	61	43	64
Male.....	430	32	49	59	36	39	31	32	33	29	30	26	34
Female.....	277	38	24	25	20	21	16	18	22	15	31	17	30
American Indian 1/, both sexes.....	32	5	2	5	2	2	4	3	1	-	2	3	3
Male.....	16	3	-	3	1	-	2	-	1	-	1	3	2
Female.....	16	2	2	2	1	2	2	3	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	123	14	12	11	10	9	10	4	7	8	8	10	20
Male.....	88	11	9	9	8	7	8	1	6	5	6	7	11
Female.....	35	3	3	2	2	2	2	3	1	3	2	3	9

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Emphysema, unspecified (J43.9)													
All races, both sexes.....	12,523	1,278	1,164	1,372	1,120	1,034	924	915	886	783	957	990	1,100
Male.....	6,305	594	594	698	572	562	454	451	478	399	472	500	531
Female.....	6,218	684	570	674	548	472	470	464	408	384	485	490	569
White, both sexes.....	11,664	1,189	1,077	1,272	1,052	963	863	859	824	732	886	934	1,013
Male.....	5,774	548	536	627	527	516	413	419	439	366	435	464	484
Female.....	5,890	641	541	645	525	447	450	440	385	366	451	470	529
Black, both sexes.....	704	70	73	84	56	60	47	49	54	43	61	43	64
Male.....	427	32	49	59	36	39	31	31	32	28	30	26	34
Female.....	277	38	24	25	20	21	16	18	22	15	31	17	30
American Indian 1/, both sexes.....	32	5	2	5	2	2	4	3	1	-	2	3	3
Male.....	16	3	-	3	1	-	2	-	1	-	1	3	2
Female.....	16	2	2	2	1	2	2	3	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	123	14	12	11	10	9	10	4	7	8	8	10	20
Male.....	88	11	9	9	8	7	8	1	6	5	6	7	11
Female.....	35	3	3	2	2	2	2	3	1	3	2	3	9
Other chronic obstructive pulmonary disease (J44)													
All races, both sexes.....	106,706	10,693	9,734	11,106	9,432	8,646	7,861	7,936	7,461	7,373	8,322	8,470	9,672
Male.....	51,063	5,163	4,528	5,177	4,540	4,190	3,786	3,859	3,589	3,542	4,004	4,100	4,585
Female.....	55,643	5,530	5,206	5,929	4,892	4,456	4,075	4,077	3,872	3,831	4,318	4,370	5,087
White, both sexes.....	99,259	9,958	9,041	10,365	8,793	8,046	7,351	7,372	6,902	6,849	7,727	7,876	8,979
Male.....	46,951	4,744	4,157	4,775	4,180	3,872	3,509	3,522	3,278	3,262	3,671	3,772	4,209
Female.....	52,308	5,214	4,884	5,590	4,613	4,174	3,842	3,850	3,624	3,587	4,056	4,104	4,770
Black, both sexes.....	5,965	577	549	613	500	474	417	462	456	408	486	476	547
Male.....	3,230	325	293	330	271	246	215	268	255	212	274	252	289
Female.....	2,735	252	256	283	229	228	202	194	201	196	212	224	258
American Indian 1/, both sexes.....	449	48	43	33	48	33	30	31	35	36	34	29	49
Male.....	208	21	17	15	22	11	17	20	15	12	14	14	30
Female.....	241	27	26	18	26	22	13	11	20	24	20	15	19
Asian or Pacific Islander 2/, both sexes.....	1,033	110	101	95	91	93	63	71	68	80	75	89	97
Male.....	674	73	61	57	67	61	45	49	41	56	45	62	57
Female.....	359	37	40	38	24	32	18	22	27	24	30	27	40

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified chronic obstructive pulmonary disease (J44.8)													
All races, both sexes.....	3,197	336	344	333	302	250	231	212	206	234	239	220	290
Male.....	1,501	154	155	154	128	115	105	111	98	111	116	110	144
Female.....	1,696	182	189	179	174	135	126	101	108	123	123	110	146
White, both sexes.....	2,899	299	311	296	276	233	206	195	185	217	217	202	262
Male.....	1,341	128	140	132	116	104	89	105	88	103	108	101	127
Female.....	1,558	171	171	164	160	129	117	90	97	114	109	101	135
Black, both sexes.....	230	34	23	28	18	13	18	14	15	11	20	14	22
Male.....	114	24	11	17	5	8	9	3	6	4	7	7	13
Female.....	116	10	12	11	13	5	9	11	9	7	13	7	9
American Indian 1/, both sexes.....	16	1	1	2	2	-	-	1	3	3	-	-	3
Male.....	9	1	-	1	2	-	-	1	1	1	-	-	2
Female.....	7	-	1	1	-	-	-	-	2	2	-	-	1
Asian or Pacific Islander 2/, both sexes.....	52	2	9	7	6	4	7	2	3	3	2	4	3
Male.....	37	1	4	4	5	3	7	2	3	3	1	2	2
Female.....	15	1	5	3	1	1	-	-	-	-	1	2	1
Chronic obstructive pulmonary disease, unspecified (J44.9)													
All races, both sexes.....	103,143	10,313	9,352	10,731	9,090	8,363	7,602	7,704	7,239	7,116	8,049	8,233	9,351
Male.....	49,396	4,997	4,355	5,009	4,398	4,058	3,663	3,740	3,477	3,421	3,871	3,980	4,427
Female.....	53,747	5,316	4,997	5,722	4,692	4,305	3,939	3,964	3,762	3,695	4,178	4,253	4,924
White, both sexes.....	96,010	9,617	8,694	10,030	8,478	7,782	7,117	7,158	6,702	6,611	7,477	7,658	8,686
Male.....	45,454	4,605	4,001	4,630	4,050	3,753	3,402	3,410	3,176	3,150	3,547	3,662	4,068
Female.....	50,556	5,012	4,693	5,400	4,428	4,029	3,715	3,748	3,526	3,461	3,930	3,996	4,618
Black, both sexes.....	5,722	543	524	582	482	459	399	447	440	395	465	461	525
Male.....	3,107	301	280	312	266	236	206	264	249	207	266	244	276
Female.....	2,615	242	244	270	216	223	193	183	191	188	199	217	249
American Indian 1/, both sexes.....	432	47	42	31	45	33	30	30	32	33	34	29	46
Male.....	199	20	17	14	20	11	17	19	14	11	14	14	28
Female.....	233	27	25	17	25	22	13	11	18	22	20	15	18
Asian or Pacific Islander 2/, both sexes.....	979	106	92	88	85	89	56	69	65	77	73	85	94
Male.....	636	71	57	53	62	58	38	47	38	53	44	60	55
Female.....	343	35	35	35	23	31	18	22	27	24	29	25	39

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Asthma (J45)													
All races, both sexes.....	3,365	367	273	360	297	285	243	246	235	235	243	272	309
Male.....	1,183	125	95	107	122	102	90	96	78	75	95	88	110
Female.....	2,182	242	178	253	175	183	153	150	157	160	148	184	199
White, both sexes.....	2,357	257	194	258	220	192	170	167	172	162	154	194	217
Male.....	742	78	61	72	83	60	55	60	48	46	55	58	66
Female.....	1,615	179	133	186	137	132	115	107	124	116	99	136	151
Black, both sexes.....	865	94	68	86	63	82	64	69	53	58	79	69	80
Male.....	379	41	29	27	32	37	33	30	27	22	36	26	39
Female.....	486	53	39	59	31	45	31	39	26	36	43	43	41
American Indian 1/, both sexes.....	18	2	3	3	1	2	1	1	-	2	2	1	-
Male.....	6	1	1	1	-	2	-	-	-	-	-	1	-
Female.....	12	1	2	2	1	-	1	1	-	2	2	-	-
Asian or Pacific Islander 2/, both sexes.....	125	14	8	13	13	9	8	9	10	13	8	8	12
Male.....	56	5	4	7	7	3	2	6	3	7	4	3	5
Female.....	69	9	4	6	6	6	6	3	7	6	4	5	7
Predominantly allergic asthma (J45.0)													
All races, both sexes.....	153	10	11	11	13	18	13	11	17	13	13	13	10
Male.....	100	10	7	6	9	11	7	11	10	7	7	8	7
Female.....	53	-	4	5	4	7	6	-	7	6	6	5	3
White, both sexes.....	59	4	7	6	7	3	5	1	10	2	5	5	4
Male.....	36	4	6	2	5	3	2	1	5	1	2	2	3
Female.....	23	-	1	4	2	-	3	-	5	1	3	3	1
Black, both sexes.....	90	6	3	4	5	14	8	10	7	11	8	8	6
Male.....	62	6	1	3	3	8	5	10	5	6	5	6	4
Female.....	28	-	2	1	2	6	3	-	2	5	3	2	2
American Indian 1/, both sexes.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Asthma, unspecified (J45.9)													
All races, both sexes.....	3,204	357	261	347	283	265	230	235	218	222	230	257	299
Male.....	1,082	115	88	101	113	91	83	85	68	68	88	79	103
Female.....	2,122	242	173	246	170	174	147	150	150	154	142	178	196
White, both sexes.....	2,291	253	186	251	212	187	165	166	162	160	149	187	213
Male.....	705	74	55	70	78	57	53	59	43	45	53	55	63
Female.....	1,586	179	131	181	134	130	112	107	119	115	96	132	150
Black, both sexes.....	774	88	65	81	58	68	56	59	46	47	71	61	74
Male.....	317	35	28	24	29	29	28	20	22	16	31	20	35
Female.....	457	53	37	57	29	39	28	39	24	31	40	41	39
American Indian 1/, both sexes.....	16	2	2	2	1	2	1	1	-	2	2	1	-
Male.....	5	1	1	-	-	2	-	-	-	-	-	1	-
Female.....	11	1	1	2	1	-	1	1	-	2	2	-	-
Asian or Pacific Islander 2/, both sexes.....	123	14	8	13	12	8	8	9	10	13	8	8	12
Male.....	55	5	4	7	6	3	2	6	3	7	4	3	5
Female.....	68	9	4	6	6	5	6	3	7	6	4	5	7
Status asthmaticus (J46)													
All races, both sexes.....	248	31	22	16	18	20	21	21	22	18	17	23	19
Male.....	113	14	13	6	10	8	8	10	7	12	9	8	8
Female.....	135	17	9	10	8	12	13	11	15	6	8	15	11
White, both sexes.....	140	19	12	8	13	14	12	11	11	9	11	13	7
Male.....	63	8	7	2	9	6	4	6	3	7	5	3	3
Female.....	77	11	5	6	4	8	8	5	8	2	6	10	4
Black, both sexes.....	92	8	9	7	3	5	9	9	9	8	5	9	11
Male.....	44	5	5	4	-	2	4	4	3	4	3	5	5
Female.....	48	3	4	3	3	3	5	5	6	4	2	4	6
American Indian 1/, both sexes.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	3	1	1	1	1	-	1	2	1	1	1	1
Male.....	5	1	1	-	-	-	-	-	1	1	1	-	-
Female.....	9	2	-	1	1	1	-	1	1	-	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic respiratory conditions due to chemicals, gases, fumes, and vapors (J68.4)													
All races, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1	1
White, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonitis due to solids and liquids (J69)													
All races, both sexes.....	16,887	1,613	1,517	1,703	1,480	1,392	1,258	1,215	1,179	1,277	1,383	1,334	1,536
Male.....	8,916	835	762	896	750	730	672	702	644	649	761	698	817
Female.....	7,971	778	755	807	730	662	586	513	535	628	622	636	719
White, both sexes.....	15,136	1,447	1,361	1,533	1,335	1,251	1,134	1,089	1,026	1,141	1,251	1,196	1,372
Male.....	7,984	746	671	801	676	658	609	632	560	589	693	623	726
Female.....	7,152	701	690	732	659	593	525	457	466	552	558	573	646
Black, both sexes.....	1,439	139	134	134	121	115	94	100	120	111	111	118	142
Male.....	757	73	77	78	60	57	44	52	66	49	55	66	80
Female.....	682	66	57	56	61	58	50	48	54	62	56	52	62
American Indian 1/, both sexes.....	68	6	8	7	7	8	6	3	5	7	1	7	3
Male.....	39	4	6	4	4	6	2	2	4	4	-	2	1
Female.....	29	2	2	3	3	2	4	1	1	3	1	5	2
Asian or Pacific Islander 2/, both sexes.....	244	21	14	29	17	18	24	23	28	18	20	13	19
Male.....	136	12	8	13	10	9	17	16	14	7	13	7	10
Female.....	108	9	6	16	7	9	7	7	14	11	7	6	9

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Respiratory conditions due to unspecified external agent (J70.9)													
All races, both sexes.....	3	1	-	-	-	-	-	1	-	1	-	-	-
Male.....	3	1	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Adult respiratory distress syndrome (J80)													
All races, both sexes.....	1,609	168	136	160	135	124	123	119	109	129	144	121	141
Male.....	800	73	67	80	65	57	59	66	59	77	67	57	73
Female.....	809	95	69	80	70	67	64	53	50	52	77	64	68
White, both sexes.....	1,329	142	109	133	110	104	99	104	88	105	126	96	113
Male.....	662	64	54	67	55	46	51	57	48	63	57	43	57
Female.....	667	78	55	66	55	58	48	47	40	42	69	53	56
Black, both sexes.....	217	20	21	23	22	16	18	10	17	16	14	18	22
Male.....	103	6	10	11	9	9	6	4	10	9	7	10	12
Female.....	114	14	11	12	13	7	12	6	7	7	7	8	10
American Indian 1/, both sexes.....	19	2	1	1	-	2	2	2	2	2	1	3	1
Male.....	7	1	-	-	-	1	-	2	1	1	-	1	-
Female.....	12	1	1	1	-	1	2	-	1	1	1	2	1
Asian or Pacific Islander 2/, both sexes.....	44	4	5	3	3	2	4	3	2	6	3	4	5
Male.....	28	2	3	2	1	1	2	3	-	4	3	3	4
Female.....	16	2	2	1	2	1	2	-	2	2	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other interstitial pulmonary diseases (J84)													
All races, both sexes.....	14,834	1,394	1,241	1,354	1,353	1,239	1,175	1,089	1,081	1,134	1,219	1,226	1,329
Male.....	7,754	731	633	730	722	679	617	542	558	601	660	629	652
Female.....	7,080	663	608	624	631	560	558	547	523	533	559	597	677
White, both sexes.....	13,546	1,273	1,106	1,237	1,224	1,145	1,069	991	984	1,029	1,122	1,139	1,227
Male.....	7,151	668	566	667	662	638	562	507	513	557	615	589	607
Female.....	6,395	605	540	570	562	507	507	484	471	472	507	550	620
Black, both sexes.....	848	68	87	76	85	66	75	69	55	72	69	48	78
Male.....	392	35	43	41	39	29	38	26	28	29	31	20	33
Female.....	456	33	44	35	46	37	37	43	27	43	38	28	45
American Indian 1/, both sexes.....	134	13	14	12	12	9	8	4	19	12	6	17	8
Male.....	66	7	8	9	4	5	2	-	7	8	2	10	4
Female.....	68	6	6	3	8	4	6	4	12	4	4	7	4
Asian or Pacific Islander 2/, both sexes.....	306	40	34	29	32	19	23	25	23	21	22	22	16
Male.....	145	21	16	13	17	7	15	9	10	7	12	10	8
Female.....	161	19	18	16	15	12	8	16	13	14	10	12	8
Alveolar and parietoalveolar conditions (J84.0)													
All races, both sexes.....	121	8	8	16	12	7	9	7	16	10	7	7	14
Male.....	64	3	4	6	8	3	4	4	11	5	6	3	7
Female.....	57	5	4	10	4	4	5	3	5	5	1	4	7
White, both sexes.....	104	7	6	14	10	6	8	6	15	6	7	6	13
Male.....	54	2	3	5	6	3	3	4	10	3	6	3	6
Female.....	50	5	3	9	4	3	5	2	5	3	1	3	7
Black, both sexes.....	10	1	2	1	2	-	1	-	1	1	-	-	1
Male.....	8	1	1	1	2	-	1	-	1	-	-	-	1
Female.....	2	-	1	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	-	-	-	1	-	2	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	4	-	-	1	-	-	-	1	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other interstitial pulmonary diseases with fibrosis (J84.1)													
All races, both sexes.....	11,941	1,095	1,020	1,073	1,073	1,000	942	907	869	912	984	1,001	1,065
Male.....	6,253	580	518	583	563	558	492	442	450	487	546	515	519
Female.....	5,688	515	502	490	510	442	450	465	419	425	438	486	546
White, both sexes.....	10,984	1,005	918	989	979	929	864	830	802	833	907	938	990
Male.....	5,806	535	467	537	521	526	452	416	420	451	510	485	486
Female.....	5,178	470	451	452	458	403	412	414	382	382	397	453	504
Black, both sexes.....	623	48	62	56	65	48	54	55	36	57	54	32	56
Male.....	284	23	30	29	28	21	28	21	20	25	23	14	22
Female.....	339	25	32	27	37	27	26	34	16	32	31	18	34
American Indian 1/, both sexes.....	96	8	14	7	6	7	6	4	12	8	5	12	7
Male.....	46	4	8	6	3	4	1	-	2	6	2	6	4
Female.....	50	4	6	1	3	3	5	4	10	2	3	6	3
Asian or Pacific Islander 2/, both sexes.....	238	34	26	21	23	16	18	18	19	14	18	19	12
Male.....	117	18	13	11	11	7	11	5	8	5	11	10	7
Female.....	121	16	13	10	12	9	7	13	11	9	7	9	5
Other specified interstitial pulmonary diseases (J84.8)													
All races, both sexes.....	211	26	10	27	24	23	13	16	12	14	21	13	12
Male.....	108	10	7	16	13	14	7	6	3	8	9	10	5
Female.....	103	16	3	11	11	9	6	10	9	6	12	3	7
White, both sexes.....	187	22	7	23	22	22	11	15	9	14	20	13	9
Male.....	98	8	6	15	11	14	5	6	2	8	9	10	4
Female.....	89	14	1	8	11	8	6	9	7	6	11	3	5
Black, both sexes.....	12	2	-	1	1	1	1	1	2	-	1	-	2
Male.....	5	1	-	-	1	-	1	-	1	-	-	-	1
Female.....	7	1	-	1	-	1	-	1	1	-	1	-	1
American Indian 1/, both sexes.....	3	2	-	-	1	-	-	-	-	-	-	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	3	3	-	-	1	-	1	-	-	-	1
Male.....	3	-	1	1	-	-	1	-	-	-	-	-	-
Female.....	6	-	2	2	-	-	-	-	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Interstitial pulmonary disease, unspecified (J84.9)													
All races, both sexes.....	2,561	265	203	238	244	209	211	159	184	198	207	205	238
Male.....	1,329	138	104	125	138	104	114	90	94	101	99	101	121
Female.....	1,232	127	99	113	106	105	97	69	90	97	108	104	117
White, both sexes.....	2,271	239	175	211	213	188	186	140	158	176	188	182	215
Male.....	1,193	123	90	110	124	95	102	81	81	95	90	91	111
Female.....	1,078	116	85	101	89	93	84	59	77	81	98	91	104
Black, both sexes.....	203	17	23	18	17	17	19	13	16	14	14	16	19
Male.....	95	10	12	11	8	8	8	5	6	4	8	6	9
Female.....	108	7	11	7	9	9	11	8	10	10	6	10	10
American Indian 1/, both sexes.....	33	3	-	5	5	1	2	-	7	3	1	5	1
Male.....	17	2	-	3	-	1	1	-	5	1	-	4	-
Female.....	16	1	-	2	5	-	1	-	2	2	1	1	1
Asian or Pacific Islander 2/, both sexes.....	54	6	5	4	9	3	4	6	3	5	4	2	3
Male.....	24	3	2	1	6	-	3	4	2	1	1	-	1
Female.....	30	3	3	3	3	3	1	2	1	4	3	2	2
Abscess of lung and mediastinum (J85)													
All races, both sexes.....	302	41	26	27	25	21	24	20	22	20	32	15	29
Male.....	175	26	16	13	14	10	15	13	13	12	16	7	20
Female.....	127	15	10	14	11	11	9	7	9	8	16	8	9
White, both sexes.....	237	32	18	23	18	15	24	16	16	18	25	12	20
Male.....	141	20	12	13	12	8	15	9	10	10	13	4	15
Female.....	96	12	6	10	6	7	9	7	6	8	12	8	5
Black, both sexes.....	58	7	8	4	6	6	-	4	6	1	5	3	8
Male.....	29	4	4	-	2	2	-	4	3	1	2	3	4
Female.....	29	3	4	4	4	4	-	-	3	-	3	-	4
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	-	1	-	-	-	-	1	2	-	1
Male.....	4	1	-	-	-	-	-	-	-	1	1	-	1
Female.....	2	-	-	-	1	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gangrene and necrosis of lung (J85.0)													
All races, both sexes.....	138	18	14	12	10	7	11	9	10	10	12	7	18
Male.....	74	11	7	5	6	1	6	8	6	5	5	3	11
Female.....	64	7	7	7	4	6	5	1	4	5	7	4	7
White, both sexes.....	109	15	10	9	8	4	11	7	7	9	9	6	14
Male.....	63	8	7	5	6	1	6	6	4	4	4	2	10
Female.....	46	7	3	4	2	3	5	1	3	5	5	4	4
Black, both sexes.....	26	2	4	3	1	3	-	2	3	-	3	1	4
Male.....	9	2	-	-	-	-	-	2	2	-	1	1	1
Female.....	17	-	4	3	1	3	-	-	1	-	2	-	3
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Abscess of lung with pneumonia (J85.1)													
All races, both sexes.....	54	10	3	8	3	4	3	1	3	6	5	3	5
Male.....	33	6	1	5	2	2	2	1	-	4	3	2	5
Female.....	21	4	2	3	1	2	1	-	3	2	2	1	-
White, both sexes.....	42	7	3	8	3	3	3	-	2	5	4	2	2
Male.....	25	4	1	5	2	2	2	-	-	3	3	1	2
Female.....	17	3	2	3	1	1	1	-	2	2	1	1	-
Black, both sexes.....	9	2	-	-	-	1	-	1	1	1	1	1	2
Male.....	6	1	-	-	-	-	-	1	-	1	-	1	2
Female.....	3	1	-	-	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	-	-	-	-	1	-	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pyothorax without fistula (J86.9)													
All races, both sexes.....	382	37	28	43	27	31	38	32	24	25	30	38	29
Male.....	221	25	18	28	13	20	21	16	14	9	21	21	15
Female.....	161	12	10	15	14	11	17	16	10	16	9	17	14
White, both sexes.....	329	31	25	34	24	24	34	29	22	24	27	31	24
Male.....	195	22	16	22	12	15	18	15	13	9	20	18	15
Female.....	134	9	9	12	12	9	16	14	9	15	7	13	9
Black, both sexes.....	42	5	3	7	3	5	3	1	2	1	2	6	4
Male.....	20	3	2	5	1	3	2	-	1	-	-	3	-
Female.....	22	2	1	2	2	2	1	1	1	1	2	3	4
American Indian 1/, both sexes.....	5	-	-	2	-	2	-	-	-	-	-	-	1
Male.....	3	-	-	1	-	2	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	6	1	-	-	-	-	1	2	-	-	1	1	-
Male.....	3	-	-	-	-	-	1	1	-	-	1	-	-
Female.....	3	1	-	-	-	-	-	1	-	-	-	1	-
Pleural effusion, not elsewhere classified (J90)													
All races, both sexes.....	1,022	90	96	105	98	72	83	65	73	80	73	95	92
Male.....	439	43	38	47	38	37	40	22	28	44	31	28	43
Female.....	583	47	58	58	60	35	43	43	45	36	42	67	49
White, both sexes.....	913	83	81	98	81	63	80	59	63	72	67	86	80
Male.....	390	41	31	43	30	33	39	20	24	36	30	26	37
Female.....	523	42	50	55	51	30	41	39	39	36	37	60	43
Black, both sexes.....	92	6	10	5	14	8	3	3	10	7	6	9	11
Male.....	42	2	5	3	7	3	1	1	4	7	1	2	6
Female.....	50	4	5	2	7	5	2	2	6	-	5	7	5
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	1	4	2	3	1	-	3	-	1	-	-	1
Male.....	7	-	2	1	1	1	-	1	-	1	-	-	-
Female.....	9	1	2	1	2	-	-	2	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Respiratory failure, not elsewhere classified (J96)													
All races, both sexes.....	3,769	348	324	383	323	315	277	248	315	277	291	322	346
Male.....	1,655	144	146	171	157	138	122	113	131	109	129	141	154
Female.....	2,114	204	178	212	166	177	155	135	184	168	162	181	192
White, both sexes.....	3,170	301	266	329	264	261	241	201	262	239	243	267	296
Male.....	1,368	121	121	142	124	116	103	87	113	97	109	108	127
Female.....	1,802	180	145	187	140	145	138	114	149	142	134	159	169
Black, both sexes.....	535	42	53	49	51	51	30	39	48	33	45	49	45
Male.....	255	22	23	25	28	21	16	21	17	11	20	29	22
Female.....	280	20	30	24	23	30	14	18	31	22	25	20	23
American Indian 1/, both sexes.....	15	-	1	3	-	-	3	-	1	2	1	2	2
Male.....	6	-	-	2	-	-	2	-	-	-	-	-	2
Female.....	9	-	1	1	-	-	1	-	1	2	1	2	-
Asian or Pacific Islander 2/, both sexes.....	49	5	4	2	8	3	3	8	4	3	2	4	3
Male.....	26	1	2	2	5	1	1	5	1	1	-	4	3
Female.....	23	4	2	-	3	2	2	3	3	2	2	-	-
Acute respiratory failure (J96.0)													
All races, both sexes.....	300	22	18	32	21	28	16	23	24	22	28	29	37
Male.....	126	13	4	11	12	16	6	10	6	7	9	12	20
Female.....	174	9	14	21	9	12	10	13	18	15	19	17	17
White, both sexes.....	248	19	15	23	16	24	14	17	23	19	23	23	32
Male.....	102	11	3	8	10	15	5	7	6	6	8	8	15
Female.....	146	8	12	15	6	9	9	10	17	13	15	15	17
Black, both sexes.....	43	2	3	8	3	4	1	4	1	3	5	6	3
Male.....	18	1	1	2	1	1	1	2	-	1	1	4	3
Female.....	25	1	2	6	2	3	-	2	1	2	4	2	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	1	2	-	-	2	-	-	-	-	1
Male.....	5	1	-	1	1	-	-	1	-	-	-	-	1
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic respiratory failure (J96.1)													
All races, both sexes.....	526	43	48	51	55	42	42	43	44	41	36	41	40
Male.....	234	15	24	32	29	16	14	16	15	16	19	17	21
Female.....	292	28	24	19	26	26	28	27	29	25	17	24	19
White, both sexes.....	424	36	35	42	42	34	37	37	35	35	25	32	34
Male.....	182	12	16	24	22	13	10	13	13	14	15	13	17
Female.....	242	24	19	18	20	21	27	24	22	21	10	19	17
Black, both sexes.....	92	6	11	9	13	8	5	5	9	4	10	7	5
Male.....	47	3	7	8	7	3	4	2	2	1	4	3	3
Female.....	45	3	4	1	6	5	1	3	7	3	6	4	2
American Indian 1/, both sexes.....	4	-	1	-	-	-	-	-	-	-	1	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	1	-	-	-	-	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	6	1	1	-	-	-	-	1	-	2	-	1	-
Male.....	4	-	1	-	-	-	-	1	-	1	-	1	-
Female.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Respiratory failure, unspecified (J96.9)													
All races, both sexes.....	2,943	283	258	300	247	245	219	182	247	214	227	252	269
Male.....	1,295	116	118	128	116	106	102	87	110	86	101	112	113
Female.....	1,648	167	140	172	131	139	117	95	137	128	126	140	156
White, both sexes.....	2,498	246	216	264	206	203	190	147	204	185	195	212	230
Male.....	1,084	98	102	110	92	88	88	67	94	77	86	87	95
Female.....	1,414	148	114	154	114	115	102	80	110	108	109	125	135
Black, both sexes.....	400	34	39	32	35	39	24	30	38	26	30	36	37
Male.....	190	18	15	15	20	17	11	17	15	9	15	22	16
Female.....	210	16	24	17	15	22	13	13	23	17	15	14	21
American Indian 1/, both sexes.....	9	-	-	3	-	-	2	-	1	2	-	1	-
Male.....	4	-	-	2	-	-	2	-	-	-	-	-	-
Female.....	5	-	-	1	-	-	-	-	1	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	36	3	3	1	6	3	3	5	4	1	2	3	2
Male.....	17	-	1	1	4	1	1	3	1	-	-	3	2
Female.....	19	3	2	-	2	2	2	2	3	1	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of lung (J98.4)													
All races, both sexes.....	2,822	265	245	274	261	211	258	211	209	202	201	227	258
Male.....	1,318	118	113	116	139	106	113	92	103	100	78	113	127
Female.....	1,504	147	132	158	122	105	145	119	106	102	123	114	131
White, both sexes.....	2,493	246	219	246	224	186	230	179	185	167	176	205	230
Male.....	1,148	110	101	102	114	91	102	78	90	82	65	101	112
Female.....	1,345	136	118	144	110	95	128	101	95	85	111	104	118
Black, both sexes.....	269	14	23	24	31	19	25	28	18	28	21	14	24
Male.....	138	4	10	11	19	13	11	12	10	14	12	9	13
Female.....	131	10	13	13	12	6	14	16	8	14	9	5	11
American Indian 1/, both sexes.....	27	3	-	2	2	2	3	2	5	1	2	2	3
Male.....	14	2	-	2	2	1	-	1	2	1	-	1	2
Female.....	13	1	-	-	-	1	3	1	3	-	2	1	1
Asian or Pacific Islander 2/, both sexes.....	33	2	3	2	4	4	-	2	1	6	2	6	1
Male.....	18	2	2	1	4	1	-	1	1	3	1	2	-
Female.....	15	-	1	1	-	3	-	1	-	3	1	4	1
Diseases of mediastinum, not elsewhere classified (J98.5)													
All races, both sexes.....	124	10	9	13	10	13	6	7	13	7	12	14	10
Male.....	50	7	4	5	2	7	2	4	4	3	4	3	5
Female.....	74	3	5	8	8	6	4	3	9	4	8	11	5
White, both sexes.....	102	9	6	13	8	11	5	6	10	5	10	12	7
Male.....	44	6	3	5	2	6	2	4	4	3	4	2	3
Female.....	58	3	3	8	6	5	3	2	6	2	6	10	4
Black, both sexes.....	19	1	3	-	1	2	1	-	2	2	2	2	3
Male.....	6	1	1	-	-	1	-	-	-	-	-	1	2
Female.....	13	-	2	-	1	1	1	-	2	2	2	1	1
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of diaphragm (J98.6)													
All races, both sexes.....	38	4	6	3	5	3	4	1	1	3	3	2	3
Male.....	23	2	4	2	4	1	2	1	1	1	1	2	2
Female.....	15	2	2	1	1	2	2	-	-	2	2	-	1
White, both sexes.....	37	4	6	2	5	3	4	1	1	3	3	2	3
Male.....	23	2	4	2	4	1	2	1	1	1	1	2	2
Female.....	14	2	2	-	1	2	2	-	-	2	2	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Other specified respiratory disorders (J98.8)													
All races, both sexes.....	379	39	39	38	37	23	24	34	17	28	29	29	42
Male.....	154	18	11	15	18	10	8	13	6	12	17	12	14
Female.....	225	21	28	23	19	13	16	21	11	16	12	17	28
White, both sexes.....	327	32	33	32	32	22	19	31	15	25	22	26	38
Male.....	126	13	9	12	13	10	6	11	5	12	12	11	12
Female.....	201	19	24	20	19	12	13	20	10	13	10	15	26
Black, both sexes.....	38	5	5	6	2	1	4	1	2	3	5	2	2
Male.....	16	3	1	3	2	-	1	-	1	-	4	-	1
Female.....	22	2	4	3	-	1	3	1	1	3	1	2	1
American Indian 1/, both sexes.....	5	1	-	-	2	-	-	-	-	-	1	-	1
Male.....	4	1	-	-	2	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	9	1	1	-	1	-	1	2	-	-	1	1	1
Male.....	8	1	1	-	1	-	1	2	-	-	-	1	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

