

---

**Subset of alphabetical index to diseases and nature of  
injury for use with perinatal conditions (P00-P96)**



**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising in the perinatal period**

*Note* - Conditions arising in the perinatal period, even though death or morbidity occurs later, should, as far as possible, be coded to chapter XVI, which takes precedence over chapters containing codes for diseases by their anatomical site.

These exclude:

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

Endocrine, nutritional and metabolic diseases (E00-E99)

Injury, poisoning and certain other consequences of external causes (S00-T99)

Neoplasms (C00-D48)

Tetanus neonatorum (A33)

- ablatio, ablation
- - placentae (*see also* Abruptio placentae)
- - - affecting fetus or newborn P02.1
- abnormal, abnormality, abnormalities - *see also* Anomaly
- - amnion, amniotic fluid
- - - affecting fetus or newborn P02.9
- - anticoagulation
- - - newborn (transient) P61.6
- - cervix NEC, maternal (acquired) (congenital), in pregnancy or childbirth
- - - causing obstructed labor
- - - - affecting fetus or newborn P03.1
- - chorion
- - - affecting fetus or newborn P02.9
- - coagulation
- - - newborn, transient P61.6

**Conditions arising—*continued***

- abnormal, abnormality—*continued*
- - fetus, fetal
- - - causing disproportion
- - - - affecting fetus or newborn P03.1
- - forces of labor
- - - affecting fetus or newborn P03.6
- - labor NEC
- - - affecting fetus or newborn P03.6
- - membranes (fetal)
- - - affecting fetus or newborn P02.9
- - - specified type NEC, affecting fetus or newborn P02.8
- - organs or tissues of maternal pelvis
- - - in pregnancy or childbirth
- - - - affecting fetus or newborn P03.8
- - - - causing obstructed labor
- - - - - affecting fetus or newborn P03.1
- - parturition
- - - affecting fetus or newborn P03.9
- - presentation (fetus) (*see also* Presentation, fetal, abnormal)
- - - before labor, affecting fetus or newborn P01.7
- - pulmonary
- - - function, newborn P28.8
- - - ventilation, newborn P28.8
- - umbilical cord
- - - affecting fetus or newborn P02.6
- - vagina, maternal (acquired) (congenital), in pregnancy or childbirth
- - - causing obstructed labor
- - - - affecting fetus or newborn P03.1
- - vulva and perineum, maternal (acquired) (congenital), in pregnancy or childbirth
- - - causing obstructed labor
- - - - affecting fetus or newborn P03.1

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- ABO hemolytic disease (fetus or newborn)  
P55.1
- aborter, habitual or recurrent NEC
  - current abortion
    - affecting fetus or newborn P01.8
- abortion (complete) (incomplete)
  - fetus or newborn P96.4
  - habitual or recurrent
    - with current abortion
      - fetus P01.8
  - legal (induced)
    - fetus P96.4
  - medical
    - fetus P96.4
  - spontaneous
    - fetus P01.8
  - threatened
    - affecting fetus or newborn P01.8
- therapeutic
  - fetus P96.4
- threatened (spontaneous)
  - affecting fetus or newborn P01.8
- abruptio placentae
  - affecting fetus or newborn P02.1
- abscess (embolic) (infective) (metastatic) (multiple) (perforated) (pyogenic) (septic)
  - breast (acute) (chronic) (nonpuerperal)
    - newborn P39.0
  - kidney, maternal
    - complicating pregnancy
      - affecting fetus or newborn P00.1
- navel
  - newborn P38
- pyemic - *see* Septicemia
  - newborn (*see also* Septicemia, newborn)  
P36.9
- umbilicus
  - newborn P38

**Conditions arising—continued**

- absorption
  - chemical
    - through placenta (fetus or newborn) P04.8
    - environmental substance P04.6
    - nutritional substance P04.5
  - obstetric anesthetic or analgesic drug  
P04.0
- drug NEC (*see also* Reaction, drug)
  - addictive
    - through placenta (fetus or newborn)  
P04.4
  - through placenta (fetus or newborn)  
P04.1
  - obstetric anesthetic or analgesic  
medication P04.0
- maternal medication NEC through placenta  
(fetus or newborn) P04.1
- accident
  - birth - *see* Birth, injury
  - during pregnancy, to mother
    - affecting fetus or newborn P00.5
- acidosis (lactic) (respiratory)
  - fetal - *see* Distress, fetal
  - intrauterine - *see* Distress, fetal
- metabolic NEC
  - late, of newborn P74.0
  - newborn - *see* Distress, fetal
- acrocyanosis
  - newborn P28.2
- addiction, maternal (*see also* Dependence)
- alcohol, alcoholic (ethyl) (methyl) (wood)
  - complicating pregnancy or childbirth
    - affecting fetus or newborn P04.3
- adhesions, adhesive (postinfective)
- amnion to fetus
  - affecting fetus or newborn P02.8
- adiponecrosis neonatorum P83.8
- aeration lung imperfect, newborn P28.1

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- albuminuria, albuminuric (acute) (chronic) (subacute) (*see also* Proteinuria)
- - pre-eclamptic (*see also* Pre-eclampsia)
- - - affecting fetus or newborn P00.0
- alcoholism (acute) (chronic)
- - complicating pregnancy or childbirth
- - - affecting fetus or newborn P04.3
- amnionitis
- - affecting fetus or newborn P02.7
- amputation
- - any part of fetus, to facilitate delivery P03.8
- Anaeriosis of newborn P28.8
- anasarca
- - fetus or newborn P83.2
- android pelvis, maternal
- - with disproportion (fetopelvic)
- - - affecting fetus or newborn P03.1
- anemia
- - congenital P61.4
- - - due to isoimmunization NEC P55.9
- - - following fetal blood loss P61.3
- - due to
- - - fetal blood loss P61.3
- - - prematurity P61.2
- - erythroblastic
- - - fetus or newborn (*see also* Disease, hemolytic) P55.9
- - fetus or newborn P61.4
- - - due to
- - - - ABO (antibodies) (isoimmunization) (maternal/fetal incompatibility) P55.1
- - - - Rh (antibodies) (isoimmunization) (maternal/fetal incompatibility) P55.0
- - - following fetal blood loss P61.3

**Conditions arising—continued**

- anemia—continued
- - hemolytic
- - - acute
- - - - fetus or newborn (*see also* Disease, hemolytic) P55.9
- - maternal, of or complicating pregnancy
- - - affecting fetus or newborn P00.8
- - newborn P61.4
- - - posthemorrhagic (fetal) P61.3
- - of prematurity P61.2
- - posthemorrhagic (chronic)
- - - newborn P61.3
- anhydramnios
- - affecting fetus or newborn P01.2
- anomaly, anomalous (congenital) (unspecified type)
- - cervix, maternal
- - - in pregnancy or childbirth NEC
- - - - affecting fetus or newborn P03.8
- - - - causing obstructed labor
- - - - - affecting fetus or newborn P03.1
- - uterus, maternal
- - - in pregnancy or childbirth
- - - - affecting fetus or newborn P03.8
- - - - causing obstructed labor
- - - - - affecting fetus or newborn P03.1
- anoxemia (*see also* Anoxia)
- - newborn (*see also* Asphyxia, newborn) P21.9
- anoxia (*see also* Hypoxia)
- - cerebral
- - - newborn (*see also* Asphyxia, newborn) P21.9
- - newborn (*see also* Asphyxia, newborn) P21.9

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- anteversion
- - uterus, uterine, maternal (cervix)  
    (postinfectious) (postpartal, old)
- - - in pregnancy or childbirth
- - - - affecting fetus or newborn P03.8
- - - - causing obstructed labor
- - - - - affecting fetus or newborn P03.1
- anthropoid pelvis, maternal
- - with disproportion (fetopelvic)
- - - affecting fetus or newborn P03.1
- antibodies (blood group) (*see also*  
    Incompatibility)
- - anti-D
- - - fetus or newborn P55.0
- anuria
- - newborn P96.0
- apgar (score)
- - low NEC, with asphyxia P21.9
- - 0-3 at 1 minute, with asphyxia P21.0
- - 4-7 at 1 minute, with asphyxia P21.1
- apnea, apneic (spells)
- - newborn NEC P28.4
- - - sleep (primary) P28.3
- arrest, arrested
- - active phase of labor
- - - affecting fetus or newborn P03.6
- - cardiac
- - - newborn P29.1
- - coronary
- - - infant P29.1
- - deep transverse
- - - affecting fetus or newborn P03.1
- - development or growth
- - - fetus P05.9
- - respiratory
- - - newborn P28.5
- arrhythmia (cardiac) (ventricular) (*see*  
    *also* Dysrhythmia)
- - newborn P29.1

**Conditions arising—continued**

- asphyxia, asphyxiation (by)
- - antenatal (*see also* Distress, fetal) P20.9
- - birth (*see also* Asphyxia, newborn) P21.9
- - fetal (*see also* Distress, fetal) P20.9
- - food or foreign body (in)
- - - newborn P24.3
- - intrauterine (*see also* Distress, fetal) P20.9
- - mucus (in)
- - - newborn P24.1
- - newborn P21.9
- - - with 1-minute Apgar score
- - - - low NEC P21.9
- - - - 0-3 P21.0
- - - - 4-7 P21.1
- - - blue P21.1
- - - livida P21.1
- - - mild or moderate P21.1
- - - pallida P21.0
- - - severe P21.0
- - - white P21.0
- - perinatal (*see also* Asphyxia, newborn)  
    P21.9
- - postnatal (*see also* Asphyxia, newborn)  
    P21.9
- - prenatal (*see also* Distress, fetal) P20.9
- aspiration
- - amniotic fluid (newborn) P24.1
- - blood, newborn P24.2
- - liquor (amni) (newborn) P24.1
- - meconium (newborn) P24.0
- - milk (newborn) P24.3
- - mucus
- - - newborn P24.1
- - newborn (massive) (syndrome) P24.9
- - - meconium P24.0
- - vernix caseosa (newborn) P24.8
- asymmetry - *see also* Distortion
- - pelvis with disproportion (fetopelvic)
- - - affecting fetus or newborn P03.1

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- atelectasis (massive) (partial) (pressure) (pulmonary)
  - fetus or newborn (secondary) P28.1
  - due to resorption P28.1
  - partial P28.1
  - primary P28.0
  - subtotal P28.0
  - primary (newborn) P28.0
- atonia, atony, atonic
  - congenital P94.2
  - uterus, maternal, during labor
    - affecting fetus or newborn P03.6
- atresia, atretic
  - cervix, maternal (acquired)
    - in pregnancy or childbirth
    - causing obstructed labor
    - affecting fetus or newborn P03.1
- attack
  - cyanotic, newborn P28.2
  - respiration, respiratory
    - newborn P28.8
- awareness of heart beat
  - fetal P20.9
  - newborn P29.1
- baby
  - floppy (syndrome) P94.2
- bacteremia
  - due to
    - specified bacteria (*see also* Infection, by specified bacteria)
    - newborn - *see* Sepsis, newborn, by specified bacteria
    - newborn (any bacteria classifiable to A49.-) - *see* Sepsis, newborn, by specified bacteria
  - organism other than bacteria - *see* Septicemia
  - newborn - *see* Infection, congenital, by organism

**Conditions arising—continued**

- Bandl's ring (contraction), complicating delivery
  - affecting fetus or newborn P03.6
- bicornate or bicornis maternal uterus
  - in pregnancy or childbirth
  - affecting fetus or newborn P03.8
- bigeminal pulse
  - fetal P20.9
  - newborn P29.1
- birth
  - abnormal NEC, affecting fetus or newborn P03.9
  - delayed, fetus P03.8
  - difficult NEC, affecting fetus or newborn P03.9
  - forced NEC, affecting fetus or newborn P03.8
  - forceps, affecting fetus or newborn P03.2
  - immature (between 28 and 37 completed weeks) P07.3
    - extremely (less than 28 completed weeks) P07.2
  - induced, affecting fetus or newborn P03.8
  - injury P15.9
    - basal ganglia P11.1
    - brachial plexus NEC P14.3
    - brain (compression) (pressure) P11.2
    - central nervous system NEC P11.9
    - cerebellum P11.1
    - cerebral hemorrhage P10.1
    - external genitalia P15.5
    - eye P15.3
    - face P15.4
    - fracture
      - bone P13.9
      - specified NEC P13.8
      - clavicle P13.4
      - femur P13.2
      - humerus P13.3

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- birth—continued
- injury—continued
- fracture—continued
- long bone, except femur P13.3
- radius and ulna P13.3
- skull P13.0
- spine P11.5
- tibia and fibula P13.3
- intracranial P11.2
- laceration or hemorrhage P10.9
- specified NEC P10.8
- intraventricular hemorrhage P10.2
- laceration
- brain P10.1
- by scalpel P15.8
- peripheral nerve P14.9
- liver P15.0
- meninges
- brain P11.1
- spinal cord P11.5
- nerve
- brachial plexus P14.3
- cranial NEC (except facial) P11.4
- facial P11.3
- peripheral P14.9
- phrenic (paralysis) P14.2
- penis P15.5
- scalp P12.9
- scalpel wound P15.8
- scrotum P15.5
- skull NEC P13.1
- fracture P13.0
- specified site or type NEC P15.8
- spinal cord P11.5
- spine P11.5
- spleen P15.1
- sternomastoid (hematoma) P15.2
- subarachnoid hemorrhage P10.3
- subcutaneous fat necrosis P15.6

**Conditions arising—continued**

- birth—continued
- injury—continued
- subdural hemorrhage P10.0
- tentorial tear P10.4
- testes P15.5
- vulva P15.5
- instrumental NEC, affecting fetus or newborn P03.8
- multiple, affecting fetus or newborn P01.5
- palsy or paralysis, newborn, NEC (birth injury) P14.9
- post-term (42 weeks or more) P08.2
- precipitate, affecting fetus or newborn P03.5
- premature (infant) P07.3
- prolonged, affecting fetus or newborn P03.8
- retarded, affecting fetus or newborn P03.8
- shock, newborn P96.8
- trauma - *see* Birth, injury
- twin, affecting fetus or newborn P01.5
- vacuum extractor, affecting fetus or newborn P03.3
- ventouse, affecting fetus or newborn P03.3
- weight - *see also* Weight
- low (between 1000 and 2499 grams) P07.1
- extremely (999 grams or less) P07.0
- 4500 grams or more P08.0
- bleb(s)
- lung (ruptured)
- fetus or newborn P25.8
- bleeding (*see also* Hemorrhage)
- rectum, rectal
- newborn P54.2
- umbilical stump P51.9
- vagina, vaginal (abnormal)
- newborn P54.6



**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- blood
- - dyscrasia
- - - fetus or newborn P61.9
- born in toilet (*see also* Birth, precipitate fetus or newborn) P03.5
- brachycardia
- - fetal P20.9
- - newborn P29.1
- bradycardia (sinoatrial) (sinus) (vagal)
- - fetal - *see* Distress, fetal
- - newborn P29.1
- breech
- - delivery NEC
- - - affecting fetus or newborn P03.0
- - extraction
- - - affecting fetus or newborn P03.0
- - presentation
- - - before labor, affecting fetus or newborn P01.7
- - - during labor, affecting fetus or newborn P03.0
- bronze baby syndrome P83.8
- bruise (skin surface intact) (*see also* Contusion)
- - fetus or newborn P54.5
- - scalp, due to birth injury, newborn P12.3
- - umbilical cord
- - - affecting fetus or newborn P02.6
- bubbly lung syndrome P27.0
- bulla(e)
- - lung
- - - fetus or newborn P25.8
- candidiasis, candidal
- - congenital P37.5
- - neonatal P37.5
- caput
- - succedaneum P12.8
- catastrophe, catastrophe
- - cardiorespiratory
- - - newborn P28.8

**Conditions arising—continued**

- caul over face (causing asphyxia) P21.9
- cellulitis (diffuse) (with lymphangitis)
- - navel
- - - newborn P38
- - umbilicus
- - - newborn P38
- cephalomatocele, cephal(o)hemocele
- - fetus or newborn P52.8
- - - birth injury P10.8
- cephalematoma, cephalhematoma (calcified)
- - fetus or newborn (birth injury) P12.0
- cervicitis, maternal (acute) (chronic) (nonvenereal) (subacute) (with ulceration)
- - complicating pregnancy
- - - affecting fetus or newborn P00.8
- cesarean
- - operation or section NEC (*see also* Delivery, cesarean)
- - - affecting fetus or newborn P03.4
- - - post mortem, affecting fetus or newborn P01.6
- cessation
- - cardiac
- - - newborn P29.0
- - cardiorespiratory
- - - newborn P29.0
- - respiratory
- - - newborn P28.5
- chemotherapy (session) (for)
- - cancer
- - - maternal, affecting fetus or newborn P04.1
- chickenpox (*see also* Varicella)
- - congenital P35.8
- chignon
- - fetus or newborn (birth injury) (from vacuum extraction) P12.1
- chorioamnionitis
- - fetus or newborn P02.7

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- chorioretinitis
- - in (due to)
- - - toxoplasmosis
- - - - congenital (active) P37.1† H32.0\*
- circulation
- - failure (peripheral)
- - - fetus or newborn P29.8
- - fetal, persistent P29.3
- cirrhosis, cirrhotic (hepatic)
- - liver (chronic) (fatty) (hepatolienal)  
    (hypertrophic) (nodular) (nonalcoholic)  
    (splenomegalic)
- - - congenital P78.8
- cleidotomy, fetus or newborn P03.8
- clotting
- - disseminated
- - - intravascular
- - - - newborn P60
- coagulation, intravascular (diffuse)  
    (disseminated) (*see also* Defibrination)
- - fetus or newborn P60
- coagulopathy (*see also* Defect, coagulation)
- - consumption
- - - newborn P60
- - disseminated
- - - newborn P60
- - intravascular
- - - - diffuse
- - - - newborn P60
- - - disseminated
- - - - newborn P60
- cold
- - injury syndrome (newborn) P80.0
- collapse
- - cardiocirculatory
- - - newborn P29.8
- - cardiopulmonary
- - - newborn P29.8
- - cardiorespiratory
- - - newborn P29.8

**Conditions arising—continued**

- collapse—continued
- - cardiovascular
- - - newborn P29.8
- - circulatory (peripheral)
- - - fetus or newborn P29.8
- - respiratory
- - - newborn P28.8
- - vascular (peripheral)
- - - during labor and delivery
- - - - affecting fetus or newborn P03.8
- - - fetus or newborn P29.8
- coma
- - newborn P91.5
- complications (from) (of)
- - intrauterine
- - - procedure NEC, affecting fetus or  
    newborn P96.5
- - maternal sedation during labor and delivery
- - - affecting fetus or newborn P04.0
- - umbilical cord
- - - affecting fetus or newborn P02.6
- compression
- - during birth (fetus or newborn) P15.9
- - umbilical cord
- - - affecting fetus or newborn P02.5
- - - - with cord prolapse P02.4
- compromise, compromised
- - respiratory
- - - newborn P28.5
- congestion, congestive (chronic) (passive)
- - facial, due to birth injury P15.4
- conjunctivitis (in) (due to)
- - chlamydial
- - - neonatal P39.1
- - neonatal P39.1
- constriction (*see also* Stricture)
- - ring dystocia (uterus)
- - - affecting fetus or newborn P03.6

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- contraction, contracture, contracted
- - hourglass
- - - uterus (complicating delivery)
- - - - affecting fetus or newborn P03.6
- - pelvis, maternal (acquired) (general)
- - - with disproportion (fetopelvic)
- - - - affecting fetus or newborn P03.1
- - ring (Bandl's) (complicating delivery)
- - - affecting fetus or newborn P03.6
- - uterus, maternal
- - - abnormal NEC
- - - - affecting fetus or newborn P03.6
- contusion (skin surface intact)
- - fetus or newborn P54.5
- - scalp
- - - due to birth injury P12.3
- convulsions (idiopathic) (*see also* Seizure(s))
- - newborn P90
- cord - *see also* condition
- - around neck (tightly) (with compression)
- - - affecting fetus or newborn P02.5
- coupled rhythm
- - fetal P20.9
- - newborn P29.1
- cranioclasia, fetus P03.8
- craniotabes (cause unknown)
- - neonatal P96.3
- craniotomy, fetus P03.8
- cretin, cretinism (congenital) (endemic) (nongoitrous) (sporadic)
- - pelvis, maternal, with disproportion (fetopelvic)
- - - affecting fetus or newborn P03.1
- cyst (colloid) (mucous) (retention) (simple)
- - periventricular, acquired, newborn P91.1
- cystitis, maternal (exudative) (hemorrhagic) (septic) (suppurative)
- - complicating pregnancy
- - - affecting fetus or newborn P00.1

**Conditions arising—continued**

- cystocele(-urethrocele), maternal
- - in pregnancy or childbirth
- - - affecting fetus or newborn P03.8
- - - causing obstructed labor
- - - - affecting fetus or newborn P03.1
- dacryocystitis (acute) (phlegmonous)
- - neonatal P39.1
- damage
- - brain (nontraumatic)
- - - anoxic, hypoxic
- - - - at birth P21.9
- - - - fetal P20.9
- - - - intrauterine P20.9
- - - - newborn P21.9
- - - due to birth injury P11.2
- - - ischemic
- - - - newborn P91.0
- - - newborn P11.2
- - eye, birth injury P15.3
- deadborn fetus NEC - *see* Death, fetus
- death
- - fetus, fetal (cause not stated) (intrauterine)
- - - in fetal death file P95
- - - in mortality file P96.9
- - infant - from intrauterine coil P00.7
- - neonatal NEC P96.8
- - obstetric, maternal (cause unknown)
- - - affecting fetus or newborn P01.6
- debility (chronic) (general)
- - congenital or neonatal NEC P96.9
- decapitation
- - fetal (to facilitate delivery) P03.8
- deciduitis (acute), affecting fetus or newborn P00.8
- decompensation (*see also* Hypofunction)
- - lung
- - - newborn P28.8
- - pulmonary
- - - newborn P28.8

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- defect, defective
- - coagulation (factor) (*see also* Deficiency, factor)
- - - antepartum with hemorrhage, maternal
- - - - affecting fetus or newborn P02.1
- - - - newborn, transient P61.6
- defibrination (syndrome)
- - antepartum, maternal
- - - affecting fetus or newborn P02.1
- - fetus or newborn P60
- deficiency, deficient
- - coagulation
- - - antepartum, maternal
- - - - affecting fetus or newborn P02.1
- - - - newborn, transient P61.6
- - surfactant (disease) (lung) P28.0
- - vitamin K
- - - of newborn P53
- deformity
- - fetal
- - - causing obstructed labor
- - - - affecting fetus or newborn P03.1
- - pelvis, pelvic, maternal (acquired) (bony)
- - - with disproportion (fetopelvic)
- - - - affecting fetus or newborn P03.1
- - soft parts, maternal organs or tissues (of pelvis)
- - - in pregnancy or childbirth NEC
- - - - affecting fetus or newborn P03.8
- - - - causing obstructed labor
- - - - - affecting fetus or newborn P03.1
- dehydration
- - newborn P74.1
- delay, delayed
- - birth or delivery NEC
- - - affecting fetus or newborn P03.8
- - closure, ductus arteriosus (Botalli) P29.3
- - delivery, second twin, triplet, etc.
- - - affecting fetus or newborn P03.8

**Conditions arising—continued**

- delay, delayed—continued
- - primary respiration (*see also* Asphyxia, newborn) P21.9
- delivery (single)
- - breech NEC
- - - affecting fetus or newborn P03.0
- - cesarean (for)
- - - affecting fetus or newborn P03.4
- - extremely rapid
- - - newborn P03.5
- - forceps
- - - affecting fetus or newborn P03.2
- - precipitate
- - - affecting fetus or newborn P03.5
- - premature or preterm NEC
- - - affecting fetus or newborn P07.3
- - vacuum extractor NEC
- - - affecting fetus or newborn P03.3
- - ventouse NEC
- - - affecting fetus or newborn P03.3
- demise
- - fetal - *see* Death, fetal
- dependence
- - due to
- - - drug NEC
- - - - maternal, complicating pregnancy or childbirth
- - - - - affecting fetus or newborn P04.4
- - - - - withdrawal symptoms in newborn P96.1
- depression
- - central nervous system (CNS) NEC
- - - newborn P91.4
- - cerebral
- - - newborn P91.4
- - perinatal P96.8
- - respiration, respiratory
- - - newborn P28.8
- - vital centers
- - - newborn P91.4

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- destruction, destructive
- - live fetus to facilitate delivery
- - - fetus P03.8
- development
- - arrested
- - - fetus P05.9
- - incomplete P05.9
- - - organ or site not listed - *see* Hypoplasia, by site
- device
- - contraceptive - *see* Contraceptive, device
- - - intrauterine
- - - - affecting fetus or newborn P00.8
- diabetes, diabetic (controlled) (familial) (mellitus) (on insulin) (severe) (uncontrolled)
- - arising in pregnancy, maternal
- - - affecting fetus or newborn P70.0
- - complicating pregnancy or childbirth, maternal
- - - affecting fetus or newborn P70.1
- - - arising in pregnancy
- - - - affecting fetus or newborn P70.0
- - - gestational
- - - - affecting fetus or newborn P70.0
- - congenital
- - - age less than 28 days P70.2
- - neonatal (transient) P70.2
- diarrhea, diarrheal (disease) (endemic) (infantile) (summer) (*see also* Colitis, Enteritis, Enterocolitis, Gastroenteritis)
- - neonatal (noninfective) P78.3
- difficult, difficulty (in)
- - birth, affecting fetus or newborn P03.9
- - feeding
- - - newborn P92.9
- - - - breast P92.5
- - - - specified NEC P92.8
- - respiratory
- - - newborn P28.8

**Conditions arising—continued**

- dilatation
- - cervix (uteri), maternal - *see also* Incompetency, cervix
- - - incomplete, poor, slow
- - - - affecting fetus or newborn P03.6
- disease, diseased - *see also* Syndrome
- - brain
- - - anoxic
- - - - newborn (*see also* Asphyxia, newborn) P21.9
- - breast
- - - inflammatory
- - - - fetus or newborn P83.4
- - cardiorespiratory
- - - newborn P96.8
- - cardiovascular
- - - fetus or newborn P29.9
- - - - specified NEC P29.8
- - cerebrovascular
- - - hemorrhagic
- - - - newborn P52.4
- - circulatory (system) NEC
- - - fetus or newborn P29.9
- - - maternal, affecting fetus or newborn P00.3
- - facial nerve (seventh)
- - - newborn (birth injury) P11.3
- - heart (organic)
- - - congenital
- - - - maternal, affecting fetus or newborn P00.3
- - - rheumatic (chronic) (inactive) (old) (quiescent) (with chorea)
- - - - maternal, affecting fetus or newborn P00.3
- - hemolytic (fetus) (newborn) P55.9
- - - due to
- - - - incompatibility
- - - - ABO (blood group) P55.1
- - - - blood (group) (Duffy) (K(ell)) (Kidd) (Lewis) (M) (S) NEC P55.8
- - - - Rh (blood group) (factor) P55.0
- - - - Rh-negative mother P55.0

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- disease, diseased—continued
- - hemolytic (fetus) (newborn)—continued
- - - specified type NEC P55.8
- - hemorrhagic
- - - fetus or newborn P53
- - hyaline (diffuse) (generalized)
- - - membrane (lung) (newborn) P22.0
- - infectious, infective
- - - congenital P37.9
- - - - specified NEC P37.8
- - - maternal, complicating pregnancy or childbirth
- - - - affecting fetus or newborn P00.2
- - lung (acute) (chronic) (end-stage)
- - - newborn P28.9
- - maternal, unrelated to pregnancy NEC, affecting fetus or newborn P00.9
- - pelvis, pelvic, maternal
- - - inflammatory (female)
- - - - complicating pregnancy
- - - - - affecting fetus or newborn P00.8
- - placenta
- - - affecting fetus or newborn P02.2
- - renal, maternal (functional) (pelvis)
- - - complicating pregnancy
- - - - affecting fetus or newborn P00.1
- - respiratory (tract) (*see also* Disease, airway)
- - - chronic NEC
- - - - fetus or newborn P27.9
- - - - - specified NEC P27.8
- - - newborn P28.9
- - - - specified type NEC P28.8
- - viral, virus (*see also* Disease, by type of virus)
- - - congenital P35.9
- - - - specified NEC P35.8

**Conditions arising—continued**

- disorder (of) - *see also* Disease
- - amino-acid
- - - neonatal, transitory P74.8
- - coagulation (factor) (*see also* Defect, coagulation)
- - - newborn, transient P61.6
- - digestive (system)
- - - fetus or newborn P78.9
- - - - specified NEC P78.8
- - feeding
- - - newborn P92.9
- - fetus or newborn P96.9
- - - specified NEC P96.8
- - hematological
- - - fetus or newborn P61.9
- - - - specified NEC P61.8
- - hemorrhagic NEC
- - - newborn P53
- - integument, fetus or newborn P83.9
- - - specified NEC P83.8
- - membranes or fluid, amniotic
- - - affecting fetus or newborn P02.9
- - muscle
- - - tone, newborn P94.9
- - - - specified NEC P94.8
- - seizure
- - - newborn P90
- - skin
- - - fetus or newborn P83.9
- - - - specified NEC P83.8
- - temperature regulation, fetus or newborn P81.9
- - - specified NEC P81.8
- - thyroid (gland)
- - - function NEC, neonatal, transitory P72.2

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- disproportion (fetopelvic)
- - affecting fetus or newborn P03.1
- distortion (congenital)
- - lumbar spine, maternal
- - - with disproportion
- - - - affecting fetus or newborn P03.1
- distress
- -cardiac
- - - congenital P20.9
- - - newborn P29.8
- - cardiopulmonary
- - - newborn P96.8
- - cardiorespiratory
- - - newborn P96.8
- - circulatory
- - - newborn P96.8
- - fetal (syndrome) P20.-
- - - first noted
- - - - before onset of labor P20.0
- - - - during labor and delivery P20.1
- - intrauterine - *see* Distress, fetal
- - respiratory
- - - adult (so stated)
- - - - newborn P22.9
- - - newborn P22.9
- - - - specified NEC P22.8
- - - syndrome (idiopathic)
- - - - adult
- - - - - newborn P22.0
- - - - newborn P22.0

**Conditions arising—continued**

- disturbance - *see also* Disease
- - cerebral
- - - status, newborn P91.9
- - - - specified NEC P91.8
- - electrolyte (*see also* Imbalance, electrolyte)
- - - newborn, transitory P74.4
- - - - potassium balance P74.3
- - - - sodium balance P74.2
- - - - specified type NEC P74.4
- - endocrine (gland)
- - - neonatal, transitory P72.9
- - - - specified NEC P72.8
- - feeding
- - - newborn P92.9
- - metabolism
- - - neonatal, transitory P74.9
- - - - calcium and magnesium P71.9
- - - - - specified type NEC P71.8
- - - - carbohydrate metabolism P70.9
- - - - - specified type NEC P70.8
- - - - specified NEC P74.8
- - potassium balance, newborn P74.3
- - sodium balance, newborn P74.2
- - temperature
- - - regulation, newborn P81.9
- - - - specified NEC P81.8
- double
- - uterus, maternal
- - - in pregnancy or childbirth
- - - - affecting fetus or newborn P03.8
- Duchenne's
- - paralysis
- - - birth injury P14.0
- dyscrasia
- - blood
- - - fetus or newborn P61.9
- - - - specified type NEC P61.8

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- dysfunction
- - uterus, complicating delivery
- - - affecting fetus or newborn P03.6
- dysmaturity (*see also* Immaturity) P05.0
- - pulmonary (newborn) (Wilson-Mikity) P27.0
- dysplasia - *see also* Anomaly
- - bronchopulmonary (perinatal) P27.1
- - lung (congenital) (not associated with short gestation)
- - - associated with short gestation P28.0
- dyspnea (nocturnal) (paroxysmal)
- - newborn P22.8
- dysrhythmia (*see also* Arrhythmia)
- - cardiac
- - - newborn P29.1
- - newborn P29.1
- dystocia
- - affecting fetus or newborn P03.1
- - cervical, maternal (hypotonic)
- - - affecting fetus or newborn P03.6
- - contraction ring, maternal
- - - affecting fetus or newborn P03.6
- - fetal, fetus
- - - affecting fetus or newborn P03.1
- - maternal
- - - affecting fetus or newborn P03.1
- - positional
- - - affecting fetus or newborn P03.1
- - shoulder (girdle)
- - - affecting fetus or newborn P03.1
- - uterine NEC, maternal
- - - affecting fetus or newborn P03.6
- ecchymosis (*see also* Hemorrhage)
- - fetus or newborn P54.5
- eclampsia, eclamptic (coma) (convulsions) (delirium) (with pre-existing or pregnancy-related hypertension) NEC
- - pregnancy
- - - affecting fetus or newborn P00.0

**Conditions arising—continued**

- edema, edematous
- - brain
- - - due to birth injury P11.0
- - - fetus or newborn (anoxia or hypoxia) P52.4
- - - - birth injury P11.0
- - fetus or newborn NEC, classifiable to R60.- P83.3
- - newborn, classifiable to R60.- P83.3
- effect, adverse NEC
- - anesthesia
- - - in
- - - - labor and delivery
- - - - - affecting fetus or newborn P04.0
- effusion
- - pleura, pleurisy, pleuritic, pleuropericardial
- - - fetus or newborn P28.8
- embarrassment
- - respiratory
- - - newborn (*see also* Distress, respiratory)
- embolism (septic)
- - air (any site) (traumatic)
- - - newborn NEC P25.8
- embryotomy (to facilitate delivery)
- - fetus P03.8
- emphysema (atrophic) (chronic) (interlobular) (lung) (obstructive) (pulmonary) (senile)
- - congenital (interstitial) P25.0
- - fetus or newborn (interstitial) P25.0
- - interstitial
- - - congenital P25.0
- - - perinatal period P25.0
- - mediastinal
- - - fetus or newborn P25.2
- encephalitis
- - in (due to)
- - - toxoplasmosis (acquired)
- - - - congenital P37.1† G05.2\*



**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- encephalopathia hyperbilirubinemica, newborn P57.9
- - due to isoimmunization (conditions in P55.-) P57.0
- encephalopathy (acute) (cerebral)
- - hyperbilirubinemic, newborn P57.9
- - - due to isoimmunization (conditions in P55.-) P57.0
- - hypoxic – *see* Damage, brain, anoxic
- - - ischaemic of newborn P91.6
- - in (due to)
- - - birth injury P11.1
- - ischemic
- - - anoxic
- - - - newborn P91.6
- - - hypoxic
- - - - newborn P91.6
- - - newborn P91.0
- endometritis (nonspecific) (purulent) (septic) (suppurative)
- - maternal, complicating pregnancy
- - - affecting fetus or newborn P00.8
- engorgement
- - breast
- - - newborn P83.4
- entanglement
- - umbilical cord(s)
- - - affecting fetus or newborn P02.5
- enteritis (acute) (diarrheal) (hemorrhagic) (*see also* Colitis, Diarrhea, Enterocolitis, Gastroenteritis)
- - necrotizing of fetus or newborn P77
- enterocolitis (*see also* Colitis, Diarrhea, Enteritis, Gastroenteritis)
- - necrotizing (chronic)
- - - fetus or newborn P77
- Erb(-Duchenne) paralysis (birth injury) (newborn) P14.0

**Conditions arising—continued**

- Erb's
- - palsy, paralysis (brachial) (birth) (newborn) P14.0
- erythema, erythematous
- - neonatorum P83.8
- - - toxic P83.1
- - rash, newborn P83.8
- - toxic, toxicum NEC
- - - newborn P83.1
- erythroblastosis (fetalis) (newborn) P55.9
- - due to
- - - ABO (antibodies) (incompatibility) (isoimmunization) P55.1
- - - Rh (antibodies) (incompatibility) (isoimmunization) P55.0
- erythroderma (*see also* Erythema)
- - neonatorum P83.8
- evisceration
- - birth injury P15.8
- excess, excessive, excessively
- - large
- - - fetus or infant P08.0
- - long
- - - umbilical cord (entangled)
- - - - affecting fetus or newborn P02.5
- - short
- - - umbilical cord
- - - - affecting fetus or newborn P02.6
- exhaustion (physical NEC)
- - fetus or newborn P96.8
- - maternal, complicating delivery
- - - affecting fetus or newborn P03.8
- exsanguination - *see* Hemorrhage
- - fetal P50.9
- extraction
- - with hook (fetus) P03.8
- - breech NEC
- - - affecting fetus or newborn P03.0

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- face, facial - *see also* condition
- - presentation, affecting fetus or newborn P01.7
- failure, failed
  - - cardiac (*see also* Failure, heart)
    - - - newborn P29.0
  - - cardiopulmonary (acute) (chronic) (*see also* Failure, heart)
    - - - newborn P29.0
  - - cardiorenal (chronic)
    - - - newborn P29.0
  - - cervical dilatation in labor
    - - - affecting fetus or newborn P03.6
  - - descent of head (at term)
    - - - affecting fetus or newborn P03.1
  - - expansion, terminal respiratory units (newborn) (primary) P28.0
  - - fetal head to enter pelvic brim
    - - - affecting fetus or newborn P03.1
  - - forceps NEC (with subsequent delivery by cesarean section)
    - - - affecting fetus or newborn P03.1
  - - heart (acute) (sudden)
    - - - congestive
      - - - - newborn P29.0
    - - - left (ventricular) (*see also* Failure, ventricular, left)
      - - - - newborn P29.0
    - - - newborn P29.0
  - - pulmonary
    - - - newborn P28.5
  - - renal
    - - - congenital P96.0
  - - respiration, respiratory
    - - - newborn P28.5
  - - to
    - - - take fluid
      - - - - newborn P74.1

**Conditions arising—continued**

- failure, failed—continued
- - trial of labor (with subsequent cesarean section)
  - - - affecting fetus or newborn P03.1
- - vacuum extraction NEC (with subsequent cesarean section)
  - - - affecting fetus or newborn P03.1
- - ventilatory
  - - - newborn P28.5
- - ventouse NEC (with subsequent cesarean section)
  - - - affecting fetus or newborn P03.1
- - ventricular (*see also* Failure, heart)
  - - - left
    - - - - newborn P29.0
- - vital centers, fetus or newborn P91.8
- fecalith (impaction)
  - - congenital P76.8
- feeding
  - - problem
    - - - newborn P92.9
  - - - - specified NEC P92.8
- fever
  - - newborn P81.9
  - - - environmental P81.0
- fibroid (tumor) (M8890/0), maternal - *see also* Neoplasm, connective tissue, benign
  - - in pregnancy or childbirth
    - - - affecting fetus or newborn P03.8
- fibromyoma (M8890/0), maternal - *see also* Neoplasm, connective tissue, benign
  - - uterus (corpus) (*see also* Leiomyoma)
    - - - in pregnancy or childbirth
      - - - - affecting fetus or newborn P03.8
- fibrosis, fibrotic
  - - lung (atrophic) (capillary) (chronic) (confluent) (massive) (perialveolar) (peribronchial)
    - - - congenital P27.8

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—*continued***

- fibrosis, fibrotic—*continued*
- - perineum, maternal, in pregnancy or childbirth
  - - - causing obstructed labor
  - - - - affecting fetus or newborn P03.1
- - pulmonary (*see also* Fibrosis, lung)
- - - congenital P27.8
- fit
- - newborn P90
- flail
  - - chest
    - - - newborn (birth injury) P13.8
- flat - *see also* Anomaly, by site
- - pelvis, maternal
  - - - with disproportion (fetopelvic)
    - - - - affecting fetus or newborn P03.1
- floppy baby syndrome (nonspecific) P94.2
- forced birth or delivery NEC
  - - affecting fetus or newborn P03.8
- forceps delivery NEC
  - - affecting fetus or newborn P03.2
- fracture (abduction) (adduction) (avulsion) (comminuted) (compression) (dislocation) (oblique) (separation)
- - bone
  - - - birth injury P13.9
- - clavicle (acromial end) (interligamentous) (shaft)
  - - - birth injury P13.4
- - femur, femoral
  - - - birth injury P13.2
- - skull
  - - - birth injury P13.0
- - vertebra, vertebral (back) (body) (column) (neural arch) (pedicle) (spinous process) (transverse process)
  - - - birth injury P11.5

**Conditions arising—*continued***

- funnel
  - - pelvis, maternal (acquired)
    - - - with disproportion (fetopelvic)
      - - - - affecting fetus or newborn P03.1
- gallop rhythm
- - fetal P20.9
- - newborn P29.1
- ganglionitis
- - geniculate
  - - - newborn (birth injury) P11.3
- gestation (period) - *see also* Pregnancy
- - ectopic - *see* Pregnancy, by site
- - less than 28 weeks P07.2
- - 28 weeks but less than 37 weeks P07.3
- - 42 or more completed weeks P08.2
- glaucoma
- - traumatic
  - - - newborn (birth injury) P15.3
- goiter (plunging) (substernal)
- - congenital (nontoxic)
  - - - transitory, with normal functioning P72.0
- - neonatal NEC P72.0
- gonococcus, gonococcal (disease) (infection) (*see also* condition)
- - maternal, complicating pregnancy or childbirth
  - - - affecting fetus or newborn P00.2
- gonorrhea (acute) (chronic)
- - maternal, complicating pregnancy or childbirth
  - - - affecting fetus or newborn P00.2
- granuloma
- - umbilicus
  - - - newborn P38
- Gray syndrome (newborn) P93
- Grey syndrome (newborn) P93

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—*continued***

- heart beat
- - abnormality
- - - fetal P20.9
- - - newborn P29.1
- - awareness
- - - fetal P20.9
- - - newborn P29.1
- heavy-for-dates NEC (fetus or infant) P08.1
- - exceptionally (4500 g or more) P08.0
- hematemeses
- - newborn, neonatal P54.0
- - - due to swallowed maternal blood P78.2
- hematoma (traumatic) (skin surface intact)  
(*see also* Injury, superficial)
- - arachnoid
- - - fetus or newborn (nontraumatic) P52.5
- - - - birth injury P10.3
- - birth injury NEC (*see also* Birth, injury) P15.8
- - brain (traumatic)
- - - fetus or newborn NEC P52.4
- - - - birth injury P10.1
- - face, birth injury P15.4
- - liver (subcapsular) (nontraumatic)
- - - birth injury P15.0
- - penis (nontraumatic)
- - - birth injury P15.5
- - scrotum, superficial
- - - birth injury P15.5
- - spinal (cord) (meninges) (*see also* Injury,  
spinal cord, by region)
- - - fetus or newborn (birth injury) P11.5
- - spine (*see also* Injury, spine)
- - - fetus or newborn (birth injury) P11.5
- - sternocleidomastoid, birth injury P15.2
- - sternomastoid, birth injury P15.2
- - subarachnoid (traumatic)
- - - fetus or newborn (nontraumatic) P52.5
- - - - birth injury P10.3

**Conditions arising—*continued***

- hematoma (traumatic)—*continued*
- - subdural (traumatic)
- - - fetus or newborn (localized) P52.8
- - - - birth injury P10.0
- - superficial, fetus or newborn P54.5
- - testis (nontraumatic)
- - - birth injury P15.5
- - umbilical cord, complicating delivery
- - - affecting fetus or newborn P02.6
- - vulva (nonobstetric) (nontraumatic)
- - - fetus or newborn (birth injury) P15.5
- hematomyelia (central)
- - fetus or newborn (birth injury) P11.5
- hematorachis, hematorrhachis
- - fetus or newborn (birth injury) P11.5
- hemiplegia
- - newborn NEC P91.8
- - - birth injury P11.9
- hemolysis
- - autoimmune
- - - newborn P55.9
- - intravascular NEC
- - - newborn P60
- - neonatal (excessive) P58.8
- hemopericardium
- - newborn P54.8
- hemoptysis
- - newborn P26.9
- hemorrhage, hemorrhagic
- - accidental antepartum
- - - affecting fetus or newborn P02.1
- - adrenal (capsule) (gland)
- - - newborn P54.4
- - alveolar
- - - lung
- - - - newborn P26.8
- - - respiratory
- - - - newborn P26.8

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- hemorrhage, hemorrhagic—*continued*
- - antepartum (*see also* Hemorrhage, pregnancy)
- - - affecting fetus or newborn P02.1
- - bowel
- - - newborn P54.3
- - brain (interparenchymal) (miliary)  
    (nontraumatic) (petechial)
- - - due to
- - - - birth injury P10.1
- - - - fetus or newborn P52.4
- - - - birth injury P10.1
- - - stem (basilar) (ganglia) (ganglion)
- - - - newborn P52.4
- - cerebellar, cerebellum (nontraumatic)
- - - fetus or newborn P52.6
- - cerebral, cerebrum (*see also* Hemorrhage,  
    intracerebral)
- - - fetus or newborn (anoxic) P52.4
- - - - birth injury P10.1
- - complicating
- - - delivery
- - - - affecting fetus or newborn P02.1
- - - - associated with coagulation defect,  
    maternal
- - - - - affecting fetus or newborn P03.8
- - - - - afibrinogenemia
- - - - - affecting fetus or newborn P03.8
- - - - - due to
- - - - - low-lying placenta
- - - - - - affecting fetus or newborn P02.0
- - - - - placenta previa
- - - - - - affecting fetus or newborn P02.0
- - - - - premature separation of placenta (*see  
    also* Abruptio placentae)
- - - - - - affecting fetus or newborn P02.1
- - - - - trauma
- - - - - - affecting fetus or newborn P03.8
- - - - - uterine leiomyoma
- - - - - - affecting fetus or newborn P03.8

**Conditions arising—continued**

- hemorrhage, hemorrhagic—*continued*
- - conjunctiva
- - - newborn P54.8
- - cord, newborn (stump) P51.9
- - cutaneous
- - - fetus or newborn P54.5
- - disease
- - - fetus or newborn P53
- - epicranial subaponeurotic (massive), birth  
    injury P12.2
- - extradural (traumatic)
- - - birth injury P10.8
- - - fetus or newborn (anoxic) (nontraumatic)  
    P52.8
- - fetal, fetus (specified sites NEC) P50.9
- - - from
- - - - cut end of co-twin's cord P50.5
- - - - placenta P50.2
- - - - ruptured cord P50.1
- - - - vasa previa P50.0
- - - into
- - - - co-twin P50.3
- - - - maternal circulation P50.4
- - - specified NEC P50.8
- - fetal-maternal P50.4
- - gastroenteric
- - - newborn P54.3
- - gastrointestinal (tract)
- - - newborn P54.3
- - internal (organs) NEC
- - - newborn P54.8
- - intestine
- - - newborn P54.3
- - intra-alveolar (lung), newborn P26.8
- - intracerebral (nontraumatic) (*see also  
    Hemorrhage, brain*)
- - - fetus or newborn P52.4
- - - - birth injury P10.1

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- hemorrhage, hemorrhagic—*continued*
- intracranial (nontraumatic)
- birth injury P10.9
- fetus or newborn P52.9
- specified NEC P52.8
- intraventricular (*see also* Hemorrhage, brain)
- fetus or newborn (nontraumatic) P52.3
- birth injury P10.2
- grade
- 1 P52.0
- 2 P52.1
- 3 P52.2
- 4 P52.3
- lung
- newborn P26.9
- massive P26.1
- specified NEC P26.8
- massive umbilical, newborn P51.0
- maternal, gestational, affecting fetus or newborn P02.1
- mucous membrane NEC
- newborn P54.8
- nasal turbinate
- newborn P54.8
- navel, newborn P51.9
- newborn P54.9
- specified NEC P54.8
- nose
- newborn P54.8
- placenta NEC
- affecting fetus or newborn P02.1
- from surgical or instrumental damage
- affecting fetus or newborn P02.1
- previa
- affecting fetus or newborn P02.0
- posterior fossa (nontraumatic) (*see also* Hemorrhage, brain)
- fetus or newborn P52.6

**Conditions arising—continued**

- hemorrhage, hemorrhagic—*continued*
- pregnancy - *see also* Hemorrhage, antepartum
- due to
- abruptio placentae
- affecting fetus or newborn P02.1
- afibrinogenemia, or other coagulation defect (conditions in category D65-D68)
- affecting fetus or newborn P02.1
- leiomyoma, uterus
- affecting fetus or newborn P02.1
- placenta previa
- affecting fetus or newborn P02.0
- premature separation of placenta (normally implanted) - *see also* Abruptio placentae
- affecting fetus or newborn P02.1
- threatened abortion
- affecting fetus or newborn P02.1
- trauma, affecting fetus or newborn P02.1
- early
- affecting fetus or newborn P02.1
- pulmonary
- newborn P26.9
- massive P26.1
- specified NEC P26.8
- rectum (sphincter)
- newborn P54.2
- renal
- newborn P54.8
- skin
- fetus or newborn P54.5
- slipped umbilical ligature P51.8
- spinal (cord)
- fetus or newborn (birth injury) P11.5
- stomach
- newborn P54.3

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- hemorrhage, hemorrhagic—*continued*
- - subarachnoid (nontraumatic)
- - - fetus or newborn P52.5
- - - - birth injury P10.3
- - subconjunctival
- - - birth injury P15.3
- - subdural (acute) (nontraumatic)
- - - birth injury P10.0
- - - fetus or newborn (anoxic) (hypoxic) P52.8
- - - - birth injury P10.0
- - subependymal
- - - fetus or newborn P52.0
- - - - with intraventricular extension P52.1
- - - - - and intracerebral extension P52.2
- - suprarenal (capsule) (gland)
- - - newborn P54.4
- - tentorium (traumatic) NEC
- - - fetus or newborn (birth injury) P10.4
- - tracheobronchial
- - - newborn P26.0
- - umbilicus, umbilical
- - - cord
- - - - after birth, newborn P51.9
- - - - fetus, from ruptured cord P50.1
- - - newborn P51.9
- - - - massive P51.0
- - - - slipped ligature P51.8
- - - stump P51.9
- - unavoidable (antepartum) (due to placenta previa)
- - - affecting fetus or newborn P02.0
- - vagina (abnormal)
- - - newborn P54.6
- - vasa previa
- - - affecting fetus or newborn P50.0
- - viscera NEC
- - - newborn P54.8
- hemothorax (bacterial) (nontuberculous)
- - newborn P54.8

**Conditions arising—continued**

- hepatitis
- - fetus or newborn P59.2
- - in (due to)
- - - toxoplasmosis
- - - - congenital (active) P37.1† K77.0\*
- - neonatal (toxic) P59.2
- - viral, virus (acute)
- - - congenital P35.3
- herpes, herpetic
- - simplex
- - - congenital P35.2
- hyaline membrane (disease) (lung) (pulmonary) (newborn) P22.0
- hydramnios
- - affecting fetus or newborn P01.3
- hydrocele (spermatic cord) (testis) (tunica vaginalis)
- - congenital P83.5
- - fetus or newborn P83.5
- hydrocephalus (acquired) (external) (internal) (malignant) (recurrent)
- - causing disproportion
- - - affecting fetus or newborn P03.1
- - due to toxoplasmosis (congenital) P37.1
- hydrops
- - fetal(is) or newborn (idiopathic) P83.2
- - - due to
- - - - ABO isoimmunization P56.0
- - - - hemolytic disease NEC P56.9
- - - - isoimmunization (ABO) (Rh) P56.0
- - - - Rh incompatibility P56.0
- hyperbilirubinemia NEC
- - neonatal (transient) (*see also* Jaundice, fetus or newborn) P59.9
- - - of prematurity P59.0
- hyperemesis (*see also* Vomiting)
- - gravidarum, maternal (mild)
- - - affecting fetus or newborn P01.8
- hypermagnesemia
- - neonatal P71.8

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- hypermaturity (fetus or newborn) P08.2
- hypertension, hypertensive (accelerated) (benign) (essential) (idiopathic) (malignant) (primary) (systemic)
- - maternal, complicating pregnancy or childbirth
- - - affecting fetus or newborn P00.0
- - newborn P29.2
- - - pulmonary (persistent) P29.3
- - pulmonary (artery)
- - - of newborn (persistent) P29.3
- hyperthermia (of unknown origin) (*see also* Hyperpyrexia)
- - newborn, environmental P81.0
- hyperthyroidism (apathetic) (latent) (pre-adult) (recurrent)
- - neonatal, transitory P72.1
- hypertony, hypertonia, hypertonicity
- - congenital P94.1
- - uterus, uterine (contractions) (complicating delivery)
- - - affecting fetus or newborn P03.6
- hypertrophy, hypertrophic (*see also* Enlargement)
- - breast
- - - fetus or newborn P83.4
- hypocalcemia
- - neonatal P71.1
- - - due to cow's milk P71.0
- - phosphate-loading (newborn) P71.1
- hypoglycemia (spontaneous)
- - in infant of diabetic mother P70.1
- - - gestational diabetes P70.0
- - neonatal (transitory) P70.4
- - - iatrogenic P70.3
- - - maternal diabetes P70.1
- - - - gestational P70.0
- - transitory neonatal P70.4
- hypomagnesemia
- - neonatal P71.2

**Conditions arising—continued**

- hypoparathyroidism
- - neonatal, transitory P71.4
- hypoplasia, hypoplastic
- - lung (congenital) (lobe)
- - - with immaturity, prematurity or low birth weight P28.0
- - - associated with short gestation P28.0
- - pulmonary
- - - associated with short gestation P28.0
- hypoprothrombinemia (congenital) (hereditary) (idiopathic)
- - newborn, transient P61.6
- hypothermia (accidental) (due to)
- - neonatal P80.9
- - - environmental (mild) NEC P80.8
- - - mild P80.8
- - - severe (chronic) (cold injury syndrome) P80.0
- - - specified NEC P80.8
- hypothyroidism (acquired)
- - neonatal, transitory P72.2
- hypoxia - *see also* Anoxia
- - fetal - *see* Distress, fetal
- - intrauterine P20.9
- - - first noted
- - - - before onset of labor P20.0
- - - - during labor and delivery P20.1
- - newborn (*see also* Asphyxia, newborn) P21.9
- hysterotomy, affecting fetus or newborn P03.8
- icterus (*see also* Jaundice)
- - neonatorum (*see also* Jaundice, fetus or newborn) P59.9
- ileus (bowel) (colon) (inhibitory) (intestine)
- - meconium E84.1 † P75\*
- - - meaning meconium plug (without cystic fibrosis) P76.0



**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- ileus—*continued*
- - newborn
- - - due to meconium E84.1† P75\*
- - - - meaning meconium plug (without cystic fibrosis) P76.0
- - - transitory P76.1
- imbalance
- - electrolyte
- - - neonatal, transitory NEC P74.4
- - - - potassium P74.3
- - - - sodium P74.2
- immature - *see also* Immaturity
- - birth (28 completed weeks or more but less than 37 completed weeks) P07.3
- - - extremely (less than 28 completed weeks) P07.2
- immaturity (28 completed weeks or more but less than 37 completed weeks) (*see also* Prematurity) P07.3
- - extreme (less than 28 completed weeks) P07.2
- - fetal, fetus P07.3
- - fetus or infant light-for-dates - *see* Light-for-dates
- - gross P07.2
- - infant P07.3
- - newborn P07.3
- - organ or site NEC - *see* Hypoplasia
- - pulmonary, fetus or newborn P28.0
- - respiratory P28.0
- immunization (*see also* Vaccination)
- - ABO (*see also* Isoimmunization, ABO)
- - - affecting management of pregnancy
- - - - in fetus or newborn P55.1
- impaction, impacted
- - shoulder
- - - affecting fetus or newborn P03.1
- imperfect
- - aeration, lung (newborn) NEC P28.1
- improperly tied umbilical cord (causing hemorrhage) P51.8

**Conditions arising—continued**

- inability
- - to breathe properly
- - - newborn P28.8
- inadequate, inadequacy
- - development
- - - fetus P05.9
- - - lungs
- - - - associated with short gestation P28.0
- - pulmonary
- - - function
- - - - newborn P28.5
- - - ventilation, newborn P28.5
- - ventilation
- - - newborn P28.5
- incompatibility
- - ABO
- - - fetus or newborn P55.1
- - blood (group) (Duffy) (K(ell)) (Kidd) (Lewis) (M) (S) NEC
- - - fetus or newborn P55.8
- - Rh (blood group) (factor)
- - - fetus or newborn P55.0
- incompatible with life (newborn) (nonviable) P07.2
- incompetency, incompetent
- - cervix, cervical (os), maternal
- - - in pregnancy
- - - - affecting fetus or newborn P01.0
- incomplete - *see also* condition
- - expansion, lungs (newborn) NEC P28.1
- incoordinate, incoordination
- - uterus (action) (contractions) (complicating delivery)
- - - affecting fetus or newborn P03.6
- induction of labor, affecting fetus or newborn P03.8
- inertia
- - uterus, uterine during labor
- - - affecting fetus or newborn P03.6

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- infancy, infantile, infantilism - *see also* condition
- - genitalia, genitals, maternal (after puberty)
- - - in pregnancy or childbirth NEC
- - - - affecting fetus or newborn P03.8
- - pelvis, maternal
- - - with disproportion (fetopelvic)
- - - - affecting fetus or newborn P03.1
- infant(s) - *see also* Infancy
- - of diabetic mother (syndrome of) P70.1
- - - gestational diabetes P70.0
- infarct, infarction (of)
- - placenta (complicating pregnancy)
- - - affecting fetus or newborn P02.2
- infection, infected (opportunistic) (*see also* Inflammation)
- - amniotic fluid, sac or cavity
- - - affecting fetus or newborn P02.7
- - *Candida (albicans) (tropicalis)* (*see also* Candidiasis)
- - - neonatal P37.5
- - *Citrobacter, Citobacter (braakii) (freundii) (koseri)*
- - - newborn P37.8
- - *Clostridium, clostridium*
- - - congenital P39.8
- - congenital NEC P39.9
- - - bacterial P39.8
- - - *Candida (albicans)* P37.5
- - - clostridium, other than *Clostridium tetani* P39.8
- - - cytomegalovirus P35.1
- - - *Escherichia coli* P39.8
- - - - sepsis P36.4
- - - fungus P37.8
- - - hepatitis, viral P35.3
- - - herpes (simplex) P35.2
- - - infectious or parasitic disease P37.9
- - - - specified NEC P37.8

**Conditions arising—continued**

- infection, infected—continued
- - congenital NEC—continued
- - - listeriosis (disseminated) P37.2
- - - malaria NEC P37.4
- - - - falciparum P37.3
- - - mycotic P37.8
- - - *Plasmodium falciparum* P37.3
- - - poliomyelitis P35.8
- - - polymicrobial P37.9
- - - rubella P35.0
- - - salmonella P39.8
- - - skin P39.4
- - - streptococcal NEC P39.8
- - - - sepsis P36.1
- - - - - group B P36.0
- - - toxoplasmosis (acute) (chronic) (subacute) P37.1
- - - tuberculosis P37.0
- - - urinary (tract) P39.3
- - - vaccinia P35.8
- - - virus P35.9
- - - - specified type NEC P35.8
- - cytomegalovirus, cytomegaloviral
- - - congenital P35.1
- - *Enterobacter (cloacae)*
- - - newborn P39.8
- - *Escherichia (E.) coli* NEC
- - - congenital P39.8
- - - - sepsis P36.4
- - fetus (*see also* Infection, congenital) P39.9
- - - intra-amniotic NEC P39.2
- - fungus NEC
- - - newborn P37.8
- - genital organ or tract, maternal
- - - complicating pregnancy
- - - - affecting fetus or newborn P00.8

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- infection, infected—continued
- - herpes (simplex) (*see also* Herpes)
- - - congenital P35.2
- - intra-amniotic, fetus P39.2
- - intrauterine (complicating pregnancy)
- - - fetus or newborn P00.8
- - - specified infection NEC, fetus P39.2
- - kidney, maternal (cortex) (hematogenous)
- - - complicating pregnancy
- - - - affecting fetus or newborn P00.1
- - *Listeria monocytogenes* (*see also* Listeriosis)
- - - congenital P37.2
- - *Monilia* (*see also* Candidiasis)
- - - neonatal P37.5
- - navel
- - - newborn P38
- - newborn P39.9
- - - skin P39.4
- - - specified type NEC (*see also* Infection, congenital) P39.8
- - perinatal period P39.9
- - - specified type NEC P39.8
- - polymicrobial
- - - newborn P37.9
- - respiratory (tract) NEC
- - - fetus P28.8
- - - newborn, neonatal P28.8
- - rubella (*see also* Rubella)
- - - congenital P35.0
- - *Salmonella (arizonae) (cholerae-suis) (enteritidis) (typhimurium)*
- - - congenital P39.8
- - skin (local) (staphylococcal) (streptococcal)
- - - newborn P39.4
- - staphylococcal NEC (hemolytic)
- - - newborn P39.8
- - streptococcal NEC (hemolytic)
- - - congenital P39.8
- - - - sepsis P36.1
- - - - group B P36.0

**Conditions arising—continued**

- infection, infected—continued
- - umbilicus
- - - newborn P38
- - urinary (tract) NEC
- - - maternal, complicating pregnancy
- - - - affecting fetus or newborn P00.1
- - - newborn P39.3
- inflammation, inflamed, inflammatory (with exudation) (*see also* Infection)
- - navel
- - - newborn P38
- - umbilicus
- - - newborn P38
- influenza (specific virus not identified)
- - maternal, affecting fetus or newborn P00.2
- inhalation
- - meconium (newborn) P24.0
- injury, injuries (*see also* specified injury type)
- - birth (*see also* Birth injury) P15.9
- - brachial plexus
- - - newborn P14.3
- - brain
- - - anoxic
- - - - at birth P21.9
- - - - newborn P21.9
- - childbirth (fetus or newborn) (*see also* Birth, injury) P15.9
- - delivery (fetus or newborn) P15.9
- - ischemic (*see also* Ischemia)
- - - hypoxic, newborn P21.9
- - maternal, during pregnancy, affecting fetus or newborn P00.5
- - nerve
- - - facial
- - - - newborn P11.3
- - scalp
- - - fetus or newborn (birth injury) P12.9
- - - - due to monitoring (electrode) (sampling incision) P12.4
- - - - specified NEC P12.8

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- injury, injuries—*continued*
- - skeleton, skeletal
- - - birth injury P13.9
- - - - specified part NEC P13.8
- inspissated bile syndrome (newborn) P59.1
- insufficiency, insufficient
- - circulatory NEC
- - - fetus or newborn P29.8
- - heart (*see also* Insufficiency, myocardial)
- - - newborn P29.0
- - lung (*see also* Insufficiency, pulmonary)
- - - newborn P28.5
- - myocardial, myocardium (acute) (chronic)
- - - newborn P29.0
- - placental
- - - affecting fetus or newborn P02.2
- - pulmonary
- - - newborn P28.5
- - respiratory (acute)
- - - newborn P28.5
- - ventilation, ventilatory
- - - newborn P28.8
- insufficiently
- - tied umbilical cord P51.8
- interruption (of)
- - oxygen cycle
- - - newborn P28.8
- - respiration
- - - newborn P28.8
- intoxication NEC
- - drug
- - - newborn P93
- intrauterine contraceptive device (IUD)
- - affecting fetus or newborn P01.8
- irritable, irritability
- - cerebral, in newborn P91.3

**Conditions arising—continued**

- ischemia, ischemic
- - cerebral (chronic) (generalized)
- - - newborn P91.0
- - - prenatal P91.0
- - myocardium, myocardial
- - - transient, of newborn P29.4
- isoimmunization NEC (*see also* Incompatibility)
- - fetus or newborn P55.9
- - - with
- - - - hydrops fetalis P56.0
- - - - kernicterus P57.0
- - - ABO P55.1
- - - Rh P55.0
- - - specified type NEC P55.8
- jaundice (yellow)
- - breast-milk (inhibitor) P59.3
- - due to or associated with
- - - delayed conjugation P59.8
- - - associated with preterm delivery P59.0
- - fetus or newborn (physiological) P59.9
- - - due to or associated with
- - - - ABO
- - - - - antibodies P55.1
- - - - - incompatibility, maternal/fetal P55.1
- - - - - isoimmunization P55.1
- - - - absence or deficiency of enzyme system  
for bilirubin conjugation (congenital)  
P59.8
- - - - bleeding P58.1
- - - - breast milk inhibitors to conjugation P59.3
- - - - bruising P58.0
- - - - delayed conjugation P59.8
- - - - associated with preterm delivery P59.0
- - - - drugs or toxins
- - - - - given to newborn P58.4
- - - - - transmitted from mother P58.4
- - - - excessive hemolysis NEC P58.9
- - - - - specified type NEC P58.8
- - - - hepatocellular damage P59.2
- - - - hereditary hemolytic anemia P58.8

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- jaundice (yellow)—*continued*
- - fetus or newborn—*continued*
- - - due to or associated with—*continued*
- - - - incompatibility, maternal/fetal NEC P55.9
- - - - infection P58.2
- - - - inspissated bile syndrome P59.1
- - - - isoimmunization NEC P55.9
- - - - polycythemia P58.3
- - - - preterm delivery P59.0
- - - - Rh
- - - - - antibodies P55.0
- - - - - incompatibility, maternal/fetal P55.0
- - - - - isoimmunization P55.0
- - - - - swallowed maternal blood P58.5
- - - specified cause NEC P59.8
- - nuclear, newborn (*see also* Kernicterus of newborn) P57.9
- kernicterus
- - newborn P57.9
- - - due to isoimmunization (conditions in P55.-) P57.0
- - - specified type NEC P57.8
- Klumpke(-Déjerine) palsy, paralysis (birth) (newborn) P14.1
- knot (true), umbilical cord
- - affecting fetus or newborn P02.5
- labor (*see also* Delivery)
- - abnormal NEC
- - - affecting fetus or newborn P03.6
- - arrested active phase
- - - affecting fetus or newborn P03 6
- - desultory
- - - affecting fetus or newborn P03.6
- - dyscoordinate
- - - affecting fetus or newborn P03.6
- - forced or induced, affecting fetus or newborn P03.8

**Conditions arising—continued**

- labor (*see also* Delivery)—*continued*
- - hypertonic
- - - affecting fetus or newborn P03.6
- - hypotonic
- - - affecting fetus or newborn P03.6
- - incoordinate
- - - affecting fetus or newborn P03.6
- - irregular
- - - affecting fetus or newborn P03.6
- - obstructed
- - - affecting fetus or newborn P03.1
- - by or due to
- - - abnormal
- - - - pelvis (bony)
- - - - - affecting fetus or newborn P03.1
- - - - - presentation or position
- - - - - affecting fetus or newborn P03.1
- - - - - size, fetus
- - - - - affecting fetus or newborn P03.1
- - - cephalopelvic disproportion (normally formed fetus)
- - - - affecting fetus or newborn P03.1
- - - disproportion, fetopelvic NEC
- - - - affecting fetus or newborn P03.1
- - - malpresentation
- - - - affecting fetus or newborn P03.1
- - precipitate
- - - affecting fetus or newborn P03.5
- - prolonged or protracted
- - - affecting fetus or newborn P03.8
- laceration (*see also* Wound)
- - brain (any part) (cortex) (diffuse) (membrane)
- - - during birth P10.8
- - - - with hemorrhage P10.1
- - cerebral (diffuse)
- - - during birth P10.8
- - - - with hemorrhage P10.1

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- laceration (*see also* Wound)—*continued*
- - intracranial NEC
- - - birth injury P10.9
- - spinal cord (meninges) (*see also* Injury, spinal cord, by region)
- - - fetus or newborn (birth injury) P11.5
- lack of
- - exchange of gases
- - - newborn P28.5
- large-for-dates NEC (fetus or infant) P08.1
- - exceptionally (4500 g or more) P08.0
- laryngismus (stridulus)
- - congenital P28.8
- lateroversion
- - uterus, uterine, maternal (cervix) (postinfectious) (postpartal, old)
- - - in pregnancy or childbirth
- - - - affecting fetus or newborn P03.8
- leak, leakage
- - air (bronchus) (intrathoracic) (lung) (pleural) (pulmonary) (thorax) - *see* Pneumothorax
- - - newborn P25.1
- lesion (nontraumatic)
- - vascular
- - - umbilical cord, complicating delivery
- - - - affecting fetus or newborn P02.6
- leukomalacia, cerebral
- - newborn P91.2
- lie, abnormal (maternal care) (*see also* Presentation, fetal, abnormal)
- - before labor, affecting fetus or newborn P01.7
- light
- - fetus or newborn, for gestational age P05.0
- light-for-dates (infant) P05.0
- - and small-for-dates P05.1

**Conditions arising—continued**

- listeriosis, listerellosis
- - congenital (disseminated) P37.2
- - fetal P37.2
- - neonatal (disseminated) P37.2
- lithopedion - *see* Death, fetus
- locked twins causing obstructed labor
- - affecting fetus or newborn P03.1
- long
- - labor
- - - affecting fetus or newborn P03.8
- loss (of)
- - fluid (acute)
- - - fetus or newborn P74.1
- low
- - birthweight (2499 grams or less) (*see also* Weight) P07.1
- - - extreme (999 grams or less) P07.0
- - - for gestational age P05.0
- - cardiac
- - - output
- - - - newborn P29.8
- lupus
- - erythematosus (discoid) (local)
- - - systemic
- - - - maternal, affecting fetus or newborn P00.8
- luxation - *see also* Dislocation
- - eyeball (nontraumatic)
- - - birth injury P15.3
- lymphadenopathy (generalized)
- - due to toxoplasmosis
- - - congenital (acute) (chronic) (subacute) P37.1
- maceration
- - fetus (cause not stated) - *see* Death, fetus
- - newborn - *see* Death, fetus
- malaria, malarial (fever)
- - congenital NEC P37.4
- - - falciparum P37.3

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- male type pelvis, maternal
- - with disproportion (fetopelvic)
- - - affecting fetus or newborn P03.1
- malformation (congenital) - *see also* Anomaly
- - pelvic organs or tissues NEC, maternal
- - - in pregnancy or childbirth
- - - - affecting fetus or newborn P03.8
- - - - causing obstructed labor
- - - - - affecting fetus or newborn P03.1
- - umbilical cord NEC (complicating delivery)
- - - affecting fetus or newborn P02.6
- malnutrition
- - intrauterine or fetal P05.2
- - - light-for-dates P05.0
- - - small-for-dates P05.1
- - maternal, affecting fetus or newborn P00.4
- mastitis (acute) (infective) (nonpuerperal) (subacute)
- - infective
- - - newborn P39.0
- - neonatal (noninfective) P83.4
- - - infective P39.0
- maternal condition, affecting fetus or newborn P00.9
- - acute yellow atrophy of liver P00.8
- - alcohol use P04.3
- - anesthesia or analgesia P04.0
- - blood loss (gestational) P02.1
- - cancer chemotherapy P04.1
- - chorioamnionitis P02.7
- - circulatory disease (conditions in I00-I99, Q20-Q28) P00.3
- - complication of pregnancy NEC P01.9
- - congenital heart disease (conditions in Q20-Q24) P00.3
- - cortical necrosis of kidney P00.1
- - cytotoxic drug P04.1
- - death P01.6

**Conditions arising—continued**

- maternal condition—continued
- - diabetes mellitus (conditions in E10-E14) P70.1
- - disease NEC P00.9
- - drug abuse P04.4
- - eclampsia P00.0
- - exposure to environmental chemical substances P04.6
- - genital tract infections NEC P00.8
- - glomerular diseases (conditions in N00-N08) P00.1
- - hemorrhage, gestational P02.1
- - hepatitis, acute, malignant or subacute P00.8
- - hyperemesis (gravidarum) P01.8
- - hypertension (conditions in O10-O11, O13-O16) P00.0
- - infectious and parasitic diseases (conditions in A00-B99, J09-J11) P00.2
- - influenza P00.2
- - - manifest influenza in the infant P35.8
- - injury (conditions in S00-T79) P00.5
- - intrauterine coil P01.8
- - malaria P00.2
- - - manifest malaria NEC in infant or fetus P37.4
- - - - falciparum P37.3
- - malnutrition P00.4
- - necrosis of liver P00.8
- - nephritis, nephrotic syndrome and nephrosis (conditions in N00-N08) P00.1
- - noxious influence transmitted via breast milk or placenta P04.9
- - - specified NEC P04.8
- - nutritional disorder (conditions in E40-E64) P00.4
- - operation unrelated to current pregnancy P00.6
- - pre-eclampsia P00.0

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- maternal condition—continued
- - previous surgery, uterus or pelvic organs P03.8
- - proteinuria P00.1
- - pyelitis or pyelonephritis P00.1
- - renal disease or failure P00.1
- - respiratory disease (conditions in J00-J99, Q30-Q34) P00.3
- - rheumatic heart disease (chronic) (conditions in I05-I09) P00.3
- - rubella (conditions in B06) P00.2
- - - manifest rubella in the infant or fetus P35.0
- - septate vagina P03.8
- - stenosis or stricture of vagina P03.8
- - surgery unrelated to current pregnancy P00.6
- - - to uterus or pelvic organs P03.8
- - syphilis (conditions in A50-A53) P00.2
- - thrombophlebitis P00.3
- - tobacco use P04.2
- - toxemia (of pregnancy) P00.0
- - toxoplasmosis (conditions in B58.-) P00.2
- - - manifest toxoplasmosis (acute) (chronic) (subacute) in the infant or fetus P37.1
- - transmission of chemical substance through the placenta (*see also* Absorption, chemical, through placenta) P04.8
- - uremia P00.1
- - urinary tract conditions (conditions in N00-N39) P00.1
- - vomiting (pernicious) (persistent) (vicious) P01.8
- meconium
- - in liquor - *see also* Distress, fetal
- - obstruction, fetus or newborn P76.0
- - peritonitis P78.0
- - plug syndrome (newborn) NEC P76.0
- - stain
- - - fetus or newborn P20.9

**Conditions arising—continued**

- melena
- - newborn, neonatal P54.1
- - - due to swallowed maternal blood P78.2
- membranitis
- - affecting fetus or newborn P02.7
- meningoencephalitis (*see also* Encephalitis)
- - in (due to)
- - - toxoplasmosis
- - - - congenital P37.1† G05.2\*
- meningoencephalomyelitis (*see also* Meningoencephalitis)
- - due to
- - - toxoplasma or toxoplasmosis
- - - - congenital P37.1† G05.2\*
- microcephalus, microcephalic, microcephaly
- - due to toxoplasmosis (congenital) P37.1
- Mikity-Wilson disease or syndrome P27.0
- molding, head (during birth) P13.1
- mole (pigmented) (M8720/0) - *see also* Nevus
- - hydatid, hydatidiform (benign) (complicating pregnancy) (delivered) (undelivered) (M9100/0)
- - - newborn P02.2
- moniliasis (*see also* Candidiasis)
- - neonatal P37.5
- mucus
- - asphyxia or suffocation (*see also* Asphyxia, mucus)
- - - newborn P24.1
- - plug (*see also* Asphyxia, mucus)
- - - aspiration, newborn P24.1
- - - tracheobronchial
- - - - newborn P24.1
- multiple, multiplex - *see also* condition
- - birth, affecting fetus or newborn P01.5
- myasthenia, myasthenic
- - gravis
- - - neonatal, transient P94.0



**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- necrosis, necrotic (ischemic) (necrotizing)  
(*see also* Gangrene)
- - fat (generalized)
- - - subcutaneous, due to birth injury P15.6
- - kidney (bilateral)
- - - tubular
- - - - complicating pregnancy
- - - - - affecting fetus or newborn P00.1
- - liver (cell), maternal
- - - complicating pregnancy or childbirth
- - - - affecting fetus or newborn P00.8
- - subcutaneous fat, fetus or newborn P83.8
- - umbilical cord, affecting fetus or newborn  
P02.6
- nephritis, nephritic, maternal
- - complicating pregnancy or childbirth
- - - with secondary hypertension, pre-existing
- - - - affecting fetus or newborn P00.0
- - - affecting fetus or newborn P00.1
- neuritis
- - cranial nerve
- - - seventh or facial
- - - - newborn (birth injury) P11.3
- - facial
- - - newborn (birth injury) P11.3
- neutropenia, neutropenic (congenital)  
(cyclic) (drug-induced) (periodic) (primary)  
(splenic) (toxic)
- - neonatal, transitory (isoimmune) (maternal  
transfer) P61.5
- nonexpansion, lung (newborn) P28.0
- nonviable P07.2
- nuchal cord
- - newborn P02.5
- obstetric trauma NEC (complicating  
delivery)
- - affecting fetus or newborn P03.8

**Conditions arising—continued**

- obstruction, obstructed, obstructive (*see  
also* Blockage)
- - intestine (mechanical) (paroxysmal)  
(postinfective)
- - - newborn P76.9
- - - - due to
- - - - - fecaliths P76.8
- - - - - inspissated milk P76.2
- - - - - meconium (plug) P76.0
- - - - specified NEC P76.8
- - labor (*see also* Labor, obstructed)
- - - affecting fetus or newborn P03.1
- - meconium plug, newborn P76.0
- oligohydramnios
- - affecting fetus or newborn P01.2
- omphalitis (congenital) (newborn) (with  
mild hemorrhage) P38
- omphalorrhagia, newborn P51.9
- operation
- - for delivery, affecting fetus or newborn  
(*see also* Delivery, by type, affecting fetus)  
P03.8
- - maternal, unrelated to current delivery,  
affecting fetus or newborn P00.6
- ophthalmia
- - neonatorum, newborn P39.1
- overfeeding
- - newborn P92.4
- oversize fetus P08.1
- - causing disproportion
- - - affecting fetus or newborn P03.1
- - exceptionally large (more than 4500 g) P08.0
- palpitations (heart)
- - fetal P20.9
- - newborn P29.1
- palsy (*see also* Paralysis)
- - brachial plexus NEC
- - - fetus or newborn (birth injury) P14.3

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- palsy—continued
- Erb's P14.0
- facial
- newborn (birth injury) P11.3
- Klumpke(-Déjerine) P14.1
- papyraceous fetus - *see* Death, fetus
- paralysis, paralytic (complete) (incomplete) (*see also* Paresis)
- birth injury P14.9
- brachial plexus NEC
- birth injury P14.3
- newborn P14.3
- Duchenne's
- birth injury P14.0
- Erb(-Duchenne) (birth) (newborn) P14.0
- facial (nerve)
- birth injury P11.3
- newborn P11.3
- Klumpke(-Déjerine) (birth injury) (newborn) P14.1
- nerve - *see also* Disorder, nerve
- birth injury P14.9
- facial
- birth injury P11.3
- newborn P11.3
- newborn (birth injury) P14.9
- phrenic (birth injury) P14.2
- radial
- birth injury P14.3
- newborn P14.3
- seventh or facial
- newborn (birth injury) P11.3
- newborn P91.8
- birth injury P11.9
- radial nerve
- birth injury P14.3
- paraplegia (lower)
- newborn P91.8
- birth injury P11.9

**Conditions arising—continued**

- patent - *see also* Imperfect, closure
- cervix, maternal
- complicating pregnancy
- affecting fetus or newborn P01.0
- pendulous
- abdomen, maternal, in pregnancy or childbirth
- affecting fetus or newborn P03.8
- perforation, perforated (nontraumatic) (*see also* Rupture)
- bowel
- fetus or newborn P78.0
- colon
- fetus or newborn P78.0
- ileum
- fetus or newborn P78.0
- intestine, unspecified part
- fetus or newborn P78.0
- ulcerative NEC
- fetus or newborn P78.0
- jejunum, jejunal
- fetus or newborn P78.0
- rectum
- fetus or newborn P78.0
- sigmoid (*see also* Perforation, colon)
- fetus or newborn P78.0
- peritonitis (adhesive) (fibrinous) (with effusion)
- congenital NEC P78.1
- meconium (newborn) P78.0
- neonatal P78.1
- meconium P78.0
- persistence, persistent (congenital)
- fetal
- circulation P29.3
- occipitoposterior or transverse (position)
- affecting fetus or newborn P03.1
- occipitotransverse (position)
- affecting fetus or newborn P03.1

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- petechia, petechiae
- - fetus or newborn P54.5
- pithecoïd maternal pelvis
- - with disproportion (fetopelvic)
- - - affecting fetus or newborn P03.1
- placenta, placental (*see also* condition)
- - ablatio (*see also* Abruptio placentae)
- - - affecting fetus or newborn P02.1
- - abnormal, abnormality NEC
- - - with hemorrhage
- - - - affecting fetus or newborn P02.1
- - - affecting fetus or newborn P02.2
- - abruptio (*see also* Abruptio placentae)
- - - affecting fetus or newborn P02.1
- - disease NEC
- - - affecting fetus or newborn P02.2
- - infarction
- - - affecting fetus or newborn P02.2
- - insufficiency
- - - affecting fetus or newborn P02.2
- - marginal (hemorrhage) (rupture)
- - - affecting fetus or newborn P02.0
- - previa (central) (complete) (marginal) (partial) (total) (with hemorrhage)
- - - affecting fetus or newborn P02.0
- placentitis
- - affecting fetus or newborn P02.7
- platypelloïd maternal pelvis
- - with disproportion (fetopelvic)
- - - affecting fetus or newborn P03.1
- plug
- - meconium (newborn), syndrome P76.0
- pneumomediastinum
- - congenital or perinatal P25.2
- - newborn P25.2
- pneumonia (acute) (community acquired) (double) (hemorrhagic) (lobe) (migratory) (nosocomial) (post obstructive) (primary) (purulent) (septic) (unresolved) (*see also* Pneumonitis)

**Conditions arising—continued**

- pneumonia—continued
- - aspiration
- - - newborn P24.9
- - - - meconium P24.0
- - chlamydial
- - - congenital P23.1
- - congenital (infective) P23.9
- - - due to
- - - - bacterium NEC P23.6
- - - - *Candida* P37.5
- - - - *Chlamydia* P23.1
- - - - *Escherichia coli* P23.4
- - - - *Haemophilus influenzae* P23.6
- - - - infective organism NEC P23.8
- - - - *Klebsiella pneumoniae* P23.6
- - - - *Mycoplasma* P23.6
- - - - *Pseudomonas* P23.5
- - - - staphylococcus P23.2
- - - - streptococcus (except group B) P23.6
- - - - - group B P23.3
- - - - viral agent P23.0
- - - specified NEC P23.8
- - in (due to)
- - - *Chlamydia*
- - - - neonatal P23.1
- - meconium P24.0
- - neonatal (*see also* Pneumonia, congenital) P23.9
- - - aspiration P24.9
- - viral, virus (broncho) (interstitial) (lobar)
- - - congenital P23.0
- - pneumonitis (acute) (primary) (*see also* Pneumonia)
- - due to
- - - toxoplasmosis
- - - - congenital P37.1† J17.3\*

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- pneumonitis—*continued*
- - meconium P24.0
- - neonatal aspiration P24.9
- - rubella, congenital P35.0
- pneumopericardium (*see also* Pericarditis)
- - congenital P25.3
- - fetus or newborn P25.3
- pneumothorax
- - congenital P25.1
- - newborn P25.1
- - perinatal period P25.1
- - spontaneous NEC
- - - fetus or newborn P25.1
- poliomyelitis (acute) (anterior) (epidemic)
- - congenital P35.8
- polycythemia (primary) (rubra) (vera) M9950/1)
- - neonatorum P61.1
- polyhydramnios
- - affecting fetus or newborn P01.3
- polyp, polypus
- - cervix (uteri), maternal
- - - in pregnancy or childbirth
- - - - affecting fetus or newborn P03.8
- - umbilical, newborn P83.6
- - uterus (body) (corpus) (mucous), maternal
- - - in pregnancy or childbirth
- - - - affecting fetus or newborn P03.8
- poor
- - contractions, labor
- - - affecting fetus or newborn P03.6
- - fetal growth NEC P05.9
- postmaturity, postmature (fetus or newborn)  
P08.2
- postterm (pregnancy)
- - infant P08.2
- precipitate labor or delivery
- - affecting fetus or newborn P03.5

**Conditions arising—continued**

- pre-eclampsia
- - affecting fetus or newborn P00.0
- pregnancy (single) (uterine)
- - abdominal (ectopic)
- - - affecting fetus or newborn P01.4
- - complicated by (*see also* Pregnancy,  
management, affected by)
- - - pelvic organs or tissues
- - - - affecting fetus or newborn P03.8
- - - - causing obstructed labor
- - - - - affecting fetus or newborn P03.1
- - cornual
- - - fetus or newborn P01.4
- - ectopic (ruptured)
- - - affecting fetus or newborn P01.4
- - multiple NEC
- - - affecting fetus or newborn P01.5
- - mural
- - - fetus or newborn P01.4
- - ovarian
- - - fetus or newborn P01.4
- - quadruplet
- - - affecting fetus or newborn P01.5
- - quintuplet
- - - affecting fetus or newborn P01.5
- - sextuplet
- - - affecting fetus or newborn P01.5
- - triplet
- - - affecting fetus or newborn P01.5
- - tubal (with abortion) (with rupture)
- - - affecting fetus or newborn P01.4
- - twin
- - - affecting fetus or newborn P01.5
- premature - *see also* condition (*see also*  
Prematurity)
- - birth NEC P07.3
- - delivery
- - - newborn NEC P07.3

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- premature—continued
- - infant NEC P07.3
- - - light-for-dates P05.0
- - labor
- - - newborn NEC P07.3
- - lungs P28.0
- - rupture, membranes or amnion (*see also*  
Rupture, membranes, premature)
- - - affecting fetus or newborn P01.1
- prematurity NEC (less than 37 completed  
weeks) (*see also* Immaturity) P07.3
- - extreme (less than 28 completed weeks) P07.2
- - gross P07.2
- - marked P07.2
- - severe P07.2
- presentation, fetal
- - abnormal
- - - before labor, affecting fetus or newborn P01.7-
- - causing obstructed labor
- - - - affecting fetus or newborn (any, except  
breech) P03.1
- - - - - breech P03.0
- - breech
- - - with external version before labor,  
affecting fetus or newborn P01.7
- - - before labor, affecting fetus or newborn  
P01.7
- - - causing obstructed labor
- - - - fetus or newborn P03.0
- pressure
- - birth, fetus or newborn, NEC P15.9
- - brain
- - - injury at birth NEC P11.1
- - increased
- - - intracranial (benign)
- - - - injury at birth P11.0

**Conditions arising—continued**

- preterm infant, newborn NEC P07.3
- previa
- - placenta (with hemorrhage) (*see also*  
Placenta, previa)
- - - affecting fetus or newborn P02.0
- - vasa
- - - affecting fetus or newborn P02.6
- - previable P07.2
- - problem (related to) (with) (*see also*  
Disease)
- - feeding
- - - newborn P92.9
- - - - breast P92.5
- - - - - overfeeding P92.4
- - - - - slow P92.2
- - - - specified NEC P92.8
- - - - underfeeding P92.3
- procedure (surgical)
- - maternal (unrelated to current delivery),  
affecting fetus or newborn P00.6
- - - nonsurgical (medical) P00.7
- prolapse, prolapsed
- - arm or hand
- - - in fetus or newborn P03.1
- - cord - *see* Prolapse, umbilical cord
- - fetal limb NEC
- - - in fetus or newborn P03.1
- - leg
- - - in fetus or newborn P03.1
- - umbilical cord
- - - affecting fetus or newborn P02.4
- - uterus (with prolapse of vagina)
- - - pregnant, affecting fetus or newborn P03.8
- prolonged
- - labor
- - - affecting fetus or newborn P03.8
- - uterine contractions in labor
- - - affecting fetus or newborn P03.6

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- prominent ischial spine or sacral promontory
- - with disproportion (fetopelvic)
- - - affecting fetus or newborn P03.1
- proteinuria
- - pre-eclamptic (*see also* Pre-eclampsia)
- - - affecting fetus or newborn P00.0
- pseudomenses (newborn) P54.6
- pseudomenstruation (newborn) P54.6
- pseudoparalysis
- - atonic, congenital P94.2
- pseudosclerema, newborn P83.8
- pulse
- - alternating
- - - fetal P20.9
- - - newborn P29.1
- - bigeminal
- - - fetal P20.9
- - - newborn P29.1
- pulsus alternans or trigeminus
- - fetal P20.9
- - newborn P29.1
- purpura
- - thrombocytopenic (congenital) (hereditary)  
(*see also* Thrombocytopenia)
- - - neonatal, transitory P61.0
- pyelitis, maternal (congenital) (uremic) (*see also* Pyelonephritis)
- - complicating pregnancy
- - - affecting fetus or newborn P00.1
- pyelonephritis, maternal (*see also* Nephritis, tubulo-interstitial)
- - complicating pregnancy
- - - affecting fetus or newborn P00.1
- pyoderma, pyodermia NEC
- - newborn P39.4
- pyrexia (of unknown origin)
- - newborn, environmentally-induced P81.0
- quadriplegia
- - newborn NEC P11.9

**Conditions arising—continued**

- quadruplet, affecting fetus or newborn P01.5
- quintuplet, affecting fetus or newborn P01.5
- rachitic - *see also* condition
- - pelvis, maternal (late effect)
- - - with disproportion (fetopelvic)
- - - - affecting fetus or newborn P03.1
- radiology, maternal, affecting fetus or newborn P00.7
- rapid
- - heart(beat)
- - - fetal P20.9
- - - newborn P29.1
- - second stage (delivery)
- - - affecting fetus or newborn P03.5
- R.D.S. (newborn) (*see also* Syndrome, respiratory distress) P22.0
- reaction - *see also* Disorder
- - drug NEC
- - - newborn P93
- - - withdrawal
- - - - infant of dependent mother P96.1
- - - - newborn P96.1
- rectocele, maternal
- - in pregnancy or childbirth
- - - causing obstructed labor
- - - - affecting fetus or newborn P03.1
- regurgitation
- - food (*see also* Vomiting)
- - - newborn P92.1
- respiration
- - insufficient, or poor
- - - newborn NEC P28.5
- retardation
- - growth (*see also* Retardation, physical)
- - - fetus P05.9
- - intrauterine growth P05.9
- - physical (child)
- - - fetus P05.9

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- retraction
  - - ring, uterus (Bandl's) (pathological)
    - - - affecting fetus or newborn P03.6
- retroversion, retroverted
  - - uterus, uterine, maternal
    - - - in pregnancy or childbirth
      - - - - causing obstructed labor
      - - - - affecting fetus or newborn P03.1
- Rh (factor)
  - - hemolytic disease (fetus or newborn)
    - P55.0
  - - incompatibility, immunization or sensitization
    - - - fetus or newborn P55.0
  - - negative mother affecting fetus or newborn
    - P55.0
- rigid, rigidity - *see also* condition
  - - cervix, maternal (uteri)
    - - - in pregnancy or childbirth
      - - - - affecting fetus or newborn P03.8
      - - - - causing obstructed labor
        - - - - - affecting fetus or newborn P03.1
  - - pelvic floor, maternal
    - - - in pregnancy or childbirth
      - - - - affecting fetus or newborn P03.8
      - - - - causing obstructed labor
        - - - - - affecting fetus or newborn P03.1
  - - perineum or vulva, maternal
    - - - in pregnancy or childbirth
      - - - - causing obstructed labor
        - - - - - affecting fetus or newborn P03.1
  - - vagina, maternal
    - - - in pregnancy or childbirth
      - - - - causing obstructed labor
        - - - - - affecting fetus or newborn P03.8

**Conditions arising—continued**

- ring(s)
  - - Bandl's
    - - - fetus or newborn P03.6
- contraction, complicating delivery
  - - - affecting fetus or newborn P03.6
- retraction, uterus, pathological
  - - - affecting fetus or newborn P03.6
- rotation
  - - manual, affecting fetus or newborn P03.8
- rubella
  - - congenital P35.0
    - - maternal
      - - - affecting fetus or newborn P00.2
        - - - - manifest rubella in infant P35.0
- rumination
  - - newborn P92.1
- rupture, ruptured (*see also* Perforation)
  - - fontanelle P13.1
  - - kidney
    - - - birth injury P15.8
  - - liver
    - - - birth injury P15.0
  - - marginal sinus (placental) (with hemorrhage)
    - - - with placenta previa
      - - - - affecting fetus or newborn P02.0
      - - - - affecting fetus or newborn P02.1
  - - membranes (spontaneous)
    - - - artificial
      - - - - delayed delivery following
        - - - - - affecting fetus or newborn P01.1
      - - - - delayed delivery following
        - - - - - affecting fetus or newborn P01.1
    - - - premature
      - - - - affecting fetus or newborn P01.1

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- rupture, ruptured—*continued*
- spinal cord (*see also* Injury, spinal cord, by region)
  - fetus or newborn (birth injury) P11.5
  - spleen (traumatic)
    - birth injury P15.1
    - congenital (birth injury) P15.1
  - umbilical cord, complicating delivery
    - affecting fetus or newborn P50.1
  - uterus, maternal (traumatic)
    - affecting fetus or newborn P03.8
  - during or after labor
    - affecting fetus or newborn P03.8
  - salpingo-oophoritis, maternal (purulent) (ruptured) (septic) (suppurative)
    - complicating pregnancy
      - affecting fetus or newborn P00.8
  - scar, scarring (*see also* Cicatrix)
  - cervix, maternal
    - in pregnancy or childbirth
      - affecting fetus or newborn P03.8
    - due to
      - previous cesarean section, complicating pregnancy or childbirth
        - affecting fetus or newborn P03.8
    - uterus, maternal
      - in pregnancy or childbirth
        - affecting fetus or newborn P03.8
  - scleredema
    - newborn P83.0
  - sclerema
    - adiposum (newborn) P83.0
    - edematosum (newborn) P83.0
    - newborn P83.0
  - scleroderma, sclerodermia (diffuse) (generalized)
    - newborn P83.8

**Conditions arising—continued**

- scoliotic maternal pelvis with disproportion (fetopelvic)
  - affecting fetus or newborn P03.1
- section
  - cesarean (*see also* Delivery, cesarean)
    - affecting fetus or newborn P03.4
    - postmortem, affecting fetus or newborn P01.6
    - previous, in pregnancy or childbirth
      - affecting fetus or newborn P03.8
  - seizure(s) (*see also* Convulsions)
- newborn P90
- sepsis (generalized) (*see also* Septicemia)
  - bacterial, newborn P36.9
    - due to
      - anaerobes NEC P36.5
      - *Escherichia coli* P36.4
      - *Staphylococcus* NEC P36.3
        - *aureus* P36.2
      - streptococcus NEC P36.1
        - group B P36.0
    - specified type NEC P36.8
  - newborn NEC P36.9
    - due to
      - anaerobes NEC P36.5
      - *Escherichia coli* P36.4
      - *Staphylococcus* NEC P36.3
        - *aureus* P36.2
      - streptococcus NEC P36.1
        - group B P36.0
    - specified NEC P36.8
  - umbilical (newborn) (organism unspecified) P38
- septic - *see also* condition
- umbilical cord P38
- septicemia, septicemic (generalized) (suppurative) (*see also* Sepsis)
  - *Actinobacter*
    - newborn P36.8



**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- septicemia, septicemic—*continued*
- - *Bacillus coli*
- - - newborn P36.8
- - *Citobacter Citrobacter (braakii) (freundii)*  
    (*koseri*)
- - - newborn P36.8
- - *Enterobacter (aerogenes) (clocae)*
- - - newborn P36.8
- - Friedlanders'
- - - newborn P36.8
- - gram-negative (organism)
- - - newborn P36.9
- - newborn NEC (*see also* Sepsis, newborn)  
    P36.9
- - *Streptococcus*, streptococcal
- - - neonatal P36.1
- sextuplet, affecting fetus or newborn P01.5
- shock (acute)
- - birth (fetus or newborn) P96.8
- - lung
- - - newborn P22.0
- - septic (*see also* Septicemia)
- - - newborn P36.9
- - septicemic
- - - newborn P36.9
- short, shortening, shortness
- - cord (umbilical), complicating delivery
- - - affecting fetus or newborn P02.6
- - umbilical cord
- - - complicating delivery
- - - - affecting fetus or newborn P02.6
- sinus - *see also* Fistula
- - marginal, ruptured or bleeding
- - - with placenta previa
- - - - affecting fetus or newborn P02.0
- - - affecting fetus or newborn P02.1
- sleep
- - apnea
- - - newborn P28.3

**Conditions arising—continued**

- slipped, slipping
- - ligature, umbilical P51.8
- slow
- - feeding, newborn P92.2
- - fetal growth NEC P05.9
- - heart(beat)
- - - fetal P20.9
- - - newborn P29.1
- small(ness)
- - fetus or newborn for gestational age P05.1
- - pelvis, maternal
- - - with disproportion (fetopelvic)
- - - - affecting fetus or newborn P03.1
- small-and-light-for-dates (infant) P05.1
- small-for-dates (infant) P05.1
- snuffles (non-syphilitic)
- - newborn P28.8
- spasm(s), spastic, spasticity (*see also*  
    condition)
- - cervix, maternal, complicating delivery
- - - affecting fetus or newborn P03.6
- - uterus, maternal
- - - complicating labor
- - - - affecting fetus or newborn P03.6
- spondylolisthesis, maternal (acquired)
- - with disproportion (fetopelvic)
- - - affecting fetus or newborn P03.1
- spondylolysis, maternal
- - lumbosacral region
- - - with disproportion (fetopelvic)
- - - - affecting fetus or newborn P03.1
- spondylosis, maternal
- - with
- - - disproportion (fetopelvic)
- - - - affecting fetus or newborn P03.1
- standstill
- - respiration, respiratory
- - - newborn P28.5

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- stenosis (cicatricial) - *see also* Stricture
- cervix, cervical (canal), maternal
- in pregnancy or childbirth
- affecting fetus or newborn P03.8
- causing obstructed labor
- affecting fetus or newborn P03.1
- vagina, maternal
- in pregnancy or childbirth
- affecting fetus or newborn P03.8
- causing obstructed labor
- affecting fetus or newborn P03.1
- stillbirth NEC - *see* Death, fetus
- strangulation, strangulated
- umbilical cord - *see also* Compression, umbilical cord P02.5
- fetus or newborn P02.5
- stricture (*see also* Stenosis)
- cervix, cervical (canal), maternal
- in pregnancy or childbirth
- causing obstructed labor
- affecting fetus or newborn P03.1
- stridor
- congenital (larynx) NEC P28.8
- stroke (apoplectic) (brain) (paralytic)
- hemorrhagic
- newborn P52.4
- surgery
- previous, in pregnancy or childbirth
- cervix, maternal
- causing obstructed labor
- affecting fetus or newborn P03.1
- pelvic soft tissues NEC, maternal
- affecting fetus or newborn P03.8
- causing obstructed labor
- affecting fetus or newborn P03.1
- uterus, maternal
- causing obstructed labor
- affecting fetus or newborn P03.1

**Conditions arising—continued**

- suspended maternal uterus
- in pregnancy or childbirth
- causing obstructed labor
- affecting fetus or newborn P03.1
- syncope
- bradycardia
- fetal P20.9
- newborn P29.1
- syndrome - *see also* Disease
- aspiration, of newborn (massive) P24.9
- meconium P24.0
- bronze baby P83.8
- bubbly lung P27.0
- cardiorespiratory distress (idiopathic), newborn P22.0
- cold injury (newborn) P80.0
- congenital
- rubella (manifest) P35.0
- defibrination (*see also* Fibrinolysis)
- fetus or newborn P60
- drug withdrawal, infant of dependent mother P96.1
- fetal
- transfusion P02.3
- fetomaternal dysfunctional P02.2
- floppy
- baby P94.2
- gray (newborn) P93
- idiopathic cardiorespiratory distress, newborn P22.0
- infant of diabetic mother P70.1
- gestational diabetes P70.0
- inspissated bile (newborn) P59.1

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- syndrome - *see also* Disease—continued
- - low
- - - cardiac
- - - - output
- - - - - newborn P29.8
- - lower radicular, newborn (birth injury) P14.8
- - meconium plug (newborn) P76.0
- - perfusion
- - - newborn P28.8
- - placental
- - - dysfunction
- - - - affecting fetus or newborn P02.2
- - - insufficiency
- - - - affecting fetus or newborn P02.2
- - - transfusion (mother)
- - - - in fetus or newborn P02.3
- - pulmonary
- - - dysmaturity (Wilson-Mikity) P27.0
- - radicular NEC
- - - upper limbs, newborn (birth injury) P14.3
- - respiratory
- - - distress (idiopathic) (newborn) P22.0
- - - - adult
- - - - - newborn P22.0
- - - - newborn P22.0
- - transfusion
- - - fetomaternal P50.4
- - twin (to twin) transfusion
- - - in fetus or newborn P02.3
- - wet lung
- - - with injury
- - - - newborn P22.1
- - withdrawal - *see* Withdrawal, state
- - - drug
- - - - infant of dependent mother P96.1
- - - - therapeutic use, newborn P96.2

**Conditions arising—continued**

- syphilis, syphilitic, maternal (acquired)
- - complicating pregnancy or childbirth
- - - affecting fetus or newborn P00.2
- - maternal, affecting fetus or newborn P00.2
- tachycardia
- - fetal - *see* Distress, fetal
- - newborn P29.1
- tachypnea
- - transitory, of newborn P22.1
- tear, torn (traumatic) - *see also* Wound
- - tentorial, at birth P10.4
- - umbilical cord
- - - affecting fetus or newborn P50.1
- temperature
- - cold, trauma from
- - - newborn P80.0
- tetany (due to)
- - neonatal (without calcium or magnesium deficiency) P71.3
- threatened
- - abortion
- - - affecting fetus P01.8
- - labor (*see also* Labor, false)
- - - affecting fetus P01.8
- - miscarriage
- - - affecting fetus P01.8
- - premature delivery, affecting fetus P01.8
- thrombocytopenia, thrombocytopenic
- - neonatal, transitory P61.0
- - - due to
- - - - exchange transfusion P61.0
- - - - idiopathic maternal thrombocytopenia P61.0
- - - - isoimmunization P61.0
- - transient neonatal P61.0

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- thrombophlebitis, maternal
  - antepartum (superficial)
    - affecting fetus or newborn P00.3
  - pregnancy (superficial)
    - affecting fetus or newborn P00.3
- thrombosis, thrombotic (multiple) (progressive) (septic) (vein) (vessel)
  - umbilical cord (vessels), complicating delivery
    - affecting fetus or newborn P02.6
- thyrotoxicosis
  - neonatal P72.1
- tobacco (nicotine)
  - maternal use, affecting fetus or newborn P04.2
- torsion
  - umbilical cord in fetus or newborn P02.5
- torticollis (intermittent) (spastic)
  - due to birth injury P15.2
- toxemia
  - maternal (of pregnancy), affecting fetus or newborn P00.0
  - of pregnancy (*see also* Pre-eclampsia)
    - affecting fetus or newborn P00.0
- toxoplasma, toxoplasmosis (acquired)
  - congenital (acute) (chronic) (subacute) P37.1
  - maternal, affecting fetus or newborn P00.2
    - manifest toxoplasmosis in infant or fetus (acute) (chronic) (subacute) P37.1

**Conditions arising—continued**

- transfusion
  - placental (syndrome) (mother)
    - in fetus or newborn P02.3
  - twin-to-twin
    - fetus or newborn P02.3
- transverse - *see also* condition
  - arrest (deep), in labor
    - affecting fetus or newborn P03.1
  - lie
    - before labor, affecting fetus or newborn P01.7
    - causing obstructed labor
      - affecting fetus or newborn P03.1
- trauma, traumatism (*see also* Injury)
  - birth - *see* Birth, injury
  - maternal, during pregnancy, affecting fetus or newborn P00.5
- trigeminy
  - fetal P20.9
  - newborn P29.1
- triplet, affecting fetus or newborn P01.5
- tuberculosis, tubercular, tuberculous (caseous) (degeneration) (gangrene) (necrosis)
  - congenital P37.0
  - maternal, complicating pregnancy or childbirth
    - affecting fetus or newborn P00.2

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—*continued***

- tumor (M8000/1)
- - cervix, maternal, in pregnancy or childbirth
  - - - affecting fetus or newborn P03.8
  - - - causing obstructed labor
    - - - - affecting fetus or newborn P03.1
- - ovary, maternal, in pregnancy or childbirth
  - - - affecting fetus or newborn P03.8
- - pelvic, maternal, in pregnancy or childbirth
  - - - affecting fetus or newborn P03.8
  - - - causing obstructed labor
    - - - - affecting fetus or newborn P03.1
- - uterus (body), maternal, in pregnancy or childbirth
  - - - affecting fetus or newborn P03.8
  - - - causing obstructed labor
    - - - - affecting fetus or newborn P03.1
- - vagina, maternal, in pregnancy or childbirth
  - - - affecting fetus or newborn P03.8
  - - - causing obstructed labor
    - - - - affecting fetus or newborn P03.1
- - vulva or perineum, maternal, in pregnancy or childbirth
  - - - affecting fetus or newborn P03.8
  - - - causing obstructed labor
    - - - - affecting fetus or newborn P03.1
- twin (pregnancy) (fetus or newborn) P01.5
- twist, twisted
- - umbilical cord in fetus or newborn P02.5
- tyrosinemia
  - - newborn, transitory P74.5
- ulcer, ulcerated, ulcerating, ulceration, ulcerative
  - - intestine, intestinal
    - - - perforating
      - - - - fetus or newborn P78.0
    - - peptic (site unspecified)
    - - - newborn P78.8

**Conditions arising—*continued***

- unable (*see also* Inability)
- - to breathe properly
  - - - newborn P28.8
- underfeeding, newborn P92.3
- underweight
  - - for gestational age P05.0
- Underwood's disease P83.0
- unstable
  - - lie
    - - - fetus or newborn, before labor P01.7
- uremia, uremic (coma)
  - - congenital P96.0
  - - maternal NEC, affecting fetus or newborn P00.1
  - - newborn P96.0
- urticaria
  - - neonatorum P83.8
- use (of)
  - - harmful
    - - - patent medicines
      - - - - maternal, affecting fetus or newborn P04.1
- uveitis (anterior) (*see also* Iridocyclitis)
  - - due to toxoplasmosis
    - - - congenital P37.1 † H22.0\*
- vaccinia (generalized) (localized)
  - - congenital P35.8
- vaginitis, maternal (acute)
  - - complicating pregnancy
    - - - affecting fetus or newborn P00.8
- varicella
  - - congenital P35.8

**SUBSET OF ALPHABETICAL INDEX TO DISEASES AND NATURE OF  
INJURY FOR USE WITH PERINATAL CONDITIONS (P00-P96)**

---

**Conditions arising—continued**

- varicose
- - vein (ruptured)
- - - umbilical cord, affecting fetus or newborn  
P02.6
- varix (ruptured)
- - umbilical cord, affecting fetus or newborn  
P02.6
- vasa previa
- - affecting fetus or newborn P02.6
- - hemorrhage from, affecting fetus or  
newborn P50.0
- ventilator lung, newborn P27.8
- ventouse delivery NEC
- - affecting fetus or newborn P03.3
- version
- - with extraction
- - - affecting fetus or newborn P01.7
- viremia
- - newborn P35.9
- vitality, lack of
- - newborn P96.8
- vomiting (*see also* Hyperemesis)
- - newborn P92.0
- weak, weakness
- - newborn P96.8
- weight
- - over 2 pounds (1000 gms) but not more  
than 5½ pounds (2499 gms) at birth P07.1
- - 2 pounds (999 gms) or under at birth P07.0
- - 10 pounds (4500 gms) or more at birth  
P08.0
- - 999 grams or less at birth (extremely low)  
P07.0
- - 1000-2499 grams at birth (low) P07.1
- wet lung
- - newborn P22.1
- wide cranial sutures, newborn P96.3

**Conditions arising—continued**

- Wilson-Mikity syndrome P27.0
- withdrawal
- - state, symptoms, syndrome
- - - newborn
- - - - correct therapeutic substance properly  
administered P96.2
- - - - infant of dependent mother P96.1
- - therapeutic substance, neonatal P96.2
- wound (cut) (laceration) (open) (penetrating  
(puncture wound) (with penetrating foreign  
body)
- - scalpel, fetus or newborn (birth injury)  
P15.8