

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of female genital organs (C51-C58)												
Arkansas												
All races, both sexes.....	294	-	-	-	-	-	-	-	1	8	9	15
Male.....
Female.....	294	-	-	-	-	-	-	-	1	8	9	15
White, both sexes.....	236	-	-	-	-	-	-	-	1	7	7	12
Male.....
Female.....	236	-	-	-	-	-	-	-	1	7	7	12
Black, both sexes.....	57	-	-	-	-	-	-	-	-	1	2	3
Male.....
Female.....	57	-	-	-	-	-	-	-	-	1	2	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	2,757	1	-	-	-	3	3	4	29	51	93	170
Male.....
Female.....	2,757	1	-	-	-	3	3	4	29	51	93	170
White, both sexes.....	2,334	1	-	-	-	2	3	4	24	43	75	131
Male.....
Female.....	2,334	1	-	-	-	2	3	4	24	43	75	131
Black, both sexes.....	188	-	-	-	-	1	-	-	3	4	5	17
Male.....
Female.....	188	-	-	-	-	1	-	-	3	4	5	17
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	-	-	2	4
Male.....
Female.....	17	-	-	-	-	-	-	-	-	-	2	4
Asian or Pacific Islander 2/, both sexes.....	218	-	-	-	-	-	-	-	2	4	11	18
Male.....
Female.....	218	-	-	-	-	-	-	-	2	4	11	18

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of female genital organs (C51-C58)												
Massachusetts												
All races, both sexes.....	658	-	-	-	-	1	-	2	3	6	17	36
Male.....
Female.....	658	-	-	-	-	1	-	2	3	6	17	36
White, both sexes.....	616	-	-	-	-	1	-	2	3	5	14	32
Male.....
Female.....	616	-	-	-	-	1	-	2	3	5	14	32
Black, both sexes.....	29	-	-	-	-	-	-	-	-	1	1	2
Male.....
Female.....	29	-	-	-	-	-	-	-	-	1	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	-	-	-	-	-	2	2
Male.....
Female.....	13	-	-	-	-	-	-	-	-	-	2	2
Michigan												
All races, both sexes.....	1,018	-	-	-	-	1	3	1	16	17	28	54
Male.....
Female.....	1,018	-	-	-	-	1	3	1	16	17	28	54
White, both sexes.....	874	-	-	-	-	1	1	1	12	11	21	44
Male.....
Female.....	874	-	-	-	-	1	1	1	12	11	21	44
Black, both sexes.....	130	-	-	-	-	-	2	-	3	6	7	7
Male.....
Female.....	130	-	-	-	-	-	2	-	3	6	7	7
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	2
Male.....
Female.....	8	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	1	-	-	1
Male.....
Female.....	6	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of female genital organs (C51-C58)

Nebraska

All races, both sexes.....	173	-	-	-	-	-	-	-	-	4	7	8
Male.....
Female.....	173	-	-	-	-	-	-	-	-	4	7	8
White, both sexes.....	169	-	-	-	-	-	-	-	-	4	6	8
Male.....
Female.....	169	-	-	-	-	-	-	-	-	4	6	8
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-
Male.....
Female.....	3	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	173	-	1	-	-	-	-	-	2	6	3	14
Male.....
Female.....	173	-	1	-	-	-	-	-	2	6	3	14
White, both sexes.....	150	-	1	-	-	-	-	-	1	5	1	11
Male.....
Female.....	150	-	1	-	-	-	-	-	1	5	1	11
Black, both sexes.....	13	-	-	-	-	-	-	-	-	-	1	1
Male.....
Female.....	13	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	-	-	-	1	1	2
Male.....
Female.....	9	-	-	-	-	-	-	-	-	1	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of female genital organs (C51-C58)

New Hampshire

All races, both sexes.....	116	-	-	-	-	-	-	-	1	1	5	5
Male.....
Female.....	116	-	-	-	-	-	-	-	1	1	5	5
White, both sexes.....	115	-	-	-	-	-	-	-	1	1	5	5
Male.....
Female.....	115	-	-	-	-	-	-	-	1	1	5	5
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	970	-	-	1	-	1	1	1	9	11	23	49
Male.....
Female.....	970	-	-	1	-	1	1	1	9	11	23	49
White, both sexes.....	817	-	-	1	-	-	-	1	5	9	14	34
Male.....
Female.....	817	-	-	1	-	-	-	1	5	9	14	34
Black, both sexes.....	134	-	-	-	-	1	1	-	3	2	9	12
Male.....
Female.....	134	-	-	-	-	1	1	-	3	2	9	12
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	-	-	-	-	1	-	-	3
Male.....
Female.....	18	-	-	-	-	-	-	-	1	-	-	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of female genital organs (C51-C58)												
New Mexico												
All races, both sexes.....	147	-	-	-	-	-	-	-	-	3	5	8
Male.....
Female.....	147	-	-	-	-	-	-	-	-	3	5	8
White, both sexes.....	130	-	-	-	-	-	-	-	-	3	2	7
Male.....
Female.....	130	-	-	-	-	-	-	-	-	3	2	7
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	-	3	1
Male.....
Female.....	13	-	-	-	-	-	-	-	-	-	3	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	1,981	-	-	-	-	-	2	3	14	38	48	102
Male.....
Female.....	1,981	-	-	-	-	-	2	3	14	38	48	102
White, both sexes.....	1,615	-	-	-	-	-	2	3	9	29	37	80
Male.....
Female.....	1,615	-	-	-	-	-	2	3	9	29	37	80
Black, both sexes.....	306	-	-	-	-	-	-	-	4	8	9	14
Male.....
Female.....	306	-	-	-	-	-	-	-	4	8	9	14
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	58	-	-	-	-	-	-	-	1	1	2	7
Male.....
Female.....	58	-	-	-	-	-	-	-	1	1	2	7

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of female genital organs (C51-C58)

United States

All races, both sexes.....	1,941	2,261	2,613	2,902	3,467	3,861	3,382	2,231	1,002	283	45	-
Male.....
Female.....	1,941	2,261	2,613	2,902	3,467	3,861	3,382	2,231	1,002	283	45	-
White, both sexes.....	1,615	1,904	2,195	2,410	2,973	3,395	3,034	2,006	905	244	37	-
Male.....
Female.....	1,615	1,904	2,195	2,410	2,973	3,395	3,034	2,006	905	244	37	-
Black, both sexes.....	254	281	338	414	427	389	296	202	85	37	7	-
Male.....
Female.....	254	281	338	414	427	389	296	202	85	37	7	-
American Indian 1/, both sexes.....	13	9	10	8	15	9	14	5	3	-	-	-
Male.....
Female.....	13	9	10	8	15	9	14	5	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	59	67	70	70	52	68	38	18	9	2	1	-
Male.....
Female.....	59	67	70	70	52	68	38	18	9	2	1	-

Alabama

All races, both sexes.....	22	30	52	64	48	69	49	49	14	3	-	-
Male.....
Female.....	22	30	52	64	48	69	49	49	14	3	-	-
White, both sexes.....	15	23	38	39	29	58	36	37	7	3	-	-
Male.....
Female.....	15	23	38	39	29	58	36	37	7	3	-	-
Black, both sexes.....	7	7	13	25	18	11	13	12	7	-	-	-
Male.....
Female.....	7	7	13	25	18	11	13	12	7	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of female genital organs (C51-C58)

Alaska

All races, both sexes.....	3	2	8	3	3	6	2	1	1	-	-	-
Male.....
Female.....	3	2	8	3	3	6	2	1	1	-	-	-
White, both sexes.....	3	2	6	2	2	4	1	1	1	-	-	-
Male.....
Female.....	3	2	6	2	2	4	1	1	1	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	1	-	1	-	-	-	-	-
Male.....
Female.....	-	-	1	1	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Arizona

All races, both sexes.....	28	36	49	33	52	58	52	28	14	-	-	-
Male.....
Female.....	28	36	49	33	52	58	52	28	14	-	-	-
White, both sexes.....	23	33	45	30	49	57	51	27	14	-	-	-
Male.....
Female.....	23	33	45	30	49	57	51	27	14	-	-	-
Black, both sexes.....	-	1	-	1	2	1	-	-	-	-	-	-
Male.....
Female.....	-	1	-	1	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	1	2	1	-	-	1	1	-	-	-	-
Male.....
Female.....	5	1	2	1	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	1	-	-	-	-	-	-	-
Male.....
Female.....	-	1	2	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of female genital organs (C51-C58)

Arkansas

All races, both sexes.....	20	26	21	34	42	50	28	31	7	2	-	-
Male.....
Female.....	20	26	21	34	42	50	28	31	7	2	-	-
White, both sexes.....	16	21	18	29	29	39	21	29	5	2	-	-
Male.....
Female.....	16	21	18	29	29	39	21	29	5	2	-	-
Black, both sexes.....	3	5	3	5	13	11	7	2	2	-	-	-
Male.....
Female.....	3	5	3	5	13	11	7	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	216	240	279	301	338	361	339	217	82	27	3	-
Male.....
Female.....	216	240	279	301	338	361	339	217	82	27	3	-
White, both sexes.....	180	195	235	238	294	305	305	199	75	22	3	-
Male.....
Female.....	180	195	235	238	294	305	305	199	75	22	3	-
Black, both sexes.....	14	16	20	30	20	24	16	13	2	3	-	-
Male.....
Female.....	14	16	20	30	20	24	16	13	2	3	-	-
American Indian 1/, both sexes.....	1	1	1	2	1	4	1	-	-	-	-	-
Male.....
Female.....	1	1	1	2	1	4	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	28	23	31	23	28	17	5	5	2	-	-
Male.....
Female.....	21	28	23	31	23	28	17	5	5	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of female genital organs (C51-C58)

Colorado

All races, both sexes.....	27	32	25	38	39	55	47	23	12	4	1	-
Male.....
Female.....	27	32	25	38	39	55	47	23	12	4	1	-
White, both sexes.....	26	31	25	37	36	53	45	23	12	4	1	-
Male.....
Female.....	26	31	25	37	36	53	45	23	12	4	1	-
Black, both sexes.....	-	1	-	1	2	1	-	-	-	-	-	-
Male.....
Female.....	-	1	-	1	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	1	2	-	-	-	-	-
Male.....
Female.....	1	-	-	-	1	1	2	-	-	-	-	-

Connecticut

All races, both sexes.....	27	23	18	29	48	45	58	30	22	4	-	-
Male.....
Female.....	27	23	18	29	48	45	58	30	22	4	-	-
White, both sexes.....	25	21	17	25	46	41	57	27	19	4	-	-
Male.....
Female.....	25	21	17	25	46	41	57	27	19	4	-	-
Black, both sexes.....	2	2	1	4	1	3	1	3	3	-	-	-
Male.....
Female.....	2	2	1	4	1	3	1	3	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of female genital organs (C51-C58)

Florida

All races, both sexes.....	118	130	173	196	264	280	244	154	57	16	3	-
Male.....
Female.....	118	130	173	196	264	280	244	154	57	16	3	-
White, both sexes.....	99	106	155	170	233	251	224	133	53	14	3	-
Male.....
Female.....	99	106	155	170	233	251	224	133	53	14	3	-
Black, both sexes.....	16	22	17	26	30	29	20	21	4	2	-	-
Male.....
Female.....	16	22	17	26	30	29	20	21	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	1	-	1	-	-	-	-	-	-	-
Male.....
Female.....	3	2	1	-	1	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	54	51	61	68	84	90	88	34	23	6	-	-
Male.....
Female.....	54	51	61	68	84	90	88	34	23	6	-	-
White, both sexes.....	42	35	46	48	57	64	68	26	18	4	-	-
Male.....
Female.....	42	35	46	48	57	64	68	26	18	4	-	-
Black, both sexes.....	11	16	15	19	25	25	20	8	4	2	-	-
Male.....
Female.....	11	16	15	19	25	25	20	8	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	2	1	-	-	-	-	-	-
Male.....
Female.....	1	-	-	1	2	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of female genital organs (C51-C58)

Hawaii

All races, both sexes.....	16	4	9	10	9	15	7	7	2	-	1	-
Male.....
Female.....	16	4	9	10	9	15	7	7	2	-	1	-
White, both sexes.....	3	1	2	2	3	6	2	3	-	-	-	-
Male.....
Female.....	3	1	2	2	3	6	2	3	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	3	7	8	6	9	5	4	2	-	1	-
Male.....
Female.....	12	3	7	8	6	9	5	4	2	-	1	-

Idaho

All races, both sexes.....	10	9	10	10	10	20	12	8	2	-	-	-
Male.....
Female.....	10	9	10	10	10	20	12	8	2	-	-	-
White, both sexes.....	9	9	10	10	10	19	12	8	2	-	-	-
Male.....
Female.....	9	9	10	10	10	19	12	8	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of female genital organs (C51-C58)

Kentucky

All races, both sexes.....	22	38	41	37	43	54	44	44	9	2	-	-
Male.....
Female.....	22	38	41	37	43	54	44	44	9	2	-	-
White, both sexes.....	21	37	40	36	42	47	41	40	9	2	-	-
Male.....
Female.....	21	37	40	36	42	47	41	40	9	2	-	-
Black, both sexes.....	1	1	1	1	1	7	3	4	-	-	-	-
Male.....
Female.....	1	1	1	1	1	7	3	4	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	17	30	32	40	56	45	44	23	16	3	1	-
Male.....
Female.....	17	30	32	40	56	45	44	23	16	3	1	-
White, both sexes.....	10	20	19	27	35	30	33	11	13	2	-	-
Male.....
Female.....	10	20	19	27	35	30	33	11	13	2	-	-
Black, both sexes.....	7	10	13	13	21	13	11	12	3	1	1	-
Male.....
Female.....	7	10	13	13	21	13	11	12	3	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of female genital organs (C51-C58)

Maine

All races, both sexes.....	13	18	17	23	19	17	20	13	3	1	-	-
Male.....
Female.....	13	18	17	23	19	17	20	13	3	1	-	-
White, both sexes.....	12	18	17	23	19	17	20	13	3	1	-	-
Male.....
Female.....	12	18	17	23	19	17	20	13	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	38	56	57	58	70	73	53	37	19	3	1	-
Male.....
Female.....	38	56	57	58	70	73	53	37	19	3	1	-
White, both sexes.....	25	39	40	33	58	60	45	31	18	1	-	-
Male.....
Female.....	25	39	40	33	58	60	45	31	18	1	-	-
Black, both sexes.....	13	17	15	23	12	12	8	5	1	2	1	-
Male.....
Female.....	13	17	15	23	12	12	8	5	1	2	1	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	-	1	-	1	-	-	-	-
Male.....
Female.....	-	-	1	2	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of female genital organs (C51-C58)

Nebraska

All races, both sexes.....	8	15	16	21	19	24	28	14	6	3	-	-
Male.....
Female.....	8	15	16	21	19	24	28	14	6	3	-	-
White, both sexes.....	7	15	16	21	19	24	28	12	6	3	-	-
Male.....
Female.....	7	15	16	21	19	24	28	12	6	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	14	11	17	24	18	27	20	12	4	-	-	-
Male.....
Female.....	14	11	17	24	18	27	20	12	4	-	-	-
White, both sexes.....	12	10	15	22	16	24	17	11	4	-	-	-
Male.....
Female.....	12	10	15	22	16	24	17	11	4	-	-	-
Black, both sexes.....	2	-	1	2	1	2	2	1	-	-	-	-
Male.....
Female.....	2	-	1	2	1	2	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	1	1	1	-	-	-	-	-
Male.....
Female.....	-	1	1	-	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of female genital organs (C51-C58)

New Hampshire

All races, both sexes.....	11	8	13	14	14	16	11	8	5	3	1	-
Male.....
Female.....	11	8	13	14	14	16	11	8	5	3	1	-
White, both sexes.....	11	8	13	13	14	16	11	8	5	3	1	-
Male.....
Female.....	11	8	13	13	14	16	11	8	5	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	74	87	81	95	129	151	121	81	41	12	2	-
Male.....
Female.....	74	87	81	95	129	151	121	81	41	12	2	-
White, both sexes.....	59	74	71	81	104	135	103	76	39	10	1	-
Male.....
Female.....	59	74	71	81	104	135	103	76	39	10	1	-
Black, both sexes.....	13	10	8	11	23	15	16	5	2	2	1	-
Male.....
Female.....	13	10	8	11	23	15	16	5	2	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	2	3	2	1	1	-	-	-	-	-
Male.....
Female.....	2	3	2	3	2	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of female genital organs (C51-C58)

New Mexico

All races, both sexes.....	5	15	14	10	29	18	19	8	10	3	-	-
Male.....
Female.....	5	15	14	10	29	18	19	8	10	3	-	-
White, both sexes.....	3	12	11	9	28	18	17	7	10	3	-	-
Male.....
Female.....	3	12	11	9	28	18	17	7	10	3	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	2	-	1	-	2	1	-	-	-	-
Male.....
Female.....	1	2	2	-	1	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....
Female.....	-	1	-	1	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	162	179	209	232	249	256	242	137	86	18	4	-
Male.....
Female.....	162	179	209	232	249	256	242	137	86	18	4	-
White, both sexes.....	128	136	160	179	200	214	209	128	83	14	4	-
Male.....
Female.....	128	136	160	179	200	214	209	128	83	14	4	-
Black, both sexes.....	31	35	40	43	43	39	27	7	2	4	-	-
Male.....
Female.....	31	35	40	43	43	39	27	7	2	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	8	9	10	5	3	6	2	1	-	-	-
Male.....
Female.....	3	8	9	10	5	3	6	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of female genital organs (C51-C58)

Ohio

All races, both sexes.....	68	84	124	133	167	161	163	106	39	14	-	-
Male.....
Female.....	68	84	124	133	167	161	163	106	39	14	-	-
White, both sexes.....	58	76	110	117	144	146	153	99	37	14	-	-
Male.....
Female.....	58	76	110	117	144	146	153	99	37	14	-	-
Black, both sexes.....	10	7	13	16	21	14	10	7	2	-	-	-
Male.....
Female.....	10	7	13	16	21	14	10	7	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	2	1	-	-	-	-	-	-
Male.....
Female.....	-	1	1	-	2	1	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	25	38	25	30	43	46	50	23	12	3	1	-
Male.....
Female.....	25	38	25	30	43	46	50	23	12	3	1	-
White, both sexes.....	19	36	22	29	33	41	45	21	9	3	1	-
Male.....
Female.....	19	36	22	29	33	41	45	21	9	3	1	-
Black, both sexes.....	2	2	3	-	4	1	2	2	2	-	-	-
Male.....
Female.....	2	2	3	-	4	1	2	2	2	-	-	-
American Indian 1/, both sexes.....	3	-	-	1	5	4	3	-	1	-	-	-
Male.....
Female.....	3	-	-	1	5	4	3	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of female genital organs (C51-C58)

Oregon

All races, both sexes.....	22	21	33	39	43	70	44	38	14	-	-	-
Male.....
Female.....	22	21	33	39	43	70	44	38	14	-	-	-
White, both sexes.....	22	21	31	38	42	68	43	38	13	-	-	-
Male.....
Female.....	22	21	31	38	42	68	43	38	13	-	-	-
Black, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	1	-	-	1	-	-	-
Male.....
Female.....	-	-	2	-	-	1	-	-	1	-	-	-

Pennsylvania

All races, both sexes.....	102	101	135	154	202	247	194	143	56	16	4	-
Male.....
Female.....	102	101	135	154	202	247	194	143	56	16	4	-
White, both sexes.....	90	87	117	138	185	234	179	139	53	12	4	-
Male.....
Female.....	90	87	117	138	185	234	179	139	53	12	4	-
Black, both sexes.....	12	12	14	15	17	13	14	4	3	4	-	-
Male.....
Female.....	12	12	14	15	17	13	14	4	3	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	4	1	-	-	1	-	-	-	-	-
Male.....
Female.....	-	2	4	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of female genital organs (C51-C58)

Rhode Island

All races, both sexes.....	6	7	9	10	15	17	18	6	3	-	1	-
Male.....
Female.....	6	7	9	10	15	17	18	6	3	-	1	-
White, both sexes.....	6	7	9	10	14	16	18	6	3	-	1	-
Male.....
Female.....	6	7	9	10	14	16	18	6	3	-	1	-
Black, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	20	38	41	41	45	47	45	31	19	3	2	-
Male.....
Female.....	20	38	41	41	45	47	45	31	19	3	2	-
White, both sexes.....	13	30	30	27	32	31	32	22	14	-	1	-
Male.....
Female.....	13	30	30	27	32	31	32	22	14	-	1	-
Black, both sexes.....	7	7	10	13	13	15	13	9	5	3	1	-
Male.....
Female.....	7	7	10	13	13	15	13	9	5	3	1	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	1	-	-	-	-	-	-
Male.....
Female.....	-	1	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of female genital organs (C51-C58)

Vermont

All races, both sexes.....	4	1	8	12	4	20	12	6	2	-	-	-
Male.....
Female.....	4	1	8	12	4	20	12	6	2	-	-	-
White, both sexes.....	4	1	8	12	4	20	12	6	2	-	-	-
Male.....
Female.....	4	1	8	12	4	20	12	6	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	47	67	61	75	61	71	84	42	18	6	-	-
Male.....
Female.....	47	67	61	75	61	71	84	42	18	6	-	-
White, both sexes.....	35	54	45	57	49	59	70	33	15	6	-	-
Male.....
Female.....	35	54	45	57	49	59	70	33	15	6	-	-
Black, both sexes.....	10	12	14	18	11	11	12	8	3	-	-	-
Male.....
Female.....	10	12	14	18	11	11	12	8	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	-	1	1	2	1	-	-	-	-
Male.....
Female.....	2	1	2	-	1	1	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of vulva and vagina (C51-C52)

Arkansas

All races, both sexes.....	1	-	1	1	1	2	-	6	-	-	-	-
Male.....
Female.....	1	-	1	1	1	2	-	6	-	-	-	-
White, both sexes.....	1	-	1	1	1	2	-	5	-	-	-	-
Male.....
Female.....	1	-	1	1	1	2	-	5	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4	1	8	6	11	20	15	13	8	1	1	-
Male.....
Female.....	4	1	8	6	11	20	15	13	8	1	1	-
White, both sexes.....	4	1	8	5	10	16	12	12	8	1	1	-
Male.....
Female.....	4	1	8	5	10	16	12	12	8	1	1	-
Black, both sexes.....	-	-	-	-	-	1	1	1	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	3	2	-	-	-	-	-
Male.....
Female.....	-	-	-	1	-	3	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of vulva and vagina (C51-C52)

Oregon

All races, both sexes.....	2	-	-	1	2	4	1	5	1	-	-	-
Male.....
Female.....	2	-	-	1	2	4	1	5	1	-	-	-
White, both sexes.....	2	-	-	1	2	4	1	5	1	-	-	-
Male.....
Female.....	2	-	-	1	2	4	1	5	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	4	1	4	3	7	12	16	6	8	3	1	-
Male.....
Female.....	4	1	4	3	7	12	16	6	8	3	1	-
White, both sexes.....	4	1	4	2	7	10	15	6	8	3	1	-
Male.....
Female.....	4	1	4	2	7	10	15	6	8	3	1	-
Black, both sexes.....	-	-	-	1	-	2	-	-	-	-	-	-
Male.....
Female.....	-	-	-	1	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of cervix uteri (C53)												
Arkansas												
All races, both sexes.....	63	-	-	-	-	-	-	-	1	5	3	6
Male.....
Female.....	63	-	-	-	-	-	-	-	1	5	3	6
White, both sexes.....	44	-	-	-	-	-	-	-	1	5	1	5
Male.....
Female.....	44	-	-	-	-	-	-	-	1	5	1	5
Black, both sexes.....	19	-	-	-	-	-	-	-	-	-	2	1
Male.....
Female.....	19	-	-	-	-	-	-	-	-	-	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	416	-	-	-	-	-	1	2	14	32	36	61
Male.....
Female.....	416	-	-	-	-	-	1	2	14	32	36	61
White, both sexes.....	326	-	-	-	-	-	1	2	13	27	29	48
Male.....
Female.....	326	-	-	-	-	-	1	2	13	27	29	48
Black, both sexes.....	38	-	-	-	-	-	-	-	1	4	2	9
Male.....
Female.....	38	-	-	-	-	-	-	-	1	4	2	9
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	1
Male.....
Female.....	3	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	49	-	-	-	-	-	-	-	-	1	4	3
Male.....
Female.....	49	-	-	-	-	-	-	-	-	1	4	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of cervix uteri (C53)

New Mexico

All races, both sexes.....	20	-	-	-	-	-	-	-	-	-	2	4
Male.....
Female.....	20	-	-	-	-	-	-	-	-	-	2	4
White, both sexes.....	12	-	-	-	-	-	-	-	-	-	-	3
Male.....
Female.....	12	-	-	-	-	-	-	-	-	-	-	3
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	-	2	1
Male.....
Female.....	7	-	-	-	-	-	-	-	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	294	-	-	-	-	-	1	1	5	21	25	34
Male.....
Female.....	294	-	-	-	-	-	1	1	5	21	25	34
White, both sexes.....	207	-	-	-	-	-	1	1	3	15	17	26
Male.....
Female.....	207	-	-	-	-	-	1	1	3	15	17	26
Black, both sexes.....	74	-	-	-	-	-	-	-	2	5	6	7
Male.....
Female.....	74	-	-	-	-	-	-	-	2	5	6	7
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	-	-	-	-	1	2	1
Male.....
Female.....	13	-	-	-	-	-	-	-	-	1	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of cervix uteri (C53)

Arkansas

All races, both sexes.....	7	6	4	4	8	8	7	1	3	-	-	-
Male.....
Female.....	7	6	4	4	8	8	7	1	3	-	-	-
White, both sexes.....	5	5	4	2	3	7	4	-	2	-	-	-
Male.....
Female.....	5	5	4	2	3	7	4	-	2	-	-	-
Black, both sexes.....	2	1	-	2	5	1	3	1	1	-	-	-
Male.....
Female.....	2	1	-	2	5	1	3	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	54	50	41	31	21	20	26	17	8	1	1	-
Male.....
Female.....	54	50	41	31	21	20	26	17	8	1	1	-
White, both sexes.....	46	38	28	25	18	13	18	13	5	1	1	-
Male.....
Female.....	46	38	28	25	18	13	18	13	5	1	1	-
Black, both sexes.....	2	3	4	2	2	2	6	1	-	-	-	-
Male.....
Female.....	2	3	4	2	2	2	6	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	9	8	4	1	5	2	3	3	-	-	-
Male.....
Female.....	6	9	8	4	1	5	2	3	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of cervix uteri (C53)

Florida

All races, both sexes.....	33	26	18	19	29	21	22	15	4	-	1	-
Male.....
Female.....	33	26	18	19	29	21	22	15	4	-	1	-
White, both sexes.....	25	20	13	15	26	15	20	13	3	-	1	-
Male.....
Female.....	25	20	13	15	26	15	20	13	3	-	1	-
Black, both sexes.....	8	6	5	4	3	6	2	2	1	-	-	-
Male.....
Female.....	8	6	5	4	3	6	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	22	9	12	7	11	8	6	1	5	2	-	-
Male.....
Female.....	22	9	12	7	11	8	6	1	5	2	-	-
White, both sexes.....	17	6	7	4	4	5	3	-	2	1	-	-
Male.....
Female.....	17	6	7	4	4	5	3	-	2	1	-	-
Black, both sexes.....	4	3	5	2	6	3	3	1	2	1	-	-
Male.....
Female.....	4	3	5	2	6	3	3	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of cervix uteri (C53)

Kentucky

All races, both sexes.....	6	3	6	5	2	5	4	4	-	1	-	-
Male.....
Female.....	6	3	6	5	2	5	4	4	-	1	-	-
White, both sexes.....	5	3	6	5	2	4	2	4	-	1	-	-
Male.....
Female.....	5	3	6	5	2	4	2	4	-	1	-	-
Black, both sexes.....	1	-	-	-	-	1	2	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	3	10	8	8	4	3	3	4	-	-	-	-
Male.....
Female.....	3	10	8	8	4	3	3	4	-	-	-	-
White, both sexes.....	-	6	3	5	2	1	-	1	-	-	-	-
Male.....
Female.....	-	6	3	5	2	1	-	1	-	-	-	-
Black, both sexes.....	3	4	5	3	2	1	3	3	-	-	-	-
Male.....
Female.....	3	4	5	3	2	1	3	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of cervix uteri (C53)

Maine

All races, both sexes.....	1	4	2	-	3	1	1	1	-	-	-	-
Male.....
Female.....	1	4	2	-	3	1	1	1	-	-	-	-
White, both sexes.....	1	4	2	-	3	1	1	1	-	-	-	-
Male.....
Female.....	1	4	2	-	3	1	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	8	7	9	9	9	3	1	3	1	1	1	-
Male.....
Female.....	8	7	9	9	9	3	1	3	1	1	1	-
White, both sexes.....	3	5	4	3	8	1	1	-	1	-	-	-
Male.....
Female.....	3	5	4	3	8	1	1	-	1	-	-	-
Black, both sexes.....	5	2	5	5	1	2	-	2	-	1	1	-
Male.....
Female.....	5	2	5	5	1	2	-	2	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....
Female.....	-	-	-	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of cervix uteri (C53)

Nebraska

All races, both sexes.....	4	5	2	1	1	-	3	1	-	-	-	-
Male.....
Female.....	4	5	2	1	1	-	3	1	-	-	-	-
White, both sexes.....	3	5	2	1	1	-	3	1	-	-	-	-
Male.....
Female.....	3	5	2	1	1	-	3	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	4	2	2	3	1	4	2	1	-	-	-	-
Male.....
Female.....	4	2	2	3	1	4	2	1	-	-	-	-
White, both sexes.....	2	1	2	3	1	3	2	1	-	-	-	-
Male.....
Female.....	2	1	2	3	1	3	2	1	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of cervix uteri (C53)

New Hampshire

All races, both sexes.....	1	2	4	1	1	-	1	1	-	-	-	-
Male.....
Female.....	1	2	4	1	1	-	1	1	-	-	-	-
White, both sexes.....	1	2	4	1	1	-	1	1	-	-	-	-
Male.....
Female.....	1	2	4	1	1	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	17	11	10	8	8	14	5	6	3	1	-	-
Male.....
Female.....	17	11	10	8	8	14	5	6	3	1	-	-
White, both sexes.....	11	8	9	6	5	9	3	5	3	1	-	-
Male.....
Female.....	11	8	9	6	5	9	3	5	3	1	-	-
Black, both sexes.....	6	2	-	1	3	4	2	1	-	-	-	-
Male.....
Female.....	6	2	-	1	3	4	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	-	1	-	-	-	-	-	-
Male.....
Female.....	-	1	1	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of cervix uteri (C53)

New Mexico

All races, both sexes.....	2	5	-	2	2	1	1	-	1	-	-	-
Male.....
Female.....	2	5	-	2	2	1	1	-	1	-	-	-
White, both sexes.....	1	3	-	1	2	1	-	-	1	-	-	-
Male.....
Female.....	1	3	-	1	2	1	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	1	2	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	43	26	25	27	22	30	15	7	11	1	-	-
Male.....
Female.....	43	26	25	27	22	30	15	7	11	1	-	-
White, both sexes.....	29	17	18	21	14	20	10	6	9	-	-	-
Male.....
Female.....	29	17	18	21	14	20	10	6	9	-	-	-
Black, both sexes.....	13	7	6	5	8	8	4	1	1	1	-	-
Male.....
Female.....	13	7	6	5	8	8	4	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	1	-	2	1	-	1	-	-	-
Male.....
Female.....	1	2	1	1	-	2	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of cervix uteri (C53)

Vermont

All races, both sexes.....	1	-	1	-	-	3	1	-	-	-	-	-
Male.....
Female.....	1	-	1	-	-	3	1	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	3	1	-	-	-	-	-
Male.....
Female.....	1	-	1	-	-	3	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	11	10	6	4	7	7	1	5	1	1	-	-
Male.....
Female.....	11	10	6	4	7	7	1	5	1	1	-	-
White, both sexes.....	8	9	2	1	4	5	1	2	1	1	-	-
Male.....
Female.....	8	9	2	1	4	5	1	2	1	1	-	-
Black, both sexes.....	1	1	4	3	3	2	-	2	-	-	-	-
Male.....
Female.....	1	1	4	3	3	2	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of corpus uteri and uterus, part unspecified (C54-C55)

Arkansas

All races, both sexes.....	62	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	62	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	45	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	45	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	17	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	17	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	701	-	-	-	-	-	-	-	5	3	9	25
Male.....
Female.....	701	-	-	-	-	-	-	-	5	3	9	25
White, both sexes.....	577	-	-	-	-	-	-	-	3	3	7	18
Male.....
Female.....	577	-	-	-	-	-	-	-	3	3	7	18
Black, both sexes.....	73	-	-	-	-	-	-	-	1	-	-	3
Male.....
Female.....	73	-	-	-	-	-	-	-	1	-	-	3
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	47	-	-	-	-	-	-	-	1	-	2	4
Male.....
Female.....	47	-	-	-	-	-	-	-	1	-	2	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of corpus uteri and uterus, part unspecified (C54-C55)

Nebraska

All races, both sexes.....	42	-	-	-	-	-	-	-	-	2	1	1
Male.....
Female.....	42	-	-	-	-	-	-	-	-	2	1	1
White, both sexes.....	41	-	-	-	-	-	-	-	-	2	1	1
Male.....
Female.....	41	-	-	-	-	-	-	-	-	2	1	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	38	-	-	-	-	-	-	-	1	2	-	3
Male.....
Female.....	38	-	-	-	-	-	-	-	1	2	-	3
White, both sexes.....	32	-	-	-	-	-	-	-	1	1	-	2
Male.....
Female.....	32	-	-	-	-	-	-	-	1	1	-	2
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	1
Male.....
Female.....	2	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of corpus uteri and uterus, part unspecified (C54-C55)

United States

All races, both sexes.....	376	531	668	809	1,026	1,051	906	694	314	109	11	-
Male.....
Female.....	376	531	668	809	1,026	1,051	906	694	314	109	11	-
White, both sexes.....	296	412	522	595	824	865	783	609	281	91	9	-
Male.....
Female.....	296	412	522	595	824	865	783	609	281	91	9	-
Black, both sexes.....	61	99	124	188	188	162	111	81	31	17	2	-
Male.....
Female.....	61	99	124	188	188	162	111	81	31	17	2	-
American Indian 1/, both sexes.....	3	3	3	3	1	7	2	2	-	-	-	-
Male.....
Female.....	3	3	3	3	1	7	2	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	17	19	23	13	17	10	2	2	1	-	-
Male.....
Female.....	16	17	19	23	13	17	10	2	2	1	-	-

Alabama

All races, both sexes.....	4	5	11	17	14	18	10	12	3	-	-	-
Male.....
Female.....	4	5	11	17	14	18	10	12	3	-	-	-
White, both sexes.....	3	4	5	4	7	15	5	8	1	-	-	-
Male.....
Female.....	3	4	5	4	7	15	5	8	1	-	-	-
Black, both sexes.....	1	1	6	13	6	3	5	4	2	-	-	-
Male.....
Female.....	1	1	6	13	6	3	5	4	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of corpus uteri and uterus, part unspecified (C54-C55)

Alaska

All races, both sexes.....	1	1	2	-	-	2	-	1	1	-	-	-
Male.....
Female.....	1	1	2	-	-	2	-	1	1	-	-	-
White, both sexes.....	1	1	1	-	-	1	-	1	1	-	-	-
Male.....
Female.....	1	1	1	-	-	1	-	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Arizona

All races, both sexes.....	5	7	7	9	13	12	11	5	4	-	-	-
Male.....
Female.....	5	7	7	9	13	12	11	5	4	-	-	-
White, both sexes.....	5	5	7	8	11	12	10	5	4	-	-	-
Male.....
Female.....	5	5	7	8	11	12	10	5	4	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	1	-	-	-	-	-
Male.....
Female.....	-	1	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	1	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of corpus uteri and uterus, part unspecified (C54-C55)

Arkansas

All races, both sexes.....	-	6	4	8	17	9	8	7	1	1	-	-
Male.....
Female.....	-	6	4	8	17	9	8	7	1	1	-	-
White, both sexes.....	-	4	3	5	12	7	5	7	-	1	-	-
Male.....
Female.....	-	4	3	5	12	7	5	7	-	1	-	-
Black, both sexes.....	-	2	1	3	5	2	3	-	1	-	-	-
Male.....
Female.....	-	2	1	3	5	2	3	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	39	54	74	87	97	87	100	75	32	14	-	-
Male.....
Female.....	39	54	74	87	97	87	100	75	32	14	-	-
White, both sexes.....	31	43	60	62	80	68	91	69	30	12	-	-
Male.....
Female.....	31	43	60	62	80	68	91	69	30	12	-	-
Black, both sexes.....	5	6	9	17	9	10	4	6	2	1	-	-
Male.....
Female.....	5	6	9	17	9	10	4	6	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	3	-	-	-	-	-	-
Male.....
Female.....	-	-	-	1	-	3	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	5	5	7	8	6	5	-	-	1	-	-
Male.....
Female.....	3	5	5	7	8	6	5	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of corpus uteri and uterus, part unspecified (C54-C55)

Colorado

All races, both sexes.....	3	4	3	6	12	17	13	9	7	2	-	-
Male.....
Female.....	3	4	3	6	12	17	13	9	7	2	-	-
White, both sexes.....	3	3	3	6	11	16	13	9	7	2	-	-
Male.....
Female.....	3	3	3	6	11	16	13	9	7	2	-	-
Black, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	6	4	4	7	14	11	19	11	4	1	-	-
Male.....
Female.....	6	4	4	7	14	11	19	11	4	1	-	-
White, both sexes.....	6	4	4	4	13	9	19	9	3	1	-	-
Male.....
Female.....	6	4	4	4	13	9	19	9	3	1	-	-
Black, both sexes.....	-	-	-	3	1	1	-	2	1	-	-	-
Male.....
Female.....	-	-	-	3	1	1	-	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of corpus uteri and uterus, part unspecified (C54-C55)

New Mexico

All races, both sexes.....	2	4	3	2	7	6	4	5	4	1	-	-
Male.....
Female.....	2	4	3	2	7	6	4	5	4	1	-	-
White, both sexes.....	1	3	2	2	7	6	4	4	4	1	-	-
Male.....
Female.....	1	3	2	2	7	6	4	4	4	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....
Female.....	-	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	34	53	57	78	93	74	68	45	22	4	1	-
Male.....
Female.....	34	53	57	78	93	74	68	45	22	4	1	-
White, both sexes.....	26	33	38	51	75	59	58	42	22	3	1	-
Male.....
Female.....	26	33	38	51	75	59	58	42	22	3	1	-
Black, both sexes.....	8	19	16	24	18	15	10	2	-	1	-	-
Male.....
Female.....	8	19	16	24	18	15	10	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	3	3	-	-	-	1	-	-	-	-
Male.....
Female.....	-	1	3	3	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of corpus uteri and uterus, part unspecified (C54-C55)

Ohio

All races, both sexes.....	14	15	28	33	49	56	49	32	13	8	-	-
Male.....
Female.....	14	15	28	33	49	56	49	32	13	8	-	-
White, both sexes.....	13	11	23	26	38	50	45	29	12	8	-	-
Male.....
Female.....	13	11	23	26	38	50	45	29	12	8	-	-
Black, both sexes.....	1	4	5	7	11	6	4	3	1	-	-	-
Male.....
Female.....	1	4	5	7	11	6	4	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	6	9	6	7	19	16	5	8	4	1	-	-
Male.....
Female.....	6	9	6	7	19	16	5	8	4	1	-	-
White, both sexes.....	4	9	6	7	14	11	5	7	3	1	-	-
Male.....
Female.....	4	9	6	7	14	11	5	7	3	1	-	-
Black, both sexes.....	-	-	-	-	3	1	-	1	1	-	-	-
Male.....
Female.....	-	-	-	-	3	1	-	1	1	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	1	4	-	-	-	-	-	-
Male.....
Female.....	2	-	-	-	1	4	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of corpus uteri and uterus, part unspecified (C54-C55)

Vermont

All races, both sexes.....	1	-	4	4	1	8	4	2	1	-	-	-
Male.....
Female.....	1	-	4	4	1	8	4	2	1	-	-	-
White, both sexes.....	1	-	4	4	1	8	4	2	1	-	-	-
Male.....
Female.....	1	-	4	4	1	8	4	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	9	16	13	21	15	21	23	10	5	2	-	-
Male.....
Female.....	9	16	13	21	15	21	23	10	5	2	-	-
White, both sexes.....	7	10	11	16	11	17	17	8	4	2	-	-
Male.....
Female.....	7	10	11	16	11	17	17	8	4	2	-	-
Black, both sexes.....	2	5	2	5	4	3	5	2	1	-	-	-
Male.....
Female.....	2	5	2	5	4	3	5	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	1	-	-	-	-	-
Male.....
Female.....	-	1	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of ovary (C56)

Arkansas

All races, both sexes.....	150	-	-	-	-	-	-	-	-	2	4	9
Male.....
Female.....	150	-	-	-	-	-	-	-	-	2	4	9
White, both sexes.....	130	-	-	-	-	-	-	-	-	1	4	7
Male.....
Female.....	130	-	-	-	-	-	-	-	-	1	4	7
Black, both sexes.....	19	-	-	-	-	-	-	-	-	1	-	2
Male.....
Female.....	19	-	-	-	-	-	-	-	-	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,518	1	-	-	-	3	1	2	10	13	46	80
Male.....
Female.....	1,518	1	-	-	-	3	1	2	10	13	46	80
White, both sexes.....	1,324	1	-	-	-	2	1	2	8	10	37	61
Male.....
Female.....	1,324	1	-	-	-	2	1	2	8	10	37	61
Black, both sexes.....	71	-	-	-	-	1	-	-	1	-	3	5
Male.....
Female.....	71	-	-	-	-	1	-	-	1	-	3	5
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	-	1	3
Male.....
Female.....	9	-	-	-	-	-	-	-	-	-	1	3
Asian or Pacific Islander 2/, both sexes.....	114	-	-	-	-	-	-	-	1	3	5	11
Male.....
Female.....	114	-	-	-	-	-	-	-	1	3	5	11

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of ovary (C56)												
Massachusetts												
All races, both sexes.....	385	-	-	-	-	1	-	1	1	1	9	22
Male.....
Female.....	385	-	-	-	-	1	-	1	1	1	9	22
White, both sexes.....	368	-	-	-	-	1	-	1	1	1	8	21
Male.....
Female.....	368	-	-	-	-	1	-	1	1	1	8	21
Black, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	11	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	-	-	1	1
Male.....
Female.....	6	-	-	-	-	-	-	-	-	-	1	1
Michigan												
All races, both sexes.....	548	-	-	-	-	1	1	1	5	7	14	25
Male.....
Female.....	548	-	-	-	-	1	1	1	5	7	14	25
White, both sexes.....	495	-	-	-	-	1	1	1	4	6	12	23
Male.....
Female.....	495	-	-	-	-	1	1	1	4	6	12	23
Black, both sexes.....	44	-	-	-	-	-	-	-	-	1	2	1
Male.....
Female.....	44	-	-	-	-	-	-	-	-	1	2	1
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	1
Male.....
Female.....	6	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	-
Male.....
Female.....	3	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of ovary (C56)

New Hampshire

All races, both sexes.....	66	-	-	-	-	-	-	-	-	1	-	4
Male.....
Female.....	66	-	-	-	-	-	-	-	-	1	-	4
White, both sexes.....	65	-	-	-	-	-	-	-	-	1	-	4
Male.....
Female.....	65	-	-	-	-	-	-	-	-	1	-	4
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	527	-	-	1	-	-	-	1	1	5	11	27
Male.....
Female.....	527	-	-	1	-	-	-	1	1	5	11	27
White, both sexes.....	465	-	-	1	-	-	-	1	-	5	7	15
Male.....
Female.....	465	-	-	1	-	-	-	1	-	5	7	15
Black, both sexes.....	52	-	-	-	-	-	-	-	-	-	4	9
Male.....
Female.....	52	-	-	-	-	-	-	-	-	-	4	9
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	1	-	-	3
Male.....
Female.....	10	-	-	-	-	-	-	-	1	-	-	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of ovary (C56)

New Mexico

All races, both sexes.....	71	-	-	-	-	-	-	-	-	1	-	3
Male.....
Female.....	71	-	-	-	-	-	-	-	-	1	-	3
White, both sexes.....	67	-	-	-	-	-	-	-	-	1	-	3
Male.....
Female.....	67	-	-	-	-	-	-	-	-	1	-	3
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1,014	-	-	-	-	-	1	2	6	12	15	53
Male.....
Female.....	1,014	-	-	-	-	-	1	2	6	12	15	53
White, both sexes.....	874	-	-	-	-	-	1	2	3	11	13	42
Male.....
Female.....	874	-	-	-	-	-	1	2	3	11	13	42
Black, both sexes.....	104	-	-	-	-	-	-	-	2	1	2	5
Male.....
Female.....	104	-	-	-	-	-	-	-	2	1	2	5
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	34	-	-	-	-	-	-	-	1	-	-	5
Male.....
Female.....	34	-	-	-	-	-	-	-	1	-	-	5

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of ovary (C56)

Arkansas

All races, both sexes.....	11	14	12	21	15	29	13	17	2	1	-	-
Male.....
Female.....	11	14	12	21	15	29	13	17	2	1	-	-
White, both sexes.....	10	12	10	21	12	21	12	17	2	1	-	-
Male.....
Female.....	10	12	10	21	12	21	12	17	2	1	-	-
Black, both sexes.....	-	2	2	-	3	8	1	-	-	-	-	-
Male.....
Female.....	-	2	2	-	3	8	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	118	134	151	173	206	229	195	112	34	10	-	-
Male.....
Female.....	118	134	151	173	206	229	195	112	34	10	-	-
White, both sexes.....	98	113	136	143	183	203	182	105	32	7	-	-
Male.....
Female.....	98	113	136	143	183	203	182	105	32	7	-	-
Black, both sexes.....	7	7	5	10	9	11	5	5	-	2	-	-
Male.....
Female.....	7	7	5	10	9	11	5	5	-	2	-	-
American Indian 1/, both sexes.....	1	1	-	1	-	1	1	-	-	-	-	-
Male.....
Female.....	1	1	-	1	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	13	10	19	14	14	7	2	2	1	-	-
Male.....
Female.....	12	13	10	19	14	14	7	2	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of ovary (C56)

Florida

All races, both sexes.....	64	77	104	109	144	159	152	86	26	10	2	-
Male.....
Female.....	64	77	104	109	144	159	152	86	26	10	2	-
White, both sexes.....	58	66	100	103	134	148	142	79	25	9	2	-
Male.....
Female.....	58	66	100	103	134	148	142	79	25	9	2	-
Black, both sexes.....	4	9	4	6	10	11	10	7	1	1	-	-
Male.....
Female.....	4	9	4	6	10	11	10	7	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	2	2	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	26	27	35	38	45	54	54	24	12	1	-	-
Male.....
Female.....	26	27	35	38	45	54	54	24	12	1	-	-
White, both sexes.....	22	18	32	32	38	43	43	20	11	1	-	-
Male.....
Female.....	22	18	32	32	38	43	43	20	11	1	-	-
Black, both sexes.....	4	9	3	6	6	10	11	4	1	-	-	-
Male.....
Female.....	4	9	3	6	6	10	11	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of ovary (C56)

Hawaii

All races, both sexes.....	6	1	4	5	5	11	2	6	1	-	-	-
Male.....
Female.....	6	1	4	5	5	11	2	6	1	-	-	-
White, both sexes.....	2	1	1	1	1	5	-	3	-	-	-	-
Male.....
Female.....	2	1	1	1	1	5	-	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	3	4	4	6	2	3	1	-	-	-
Male.....
Female.....	4	-	3	4	4	6	2	3	1	-	-	-

Idaho

All races, both sexes.....	3	5	5	7	7	16	10	3	2	-	-	-
Male.....
Female.....	3	5	5	7	7	16	10	3	2	-	-	-
White, both sexes.....	2	5	5	7	7	15	10	3	2	-	-	-
Male.....
Female.....	2	5	5	7	7	15	10	3	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of ovary (C56)

Kentucky

All races, both sexes.....	9	25	22	25	29	36	26	23	5	1	-	-
Male.....
Female.....	9	25	22	25	29	36	26	23	5	1	-	-
White, both sexes.....	9	24	22	25	29	33	25	20	5	1	-	-
Male.....
Female.....	9	24	22	25	29	33	25	20	5	1	-	-
Black, both sexes.....	-	1	-	-	-	3	1	3	-	-	-	-
Male.....
Female.....	-	1	-	-	-	3	1	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	8	14	16	20	38	28	28	10	11	2	-	-
Male.....
Female.....	8	14	16	20	38	28	28	10	11	2	-	-
White, both sexes.....	7	12	12	18	29	22	24	4	11	2	-	-
Male.....
Female.....	7	12	12	18	29	22	24	4	11	2	-	-
Black, both sexes.....	1	2	4	2	9	5	4	6	-	-	-	-
Male.....
Female.....	1	2	4	2	9	5	4	6	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of ovary (C56)

Nebraska

All races, both sexes.....	2	5	7	15	15	16	14	6	2	1	-	-
Male.....
Female.....	2	5	7	15	15	16	14	6	2	1	-	-
White, both sexes.....	2	5	7	15	15	16	14	5	2	1	-	-
Male.....
Female.....	2	5	7	15	15	16	14	5	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	8	8	11	15	11	19	11	4	1	-	-	-
Male.....
Female.....	8	8	11	15	11	19	11	4	1	-	-	-
White, both sexes.....	8	8	10	14	10	17	8	4	1	-	-	-
Male.....
Female.....	8	8	10	14	10	17	8	4	1	-	-	-
Black, both sexes.....	-	-	-	1	-	2	2	-	-	-	-	-
Male.....
Female.....	-	-	-	1	-	2	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	1	-	-	-	-	-
Male.....
Female.....	-	-	1	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of ovary (C56)

New Hampshire

All races, both sexes.....	7	6	6	10	7	8	8	5	1	2	1	-
Male.....
Female.....	7	6	6	10	7	8	8	5	1	2	1	-
White, both sexes.....	7	6	6	9	7	8	8	5	1	2	1	-
Male.....
Female.....	7	6	6	9	7	8	8	5	1	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	34	55	46	49	72	87	60	46	25	6	1	-
Male.....
Female.....	34	55	46	49	72	87	60	46	25	6	1	-
White, both sexes.....	30	49	41	44	62	83	53	44	24	5	1	-
Male.....
Female.....	30	49	41	44	62	83	53	44	24	5	1	-
Black, both sexes.....	3	4	5	5	8	4	6	2	1	1	-	-
Male.....
Female.....	3	4	5	5	8	4	6	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	-	2	-	1	-	-	-	-	-
Male.....
Female.....	1	2	-	-	2	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of ovary (C56)

New Mexico

All races, both sexes.....	1	6	9	6	19	11	10	1	3	1	-	-
Male.....
Female.....	1	6	9	6	19	11	10	1	3	1	-	-
White, both sexes.....	1	6	7	6	18	11	9	1	3	1	-	-
Male.....
Female.....	1	6	7	6	18	11	9	1	3	1	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	1	-	-	-	-	-
Male.....
Female.....	-	-	1	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	77	86	121	119	125	138	138	65	44	10	2	-
Male.....
Female.....	77	86	121	119	125	138	138	65	44	10	2	-
White, both sexes.....	66	74	101	100	103	121	122	61	44	8	2	-
Male.....
Female.....	66	74	101	100	103	121	122	61	44	8	2	-
Black, both sexes.....	9	9	15	13	16	16	11	3	-	2	-	-
Male.....
Female.....	9	9	15	13	16	16	11	3	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	5	6	5	1	5	1	-	-	-	-
Male.....
Female.....	2	3	5	6	5	1	5	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of ovary (C56)

Rhode Island

All races, both sexes.....	5	4	5	5	11	10	9	3	1	-	-	-
Male.....
Female.....	5	4	5	5	11	10	9	3	1	-	-	-
White, both sexes.....	5	4	5	5	10	9	9	3	1	-	-	-
Male.....
Female.....	5	4	5	5	10	9	9	3	1	-	-	-
Black, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	9	19	26	23	24	24	25	10	8	1	1	-
Male.....
Female.....	9	19	26	23	24	24	25	10	8	1	1	-
White, both sexes.....	7	17	22	19	20	15	20	7	7	-	-	-
Male.....
Female.....	7	17	22	19	20	15	20	7	7	-	-	-
Black, both sexes.....	2	2	4	4	4	8	5	3	1	1	1	-
Male.....
Female.....	2	2	4	4	4	8	5	3	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of ovary (C56)

Vermont

All races, both sexes.....	2	1	2	6	2	9	5	4	-	-	-	-
Male.....
Female.....	2	1	2	6	2	9	5	4	-	-	-	-
White, both sexes.....	2	1	2	6	2	9	5	4	-	-	-	-
Male.....
Female.....	2	1	2	6	2	9	5	4	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	26	38	38	48	33	42	59	22	9	3	-	-
Male.....
Female.....	26	38	38	48	33	42	59	22	9	3	-	-
White, both sexes.....	19	33	30	38	28	36	51	19	8	3	-	-
Male.....
Female.....	19	33	30	38	28	36	51	19	8	3	-	-
Black, both sexes.....	7	5	6	10	4	6	7	3	1	-	-	-
Male.....
Female.....	7	5	6	10	4	6	7	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	-	1	-	-	-	-	-
Male.....
Female.....	-	-	2	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other and unspecified female genital organs (C57)

Arkansas

All races, both sexes.....	1	-	-	-	1	2	-	-	1	-	-	-
Male.....
Female.....	1	-	-	-	1	2	-	-	1	-	-	-
White, both sexes.....	-	-	-	-	1	2	-	-	1	-	-	-
Male.....
Female.....	-	-	-	-	1	2	-	-	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1	1	5	4	3	5	3	-	-	1	1	-
Male.....
Female.....	1	1	5	4	3	5	3	-	-	1	1	-
White, both sexes.....	1	-	3	3	3	5	2	-	-	1	1	-
Male.....
Female.....	1	-	3	3	3	5	2	-	-	1	1	-
Black, both sexes.....	-	-	2	1	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	2	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other and unspecified female genital organs (C57)

Maine

All races, both sexes.....	-	-	-	2	-	-	-	1	-	-	-	-
Male.....
Female.....	-	-	-	2	-	-	-	1	-	-	-	-
White, both sexes.....	-	-	-	2	-	-	-	1	-	-	-	-
Male.....
Female.....	-	-	-	2	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	1	1	1	-	3	3	3	-	-	-	-	-
Male.....
Female.....	1	1	1	-	3	3	3	-	-	-	-	-
White, both sexes.....	-	1	1	-	3	1	3	-	-	-	-	-
Male.....
Female.....	-	1	1	-	3	1	3	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Of placenta (C58)

Florida

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Florida: All races, both sexes; White, both sexes; Black, both sexes; American Indian 1/, both sexes; Asian or Pacific Islander 2/, both sexes.

Georgia

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Georgia: All races, both sexes; White, both sexes; Black, both sexes; American Indian 1/, both sexes; Asian or Pacific Islander 2/, both sexes.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Of placenta (C58)

Iowa

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Iowa (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Kansas

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Kansas (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Of placenta (C58)

Ohio

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Ohio: All races, both sexes; White, both sexes; Black, both sexes; American Indian 1/, both sexes; Asian or Pacific Islander 2/, both sexes.

Oklahoma

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Oklahoma: All races, both sexes; White, both sexes; Black, both sexes; American Indian 1/, both sexes; Asian or Pacific Islander 2/, both sexes.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Of testis (C62)

Vermont

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Vermont: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Virginia

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Virginia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Of penis and other and unspecified male genital organs (C60,C63)

Maine

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Maine: All races, both sexes; White, both sexes; Black, both sexes; American Indian 1/, both sexes; Asian or Pacific Islander 2/, both sexes.

Maryland

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Maryland: All races, both sexes; White, both sexes; Black, both sexes; American Indian 1/, both sexes; Asian or Pacific Islander 2/, both sexes.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of urinary tract (C64-C68)

New Mexico

All races, both sexes.....	159	1	-	1	-	-	1	-	-	1	1	11
Male.....	106	-	-	1	-	-	-	-	-	1	1	7
Female.....	53	1	-	-	-	-	1	-	-	-	-	4
White, both sexes.....	145	1	-	1	-	-	1	-	-	1	1	10
Male.....	98	-	-	1	-	-	-	-	-	1	1	7
Female.....	47	1	-	-	-	-	1	-	-	-	-	3
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	-	-	-	1
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1,632	-	-	1	-	2	2	-	4	6	24	33
Male.....	1,032	-	-	-	-	1	1	-	3	4	12	22
Female.....	600	-	-	1	-	1	1	-	1	2	12	11
White, both sexes.....	1,478	-	-	-	-	1	-	-	3	5	22	26
Male.....	943	-	-	-	-	-	-	-	3	3	10	16
Female.....	535	-	-	-	-	1	-	-	-	2	12	10
Black, both sexes.....	123	-	-	1	-	1	1	-	1	1	1	5
Male.....	67	-	-	-	-	1	1	-	-	1	1	4
Female.....	56	-	-	1	-	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	-	-	-	-	-	1	-	-	-	1	1
Male.....	20	-	-	-	-	-	-	-	-	-	1	1
Female.....	9	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of urinary tract (C64-C68)

Alaska

All races, both sexes.....	1	3	2	3	7	6	3	-	1	-	-	-
Male.....	1	3	2	3	7	5	3	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
White, both sexes.....	1	2	1	1	4	6	3	-	1	-	-	-
Male.....	1	2	1	1	4	5	3	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	2	3	-	-	-	-	-	-	-
Male.....	-	1	1	2	3	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	18	36	39	49	60	76	79	51	21	4	-	-
Male.....	13	25	26	35	45	57	49	35	15	1	-	-
Female.....	5	11	13	14	15	19	30	16	6	3	-	-
White, both sexes.....	18	33	34	47	55	73	77	50	20	3	-	-
Male.....	13	23	24	34	41	54	47	34	14	1	-	-
Female.....	5	10	10	13	14	19	30	16	6	2	-	-
Black, both sexes.....	-	-	1	1	-	2	-	-	1	-	-	-
Male.....	-	-	-	1	-	2	-	-	1	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	3	4	1	4	-	2	1	-	1	-	-
Male.....	-	2	2	-	4	-	2	1	-	-	-	-
Female.....	-	1	2	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of urinary tract (C64-C68)

Arkansas

All races, both sexes.....	17	13	15	30	40	47	47	26	21	3	-	-
Male.....	14	11	14	21	27	31	33	14	12	1	-	-
Female.....	3	2	1	9	13	16	14	12	9	2	-	-
White, both sexes.....	15	13	12	28	36	43	43	24	17	3	-	-
Male.....	13	11	11	20	24	30	31	13	10	1	-	-
Female.....	2	2	1	8	12	13	12	11	7	2	-	-
Black, both sexes.....	2	-	3	2	4	4	4	2	3	-	-	-
Male.....	1	-	3	1	3	1	2	1	1	-	-	-
Female.....	1	-	-	1	1	3	2	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	114	172	177	251	302	413	420	316	121	37	6	-
Male.....	90	123	123	178	207	282	249	176	57	21	1	-
Female.....	24	49	54	73	95	131	171	140	64	16	5	-
White, both sexes.....	99	147	162	221	277	365	378	288	114	34	6	-
Male.....	82	115	113	159	191	247	223	160	54	18	1	-
Female.....	17	32	49	62	86	118	155	128	60	16	5	-
Black, both sexes.....	5	14	11	15	9	21	23	17	4	-	-	-
Male.....	3	5	6	7	5	14	14	10	2	-	-	-
Female.....	2	9	5	8	4	7	9	7	2	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	1	-	-	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	10	4	14	16	27	18	11	3	3	-	-
Male.....	5	2	4	11	11	21	11	6	1	3	-	-
Female.....	5	8	-	3	5	6	7	5	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of urinary tract (C64-C68)

Delaware

All races, both sexes.....	2	5	4	8	18	15	13	7	3	1	-	-
Male.....	2	3	1	8	10	12	10	3	1	-	-	-
Female.....	-	2	3	-	8	3	3	4	2	1	-	-
White, both sexes.....	2	3	3	8	15	14	13	7	3	1	-	-
Male.....	2	2	-	8	8	12	10	3	1	-	-	-
Female.....	-	1	3	-	7	2	3	4	2	1	-	-
Black, both sexes.....	-	2	1	-	3	1	-	-	-	-	-	-
Male.....	-	1	1	-	2	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	1	3	3	3	6	9	8	5	3	1	-	-
Male.....	1	3	2	3	4	8	3	1	-	-	-	-
Female.....	-	-	1	-	2	1	5	4	3	1	-	-
White, both sexes.....	-	-	-	2	2	2	1	2	-	1	-	-
Male.....	-	-	-	2	1	2	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	2	-	1	-	-
Black, both sexes.....	1	3	2	1	4	7	7	3	2	-	-	-
Male.....	1	3	2	1	3	6	2	1	-	-	-	-
Female.....	-	-	-	-	1	1	5	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of urinary tract (C64-C68)

Florida

All races, both sexes.....	59	104	140	183	269	338	316	200	124	30	2	-
Male.....	48	77	105	128	186	227	207	121	74	15	1	-
Female.....	11	27	35	55	83	111	109	79	50	15	1	-
White, both sexes.....	49	101	124	168	255	321	299	188	117	27	2	-
Male.....	44	75	96	120	177	215	196	115	70	15	1	-
Female.....	5	26	28	48	78	106	103	73	47	12	1	-
Black, both sexes.....	8	3	16	11	13	17	17	11	6	3	-	-
Male.....	3	2	9	5	9	12	11	5	3	-	-	-
Female.....	5	1	7	6	4	5	6	6	3	3	-	-
American Indian 1/, both sexes.....	-	-	-	4	-	-	-	-	-	-	-	-
Male.....	-	-	-	3	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	1	1	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	31	48	45	81	88	89	90	68	20	2	1	-
Male.....	16	35	30	52	55	52	51	33	10	-	-	-
Female.....	15	13	15	29	33	37	39	35	10	2	1	-
White, both sexes.....	22	37	31	55	73	67	74	56	17	1	1	-
Male.....	14	28	24	38	46	41	42	29	8	-	-	-
Female.....	8	9	7	17	27	26	32	27	9	1	1	-
Black, both sexes.....	9	11	14	26	15	21	16	12	3	1	-	-
Male.....	2	7	6	14	9	11	9	4	2	-	-	-
Female.....	7	4	8	12	6	10	7	8	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of urinary tract (C64-C68)

Kentucky

All races, both sexes.....	31	30	39	42	49	73	51	33	21	2	-	-
Male.....	23	18	23	28	32	39	36	20	10	2	-	-
Female.....	8	12	16	14	17	34	15	13	11	-	-	-
White, both sexes.....	29	27	36	39	45	70	50	33	20	2	-	-
Male.....	23	15	22	25	31	38	36	20	10	2	-	-
Female.....	6	12	14	14	14	32	14	13	10	-	-	-
Black, both sexes.....	2	3	3	2	4	3	1	-	1	-	-	-
Male.....	-	3	1	2	1	1	-	-	-	-	-	-
Female.....	2	-	2	-	3	2	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	20	31	30	31	50	56	53	36	23	3	1	-
Male.....	17	20	18	24	37	35	26	17	14	1	-	-
Female.....	3	11	12	7	13	21	27	19	9	2	1	-
White, both sexes.....	16	25	22	25	40	46	47	29	16	-	1	-
Male.....	14	18	11	19	33	30	21	13	10	-	-	-
Female.....	2	7	11	6	7	16	26	16	6	-	1	-
Black, both sexes.....	4	6	8	6	8	9	6	6	7	3	-	-
Male.....	3	2	7	5	3	4	5	4	4	1	-	-
Female.....	1	4	1	1	5	5	1	2	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of urinary tract (C64-C68)

Maine

All races, both sexes.....	10	10	17	18	28	31	28	15	6	4	-	-
Male.....	8	8	11	10	20	21	14	10	3	2	-	-
Female.....	2	2	6	8	8	10	14	5	3	2	-	-
White, both sexes.....	10	10	17	18	27	31	28	15	6	4	-	-
Male.....	8	8	11	10	20	21	14	10	3	2	-	-
Female.....	2	2	6	8	7	10	14	5	3	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	26	33	41	53	60	77	60	47	23	7	-	-
Male.....	17	26	27	35	36	54	39	26	10	3	-	-
Female.....	9	7	14	18	24	23	21	21	13	4	-	-
White, both sexes.....	17	23	30	40	47	56	49	39	20	6	-	-
Male.....	10	21	19	29	32	39	34	23	9	3	-	-
Female.....	7	2	11	11	15	17	15	16	11	3	-	-
Black, both sexes.....	9	10	11	13	12	21	10	8	3	1	-	-
Male.....	7	5	8	6	4	15	4	3	1	-	-	-
Female.....	2	5	3	7	8	6	6	5	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of urinary tract (C64-C68)

Massachusetts

All races, both sexes.....	16	41	40	61	93	119	99	76	39	9	3	-
Male.....	13	33	28	41	62	68	53	39	20	4	-	-
Female.....	3	8	12	20	31	51	46	37	19	5	3	-
White, both sexes.....	16	39	38	60	90	114	95	75	38	9	3	-
Male.....	13	31	26	40	59	66	50	38	20	4	-	-
Female.....	3	8	12	20	31	48	45	37	18	5	3	-
Black, both sexes.....	-	2	-	-	2	5	2	1	1	-	-	-
Male.....	-	2	-	-	2	2	1	1	-	-	-	-
Female.....	-	-	-	-	-	3	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	1	-	1	-	-	-	-	-
Male.....	-	-	2	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	47	70	67	94	143	152	133	91	49	9	2	-
Male.....	33	55	51	63	91	109	70	53	25	4	1	-
Female.....	14	15	16	31	52	43	63	38	24	5	1	-
White, both sexes.....	37	58	61	83	128	133	118	81	45	8	1	-
Male.....	25	48	47	56	83	94	63	47	24	3	1	-
Female.....	12	10	14	27	45	39	55	34	21	5	-	-
Black, both sexes.....	7	12	4	10	12	18	14	9	4	1	1	-
Male.....	6	7	2	6	6	14	7	5	1	1	-	-
Female.....	1	5	2	4	6	4	7	4	3	-	1	-
American Indian 1/, both sexes.....	3	-	-	-	1	1	1	-	-	-	-	-
Male.....	2	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	2	-	-	1	-	-	-	-
Male.....	-	-	2	1	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of urinary tract (C64-C68)

New Hampshire

All races, both sexes.....	4	4	9	16	16	18	18	15	7	1	-	-
Male.....	3	3	8	10	11	12	7	11	3	1	-	-
Female.....	1	1	1	6	5	6	11	4	4	-	-	-
White, both sexes.....	4	4	9	16	16	17	18	15	7	1	-	-
Male.....	3	3	8	10	11	11	7	11	3	1	-	-
Female.....	1	1	1	6	5	6	11	4	4	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	41	45	63	95	131	146	140	116	50	9	-	-
Male.....	29	30	49	66	78	90	93	72	25	5	-	-
Female.....	12	15	14	29	53	56	47	44	25	4	-	-
White, both sexes.....	35	37	58	85	111	134	135	109	48	8	-	-
Male.....	25	25	44	58	69	85	90	70	24	5	-	-
Female.....	10	12	14	27	42	49	45	39	24	3	-	-
Black, both sexes.....	5	7	5	9	19	11	5	6	2	1	-	-
Male.....	3	4	5	7	8	4	3	2	1	-	-	-
Female.....	2	3	-	2	11	7	2	4	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	1	1	-	1	-	-	-	-
Male.....	1	1	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of urinary tract (C64-C68)

New Mexico

All races, both sexes.....	8	11	17	23	21	25	17	16	4	1	-	-
Male.....	4	8	11	17	15	17	9	11	3	1	-	-
Female.....	4	3	6	6	6	8	8	5	1	-	-	-
White, both sexes.....	8	10	17	20	16	23	16	15	4	1	-	-
Male.....	4	8	11	14	11	17	8	11	3	1	-	-
Female.....	4	2	6	6	5	6	8	4	1	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	3	4	2	1	1	-	-	-	-
Male.....	-	-	-	3	3	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	64	98	103	182	234	279	265	194	105	31	4	1
Male.....	45	65	78	132	145	183	142	123	61	11	3	1
Female.....	19	33	25	50	89	96	123	71	44	20	1	-
White, both sexes.....	52	84	89	164	213	257	247	181	101	29	3	1
Male.....	38	55	69	120	136	168	134	116	60	11	3	1
Female.....	14	29	20	44	77	89	113	65	41	18	-	-
Black, both sexes.....	8	13	10	17	18	15	17	9	2	2	1	-
Male.....	4	9	7	11	6	10	7	4	1	-	-	-
Female.....	4	4	3	6	12	5	10	5	1	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	4	1	2	7	1	4	2	-	-	-
Male.....	3	1	2	1	2	5	1	3	-	-	-	-
Female.....	1	-	2	-	-	2	-	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of kidney and renal pelvis (C64-C65)

New Mexico

All races, both sexes.....	87	1	-	1	-	-	1	-	-	-	-	6
Male.....	56	-	-	1	-	-	-	-	-	-	-	4
Female.....	31	1	-	-	-	-	1	-	-	-	-	2
White, both sexes.....	75	1	-	1	-	-	1	-	-	-	-	5
Male.....	49	-	-	1	-	-	-	-	-	-	-	4
Female.....	26	1	-	-	-	-	1	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	1
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	685	-	-	1	-	2	2	-	3	4	12	26
Male.....	414	-	-	-	-	1	1	-	2	3	7	16
Female.....	271	-	-	1	-	1	1	-	1	1	5	10
White, both sexes.....	617	-	-	-	-	1	-	-	2	3	11	20
Male.....	369	-	-	-	-	-	-	-	2	2	6	11
Female.....	248	-	-	-	-	1	-	-	-	1	5	9
Black, both sexes.....	54	-	-	1	-	1	1	-	1	1	1	4
Male.....	36	-	-	-	-	1	1	-	-	1	1	3
Female.....	18	-	-	1	-	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	1	-	-	-	-	1
Male.....	7	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of kidney and renal pelvis (C64-C65)

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alaska												
All races, both sexes.....	1	2	1	1	3	3	1	-	-	-	-	-
Male.....	1	2	1	1	3	3	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	2	-	-	1	3	1	-	-	-	-	-
Male.....	1	2	-	-	1	3	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	2	-	-	-	-	-	-	-
Male.....	-	-	1	1	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	11	24	25	30	39	32	33	18	7	1	-	-
Male.....	7	17	17	21	27	22	19	10	5	-	-	-
Female.....	4	7	8	9	12	10	14	8	2	1	-	-
White, both sexes.....	11	21	21	29	34	32	31	17	7	-	-	-
Male.....	7	15	15	20	23	22	17	9	5	-	-	-
Female.....	4	6	6	9	11	10	14	8	2	-	-	-
Black, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	3	3	-	4	-	2	1	-	1	-	-
Male.....	-	2	2	-	4	-	2	1	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of kidney and renal pelvis (C64-C65)

Arkansas

All races, both sexes.....	15	9	5	22	16	22	18	10	1	2	-	-
Male.....	12	8	4	14	10	14	12	5	-	-	-	-
Female.....	3	1	1	8	6	8	6	5	1	2	-	-
White, both sexes.....	13	9	2	20	15	21	18	10	1	2	-	-
Male.....	11	8	1	13	9	14	12	5	-	-	-	-
Female.....	2	1	1	7	6	7	6	5	1	2	-	-
Black, both sexes.....	2	-	3	2	1	1	-	-	-	-	-	-
Male.....	1	-	3	1	1	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	87	103	100	137	116	170	156	99	41	8	-	-
Male.....	67	70	67	94	73	109	74	49	19	5	-	-
Female.....	20	33	33	43	43	61	82	50	22	3	-	-
White, both sexes.....	74	88	91	122	106	153	141	88	37	7	-	-
Male.....	60	65	59	83	67	98	65	42	18	4	-	-
Female.....	14	23	32	39	39	55	76	46	19	3	-	-
Black, both sexes.....	5	8	6	8	3	6	8	9	2	-	-	-
Male.....	3	4	5	5	1	4	4	6	1	-	-	-
Female.....	2	4	1	3	2	2	4	3	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	6	3	7	7	11	6	2	2	1	-	-
Male.....	4	-	3	6	5	7	4	1	-	1	-	-
Female.....	4	6	-	1	2	4	2	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of kidney and renal pelvis (C64-C65)

Maine

All races, both sexes.....	7	7	9	11	11	13	15	9	2	2	-	-
Male.....	5	5	6	7	8	8	7	6	1	1	-	-
Female.....	2	2	3	4	3	5	8	3	1	1	-	-
White, both sexes.....	7	7	9	11	10	13	15	9	2	2	-	-
Male.....	5	5	6	7	8	8	7	6	1	1	-	-
Female.....	2	2	3	4	2	5	8	3	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	17	19	28	27	28	29	13	20	11	-	-	-
Male.....	12	14	18	20	17	20	6	8	4	-	-	-
Female.....	5	5	10	7	11	9	7	12	7	-	-	-
White, both sexes.....	10	12	21	21	21	20	12	18	10	-	-	-
Male.....	7	11	14	16	14	13	6	7	4	-	-	-
Female.....	3	1	7	5	7	7	6	11	6	-	-	-
Black, both sexes.....	7	7	7	6	6	9	1	2	1	-	-	-
Male.....	5	3	4	4	3	7	-	1	-	-	-	-
Female.....	2	4	3	2	3	2	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of kidney and renal pelvis (C64-C65)

New Mexico

All races, both sexes.....	7	8	13	11	15	13	7	3	1	-	-	-
Male.....	3	5	8	7	11	10	5	2	-	-	-	-
Female.....	4	3	5	4	4	3	2	1	1	-	-	-
White, both sexes.....	7	7	13	8	11	11	6	3	1	-	-	-
Male.....	3	5	8	4	8	10	4	2	-	-	-	-
Female.....	4	2	5	4	3	1	2	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	3	4	2	1	-	-	-	-	-
Male.....	-	-	-	3	3	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	37	48	51	98	102	108	100	55	27	8	1	-
Male.....	31	32	39	67	61	63	47	27	14	2	1	-
Female.....	6	16	12	31	41	45	53	28	13	6	-	-
White, both sexes.....	30	43	43	89	92	100	94	53	27	8	1	-
Male.....	26	27	33	61	55	59	44	26	14	2	1	-
Female.....	4	16	10	28	37	41	50	27	13	6	-	-
Black, both sexes.....	4	5	6	9	7	7	5	1	-	-	-	-
Male.....	2	5	6	6	3	4	2	1	-	-	-	-
Female.....	2	-	-	3	4	3	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	2	-	2	1	1	1	-	-	-	-
Male.....	3	-	-	-	2	-	1	-	-	-	-	-
Female.....	-	-	2	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of bladder (C67)

Arkansas

All races, both sexes.....	2	4	9	8	23	23	25	15	19	1	-	-
Male.....	2	3	9	7	16	16	17	8	12	1	-	-
Female.....	-	1	-	1	7	7	8	7	7	-	-	-
White, both sexes.....	2	4	9	8	20	20	21	13	15	1	-	-
Male.....	2	3	9	7	14	15	15	7	10	1	-	-
Female.....	-	1	-	1	6	5	6	6	5	-	-	-
Black, both sexes.....	-	-	-	-	3	3	4	2	3	-	-	-
Male.....	-	-	-	-	2	1	2	1	1	-	-	-
Female.....	-	-	-	-	1	2	2	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	25	64	73	108	180	230	255	203	76	29	6	-
Male.....	21	51	52	81	130	167	171	120	37	16	1	-
Female.....	4	13	21	27	50	63	84	83	39	13	5	-
White, both sexes.....	23	57	68	93	165	201	228	188	73	27	6	-
Male.....	20	48	51	73	120	144	154	112	35	14	1	-
Female.....	3	9	17	20	45	57	74	76	38	13	5	-
Black, both sexes.....	-	4	5	7	6	14	15	8	2	-	-	-
Male.....	-	1	1	2	4	10	10	4	1	-	-	-
Female.....	-	3	4	5	2	4	5	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	-	7	9	15	12	7	1	2	-	-
Male.....	1	2	-	5	6	13	7	4	1	2	-	-
Female.....	1	1	-	2	3	2	5	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of bladder (C67)

Delaware

All races, both sexes.....	1	4	1	5	12	8	8	5	3	1	-	-
Male.....	1	3	-	5	6	8	7	2	1	-	-	-
Female.....	-	1	1	-	6	-	1	3	2	1	-	-
White, both sexes.....	1	2	1	5	10	8	8	5	3	1	-	-
Male.....	1	2	-	5	5	8	7	2	1	-	-	-
Female.....	-	-	1	-	5	-	1	3	2	1	-	-
Black, both sexes.....	-	2	-	-	2	-	-	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	1	-	2	1	5	5	7	5	3	-	-	-
Male.....	1	-	2	1	3	4	3	1	-	-	-	-
Female.....	-	-	-	-	2	1	4	4	3	-	-	-
White, both sexes.....	-	-	-	-	1	2	1	2	-	-	-	-
Male.....	-	-	-	-	-	2	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	2	-	-	-	-
Black, both sexes.....	1	-	2	1	4	3	6	3	2	-	-	-
Male.....	1	-	2	1	3	2	2	1	-	-	-	-
Female.....	-	-	-	-	1	1	4	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of bladder (C67)

Florida

All races, both sexes.....	14	48	61	88	138	202	200	133	88	23	2	-
Male.....	10	38	47	65	97	137	144	84	55	12	1	-
Female.....	4	10	14	23	41	65	56	49	33	11	1	-
White, both sexes.....	12	47	57	81	130	190	190	126	81	20	2	-
Male.....	10	37	46	61	91	128	137	81	51	12	1	-
Female.....	2	10	11	20	39	62	53	45	30	8	1	-
Black, both sexes.....	1	1	4	5	7	12	10	7	6	3	-	-
Male.....	-	1	1	2	6	9	7	3	3	-	-	-
Female.....	1	-	3	3	1	3	3	4	3	3	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	11	14	13	29	40	46	49	49	12	2	-	-
Male.....	7	11	6	19	26	27	29	24	7	-	-	-
Female.....	4	3	7	10	14	19	20	25	5	2	-	-
White, both sexes.....	7	11	8	18	32	35	41	42	9	1	-	-
Male.....	7	10	4	13	23	22	25	21	5	-	-	-
Female.....	-	1	4	5	9	13	16	21	4	1	-	-
Black, both sexes.....	4	3	5	11	8	10	8	7	3	1	-	-
Male.....	-	1	2	6	3	5	4	3	2	-	-	-
Female.....	4	2	3	5	5	5	4	4	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of bladder (C67)

Kentucky

All races, both sexes.....	14	9	20	16	22	36	31	16	15	2	-	-
Male.....	11	6	14	11	15	22	21	9	9	2	-	-
Female.....	3	3	6	5	7	14	10	7	6	-	-	-
White, both sexes.....	14	7	18	14	21	34	30	16	14	2	-	-
Male.....	11	4	14	9	15	21	21	9	9	2	-	-
Female.....	3	3	4	5	6	13	9	7	5	-	-	-
Black, both sexes.....	-	2	2	1	1	2	1	-	1	-	-	-
Male.....	-	2	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	2	-	1	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	1	7	7	8	21	28	26	20	18	3	1	-
Male.....	1	5	4	7	14	19	16	12	12	1	-	-
Female.....	-	2	3	1	7	9	10	8	6	2	1	-
White, both sexes.....	1	6	6	8	14	24	23	15	13	-	1	-
Male.....	1	5	3	7	11	18	14	9	9	-	-	-
Female.....	-	1	3	1	3	6	9	6	4	-	1	-
Black, both sexes.....	-	1	1	-	5	4	3	4	5	3	-	-
Male.....	-	-	1	-	2	1	2	3	3	1	-	-
Female.....	-	1	-	-	3	3	1	1	2	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of bladder (C67)

Massachusetts

All races, both sexes.....	5	18	23	31	52	62	73	58	23	7	3	-
Male.....	3	15	16	18	39	36	40	32	11	3	-	-
Female.....	2	3	7	13	13	26	33	26	12	4	3	-
White, both sexes.....	5	17	21	31	49	59	70	57	22	7	3	-
Male.....	3	14	14	18	36	34	37	31	11	3	-	-
Female.....	2	3	7	13	13	25	33	26	11	4	3	-
Black, both sexes.....	-	1	-	-	2	3	1	1	1	-	-	-
Male.....	-	1	-	-	2	2	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	-	1	-	-	-	-	-
Male.....	-	-	2	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	15	20	21	46	67	94	79	60	31	6	2	-
Male.....	12	17	18	35	43	70	44	43	14	3	1	-
Female.....	3	3	3	11	24	24	35	17	17	3	1	-
White, both sexes.....	14	17	21	40	59	85	70	51	27	6	1	-
Male.....	11	17	18	31	40	64	42	37	13	3	1	-
Female.....	3	-	3	9	19	21	28	14	14	3	-	-
Black, both sexes.....	-	3	-	6	7	9	9	8	4	-	1	-
Male.....	-	-	-	4	3	6	2	5	1	-	-	-
Female.....	-	3	-	2	4	3	7	3	3	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of bladder (C67)

New Hampshire

All races, both sexes.....	2	2	4	9	12	8	10	9	6	1	-	-
Male.....	2	2	4	7	7	8	5	7	3	1	-	-
Female.....	-	-	-	2	5	-	5	2	3	-	-	-
White, both sexes.....	2	2	4	9	12	7	10	9	6	1	-	-
Male.....	2	2	4	7	7	7	5	7	3	1	-	-
Female.....	-	-	-	2	5	-	5	2	3	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	10	14	27	39	64	80	89	76	34	5	-	-
Male.....	7	5	21	30	43	53	59	45	18	3	-	-
Female.....	3	9	6	9	21	27	30	31	16	2	-	-
White, both sexes.....	9	13	24	36	53	75	88	70	32	5	-	-
Male.....	6	5	18	28	39	51	59	44	17	3	-	-
Female.....	3	8	6	8	14	24	29	26	15	2	-	-
Black, both sexes.....	1	1	3	3	11	5	1	5	2	-	-	-
Male.....	1	-	3	2	4	2	-	1	1	-	-	-
Female.....	-	1	-	1	7	3	1	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of bladder (C67)

New Mexico

All races, both sexes.....	1	3	4	11	6	12	10	13	3	-	-	-
Male.....	1	3	3	9	4	7	4	9	3	-	-	-
Female.....	-	-	1	2	2	5	6	4	-	-	-	-
White, both sexes.....	1	3	4	11	5	12	10	12	3	-	-	-
Male.....	1	3	3	9	3	7	4	9	3	-	-	-
Female.....	-	-	1	2	2	5	6	3	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	25	48	49	82	127	162	159	133	76	22	3	1
Male.....	12	32	37	64	80	113	92	91	45	8	2	1
Female.....	13	16	12	18	47	49	67	42	31	14	1	-
White, both sexes.....	20	40	44	73	116	148	147	122	72	20	2	1
Male.....	10	27	34	58	77	102	87	85	44	8	2	1
Female.....	10	13	10	15	39	46	60	37	28	12	-	-
Black, both sexes.....	4	7	3	8	11	8	12	8	2	2	1	-
Male.....	2	4	1	5	3	6	5	3	1	-	-	-
Female.....	2	3	2	3	8	2	7	5	1	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	1	-	6	-	3	2	-	-	-
Male.....	-	1	2	1	-	5	-	3	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other and unspecified sites within the urinary tract (C66,C68)

Arkansas

All races, both sexes.....	-	-	1	-	1	2	4	1	1	-	-	-
Male.....	-	-	1	-	1	1	4	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
White, both sexes.....	-	-	1	-	1	2	4	1	1	-	-	-
Male.....	-	-	1	-	1	1	4	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2	5	4	6	6	13	9	14	4	-	-	-
Male.....	2	2	4	3	4	6	4	7	1	-	-	-
Female.....	-	3	-	3	2	7	5	7	3	-	-	-
White, both sexes.....	2	2	3	6	6	11	9	12	4	-	-	-
Male.....	2	2	3	3	4	5	4	6	1	-	-	-
Female.....	-	-	-	3	2	6	5	6	3	-	-	-
Black, both sexes.....	-	2	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	1	-	2	-	-	-	-
Male.....	-	-	1	-	-	1	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Malignant neoplasm of eye and adnexa (C69)

Iowa

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Iowa (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Kansas

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Kansas (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasm of eye and adnexa (C69)

New Mexico

All races, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1	-	-	1	-	1	2	1	2	1	-	-
Male.....	1	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	2	1	-	-
White, both sexes.....	1	-	-	1	-	1	2	1	2	-	-	-
Male.....	1	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

Arkansas

All races, both sexes.....	154	-	-	3	3	2	1	4	2	4	5	12
Male.....	77	-	-	3	1	2	-	1	2	3	3	7
Female.....	77	-	-	-	2	-	1	3	-	1	2	5
White, both sexes.....	145	-	-	1	3	2	-	3	2	4	5	11
Male.....	74	-	-	1	1	2	-	1	2	3	3	6
Female.....	71	-	-	-	2	-	-	2	-	1	2	5
Black, both sexes.....	9	-	-	2	-	-	1	1	-	-	-	1
Male.....	3	-	-	2	-	-	-	-	-	-	-	1
Female.....	6	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,409	6	17	25	28	11	13	16	27	38	73	96
Male.....	803	4	10	13	17	8	9	6	15	21	44	60
Female.....	606	2	7	12	11	3	4	10	12	17	29	36
White, both sexes.....	1,273	4	15	22	21	9	12	11	24	35	65	86
Male.....	720	2	9	11	12	7	9	4	14	19	40	52
Female.....	553	2	6	11	9	2	3	7	10	16	25	34
Black, both sexes.....	49	1	-	1	2	2	1	1	-	2	1	3
Male.....	27	1	-	1	-	1	-	-	-	1	-	2
Female.....	22	-	-	-	2	1	1	1	-	1	1	1
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	82	1	2	2	5	-	-	4	2	1	7	6
Male.....	52	1	1	1	5	-	-	2	1	1	4	5
Female.....	30	-	1	1	-	-	-	2	1	-	3	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

New Mexico

All races, both sexes.....	62	-	1	2	-	1	-	2	2	3	4	4
Male.....	40	-	-	1	-	1	-	2	1	2	1	2
Female.....	22	-	1	1	-	-	-	-	1	1	3	2
White, both sexes.....	60	-	-	1	-	1	-	2	2	3	4	4
Male.....	39	-	-	-	-	1	-	2	1	2	1	2
Female.....	21	-	-	1	-	-	-	-	1	1	3	2
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	761	-	7	7	6	8	4	3	17	29	35	48
Male.....	417	-	3	4	5	5	2	2	9	20	23	26
Female.....	344	-	4	3	1	3	2	1	8	9	12	22
White, both sexes.....	677	-	4	4	4	6	2	3	13	24	31	43
Male.....	381	-	2	2	3	4	1	2	5	17	20	23
Female.....	296	-	2	2	1	2	1	1	8	7	11	20
Black, both sexes.....	63	-	3	3	1	1	2	-	4	3	4	3
Male.....	27	-	1	2	1	1	1	-	4	2	3	2
Female.....	36	-	2	1	-	-	1	-	-	1	1	1
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	1	-	-	-	2	-	2
Male.....	8	-	-	-	-	-	-	-	-	1	-	1
Female.....	12	-	-	-	-	1	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

Arkansas

All races, both sexes.....	12	13	10	17	24	19	9	9	4	1	-	-
Male.....	7	6	4	9	9	13	5	1	-	1	-	-
Female.....	5	7	6	8	15	6	4	8	4	-	-	-
White, both sexes.....	12	13	10	17	23	18	9	8	3	1	-	-
Male.....	7	6	4	9	9	13	5	1	-	1	-	-
Female.....	5	7	6	8	14	5	4	7	3	-	-	-
Black, both sexes.....	-	-	-	-	1	1	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	125	148	131	119	174	167	94	72	29	-	-	-
Male.....	75	95	73	68	100	93	46	33	13	-	-	-
Female.....	50	53	58	51	74	74	48	39	16	-	-	-
White, both sexes.....	109	135	119	111	162	154	87	64	28	-	-	-
Male.....	67	86	64	63	91	86	41	31	12	-	-	-
Female.....	42	49	55	48	71	68	46	33	16	-	-	-
Black, both sexes.....	6	4	5	1	5	8	2	4	-	-	-	-
Male.....	3	3	5	-	3	4	2	1	-	-	-	-
Female.....	3	1	-	1	2	4	-	3	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	2	-	-	-	-	-	-	-
Male.....	1	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	9	7	7	5	5	5	4	1	-	-	-
Male.....	4	6	4	5	4	3	3	1	1	-	-	-
Female.....	5	3	3	2	1	2	2	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

New Hampshire

All races, both sexes.....	6	8	4	13	5	7	6	-	1	1	-	-
Male.....	4	8	1	8	5	4	1	-	1	-	-	-
Female.....	2	-	3	5	-	3	5	-	-	1	-	-
White, both sexes.....	6	8	4	13	5	7	6	-	1	1	-	-
Male.....	4	8	1	8	5	4	1	-	1	-	-	-
Female.....	2	-	3	5	-	3	5	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	28	28	37	26	47	40	20	16	4	1	-	-
Male.....	15	18	19	18	23	20	11	6	-	-	-	-
Female.....	13	10	18	8	24	20	9	10	4	1	-	-
White, both sexes.....	25	23	32	24	43	39	20	16	4	1	-	-
Male.....	14	13	16	17	22	20	11	6	-	-	-	-
Female.....	11	10	16	7	21	19	9	10	4	1	-	-
Black, both sexes.....	2	3	3	2	3	1	-	-	-	-	-	-
Male.....	-	3	2	1	1	-	-	-	-	-	-	-
Female.....	2	-	1	1	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	-	1	-	-	-	-	-	-	-
Male.....	1	2	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

New Mexico

All races, both sexes.....	4	7	10	6	5	4	3	3	-	1	-	-
Male.....	2	7	6	5	4	3	2	1	-	-	-	-
Female.....	2	-	4	1	1	1	1	2	-	1	-	-
White, both sexes.....	4	7	10	6	5	4	3	3	-	1	-	-
Male.....	2	7	6	5	4	3	2	1	-	-	-	-
Female.....	2	-	4	1	1	1	1	2	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	76	73	81	90	98	85	52	34	8	-	-	-
Male.....	42	40	42	47	62	43	25	15	2	-	-	-
Female.....	34	33	39	43	36	42	27	19	6	-	-	-
White, both sexes.....	70	65	72	74	93	81	47	33	8	-	-	-
Male.....	42	38	37	43	61	41	24	14	2	-	-	-
Female.....	28	27	35	31	32	40	23	19	6	-	-	-
Black, both sexes.....	6	6	5	13	4	3	2	-	-	-	-	-
Male.....	-	1	3	3	1	2	-	-	-	-	-	-
Female.....	6	5	2	10	3	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	4	3	1	1	3	1	-	-	-	-
Male.....	-	1	2	1	-	-	1	1	-	-	-	-
Female.....	-	1	2	2	1	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of brain (C71)												
Arkansas												
All races, both sexes.....	153	-	-	3	3	2	1	4	2	4	5	11
Male.....	76	-	-	3	1	2	-	1	2	3	3	6
Female.....	77	-	-	-	2	-	1	3	-	1	2	5
White, both sexes.....	145	-	-	1	3	2	-	3	2	4	5	11
Male.....	74	-	-	1	1	2	-	1	2	3	3	6
Female.....	71	-	-	-	2	-	-	2	-	1	2	5
Black, both sexes.....	8	-	-	2	-	-	1	1	-	-	-	-
Male.....	2	-	-	2	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,375	6	17	25	26	10	13	16	27	38	72	93
Male.....	782	4	10	13	15	8	9	6	15	21	43	58
Female.....	593	2	7	12	11	2	4	10	12	17	29	35
White, both sexes.....	1,243	4	15	22	20	9	12	11	24	35	64	83
Male.....	702	2	9	11	11	7	9	4	14	19	39	50
Female.....	541	2	6	11	9	2	3	7	10	16	25	33
Black, both sexes.....	47	1	-	1	2	1	1	1	-	2	1	3
Male.....	26	1	-	1	-	1	-	-	-	1	-	2
Female.....	21	-	-	-	2	-	1	1	-	1	1	1
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	80	1	2	2	4	-	-	4	2	1	7	6
Male.....	50	1	1	1	4	-	-	2	1	1	4	5
Female.....	30	-	1	1	-	-	-	2	1	-	3	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of brain (C71)

New Mexico

All races, both sexes.....	62	-	1	2	-	1	-	2	2	3	4	4
Male.....	40	-	-	1	-	1	-	2	1	2	1	2
Female.....	22	-	1	1	-	-	-	-	1	1	3	2
White, both sexes.....	60	-	-	1	-	1	-	2	2	3	4	4
Male.....	39	-	-	-	-	1	-	2	1	2	1	2
Female.....	21	-	-	1	-	-	-	-	1	1	3	2
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	736	-	5	7	6	8	4	3	17	28	34	48
Male.....	402	-	3	4	5	5	2	2	9	19	22	26
Female.....	334	-	2	3	1	3	2	1	8	9	12	22
White, both sexes.....	655	-	3	4	4	6	2	3	13	23	30	43
Male.....	367	-	2	2	3	4	1	2	5	16	19	23
Female.....	288	-	1	2	1	2	1	1	8	7	11	20
Black, both sexes.....	61	-	2	3	1	1	2	-	4	3	4	3
Male.....	27	-	1	2	1	1	1	-	4	2	3	2
Female.....	34	-	1	1	-	-	1	-	-	1	1	1
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	-	-	-	1	-	-	-	2	-	2
Male.....	7	-	-	-	-	-	-	-	-	1	-	1
Female.....	12	-	-	-	-	1	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of brain (C71)

Arkansas

All races, both sexes.....	12	13	10	17	24	19	9	9	4	1	-	-
Male.....	7	6	4	9	9	13	5	1	-	1	-	-
Female.....	5	7	6	8	15	6	4	8	4	-	-	-
White, both sexes.....	12	13	10	17	23	18	9	8	3	1	-	-
Male.....	7	6	4	9	9	13	5	1	-	1	-	-
Female.....	5	7	6	8	14	5	4	7	3	-	-	-
Black, both sexes.....	-	-	-	-	1	1	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	121	147	128	116	167	164	90	71	28	-	-	-
Male.....	71	94	72	67	96	92	43	33	12	-	-	-
Female.....	50	53	56	49	71	72	47	38	16	-	-	-
White, both sexes.....	105	134	116	108	157	151	83	63	27	-	-	-
Male.....	63	85	63	62	89	85	38	31	11	-	-	-
Female.....	42	49	53	46	68	66	45	32	16	-	-	-
Black, both sexes.....	6	4	5	1	4	8	2	4	-	-	-	-
Male.....	3	3	5	-	2	4	2	1	-	-	-	-
Female.....	3	1	-	1	2	4	-	3	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	2	-	-	-	-	-	-	-
Male.....	1	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	9	7	7	4	5	5	4	1	-	-	-
Male.....	4	6	4	5	3	3	3	1	1	-	-	-
Female.....	5	3	3	2	1	2	2	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of brain (C71)

New Hampshire

All races, both sexes.....	6	7	4	12	5	6	6	-	1	1	-	-
Male.....	4	7	1	7	5	4	1	-	1	-	-	-
Female.....	2	-	3	5	-	2	5	-	-	1	-	-
White, both sexes.....	6	7	4	12	5	6	6	-	1	1	-	-
Male.....	4	7	1	7	5	4	1	-	1	-	-	-
Female.....	2	-	3	5	-	2	5	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	28	28	37	26	46	40	20	16	4	1	-	-
Male.....	15	18	19	18	22	20	11	6	-	-	-	-
Female.....	13	10	18	8	24	20	9	10	4	1	-	-
White, both sexes.....	25	23	32	24	43	39	20	16	4	1	-	-
Male.....	14	13	16	17	22	20	11	6	-	-	-	-
Female.....	11	10	16	7	21	19	9	10	4	1	-	-
Black, both sexes.....	2	3	3	2	2	1	-	-	-	-	-	-
Male.....	-	3	2	1	-	-	-	-	-	-	-	-
Female.....	2	-	1	1	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	-	1	-	-	-	-	-	-	-
Male.....	1	2	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of brain (C71)

New Mexico

All races, both sexes.....	4	7	10	6	5	4	3	3	-	1	-	-
Male.....	2	7	6	5	4	3	2	1	-	-	-	-
Female.....	2	-	4	1	1	1	1	2	-	1	-	-
White, both sexes.....	4	7	10	6	5	4	3	3	-	1	-	-
Male.....	2	7	6	5	4	3	2	1	-	-	-	-
Female.....	2	-	4	1	1	1	1	2	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	76	72	77	84	96	81	49	33	8	-	-	-
Male.....	42	39	40	44	61	40	22	15	2	-	-	-
Female.....	34	33	37	40	35	41	27	18	6	-	-	-
White, both sexes.....	70	64	69	69	91	77	44	32	8	-	-	-
Male.....	42	37	36	40	60	38	21	14	2	-	-	-
Female.....	28	27	33	29	31	39	23	18	6	-	-	-
Black, both sexes.....	6	6	5	12	4	3	2	-	-	-	-	-
Male.....	-	1	3	3	1	2	-	-	-	-	-	-
Female.....	6	5	2	9	3	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	3	3	1	1	3	1	-	-	-	-
Male.....	-	1	1	1	-	-	1	1	-	-	-	-
Female.....	-	1	2	2	1	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of thyroid and other endocrine glands (C73-C75)

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Oregon												
All races, both sexes.....	33	-	-	1	1	1	-	-	-	-	2	2
Male.....	18	-	-	1	1	1	-	-	-	-	2	1
Female.....	15	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	31	-	-	1	1	1	-	-	-	-	2	2
Male.....	18	-	-	1	1	1	-	-	-	-	2	1
Female.....	13	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	94	-	3	3	3	-	1	-	2	4	1	3
Male.....	34	-	2	1	1	-	-	-	2	3	-	1
Female.....	60	-	1	2	2	-	1	-	-	1	1	2
White, both sexes.....	82	-	2	3	2	-	-	-	2	2	1	2
Male.....	31	-	2	1	1	-	-	-	2	1	-	-
Female.....	51	-	-	2	1	-	-	-	-	1	1	2
Black, both sexes.....	9	-	1	-	-	-	1	-	-	1	-	1
Male.....	2	-	-	-	-	-	-	-	-	1	-	1
Female.....	7	-	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of thyroid and other endocrine glands (C73-C75)

Arkansas

All races, both sexes.....	-	3	4	-	4	3	3	-	1	-	-	-
Male.....	-	1	3	-	2	1	-	-	1	-	-	-
Female.....	-	2	1	-	2	2	3	-	-	-	-	-
White, both sexes.....	-	3	4	-	4	3	3	-	1	-	-	-
Male.....	-	1	3	-	2	1	-	-	1	-	-	-
Female.....	-	2	1	-	2	2	3	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	18	16	21	27	31	30	29	11	4	1	-	-
Male.....	11	7	10	10	11	12	13	1	-	-	-	-
Female.....	7	9	11	17	20	18	16	10	4	1	-	-
White, both sexes.....	17	11	19	21	20	27	25	9	4	1	-	-
Male.....	10	5	10	8	7	11	12	1	-	-	-	-
Female.....	7	6	9	13	13	16	13	8	4	1	-	-
Black, both sexes.....	-	4	1	2	1	-	4	-	-	-	-	-
Male.....	-	2	-	2	-	-	1	-	-	-	-	-
Female.....	-	2	1	-	1	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	4	10	3	-	2	-	-	-	-
Male.....	1	-	-	-	4	1	-	-	-	-	-	-
Female.....	-	1	1	4	6	2	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of thyroid and other endocrine glands (C73-C75)

Colorado

All races, both sexes.....	3	3	2	2	2	6	3	1	2	-	-	-
Male.....	1	1	1	1	2	5	-	-	-	-	-	-
Female.....	2	2	1	1	-	1	3	1	2	-	-	-
White, both sexes.....	1	3	2	2	2	6	3	1	2	-	-	-
Male.....	-	1	1	1	2	5	-	-	-	-	-	-
Female.....	1	2	1	1	-	1	3	1	2	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	1	4	1	5	4	3	5	2	1	-	-	-
Male.....	1	2	-	4	-	2	3	1	-	-	-	-
Female.....	-	2	1	1	4	1	2	1	1	-	-	-
White, both sexes.....	1	2	1	5	3	3	5	2	1	-	-	-
Male.....	1	1	-	4	-	2	3	1	-	-	-	-
Female.....	-	1	1	1	3	1	2	1	1	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of thyroid and other endocrine glands (C73-C75)

New Hampshire

All races, both sexes.....	-	2	1	-	1	2	1	-	-	-	-	-
Male.....	-	1	-	-	1	2	1	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	2	1	-	1	2	1	-	-	-	-	-
Male.....	-	1	-	-	1	2	1	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	2	5	3	4	5	9	4	3	1	-	-	-
Male.....	1	2	2	3	3	2	1	1	-	-	-	-
Female.....	1	3	1	1	2	7	3	2	1	-	-	-
White, both sexes.....	1	4	3	3	4	8	4	3	1	-	-	-
Male.....	1	1	2	2	3	2	1	1	-	-	-	-
Female.....	-	3	1	1	1	6	3	2	1	-	-	-
Black, both sexes.....	-	1	-	1	-	1	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of thyroid and other endocrine glands (C73-C75)

Oregon

All races, both sexes.....	1	4	3	4	6	2	5	1	-	-	-	-
Male.....	-	2	3	1	2	1	3	-	-	-	-	-
Female.....	1	2	-	3	4	1	2	1	-	-	-	-
White, both sexes.....	1	4	3	4	5	2	4	1	-	-	-	-
Male.....	-	2	3	1	2	1	3	-	-	-	-	-
Female.....	1	2	-	3	3	1	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Pennsylvania

All races, both sexes.....	4	9	2	4	12	14	13	9	5	2	-	-
Male.....	3	6	1	4	2	3	2	2	-	1	-	-
Female.....	1	3	1	-	10	11	11	7	5	1	-	-
White, both sexes.....	4	9	1	4	10	14	10	9	5	2	-	-
Male.....	3	6	1	4	2	3	2	2	-	1	-	-
Female.....	1	3	-	-	8	11	8	7	5	1	-	-
Black, both sexes.....	-	-	1	-	1	-	3	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Arkansas

All races, both sexes.....	400	-	-	-	2	-	-	-	2	1	6	11
Male.....	208	-	-	-	2	-	-	-	2	1	2	4
Female.....	192	-	-	-	-	-	-	-	-	-	4	7
White, both sexes.....	345	-	-	-	2	-	-	-	2	1	5	8
Male.....	185	-	-	-	2	-	-	-	2	1	1	2
Female.....	160	-	-	-	-	-	-	-	-	-	4	6
Black, both sexes.....	52	-	-	-	-	-	-	-	-	-	1	3
Male.....	22	-	-	-	-	-	-	-	-	-	1	2
Female.....	30	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3,670	3	4	1	-	10	9	6	23	28	72	108
Male.....	1,839	3	2	1	-	6	5	2	11	12	38	53
Female.....	1,831	-	2	-	-	4	4	4	12	16	34	55
White, both sexes.....	3,082	3	4	1	-	8	8	6	17	26	53	65
Male.....	1,543	3	2	1	-	5	4	2	9	11	25	34
Female.....	1,539	-	2	-	-	3	4	4	8	15	28	31
Black, both sexes.....	309	-	-	-	-	-	-	-	3	-	9	21
Male.....	161	-	-	-	-	-	-	-	-	-	6	12
Female.....	148	-	-	-	-	-	-	-	3	-	3	9
American Indian 1/, both sexes.....	19	-	-	-	-	-	-	-	-	-	1	2
Male.....	7	-	-	-	-	-	-	-	-	-	1	-
Female.....	12	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	260	-	-	-	-	2	1	-	3	2	9	20
Male.....	128	-	-	-	-	1	1	-	2	1	6	7
Female.....	132	-	-	-	-	1	-	-	1	1	3	13

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Kentucky

All races, both sexes.....	675	-	-	-	-	-	1	1	4	9	6	29
Male.....	385	-	-	-	-	-	-	-	2	6	5	16
Female.....	290	-	-	-	-	-	1	1	2	3	1	13
White, both sexes.....	624	-	-	-	-	-	1	1	4	7	6	26
Male.....	356	-	-	-	-	-	-	-	2	4	5	13
Female.....	268	-	-	-	-	-	1	1	2	3	1	13
Black, both sexes.....	50	-	-	-	-	-	-	-	-	2	-	3
Male.....	28	-	-	-	-	-	-	-	-	2	-	3
Female.....	22	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	756	-	-	-	1	1	3	1	4	11	21	30
Male.....	388	-	-	-	-	1	2	-	1	3	7	14
Female.....	368	-	-	-	1	-	1	1	3	8	14	16
White, both sexes.....	505	-	-	-	-	1	2	-	-	5	13	14
Male.....	264	-	-	-	-	1	1	-	-	2	3	7
Female.....	241	-	-	-	-	-	1	-	-	3	10	7
Black, both sexes.....	247	-	-	-	1	-	1	1	3	6	8	15
Male.....	123	-	-	-	-	-	1	-	1	1	4	6
Female.....	124	-	-	-	1	-	-	1	2	5	4	9
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Alaska

All races, both sexes.....	5	6	7	3	13	7	2	3	3	1	-	-
Male.....	3	4	3	2	5	3	-	1	1	1	-	-
Female.....	2	2	4	1	8	4	2	2	2	-	-	-
White, both sexes.....	3	5	4	3	10	3	1	2	2	1	-	-
Male.....	2	3	2	2	3	1	-	1	1	1	-	-
Female.....	1	2	2	1	7	2	1	1	1	-	-	-
Black, both sexes.....	1	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	2	-	3	3	-	1	1	-	-	-
Male.....	1	1	-	-	2	2	-	-	-	-	-	-
Female.....	-	-	2	-	1	1	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Arizona

All races, both sexes.....	43	51	56	64	99	101	88	63	32	11	2	-
Male.....	25	32	40	44	51	53	40	32	17	4	-	-
Female.....	18	19	16	20	48	48	48	31	15	7	2	-
White, both sexes.....	42	48	52	62	95	97	83	60	30	9	2	-
Male.....	24	30	37	44	50	51	37	31	16	3	-	-
Female.....	18	18	15	18	45	46	46	29	14	6	2	-
Black, both sexes.....	-	2	2	-	1	2	2	-	-	1	-	-
Male.....	-	2	2	-	-	2	-	-	-	1	-	-
Female.....	-	-	-	-	1	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	2	-	1	2	2	2	1	-	-
Male.....	1	-	-	-	-	-	2	-	1	-	-	-
Female.....	-	1	1	2	-	1	-	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	3	1	1	1	-	-	-	-
Male.....	-	-	1	-	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	2	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Arkansas

All races, both sexes.....	16	34	50	49	51	53	58	43	15	7	2	-
Male.....	10	20	25	30	32	30	20	22	6	2	-	-
Female.....	6	14	25	19	19	23	38	21	9	5	2	-
White, both sexes.....	13	30	46	42	44	47	48	37	12	6	2	-
Male.....	9	18	23	29	28	27	18	18	5	2	-	-
Female.....	4	12	23	13	16	20	30	19	7	4	2	-
Black, both sexes.....	2	4	4	7	7	5	9	6	3	1	-	-
Male.....	1	2	2	1	4	2	2	4	1	-	-	-
Female.....	1	2	2	6	3	3	7	2	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

California

All races, both sexes.....	200	253	356	379	486	612	534	362	178	42	4	-
Male.....	115	138	198	214	263	295	267	145	56	15	-	-
Female.....	85	115	158	165	223	317	267	217	122	27	4	-
White, both sexes.....	149	209	285	319	410	529	470	318	161	37	4	-
Male.....	88	108	161	184	223	253	241	127	50	12	-	-
Female.....	61	101	124	135	187	276	229	191	111	25	4	-
Black, both sexes.....	28	28	44	28	39	47	29	21	10	2	-	-
Male.....	15	19	23	18	23	22	12	7	3	1	-	-
Female.....	13	9	21	10	16	25	17	14	7	1	-	-
American Indian 1/, both sexes.....	2	1	3	1	3	2	1	2	1	-	-	-
Male.....	1	1	1	1	1	-	-	1	-	-	-	-
Female.....	1	-	2	-	2	2	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	15	24	31	34	34	34	21	6	3	-	-
Male.....	11	10	13	11	16	20	14	10	3	2	-	-
Female.....	10	5	11	20	18	14	20	11	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Florida

All races, both sexes.....	128	163	183	269	365	409	406	300	151	37	3	-
Male.....	91	87	106	150	208	221	225	126	64	9	1	-
Female.....	37	76	77	119	157	188	181	174	87	28	2	-
White, both sexes.....	109	138	159	244	326	383	380	285	144	33	2	-
Male.....	81	80	91	134	188	209	215	122	62	9	-	-
Female.....	28	58	68	110	138	174	165	163	82	24	2	-
Black, both sexes.....	18	23	22	23	39	26	25	14	7	4	1	-
Male.....	10	7	15	15	20	12	10	3	2	-	1	-
Female.....	8	16	7	8	19	14	15	11	5	4	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	2	-	-	1	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	1	1	1	1	-	-	1	-	-	-	-	-

Georgia

All races, both sexes.....	69	110	146	139	137	175	149	87	38	11	1	-
Male.....	41	69	84	83	77	94	64	23	18	2	-	-
Female.....	28	41	62	56	60	81	85	64	20	9	1	-
White, both sexes.....	48	72	99	91	98	127	127	65	28	8	1	-
Male.....	27	46	58	59	58	68	56	17	12	2	-	-
Female.....	21	26	41	32	40	59	71	48	16	6	1	-
Black, both sexes.....	19	37	47	47	38	46	22	22	10	3	-	-
Male.....	12	22	26	24	19	26	8	6	6	-	-	-
Female.....	7	15	21	23	19	20	14	16	4	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	1	-	1	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Hawaii

All races, both sexes.....	11	3	14	18	22	23	21	16	5	3	-	-
Male.....	8	2	12	7	10	14	11	8	2	1	-	-
Female.....	3	1	2	11	12	9	10	8	3	2	-	-
White, both sexes.....	2	1	2	5	4	5	7	5	1	-	-	-
Male.....	2	1	2	2	1	3	3	1	-	-	-	-
Female.....	-	-	-	3	3	2	4	4	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	2	12	13	18	18	13	10	4	3	-	-
Male.....	6	1	10	5	9	11	7	6	2	1	-	-
Female.....	3	1	2	8	9	7	6	4	2	2	-	-

Idaho

All races, both sexes.....	7	12	9	13	22	26	27	15	10	1	-	-
Male.....	1	5	4	6	8	11	16	6	3	1	-	-
Female.....	6	7	5	7	14	15	11	9	7	-	-	-
White, both sexes.....	7	12	9	13	22	25	26	15	10	1	-	-
Male.....	1	5	4	6	8	11	15	6	3	1	-	-
Female.....	6	7	5	7	14	14	11	9	7	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Kentucky

All races, both sexes.....	46	54	66	73	89	114	89	60	26	7	1	-
Male.....	29	32	49	43	56	61	45	26	12	3	-	-
Female.....	17	22	17	30	33	53	44	34	14	4	1	-
White, both sexes.....	43	52	60	65	81	103	84	57	26	7	1	-
Male.....	26	30	46	39	51	58	42	25	12	3	-	-
Female.....	17	22	14	26	30	45	42	32	14	4	1	-
Black, both sexes.....	3	2	6	8	8	11	5	2	-	-	-	-
Male.....	3	2	3	4	5	3	3	-	-	-	-	-
Female.....	-	-	3	4	3	8	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	50	69	68	77	98	126	109	63	18	4	2	-
Male.....	29	44	33	41	61	64	59	25	3	1	-	-
Female.....	21	25	35	36	37	62	50	38	15	3	2	-
White, both sexes.....	29	38	40	50	75	83	86	51	14	3	1	-
Male.....	16	24	20	29	49	45	46	19	1	1	-	-
Female.....	13	14	20	21	26	38	40	32	13	2	1	-
Black, both sexes.....	21	31	27	27	23	42	23	12	4	1	1	-
Male.....	13	20	13	12	12	19	13	6	2	-	-	-
Female.....	8	11	14	15	11	23	10	6	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Maine

All races, both sexes.....	16	17	25	23	27	42	42	32	14	6	3	-
Male.....	11	7	19	12	15	24	16	14	5	1	1	-
Female.....	5	10	6	11	12	18	26	18	9	5	2	-
White, both sexes.....	15	17	25	23	26	42	42	32	14	6	3	-
Male.....	10	7	19	12	14	24	16	14	5	1	1	-
Female.....	5	10	6	11	12	18	26	18	9	5	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	38	48	64	82	120	105	109	62	38	11	3	-
Male.....	26	32	35	44	62	49	50	21	15	1	-	-
Female.....	12	16	29	38	58	56	59	41	23	10	3	-
White, both sexes.....	27	37	40	53	84	81	89	54	30	11	2	-
Male.....	20	26	21	30	43	39	41	18	11	1	-	-
Female.....	7	11	19	23	41	42	48	36	19	10	2	-
Black, both sexes.....	10	10	23	25	35	22	20	8	7	-	1	-
Male.....	5	5	13	13	19	8	9	3	3	-	-	-
Female.....	5	5	10	12	16	14	11	5	4	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	4	1	2	-	-	1	-	-	-
Male.....	1	1	1	1	-	2	-	-	1	-	-	-
Female.....	-	-	-	3	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

New Hampshire

All races, both sexes.....	10	11	19	16	31	29	28	26	8	3	1	-
Male.....	2	7	10	13	14	14	16	14	4	1	1	-
Female.....	8	4	9	3	17	15	12	12	4	2	-	-
White, both sexes.....	10	11	18	16	31	29	28	26	8	3	1	-
Male.....	2	7	9	13	14	14	16	14	4	1	1	-
Female.....	8	4	9	3	17	15	12	12	4	2	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	82	101	118	136	192	217	220	169	95	23	3	-
Male.....	53	58	64	72	102	97	94	71	40	4	1	-
Female.....	29	43	54	64	90	120	126	98	55	19	2	-
White, both sexes.....	65	79	100	103	176	199	199	153	90	20	2	-
Male.....	43	47	54	51	95	88	89	63	39	3	1	-
Female.....	22	32	46	52	81	111	110	90	51	17	1	-
Black, both sexes.....	13	18	16	29	14	17	16	13	5	3	1	-
Male.....	7	9	8	19	6	8	4	6	1	1	-	-
Female.....	6	9	8	10	8	9	12	7	4	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	4	2	4	2	1	5	3	-	-	-	-
Male.....	3	2	2	2	1	1	1	2	-	-	-	-
Female.....	1	2	-	2	1	-	4	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

New Mexico

All races, both sexes.....	10	26	19	31	39	49	46	31	19	2	1	-
Male.....	7	12	13	19	21	22	23	11	10	-	-	-
Female.....	3	14	6	12	18	27	23	20	9	2	1	-
White, both sexes.....	8	23	17	27	31	49	44	28	18	2	1	-
Male.....	6	11	12	17	18	22	22	11	10	-	-	-
Female.....	2	12	5	10	13	27	22	17	8	2	1	-
Black, both sexes.....	1	-	-	2	1	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	3	2	1	6	-	2	3	1	-	-	-
Male.....	-	1	1	1	3	-	1	-	-	-	-	-
Female.....	1	2	1	-	3	-	1	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

New York

All races, both sexes.....	127	183	208	246	340	393	378	304	148	33	2	-
Male.....	77	98	123	140	185	194	179	124	54	6	1	-
Female.....	50	85	85	106	155	199	199	180	94	27	1	-
White, both sexes.....	99	138	161	201	290	343	336	278	135	31	2	-
Male.....	62	75	92	119	164	168	160	114	48	6	1	-
Female.....	37	63	69	82	126	175	176	164	87	25	1	-
Black, both sexes.....	22	42	42	36	46	41	34	25	10	1	-	-
Male.....	13	22	27	15	17	19	16	10	3	-	-	-
Female.....	9	20	15	21	29	22	18	15	7	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	-	-	1	-	-	-
Male.....	-	-	-	-	2	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	3	5	9	2	9	8	1	2	1	-	-
Male.....	2	1	4	6	2	7	3	-	2	-	-	-
Female.....	4	2	1	3	-	2	5	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Oregon

All races, both sexes.....	15	27	41	48	57	63	76	51	34	12	4	-
Male.....	10	14	20	29	29	23	38	16	15	4	1	-
Female.....	5	13	21	19	28	40	38	35	19	8	3	-
White, both sexes.....	15	25	37	47	54	60	71	51	32	11	4	-
Male.....	10	12	18	28	28	23	36	16	15	4	1	-
Female.....	5	13	19	19	26	37	35	35	17	7	3	-
Black, both sexes.....	-	1	-	1	1	2	1	-	1	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	-	2	1	4	-	-	1	-	-
Male.....	-	1	1	-	-	-	2	-	-	-	-	-
Female.....	-	-	1	-	2	1	2	-	-	1	-	-

Pennsylvania

All races, both sexes.....	108	139	199	248	348	426	421	291	137	42	2	-
Male.....	73	68	113	141	178	218	205	116	56	9	-	-
Female.....	35	71	86	107	170	208	216	175	81	33	2	-
White, both sexes.....	85	123	179	227	312	385	390	278	131	37	2	-
Male.....	57	59	104	133	161	197	192	110	55	7	-	-
Female.....	28	64	75	94	151	188	198	168	76	30	2	-
Black, both sexes.....	23	16	19	20	36	39	30	12	6	5	-	-
Male.....	16	9	9	7	17	21	13	5	1	2	-	-
Female.....	7	7	10	13	19	18	17	7	5	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	1	1	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Texas

All races, both sexes.....	110	143	205	214	303	333	250	203	97	31	1	-
Male.....	72	86	125	137	180	184	122	88	35	7	-	-
Female.....	38	57	80	77	123	149	128	115	62	24	1	-
White, both sexes.....	86	122	177	180	271	294	229	187	84	28	1	-
Male.....	58	76	108	119	160	159	112	81	29	7	-	-
Female.....	28	46	69	61	111	135	117	106	55	21	1	-
Black, both sexes.....	22	20	21	32	29	39	19	14	12	3	-	-
Male.....	13	10	14	18	18	25	9	6	5	-	-	-
Female.....	9	10	7	14	11	14	10	8	7	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	7	2	3	-	2	1	1	-	-	-
Male.....	1	-	3	-	2	-	1	1	1	-	-	-
Female.....	1	1	4	2	1	-	1	-	-	-	-	-

Utah

All races, both sexes.....	14	11	14	19	28	27	35	18	10	3	1	-
Male.....	7	5	9	15	15	16	15	6	3	3	1	-
Female.....	7	6	5	4	13	11	20	12	7	-	-	-
White, both sexes.....	12	11	14	19	28	27	34	17	10	2	1	-
Male.....	7	5	9	15	15	16	14	6	3	2	1	-
Female.....	5	6	5	4	13	11	20	11	7	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Vermont

All races, both sexes.....	10	6	12	5	13	11	16	10	1	1	-	-
Male.....	7	3	7	3	7	3	8	5	1	-	-	-
Female.....	3	3	5	2	6	8	8	5	-	1	-	-
White, both sexes.....	10	6	11	5	13	11	15	10	1	1	-	-
Male.....	7	3	7	3	7	3	8	5	1	-	-	-
Female.....	3	3	4	2	6	8	7	5	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	59	94	107	139	149	182	167	105	49	18	1	-
Male.....	38	55	71	82	88	100	77	43	18	7	-	-
Female.....	21	39	36	57	61	82	90	62	31	11	1	-
White, both sexes.....	40	72	85	112	119	148	136	90	38	16	1	-
Male.....	28	44	56	70	67	80	66	34	14	6	-	-
Female.....	12	28	29	42	52	68	70	56	24	10	1	-
Black, both sexes.....	17	20	20	27	27	33	28	14	10	2	-	-
Male.....	8	9	13	12	18	19	10	9	3	1	-	-
Female.....	9	11	7	15	9	14	18	5	7	1	-	-
American Indian 1/, both sexes.....	1	-	2	-	-	-	-	-	-	-	-	-
Male.....	1	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	-	3	1	3	1	1	-	-	-
Male.....	1	2	-	-	3	1	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
United States												
All races, both sexes.....	56,225	28	119	166	213	310	393	368	548	695	1,056	1,599
Male.....	30,302	15	63	87	130	188	229	225	320	409	629	953
Female.....	25,923	13	56	79	83	122	164	143	228	286	427	646
White, both sexes.....	49,943	19	98	137	166	244	331	287	423	542	863	1,276
Male.....	27,087	11	53	69	101	155	197	180	246	316	516	774
Female.....	22,856	8	45	68	65	89	134	107	177	226	347	502
Black, both sexes.....	5,151	5	16	19	34	45	45	62	95	111	165	268
Male.....	2,622	2	7	13	20	25	20	35	58	70	98	155
Female.....	2,529	3	9	6	14	20	25	27	37	41	67	113
American Indian 1/, both sexes.....	171	-	1	-	2	4	7	3	4	10	4	7
Male.....	89	-	1	-	1	2	6	1	2	6	4	3
Female.....	82	-	-	-	1	2	1	2	2	4	-	4
Asian or Pacific Islander 2/, both sexes.....	960	4	4	10	11	17	10	16	26	32	24	48
Male.....	504	2	2	5	8	6	6	9	14	17	11	21
Female.....	456	2	2	5	3	11	4	7	12	15	13	27
Alabama												
All races, both sexes.....	959	-	1	2	3	7	4	7	14	6	16	32
Male.....	513	-	1	1	3	6	1	2	12	4	11	20
Female.....	446	-	-	1	-	1	3	5	2	2	5	12
White, both sexes.....	767	-	1	1	1	3	4	1	8	4	12	19
Male.....	411	-	1	-	1	2	1	-	6	2	9	14
Female.....	356	-	-	1	-	1	3	1	2	2	3	5
Black, both sexes.....	186	-	-	1	1	4	-	5	6	2	4	13
Male.....	100	-	-	1	1	4	-	2	6	2	2	6
Female.....	86	-	-	-	-	-	-	3	-	-	2	7
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	-	1	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Arkansas

All races, both sexes.....	596	1	1	2	2	3	3	6	8	10	10	15
Male.....	332	-	-	2	2	2	2	1	4	7	6	7
Female.....	264	1	1	-	-	1	1	5	4	3	4	8
White, both sexes.....	533	1	1	2	1	3	2	4	6	9	8	13
Male.....	308	-	-	2	1	2	2	1	3	7	6	7
Female.....	225	1	1	-	-	1	-	3	3	2	2	6
Black, both sexes.....	58	-	-	-	1	-	1	2	2	1	2	2
Male.....	21	-	-	-	1	-	-	-	1	-	-	-
Female.....	37	-	-	-	-	-	1	2	1	1	2	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	5,645	5	21	28	38	53	52	42	64	90	121	186
Male.....	3,127	3	11	15	25	31	34	30	36	54	63	98
Female.....	2,518	2	10	13	13	22	18	12	28	36	58	88
White, both sexes.....	4,838	1	16	20	31	42	45	34	50	66	102	151
Male.....	2,707	1	6	9	21	27	30	25	31	42	55	79
Female.....	2,131	-	10	11	10	15	15	9	19	24	47	72
Black, both sexes.....	380	3	4	3	1	4	4	3	5	9	8	22
Male.....	191	1	4	3	-	2	1	2	2	4	1	13
Female.....	189	2	-	-	1	2	3	1	3	5	7	9
American Indian 1/, both sexes.....	18	-	-	-	-	-	1	-	1	1	1	-
Male.....	11	-	-	-	-	-	1	-	1	1	1	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	409	1	1	5	6	7	2	5	8	14	10	13
Male.....	218	1	1	3	4	2	2	3	2	7	6	6
Female.....	191	-	-	2	2	5	-	2	6	7	4	7

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Maine

All races, both sexes.....	310	-	-	1	2	1	3	1	1	-	2	7
Male.....	182	-	-	1	2	-	1	1	-	-	2	4
Female.....	128	-	-	-	-	1	2	-	1	-	-	3
White, both sexes.....	308	-	-	1	2	1	3	1	1	-	2	7
Male.....	181	-	-	1	2	-	1	1	-	-	2	4
Female.....	127	-	-	-	-	1	2	-	1	-	-	3
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	996	-	3	4	2	9	10	5	9	18	18	32
Male.....	551	-	3	3	1	7	8	2	7	11	13	20
Female.....	445	-	-	1	1	2	2	3	2	7	5	12
White, both sexes.....	795	-	3	2	1	6	5	3	5	9	12	24
Male.....	447	-	3	2	1	5	4	2	4	7	7	15
Female.....	348	-	-	-	-	1	1	1	1	2	5	9
Black, both sexes.....	181	-	-	-	-	2	4	2	2	8	6	8
Male.....	92	-	-	-	-	2	3	-	1	4	6	5
Female.....	89	-	-	-	-	-	1	2	1	4	-	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-
Male.....	2	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	2	1	1	-	-	1	1	-	-
Male.....	10	-	-	1	-	-	-	-	1	-	-	-
Female.....	8	-	-	1	1	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Massachusetts

All races, both sexes.....	1,345	-	-	2	6	4	10	9	9	14	26	24
Male.....	669	-	-	1	5	1	4	6	3	9	16	16
Female.....	676	-	-	1	1	3	6	3	6	5	10	8
White, both sexes.....	1,276	-	-	2	5	4	9	7	8	12	23	23
Male.....	632	-	-	1	4	1	4	4	3	8	14	15
Female.....	644	-	-	1	1	3	5	3	5	4	9	8
Black, both sexes.....	59	-	-	-	-	-	1	2	1	2	3	1
Male.....	31	-	-	-	-	-	-	2	-	1	2	1
Female.....	28	-	-	-	-	-	1	-	1	1	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	1	-	-	-	-	-	-	-
Male.....	5	-	-	-	1	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	2,181	1	4	8	8	13	11	19	25	15	37	67
Male.....	1,163	1	2	5	3	6	6	11	16	8	24	34
Female.....	1,018	-	2	3	5	7	5	8	9	7	13	33
White, both sexes.....	1,930	1	4	7	8	9	9	14	20	10	30	51
Male.....	1,039	1	2	5	3	4	6	9	13	6	19	26
Female.....	891	-	2	2	5	5	3	5	7	4	11	25
Black, both sexes.....	234	-	-	-	-	4	1	5	4	3	7	14
Male.....	116	-	-	-	-	2	-	2	3	2	5	8
Female.....	118	-	-	-	-	2	1	3	1	1	2	6
American Indian 1/, both sexes.....	7	-	-	-	-	-	1	-	-	1	-	2
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	-	1	-	2
Asian or Pacific Islander 2/, both sexes.....	10	-	-	1	-	-	-	-	1	1	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	1	-	-	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Minnesota

All races, both sexes.....	1,082	-	1	2	2	6	6	8	8	13	20	27
Male.....	589	-	-	2	1	4	4	2	7	9	14	15
Female.....	493	-	1	-	1	2	2	6	1	4	6	12
White, both sexes.....	1,052	-	1	2	2	4	6	6	7	12	18	26
Male.....	573	-	-	2	1	4	4	2	6	8	12	15
Female.....	479	-	1	-	1	-	2	4	1	4	6	11
Black, both sexes.....	15	-	-	-	-	-	-	1	1	-	1	-
Male.....	9	-	-	-	-	-	-	-	1	-	1	-
Female.....	6	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	-	1	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	1	-	1	-	1	1	1
Male.....	4	-	-	-	-	-	-	-	-	1	1	-
Female.....	6	-	-	-	-	1	-	1	-	-	-	1

Mississippi

All races, both sexes.....	596	-	-	3	-	2	3	3	2	14	4	20
Male.....	302	-	-	2	-	1	1	1	1	10	2	12
Female.....	294	-	-	1	-	1	2	2	1	4	2	8
White, both sexes.....	439	-	-	1	-	2	1	1	1	9	2	12
Male.....	224	-	-	1	-	1	1	1	-	6	1	8
Female.....	215	-	-	-	-	1	-	-	1	3	1	4
Black, both sexes.....	154	-	-	2	-	-	2	2	1	4	2	7
Male.....	76	-	-	1	-	-	-	-	1	4	1	3
Female.....	78	-	-	1	-	-	2	2	-	-	1	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
Nebraska												
All races, both sexes.....	374	-	-	-	1	-	3	-	2	1	6	5
Male.....	201	-	-	-	-	-	1	-	1	1	2	3
Female.....	173	-	-	-	1	-	2	-	1	-	4	2
White, both sexes.....	369	-	-	-	1	-	3	-	2	1	6	5
Male.....	198	-	-	-	-	-	1	-	1	1	2	3
Female.....	171	-	-	-	1	-	2	-	1	-	4	2
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	343	1	1	1	2	-	5	2	5	7	7	10
Male.....	181	1	1	-	1	-	5	2	2	2	4	9
Female.....	162	-	-	1	1	-	-	-	3	5	3	1
White, both sexes.....	317	1	1	1	1	-	5	2	4	6	7	8
Male.....	172	1	1	-	-	-	5	2	1	2	4	8
Female.....	145	-	-	1	1	-	-	-	3	4	3	-
Black, both sexes.....	17	-	-	-	1	-	-	-	-	-	-	1
Male.....	7	-	-	-	1	-	-	-	-	-	-	1
Female.....	10	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	1	1	-	1
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

New Hampshire

All races, both sexes.....	298	-	1	2	-	1	3	1	3	-	6	11
Male.....	169	-	1	1	-	1	2	1	2	-	3	8
Female.....	129	-	-	1	-	-	1	-	1	-	3	3
White, both sexes.....	297	-	1	2	-	1	3	1	2	-	6	11
Male.....	168	-	1	1	-	1	2	1	1	-	3	8
Female.....	129	-	-	1	-	-	1	-	1	-	3	3
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1,841	1	3	3	8	14	16	16	17	30	36	45
Male.....	976	-	-	2	5	8	10	9	10	17	23	28
Female.....	865	1	3	1	3	6	6	7	7	13	13	17
White, both sexes.....	1,621	1	2	2	6	11	12	14	11	25	27	34
Male.....	849	-	-	1	3	8	9	8	7	13	17	19
Female.....	772	1	2	1	3	3	3	6	4	12	10	15
Black, both sexes.....	183	-	-	1	2	1	4	1	6	3	9	8
Male.....	105	-	-	1	2	-	1	-	3	3	6	7
Female.....	78	-	-	-	-	1	3	1	3	-	3	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	37	-	1	-	-	2	-	1	-	2	-	3
Male.....	22	-	-	-	-	-	-	1	-	1	-	2
Female.....	15	-	1	-	-	2	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

New Mexico

All races, both sexes.....	301	-	-	-	1	3	1	2	2	8	5	6
Male.....	169	-	-	-	-	2	1	2	1	3	2	4
Female.....	132	-	-	-	1	1	-	-	1	5	3	2
White, both sexes.....	283	-	-	-	1	3	-	2	2	8	5	6
Male.....	158	-	-	-	-	2	-	2	1	3	2	4
Female.....	125	-	-	-	1	1	-	-	1	5	3	2
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	13	-	-	-	-	-	1	-	-	-	-	-
Male.....	7	-	-	-	-	-	1	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	3,604	2	4	14	11	11	27	28	39	58	84	116
Male.....	1,918	1	2	6	9	6	19	16	20	33	47	79
Female.....	1,686	1	2	8	2	5	8	12	19	25	37	37
White, both sexes.....	3,103	1	3	12	7	8	24	18	27	42	72	83
Male.....	1,673	1	1	6	5	4	17	9	14	25	41	58
Female.....	1,430	-	2	6	2	4	7	9	13	17	31	25
Black, both sexes.....	441	-	1	1	4	1	2	8	11	14	11	31
Male.....	215	-	1	-	4	-	1	5	6	6	6	19
Female.....	226	-	-	1	-	1	1	3	5	8	5	12
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	57	1	-	1	-	2	1	1	1	2	1	2
Male.....	29	-	-	-	-	2	1	1	-	2	-	2
Female.....	28	1	-	1	-	-	-	-	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Ohio

All races, both sexes.....	2,502	2	3	4	10	8	7	11	19	38	45	75
Male.....	1,324	-	1	1	7	3	5	6	9	27	29	51
Female.....	1,178	2	2	3	3	5	2	5	10	11	16	24
White, both sexes.....	2,256	2	3	3	7	5	6	10	16	35	37	61
Male.....	1,197	-	1	-	6	2	4	5	9	24	26	41
Female.....	1,059	2	2	3	1	3	2	5	7	11	11	20
Black, both sexes.....	238	-	-	1	3	3	1	1	2	3	8	13
Male.....	124	-	-	1	1	1	1	1	-	3	3	9
Female.....	114	-	-	-	2	2	-	-	2	-	5	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	1	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	-	1	-	-	-

Oklahoma

All races, both sexes.....	713	-	2	3	2	5	3	4	6	9	12	26
Male.....	394	-	1	2	1	3	2	-	3	5	4	17
Female.....	319	-	1	1	1	2	1	4	3	4	8	9
White, both sexes.....	654	-	2	3	1	4	3	4	6	4	12	24
Male.....	365	-	1	2	1	2	2	-	3	3	4	17
Female.....	289	-	1	1	-	2	1	4	3	1	8	7
Black, both sexes.....	33	-	-	-	-	-	-	-	-	1	-	2
Male.....	18	-	-	-	-	-	-	-	-	-	-	-
Female.....	15	-	-	-	-	-	-	-	-	1	-	2
American Indian 1/, both sexes.....	24	-	-	-	1	1	-	-	-	3	-	-
Male.....	11	-	-	-	-	1	-	-	-	2	-	-
Female.....	13	-	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Vermont

All races, both sexes.....	131	-	-	1	-	-	-	1	-	-	4	3
Male.....	72	-	-	1	-	-	-	1	-	-	3	2
Female.....	59	-	-	-	-	-	-	-	-	-	1	1
White, both sexes.....	130	-	-	1	-	-	-	1	-	-	4	3
Male.....	71	-	-	1	-	-	-	1	-	-	3	2
Female.....	59	-	-	-	-	-	-	-	-	-	1	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	1,329	1	6	4	1	4	7	10	18	22	27	42
Male.....	697	1	2	2	1	2	4	9	8	13	13	27
Female.....	632	-	4	2	-	2	3	1	10	9	14	15
White, both sexes.....	1,088	-	4	3	1	3	7	7	13	15	18	30
Male.....	569	-	1	2	1	2	4	6	5	8	9	19
Female.....	519	-	3	1	-	1	3	1	8	7	9	11
Black, both sexes.....	220	1	2	1	-	1	-	3	3	6	6	12
Male.....	119	1	1	-	-	-	-	3	2	4	3	8
Female.....	101	-	1	1	-	1	-	-	1	2	3	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	-	-	-	2	1	3	-
Male.....	9	-	-	-	-	-	-	-	1	1	1	-
Female.....	11	-	-	-	-	-	-	-	1	-	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Alaska

All races, both sexes.....	7	6	16	4	4	11	9	4	1	1	-	-
Male.....	6	5	11	1	4	4	7	3	-	-	-	-
Female.....	1	1	5	3	-	7	2	1	1	1	-	-
White, both sexes.....	6	4	12	3	4	9	8	4	1	-	-	-
Male.....	5	4	9	1	4	3	6	3	-	-	-	-
Female.....	1	-	3	2	-	6	2	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	3	1	-	1	-	-	-	1	-	-
Male.....	1	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	1	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	44	58	81	108	138	154	172	112	32	5	-	-
Male.....	23	37	46	68	82	86	94	52	14	2	-	-
Female.....	21	21	35	40	56	68	78	60	18	3	-	-
White, both sexes.....	41	54	76	105	128	150	169	111	30	5	-	-
Male.....	21	34	43	66	75	85	92	52	13	2	-	-
Female.....	20	20	33	39	53	65	77	59	17	3	-	-
Black, both sexes.....	2	2	4	-	3	2	-	-	-	-	-	-
Male.....	1	2	3	-	3	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	1	2	2	2	1	2	-	-	-
Male.....	1	-	-	1	2	1	2	-	1	-	-	-
Female.....	-	1	1	-	-	1	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	5	-	1	-	-	-	-	-
Male.....	-	1	-	1	2	-	-	-	-	-	-	-
Female.....	-	-	-	1	3	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Arkansas

All races, both sexes.....	33	40	54	51	73	89	79	80	29	7	-	-
Male.....	21	20	36	31	49	55	33	43	10	1	-	-
Female.....	12	20	18	20	24	34	46	37	19	6	-	-
White, both sexes.....	29	34	45	46	64	80	76	77	28	4	-	-
Male.....	18	17	32	31	42	52	32	42	10	1	-	-
Female.....	11	17	13	15	22	28	44	35	18	3	-	-
Black, both sexes.....	4	6	6	5	9	8	3	2	1	3	-	-
Male.....	3	3	2	-	7	2	1	1	-	-	-	-
Female.....	1	3	4	5	2	6	2	1	1	3	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	1	-	1	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-

California

All races, both sexes.....	250	315	439	548	752	851	915	592	225	51	7	-
Male.....	153	190	264	332	454	464	481	281	89	17	2	-
Female.....	97	125	175	216	298	387	434	311	136	34	5	-
White, both sexes.....	194	258	363	458	635	739	829	548	204	46	6	-
Male.....	119	160	215	279	404	402	438	265	80	17	2	-
Female.....	75	98	148	179	231	337	391	283	124	29	4	-
Black, both sexes.....	28	27	38	44	57	46	40	21	10	3	-	-
Male.....	17	14	23	25	28	24	16	8	3	-	-	-
Female.....	11	13	15	19	29	22	24	13	7	3	-	-
American Indian 1/, both sexes.....	1	2	3	-	4	2	1	-	-	1	-	-
Male.....	-	1	2	-	2	2	-	-	-	-	-	-
Female.....	1	1	1	-	2	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	27	28	35	46	56	64	45	23	11	1	1	-
Male.....	17	15	24	28	20	36	27	8	6	-	-	-
Female.....	10	13	11	18	36	28	18	15	5	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Colorado

All races, both sexes.....	30	52	54	82	94	95	106	66	40	3	-	-
Male.....	20	35	28	53	50	52	62	28	16	1	-	-
Female.....	10	17	26	29	44	43	44	38	24	2	-	-
White, both sexes.....	29	49	49	78	89	91	103	66	38	3	-	-
Male.....	20	33	26	52	48	51	61	28	15	1	-	-
Female.....	9	16	23	26	41	40	42	38	23	2	-	-
Black, both sexes.....	-	3	4	3	4	3	1	-	1	-	-	-
Male.....	-	2	2	1	2	1	-	-	-	-	-	-
Female.....	-	1	2	2	2	2	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	1	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	1	-	-	1	-	1	1	-	-	-	-	-

Connecticut

All races, both sexes.....	25	39	48	53	99	122	130	101	36	7	2	-
Male.....	16	23	28	32	58	62	65	46	11	3	1	-
Female.....	9	16	20	21	41	60	65	55	25	4	1	-
White, both sexes.....	20	31	43	48	94	117	126	101	35	6	2	-
Male.....	12	18	25	30	57	59	64	46	10	2	1	-
Female.....	8	13	18	18	37	58	62	55	25	4	1	-
Black, both sexes.....	4	8	4	5	4	5	3	-	1	1	-	-
Male.....	3	5	2	2	1	3	-	-	1	1	-	-
Female.....	1	3	2	3	3	2	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Delaware

All races, both sexes.....	3	10	14	20	24	32	27	10	5	2	-	-
Male.....	3	9	6	12	14	19	12	5	1	1	-	-
Female.....	-	1	8	8	10	13	15	5	4	1	-	-
White, both sexes.....	3	9	11	18	19	29	24	8	5	2	-	-
Male.....	3	8	6	10	11	16	11	4	1	1	-	-
Female.....	-	1	5	8	8	13	13	4	4	1	-	-
Black, both sexes.....	-	1	3	1	5	3	3	2	-	-	-	-
Male.....	-	1	-	1	3	3	1	1	-	-	-	-
Female.....	-	-	3	-	2	-	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	6	5	9	14	13	16	20	10	5	-	-	-
Male.....	2	4	3	7	6	6	14	3	2	-	-	-
Female.....	4	1	6	7	7	10	6	7	3	-	-	-
White, both sexes.....	-	2	2	3	3	3	7	4	2	-	-	-
Male.....	-	2	-	3	1	2	5	1	1	-	-	-
Female.....	-	-	2	-	2	1	2	3	1	-	-	-
Black, both sexes.....	6	2	7	10	10	13	12	6	3	-	-	-
Male.....	2	2	3	4	5	4	9	2	1	-	-	-
Female.....	4	-	4	6	5	9	3	4	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Florida

All races, both sexes.....	146	197	254	377	533	694	661	449	168	41	8	-
Male.....	83	112	157	224	310	394	362	222	78	21	3	-
Female.....	63	85	97	153	223	300	299	227	90	20	5	-
White, both sexes.....	120	168	218	332	498	658	631	435	161	39	8	-
Male.....	69	92	144	205	293	376	352	219	74	21	3	-
Female.....	51	76	74	127	205	282	279	216	87	18	5	-
Black, both sexes.....	24	28	34	42	34	35	29	14	6	2	-	-
Male.....	14	20	13	17	17	17	10	3	3	-	-	-
Female.....	10	8	21	25	17	18	19	11	3	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	3	1	1	-	-	1	-	-	-
Male.....	-	-	-	2	-	1	-	-	1	-	-	-
Female.....	2	1	1	1	1	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	71	84	129	135	183	217	161	107	42	9	1	-
Male.....	37	56	77	79	108	113	60	49	13	3	1	-
Female.....	34	28	52	56	75	104	101	58	29	6	-	-
White, both sexes.....	43	55	94	102	148	178	137	86	32	5	1	-
Male.....	21	41	58	60	89	94	53	40	8	2	1	-
Female.....	22	14	36	42	59	84	84	46	24	3	-	-
Black, both sexes.....	26	28	33	32	35	38	23	20	10	4	-	-
Male.....	16	14	18	18	19	19	6	8	5	1	-	-
Female.....	10	14	15	14	16	19	17	12	5	3	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	1	-	1	1	1	-	-	-	-
Male.....	-	-	1	1	-	1	1	1	-	-	-	-
Female.....	2	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Hawaii

All races, both sexes.....	10	10	20	15	22	36	29	20	8	1	-	-
Male.....	5	8	15	8	14	22	13	7	5	-	-	-
Female.....	5	2	5	7	8	14	16	13	3	1	-	-
White, both sexes.....	1	5	12	3	8	8	9	8	3	1	-	-
Male.....	1	4	10	1	7	5	3	2	2	-	-	-
Female.....	-	1	2	2	1	3	6	6	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	5	8	12	14	28	20	12	5	-	-	-
Male.....	4	4	5	7	7	17	10	5	3	-	-	-
Female.....	5	1	3	5	7	11	10	7	2	-	-	-

Idaho

All races, both sexes.....	9	9	18	21	30	36	33	23	14	3	-	-
Male.....	6	7	12	11	14	15	17	12	6	-	-	-
Female.....	3	2	6	10	16	21	16	11	8	3	-	-
White, both sexes.....	9	9	18	21	29	34	33	23	14	3	-	-
Male.....	6	7	12	11	14	15	17	12	6	-	-	-
Female.....	3	2	6	10	15	19	16	11	8	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Illinois

All races, both sexes.....	95	141	180	259	331	429	408	282	131	31	3	-
Male.....	51	86	112	141	189	240	205	117	46	11	1	-
Female.....	44	55	68	118	142	189	203	165	85	20	2	-
White, both sexes.....	73	112	155	217	290	388	378	266	124	29	2	-
Male.....	41	70	96	120	170	219	193	110	43	10	1	-
Female.....	32	42	59	97	120	169	185	156	81	19	1	-
Black, both sexes.....	20	24	24	38	35	36	28	16	7	2	1	-
Male.....	9	11	15	19	15	17	12	7	3	1	-	-
Female.....	11	13	9	19	20	19	16	9	4	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	5	1	4	6	5	2	-	-	-	-	-
Male.....	1	5	1	2	4	4	-	-	-	-	-	-
Female.....	1	-	-	2	2	1	2	-	-	-	-	-

Indiana

All races, both sexes.....	62	74	93	134	185	221	182	123	51	21	1	-
Male.....	32	47	59	80	100	115	91	57	25	2	-	-
Female.....	30	27	34	54	85	106	91	66	26	19	1	-
White, both sexes.....	59	68	90	123	175	211	171	119	50	20	1	-
Male.....	29	44	57	73	94	111	85	53	24	2	-	-
Female.....	30	24	33	50	81	100	86	66	26	18	1	-
Black, both sexes.....	3	6	2	11	9	10	11	4	1	1	-	-
Male.....	3	3	1	7	6	4	6	4	1	-	-	-
Female.....	-	3	1	4	3	6	5	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Maine

All races, both sexes.....	14	15	30	26	52	50	50	37	13	5	-	-
Male.....	10	9	19	19	31	33	24	16	7	3	-	-
Female.....	4	6	11	7	21	17	26	21	6	2	-	-
White, both sexes.....	14	15	29	26	52	49	50	37	13	5	-	-
Male.....	10	9	19	19	31	32	24	16	7	3	-	-
Female.....	4	6	10	7	21	17	26	21	6	2	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	35	58	86	99	134	158	167	107	35	7	-	-
Male.....	19	37	53	63	71	85	82	47	17	2	-	-
Female.....	16	21	33	36	63	73	85	60	18	5	-	-
White, both sexes.....	24	40	62	75	113	139	142	93	32	5	-	-
Male.....	13	27	37	52	58	78	72	42	17	1	-	-
Female.....	11	13	25	23	55	61	70	51	15	4	-	-
Black, both sexes.....	11	17	22	23	20	19	20	12	3	2	-	-
Male.....	6	9	14	10	12	7	8	4	-	1	-	-
Female.....	5	8	8	13	8	12	12	8	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	1	-	5	2	-	-	-	-
Male.....	-	1	2	1	1	-	2	1	-	-	-	-
Female.....	-	-	-	-	-	-	3	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Massachusetts

All races, both sexes.....	46	63	91	117	212	224	218	189	66	14	1	-
Male.....	29	33	51	67	115	112	92	81	22	6	-	-
Female.....	17	30	40	50	97	112	126	108	44	8	1	-
White, both sexes.....	43	62	83	109	203	213	204	186	65	14	1	-
Male.....	27	33	47	60	110	107	88	79	21	6	-	-
Female.....	16	29	36	49	93	106	116	107	44	8	1	-
Black, both sexes.....	1	1	5	8	9	9	14	1	1	-	-	-
Male.....	1	-	3	7	5	4	4	-	1	-	-	-
Female.....	-	1	2	1	4	5	10	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	3	-	-	2	-	2	-	-	-	-
Male.....	-	-	1	-	-	1	-	2	-	-	-	-
Female.....	1	-	2	-	-	1	-	-	-	-	-	-

Michigan

All races, both sexes.....	99	124	156	233	311	360	359	204	105	20	2	-
Male.....	64	80	89	141	177	199	169	88	31	8	1	-
Female.....	35	44	67	92	134	161	190	116	74	12	1	-
White, both sexes.....	80	108	136	208	270	328	333	187	95	20	2	-
Male.....	52	74	81	124	158	181	157	79	30	8	1	-
Female.....	28	34	55	84	112	147	176	108	65	12	1	-
Black, both sexes.....	17	16	19	22	39	30	26	17	10	-	-	-
Male.....	10	6	8	14	17	17	12	9	1	-	-	-
Female.....	7	10	11	8	22	13	14	8	9	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	1	-	-	-	-	-	-	-
Male.....	-	-	-	2	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	1	1	2	-	-	-	-	-	-
Male.....	2	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Nebraska

All races, both sexes.....	10	23	27	31	61	66	62	44	23	8	1	-
Male.....	10	13	22	22	32	35	27	18	11	3	-	-
Female.....	-	10	5	9	29	31	35	26	12	5	1	-
White, both sexes.....	10	22	26	29	61	66	61	44	23	8	1	-
Male.....	10	13	21	21	32	35	26	18	11	3	-	-
Female.....	-	9	5	8	29	31	35	26	12	5	1	-
Black, both sexes.....	-	1	1	1	-	-	1	-	-	-	-	-
Male.....	-	-	1	1	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	12	30	30	41	51	53	44	29	8	4	-	-
Male.....	10	19	20	23	17	30	17	13	3	2	-	-
Female.....	2	11	10	18	34	23	27	16	5	2	-	-
White, both sexes.....	11	28	28	38	48	48	42	28	6	4	-	-
Male.....	9	19	19	23	17	27	16	13	3	2	-	-
Female.....	2	9	9	15	31	21	26	15	3	2	-	-
Black, both sexes.....	1	1	2	2	3	4	1	-	1	-	-	-
Male.....	1	-	1	-	-	3	-	-	-	-	-	-
Female.....	-	1	1	2	3	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

New Hampshire

All races, both sexes.....	16	15	20	36	40	49	35	41	14	4	-	-
Male.....	11	10	12	24	21	29	18	20	3	2	-	-
Female.....	5	5	8	12	19	20	17	21	11	2	-	-
White, both sexes.....	16	15	20	36	40	49	35	41	14	4	-	-
Male.....	11	10	12	24	21	29	18	20	3	2	-	-
Female.....	5	5	8	12	19	20	17	21	11	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	83	100	128	171	269	301	274	215	88	20	3	-
Male.....	49	61	68	119	159	153	125	90	33	7	-	-
Female.....	34	39	60	52	110	148	149	125	55	13	3	-
White, both sexes.....	67	75	99	148	241	280	259	199	85	20	3	-
Male.....	40	49	51	99	141	142	119	84	32	7	-	-
Female.....	27	26	48	49	100	138	140	115	53	13	3	-
Black, both sexes.....	10	19	28	23	22	15	12	16	3	-	-	-
Male.....	4	8	17	20	15	6	5	6	1	-	-	-
Female.....	6	11	11	3	7	9	7	10	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	6	1	-	6	6	3	-	-	-	-	-
Male.....	5	4	-	-	3	5	1	-	-	-	-	-
Female.....	1	2	1	-	3	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

New Mexico

All races, both sexes.....	17	26	27	29	35	40	43	37	14	3	2	-
Male.....	12	16	13	19	18	22	24	20	7	2	1	-
Female.....	5	10	14	10	17	18	19	17	7	1	1	-
White, both sexes.....	14	23	24	25	34	39	42	37	13	3	2	-
Male.....	10	15	11	16	18	21	23	20	7	2	1	-
Female.....	4	8	13	9	16	18	19	17	6	1	1	-
Black, both sexes.....	-	-	1	2	-	-	-	-	-	-	-	-
Male.....	-	-	1	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	2	2	2	1	1	-	-	1	-	-	-
Male.....	2	1	1	1	-	1	-	-	-	-	-	-
Female.....	1	1	1	1	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	195	205	271	371	453	585	579	364	144	42	1	-
Male.....	97	119	155	212	259	309	300	163	55	10	1	-
Female.....	98	86	116	159	194	276	279	201	89	32	-	-
White, both sexes.....	145	156	215	313	405	523	535	343	133	37	1	-
Male.....	75	88	119	181	237	288	287	156	51	9	1	-
Female.....	70	68	96	132	168	235	248	187	82	28	-	-
Black, both sexes.....	45	47	47	51	44	53	40	17	10	3	-	-
Male.....	21	29	31	27	20	19	11	5	3	1	-	-
Female.....	24	18	16	24	24	34	29	12	7	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	8	7	4	9	4	3	1	2	-	-
Male.....	1	2	5	4	2	2	2	2	1	-	-	-
Female.....	4	-	3	3	2	7	2	1	-	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Oregon

All races, both sexes.....	31	38	48	80	116	129	129	83	37	12	3	-
Male.....	21	22	29	50	64	79	53	40	19	4	2	-
Female.....	10	16	19	30	52	50	76	43	18	8	1	-
White, both sexes.....	31	37	47	79	115	124	126	82	36	12	3	-
Male.....	21	22	28	50	64	77	52	40	18	4	2	-
Female.....	10	15	19	29	51	47	74	42	18	8	1	-
Black, both sexes.....	-	-	-	1	1	4	1	1	1	-	-	-
Male.....	-	-	-	-	-	2	-	-	1	-	-	-
Female.....	-	-	-	1	1	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	2	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Pennsylvania

All races, both sexes.....	107	155	207	293	408	476	534	380	115	26	1	-
Male.....	66	86	128	163	236	252	270	167	35	6	-	-
Female.....	41	69	79	130	172	224	264	213	80	20	1	-
White, both sexes.....	96	139	189	268	380	450	522	357	109	25	1	-
Male.....	61	78	119	151	219	240	266	158	35	5	-	-
Female.....	35	61	70	117	161	210	256	199	74	20	1	-
Black, both sexes.....	10	15	16	22	28	26	12	22	6	1	-	-
Male.....	4	7	8	11	17	12	4	9	-	1	-	-
Female.....	6	8	8	11	11	14	8	13	6	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	2	-	-	-	1	-	-	-	-
Male.....	1	1	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Vermont

All races, both sexes.....	9	5	12	14	18	19	21	11	8	3	2	-
Male.....	7	2	6	12	10	6	11	5	3	2	1	-
Female.....	2	3	6	2	8	13	10	6	5	1	1	-
White, both sexes.....	9	4	12	14	18	19	21	11	8	3	2	-
Male.....	7	1	6	12	10	6	11	5	3	2	1	-
Female.....	2	3	6	2	8	13	10	6	5	1	1	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	63	72	98	139	190	225	209	137	43	10	1	-
Male.....	37	43	52	87	111	108	95	55	23	3	1	-
Female.....	26	29	46	52	79	117	114	82	20	7	-	-
White, both sexes.....	46	52	75	120	151	197	182	118	36	10	-	-
Male.....	29	33	37	75	90	95	82	49	19	3	-	-
Female.....	17	19	38	45	61	102	100	69	17	7	-	-
Black, both sexes.....	14	17	22	16	38	28	25	17	7	-	1	-
Male.....	7	9	14	10	21	13	13	5	4	-	1	-
Female.....	7	8	8	6	17	15	12	12	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	1	2	1	-	2	2	-	-	-	-
Male.....	1	1	1	2	-	-	-	1	-	-	-	-
Female.....	2	2	-	-	1	-	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Hodgkin's disease (C81)

Arkansas

All races, both sexes.....	18	-	-	-	-	-	2	-	2	2	2	1
Male.....	9	-	-	-	-	-	2	-	-	1	2	-
Female.....	9	-	-	-	-	-	-	-	2	1	-	1
White, both sexes.....	15	-	-	-	-	-	2	-	1	2	2	1
Male.....	8	-	-	-	-	-	2	-	-	1	2	-
Female.....	7	-	-	-	-	-	-	-	1	1	-	1
Black, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	154	-	-	1	1	5	8	5	13	9	10	10
Male.....	80	-	-	1	1	2	3	5	7	5	5	4
Female.....	74	-	-	-	-	3	5	-	6	4	5	6
White, both sexes.....	126	-	-	1	1	3	6	4	12	6	9	9
Male.....	69	-	-	1	1	2	3	4	7	4	5	3
Female.....	57	-	-	-	-	1	3	-	5	2	4	6
Black, both sexes.....	14	-	-	-	-	-	2	1	1	1	1	1
Male.....	6	-	-	-	-	-	-	1	-	-	-	1
Female.....	8	-	-	-	-	-	2	-	1	1	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	2	-	-	-	2	-	-
Male.....	5	-	-	-	-	-	-	-	-	1	-	-
Female.....	8	-	-	-	-	2	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Hodgkin's disease (C81)

Arkansas

All races, both sexes.....	1	1	2	-	1	1	1	1	-	1	-	-
Male.....	1	1	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	1	-	1	-	-
White, both sexes.....	1	1	1	-	1	1	1	1	-	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	1	-	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	11	8	15	8	12	6	16	8	6	2	-	-
Male.....	6	2	9	5	7	3	9	4	1	1	-	-
Female.....	5	6	6	3	5	3	7	4	5	1	-	-
White, both sexes.....	10	7	9	6	10	5	14	7	5	2	-	-
Male.....	5	2	6	3	6	3	8	4	1	1	-	-
Female.....	5	5	3	3	4	2	6	3	4	1	-	-
Black, both sexes.....	1	-	3	1	1	1	-	-	-	-	-	-
Male.....	1	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	2	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	1	-	2	1	1	-	-	-
Male.....	-	-	2	1	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	-	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Hodgkin's disease (C81)

New Mexico

All races, both sexes.....	1	1	2	1	-	-	1	1	-	-	-	-
Male.....	-	-	1	1	-	-	1	-	-	-	-	-
Female.....	1	1	1	-	-	-	-	1	-	-	-	-
White, both sexes.....	1	1	2	1	-	-	1	1	-	-	-	-
Male.....	-	-	1	1	-	-	1	-	-	-	-	-
Female.....	1	1	1	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	13	5	8	7	10	9	11	3	1	-	-	-
Male.....	5	3	4	1	7	3	6	2	1	-	-	-
Female.....	8	2	4	6	3	6	5	1	-	-	-	-
White, both sexes.....	12	5	6	7	10	8	11	3	1	-	-	-
Male.....	4	3	2	1	7	3	6	2	1	-	-	-
Female.....	8	2	4	6	3	5	5	1	-	-	-	-
Black, both sexes.....	1	-	2	-	-	-	-	-	-	-	-	-
Male.....	1	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

United States

All races, both sexes.....	21,983	5	15	15	42	44	99	111	170	253	434	640
Male.....	11,582	4	6	10	30	31	63	71	107	161	278	406
Female.....	10,401	1	9	5	12	13	36	40	63	92	156	234
White, both sexes.....	20,057	2	14	15	30	28	79	84	119	194	346	534
Male.....	10,573	1	6	10	22	23	53	58	73	123	220	351
Female.....	9,484	1	8	5	8	5	26	26	46	71	126	183
Black, both sexes.....	1,480	1	1	-	10	11	14	22	41	40	78	90
Male.....	777	1	-	-	7	4	6	11	29	27	52	48
Female.....	703	-	1	-	3	7	8	11	12	13	26	42
American Indian 1/, both sexes.....	54	-	-	-	1	-	1	-	1	6	2	3
Male.....	29	-	-	-	1	-	1	-	-	5	2	1
Female.....	25	-	-	-	-	-	-	-	1	1	-	2
Asian or Pacific Islander 2/, both sexes.....	392	2	-	-	1	5	5	5	9	13	8	13
Male.....	203	2	-	-	-	4	3	2	5	6	4	6
Female.....	189	-	-	-	1	1	2	3	4	7	4	7

Alabama

All races, both sexes.....	363	-	-	-	-	1	-	2	6	3	6	14
Male.....	196	-	-	-	-	1	-	-	5	2	4	10
Female.....	167	-	-	-	-	-	-	2	1	1	2	4
White, both sexes.....	318	-	-	-	-	-	-	-	4	2	4	12
Male.....	171	-	-	-	-	-	-	-	3	1	3	9
Female.....	147	-	-	-	-	-	-	-	1	1	1	3
Black, both sexes.....	43	-	-	-	-	1	-	1	2	1	2	2
Male.....	24	-	-	-	-	1	-	-	2	1	1	1
Female.....	19	-	-	-	-	-	-	1	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Arkansas

All races, both sexes.....	209	-	1	-	-	2	-	1	2	3	3	4
Male.....	116	-	-	-	-	1	-	-	2	2	-	4
Female.....	93	-	1	-	-	1	-	1	-	1	3	-
White, both sexes.....	197	-	1	-	-	2	-	-	2	2	2	4
Male.....	112	-	-	-	-	1	-	-	2	2	-	4
Female.....	85	-	1	-	-	1	-	-	-	-	2	-
Black, both sexes.....	11	-	-	-	-	-	-	1	-	1	1	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	1	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2,224	2	1	2	4	8	17	13	16	25	43	71
Male.....	1,206	2	1	-	1	6	12	8	6	14	17	40
Female.....	1,018	-	-	2	3	2	5	5	10	11	26	31
White, both sexes.....	1,929	1	1	2	3	6	15	10	13	18	36	54
Male.....	1,048	1	1	-	1	5	11	7	6	11	14	32
Female.....	881	-	-	2	2	1	4	3	7	7	22	22
Black, both sexes.....	102	-	-	-	-	-	1	1	1	2	2	9
Male.....	56	-	-	-	-	-	-	-	-	1	-	4
Female.....	46	-	-	-	-	-	1	1	1	1	2	5
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	187	1	-	-	1	2	1	2	2	4	5	8
Male.....	99	1	-	-	-	1	1	1	-	1	3	4
Female.....	88	-	-	-	1	1	-	1	2	3	2	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Maine

All races, both sexes.....	120	-	-	-	-	-	-	-	-	-	1	1
Male.....	60	-	-	-	-	-	-	-	-	-	1	1
Female.....	60	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	120	-	-	-	-	-	-	-	-	-	1	1
Male.....	60	-	-	-	-	-	-	-	-	-	1	1
Female.....	60	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	363	-	-	-	1	1	2	1	-	7	11	9
Male.....	212	-	-	-	1	1	2	1	-	2	9	7
Female.....	151	-	-	-	-	-	-	-	-	5	2	2
White, both sexes.....	308	-	-	-	1	-	2	1	-	2	7	8
Male.....	185	-	-	-	1	-	2	1	-	1	5	7
Female.....	123	-	-	-	-	-	-	-	-	1	2	1
Black, both sexes.....	48	-	-	-	-	1	-	-	-	4	4	1
Male.....	23	-	-	-	-	1	-	-	-	1	4	-
Female.....	25	-	-	-	-	-	-	-	-	3	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	-	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Minnesota

All races, both sexes.....	430	-	1	-	1	1	1	2	5	5	6	11
Male.....	231	-	-	-	1	1	1	-	5	4	6	4
Female.....	199	-	1	-	-	-	-	2	-	1	-	7
White, both sexes.....	422	-	1	-	1	1	1	2	4	5	6	11
Male.....	227	-	-	-	1	1	1	-	4	4	6	4
Female.....	195	-	1	-	-	-	-	2	-	1	-	7
Black, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	-
Male.....	3	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-

Mississippi

All races, both sexes.....	209	-	-	1	-	-	1	1	1	5	1	7
Male.....	110	-	-	1	-	-	1	-	1	3	1	5
Female.....	99	-	-	-	-	-	-	1	-	2	-	2
White, both sexes.....	171	-	-	1	-	-	1	-	-	2	1	6
Male.....	90	-	-	1	-	-	1	-	-	1	1	4
Female.....	81	-	-	-	-	-	-	-	-	1	-	2
Black, both sexes.....	36	-	-	-	-	-	-	1	1	2	-	1
Male.....	19	-	-	-	-	-	-	-	1	2	-	1
Female.....	17	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

New Hampshire

All races, both sexes.....	124	-	-	-	-	-	3	-	-	-	3	2
Male.....	64	-	-	-	-	-	2	-	-	-	2	1
Female.....	60	-	-	-	-	-	1	-	-	-	1	1
White, both sexes.....	124	-	-	-	-	-	3	-	-	-	3	2
Male.....	64	-	-	-	-	-	2	-	-	-	2	1
Female.....	60	-	-	-	-	-	1	-	-	-	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	731	-	-	1	2	3	3	2	6	13	19	16
Male.....	390	-	-	-	2	2	2	1	4	9	14	12
Female.....	341	-	-	1	-	1	1	1	2	4	5	4
White, both sexes.....	654	-	-	1	1	2	2	2	1	10	13	14
Male.....	342	-	-	-	1	2	1	1	1	7	9	10
Female.....	312	-	-	1	-	-	1	1	-	3	4	4
Black, both sexes.....	65	-	-	-	1	1	1	-	5	2	6	1
Male.....	44	-	-	-	1	-	1	-	3	2	5	1
Female.....	21	-	-	-	-	1	-	-	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	-	-	-	1	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Vermont

All races, both sexes.....	57	-	-	-	-	-	-	1	-	-	3	-
Male.....	33	-	-	-	-	-	-	1	-	-	3	-
Female.....	24	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	56	-	-	-	-	-	-	1	-	-	3	-
Male.....	32	-	-	-	-	-	-	1	-	-	3	-
Female.....	24	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	492	1	-	-	-	-	2	4	7	13	9	15
Male.....	256	1	-	-	-	-	1	4	4	8	6	12
Female.....	236	-	-	-	-	-	1	-	3	5	3	3
White, both sexes.....	424	-	-	-	-	-	2	4	4	9	5	11
Male.....	222	-	-	-	-	-	1	4	2	5	3	9
Female.....	202	-	-	-	-	-	1	-	2	4	2	2
Black, both sexes.....	59	1	-	-	-	-	-	-	1	4	4	4
Male.....	31	1	-	-	-	-	-	-	1	3	3	3
Female.....	28	-	-	-	-	-	-	-	-	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	-	-	2	-	-	-
Male.....	3	-	-	-	-	-	-	-	1	-	-	-
Female.....	6	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Alaska

All races, both sexes.....	3	2	6	3	3	4	4	1	-	1	-	-
Male.....	3	2	3	1	3	1	3	1	-	-	-	-
Female.....	-	-	3	2	-	3	1	-	-	1	-	-
White, both sexes.....	2	2	5	3	3	4	4	1	-	-	-	-
Male.....	2	2	2	1	3	1	3	1	-	-	-	-
Female.....	-	-	3	2	-	3	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	1	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	18	20	32	51	61	70	76	42	11	2	-	-
Male.....	10	9	15	28	29	40	37	20	5	1	-	-
Female.....	8	11	17	23	32	30	39	22	6	1	-	-
White, both sexes.....	17	18	30	49	56	69	76	42	11	2	-	-
Male.....	9	8	15	27	27	39	37	20	5	1	-	-
Female.....	8	10	15	22	29	30	39	22	6	1	-	-
Black, both sexes.....	1	1	1	-	1	-	-	-	-	-	-	-
Male.....	1	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	4	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	3	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Arkansas

All races, both sexes.....	12	12	19	19	23	32	28	37	9	2	-	-
Male.....	7	8	10	14	11	19	14	19	4	1	-	-
Female.....	5	4	9	5	12	13	14	18	5	1	-	-
White, both sexes.....	11	12	19	18	22	30	27	34	9	2	-	-
Male.....	6	8	10	14	10	18	14	18	4	1	-	-
Female.....	5	4	9	4	12	12	13	16	5	1	-	-
Black, both sexes.....	1	-	-	1	1	2	1	2	-	-	-	-
Male.....	1	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

California

All races, both sexes.....	97	126	164	237	322	341	372	255	83	20	5	-
Male.....	57	89	109	144	191	178	180	117	31	2	1	-
Female.....	40	37	55	93	131	163	192	138	52	18	4	-
White, both sexes.....	71	108	144	199	278	294	341	238	74	19	4	-
Male.....	42	75	94	120	173	153	163	111	25	2	1	-
Female.....	29	33	50	79	105	141	178	127	49	17	3	-
Black, both sexes.....	10	3	10	19	17	11	9	4	3	-	-	-
Male.....	7	3	9	12	9	6	3	1	1	-	-	-
Female.....	3	-	1	7	8	5	6	3	2	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	2	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	15	10	19	25	35	21	13	6	1	1	-
Male.....	8	11	6	12	8	18	14	5	5	-	-	-
Female.....	7	4	4	7	17	17	7	8	1	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Illinois

All races, both sexes.....	45	54	73	96	123	148	163	116	52	9	-	-
Male.....	23	37	46	49	66	69	78	49	17	2	-	-
Female.....	22	17	27	47	57	79	85	67	35	7	-	-
White, both sexes.....	34	46	63	84	111	134	156	114	51	9	-	-
Male.....	18	34	41	44	58	65	78	48	16	2	-	-
Female.....	16	12	22	40	53	69	78	66	35	7	-	-
Black, both sexes.....	10	6	10	11	9	11	6	2	1	-	-	-
Male.....	4	1	5	5	7	2	-	1	1	-	-	-
Female.....	6	5	5	6	2	9	6	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	1	3	3	1	-	-	-	-	-
Male.....	1	2	-	-	1	2	-	-	-	-	-	-
Female.....	-	-	-	1	2	1	1	-	-	-	-	-

Indiana

All races, both sexes.....	29	28	37	56	74	98	75	45	13	8	-	-
Male.....	18	18	20	35	43	58	32	17	7	-	-	-
Female.....	11	10	17	21	31	40	43	28	6	8	-	-
White, both sexes.....	27	26	35	52	69	95	73	43	13	8	-	-
Male.....	16	17	18	33	40	58	31	15	7	-	-	-
Female.....	11	9	17	19	29	37	42	28	6	8	-	-
Black, both sexes.....	2	2	1	4	4	3	2	2	-	-	-	-
Male.....	2	1	1	2	3	-	1	2	-	-	-	-
Female.....	-	1	-	2	1	3	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Maine

All races, both sexes.....	8	7	15	9	18	18	17	20	6	-	-	-
Male.....	6	3	9	7	8	11	4	7	3	-	-	-
Female.....	2	4	6	2	10	7	13	13	3	-	-	-
White, both sexes.....	8	7	15	9	18	18	17	20	6	-	-	-
Male.....	6	3	9	7	8	11	4	7	3	-	-	-
Female.....	2	4	6	2	10	7	13	13	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	13	20	37	39	48	59	53	43	15	4	-	-
Male.....	9	14	26	27	22	32	27	22	8	2	-	-
Female.....	4	6	11	12	26	27	26	21	7	2	-	-
White, both sexes.....	10	9	33	34	43	58	46	38	13	3	-	-
Male.....	7	7	22	25	21	32	25	20	8	1	-	-
Female.....	3	2	11	9	22	26	21	18	5	2	-	-
Black, both sexes.....	3	10	3	4	5	1	5	4	2	1	-	-
Male.....	2	6	3	1	1	-	2	1	-	1	-	-
Female.....	1	4	-	3	4	1	3	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	-	-	2	1	-	-	-	-
Male.....	-	1	1	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Massachusetts

All races, both sexes.....	11	26	33	51	86	103	100	83	26	7	-	-
Male.....	9	12	16	32	46	53	32	40	11	2	-	-
Female.....	2	14	17	19	40	50	68	43	15	5	-	-
White, both sexes.....	11	26	30	47	83	95	97	82	26	7	-	-
Male.....	9	12	15	28	44	49	31	39	11	2	-	-
Female.....	2	14	15	19	39	46	66	43	15	5	-	-
Black, both sexes.....	-	-	1	4	3	6	3	-	-	-	-	-
Male.....	-	-	-	4	2	3	1	-	-	-	-	-
Female.....	-	-	1	-	1	3	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	2	-	1	-	-	-	-
Male.....	-	-	1	-	-	1	-	1	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Michigan

All races, both sexes.....	37	43	63	89	129	142	150	91	33	5	1	-
Male.....	25	27	36	48	75	71	67	42	7	1	-	-
Female.....	12	16	27	41	54	71	83	49	26	4	1	-
White, both sexes.....	29	41	55	83	116	132	145	87	30	5	1	-
Male.....	19	26	34	45	69	66	64	39	7	1	-	-
Female.....	10	15	21	38	47	66	81	48	23	4	1	-
Black, both sexes.....	7	2	7	6	12	8	5	4	3	-	-	-
Male.....	5	1	2	3	5	4	3	3	-	-	-	-
Female.....	2	1	5	3	7	4	2	1	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	2	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Nebraska

All races, both sexes.....	2	14	11	17	26	25	21	15	8	2	-	-
Male.....	2	9	9	12	14	12	8	6	3	1	-	-
Female.....	-	5	2	5	12	13	13	9	5	1	-	-
White, both sexes.....	2	14	10	16	26	25	21	15	8	2	-	-
Male.....	2	9	8	12	14	12	8	6	3	1	-	-
Female.....	-	5	2	4	12	13	13	9	5	1	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	3	9	13	18	16	24	16	12	5	1	-	-
Male.....	2	5	8	8	1	18	6	7	2	1	-	-
Female.....	1	4	5	10	15	6	10	5	3	-	-	-
White, both sexes.....	3	9	13	18	16	21	15	12	4	1	-	-
Male.....	2	5	8	8	1	16	5	7	2	1	-	-
Female.....	1	4	5	10	15	5	10	5	2	-	-	-
Black, both sexes.....	-	-	-	-	-	2	-	-	1	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

New Hampshire

All races, both sexes.....	4	5	10	16	16	27	15	16	5	2	-	-
Male.....	3	3	8	9	5	16	7	7	-	1	-	-
Female.....	1	2	2	7	11	11	8	9	5	1	-	-
White, both sexes.....	4	5	10	16	16	27	15	16	5	2	-	-
Male.....	3	3	8	9	5	16	7	7	-	1	-	-
Female.....	1	2	2	7	11	11	8	9	5	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	31	41	62	65	106	134	103	84	34	6	-	-
Male.....	20	24	33	48	52	70	46	34	14	3	-	-
Female.....	11	17	29	17	54	64	57	50	20	3	-	-
White, both sexes.....	26	35	49	58	97	130	95	78	34	6	-	-
Male.....	17	20	25	41	47	68	43	32	14	3	-	-
Female.....	9	15	24	17	50	62	52	46	20	3	-	-
Black, both sexes.....	5	5	12	7	5	3	5	6	-	-	-	-
Male.....	3	4	8	7	4	1	2	2	-	-	-	-
Female.....	2	1	4	-	1	2	3	4	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	4	1	3	-	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	1	1	-	3	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

New Mexico

All races, both sexes.....	5	9	15	13	17	15	17	13	4	1	1	-
Male.....	4	7	8	9	5	7	12	5	1	1	-	-
Female.....	1	2	7	4	12	8	5	8	3	-	1	-
White, both sexes.....	5	8	14	10	16	15	16	13	3	1	1	-
Male.....	4	6	7	7	5	7	11	5	1	1	-	-
Female.....	1	2	7	3	11	8	5	8	2	-	1	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	2	1	-	-	-	1	-	-	-
Male.....	-	1	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	77	84	116	158	158	244	221	129	48	14	-	-
Male.....	41	51	70	87	87	117	119	53	22	2	-	-
Female.....	36	33	46	71	71	127	102	76	26	12	-	-
White, both sexes.....	60	63	97	138	140	230	205	125	47	14	-	-
Male.....	34	38	58	75	78	112	112	52	21	2	-	-
Female.....	26	25	39	63	62	118	93	73	26	12	-	-
Black, both sexes.....	16	20	16	18	16	11	15	3	1	-	-	-
Male.....	6	12	10	11	9	5	6	-	1	-	-	-
Female.....	10	8	6	7	7	6	9	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	2	2	3	1	1	-	-	-	-
Male.....	1	1	2	1	-	-	1	1	-	-	-	-
Female.....	-	-	1	1	2	3	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Oregon

All races, both sexes.....	14	17	18	31	37	50	60	41	13	4	1	-
Male.....	11	10	9	19	20	30	20	18	4	1	-	-
Female.....	3	7	9	12	17	20	40	23	9	3	1	-
White, both sexes.....	14	17	18	31	37	50	59	41	13	4	1	-
Male.....	11	10	9	19	20	30	20	18	4	1	-	-
Female.....	3	7	9	12	17	20	39	23	9	3	1	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	51	63	91	107	165	211	234	148	52	9	-	-
Male.....	35	36	57	58	96	102	117	65	15	3	-	-
Female.....	16	27	34	49	69	109	117	83	37	6	-	-
White, both sexes.....	47	55	83	100	158	203	229	141	52	8	-	-
Male.....	32	30	51	54	93	98	115	61	15	2	-	-
Female.....	15	25	32	46	65	105	114	80	37	6	-	-
Black, both sexes.....	3	7	7	6	7	8	5	6	-	1	-	-
Male.....	2	5	5	4	3	4	2	4	-	1	-	-
Female.....	1	2	2	2	4	4	3	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	1	-	-	-	1	-	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Vermont

All races, both sexes.....	4	3	7	5	8	6	8	5	4	2	1	-
Male.....	3	1	3	4	6	2	6	2	1	1	-	-
Female.....	1	2	4	1	2	4	2	3	3	1	1	-
White, both sexes.....	4	2	7	5	8	6	8	5	4	2	1	-
Male.....	3	-	3	4	6	2	6	2	1	1	-	-
Female.....	1	2	4	1	2	4	2	3	3	1	1	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	23	30	40	50	68	84	79	46	18	3	-	-
Male.....	12	17	19	37	40	41	34	14	6	-	-	-
Female.....	11	13	21	13	28	43	45	32	12	3	-	-
White, both sexes.....	19	23	33	46	57	78	74	40	16	3	-	-
Male.....	11	14	16	35	33	38	33	13	5	-	-	-
Female.....	8	9	17	11	24	40	41	27	11	3	-	-
Black, both sexes.....	2	5	7	4	10	6	3	6	2	-	-	-
Male.....	-	2	3	2	7	3	1	1	1	-	-	-
Female.....	2	3	4	2	3	3	2	5	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	-	-	1	-	2	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Non-Hodgkin's lymphoma (C82-C85)												
United States												
All races, both sexes.....	21,910	2	15	15	42	44	98	111	170	253	434	638
Male.....	11,538	1	6	10	30	31	62	71	107	161	278	404
Female.....	10,372	1	9	5	12	13	36	40	63	92	156	234
White, both sexes.....	19,996	1	14	15	30	28	78	84	119	194	346	532
Male.....	10,535	-	6	10	22	23	52	58	73	123	220	349
Female.....	9,461	1	8	5	8	5	26	26	46	71	126	183
Black, both sexes.....	1,474	1	1	-	10	11	14	22	41	40	78	90
Male.....	775	1	-	-	7	4	6	11	29	27	52	48
Female.....	699	-	1	-	3	7	8	11	12	13	26	42
American Indian 1/, both sexes.....	53	-	-	-	1	-	1	-	1	6	2	3
Male.....	29	-	-	-	1	-	1	-	-	5	2	1
Female.....	24	-	-	-	-	-	-	-	1	1	-	2
Asian or Pacific Islander 2/, both sexes.....	387	-	-	-	1	5	5	5	9	13	8	13
Male.....	199	-	-	-	-	4	3	2	5	6	4	6
Female.....	188	-	-	-	1	1	2	3	4	7	4	7
Alabama												
All races, both sexes.....	363	-	-	-	-	1	-	2	6	3	6	14
Male.....	196	-	-	-	-	1	-	-	5	2	4	10
Female.....	167	-	-	-	-	-	-	2	1	1	2	4
White, both sexes.....	318	-	-	-	-	-	-	-	4	2	4	12
Male.....	171	-	-	-	-	-	-	-	3	1	3	9
Female.....	147	-	-	-	-	-	-	-	1	1	1	3
Black, both sexes.....	43	-	-	-	-	1	-	1	2	1	2	2
Male.....	24	-	-	-	-	1	-	-	2	1	1	1
Female.....	19	-	-	-	-	-	-	1	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Non-Hodgkin's lymphoma (C82-C85)

Arkansas

All races, both sexes.....	209	-	1	-	-	2	-	1	2	3	3	4
Male.....	116	-	-	-	-	1	-	-	2	2	-	4
Female.....	93	-	1	-	-	1	-	1	-	1	3	-
White, both sexes.....	197	-	1	-	-	2	-	-	2	2	2	4
Male.....	112	-	-	-	-	1	-	-	2	2	-	4
Female.....	85	-	1	-	-	1	-	-	-	-	2	-
Black, both sexes.....	11	-	-	-	-	-	-	1	-	1	1	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	1	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2,218	-	1	2	4	8	16	13	16	25	43	71
Male.....	1,202	-	1	-	1	6	11	8	6	14	17	40
Female.....	1,016	-	-	2	3	2	5	5	10	11	26	31
White, both sexes.....	1,926	-	1	2	3	6	14	10	13	18	36	54
Male.....	1,046	-	1	-	1	5	10	7	6	11	14	32
Female.....	880	-	-	2	2	1	4	3	7	7	22	22
Black, both sexes.....	102	-	-	-	-	-	1	1	1	2	2	9
Male.....	56	-	-	-	-	-	-	-	-	1	-	4
Female.....	46	-	-	-	-	-	1	1	1	1	2	5
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	184	-	-	-	1	2	1	2	2	4	5	8
Male.....	97	-	-	-	-	1	1	1	-	1	3	4
Female.....	87	-	-	-	1	1	-	1	2	3	2	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Non-Hodgkin's lymphoma (C82-C85)												
Maine												
All races, both sexes.....	117	-	-	-	-	-	-	-	-	-	1	1
Male.....	58	-	-	-	-	-	-	-	-	-	1	1
Female.....	59	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	117	-	-	-	-	-	-	-	-	-	1	1
Male.....	58	-	-	-	-	-	-	-	-	-	1	1
Female.....	59	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	360	-	-	-	1	1	2	1	-	7	11	9
Male.....	210	-	-	-	1	1	2	1	-	2	9	7
Female.....	150	-	-	-	-	-	-	-	-	5	2	2
White, both sexes.....	306	-	-	-	1	-	2	1	-	2	7	8
Male.....	183	-	-	-	1	-	2	1	-	1	5	7
Female.....	123	-	-	-	-	-	-	-	-	1	2	1
Black, both sexes.....	47	-	-	-	-	1	-	-	-	4	4	1
Male.....	23	-	-	-	-	1	-	-	-	1	4	-
Female.....	24	-	-	-	-	-	-	-	-	3	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	-	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Non-Hodgkin's lymphoma (C82-C85)												
Minnesota												
All races, both sexes.....	430	-	1	-	1	1	1	2	5	5	6	11
Male.....	231	-	-	-	1	1	1	-	5	4	6	4
Female.....	199	-	1	-	-	-	-	2	-	1	-	7
White, both sexes.....	422	-	1	-	1	1	1	2	4	5	6	11
Male.....	227	-	-	-	1	1	1	-	4	4	6	4
Female.....	195	-	1	-	-	-	-	2	-	1	-	7
Black, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	-
Male.....	3	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Mississippi												
All races, both sexes.....	208	-	-	1	-	-	1	1	1	5	1	7
Male.....	110	-	-	1	-	-	1	-	1	3	1	5
Female.....	98	-	-	-	-	-	-	1	-	2	-	2
White, both sexes.....	171	-	-	1	-	-	1	-	-	2	1	6
Male.....	90	-	-	1	-	-	1	-	-	1	1	4
Female.....	81	-	-	-	-	-	-	-	-	1	-	2
Black, both sexes.....	35	-	-	-	-	-	-	1	1	2	-	1
Male.....	19	-	-	-	-	-	-	-	1	2	-	1
Female.....	16	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Non-Hodgkin's lymphoma (C82-C85)

New Hampshire

All races, both sexes.....	124	-	-	-	-	-	3	-	-	-	3	2
Male.....	64	-	-	-	-	-	2	-	-	-	2	1
Female.....	60	-	-	-	-	-	1	-	-	-	1	1
White, both sexes.....	124	-	-	-	-	-	3	-	-	-	3	2
Male.....	64	-	-	-	-	-	2	-	-	-	2	1
Female.....	60	-	-	-	-	-	1	-	-	-	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	729	-	-	1	2	3	3	2	6	13	19	16
Male.....	389	-	-	-	2	2	2	1	4	9	14	12
Female.....	340	-	-	1	-	1	1	1	2	4	5	4
White, both sexes.....	652	-	-	1	1	2	2	2	1	10	13	14
Male.....	341	-	-	-	1	2	1	1	1	7	9	10
Female.....	311	-	-	1	-	-	1	1	-	3	4	4
Black, both sexes.....	65	-	-	-	1	1	1	-	5	2	6	1
Male.....	44	-	-	-	1	-	1	-	3	2	5	1
Female.....	21	-	-	-	-	1	-	-	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	-	-	-	1	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Non-Hodgkin's lymphoma (C82-C85)

Vermont

All races, both sexes.....	57	-	-	-	-	-	-	1	-	-	3	-
Male.....	33	-	-	-	-	-	-	1	-	-	3	-
Female.....	24	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	56	-	-	-	-	-	-	1	-	-	3	-
Male.....	32	-	-	-	-	-	-	1	-	-	3	-
Female.....	24	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	492	1	-	-	-	-	2	4	7	13	9	15
Male.....	256	1	-	-	-	-	1	4	4	8	6	12
Female.....	236	-	-	-	-	-	1	-	3	5	3	3
White, both sexes.....	424	-	-	-	-	-	2	4	4	9	5	11
Male.....	222	-	-	-	-	-	1	4	2	5	3	9
Female.....	202	-	-	-	-	-	1	-	2	4	2	2
Black, both sexes.....	59	1	-	-	-	-	-	-	1	4	4	4
Male.....	31	1	-	-	-	-	-	-	1	3	3	3
Female.....	28	-	-	-	-	-	-	-	-	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	-	-	2	-	-	-
Male.....	3	-	-	-	-	-	-	-	1	-	-	-
Female.....	6	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Non-Hodgkin's lymphoma (C82-C85)

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alaska												
All races, both sexes.....	3	2	6	3	3	4	4	1	-	1	-	-
Male.....	3	2	3	1	3	1	3	1	-	-	-	-
Female.....	-	-	3	2	-	3	1	-	-	1	-	-
White, both sexes.....	2	2	5	3	3	4	4	1	-	-	-	-
Male.....	2	2	2	1	3	1	3	1	-	-	-	-
Female.....	-	-	3	2	-	3	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	1	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	18	20	32	51	61	70	76	42	11	2	-	-
Male.....	10	9	15	28	29	40	37	20	5	1	-	-
Female.....	8	11	17	23	32	30	39	22	6	1	-	-
White, both sexes.....	17	18	30	49	56	69	76	42	11	2	-	-
Male.....	9	8	15	27	27	39	37	20	5	1	-	-
Female.....	8	10	15	22	29	30	39	22	6	1	-	-
Black, both sexes.....	1	1	1	-	1	-	-	-	-	-	-	-
Male.....	1	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	4	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	3	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Non-Hodgkin's lymphoma (C82-C85)

Arkansas

All races, both sexes.....	12	12	19	19	23	32	28	37	9	2	-	-
Male.....	7	8	10	14	11	19	14	19	4	1	-	-
Female.....	5	4	9	5	12	13	14	18	5	1	-	-
White, both sexes.....	11	12	19	18	22	30	27	34	9	2	-	-
Male.....	6	8	10	14	10	18	14	18	4	1	-	-
Female.....	5	4	9	4	12	12	13	16	5	1	-	-
Black, both sexes.....	1	-	-	1	1	2	1	2	-	-	-	-
Male.....	1	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

California

All races, both sexes.....	96	125	164	237	322	341	371	255	83	20	5	-
Male.....	57	89	109	144	191	178	179	117	31	2	1	-
Female.....	39	36	55	93	131	163	192	138	52	18	4	-
White, both sexes.....	71	107	144	199	278	294	341	238	74	19	4	-
Male.....	42	75	94	120	173	153	163	111	25	2	1	-
Female.....	29	32	50	79	105	141	178	127	49	17	3	-
Black, both sexes.....	10	3	10	19	17	11	9	4	3	-	-	-
Male.....	7	3	9	12	9	6	3	1	1	-	-	-
Female.....	3	-	1	7	8	5	6	3	2	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	2	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	15	10	19	25	35	20	13	6	1	1	-
Male.....	8	11	6	12	8	18	13	5	5	-	-	-
Female.....	6	4	4	7	17	17	7	8	1	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Non-Hodgkin's lymphoma (C82-C85)

Illinois

All races, both sexes.....	45	54	73	96	121	148	161	116	52	9	-	-
Male.....	23	37	46	49	64	69	77	49	17	2	-	-
Female.....	22	17	27	47	57	79	84	67	35	7	-	-
White, both sexes.....	34	46	63	84	109	134	154	114	51	9	-	-
Male.....	18	34	41	44	56	65	77	48	16	2	-	-
Female.....	16	12	22	40	53	69	77	66	35	7	-	-
Black, both sexes.....	10	6	10	11	9	11	6	2	1	-	-	-
Male.....	4	1	5	5	7	2	-	1	1	-	-	-
Female.....	6	5	5	6	2	9	6	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	1	3	3	1	-	-	-	-	-
Male.....	1	2	-	-	1	2	-	-	-	-	-	-
Female.....	-	-	-	1	2	1	1	-	-	-	-	-

Indiana

All races, both sexes.....	29	28	37	56	73	98	75	44	13	8	-	-
Male.....	18	18	20	35	42	58	32	16	7	-	-	-
Female.....	11	10	17	21	31	40	43	28	6	8	-	-
White, both sexes.....	27	26	35	52	68	95	73	42	13	8	-	-
Male.....	16	17	18	33	39	58	31	14	7	-	-	-
Female.....	11	9	17	19	29	37	42	28	6	8	-	-
Black, both sexes.....	2	2	1	4	4	3	2	2	-	-	-	-
Male.....	2	1	1	2	3	-	1	2	-	-	-	-
Female.....	-	1	-	2	1	3	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Non-Hodgkin's lymphoma (C82-C85)

Maine

All races, both sexes.....	7	7	15	8	18	18	16	20	6	-	-	-
Male.....	5	3	9	6	8	11	4	7	3	-	-	-
Female.....	2	4	6	2	10	7	12	13	3	-	-	-
White, both sexes.....	7	7	15	8	18	18	16	20	6	-	-	-
Male.....	5	3	9	6	8	11	4	7	3	-	-	-
Female.....	2	4	6	2	10	7	12	13	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	13	20	37	38	48	59	53	42	14	4	-	-
Male.....	9	14	26	26	22	32	27	21	8	2	-	-
Female.....	4	6	11	12	26	27	26	21	6	2	-	-
White, both sexes.....	10	9	33	33	43	58	46	37	13	3	-	-
Male.....	7	7	22	24	21	32	25	19	8	1	-	-
Female.....	3	2	11	9	22	26	21	18	5	2	-	-
Black, both sexes.....	3	10	3	4	5	1	5	4	1	1	-	-
Male.....	2	6	3	1	1	-	2	1	-	1	-	-
Female.....	1	4	-	3	4	1	3	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	-	-	2	1	-	-	-	-
Male.....	-	1	1	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Non-Hodgkin's lymphoma (C82-C85)

Massachusetts

All races, both sexes.....	11	26	33	51	86	103	99	81	26	7	-	-
Male.....	9	12	16	32	46	53	32	39	11	2	-	-
Female.....	2	14	17	19	40	50	67	42	15	5	-	-
White, both sexes.....	11	26	30	47	83	95	96	80	26	7	-	-
Male.....	9	12	15	28	44	49	31	38	11	2	-	-
Female.....	2	14	15	19	39	46	65	42	15	5	-	-
Black, both sexes.....	-	-	1	4	3	6	3	-	-	-	-	-
Male.....	-	-	-	4	2	3	1	-	-	-	-	-
Female.....	-	-	1	-	1	3	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	2	-	1	-	-	-	-
Male.....	-	-	1	-	-	1	-	1	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Michigan

All races, both sexes.....	37	43	63	89	129	142	150	89	33	5	1	-
Male.....	25	27	36	48	75	71	67	40	7	1	-	-
Female.....	12	16	27	41	54	71	83	49	26	4	1	-
White, both sexes.....	29	41	55	83	116	132	145	85	30	5	1	-
Male.....	19	26	34	45	69	66	64	37	7	1	-	-
Female.....	10	15	21	38	47	66	81	48	23	4	1	-
Black, both sexes.....	7	2	7	6	12	8	5	4	3	-	-	-
Male.....	5	1	2	3	5	4	3	3	-	-	-	-
Female.....	2	1	5	3	7	4	2	1	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	2	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Non-Hodgkin's lymphoma (C82-C85)

Nebraska

All races, both sexes.....	2	14	11	17	26	25	20	15	8	2	-	-
Male.....	2	9	9	12	14	12	7	6	3	1	-	-
Female.....	-	5	2	5	12	13	13	9	5	1	-	-
White, both sexes.....	2	14	10	16	26	25	20	15	8	2	-	-
Male.....	2	9	8	12	14	12	7	6	3	1	-	-
Female.....	-	5	2	4	12	13	13	9	5	1	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	3	9	13	18	16	24	16	12	5	1	-	-
Male.....	2	5	8	8	1	18	6	7	2	1	-	-
Female.....	1	4	5	10	15	6	10	5	3	-	-	-
White, both sexes.....	3	9	13	18	16	21	15	12	4	1	-	-
Male.....	2	5	8	8	1	16	5	7	2	1	-	-
Female.....	1	4	5	10	15	5	10	5	2	-	-	-
Black, both sexes.....	-	-	-	-	-	2	-	-	1	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Non-Hodgkin's lymphoma (C82-C85)

New Hampshire

All races, both sexes.....	4	5	10	16	16	27	15	16	5	2	-	-
Male.....	3	3	8	9	5	16	7	7	-	1	-	-
Female.....	1	2	2	7	11	11	8	9	5	1	-	-
White, both sexes.....	4	5	10	16	16	27	15	16	5	2	-	-
Male.....	3	3	8	9	5	16	7	7	-	1	-	-
Female.....	1	2	2	7	11	11	8	9	5	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	31	41	62	65	105	133	103	84	34	6	-	-
Male.....	20	24	33	48	51	70	46	34	14	3	-	-
Female.....	11	17	29	17	54	63	57	50	20	3	-	-
White, both sexes.....	26	35	49	58	96	129	95	78	34	6	-	-
Male.....	17	20	25	41	46	68	43	32	14	3	-	-
Female.....	9	15	24	17	50	61	52	46	20	3	-	-
Black, both sexes.....	5	5	12	7	5	3	5	6	-	-	-	-
Male.....	3	4	8	7	4	1	2	2	-	-	-	-
Female.....	2	1	4	-	1	2	3	4	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	4	1	3	-	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	1	1	-	3	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Non-Hodgkin's lymphoma (C82-C85)

New Mexico

All races, both sexes.....	3	9	15	13	17	15	16	13	4	1	1	-
Male.....	3	7	8	9	5	7	11	5	1	1	-	-
Female.....	-	2	7	4	12	8	5	8	3	-	1	-
White, both sexes.....	3	8	14	10	16	15	15	13	3	1	1	-
Male.....	3	6	7	7	5	7	10	5	1	1	-	-
Female.....	-	2	7	3	11	8	5	8	2	-	1	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	2	1	-	-	-	1	-	-	-
Male.....	-	1	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	77	84	116	158	157	243	221	129	47	14	-	-
Male.....	41	51	70	87	86	116	119	53	22	2	-	-
Female.....	36	33	46	71	71	127	102	76	25	12	-	-
White, both sexes.....	60	63	97	138	139	229	205	125	46	14	-	-
Male.....	34	38	58	75	77	111	112	52	21	2	-	-
Female.....	26	25	39	63	62	118	93	73	25	12	-	-
Black, both sexes.....	16	20	16	18	16	11	15	3	1	-	-	-
Male.....	6	12	10	11	9	5	6	-	1	-	-	-
Female.....	10	8	6	7	7	6	9	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	2	2	3	1	1	-	-	-	-
Male.....	1	1	2	1	-	-	1	1	-	-	-	-
Female.....	-	-	1	1	2	3	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Non-Hodgkin's lymphoma (C82-C85)

Oregon

All races, both sexes.....	14	17	18	31	37	50	59	41	13	4	1	-
Male.....	11	10	9	19	20	30	20	18	4	1	-	-
Female.....	3	7	9	12	17	20	39	23	9	3	1	-
White, both sexes.....	14	17	18	31	37	50	58	41	13	4	1	-
Male.....	11	10	9	19	20	30	20	18	4	1	-	-
Female.....	3	7	9	12	17	20	38	23	9	3	1	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	51	63	91	107	165	209	232	147	52	9	-	-
Male.....	35	36	57	58	96	101	115	65	15	3	-	-
Female.....	16	27	34	49	69	108	117	82	37	6	-	-
White, both sexes.....	47	55	83	100	158	201	227	140	52	8	-	-
Male.....	32	30	51	54	93	97	113	61	15	2	-	-
Female.....	15	25	32	46	65	104	114	79	37	6	-	-
Black, both sexes.....	3	7	7	6	7	8	5	6	-	1	-	-
Male.....	2	5	5	4	3	4	2	4	-	1	-	-
Female.....	1	2	2	2	4	4	3	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	1	-	-	-	1	-	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Non-Hodgkin's lymphoma (C82-C85)

Vermont

All races, both sexes.....	4	3	7	5	8	6	8	5	4	2	1	-
Male.....	3	1	3	4	6	2	6	2	1	1	-	-
Female.....	1	2	4	1	2	4	2	3	3	1	1	-
White, both sexes.....	4	2	7	5	8	6	8	5	4	2	1	-
Male.....	3	-	3	4	6	2	6	2	1	1	-	-
Female.....	1	2	4	1	2	4	2	3	3	1	1	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	23	30	40	50	68	84	79	46	18	3	-	-
Male.....	12	17	19	37	40	41	34	14	6	-	-	-
Female.....	11	13	21	13	28	43	45	32	12	3	-	-
White, both sexes.....	19	23	33	46	57	78	74	40	16	3	-	-
Male.....	11	14	16	35	33	38	33	13	5	-	-	-
Female.....	8	9	17	11	24	40	41	27	11	3	-	-
Black, both sexes.....	2	5	7	4	10	6	3	6	2	-	-	-
Male.....	-	2	3	2	7	3	1	1	1	-	-	-
Female.....	2	3	4	2	3	3	2	5	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	-	-	1	-	2	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Multiple myeloma and malignant plasma cell neoplasms (C90)

Arkansas

All races, both sexes.....	5	6	10	11	23	17	14	14	3	1	-	-
Male.....	4	3	7	5	15	11	2	9	1	-	-	-
Female.....	1	3	3	6	8	6	12	5	2	1	-	-
White, both sexes.....	4	4	7	9	18	14	13	14	2	-	-	-
Male.....	3	1	5	5	12	10	2	9	1	-	-	-
Female.....	1	3	2	4	6	4	11	5	1	-	-	-
Black, both sexes.....	1	2	2	2	5	2	1	-	1	1	-	-
Male.....	1	2	1	-	3	-	-	-	-	-	-	-
Female.....	-	-	1	2	2	2	1	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	59	64	100	119	154	192	192	110	34	7	-	-
Male.....	36	40	52	63	77	100	104	57	19	2	-	-
Female.....	23	24	48	56	77	92	88	53	15	5	-	-
White, both sexes.....	47	52	80	97	118	164	164	100	28	5	-	-
Male.....	31	35	42	54	65	87	93	54	16	2	-	-
Female.....	16	17	38	43	53	77	71	46	12	3	-	-
Black, both sexes.....	10	9	12	14	21	20	19	6	3	2	-	-
Male.....	4	4	5	7	8	9	7	3	2	-	-	-
Female.....	6	5	7	7	13	11	12	3	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	8	8	15	8	9	4	3	-	-	-
Male.....	1	1	5	2	4	4	4	-	1	-	-	-
Female.....	1	2	3	6	11	4	5	4	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Multiple myeloma and malignant plasma cell neoplasms (C90)

Colorado

All races, both sexes.....	4	9	14	14	16	19	23	12	6	1	-	-
Male.....	4	6	6	11	8	11	14	4	3	-	-	-
Female.....	-	3	8	3	8	8	9	8	3	1	-	-
White, both sexes.....	4	8	12	12	15	18	22	12	5	1	-	-
Male.....	4	5	4	10	8	11	14	4	3	-	-	-
Female.....	-	3	8	2	7	7	8	8	2	1	-	-
Black, both sexes.....	-	1	2	2	1	1	1	-	1	-	-	-
Male.....	-	1	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	2	10	13	15	20	26	28	14	7	1	1	-
Male.....	1	5	7	9	10	14	9	5	3	-	1	-
Female.....	1	5	6	6	10	12	19	9	4	1	-	-
White, both sexes.....	2	4	11	11	18	25	26	14	6	1	1	-
Male.....	1	1	6	7	10	14	8	5	2	-	1	-
Female.....	1	3	5	4	8	11	18	9	4	1	-	-
Black, both sexes.....	-	6	1	4	1	1	1	-	1	-	-	-
Male.....	-	4	-	2	-	-	-	-	1	-	-	-
Female.....	-	2	1	2	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Multiple myeloma and malignant plasma cell neoplasms (C90)

Florida

All races, both sexes.....	25	36	48	74	96	129	119	69	21	5	-	-
Male.....	15	15	32	36	58	82	61	37	11	4	-	-
Female.....	10	21	16	38	38	47	58	32	10	1	-	-
White, both sexes.....	18	32	33	53	88	114	110	64	19	4	-	-
Male.....	10	11	25	28	56	73	57	36	10	4	-	-
Female.....	8	21	8	25	32	41	53	28	9	-	-	-
Black, both sexes.....	7	4	14	20	8	14	9	5	2	1	-	-
Male.....	5	4	7	8	2	8	4	1	1	-	-	-
Female.....	2	-	7	12	6	6	5	4	1	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	13	21	36	29	52	50	31	22	11	1	-	-
Male.....	7	14	21	12	27	27	7	9	3	1	-	-
Female.....	6	7	15	17	25	23	24	13	8	-	-	-
White, both sexes.....	5	11	20	15	33	34	26	16	7	1	-	-
Male.....	3	8	12	7	16	20	6	5	1	1	-	-
Female.....	2	3	8	8	17	14	20	11	6	-	-	-
Black, both sexes.....	8	10	16	13	19	15	5	6	4	-	-	-
Male.....	4	6	9	4	11	7	1	4	2	-	-	-
Female.....	4	4	7	9	8	8	4	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Multiple myeloma and malignant plasma cell neoplasms (C90)

Hawaii

All races, both sexes.....	2	3	6	3	3	5	5	2	2	-	-	-
Male.....	-	3	5	2	1	4	1	1	1	-	-	-
Female.....	2	-	1	1	2	1	4	1	1	-	-	-
White, both sexes.....	-	1	5	1	-	1	2	2	-	-	-	-
Male.....	-	1	4	1	-	-	1	1	-	-	-	-
Female.....	-	-	1	-	-	1	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	1	2	3	4	3	-	2	-	-	-
Male.....	-	2	1	1	1	4	-	-	1	-	-	-
Female.....	2	-	-	1	2	-	3	-	1	-	-	-

Idaho

All races, both sexes.....	2	1	3	7	6	10	3	8	1	-	-	-
Male.....	2	1	2	2	3	3	1	5	-	-	-	-
Female.....	-	-	1	5	3	7	2	3	1	-	-	-
White, both sexes.....	2	1	3	7	5	8	3	8	1	-	-	-
Male.....	2	1	2	2	3	3	1	5	-	-	-	-
Female.....	-	-	1	5	2	5	2	3	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Multiple myeloma and malignant plasma cell neoplasms (C90)

Maine

All races, both sexes.....	2	3	4	3	14	7	14	5	2	-	-	-
Male.....	1	2	3	3	10	5	7	1	-	-	-	-
Female.....	1	1	1	-	4	2	7	4	2	-	-	-
White, both sexes.....	2	3	4	3	14	7	14	5	2	-	-	-
Male.....	1	2	3	3	10	5	7	1	-	-	-	-
Female.....	1	1	1	-	4	2	7	4	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	7	16	21	29	25	36	35	22	4	1	-	-
Male.....	2	9	11	19	11	16	15	5	2	-	-	-
Female.....	5	7	10	10	14	20	20	17	2	1	-	-
White, both sexes.....	3	11	12	15	17	28	29	19	4	-	-	-
Male.....	1	6	7	12	5	15	13	3	2	-	-	-
Female.....	2	5	5	3	12	13	16	16	2	-	-	-
Black, both sexes.....	4	5	9	14	8	8	4	3	-	1	-	-
Male.....	1	3	4	7	6	1	1	2	-	-	-	-
Female.....	3	2	5	7	2	7	3	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Multiple myeloma and malignant plasma cell neoplasms (C90)

Nebraska

All races, both sexes.....	5	2	8	6	17	9	12	4	4	3	-	-
Male.....	5	-	5	6	9	4	5	1	3	2	-	-
Female.....	-	2	3	-	8	5	7	3	1	1	-	-
White, both sexes.....	5	2	8	5	17	9	12	4	4	3	-	-
Male.....	5	-	5	5	9	4	5	1	3	2	-	-
Female.....	-	2	3	-	8	5	7	3	1	1	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	4	10	8	11	11	13	11	6	1	1	-	-
Male.....	4	6	7	6	4	3	3	3	-	1	-	-
Female.....	-	4	1	5	7	10	8	3	1	-	-	-
White, both sexes.....	4	9	7	9	10	12	10	6	-	1	-	-
Male.....	4	6	7	6	4	3	3	3	-	1	-	-
Female.....	-	3	-	3	6	9	7	3	-	-	-	-
Black, both sexes.....	-	1	1	1	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	1	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Multiple myeloma and malignant plasma cell neoplasms (C90)

New Mexico

All races, both sexes.....	8	2	4	11	5	8	12	5	1	-	1	-
Male.....	5	2	2	6	5	4	5	4	-	-	1	-
Female.....	3	-	2	5	-	4	7	1	1	-	-	-
White, both sexes.....	5	2	3	10	5	7	12	5	1	-	1	-
Male.....	3	2	2	5	5	3	5	4	-	-	1	-
Female.....	2	-	1	5	-	4	7	1	1	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	1	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	43	47	39	85	112	113	109	82	30	10	-	-
Male.....	19	25	20	52	54	57	55	40	12	3	-	-
Female.....	24	22	19	33	58	56	54	42	18	7	-	-
White, both sexes.....	24	32	25	63	94	89	94	75	23	9	-	-
Male.....	10	15	11	41	49	51	53	38	11	3	-	-
Female.....	14	17	14	22	45	38	41	37	12	6	-	-
Black, both sexes.....	19	15	12	22	17	23	14	7	7	-	-	-
Male.....	9	10	9	11	4	6	2	2	1	-	-	-
Female.....	10	5	3	11	13	17	12	5	6	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	1	-	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Leukemia (C91-C95)

Arkansas

All races, both sexes.....	260	1	-	2	2	1	1	5	4	4	4	8
Male.....	147	-	-	2	2	1	-	1	2	3	3	3
Female.....	113	1	-	-	-	-	1	4	2	1	1	5
White, both sexes.....	232	1	-	2	1	1	-	4	3	4	3	7
Male.....	137	-	-	2	1	1	-	1	1	3	3	3
Female.....	95	1	-	-	-	-	-	3	2	1	-	4
Black, both sexes.....	26	-	-	-	1	-	1	1	1	-	1	1
Male.....	9	-	-	-	1	-	-	-	1	-	-	-
Female.....	17	-	-	-	-	-	1	1	-	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2,137	3	20	25	33	40	27	24	33	48	53	76
Male.....	1,226	1	10	14	23	23	19	17	21	29	35	35
Female.....	911	2	10	11	10	17	8	7	12	19	18	41
White, both sexes.....	1,847	-	15	17	27	33	24	20	23	37	47	66
Male.....	1,056	-	5	8	19	20	16	14	16	23	31	30
Female.....	791	-	10	9	8	13	8	6	7	14	16	36
Black, both sexes.....	135	3	4	3	1	4	1	1	3	3	2	6
Male.....	73	1	4	3	-	2	1	1	2	1	1	3
Female.....	62	2	-	-	1	2	-	-	1	2	1	3
American Indian 1/, both sexes.....	10	-	-	-	-	-	1	-	1	-	-	-
Male.....	7	-	-	-	-	-	1	-	1	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	145	-	1	5	5	3	1	3	6	8	4	4
Male.....	90	-	1	3	4	1	1	2	2	5	3	2
Female.....	55	-	-	2	1	2	-	1	4	3	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Leukemia (C91-C95)												
Maine												
All races, both sexes.....	123	-	-	1	2	1	2	1	1	-	1	4
Male.....	82	-	-	1	2	-	1	1	-	-	1	3
Female.....	41	-	-	-	-	1	1	-	1	-	-	1
White, both sexes.....	121	-	-	1	2	1	2	1	1	-	1	4
Male.....	81	-	-	1	2	-	1	1	-	-	1	3
Female.....	40	-	-	-	-	1	1	-	1	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	402	-	3	4	1	8	7	4	7	7	6	18
Male.....	227	-	3	3	-	6	6	1	6	5	3	9
Female.....	175	-	-	1	1	2	1	3	1	2	3	9
White, both sexes.....	323	-	3	2	-	6	2	2	3	5	5	13
Male.....	183	-	3	2	-	5	2	1	3	4	2	6
Female.....	140	-	-	-	-	1	-	1	-	1	3	7
Black, both sexes.....	68	-	-	-	-	1	4	2	2	2	1	5
Male.....	37	-	-	-	-	1	3	-	1	1	1	3
Female.....	31	-	-	-	-	-	1	2	1	1	-	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-
Male.....	2	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	2	1	1	-	-	1	-	-	-
Male.....	5	-	-	1	-	-	-	-	1	-	-	-
Female.....	4	-	-	1	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Leukemia (C91-C95)												
Massachusetts												
All races, both sexes.....	446	-	-	2	3	4	5	1	2	7	10	12
Male.....	228	-	-	1	2	1	2	1	-	4	8	6
Female.....	218	-	-	1	1	3	3	-	2	3	2	6
White, both sexes.....	422	-	-	2	2	4	5	1	1	5	10	12
Male.....	214	-	-	1	1	1	2	1	-	3	8	6
Female.....	208	-	-	1	1	3	3	-	1	2	2	6
Black, both sexes.....	19	-	-	-	-	-	-	-	1	2	-	-
Male.....	11	-	-	-	-	-	-	-	-	1	-	-
Female.....	8	-	-	-	-	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	-	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Michigan												
All races, both sexes.....	795	1	1	6	7	10	6	8	13	8	15	21
Male.....	435	1	-	3	2	5	2	4	8	5	10	10
Female.....	360	-	1	3	5	5	4	4	5	3	5	11
White, both sexes.....	700	1	1	5	7	8	4	7	9	6	13	14
Male.....	388	1	-	3	2	4	2	3	6	4	8	6
Female.....	312	-	1	2	5	4	2	4	3	2	5	8
Black, both sexes.....	86	-	-	-	-	2	1	1	3	1	2	6
Male.....	43	-	-	-	-	1	-	1	2	1	2	4
Female.....	43	-	-	-	-	1	1	-	1	-	2	2
American Indian 1/, both sexes.....	4	-	-	-	-	-	1	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	-	-	-	-	1	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Leukemia (C91-C95)

Nebraska

All races, both sexes.....	144	-	-	-	-	-	2	-	1	-	3	3
Male.....	77	-	-	-	-	-	1	-	-	-	2	2
Female.....	67	-	-	-	-	-	1	-	1	-	1	1
White, both sexes.....	142	-	-	-	-	-	2	-	1	-	3	3
Male.....	76	-	-	-	-	-	1	-	-	-	2	2
Female.....	66	-	-	-	-	-	1	-	1	-	1	1
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	131	1	1	1	1	-	4	2	4	4	3	6
Male.....	74	1	1	-	-	-	4	2	2	1	1	5
Female.....	57	-	-	1	1	-	-	-	2	3	2	1
White, both sexes.....	120	1	1	1	1	-	4	2	3	3	3	5
Male.....	70	1	1	-	-	-	4	2	1	1	1	5
Female.....	50	-	-	1	1	-	-	-	2	2	2	-
Black, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	1	1	-	1
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Leukemia (C91-C95)												
New Hampshire												
All races, both sexes.....	112	-	1	2	-	1	-	-	2	-	3	7
Male.....	69	-	1	1	-	1	-	-	2	-	1	5
Female.....	43	-	-	1	-	-	-	-	-	-	2	2
White, both sexes.....	111	-	1	2	-	1	-	-	1	-	3	7
Male.....	68	-	1	1	-	1	-	-	1	-	1	5
Female.....	43	-	-	1	-	-	-	-	-	-	2	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	706	-	3	2	6	9	12	10	5	11	16	21
Male.....	383	-	-	2	3	5	7	6	3	4	9	14
Female.....	323	-	3	-	3	4	5	4	2	7	7	7
White, both sexes.....	632	-	2	1	5	7	9	9	4	9	13	14
Male.....	337	-	-	1	2	5	7	5	3	2	8	8
Female.....	295	-	2	-	3	2	2	4	1	7	5	6
Black, both sexes.....	59	-	-	1	1	-	3	-	1	1	3	5
Male.....	37	-	-	1	1	-	-	-	-	1	1	5
Female.....	22	-	-	-	-	-	3	-	1	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	1	-	-	2	-	1	-	1	-	2
Male.....	9	-	-	-	-	-	-	1	-	1	-	1
Female.....	6	-	1	-	-	2	-	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Leukemia (C91-C95)												
New Mexico												
All races, both sexes.....	115	-	-	-	1	3	1	2	1	5	3	1
Male.....	67	-	-	-	-	2	1	2	1	2	-	1
Female.....	48	-	-	-	1	1	-	-	-	3	3	-
White, both sexes.....	111	-	-	-	1	3	-	2	1	5	3	1
Male.....	65	-	-	-	-	2	-	2	1	2	-	1
Female.....	46	-	-	-	1	1	-	-	-	3	3	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	1,367	1	4	11	7	9	15	14	16	29	29	33
Male.....	736	1	2	4	5	4	11	9	9	12	14	17
Female.....	631	-	2	7	2	5	4	5	7	17	15	16
White, both sexes.....	1,211	1	3	9	5	8	13	11	13	23	27	25
Male.....	660	1	1	4	3	4	9	7	8	11	13	12
Female.....	551	-	2	5	2	4	4	4	5	12	14	13
Black, both sexes.....	123	-	1	1	2	1	1	2	2	6	1	6
Male.....	59	-	1	-	2	-	1	1	1	1	1	3
Female.....	64	-	-	1	-	1	-	1	1	5	-	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	31	-	-	1	-	-	1	-	1	-	1	2
Male.....	16	-	-	-	-	-	1	-	-	-	-	2
Female.....	15	-	-	1	-	-	-	-	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Leukemia (C91-C95)												
Ohio												
All races, both sexes.....	958	2	2	4	6	5	5	7	11	18	16	25
Male.....	531	-	1	1	4	2	5	3	5	12	11	15
Female.....	427	2	1	3	2	3	-	4	6	6	5	10
White, both sexes.....	877	2	2	3	4	3	4	7	9	16	16	22
Male.....	486	-	1	-	4	1	4	3	5	10	11	12
Female.....	391	2	1	3	-	2	-	4	4	6	5	10
Black, both sexes.....	80	-	-	1	2	2	1	-	2	2	-	3
Male.....	44	-	-	1	-	1	1	-	-	2	-	3
Female.....	36	-	-	-	2	1	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Oklahoma												
All races, both sexes.....	285	-	1	2	1	5	2	3	3	4	5	8
Male.....	161	-	-	1	-	3	2	-	1	1	1	4
Female.....	124	-	1	1	1	2	-	3	2	3	4	4
White, both sexes.....	265	-	1	2	-	4	2	3	3	2	5	7
Male.....	152	-	-	1	-	2	2	-	1	1	1	4
Female.....	113	-	1	1	-	2	-	3	2	1	4	3
Black, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	1
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	7	-	-	-	1	1	-	-	-	1	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	-
Female.....	5	-	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Leukemia (C91-C95)

Alaska

All races, both sexes.....	2	2	5	1	-	2	5	3	-	-	-	-
Male.....	1	2	4	-	-	1	4	2	-	-	-	-
Female.....	1	-	1	1	-	1	1	1	-	-	-	-
White, both sexes.....	2	2	3	-	-	2	4	3	-	-	-	-
Male.....	1	2	3	-	-	1	3	2	-	-	-	-
Female.....	1	-	-	-	-	1	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	16	22	30	34	41	46	62	48	15	2	-	-
Male.....	9	15	17	23	27	26	37	22	6	-	-	-
Female.....	7	7	13	11	14	20	25	26	9	2	-	-
White, both sexes.....	16	21	28	34	39	45	59	47	13	2	-	-
Male.....	9	14	15	23	25	26	35	22	5	-	-	-
Female.....	7	7	13	11	14	19	24	25	8	2	-	-
Black, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	2	1	2	-	-	-
Male.....	-	-	-	-	1	-	2	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	1	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Leukemia (C91-C95)

Arkansas

All races, both sexes.....	15	21	23	21	26	38	36	28	17	3	-	-
Male.....	9	8	17	12	23	24	17	15	5	-	-	-
Female.....	6	13	6	9	3	14	19	13	12	3	-	-
White, both sexes.....	13	17	18	19	23	34	35	28	17	2	-	-
Male.....	8	7	16	12	20	23	16	15	5	-	-	-
Female.....	5	10	2	7	3	11	19	13	12	2	-	-
Black, both sexes.....	2	4	3	2	3	4	1	-	-	1	-	-
Male.....	1	1	-	-	3	1	1	-	-	-	-	-
Female.....	1	3	3	2	-	3	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	83	116	153	181	256	304	328	212	98	22	2	-
Male.....	54	58	88	117	174	179	181	99	36	12	1	-
Female.....	29	58	65	64	82	125	147	113	62	10	1	-
White, both sexes.....	66	90	124	153	221	268	303	197	94	20	2	-
Male.....	41	47	68	99	155	155	167	93	36	12	1	-
Female.....	25	43	56	54	66	113	136	104	58	8	1	-
Black, both sexes.....	7	15	13	10	18	14	12	11	3	1	-	-
Male.....	5	7	8	5	10	9	6	4	-	-	-	-
Female.....	2	8	5	5	8	5	6	7	3	1	-	-
American Indian 1/, both sexes.....	-	2	2	-	2	1	-	-	-	1	-	-
Male.....	-	1	2	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	10	9	14	18	15	21	13	4	1	-	-	-
Male.....	8	3	10	13	8	14	8	2	-	-	-	-
Female.....	2	6	4	5	7	7	5	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Leukemia (C91-C95)

Delaware

All races, both sexes.....	-	4	4	10	11	11	12	5	1	1	-	-
Male.....	-	3	1	7	7	10	6	2	-	-	-	-
Female.....	-	1	3	3	4	1	6	3	1	1	-	-
White, both sexes.....	-	4	2	9	10	10	11	4	1	1	-	-
Male.....	-	3	1	6	6	9	6	1	-	-	-	-
Female.....	-	1	1	3	4	1	5	3	1	1	-	-
Black, both sexes.....	-	-	2	-	1	1	1	1	-	-	-	-
Male.....	-	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	-	2	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	-	3	3	4	5	4	6	4	3	-	-	-
Male.....	-	2	-	2	1	3	3	1	1	-	-	-
Female.....	-	1	3	2	4	1	3	3	2	-	-	-
White, both sexes.....	-	1	1	-	2	-	2	1	2	-	-	-
Male.....	-	1	-	-	-	-	2	-	1	-	-	-
Female.....	-	-	1	-	2	-	-	1	1	-	-	-
Black, both sexes.....	-	1	2	4	3	4	3	3	1	-	-	-
Male.....	-	1	-	2	1	3	1	1	-	-	-	-
Female.....	-	-	2	2	2	1	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Leukemia (C91-C95)

Maine

All races, both sexes.....	4	4	11	11	18	24	17	11	5	5	-	-
Male.....	3	3	7	7	11	16	12	7	4	3	-	-
Female.....	1	1	4	4	7	8	5	4	1	2	-	-
White, both sexes.....	4	4	10	11	18	23	17	11	5	5	-	-
Male.....	3	3	7	7	11	15	12	7	4	3	-	-
Female.....	1	1	3	4	7	8	5	4	1	2	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	14	19	26	31	56	59	78	39	13	2	-	-
Male.....	7	12	15	17	35	34	39	19	7	-	-	-
Female.....	7	7	11	14	21	25	39	20	6	2	-	-
White, both sexes.....	10	17	16	26	49	50	67	33	12	2	-	-
Male.....	4	12	7	15	29	29	34	18	7	-	-	-
Female.....	6	5	9	11	20	21	33	15	5	2	-	-
Black, both sexes.....	4	2	9	5	6	9	10	5	1	-	-	-
Male.....	3	-	7	2	5	5	4	1	-	-	-	-
Female.....	1	2	2	3	1	4	6	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	1	1	-	-	-	-
Male.....	-	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Leukemia (C91-C95)

Nebraska

All races, both sexes.....	2	5	7	8	18	29	28	25	9	3	1	-
Male.....	2	3	7	4	9	18	14	11	4	-	-	-
Female.....	-	2	-	4	9	11	14	14	5	3	1	-
White, both sexes.....	2	4	7	8	18	29	27	25	9	3	1	-
Male.....	2	3	7	4	9	18	13	11	4	-	-	-
Female.....	-	1	-	4	9	11	14	14	5	3	1	-
Black, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	5	10	9	12	23	15	17	10	2	1	-	-
Male.....	4	7	5	9	11	9	8	3	1	-	-	-
Female.....	1	3	4	3	12	6	9	7	1	1	-	-
White, both sexes.....	4	9	8	11	21	14	17	9	2	1	-	-
Male.....	3	7	4	9	11	8	8	3	1	-	-	-
Female.....	1	2	4	2	10	6	9	6	1	1	-	-
Black, both sexes.....	1	-	1	1	2	1	-	-	-	-	-	-
Male.....	1	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Leukemia (C91-C95)

New Hampshire

All races, both sexes.....	8	4	7	13	11	17	14	15	6	1	-	-
Male.....	4	4	4	9	5	11	9	9	2	1	-	-
Female.....	4	-	3	4	6	6	5	6	4	-	-	-
White, both sexes.....	8	4	7	13	11	17	14	15	6	1	-	-
Male.....	4	4	4	9	5	11	9	9	2	1	-	-
Female.....	4	-	3	4	6	6	5	6	4	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	29	33	39	65	96	99	110	90	37	10	3	-
Male.....	15	25	22	41	65	55	52	40	13	2	-	-
Female.....	14	8	17	24	31	44	58	50	24	8	3	-
White, both sexes.....	26	25	33	59	88	89	108	82	36	10	3	-
Male.....	14	20	18	36	58	48	51	37	12	2	-	-
Female.....	12	5	15	23	30	41	57	45	24	8	3	-
Black, both sexes.....	1	6	6	6	8	6	2	8	1	-	-	-
Male.....	-	3	4	5	7	4	1	3	1	-	-	-
Female.....	1	3	2	1	1	2	1	5	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	-	-	-	4	-	-	-	-	-	-
Male.....	1	2	-	-	-	3	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Leukemia (C91-C95)

New Mexico

All races, both sexes.....	3	14	6	4	13	16	13	18	9	2	-	-
Male.....	3	7	2	3	8	11	6	11	6	1	-	-
Female.....	-	7	4	1	5	5	7	7	3	1	-	-
White, both sexes.....	3	12	5	4	13	16	13	18	9	2	-	-
Male.....	3	7	1	3	8	11	6	11	6	1	-	-
Female.....	-	5	4	1	5	5	7	7	3	1	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	62	68	106	120	172	213	228	148	63	18	1	-
Male.....	32	39	60	72	110	129	114	67	19	5	1	-
Female.....	30	29	46	48	62	84	114	81	44	13	-	-
White, both sexes.....	49	55	86	104	160	190	215	138	61	14	1	-
Male.....	27	31	48	64	102	119	110	63	18	4	1	-
Female.....	22	24	38	40	58	71	105	75	43	10	-	-
Black, both sexes.....	9	12	16	11	11	19	11	7	1	3	-	-
Male.....	5	7	9	5	7	8	3	3	-	1	-	-
Female.....	4	5	7	6	4	11	8	4	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	4	5	1	4	2	2	1	1	-	-
Male.....	-	1	3	3	1	2	1	1	1	-	-	-
Female.....	4	-	1	2	-	2	1	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Leukemia (C91-C95)

Vermont

All races, both sexes.....	5	2	5	5	7	11	10	5	2	1	1	-
Male.....	4	1	3	4	4	3	4	2	-	1	1	-
Female.....	1	1	2	1	3	8	6	3	2	-	-	-
White, both sexes.....	5	2	5	5	7	11	10	5	2	1	1	-
Male.....	4	1	3	4	4	3	4	2	-	1	1	-
Female.....	1	1	2	1	3	8	6	3	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	25	20	43	46	69	91	88	55	16	5	1	-
Male.....	16	14	26	25	44	43	47	27	13	1	1	-
Female.....	9	6	17	21	25	48	41	28	3	4	-	-
White, both sexes.....	18	19	31	37	55	83	79	51	15	5	-	-
Male.....	12	13	17	19	35	41	41	25	12	1	-	-
Female.....	6	6	14	18	20	42	38	26	3	4	-	-
Black, both sexes.....	7	1	11	6	14	8	9	3	1	-	1	-
Male.....	4	1	8	4	9	2	6	2	1	-	1	-
Female.....	3	-	3	2	5	6	3	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	-	-	-	1	-	-	-	-
Male.....	-	-	1	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Lymphoid leukemia (C91)

Arkansas

All races, both sexes.....	78	1	-	-	-	1	1	-	-	1	1	1
Male.....	43	-	-	-	-	1	-	-	-	1	-	1
Female.....	35	1	-	-	-	-	1	-	-	-	1	-
White, both sexes.....	69	1	-	-	-	1	-	-	-	1	-	1
Male.....	41	-	-	-	-	1	-	-	-	1	-	1
Female.....	28	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	8	-	-	-	-	-	1	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	583	2	7	14	24	22	12	9	8	16	12	19
Male.....	349	1	3	6	16	15	7	6	3	13	10	8
Female.....	234	1	4	8	8	7	5	3	5	3	2	11
White, both sexes.....	517	-	6	10	22	17	12	7	6	13	9	15
Male.....	315	-	2	4	14	14	7	4	3	11	8	8
Female.....	202	-	4	6	8	3	5	3	3	2	1	7
Black, both sexes.....	37	2	1	-	-	3	-	-	-	1	2	2
Male.....	19	1	1	-	-	1	-	-	-	-	1	-
Female.....	18	1	-	-	-	2	-	-	-	1	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	-	-	4	2	2	-	2	2	2	1	2
Male.....	14	-	-	2	2	-	-	2	-	2	1	-
Female.....	14	-	-	2	-	2	-	-	2	-	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Lymphoid leukemia (C91)

Arkansas

All races, both sexes.....	4	5	9	6	6	13	7	14	6	2	-	-
Male.....	3	2	7	3	4	8	4	8	1	-	-	-
Female.....	1	3	2	3	2	5	3	6	5	2	-	-
White, both sexes.....	4	3	7	6	6	11	7	14	6	1	-	-
Male.....	3	1	7	3	4	7	4	8	1	-	-	-
Female.....	1	2	-	3	2	4	3	6	5	1	-	-
Black, both sexes.....	-	2	1	-	-	2	-	-	-	1	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	1	-	-	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	18	27	35	36	56	70	82	70	34	8	2	-
Male.....	11	17	22	27	46	42	47	32	11	5	1	-
Female.....	7	10	13	9	10	28	35	38	23	3	1	-
White, both sexes.....	14	22	29	33	55	62	76	66	33	8	2	-
Male.....	8	15	19	25	45	37	45	29	11	5	1	-
Female.....	6	7	10	8	10	25	31	37	22	3	1	-
Black, both sexes.....	2	4	4	3	-	6	4	2	1	-	-	-
Male.....	1	2	2	2	-	4	2	2	-	-	-	-
Female.....	1	2	2	1	-	2	2	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	-	1	2	2	2	-	-	-	-
Male.....	2	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	1	1	-	-	1	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Lymphoid leukemia (C91)

Delaware

All races, both sexes.....	-	-	2	4	2	5	5	5	1	-	-	-
Male.....	-	-	1	4	2	5	3	2	-	-	-	-
Female.....	-	-	1	-	-	-	2	3	1	-	-	-
White, both sexes.....	-	-	1	4	1	4	5	4	1	-	-	-
Male.....	-	-	1	4	1	4	3	1	-	-	-	-
Female.....	-	-	-	-	-	-	2	3	1	-	-	-
Black, both sexes.....	-	-	1	-	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	-	1	1	1	1	3	2	1	2	-	-	-
Male.....	-	1	-	-	-	3	1	-	1	-	-	-
Female.....	-	-	1	1	1	-	1	1	1	-	-	-
White, both sexes.....	-	1	1	-	1	-	1	-	2	-	-	-
Male.....	-	1	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	1	-	1	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	1	-	3	-	1	-	-	-	-
Male.....	-	-	-	-	-	3	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Lymphoid leukemia (C91)

Maine

All races, both sexes.....	1	2	2	4	4	5	7	3	2	4	-	-
Male.....	1	2	2	3	1	4	5	2	2	2	-	-
Female.....	-	-	-	1	3	1	2	1	-	2	-	-
White, both sexes.....	1	2	2	4	4	5	7	3	2	4	-	-
Male.....	1	2	2	3	1	4	5	2	2	2	-	-
Female.....	-	-	-	1	3	1	2	1	-	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	2	6	13	6	10	13	26	11	4	1	-	-
Male.....	2	3	6	3	6	7	15	4	3	-	-	-
Female.....	-	3	7	3	4	6	11	7	1	1	-	-
White, both sexes.....	1	5	8	5	9	10	23	8	4	1	-	-
Male.....	1	3	1	2	5	6	14	4	3	-	-	-
Female.....	-	2	7	3	4	4	9	4	1	1	-	-
Black, both sexes.....	1	1	5	1	-	3	3	2	-	-	-	-
Male.....	1	-	5	1	-	1	1	-	-	-	-	-
Female.....	-	1	-	-	-	2	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Lymphoid leukemia (C91)

New Mexico

All races, both sexes.....	2	3	2	1	2	4	4	6	6	1	-	-
Male.....	2	2	-	1	2	3	2	2	4	-	-	-
Female.....	-	1	2	-	-	1	2	4	2	1	-	-
White, both sexes.....	2	3	2	1	2	4	4	6	6	1	-	-
Male.....	2	2	-	1	2	3	2	2	4	-	-	-
Female.....	-	1	2	-	-	1	2	4	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	13	17	26	29	50	52	60	51	25	8	1	-
Male.....	9	10	14	20	30	33	30	27	9	2	1	-
Female.....	4	7	12	9	20	19	30	24	16	6	-	-
White, both sexes.....	12	13	22	25	48	46	58	48	25	8	1	-
Male.....	8	7	11	17	29	29	30	26	9	2	1	-
Female.....	4	6	11	8	19	17	28	22	16	6	-	-
Black, both sexes.....	1	4	3	4	2	6	2	1	-	-	-	-
Male.....	1	3	2	3	1	4	-	1	-	-	-	-
Female.....	-	1	1	1	1	2	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Myeloid leukemia (C92)

Arkansas

All races, both sexes.....	90	-	-	1	1	-	-	4	3	-	2	4
Male.....	57	-	-	1	1	-	-	1	2	-	2	2
Female.....	33	-	-	-	-	-	-	3	1	-	-	2
White, both sexes.....	77	-	-	1	-	-	-	3	2	-	2	3
Male.....	51	-	-	1	-	-	-	1	1	-	2	2
Female.....	26	-	-	-	-	-	-	2	1	-	-	1
Black, both sexes.....	12	-	-	-	1	-	-	1	1	-	-	1
Male.....	5	-	-	-	1	-	-	-	1	-	-	-
Female.....	7	-	-	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,047	1	10	5	4	12	10	9	16	25	34	48
Male.....	595	-	6	3	3	7	9	7	12	14	21	23
Female.....	452	1	4	2	1	5	1	2	4	11	13	25
White, both sexes.....	894	-	6	4	3	11	7	7	9	17	31	43
Male.....	504	-	2	2	3	6	6	6	7	10	19	19
Female.....	390	-	4	2	-	5	1	1	2	7	12	24
Black, both sexes.....	66	1	3	1	1	-	1	1	2	2	-	4
Male.....	37	-	3	1	-	-	1	1	2	1	-	3
Female.....	29	1	-	-	1	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	7	-	-	-	-	-	1	-	1	-	-	-
Male.....	5	-	-	-	-	-	1	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	80	-	1	-	-	1	1	1	4	6	3	1
Male.....	49	-	1	-	-	1	1	-	2	3	2	1
Female.....	31	-	-	-	-	-	-	1	2	3	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Myeloid leukemia (C92)												
Massachusetts												
All races, both sexes.....	189	-	-	-	-	-	2	-	1	4	6	6
Male.....	97	-	-	-	-	-	1	-	-	3	4	3
Female.....	92	-	-	-	-	-	1	-	1	1	2	3
White, both sexes.....	176	-	-	-	-	-	2	-	-	3	6	6
Male.....	90	-	-	-	-	-	1	-	-	2	4	3
Female.....	86	-	-	-	-	-	1	-	-	1	2	3
Black, both sexes.....	10	-	-	-	-	-	-	-	1	1	-	-
Male.....	5	-	-	-	-	-	-	-	-	1	-	-
Female.....	5	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Michigan												
All races, both sexes.....	355	-	-	2	5	8	4	3	9	6	10	12
Male.....	195	-	-	1	2	4	1	2	6	4	7	6
Female.....	160	-	-	1	3	4	3	1	3	2	3	6
White, both sexes.....	312	-	-	2	5	6	2	2	6	4	9	8
Male.....	178	-	-	1	2	3	1	1	5	3	6	4
Female.....	134	-	-	1	3	3	1	1	1	1	3	4
Black, both sexes.....	38	-	-	-	-	2	1	1	2	1	1	3
Male.....	16	-	-	-	-	1	-	1	1	1	1	2
Female.....	22	-	-	-	-	1	1	-	1	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Myeloid leukemia (C92)												
Nebraska												
All races, both sexes.....	67	-	-	-	-	-	2	-	-	-	-	1
Male.....	40	-	-	-	-	-	1	-	-	-	-	1
Female.....	27	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	66	-	-	-	-	-	2	-	-	-	-	1
Male.....	39	-	-	-	-	-	1	-	-	-	-	1
Female.....	27	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	56	-	1	1	1	-	2	1	2	2	1	3
Male.....	31	-	1	-	-	-	2	1	1	-	-	3
Female.....	25	-	-	1	1	-	-	-	1	2	1	-
White, both sexes.....	52	-	1	1	1	-	2	1	2	1	1	3
Male.....	31	-	1	-	-	-	2	1	1	-	-	3
Female.....	21	-	-	1	1	-	-	-	1	1	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Myeloid leukemia (C92)												
New Hampshire												
All races, both sexes.....	55	-	1	1	-	-	-	-	1	-	2	6
Male.....	33	-	1	1	-	-	-	-	1	-	1	4
Female.....	22	-	-	-	-	-	-	-	-	-	1	2
White, both sexes.....	54	-	1	1	-	-	-	-	-	-	2	6
Male.....	32	-	1	1	-	-	-	-	-	-	1	4
Female.....	22	-	-	-	-	-	-	-	-	-	1	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	315	-	3	1	-	5	7	3	3	6	10	13
Male.....	181	-	-	1	-	2	3	1	1	4	6	7
Female.....	134	-	3	-	-	3	4	2	2	2	4	6
White, both sexes.....	277	-	2	-	-	3	5	2	2	4	9	9
Male.....	157	-	-	-	-	2	3	-	1	2	6	4
Female.....	120	-	2	-	-	1	2	2	1	2	3	5
Black, both sexes.....	26	-	-	1	-	-	2	-	1	1	1	3
Male.....	18	-	-	1	-	-	-	-	-	1	-	3
Female.....	8	-	-	-	-	-	2	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	1	-	-	2	-	1	-	1	-	1
Male.....	6	-	-	-	-	-	-	1	-	1	-	-
Female.....	6	-	1	-	-	2	-	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Myeloid leukemia (C92)												
New Mexico												
All races, both sexes.....	47	-	-	-	-	1	-	-	-	2	2	1
Male.....	23	-	-	-	-	-	-	-	-	1	-	1
Female.....	24	-	-	-	-	1	-	-	-	1	2	-
White, both sexes.....	44	-	-	-	-	1	-	-	-	2	2	1
Male.....	22	-	-	-	-	-	-	-	-	1	-	1
Female.....	22	-	-	-	-	1	-	-	-	1	2	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	639	1	1	3	2	5	4	9	11	16	17	17
Male.....	331	1	1	1	2	-	1	6	5	7	8	7
Female.....	308	-	-	2	-	5	3	3	6	9	9	10
White, both sexes.....	556	1	1	2	1	4	4	6	9	12	17	16
Male.....	295	1	1	1	1	-	1	4	5	6	8	7
Female.....	261	-	-	1	-	4	3	2	4	6	9	9
Black, both sexes.....	63	-	-	1	1	1	-	2	1	4	-	1
Male.....	27	-	-	-	1	-	-	1	-	1	-	-
Female.....	36	-	-	1	-	1	-	1	1	3	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	-	-	-	-	-	-	1	-	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Myeloid leukemia (C92)

Ohio

All races, both sexes.....	427	1	-	1	3	1	1	4	7	12	10	13
Male.....	229	-	-	-	2	-	1	2	1	6	7	8
Female.....	198	1	-	1	1	1	-	2	6	6	3	5
White, both sexes.....	393	1	-	1	2	1	-	4	5	11	10	12
Male.....	208	-	-	-	2	-	-	2	1	5	7	7
Female.....	185	1	-	1	-	1	-	2	4	6	3	5
Black, both sexes.....	33	-	-	-	1	-	1	-	2	1	-	1
Male.....	20	-	-	-	-	-	1	-	-	1	-	1
Female.....	13	-	-	-	1	-	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	135	-	1	1	-	3	1	-	3	3	3	2
Male.....	78	-	-	-	-	2	1	-	1	-	1	1
Female.....	57	-	1	1	-	1	-	-	2	3	2	1
White, both sexes.....	127	-	1	1	-	3	1	-	3	1	3	2
Male.....	76	-	-	-	-	2	1	-	1	-	1	1
Female.....	51	-	1	1	-	1	-	-	2	1	2	1
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Myeloid leukemia (C92)

Arkansas

All races, both sexes.....	6	9	10	7	11	11	12	3	5	1	-	-
Male.....	4	4	7	3	10	8	7	2	3	-	-	-
Female.....	2	5	3	4	1	3	5	1	2	1	-	-
White, both sexes.....	5	7	8	6	9	11	11	3	5	1	-	-
Male.....	4	4	6	3	8	8	6	2	3	-	-	-
Female.....	1	3	2	3	1	3	5	1	2	1	-	-
Black, both sexes.....	1	2	1	1	2	-	1	-	-	-	-	-
Male.....	-	-	-	-	2	-	1	-	-	-	-	-
Female.....	1	2	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	50	69	87	110	137	152	153	79	31	5	-	-
Male.....	35	30	50	70	87	91	80	33	12	2	-	-
Female.....	15	39	37	40	50	61	73	46	19	3	-	-
White, both sexes.....	41	52	68	95	117	136	141	72	30	4	-	-
Male.....	29	24	36	60	78	79	73	31	12	2	-	-
Female.....	12	28	32	35	39	57	68	41	18	2	-	-
Black, both sexes.....	3	9	7	3	10	6	5	5	1	1	-	-
Male.....	2	3	5	2	5	5	2	1	-	-	-	-
Female.....	1	6	2	1	5	1	3	4	1	1	-	-
American Indian 1/, both sexes.....	-	2	1	-	2	-	-	-	-	-	-	-
Male.....	-	1	1	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	6	11	12	8	10	7	2	-	-	-	-
Male.....	4	2	8	8	3	7	5	1	-	-	-	-
Female.....	2	4	3	4	5	3	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Myeloid leukemia (C92)

Nebraska

All races, both sexes.....	1	2	6	5	8	15	11	11	4	1	-	-
Male.....	1	1	6	3	4	8	8	4	3	-	-	-
Female.....	-	1	-	2	4	7	3	7	1	1	-	-
White, both sexes.....	1	2	6	5	8	15	10	11	4	1	-	-
Male.....	1	1	6	3	4	8	7	4	3	-	-	-
Female.....	-	1	-	2	4	7	3	7	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	2	5	4	7	11	5	4	4	-	-	-	-
Male.....	1	4	2	6	5	4	1	-	-	-	-	-
Female.....	1	1	2	1	6	1	3	4	-	-	-	-
White, both sexes.....	2	4	4	7	10	5	4	3	-	-	-	-
Male.....	1	4	2	6	5	4	1	-	-	-	-	-
Female.....	1	-	2	1	5	1	3	3	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Myeloid leukemia (C92)

New Hampshire

All races, both sexes.....	3	2	5	8	7	5	6	8	-	-	-	-
Male.....	-	2	2	5	4	4	4	4	-	-	-	-
Female.....	3	-	3	3	3	1	2	4	-	-	-	-
White, both sexes.....	3	2	5	8	7	5	6	8	-	-	-	-
Male.....	-	2	2	5	4	4	4	4	-	-	-	-
Female.....	3	-	3	3	3	1	2	4	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	16	23	17	33	41	48	46	27	12	1	-	-
Male.....	10	16	11	24	27	30	23	9	6	-	-	-
Female.....	6	7	6	9	14	18	23	18	6	1	-	-
White, both sexes.....	14	18	15	28	39	43	45	27	11	1	-	-
Male.....	9	13	9	20	25	26	23	9	5	-	-	-
Female.....	5	5	6	8	14	17	22	18	6	1	-	-
Black, both sexes.....	-	4	2	5	2	2	1	-	1	-	-	-
Male.....	-	2	2	4	2	2	-	-	1	-	-	-
Female.....	-	2	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	3	-	-	-	-	-	-
Male.....	1	1	-	-	-	2	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Myeloid leukemia (C92)

New Mexico

All races, both sexes.....	-	8	4	3	4	8	5	7	1	1	-	-
Male.....	-	2	2	2	1	6	2	4	1	1	-	-
Female.....	-	6	2	1	3	2	3	3	-	-	-	-
White, both sexes.....	-	6	3	3	4	8	5	7	1	1	-	-
Male.....	-	2	1	2	1	6	2	4	1	1	-	-
Female.....	-	4	2	1	3	2	3	3	-	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	37	39	54	56	83	110	101	56	15	2	-	-
Male.....	15	25	33	33	54	61	47	19	4	1	-	-
Female.....	22	14	21	23	29	49	54	37	11	1	-	-
White, both sexes.....	29	31	41	47	74	98	95	53	14	1	-	-
Male.....	13	21	26	28	47	57	45	18	4	1	-	-
Female.....	16	10	15	19	27	41	50	35	10	-	-	-
Black, both sexes.....	4	7	11	4	8	9	5	3	1	-	-	-
Male.....	2	3	6	2	6	3	1	1	-	-	-	-
Female.....	2	4	5	2	2	6	4	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	2	5	1	3	1	-	-	1	-	-
Male.....	-	1	1	3	1	1	1	-	-	-	-	-
Female.....	4	-	1	2	-	2	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Myeloid leukemia (C92)

Vermont

All races, both sexes.....	4	2	4	3	3	9	7	-	1	-	-	-
Male.....	3	1	2	2	2	2	2	-	-	-	-	-
Female.....	1	1	2	1	1	7	5	-	1	-	-	-
White, both sexes.....	4	2	4	3	3	9	7	-	1	-	-	-
Male.....	3	1	2	2	2	2	2	-	-	-	-	-
Female.....	1	1	2	1	1	7	5	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	14	8	23	22	32	47	34	15	7	1	-	-
Male.....	10	4	11	13	17	24	17	9	7	-	-	-
Female.....	4	4	12	9	15	23	17	6	-	1	-	-
White, both sexes.....	9	7	17	18	26	44	31	13	7	1	-	-
Male.....	7	3	7	11	14	23	15	8	7	-	-	-
Female.....	2	4	10	7	12	21	16	5	-	1	-	-
Black, both sexes.....	5	1	5	3	6	3	3	1	-	-	-	-
Male.....	3	1	3	2	3	1	2	1	-	-	-	-
Female.....	2	-	2	1	3	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Monocytic leukemia (C93)

Alaska

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Alaska (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Arizona

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Arizona (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Monocytic leukemia (C93)

Florida

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Florida (All races, White, Black, American Indian, Asian or Pacific Islander).

Georgia

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Georgia (All races, White, Black, American Indian, Asian or Pacific Islander).

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Monocytic leukemia (C93)

Hawaii

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Hawaii (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Idaho

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Idaho (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Monocytic leukemia (C93)

Missouri

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Missouri (All races, White, Black, American Indian, Asian or Pacific Islander).

Montana

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Montana (All races, White, Black, American Indian, Asian or Pacific Islander).

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Monocytic leukemia (C93)

Nebraska

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Nebraska (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Nevada

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Nevada (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Monocytic leukemia (C93)

South Dakota

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for South Dakota (All races, White, Black, American Indian, Asian or Pacific Islander).

Tennessee

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Tennessee (All races, White, Black, American Indian, Asian or Pacific Islander).

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified leukemia (C94-C95)

Arkansas

All races, both sexes.....	90	-	-	1	1	-	-	1	1	3	1	3
Male.....	45	-	-	1	1	-	-	-	-	2	1	-
Female.....	45	-	-	-	-	-	-	1	1	1	-	3
White, both sexes.....	84	-	-	1	1	-	-	1	1	3	1	3
Male.....	43	-	-	1	1	-	-	-	-	2	1	-
Female.....	41	-	-	-	-	-	-	1	1	1	-	3
Black, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	494	-	3	6	5	6	5	6	9	7	7	9
Male.....	272	-	1	5	4	1	3	4	6	2	4	4
Female.....	222	-	2	1	1	5	2	2	3	5	3	5
White, both sexes.....	423	-	3	3	2	5	5	6	8	7	7	8
Male.....	227	-	1	2	2	-	3	4	6	2	4	3
Female.....	196	-	2	1	-	5	2	2	2	5	3	5
Black, both sexes.....	32	-	-	2	-	1	-	-	1	-	-	-
Male.....	17	-	-	2	-	1	-	-	-	-	-	-
Female.....	15	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	37	-	-	1	3	-	-	-	-	-	-	1
Male.....	27	-	-	1	2	-	-	-	-	-	-	1
Female.....	10	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified leukemia (C94-C95)

Maine

All races, both sexes.....	22	-	-	-	-	-	1	-	-	-	-	-
Male.....	13	-	-	-	-	-	1	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	21	-	-	-	-	-	1	-	-	-	-	-
Male.....	12	-	-	-	-	-	1	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	108	-	1	-	1	1	2	-	3	1	-	4
Male.....	59	-	1	-	-	-	2	-	2	-	-	3
Female.....	49	-	-	-	1	1	-	-	1	1	-	1
White, both sexes.....	89	-	1	-	-	-	1	-	2	1	-	3
Male.....	52	-	1	-	-	-	1	-	2	-	-	2
Female.....	37	-	-	-	-	-	-	-	-	1	-	1
Black, both sexes.....	17	-	-	-	-	-	1	-	1	-	-	1
Male.....	7	-	-	-	-	-	1	-	-	-	-	1
Female.....	10	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified leukemia (C94-C95)

Alaska

All races, both sexes.....	-	1	1	-	-	-	2	1	-	-	-	-
Male.....	-	1	1	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	-	1	-	-	-	-	2	1	-	-	-	-
Male.....	-	1	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	3	4	9	9	13	14	21	18	12	1	-	-
Male.....	1	3	5	7	7	7	9	5	4	-	-	-
Female.....	2	1	4	2	6	7	12	13	8	1	-	-
White, both sexes.....	3	4	9	9	13	14	20	18	10	1	-	-
Male.....	1	3	5	7	7	7	9	5	3	-	-	-
Female.....	2	1	4	2	6	7	11	13	7	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified leukemia (C94-C95)

Arkansas

All races, both sexes.....	5	7	4	8	9	13	17	10	6	-	-	-
Male.....	2	2	3	6	9	7	6	4	1	-	-	-
Female.....	3	5	1	2	-	6	11	6	5	-	-	-
White, both sexes.....	4	7	3	7	8	11	17	10	6	-	-	-
Male.....	1	2	3	6	8	7	6	4	1	-	-	-
Female.....	3	5	-	1	-	4	11	6	5	-	-	-
Black, both sexes.....	1	-	1	1	1	2	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	15	20	28	35	62	79	91	59	33	9	-	-
Male.....	8	11	13	20	40	44	53	31	13	5	-	-
Female.....	7	9	15	15	22	35	38	28	20	4	-	-
White, both sexes.....	11	16	24	25	48	67	84	55	31	8	-	-
Male.....	4	8	10	14	31	37	48	30	13	5	-	-
Female.....	7	8	14	11	17	30	36	25	18	3	-	-
Black, both sexes.....	2	2	2	4	8	2	3	4	1	-	-	-
Male.....	2	2	1	1	5	-	2	1	-	-	-	-
Female.....	-	-	1	3	3	2	1	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	2	6	6	9	4	-	1	-	-	-
Male.....	2	1	2	5	4	6	3	-	-	-	-	-
Female.....	-	1	-	1	2	3	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified leukemia (C94-C95)

New Mexico

All races, both sexes.....	1	3	-	-	7	3	4	5	2	-	-	-
Male.....	1	3	-	-	5	2	2	5	1	-	-	-
Female.....	-	-	-	-	2	1	2	-	1	-	-	-
White, both sexes.....	1	3	-	-	7	3	4	5	2	-	-	-
Male.....	1	3	-	-	5	2	2	5	1	-	-	-
Female.....	-	-	-	-	2	1	2	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	12	12	26	33	38	49	65	40	23	8	-	-
Male.....	8	4	13	17	25	34	37	21	6	2	-	-
Female.....	4	8	13	16	13	15	28	19	17	6	-	-
White, both sexes.....	8	11	23	30	37	44	60	36	22	5	-	-
Male.....	6	3	11	17	25	32	35	19	5	1	-	-
Female.....	2	8	12	13	12	12	25	17	17	4	-	-
Black, both sexes.....	4	1	2	3	1	4	4	3	-	3	-	-
Male.....	2	1	1	-	-	1	2	1	-	1	-	-
Female.....	2	-	1	3	1	3	2	2	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	1	1	1	-	-	-
Male.....	-	-	1	-	-	1	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

In situ neoplasms (D00-D09)

Arkansas

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Arkansas: All races, both sexes; White, both sexes; Black, both sexes; American Indian 1/, both sexes; Asian or Pacific Islander 2/, both sexes.

California

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for California: All races, both sexes; White, both sexes; Black, both sexes; American Indian 1/, both sexes; Asian or Pacific Islander 2/, both sexes.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

In situ neoplasms (D00-D09)

Colorado

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Colorado (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Connecticut

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Connecticut (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

In situ neoplasms (D00-D09)

Delaware

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Delaware categories: All races, both sexes; White, both sexes; Black, both sexes; American Indian 1/, both sexes; Asian or Pacific Islander 2/, both sexes.

Dist. of Columbia

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Dist. of Columbia categories: All races, both sexes; White, both sexes; Black, both sexes; American Indian 1/, both sexes; Asian or Pacific Islander 2/, both sexes.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

In situ neoplasms (D00-D09)

Florida

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Florida (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Georgia

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Georgia (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

In situ neoplasms (D00-D09)

Ohio

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Ohio: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Oklahoma

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Oklahoma: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

In situ neoplasms (D00-D09)

Oregon

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Oregon (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Pennsylvania

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Pennsylvania (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Carcinoma in situ of other and unspecified sites (D00-D04,D09)

South Dakota

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for South Dakota categories (All races, White, Black, American Indian, Asian or Pacific Islander).

Tennessee

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Tennessee categories (All races, White, Black, American Indian, Asian or Pacific Islander).

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Benign neoplasms (D10-D36)

Arkansas

All races, both sexes.....	2	-	-	3	1	2	1	2	-	-	-	-
Male.....	1	-	-	1	1	-	-	-	-	-	-	-
Female.....	1	-	-	2	-	2	1	2	-	-	-	-
White, both sexes.....	2	-	-	3	1	2	1	-	-	-	-	-
Male.....	1	-	-	1	1	-	-	-	-	-	-	-
Female.....	1	-	-	2	-	2	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	10	6	9	23	25	31	28	25	14	5	-	-
Male.....	3	2	3	12	10	11	9	11	5	-	-	-
Female.....	7	4	6	11	15	20	19	14	9	5	-	-
White, both sexes.....	5	6	8	18	23	25	20	18	12	2	-	-
Male.....	2	2	2	8	10	10	5	8	4	-	-	-
Female.....	3	4	6	10	13	15	15	10	8	2	-	-
Black, both sexes.....	4	-	1	3	1	4	6	3	1	1	-	-
Male.....	-	-	1	2	-	1	3	1	-	-	-	-
Female.....	4	-	-	1	1	3	3	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	2	1	2	2	4	1	2	-	-
Male.....	1	-	-	2	-	-	1	2	1	-	-	-
Female.....	-	-	-	-	1	2	1	2	-	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Benign neoplasms (D10-D36)

South Dakota

All races, both sexes.....	-	-	-	1	2	-	-	1	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
White, both sexes.....	-	-	-	1	2	-	-	1	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	-	2	1	3	4	7	6	5	1	1	-	-
Male.....	-	2	-	2	1	-	2	2	-	-	-	-
Female.....	-	-	1	1	3	7	4	3	1	1	-	-
White, both sexes.....	-	1	1	3	4	5	5	3	-	1	-	-
Male.....	-	1	-	2	1	-	2	1	-	-	-	-
Female.....	-	-	1	1	3	5	3	2	-	1	-	-
Black, both sexes.....	-	1	-	-	-	2	-	2	1	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	2	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Benign neoplasms (D10-D36)

Vermont

All races, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	-	2	2	1	1	10	6	4	3	-	-	-
Male.....	-	1	-	-	-	2	1	2	-	-	-	-
Female.....	-	1	2	1	1	8	5	2	3	-	-	-
White, both sexes.....	-	1	2	1	-	8	2	3	3	-	-	-
Male.....	-	-	-	-	-	1	-	2	-	-	-	-
Female.....	-	1	2	1	-	7	2	1	3	-	-	-
Black, both sexes.....	-	1	-	-	1	2	3	1	-	-	-	-
Male.....	-	1	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Of female genital organs (D25-D28)

Nebraska

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Nebraska (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Nevada

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Nevada (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Of female genital organs (D25-D28)

North Carolina

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for North Carolina categories: All races, both sexes; White, both sexes; Black, both sexes; American Indian 1/, both sexes; Asian or Pacific Islander 2/, both sexes.

North Dakota

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for North Dakota categories: All races, both sexes; White, both sexes; Black, both sexes; American Indian 1/, both sexes; Asian or Pacific Islander 2/, both sexes.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Of female genital organs (D25-D28)

Rhode Island

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Rhode Island (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

South Carolina

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for South Carolina (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Of female genital organs (D25-D28)

Texas

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Texas (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Utah

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Utah (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Of female genital organs (D25-D28)

Washington

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Washington: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

West Virginia

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for West Virginia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of eye, brain and other parts of central nervous system (D31-D33)

Arkansas

All races, both sexes.....	1	-	-	2	-	1	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	1	1	1	-	-	-	-
White, both sexes.....	1	-	-	2	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	5	6	13	14	18	19	16	12	2	-	-
Male.....	2	2	-	5	6	7	5	6	3	-	-	-
Female.....	4	3	6	8	8	11	14	10	9	2	-	-
White, both sexes.....	3	5	6	12	13	14	13	13	10	1	-	-
Male.....	1	2	-	5	6	7	2	5	2	-	-	-
Female.....	2	3	6	7	7	7	11	8	8	1	-	-
Black, both sexes.....	2	-	-	1	1	2	4	1	1	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	2	-	-	1	1	2	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	2	2	2	1	1	-	-
Male.....	1	-	-	-	-	-	1	1	1	-	-	-
Female.....	-	-	-	-	-	2	1	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of eye, brain and other parts of central nervous system (D31-D33)

South Dakota

All races, both sexes.....	-	-	-	-	2	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	2	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	-	2	-	2	3	4	5	4	-	1	-	-
Male.....	-	2	-	2	1	-	2	2	-	-	-	-
Female.....	-	-	-	-	2	4	3	2	-	1	-	-
White, both sexes.....	-	1	-	2	3	3	4	2	-	1	-	-
Male.....	-	1	-	2	1	-	2	1	-	-	-	-
Female.....	-	-	-	-	2	3	2	1	-	1	-	-
Black, both sexes.....	-	1	-	-	-	1	-	2	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of eye, brain and other parts of central nervous system (D31-D33)

Vermont

All races, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	-	2	2	-	-	9	4	4	2	-	-	-
Male.....	-	1	-	-	-	1	1	2	-	-	-	-
Female.....	-	1	2	-	-	8	3	2	2	-	-	-
White, both sexes.....	-	1	2	-	-	7	-	3	2	-	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	1	2	-	-	7	-	1	2	-	-	-
Black, both sexes.....	-	1	-	-	-	2	3	1	-	-	-	-
Male.....	-	1	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other and unspecified sites (D10-D24,D29-D30,D34-D36)

Arkansas

All races, both sexes.....	-	-	-	1	1	1	-	1	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
White, both sexes.....	-	-	-	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2	1	3	8	10	13	9	8	2	3	-	-
Male.....	1	-	3	7	4	4	4	5	2	-	-	-
Female.....	1	1	-	1	6	9	5	3	-	3	-	-
White, both sexes.....	1	1	2	4	9	11	7	4	2	1	-	-
Male.....	1	-	2	3	4	3	3	3	2	-	-	-
Female.....	-	1	-	1	5	8	4	1	-	1	-	-
Black, both sexes.....	1	-	1	2	-	2	2	2	-	1	-	-
Male.....	-	-	1	2	-	1	1	1	-	-	-	-
Female.....	1	-	-	-	-	1	1	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	-	-	2	-	1	-	-
Male.....	-	-	-	2	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
Arkansas												
All races, both sexes.....	113	-	-	-	-	-	-	1	2	1	-	2
Male.....	59	-	-	-	-	-	-	1	-	-	-	1
Female.....	54	-	-	-	-	-	-	-	2	1	-	1
White, both sexes.....	100	-	-	-	-	-	-	1	-	1	-	1
Male.....	53	-	-	-	-	-	-	1	-	-	-	1
Female.....	47	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	13	-	-	-	-	-	-	-	2	-	-	1
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	2	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	996	8	4	6	2	2	1	3	4	7	20	22
Male.....	514	4	4	2	1	-	-	1	1	3	10	11
Female.....	482	4	-	4	1	2	1	2	3	4	10	11
White, both sexes.....	875	6	4	5	1	1	1	2	4	7	16	18
Male.....	457	3	4	2	1	-	-	1	1	3	7	9
Female.....	418	3	-	3	-	1	1	1	3	4	9	9
Black, both sexes.....	57	2	-	1	1	1	-	-	-	-	3	3
Male.....	23	1	-	-	-	-	-	-	-	-	2	1
Female.....	34	1	-	1	1	1	-	-	-	-	1	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	62	-	-	-	-	-	-	1	-	-	1	1
Male.....	33	-	-	-	-	-	-	-	-	-	1	1
Female.....	29	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)

Arkansas

All races, both sexes.....	5	6	4	11	13	23	21	15	7	2	-	-
Male.....	3	3	3	6	10	11	10	7	3	1	-	-
Female.....	2	3	1	5	3	12	11	8	4	1	-	-
White, both sexes.....	5	4	4	11	13	19	20	14	5	2	-	-
Male.....	3	2	3	6	10	10	9	6	1	1	-	-
Female.....	2	2	1	5	3	9	11	8	4	1	-	-
Black, both sexes.....	-	2	-	-	-	4	1	1	2	-	-	-
Male.....	-	1	-	-	-	1	1	1	2	-	-	-
Female.....	-	1	-	-	-	3	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	32	34	48	63	102	162	203	163	84	25	1	-
Male.....	16	24	29	46	58	81	105	69	40	8	1	-
Female.....	16	10	19	17	44	81	98	94	44	17	-	-
White, both sexes.....	27	26	42	50	90	145	182	149	76	22	1	-
Male.....	14	21	25	35	52	73	95	66	37	7	1	-
Female.....	13	5	17	15	38	72	87	83	39	15	-	-
Black, both sexes.....	1	3	4	6	6	7	8	6	3	2	-	-
Male.....	-	1	2	6	3	3	2	1	1	-	-	-
Female.....	1	2	2	-	3	4	6	5	2	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	5	2	7	5	10	13	8	5	-	-	-
Male.....	2	2	2	5	3	5	8	2	2	-	-	-
Female.....	2	3	-	2	2	5	5	6	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)

Nebraska

All races, both sexes.....	-	2	2	2	8	13	14	15	10	2	-	-
Male.....	-	1	2	2	5	6	9	4	5	-	-	-
Female.....	-	1	-	-	3	7	5	11	5	2	-	-
White, both sexes.....	-	2	2	2	8	13	14	15	10	2	-	-
Male.....	-	1	2	2	5	6	9	4	5	-	-	-
Female.....	-	1	-	-	3	7	5	11	5	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	1	3	5	4	7	9	10	5	3	1	-	-
Male.....	1	2	5	3	3	2	7	2	3	1	-	-
Female.....	-	1	-	1	4	7	3	3	-	-	-	-
White, both sexes.....	1	2	5	4	6	7	10	5	2	1	-	-
Male.....	1	2	5	3	3	2	7	2	2	1	-	-
Female.....	-	-	-	1	3	5	3	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)

New Mexico

All races, both sexes.....	-	3	2	4	5	16	12	15	7	2	-	-
Male.....	-	1	2	4	4	11	8	9	3	-	-	-
Female.....	-	2	-	-	1	5	4	6	4	2	-	-
White, both sexes.....	-	3	1	3	5	16	12	14	7	2	-	-
Male.....	-	1	1	3	4	11	8	8	3	-	-	-
Female.....	-	2	-	-	1	5	4	6	4	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	-	1	-	-	-	-
Male.....	-	-	1	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	14	32	38	46	64	101	116	99	48	16	1	-
Male.....	9	16	20	27	34	56	57	47	15	4	-	-
Female.....	5	16	18	19	30	45	59	52	33	12	1	-
White, both sexes.....	10	28	33	39	58	90	110	92	41	15	1	-
Male.....	7	13	18	26	30	51	55	44	13	3	-	-
Female.....	3	15	15	13	28	39	55	48	28	12	1	-
Black, both sexes.....	2	4	4	7	4	10	6	6	5	1	-	-
Male.....	-	3	2	1	2	4	2	2	2	1	-	-
Female.....	2	1	2	6	2	6	4	4	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	2	1	-	1	2	-	-	-
Male.....	2	-	-	-	2	1	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)

Ohio

All races, both sexes.....	12	36	19	42	64	101	105	80	48	12	1	-
Male.....	7	22	11	25	36	61	48	26	16	7	-	-
Female.....	5	14	8	17	28	40	57	54	32	5	1	-
White, both sexes.....	12	33	19	38	57	96	101	74	48	10	1	-
Male.....	7	20	11	22	36	57	47	24	16	5	-	-
Female.....	5	13	8	16	21	39	54	50	32	5	1	-
Black, both sexes.....	-	3	-	4	7	5	4	6	-	2	-	-
Male.....	-	2	-	3	-	4	1	2	-	2	-	-
Female.....	-	1	-	1	7	1	3	4	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	5	12	6	12	14	28	28	28	11	3	1	-
Male.....	3	7	4	6	11	16	18	14	3	1	1	-
Female.....	2	5	2	6	3	12	10	14	8	2	-	-
White, both sexes.....	5	11	5	11	13	28	28	26	8	3	1	-
Male.....	3	6	3	5	10	16	18	13	3	1	1	-
Female.....	2	5	2	6	3	12	10	13	5	2	-	-
Black, both sexes.....	-	1	-	-	-	-	-	1	3	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	3	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	1	-	-	-	-	-	-	-
Male.....	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)

Vermont

All races, both sexes.....	-	2	1	2	2	7	6	5	2	1	-	-
Male.....	-	1	1	-	1	6	3	-	-	1	-	-
Female.....	-	1	-	2	1	1	3	5	2	-	-	-
White, both sexes.....	-	2	1	2	2	7	6	5	2	1	-	-
Male.....	-	1	1	-	1	6	3	-	-	1	-	-
Female.....	-	1	-	2	1	1	3	5	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	12	13	17	21	28	61	41	26	11	5	1	-
Male.....	7	8	8	14	16	34	20	14	1	2	-	-
Female.....	5	5	9	7	12	27	21	12	10	3	1	-
White, both sexes.....	7	9	15	16	23	52	33	22	9	3	-	-
Male.....	4	6	7	10	13	30	16	11	1	1	-	-
Female.....	3	3	8	6	10	22	17	11	8	2	-	-
Black, both sexes.....	5	4	2	4	4	8	8	4	2	2	1	-
Male.....	3	2	1	3	2	4	4	3	-	1	-	-
Female.....	2	2	1	1	2	4	4	1	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Neoplasm of uncertain or unknown behavior of unspecified sites (D48)

New Hampshire

All races, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	31	1	-	-	-	-	1	-	-	2	1	2
Male.....	8	-	-	-	-	-	1	-	-	1	1	1
Female.....	23	1	-	-	-	-	-	-	-	1	-	1
White, both sexes.....	27	-	-	-	-	-	1	-	-	-	1	1
Male.....	6	-	-	-	-	-	1	-	-	-	1	-
Female.....	21	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	3	1	-	-	-	-	-	-	-	1	-	1
Male.....	2	-	-	-	-	-	-	-	-	1	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Neoplasm of uncertain or unknown behavior of unspecified sites (D48)

New Mexico

All races, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	45	3	-	-	1	1	-	2	-	1	1	-
Male.....	15	-	-	-	1	1	-	1	-	-	1	-
Female.....	30	3	-	-	-	-	-	1	-	1	-	-
White, both sexes.....	35	2	-	-	-	1	-	-	-	1	1	-
Male.....	12	-	-	-	-	1	-	-	-	-	1	-
Female.....	23	2	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	6	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	-	2	-	-	-	-
Male.....	2	-	-	-	1	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Neoplasm of uncertain or unknown behavior of unspecified sites (D48)

Alaska

All races, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	1	5	4	-	1	2	3	2	3	1	-	-
Male.....	-	3	2	-	-	-	2	1	-	-	-	-
Female.....	1	2	2	-	1	2	1	1	3	1	-	-
White, both sexes.....	1	5	4	-	1	1	3	2	3	1	-	-
Male.....	-	3	2	-	-	-	2	1	-	-	-	-
Female.....	1	2	2	-	1	1	1	1	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Neoplasm of uncertain or unknown behavior of unspecified sites (D48)

New Mexico

All races, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1	3	3	4	3	5	10	3	1	3	-	-
Male.....	-	1	1	1	3	1	2	1	1	-	-	-
Female.....	1	2	2	3	-	4	8	2	-	3	-	-
White, both sexes.....	-	3	3	3	3	4	8	2	1	3	-	-
Male.....	-	1	1	1	3	1	1	1	1	-	-	-
Female.....	-	2	2	2	-	3	7	1	-	3	-	-
Black, both sexes.....	1	-	-	1	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	1	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Neoplasm of uncertain or unknown behavior of unspecified sites (D48)

Vermont

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	-	1	2	-	2	2	3	2	1	-	-	-
Male.....	-	-	1	-	1	1	-	1	1	-	-	-
Female.....	-	1	1	-	1	1	3	1	-	-	-	-
White, both sexes.....	-	1	2	-	-	1	3	1	1	-	-	-
Male.....	-	-	1	-	-	1	-	1	1	-	-	-
Female.....	-	1	1	-	-	-	3	-	-	-	-	-
Black, both sexes.....	-	-	-	-	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

