

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XI. Diseases of the digestive system (K00-K92)												
Arkansas												
All races, both sexes.....	927	6	-	-	-	3	3	3	5	15	25	50
Male.....	458	2	-	-	-	2	-	1	1	8	12	37
Female.....	469	4	-	-	-	1	3	2	4	7	13	13
White, both sexes.....	813	5	-	-	-	3	1	3	4	12	22	38
Male.....	403	1	-	-	-	2	-	1	1	7	11	27
Female.....	410	4	-	-	-	1	1	2	3	5	11	11
Black, both sexes.....	108	1	-	-	-	-	2	-	1	3	3	12
Male.....	53	1	-	-	-	-	-	-	-	1	1	10
Female.....	55	-	-	-	-	-	2	-	1	2	2	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	9,089	43	14	6	9	7	24	33	94	228	465	666
Male.....	4,834	28	9	6	6	5	15	21	67	156	308	459
Female.....	4,255	15	5	-	3	2	9	12	27	72	157	207
White, both sexes.....	7,960	32	12	6	9	6	18	28	78	198	397	587
Male.....	4,232	23	8	6	6	4	12	17	58	138	268	407
Female.....	3,728	9	4	-	3	2	6	11	20	60	129	180
Black, both sexes.....	579	5	1	-	-	1	3	3	10	17	38	48
Male.....	300	2	-	-	-	1	2	2	5	7	22	27
Female.....	279	3	1	-	-	-	1	1	5	10	16	21
American Indian 1/, both sexes.....	89	-	-	-	-	-	-	1	1	4	15	8
Male.....	44	-	-	-	-	-	-	1	1	4	5	6
Female.....	45	-	-	-	-	-	-	-	-	-	10	2
Asian or Pacific Islander 2/, both sexes.....	461	6	1	-	-	-	3	1	5	9	15	23
Male.....	258	3	1	-	-	-	1	1	3	7	13	19
Female.....	203	3	-	-	-	-	2	-	2	2	2	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XI. Diseases of the digestive system (K00-K92)												
Massachusetts												
All races, both sexes.....	2,222	3	4	1	2	-	3	4	15	21	83	130
Male.....	1,030	2	4	1	-	-	3	1	9	14	59	90
Female.....	1,192	1	-	-	2	-	-	3	6	7	24	40
White, both sexes.....	2,117	2	3	1	1	-	3	4	13	18	75	118
Male.....	978	2	3	1	-	-	3	1	8	12	54	83
Female.....	1,139	-	-	-	1	-	-	3	5	6	21	35
Black, both sexes.....	78	1	-	-	1	-	-	-	2	2	5	10
Male.....	40	-	-	-	-	-	-	-	1	2	3	6
Female.....	38	1	-	-	1	-	-	-	1	-	2	4
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	24	-	1	-	-	-	-	-	-	-	3	1
Male.....	11	-	1	-	-	-	-	-	-	-	2	-
Female.....	13	-	-	-	-	-	-	-	-	-	1	1
Michigan												
All races, both sexes.....	3,280	24	4	3	1	4	7	11	30	59	142	208
Male.....	1,613	17	2	1	1	1	5	8	16	36	79	143
Female.....	1,667	7	2	2	-	3	2	3	14	23	63	65
White, both sexes.....	2,771	13	3	1	-	4	4	8	25	48	109	152
Male.....	1,338	7	1	-	-	1	4	7	15	28	60	114
Female.....	1,433	6	2	1	-	3	-	1	10	20	49	38
Black, both sexes.....	471	10	1	2	1	-	2	3	5	10	32	53
Male.....	256	10	1	1	1	-	1	1	1	8	18	26
Female.....	215	-	-	1	-	-	1	2	4	2	14	27
American Indian 1/, both sexes.....	24	-	-	-	-	-	-	-	-	1	1	1
Male.....	13	-	-	-	-	-	-	-	-	-	1	1
Female.....	11	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	14	1	-	-	-	-	1	-	-	-	-	2
Male.....	6	-	-	-	-	-	-	-	-	-	-	2
Female.....	8	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XI. Diseases of the digestive system (K00-K92)												
Nebraska												
All races, both sexes.....	541	3	4	1	3	-	-	1	4	7	22	29
Male.....	259	2	2	1	1	-	-	-	3	3	14	14
Female.....	282	1	2	-	2	-	-	1	1	4	8	15
White, both sexes.....	513	3	4	1	3	-	-	1	4	5	21	23
Male.....	245	2	2	1	1	-	-	-	3	1	14	12
Female.....	268	1	2	-	2	-	-	1	1	4	7	11
Black, both sexes.....	14	-	-	-	-	-	-	-	-	1	-	3
Male.....	7	-	-	-	-	-	-	-	-	1	-	1
Female.....	7	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	1	1	3
Male.....	7	-	-	-	-	-	-	-	-	1	-	1
Female.....	6	-	-	-	-	-	-	-	-	-	1	2
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	709	1	2	1	1	2	-	3	9	16	43	65
Male.....	405	1	1	-	1	2	-	-	4	5	24	49
Female.....	304	-	1	1	-	-	-	3	5	11	19	16
White, both sexes.....	638	1	1	1	1	1	-	2	5	13	35	55
Male.....	368	1	1	-	1	1	-	-	3	4	19	41
Female.....	270	-	-	1	-	-	-	2	2	9	16	14
Black, both sexes.....	43	-	1	-	-	1	-	-	3	1	2	6
Male.....	22	-	-	-	-	1	-	-	1	1	2	5
Female.....	21	-	1	-	-	-	-	-	2	-	-	1
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	-	1	2	3	3
Male.....	7	-	-	-	-	-	-	-	-	-	1	2
Female.....	7	-	-	-	-	-	-	-	1	2	2	1
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	-	-	1	-	-	3	1
Male.....	8	-	-	-	-	-	-	-	-	-	2	1
Female.....	6	-	-	-	-	-	-	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XI. Diseases of the digestive system (K00-K92)												
New Mexico												
All races, both sexes.....	717	3	1	1	-	-	3	4	13	24	53	67
Male.....	396	3	-	-	-	-	3	3	7	17	39	48
Female.....	321	-	1	1	-	-	-	1	6	7	14	19
White, both sexes.....	609	2	1	1	-	-	2	1	4	12	43	55
Male.....	336	2	-	-	-	-	2	1	2	9	33	38
Female.....	273	-	1	1	-	-	-	-	2	3	10	17
Black, both sexes.....	10	-	-	-	-	-	-	1	-	-	2	1
Male.....	5	-	-	-	-	-	-	-	-	-	2	1
Female.....	5	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	96	1	-	-	-	-	1	2	9	12	8	10
Male.....	54	1	-	-	-	-	1	2	5	8	4	8
Female.....	42	-	-	-	-	-	-	-	4	4	4	2
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	4,805	24	6	2	7	3	7	12	22	71	163	281
Male.....	2,333	12	3	2	6	-	3	7	17	44	107	204
Female.....	2,472	12	3	-	1	3	4	5	5	27	56	77
White, both sexes.....	4,125	10	2	-	7	3	5	7	14	50	128	221
Male.....	1,971	3	1	-	6	-	2	3	13	31	87	160
Female.....	2,154	7	1	-	1	3	3	4	1	19	41	61
Black, both sexes.....	590	12	4	2	-	-	2	4	6	18	31	51
Male.....	305	9	2	2	-	-	1	3	3	10	17	37
Female.....	285	3	2	-	-	-	1	1	3	8	14	14
American Indian 1/, both sexes.....	25	-	-	-	-	-	-	-	1	-	1	1
Male.....	14	-	-	-	-	-	-	-	1	-	1	1
Female.....	11	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	65	2	-	-	-	-	-	1	1	3	3	8
Male.....	43	-	-	-	-	-	-	1	-	3	2	6
Female.....	22	2	-	-	-	-	-	-	1	-	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XI. Diseases of the digestive system (K00-K92)												
Vermont												
All races, both sexes.....	203	2	-	-	-	1	-	-	-	3	5	10
Male.....	92	2	-	-	-	-	-	-	-	1	2	8
Female.....	111	-	-	-	-	1	-	-	-	2	3	2
White, both sexes.....	202	2	-	-	-	1	-	-	-	3	5	10
Male.....	92	2	-	-	-	-	-	-	-	1	2	8
Female.....	110	-	-	-	-	1	-	-	-	2	3	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	1,975	14	2	-	-	1	4	7	11	35	80	121
Male.....	992	10	2	-	-	-	2	3	6	20	57	87
Female.....	983	4	-	-	-	1	2	4	5	15	23	34
White, both sexes.....	1,589	10	2	-	-	1	2	6	8	24	53	97
Male.....	798	7	2	-	-	-	2	2	3	16	40	73
Female.....	791	3	-	-	-	1	-	4	5	8	13	24
Black, both sexes.....	361	4	-	-	-	-	2	1	3	10	24	24
Male.....	179	3	-	-	-	-	-	1	3	4	14	14
Female.....	182	1	-	-	-	-	2	-	-	6	10	10
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	-	-	-	-	-	-	-	-	1	3	-
Male.....	15	-	-	-	-	-	-	-	-	-	3	-
Female.....	10	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XI. Diseases of the digestive system (K00-K92)

United States

All races, both sexes.....	6,349	6,025	5,859	6,574	8,349	10,329	11,314	10,063	6,363	2,236	411	7
Male.....	4,474	3,933	3,605	3,723	4,317	4,779	4,576	3,445	1,647	459	69	5
Female.....	1,875	2,092	2,254	2,851	4,032	5,550	6,738	6,618	4,716	1,777	342	2
White, both sexes.....	5,159	5,039	4,927	5,685	7,364	9,325	10,323	9,339	5,929	2,068	364	5
Male.....	3,689	3,313	3,044	3,237	3,820	4,331	4,166	3,187	1,525	419	56	5
Female.....	1,470	1,726	1,883	2,448	3,544	4,994	6,157	6,152	4,404	1,649	308	-
Black, both sexes.....	1,014	807	750	723	787	798	795	588	351	141	42	2
Male.....	668	516	451	399	399	344	316	204	92	25	11	-
Female.....	346	291	299	324	388	454	479	384	259	116	31	2
American Indian 1/, both sexes.....	113	98	91	73	67	39	40	31	14	5	-	-
Male.....	74	54	52	41	31	19	15	10	4	2	-	-
Female.....	39	44	39	32	36	20	25	21	10	3	-	-
Asian or Pacific Islander 2/, both sexes.....	63	81	91	93	131	167	156	105	69	22	5	-
Male.....	43	50	58	46	67	85	79	44	26	13	2	-
Female.....	20	31	33	47	64	82	77	61	43	9	3	-

Alabama

All races, both sexes.....	137	95	131	119	167	171	200	160	102	29	9	-
Male.....	91	64	81	63	89	65	74	48	24	6	3	-
Female.....	46	31	50	56	78	106	126	112	78	23	6	-
White, both sexes.....	91	73	85	97	131	139	154	122	83	25	6	-
Male.....	64	47	51	51	72	56	51	32	19	5	1	-
Female.....	27	26	34	46	59	83	103	90	64	20	5	-
Black, both sexes.....	45	22	44	22	36	29	43	38	19	4	3	-
Male.....	26	17	29	12	17	8	21	16	5	1	2	-
Female.....	19	5	15	10	19	21	22	22	14	3	1	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	3	2	-	-	-	-	-
Male.....	1	-	-	-	-	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
XI. Diseases of the digestive system (K00-K92)												
Alaska												
All races, both sexes.....	20	16	11	11	10	6	10	7	7	1	-	-
Male.....	13	12	6	7	5	1	6	-	1	1	-	-
Female.....	7	4	5	4	5	5	4	7	6	-	-	-
White, both sexes.....	13	13	8	5	5	5	7	4	6	-	-	-
Male.....	9	10	5	3	3	1	4	-	1	-	-	-
Female.....	4	3	3	2	2	4	3	4	5	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	2	3	6	5	1	2	3	1	1	-	-
Male.....	2	2	1	4	2	-	1	-	-	1	-	-
Female.....	3	-	2	2	3	1	1	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	143	120	121	171	172	204	187	136	89	28	4	-
Male.....	101	77	74	109	85	92	91	58	25	9	-	-
Female.....	42	43	47	62	87	112	96	78	64	19	4	-
White, both sexes.....	119	103	109	153	162	198	181	133	85	25	4	-
Male.....	87	63	63	97	77	90	88	57	22	7	-	-
Female.....	32	40	46	56	85	108	93	76	63	18	4	-
Black, both sexes.....	2	4	1	6	3	-	2	1	-	-	-	-
Male.....	1	4	1	4	2	-	1	1	-	-	-	-
Female.....	1	-	-	2	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	21	12	10	10	6	4	4	2	2	2	-	-
Male.....	12	9	9	7	5	1	2	-	2	1	-	-
Female.....	9	3	1	3	1	3	2	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	2	1	2	-	-	2	1	-	-
Male.....	1	1	1	1	1	1	-	-	1	1	-	-
Female.....	-	-	-	1	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XI. Diseases of the digestive system (K00-K92)

Arkansas

All races, both sexes.....	65	62	69	81	94	128	125	105	52	28	8	-
Male.....	46	39	42	44	50	58	55	38	15	7	1	-
Female.....	19	23	27	37	44	70	70	67	37	21	7	-
White, both sexes.....	58	52	59	72	79	115	115	97	47	23	8	-
Male.....	41	32	38	41	42	52	49	36	14	7	1	-
Female.....	17	20	21	31	37	63	66	61	33	16	7	-
Black, both sexes.....	7	9	9	8	13	13	9	8	5	5	-	-
Male.....	5	6	3	3	8	6	6	2	1	-	-	-
Female.....	2	3	6	5	5	7	3	6	4	5	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	2	-	1	-	-	-	-	-

California

All races, both sexes.....	837	777	645	665	842	978	1,113	877	551	183	28	4
Male.....	600	510	399	360	433	455	471	319	153	44	6	4
Female.....	237	267	246	305	409	523	642	558	398	139	22	-
White, both sexes.....	723	660	559	577	743	866	982	793	489	167	26	4
Male.....	530	444	347	317	376	400	410	284	131	37	5	4
Female.....	193	216	212	260	367	466	572	509	358	130	21	-
Black, both sexes.....	81	74	45	48	41	44	54	33	26	6	1	-
Male.....	48	43	25	24	24	20	24	14	8	1	1	-
Female.....	33	31	20	24	17	24	30	19	18	5	-	-
American Indian 1/, both sexes.....	14	13	5	6	7	3	7	2	3	-	-	-
Male.....	8	8	4	1	2	1	3	-	-	-	-	-
Female.....	6	5	1	5	5	2	4	2	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	30	36	34	51	65	70	49	33	10	1	-
Male.....	14	15	23	18	31	34	34	21	14	6	-	-
Female.....	5	15	13	16	20	31	36	28	19	4	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XI. Diseases of the digestive system (K00-K92)

Colorado

All races, both sexes.....	101	76	84	99	118	135	160	134	91	30	8	-
Male.....	67	54	55	58	66	72	59	57	30	5	1	-
Female.....	34	22	29	41	52	63	101	77	61	25	7	-
White, both sexes.....	98	76	80	93	112	131	155	129	88	30	7	-
Male.....	66	54	51	55	62	71	56	54	30	5	1	-
Female.....	32	22	29	38	50	60	99	75	58	25	6	-
Black, both sexes.....	3	-	4	5	5	1	1	5	2	-	1	-
Male.....	1	-	4	3	4	-	-	3	-	-	-	-
Female.....	2	-	-	2	1	1	1	2	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	2	3	-	1	-	-	-
Male.....	-	-	-	-	-	1	2	-	-	-	-	-
Female.....	-	-	-	1	1	1	1	-	1	-	-	-

Connecticut

All races, both sexes.....	78	63	56	85	103	153	175	155	119	42	6	-
Male.....	56	39	30	53	54	75	84	55	34	10	-	-
Female.....	22	24	26	32	49	78	91	100	85	32	6	-
White, both sexes.....	68	55	53	77	100	146	168	154	118	41	5	-
Male.....	49	35	28	45	53	69	79	55	34	10	-	-
Female.....	19	20	25	32	47	77	89	99	84	31	5	-
Black, both sexes.....	9	7	3	8	2	7	6	1	1	1	1	-
Male.....	6	4	2	8	1	6	4	-	-	-	-	-
Female.....	3	3	1	-	1	1	2	1	1	1	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
XI. Diseases of the digestive system (K00-K92)												
Florida												
All races, both sexes.....	413	439	379	463	602	632	695	620	367	125	18	-
Male.....	293	288	248	271	314	311	309	239	115	30	2	-
Female.....	120	151	131	192	288	321	386	381	252	95	16	-
White, both sexes.....	365	374	332	415	554	588	656	596	350	121	16	-
Male.....	259	250	224	246	290	285	295	232	111	30	2	-
Female.....	106	124	108	169	264	303	361	364	239	91	14	-
Black, both sexes.....	46	60	46	44	45	41	36	24	17	4	2	-
Male.....	33	36	24	24	23	24	12	7	4	-	-	-
Female.....	13	24	22	20	22	17	24	17	13	4	2	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	5	1	3	3	3	2	-	-	-	-	-
Male.....	-	2	-	1	1	2	1	-	-	-	-	-
Female.....	-	3	1	2	2	1	1	-	-	-	-	-
Georgia												
All races, both sexes.....	220	200	180	210	230	254	275	228	129	48	7	-
Male.....	160	137	114	104	115	107	104	75	37	12	1	-
Female.....	60	63	66	106	115	147	171	153	92	36	6	-
White, both sexes.....	151	145	140	168	178	203	221	186	105	27	5	-
Male.....	110	102	90	84	86	90	80	60	27	8	1	-
Female.....	41	43	50	84	92	113	141	126	78	19	4	-
Black, both sexes.....	66	55	40	42	50	51	52	42	24	20	2	-
Male.....	48	35	24	20	28	17	23	15	10	3	-	-
Female.....	18	20	16	22	22	34	29	27	14	17	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	2	-	2	-	-	1	-	-
Male.....	2	-	-	-	1	-	1	-	-	1	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XI. Diseases of the digestive system (K00-K92)

Kentucky

All races, both sexes.....	98	109	101	133	122	163	171	167	96	33	7	-
Male.....	72	84	65	72	51	72	63	66	28	8	4	-
Female.....	26	25	36	61	71	91	108	101	68	25	3	-
White, both sexes.....	90	104	91	124	115	155	160	163	95	28	6	-
Male.....	68	80	56	67	47	69	57	64	28	8	3	-
Female.....	22	24	35	57	68	86	103	99	67	20	3	-
Black, both sexes.....	8	4	10	9	7	8	11	4	1	5	1	-
Male.....	4	3	9	5	4	3	6	2	-	-	1	-
Female.....	4	1	1	4	3	5	5	2	1	5	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	123	95	88	108	106	166	159	119	93	26	2	-
Male.....	87	62	50	61	52	77	61	47	20	4	-	-
Female.....	36	33	38	47	54	89	98	72	73	22	2	-
White, both sexes.....	69	70	64	79	80	130	109	96	70	20	1	-
Male.....	50	47	36	45	41	62	42	41	15	4	-	-
Female.....	19	23	28	34	39	68	67	55	55	16	1	-
Black, both sexes.....	51	24	24	29	24	36	48	22	23	6	1	-
Male.....	36	14	14	16	10	15	17	6	5	-	-	-
Female.....	15	10	10	13	14	21	31	16	18	6	1	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	1	1	-	-	-	-
Male.....	1	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	1	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XI. Diseases of the digestive system (K00-K92)

Maine

All races, both sexes.....	24	21	33	40	50	72	64	65	42	16	2	-
Male.....	17	14	25	24	29	27	27	23	7	1	2	-
Female.....	7	7	8	16	21	45	37	42	35	15	-	-
White, both sexes.....	24	21	33	40	50	71	63	65	42	16	2	-
Male.....	17	14	25	24	29	27	26	23	7	1	2	-
Female.....	7	7	8	16	21	44	37	42	35	15	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	109	114	95	121	141	185	186	143	113	26	5	-
Male.....	70	72	61	69	70	85	73	59	28	6	2	-
Female.....	39	42	34	52	71	100	113	84	85	20	3	-
White, both sexes.....	69	79	69	76	109	138	154	122	98	19	4	-
Male.....	43	52	46	45	52	67	60	51	25	6	2	-
Female.....	26	27	23	31	57	71	94	71	73	13	2	-
Black, both sexes.....	39	32	23	43	31	46	31	17	13	7	1	-
Male.....	26	19	12	23	18	18	13	6	3	-	-	-
Female.....	13	13	11	20	13	28	18	11	10	7	1	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	3	1	1	1	-	4	2	-	-	-
Male.....	1	1	3	-	-	-	-	2	-	-	-	-
Female.....	-	1	-	1	1	1	-	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XI. Diseases of the digestive system (K00-K92)

Massachusetts

All races, both sexes.....	143	120	138	145	184	280	315	302	212	95	22	-
Male.....	98	82	80	86	98	126	114	97	41	22	3	-
Female.....	45	38	58	59	86	154	201	205	171	73	19	-
White, both sexes.....	135	110	130	133	177	270	308	293	208	93	22	-
Male.....	93	78	77	79	96	120	111	93	40	21	3	-
Female.....	42	32	53	54	81	150	197	200	168	72	19	-
Black, both sexes.....	6	9	3	9	3	9	6	8	2	2	-	-
Male.....	4	3	1	5	1	5	3	4	1	1	-	-
Female.....	2	6	2	4	2	4	3	4	1	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	5	3	4	1	1	1	2	-	-	-
Male.....	1	1	2	2	1	1	-	-	-	-	-	-
Female.....	-	-	3	1	3	-	1	1	2	-	-	-

Michigan

All races, both sexes.....	259	218	253	232	315	373	404	408	226	84	15	-
Male.....	182	143	146	124	156	175	166	128	64	19	1	-
Female.....	77	75	107	108	159	198	238	280	162	65	14	-
White, both sexes.....	182	174	196	205	264	336	368	378	209	81	11	-
Male.....	131	111	109	113	131	154	154	120	60	18	-	-
Female.....	51	63	87	92	133	182	214	258	149	63	11	-
Black, both sexes.....	71	42	51	24	47	33	34	27	17	2	4	-
Male.....	48	31	34	10	23	17	12	7	4	1	1	-
Female.....	23	11	17	14	24	16	22	20	13	1	3	-
American Indian 1/, both sexes.....	6	-	5	2	3	2	1	1	-	1	-	-
Male.....	3	-	3	1	2	2	-	-	-	-	-	-
Female.....	3	-	2	1	1	-	1	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	1	1	2	1	2	-	-	-	-
Male.....	-	1	-	-	-	2	-	1	-	-	-	-
Female.....	-	1	1	1	1	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XI. Diseases of the digestive system (K00-K92)

Missouri

All races, both sexes.....	118	105	107	119	160	248	227	269	175	59	13	-
Male.....	71	62	66	68	82	111	94	77	54	9	2	-
Female.....	47	43	41	51	78	137	133	192	121	50	11	-
White, both sexes.....	99	88	93	103	132	230	206	260	168	56	12	-
Male.....	65	48	59	63	66	103	82	73	53	9	1	-
Female.....	34	40	34	40	66	127	124	187	115	47	11	-
Black, both sexes.....	18	17	12	15	26	16	19	8	7	3	1	-
Male.....	6	14	6	5	16	7	11	3	1	-	1	-
Female.....	12	3	6	10	10	9	8	5	6	3	-	-
American Indian 1/, both sexes.....	-	-	2	-	1	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	2	2	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	1	-	-	1	1	1	1	-	-	-	-	-

Montana

All races, both sexes.....	26	26	18	14	26	46	47	41	23	14	2	-
Male.....	20	16	13	7	13	24	23	15	8	1	-	-
Female.....	6	10	5	7	13	22	24	26	15	13	2	-
White, both sexes.....	20	21	16	11	23	44	47	41	23	14	2	-
Male.....	17	13	13	5	12	23	23	15	8	1	-	-
Female.....	3	8	3	6	11	21	24	26	15	13	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	5	2	3	3	1	-	-	-	-	-	-
Male.....	3	3	-	2	1	1	-	-	-	-	-	-
Female.....	3	2	2	1	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XI. Diseases of the digestive system (K00-K92)

Nebraska

All races, both sexes.....	32	20	31	31	56	71	62	68	65	26	5	-
Male.....	25	13	16	14	29	42	28	30	16	5	1	-
Female.....	7	7	15	17	27	29	34	38	49	21	4	-
White, both sexes.....	30	17	29	30	54	68	61	64	64	26	5	-
Male.....	24	12	15	14	28	40	27	28	15	5	1	-
Female.....	6	5	14	16	26	28	34	36	49	21	4	-
Black, both sexes.....	2	2	1	1	-	-	1	2	1	-	-	-
Male.....	1	1	-	-	-	-	1	1	1	-	-	-
Female.....	1	1	1	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	2	2	-	2	-	-	-	-
Male.....	-	-	1	-	1	2	-	1	-	-	-	-
Female.....	-	1	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Nevada

All races, both sexes.....	66	70	65	65	66	77	73	46	32	5	1	-
Male.....	50	47	34	40	39	45	38	18	6	1	-	-
Female.....	16	23	31	25	27	32	35	28	26	4	1	-
White, both sexes.....	63	65	56	61	58	70	72	43	29	5	1	-
Male.....	48	45	28	39	35	41	37	18	5	1	-	-
Female.....	15	20	28	22	23	29	35	25	24	4	1	-
Black, both sexes.....	2	3	6	3	5	5	-	2	3	-	-	-
Male.....	1	2	3	1	2	2	-	-	1	-	-	-
Female.....	1	1	3	2	3	3	-	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	1	1	-	-	-	-	-	-
Male.....	-	-	2	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	-	2	1	1	1	-	-	-	-
Male.....	1	-	1	-	1	1	1	-	-	-	-	-
Female.....	-	2	-	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XI. Diseases of the digestive system (K00-K92)

New Hampshire

All races, both sexes.....	19	22	21	25	45	46	68	63	46	13	4	-
Male.....	16	12	7	11	19	22	32	23	11	2	-	-
Female.....	3	10	14	14	26	24	36	40	35	11	4	-
White, both sexes.....	19	21	21	25	45	46	66	63	45	13	4	-
Male.....	16	12	7	11	19	22	32	23	10	2	-	-
Female.....	3	9	14	14	26	24	34	40	35	11	4	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	177	151	143	178	225	275	331	284	175	54	9	1
Male.....	122	93	84	92	120	123	121	87	46	13	1	1
Female.....	55	58	59	86	105	152	210	197	129	41	8	-
White, both sexes.....	133	126	123	155	201	248	303	267	164	48	7	1
Male.....	91	77	73	79	106	109	108	81	42	12	1	1
Female.....	42	49	50	76	95	139	195	186	122	36	6	-
Black, both sexes.....	42	24	20	21	24	23	22	16	10	6	2	-
Male.....	30	15	11	13	14	12	9	5	3	1	-	-
Female.....	12	9	9	8	10	11	13	11	7	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	2	-	4	6	1	1	-	-	-
Male.....	1	1	-	-	-	2	4	1	1	-	-	-
Female.....	1	-	-	2	-	2	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

New Mexico

All races, both sexes.....	70	57	65	49	65	63	73	66	28	10	2	-
Male.....	54	39	39	30	27	28	29	19	7	4	-	-
Female.....	16	18	26	19	38	35	44	47	21	6	2	-
White, both sexes.....	63	53	52	41	56	56	66	63	27	9	2	-
Male.....	50	38	31	24	23	25	29	19	6	4	-	-
Female.....	13	15	21	17	33	31	37	44	21	5	2	-
Black, both sexes.....	-	-	2	-	1	2	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	7	4	11	8	8	5	5	3	1	1	-	-
Male.....	4	1	7	6	3	3	-	-	1	-	-	-
Female.....	3	3	4	2	5	2	5	3	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

New York

All races, both sexes.....	297	326	360	360	508	588	618	614	375	137	24	-
Male.....	209	190	237	198	255	276	240	199	93	25	6	-
Female.....	88	136	123	162	253	312	378	415	282	112	18	-
White, both sexes.....	242	261	279	296	445	513	566	569	358	131	18	-
Male.....	175	152	185	160	224	241	221	187	89	25	6	-
Female.....	67	109	94	136	221	272	345	382	269	106	12	-
Black, both sexes.....	52	57	65	56	57	61	48	39	14	5	6	-
Male.....	31	31	38	33	31	29	15	10	3	-	-	-
Female.....	21	26	27	23	26	32	33	29	11	5	6	-
American Indian 1/, both sexes.....	-	6	5	1	4	3	2	1	-	-	-	-
Male.....	-	5	3	-	-	1	2	-	-	-	-	-
Female.....	-	1	2	1	4	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	11	7	2	11	2	5	3	1	-	-
Male.....	3	2	11	5	-	5	2	2	1	-	-	-
Female.....	-	-	-	2	2	6	-	3	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Ohio

All races, both sexes.....	247	235	228	275	380	516	547	449	264	88	18	-
Male.....	181	141	133	161	185	241	218	157	76	13	1	-
Female.....	66	94	95	114	195	275	329	292	188	75	17	-
White, both sexes.....	212	202	192	241	340	478	518	423	252	84	16	-
Male.....	159	119	110	144	165	225	204	150	71	13	1	-
Female.....	53	83	82	97	175	253	314	273	181	71	15	-
Black, both sexes.....	33	31	34	33	38	38	27	26	11	4	2	-
Male.....	21	21	22	17	19	16	13	7	5	-	-	-
Female.....	12	10	12	16	19	22	14	19	6	4	2	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	2	1	1	-	2	-	1	-	-	-
Male.....	1	1	1	-	-	-	1	-	-	-	-	-
Female.....	1	1	1	1	1	-	1	-	1	-	-	-

Oklahoma

All races, both sexes.....	116	95	101	105	129	139	164	134	85	28	3	-
Male.....	89	64	45	59	65	62	64	49	14	5	-	-
Female.....	27	31	56	46	64	77	100	85	71	23	3	-
White, both sexes.....	80	80	83	87	117	130	153	125	80	24	3	-
Male.....	62	54	37	49	61	59	60	41	14	3	-	-
Female.....	18	26	46	38	56	71	93	84	66	21	3	-
Black, both sexes.....	16	4	5	5	6	5	7	4	3	4	-	-
Male.....	11	2	2	3	2	1	2	4	-	2	-	-
Female.....	5	2	3	2	4	4	5	-	3	2	-	-
American Indian 1/, both sexes.....	19	11	12	12	6	3	4	5	2	-	-	-
Male.....	16	8	5	7	2	2	2	4	-	-	-	-
Female.....	3	3	7	5	4	1	2	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XI. Diseases of the digestive system (K00-K92)

Oregon

All races, both sexes.....	79	73	70	62	123	118	158	158	108	38	5	-
Male.....	54	41	51	37	65	52	56	57	23	9	-	-
Female.....	25	32	19	25	58	66	102	101	85	29	5	-
White, both sexes.....	77	65	67	59	119	114	156	154	106	36	5	-
Male.....	53	37	48	35	64	50	55	55	23	9	-	-
Female.....	24	28	19	24	55	64	101	99	83	27	5	-
Black, both sexes.....	2	2	-	-	2	1	2	1	-	1	-	-
Male.....	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	1	2	-	-	2	-	1	1	-	1	-	-
American Indian 1/, both sexes.....	-	3	2	3	2	2	-	-	2	-	-	-
Male.....	-	1	2	2	1	1	-	-	-	-	-	-
Female.....	-	2	-	1	1	1	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	1	-	-	1	-	3	-	1	-	-
Male.....	-	3	1	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	1	-	-

Pennsylvania

All races, both sexes.....	295	241	253	293	457	622	689	591	355	127	22	-
Male.....	225	166	151	167	249	275	264	191	80	18	4	-
Female.....	70	75	102	126	208	347	425	400	275	109	18	-
White, both sexes.....	251	196	212	253	421	584	642	562	344	121	21	-
Male.....	194	132	127	147	233	259	246	183	76	17	3	-
Female.....	57	64	85	106	188	325	396	379	268	104	18	-
Black, both sexes.....	41	43	39	40	33	34	46	26	11	6	1	-
Male.....	30	34	23	20	15	13	17	8	4	1	1	-
Female.....	11	9	16	20	18	21	29	18	7	5	-	-
American Indian 1/, both sexes.....	1	1	-	-	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	-	2	3	1	2	-	-	-	-
Male.....	1	-	1	-	1	3	1	-	-	-	-	-
Female.....	1	1	1	-	1	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XI. Diseases of the digestive system (K00-K92)

Rhode Island

All races, both sexes.....	22	30	25	26	35	62	59	65	42	10	5	-
Male.....	18	20	14	16	19	34	19	23	9	3	2	-
Female.....	4	10	11	10	16	28	40	42	33	7	3	-
White, both sexes.....	22	29	22	26	35	59	59	64	42	10	5	-
Male.....	18	19	13	16	19	32	19	22	9	3	2	-
Female.....	4	10	9	10	16	27	40	42	33	7	3	-
Black, both sexes.....	-	1	1	-	-	2	-	1	-	-	-	-
Male.....	-	1	1	-	-	2	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

South Carolina

All races, both sexes.....	110	117	95	116	151	142	168	146	98	25	5	-
Male.....	70	76	59	69	78	71	70	42	21	3	1	-
Female.....	40	41	36	47	73	71	98	104	77	22	4	-
White, both sexes.....	73	82	66	92	122	108	135	118	79	24	3	-
Male.....	48	54	40	55	64	56	57	32	17	3	-	-
Female.....	25	28	26	37	58	52	78	86	62	21	3	-
Black, both sexes.....	36	35	29	23	27	32	32	28	19	1	2	-
Male.....	21	22	19	13	14	15	13	10	4	-	1	-
Female.....	15	13	10	10	13	17	19	18	15	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	2	1	1	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XI. Diseases of the digestive system (K00-K92)

South Dakota

All races, both sexes.....	13	18	16	15	22	27	36	44	33	12	4	-
Male.....	8	12	8	9	11	13	17	16	10	4	2	-
Female.....	5	6	8	6	11	14	19	28	23	8	2	-
White, both sexes.....	9	12	14	10	17	26	35	41	32	12	4	-
Male.....	4	8	7	6	9	13	17	15	10	4	2	-
Female.....	5	4	7	4	8	13	18	26	22	8	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	6	2	5	5	1	1	3	1	-	-	-
Male.....	4	4	1	3	2	-	-	1	-	-	-	-
Female.....	-	2	1	2	3	1	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	123	146	144	159	183	231	235	213	128	38	6	-
Male.....	81	96	96	93	81	102	93	67	32	4	2	-
Female.....	42	50	48	66	102	129	142	146	96	34	4	-
White, both sexes.....	108	127	129	140	165	207	211	195	115	33	6	-
Male.....	70	86	90	82	72	93	87	60	27	3	2	-
Female.....	38	41	39	58	93	114	124	135	88	30	4	-
Black, both sexes.....	14	18	14	17	15	23	24	18	13	5	-	-
Male.....	10	9	6	10	7	9	6	7	5	1	-	-
Female.....	4	9	8	7	8	14	18	11	8	4	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	2	1	-	-	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XI. Diseases of the digestive system (K00-K92)

Texas

All races, both sexes.....	480	479	452	436	541	648	684	569	365	117	13	-
Male.....	338	324	284	248	279	280	277	194	102	21	2	-
Female.....	142	155	168	188	262	368	407	375	263	96	11	-
White, both sexes.....	410	429	411	384	475	595	637	530	335	103	11	-
Male.....	286	287	259	222	250	259	261	177	93	17	2	-
Female.....	124	142	152	162	225	336	376	353	242	86	9	-
Black, both sexes.....	67	44	34	45	58	45	44	35	29	14	2	-
Male.....	51	32	22	21	25	17	16	15	9	4	-	-
Female.....	16	12	12	24	33	28	28	20	20	10	2	-
American Indian 1/, both sexes.....	1	1	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	5	6	7	7	8	3	4	1	-	-	-
Male.....	-	5	3	5	4	4	-	2	-	-	-	-
Female.....	2	-	3	2	3	4	3	2	1	-	-	-

Utah

All races, both sexes.....	25	33	41	49	45	66	77	74	40	18	2	-
Male.....	17	19	23	34	22	31	41	32	14	4	-	-
Female.....	8	14	18	15	23	35	36	42	26	14	2	-
White, both sexes.....	24	28	41	46	44	63	75	72	40	17	2	-
Male.....	16	16	23	32	22	30	40	32	14	3	-	-
Female.....	8	12	18	14	22	33	35	40	26	14	2	-
Black, both sexes.....	-	-	-	-	-	1	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	1	4	-	3	-	-	1	-	-	-	-	-
Male.....	1	2	-	2	-	-	1	-	-	-	-	-
Female.....	-	2	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	2	1	-	-	1	-	-
Male.....	-	1	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XI. Diseases of the digestive system (K00-K92)

Vermont

All races, both sexes.....	11	7	12	19	19	32	31	24	18	9	-	-
Male.....	8	5	7	11	9	17	12	8	1	1	-	-
Female.....	3	2	5	8	10	15	19	16	17	8	-	-
White, both sexes.....	10	7	12	19	19	32	31	24	18	9	-	-
Male.....	8	5	7	11	9	17	12	8	1	1	-	-
Female.....	2	2	5	8	10	15	19	16	17	8	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	141	123	136	148	194	259	290	221	116	58	13	1
Male.....	85	82	79	84	111	130	116	76	29	10	3	-
Female.....	56	41	57	64	83	129	174	145	87	48	10	1
White, both sexes.....	92	93	102	122	149	223	249	189	103	52	12	-
Male.....	61	60	61	63	88	116	100	66	27	9	2	-
Female.....	31	33	41	59	61	107	149	123	76	43	10	-
Black, both sexes.....	48	27	32	23	40	31	41	31	13	5	1	1
Male.....	24	20	17	20	18	12	16	10	2	-	1	-
Female.....	24	7	15	3	22	19	25	21	11	5	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	2	3	5	5	-	1	-	1	-	-
Male.....	-	2	1	1	5	2	-	-	-	1	-	-
Female.....	1	1	1	2	-	3	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XI. Diseases of the digestive system (K00-K92)

Washington

All races, both sexes.....	115	105	112	138	117	181	235	246	167	52	16	-
Male.....	80	70	73	83	76	72	102	87	51	11	1	-
Female.....	35	35	39	55	41	109	133	159	116	41	15	-
White, both sexes.....	98	100	99	133	111	172	220	236	162	52	14	-
Male.....	66	68	63	81	74	69	95	81	50	11	1	-
Female.....	32	32	36	52	37	103	125	155	112	41	13	-
Black, both sexes.....	5	1	6	1	2	3	4	3	1	-	-	-
Male.....	4	-	6	-	1	2	1	2	-	-	-	-
Female.....	1	1	-	1	1	1	3	1	1	-	-	-
American Indian 1/, both sexes.....	7	3	4	1	1	3	1	3	-	-	-	-
Male.....	6	1	2	-	-	-	-	2	-	-	-	-
Female.....	1	2	2	1	1	3	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes..	5	1	3	3	3	3	10	4	4	-	2	-
Male.....	4	1	2	2	1	1	6	2	1	-	-	-
Female.....	1	-	1	1	2	2	4	2	3	-	2	-

West Virginia

All races, both sexes.....	37	43	46	60	79	104	109	72	45	17	3	-
Male.....	32	31	29	37	37	44	46	21	14	5	1	-
Female.....	5	12	17	23	42	60	63	51	31	12	2	-
White, both sexes.....	31	41	41	56	79	102	105	68	43	16	3	-
Male.....	26	31	28	34	37	44	44	21	13	4	1	-
Female.....	5	10	13	22	42	58	61	47	30	12	2	-
Black, both sexes.....	6	2	4	3	-	2	4	3	2	1	-	-
Male.....	6	-	1	3	-	-	2	-	1	1	-	-
Female.....	-	2	3	-	-	2	2	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes..	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of other parts of digestive system (K20-K92)												
Arkansas												
All races, both sexes.....	926	6	-	-	-	3	3	3	5	15	25	50
Male.....	458	2	-	-	-	2	-	1	1	8	12	37
Female.....	468	4	-	-	-	1	3	2	4	7	13	13
White, both sexes.....	812	5	-	-	-	3	1	3	4	12	22	38
Male.....	403	1	-	-	-	2	-	1	1	7	11	27
Female.....	409	4	-	-	-	1	1	2	3	5	11	11
Black, both sexes.....	108	1	-	-	-	-	2	-	1	3	3	12
Male.....	53	1	-	-	-	-	-	-	-	1	1	10
Female.....	55	-	-	-	-	-	2	-	1	2	2	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	9,074	42	14	6	9	7	23	33	94	227	464	665
Male.....	4,824	27	9	6	6	5	14	21	67	155	307	459
Female.....	4,250	15	5	-	3	2	9	12	27	72	157	206
White, both sexes.....	7,946	31	12	6	9	6	17	28	78	197	396	586
Male.....	4,223	22	8	6	6	4	11	17	58	137	267	407
Female.....	3,723	9	4	-	3	2	6	11	20	60	129	179
Black, both sexes.....	579	5	1	-	-	1	3	3	10	17	38	48
Male.....	300	2	-	-	-	1	2	2	5	7	22	27
Female.....	279	3	1	-	-	-	1	1	5	10	16	21
American Indian 1/, both sexes.....	89	-	-	-	-	-	-	1	1	4	15	8
Male.....	44	-	-	-	-	-	-	1	1	4	5	6
Female.....	45	-	-	-	-	-	-	-	-	-	10	2
Asian or Pacific Islander 2/, both sexes.....	460	6	1	-	-	-	3	1	5	9	15	23
Male.....	257	3	1	-	-	-	1	1	3	7	13	19
Female.....	203	3	-	-	-	-	2	-	2	2	2	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of other parts of digestive system (K20-K92)												
Massachusetts												
All races, both sexes.....	2,218	3	3	1	2	-	3	4	15	21	83	130
Male.....	1,027	2	3	1	-	-	3	1	9	14	59	90
Female.....	1,191	1	-	-	2	-	-	3	6	7	24	40
White, both sexes.....	2,113	2	2	1	1	-	3	4	13	18	75	118
Male.....	975	2	2	1	-	-	3	1	8	12	54	83
Female.....	1,138	-	-	-	1	-	-	3	5	6	21	35
Black, both sexes.....	78	1	-	-	1	-	-	-	2	2	5	10
Male.....	40	-	-	-	-	-	-	-	1	2	3	6
Female.....	38	1	-	-	1	-	-	-	1	-	2	4
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	24	-	1	-	-	-	-	-	-	-	3	1
Male.....	11	-	1	-	-	-	-	-	-	-	2	-
Female.....	13	-	-	-	-	-	-	-	-	-	1	1
Michigan												
All races, both sexes.....	3,274	24	4	3	1	4	7	11	30	59	142	208
Male.....	1,611	17	2	1	1	1	5	8	16	36	79	143
Female.....	1,663	7	2	2	-	3	2	3	14	23	63	65
White, both sexes.....	2,765	13	3	1	-	4	4	8	25	48	109	152
Male.....	1,336	7	1	-	-	1	4	7	15	28	60	114
Female.....	1,429	6	2	1	-	3	-	1	10	20	49	38
Black, both sexes.....	471	10	1	2	1	-	2	3	5	10	32	53
Male.....	256	10	1	1	1	-	1	1	1	8	18	26
Female.....	215	-	-	1	-	-	1	2	4	2	14	27
American Indian 1/, both sexes.....	24	-	-	-	-	-	-	-	-	1	1	1
Male.....	13	-	-	-	-	-	-	-	-	-	1	1
Female.....	11	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	14	1	-	-	-	-	1	-	-	-	-	2
Male.....	6	-	-	-	-	-	-	-	-	-	-	2
Female.....	8	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of other parts of digestive system (K20-K92)												
Nebraska												
All races, both sexes.....	537	3	4	1	3	-	-	1	4	7	22	29
Male.....	258	2	2	1	1	-	-	-	3	3	14	14
Female.....	279	1	2	-	2	-	-	1	1	4	8	15
White, both sexes.....	509	3	4	1	3	-	-	1	4	5	21	23
Male.....	244	2	2	1	1	-	-	-	3	1	14	12
Female.....	265	1	2	-	2	-	-	1	1	4	7	11
Black, both sexes.....	14	-	-	-	-	-	-	-	-	1	-	3
Male.....	7	-	-	-	-	-	-	-	-	1	-	1
Female.....	7	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	1	1	3
Male.....	7	-	-	-	-	-	-	-	-	1	-	1
Female.....	6	-	-	-	-	-	-	-	-	-	1	2
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	709	1	2	1	1	2	-	3	9	16	43	65
Male.....	405	1	1	-	1	2	-	-	4	5	24	49
Female.....	304	-	1	1	-	-	-	3	5	11	19	16
White, both sexes.....	638	1	1	1	1	1	-	2	5	13	35	55
Male.....	368	1	1	-	1	1	-	-	3	4	19	41
Female.....	270	-	-	1	-	-	-	2	2	9	16	14
Black, both sexes.....	43	-	1	-	-	1	-	-	3	1	2	6
Male.....	22	-	-	-	-	1	-	-	1	1	2	5
Female.....	21	-	1	-	-	-	-	-	2	-	-	1
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	-	1	2	3	3
Male.....	7	-	-	-	-	-	-	-	-	-	1	2
Female.....	7	-	-	-	-	-	-	-	1	2	2	1
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	-	-	1	-	-	3	1
Male.....	8	-	-	-	-	-	-	-	-	-	2	1
Female.....	6	-	-	-	-	-	-	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of other parts of digestive system (K20-K92)												
New Mexico												
All races, both sexes.....	713	3	1	1	-	-	3	4	13	24	53	66
Male.....	394	3	-	-	-	-	3	3	7	17	39	48
Female.....	319	-	1	1	-	-	-	1	6	7	14	18
White, both sexes.....	606	2	1	1	-	-	2	1	4	12	43	54
Male.....	335	2	-	-	-	-	2	1	2	9	33	38
Female.....	271	-	1	1	-	-	-	-	2	3	10	16
Black, both sexes.....	10	-	-	-	-	-	-	1	-	-	2	1
Male.....	5	-	-	-	-	-	-	-	-	-	2	1
Female.....	5	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	95	1	-	-	-	-	1	2	9	12	8	10
Male.....	53	1	-	-	-	-	1	2	5	8	4	8
Female.....	42	-	-	-	-	-	-	-	4	4	4	2
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	4,798	24	6	2	7	3	6	12	22	71	162	281
Male.....	2,330	12	3	2	6	-	3	7	17	44	106	204
Female.....	2,468	12	3	-	1	3	3	5	5	27	56	77
White, both sexes.....	4,119	10	2	-	7	3	5	7	14	50	127	221
Male.....	1,968	3	1	-	6	-	2	3	13	31	86	160
Female.....	2,151	7	1	-	1	3	3	4	1	19	41	61
Black, both sexes.....	589	12	4	2	-	-	1	4	6	18	31	51
Male.....	305	9	2	2	-	-	1	3	3	10	17	37
Female.....	284	3	2	-	-	-	-	1	3	8	14	14
American Indian 1/, both sexes.....	25	-	-	-	-	-	-	-	1	-	1	1
Male.....	14	-	-	-	-	-	-	-	1	-	1	1
Female.....	11	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	65	2	-	-	-	-	-	1	1	3	3	8
Male.....	43	-	-	-	-	-	-	1	-	3	2	6
Female.....	22	2	-	-	-	-	-	-	1	-	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of other parts of digestive system (K20-K92)												
Vermont												
All races, both sexes.....	202	2	-	-	-	1	-	-	-	3	5	10
Male.....	92	2	-	-	-	-	-	-	-	1	2	8
Female.....	110	-	-	-	-	1	-	-	-	2	3	2
White, both sexes.....	201	2	-	-	-	1	-	-	-	3	5	10
Male.....	92	2	-	-	-	-	-	-	-	1	2	8
Female.....	109	-	-	-	-	1	-	-	-	2	3	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	1,974	14	2	-	-	1	4	7	11	35	80	121
Male.....	992	10	2	-	-	-	2	3	6	20	57	87
Female.....	982	4	-	-	-	1	2	4	5	15	23	34
White, both sexes.....	1,588	10	2	-	-	1	2	6	8	24	53	97
Male.....	798	7	2	-	-	-	2	2	3	16	40	73
Female.....	790	3	-	-	-	1	-	4	5	8	13	24
Black, both sexes.....	361	4	-	-	-	-	2	1	3	10	24	24
Male.....	179	3	-	-	-	-	-	1	3	4	14	14
Female.....	182	1	-	-	-	-	2	-	-	6	10	10
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	-	-	-	-	-	-	-	-	1	3	-
Male.....	15	-	-	-	-	-	-	-	-	-	3	-
Female.....	10	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of other parts of digestive system (K20-K92)												
United States												
All races, both sexes.....	6,346	6,019	5,853	6,567	8,336	10,315	11,292	10,032	6,341	2,225	407	7
Male.....	4,471	3,929	3,600	3,718	4,309	4,771	4,569	3,436	1,641	458	68	5
Female.....	1,875	2,090	2,253	2,849	4,027	5,544	6,723	6,596	4,700	1,767	339	2
White, both sexes.....	5,158	5,034	4,921	5,679	7,351	9,312	10,302	9,310	5,909	2,057	360	5
Male.....	3,688	3,309	3,039	3,233	3,812	4,323	4,160	3,179	1,519	418	55	5
Female.....	1,470	1,725	1,882	2,446	3,539	4,989	6,142	6,131	4,390	1,639	305	-
Black, both sexes.....	1,013	806	750	722	787	797	794	587	349	141	42	2
Male.....	667	516	451	398	399	344	315	204	92	25	11	-
Female.....	346	290	299	324	388	453	479	383	257	116	31	2
American Indian 1/, both sexes.....	112	98	91	73	67	39	40	31	14	5	-	-
Male.....	73	54	52	41	31	19	15	10	4	2	-	-
Female.....	39	44	39	32	36	20	25	21	10	3	-	-
Asian or Pacific Islander 2/, both sexes.....	63	81	91	93	131	167	156	104	69	22	5	-
Male.....	43	50	58	46	67	85	79	43	26	13	2	-
Female.....	20	31	33	47	64	82	77	61	43	9	3	-
Alabama												
All races, both sexes.....	137	95	131	119	167	171	200	160	102	29	8	-
Male.....	91	64	81	63	89	65	74	48	24	6	3	-
Female.....	46	31	50	56	78	106	126	112	78	23	5	-
White, both sexes.....	91	73	85	97	131	139	154	122	83	25	5	-
Male.....	64	47	51	51	72	56	51	32	19	5	1	-
Female.....	27	26	34	46	59	83	103	90	64	20	4	-
Black, both sexes.....	45	22	44	22	36	29	43	38	19	4	3	-
Male.....	26	17	29	12	17	8	21	16	5	1	2	-
Female.....	19	5	15	10	19	21	22	22	14	3	1	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	3	2	-	-	-	-	-
Male.....	1	-	-	-	-	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of other parts of digestive system (K20-K92)												
Alaska												
All races, both sexes.....	20	16	11	11	10	6	10	7	7	1	-	-
Male.....	13	12	6	7	5	1	6	-	1	1	-	-
Female.....	7	4	5	4	5	5	4	7	6	-	-	-
White, both sexes.....	13	13	8	5	5	5	7	4	6	-	-	-
Male.....	9	10	5	3	3	1	4	-	1	-	-	-
Female.....	4	3	3	2	2	4	3	4	5	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	2	3	6	5	1	2	3	1	1	-	-
Male.....	2	2	1	4	2	-	1	-	-	1	-	-
Female.....	3	-	2	2	3	1	1	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	143	120	121	171	172	204	187	135	89	28	4	-
Male.....	101	77	74	109	85	92	91	58	25	9	-	-
Female.....	42	43	47	62	87	112	96	77	64	19	4	-
White, both sexes.....	119	103	109	153	162	198	181	132	85	25	4	-
Male.....	87	63	63	97	77	90	88	57	22	7	-	-
Female.....	32	40	46	56	85	108	93	75	63	18	4	-
Black, both sexes.....	2	4	1	6	3	-	2	1	-	-	-	-
Male.....	1	4	1	4	2	-	1	1	-	-	-	-
Female.....	1	-	-	2	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	21	12	10	10	6	4	4	2	2	2	-	-
Male.....	12	9	9	7	5	1	2	-	2	1	-	-
Female.....	9	3	1	3	1	3	2	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	2	1	2	-	-	2	1	-	-
Male.....	1	1	1	1	1	1	-	-	1	1	-	-
Female.....	-	-	-	1	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of other parts of digestive system (K20-K92)												
Arkansas												
All races, both sexes.....	65	62	69	81	94	128	125	105	51	28	8	-
Male.....	46	39	42	44	50	58	55	38	15	7	1	-
Female.....	19	23	27	37	44	70	70	67	36	21	7	-
White, both sexes.....	58	52	59	72	79	115	115	97	46	23	8	-
Male.....	41	32	38	41	42	52	49	36	14	7	1	-
Female.....	17	20	21	31	37	63	66	61	32	16	7	-
Black, both sexes.....	7	9	9	8	13	13	9	8	5	5	-	-
Male.....	5	6	3	3	8	6	6	2	1	-	-	-
Female.....	2	3	6	5	5	7	3	6	4	5	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	2	-	1	-	-	-	-	-
California												
All races, both sexes.....	836	776	645	665	841	977	1,110	875	550	183	28	4
Male.....	599	510	399	360	432	454	471	317	152	44	6	4
Female.....	237	266	246	305	409	523	639	558	398	139	22	-
White, both sexes.....	722	659	559	577	742	865	979	792	488	167	26	4
Male.....	529	444	347	317	375	399	410	283	130	37	5	4
Female.....	193	215	212	260	367	466	569	509	358	130	21	-
Black, both sexes.....	81	74	45	48	41	44	54	33	26	6	1	-
Male.....	48	43	25	24	24	20	24	14	8	1	1	-
Female.....	33	31	20	24	17	24	30	19	18	5	-	-
American Indian 1/, both sexes.....	14	13	5	6	7	3	7	2	3	-	-	-
Male.....	8	8	4	1	2	1	3	-	-	-	-	-
Female.....	6	5	1	5	5	2	4	2	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	30	36	34	51	65	70	48	33	10	1	-
Male.....	14	15	23	18	31	34	34	20	14	6	-	-
Female.....	5	15	13	16	20	31	36	28	19	4	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of other parts of digestive system (K20-K92)

Colorado

All races, both sexes.....	101	76	84	99	118	134	160	134	90	28	8	-
Male.....	67	54	55	58	66	72	59	57	29	5	1	-
Female.....	34	22	29	41	52	62	101	77	61	23	7	-
White, both sexes.....	98	76	80	93	112	130	155	129	87	28	7	-
Male.....	66	54	51	55	62	71	56	54	29	5	1	-
Female.....	32	22	29	38	50	59	99	75	58	23	6	-
Black, both sexes.....	3	-	4	5	5	1	1	5	2	-	1	-
Male.....	1	-	4	3	4	-	-	3	-	-	-	-
Female.....	2	-	-	2	1	1	1	2	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	2	3	-	1	-	-	-
Male.....	-	-	-	-	-	1	2	-	-	-	-	-
Female.....	-	-	-	1	1	1	1	-	1	-	-	-

Connecticut

All races, both sexes.....	78	63	56	85	103	153	174	155	119	42	6	-
Male.....	56	39	30	53	54	75	83	55	34	10	-	-
Female.....	22	24	26	32	49	78	91	100	85	32	6	-
White, both sexes.....	68	55	53	77	100	146	167	154	118	41	5	-
Male.....	49	35	28	45	53	69	78	55	34	10	-	-
Female.....	19	20	25	32	47	77	89	99	84	31	5	-
Black, both sexes.....	9	7	3	8	2	7	6	1	1	1	1	-
Male.....	6	4	2	8	1	6	4	-	-	-	-	-
Female.....	3	3	1	-	1	1	2	1	1	1	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of other parts of digestive system (K20-K92)												
Florida												
All races, both sexes.....	413	438	379	462	601	632	694	618	367	123	18	-
Male.....	293	288	248	270	314	311	308	238	115	30	2	-
Female.....	120	150	131	192	287	321	386	380	252	93	16	-
White, both sexes.....	365	374	332	414	553	588	655	594	350	119	16	-
Male.....	259	250	224	245	290	285	294	231	111	30	2	-
Female.....	106	124	108	169	263	303	361	363	239	89	14	-
Black, both sexes.....	46	59	46	44	45	41	36	24	17	4	2	-
Male.....	33	36	24	24	23	24	12	7	4	-	-	-
Female.....	13	23	22	20	22	17	24	17	13	4	2	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	5	1	3	3	3	2	-	-	-	-	-
Male.....	-	2	-	1	1	2	1	-	-	-	-	-
Female.....	-	3	1	2	2	1	1	-	-	-	-	-
Georgia												
All races, both sexes.....	220	200	180	210	229	254	275	226	129	48	7	-
Male.....	160	137	114	104	115	107	104	75	37	12	1	-
Female.....	60	63	66	106	114	147	171	151	92	36	6	-
White, both sexes.....	151	145	140	168	177	203	221	184	105	27	5	-
Male.....	110	102	90	84	86	90	80	60	27	8	1	-
Female.....	41	43	50	84	91	113	141	124	78	19	4	-
Black, both sexes.....	66	55	40	42	50	51	52	42	24	20	2	-
Male.....	48	35	24	20	28	17	23	15	10	3	-	-
Female.....	18	20	16	22	22	34	29	27	14	17	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	2	-	2	-	-	1	-	-
Male.....	2	-	-	-	1	-	1	-	-	1	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of other parts of digestive system (K20-K92)												
Kentucky												
All races, both sexes.....	98	109	101	133	122	162	171	166	96	33	7	-
Male.....	72	84	65	72	51	72	63	66	28	8	4	-
Female.....	26	25	36	61	71	90	108	100	68	25	3	-
White, both sexes.....	90	104	91	124	115	154	160	162	95	28	6	-
Male.....	68	80	56	67	47	69	57	64	28	8	3	-
Female.....	22	24	35	57	68	85	103	98	67	20	3	-
Black, both sexes.....	8	4	10	9	7	8	11	4	1	5	1	-
Male.....	4	3	9	5	4	3	6	2	-	-	1	-
Female.....	4	1	1	4	3	5	5	2	1	5	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	123	95	88	108	106	165	159	119	91	26	2	-
Male.....	87	62	50	61	52	76	61	47	19	4	-	-
Female.....	36	33	38	47	54	89	98	72	72	22	2	-
White, both sexes.....	69	70	64	79	80	129	109	96	69	20	1	-
Male.....	50	47	36	45	41	61	42	41	14	4	-	-
Female.....	19	23	28	34	39	68	67	55	55	16	1	-
Black, both sexes.....	51	24	24	29	24	36	48	22	22	6	1	-
Male.....	36	14	14	16	10	15	17	6	5	-	-	-
Female.....	15	10	10	13	14	21	31	16	17	6	1	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	1	1	-	-	-	-
Male.....	1	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	1	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of other parts of digestive system (K20-K92)												
Maine												
All races, both sexes.....	24	20	33	40	50	72	64	64	42	15	2	-
Male.....	17	13	25	24	29	27	27	23	7	1	2	-
Female.....	7	7	8	16	21	45	37	41	35	14	-	-
White, both sexes.....	24	20	33	40	50	71	63	64	42	15	2	-
Male.....	17	13	25	24	29	27	26	23	7	1	2	-
Female.....	7	7	8	16	21	44	37	41	35	14	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	109	114	95	120	141	185	185	142	113	26	5	-
Male.....	70	72	61	68	70	85	72	58	28	6	2	-
Female.....	39	42	34	52	71	100	113	84	85	20	3	-
White, both sexes.....	69	79	69	76	109	138	154	121	98	19	4	-
Male.....	43	52	46	45	52	67	60	50	25	6	2	-
Female.....	26	27	23	31	57	71	94	71	73	13	2	-
Black, both sexes.....	39	32	23	42	31	46	30	17	13	7	1	-
Male.....	26	19	12	22	18	18	12	6	3	-	-	-
Female.....	13	13	11	20	13	28	18	11	10	7	1	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	3	1	1	1	-	4	2	-	-	-
Male.....	1	1	3	-	-	-	-	2	-	-	-	-
Female.....	-	1	-	1	1	1	-	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of other parts of digestive system (K20-K92)												
Massachusetts												
All races, both sexes.....	143	120	138	145	183	280	314	301	212	95	22	-
Male.....	98	82	80	86	97	126	114	96	41	22	3	-
Female.....	45	38	58	59	86	154	200	205	171	73	19	-
White, both sexes.....	135	110	130	133	176	270	307	292	208	93	22	-
Male.....	93	78	77	79	95	120	111	92	40	21	3	-
Female.....	42	32	53	54	81	150	196	200	168	72	19	-
Black, both sexes.....	6	9	3	9	3	9	6	8	2	2	-	-
Male.....	4	3	1	5	1	5	3	4	1	1	-	-
Female.....	2	6	2	4	2	4	3	4	1	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	5	3	4	1	1	1	2	-	-	-
Male.....	1	1	2	2	1	1	-	-	-	-	-	-
Female.....	-	-	3	1	3	-	1	1	2	-	-	-
Michigan												
All races, both sexes.....	259	218	252	232	315	373	402	407	224	84	15	-
Male.....	182	143	145	124	156	175	165	128	64	19	1	-
Female.....	77	75	107	108	159	198	237	279	160	65	14	-
White, both sexes.....	182	174	195	205	264	336	366	377	207	81	11	-
Male.....	131	111	108	113	131	154	153	120	60	18	-	-
Female.....	51	63	87	92	133	182	213	257	147	63	11	-
Black, both sexes.....	71	42	51	24	47	33	34	27	17	2	4	-
Male.....	48	31	34	10	23	17	12	7	4	1	1	-
Female.....	23	11	17	14	24	16	22	20	13	1	3	-
American Indian 1/, both sexes.....	6	-	5	2	3	2	1	1	-	1	-	-
Male.....	3	-	3	1	2	2	-	-	-	-	-	-
Female.....	3	-	2	1	1	-	1	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	1	1	2	1	2	-	-	-	-
Male.....	-	1	-	-	-	2	-	1	-	-	-	-
Female.....	-	1	1	1	1	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Missouri

All races, both sexes.....	118	105	107	119	160	248	226	269	175	58	13	-
Male.....	71	62	66	68	82	111	94	77	54	9	2	-
Female.....	47	43	41	51	78	137	132	192	121	49	11	-
White, both sexes.....	99	88	93	103	132	230	205	260	168	55	12	-
Male.....	65	48	59	63	66	103	82	73	53	9	1	-
Female.....	34	40	34	40	66	127	123	187	115	46	11	-
Black, both sexes.....	18	17	12	15	26	16	19	8	7	3	1	-
Male.....	6	14	6	5	16	7	11	3	1	-	1	-
Female.....	12	3	6	10	10	9	8	5	6	3	-	-
American Indian 1/, both sexes.....	-	-	2	-	1	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	2	2	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	1	-	-	1	1	1	1	-	-	-	-	-

Montana

All races, both sexes.....	26	26	18	14	26	46	47	41	23	14	2	-
Male.....	20	16	13	7	13	24	23	15	8	1	-	-
Female.....	6	10	5	7	13	22	24	26	15	13	2	-
White, both sexes.....	20	21	16	11	23	44	47	41	23	14	2	-
Male.....	17	13	13	5	12	23	23	15	8	1	-	-
Female.....	3	8	3	6	11	21	24	26	15	13	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	5	2	3	3	1	-	-	-	-	-	-
Male.....	3	3	-	2	1	1	-	-	-	-	-	-
Female.....	3	2	2	1	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of other parts of digestive system (K20-K92)												
Nebraska												
All races, both sexes.....	32	20	30	31	56	70	62	68	64	25	5	-
Male.....	25	13	15	14	29	42	28	30	16	5	1	-
Female.....	7	7	15	17	27	28	34	38	48	20	4	-
White, both sexes.....	30	17	28	30	54	67	61	64	63	25	5	-
Male.....	24	12	14	14	28	40	27	28	15	5	1	-
Female.....	6	5	14	16	26	27	34	36	48	20	4	-
Black, both sexes.....	2	2	1	1	-	-	1	2	1	-	-	-
Male.....	1	1	-	-	-	-	1	1	1	-	-	-
Female.....	1	1	1	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	2	2	-	2	-	-	-	-
Male.....	-	-	1	-	1	2	-	1	-	-	-	-
Female.....	-	1	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Nevada												
All races, both sexes.....	66	70	65	65	66	77	73	46	32	5	1	-
Male.....	50	47	34	40	39	45	38	18	6	1	-	-
Female.....	16	23	31	25	27	32	35	28	26	4	1	-
White, both sexes.....	63	65	56	61	58	70	72	43	29	5	1	-
Male.....	48	45	28	39	35	41	37	18	5	1	-	-
Female.....	15	20	28	22	23	29	35	25	24	4	1	-
Black, both sexes.....	2	3	6	3	5	5	-	2	3	-	-	-
Male.....	1	2	3	1	2	2	-	-	1	-	-	-
Female.....	1	1	3	2	3	3	-	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	1	1	-	-	-	-	-	-
Male.....	-	-	2	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	-	2	1	1	1	-	-	-	-
Male.....	1	-	1	-	1	1	1	-	-	-	-	-
Female.....	-	2	-	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of other parts of digestive system (K20-K92)												
New Hampshire												
All races, both sexes.....	19	22	21	25	45	46	68	63	46	13	4	-
Male.....	16	12	7	11	19	22	32	23	11	2	-	-
Female.....	3	10	14	14	26	24	36	40	35	11	4	-
White, both sexes.....	19	21	21	25	45	46	66	63	45	13	4	-
Male.....	16	12	7	11	19	22	32	23	10	2	-	-
Female.....	3	9	14	14	26	24	34	40	35	11	4	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	176	151	143	177	225	274	330	284	175	54	9	1
Male.....	121	93	84	91	120	123	120	87	46	13	1	1
Female.....	55	58	59	86	105	151	210	197	129	41	8	-
White, both sexes.....	133	126	123	154	201	248	302	267	164	48	7	1
Male.....	91	77	73	78	106	109	107	81	42	12	1	1
Female.....	42	49	50	76	95	139	195	186	122	36	6	-
Black, both sexes.....	41	24	20	21	24	22	22	16	10	6	2	-
Male.....	29	15	11	13	14	12	9	5	3	1	-	-
Female.....	12	9	9	8	10	10	13	11	7	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	2	-	4	6	1	1	-	-	-
Male.....	1	1	-	-	-	2	4	1	1	-	-	-
Female.....	1	-	-	2	-	2	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of other parts of digestive system (K20-K92)												
New Mexico												
All races, both sexes.....	69	57	64	49	65	63	73	65	28	10	2	-
Male.....	53	39	38	30	27	28	29	19	7	4	-	-
Female.....	16	18	26	19	38	35	44	46	21	6	2	-
White, both sexes.....	63	53	51	41	56	56	66	62	27	9	2	-
Male.....	50	38	30	24	23	25	29	19	6	4	-	-
Female.....	13	15	21	17	33	31	37	43	21	5	2	-
Black, both sexes.....	-	-	2	-	1	2	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	6	4	11	8	8	5	5	3	1	1	-	-
Male.....	3	1	7	6	3	3	-	-	1	-	-	-
Female.....	3	3	4	2	5	2	5	3	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
New York												
All races, both sexes.....	297	326	359	359	508	588	617	614	374	136	24	-
Male.....	209	190	236	198	255	276	240	199	92	25	6	-
Female.....	88	136	123	161	253	312	377	415	282	111	18	-
White, both sexes.....	242	261	278	295	445	513	565	569	357	130	18	-
Male.....	175	152	184	160	224	241	221	187	88	25	6	-
Female.....	67	109	94	135	221	272	344	382	269	105	12	-
Black, both sexes.....	52	57	65	56	57	61	48	39	14	5	6	-
Male.....	31	31	38	33	31	29	15	10	3	-	-	-
Female.....	21	26	27	23	26	32	33	29	11	5	6	-
American Indian 1/, both sexes.....	-	6	5	1	4	3	2	1	-	-	-	-
Male.....	-	5	3	-	-	1	2	-	-	-	-	-
Female.....	-	1	2	1	4	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	11	7	2	11	2	5	3	1	-	-
Male.....	3	2	11	5	-	5	2	2	1	-	-	-
Female.....	-	-	-	2	2	6	-	3	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of other parts of digestive system (K20-K92)												
Ohio												
All races, both sexes.....	247	235	228	274	379	515	545	448	263	88	17	-
Male.....	181	141	133	160	184	240	217	157	76	13	-	-
Female.....	66	94	95	114	195	275	328	291	187	75	17	-
White, both sexes.....	212	202	192	240	339	477	516	423	251	84	15	-
Male.....	159	119	110	143	164	224	203	150	71	13	-	-
Female.....	53	83	82	97	175	253	313	273	180	71	15	-
Black, both sexes.....	33	31	34	33	38	38	27	25	11	4	2	-
Male.....	21	21	22	17	19	16	13	7	5	-	-	-
Female.....	12	10	12	16	19	22	14	18	6	4	2	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	2	1	1	-	2	-	1	-	-	-
Male.....	1	1	1	-	-	-	1	-	-	-	-	-
Female.....	1	1	1	1	1	-	1	-	1	-	-	-
Oklahoma												
All races, both sexes.....	116	95	101	104	128	139	164	134	85	28	3	-
Male.....	89	64	45	59	65	62	64	49	14	5	-	-
Female.....	27	31	56	45	63	77	100	85	71	23	3	-
White, both sexes.....	80	80	83	86	116	130	153	125	80	24	3	-
Male.....	62	54	37	49	61	59	60	41	14	3	-	-
Female.....	18	26	46	37	55	71	93	84	66	21	3	-
Black, both sexes.....	16	4	5	5	6	5	7	4	3	4	-	-
Male.....	11	2	2	3	2	1	2	4	-	2	-	-
Female.....	5	2	3	2	4	4	5	-	3	2	-	-
American Indian 1/, both sexes.....	19	11	12	12	6	3	4	5	2	-	-	-
Male.....	16	8	5	7	2	2	2	4	-	-	-	-
Female.....	3	3	7	5	4	1	2	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of other parts of digestive system (K20-K92)												
Oregon												
All races, both sexes.....	79	73	70	62	123	118	157	157	107	38	5	-
Male.....	54	41	51	37	65	52	56	57	22	9	-	-
Female.....	25	32	19	25	58	66	101	100	85	29	5	-
White, both sexes.....	77	65	67	59	119	114	155	153	105	36	5	-
Male.....	53	37	48	35	64	50	55	55	22	9	-	-
Female.....	24	28	19	24	55	64	100	98	83	27	5	-
Black, both sexes.....	2	2	-	-	2	1	2	1	-	1	-	-
Male.....	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	1	2	-	-	2	-	1	1	-	1	-	-
American Indian 1/, both sexes.....	-	3	2	3	2	2	-	-	2	-	-	-
Male.....	-	1	2	2	1	1	-	-	-	-	-	-
Female.....	-	2	-	1	1	1	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	1	-	-	1	-	3	-	1	-	-
Male.....	-	3	1	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	1	-	-
Pennsylvania												
All races, both sexes.....	295	241	253	293	453	621	688	586	354	126	22	-
Male.....	225	166	151	167	246	274	263	189	80	18	4	-
Female.....	70	75	102	126	207	347	425	397	274	108	18	-
White, both sexes.....	251	196	212	253	417	583	641	557	343	120	21	-
Male.....	194	132	127	147	230	258	245	181	76	17	3	-
Female.....	57	64	85	106	187	325	396	376	267	103	18	-
Black, both sexes.....	41	43	39	40	33	34	46	26	11	6	1	-
Male.....	30	34	23	20	15	13	17	8	4	1	1	-
Female.....	11	9	16	20	18	21	29	18	7	5	-	-
American Indian 1/, both sexes.....	1	1	-	-	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	-	2	3	1	2	-	-	-	-
Male.....	1	-	1	-	1	3	1	-	-	-	-	-
Female.....	1	1	1	-	1	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of other parts of digestive system (K20-K92)												
Rhode Island												
All races, both sexes.....	22	30	25	26	35	62	58	65	42	10	5	-
Male.....	18	20	14	16	19	34	19	23	9	3	2	-
Female.....	4	10	11	10	16	28	39	42	33	7	3	-
White, both sexes.....	22	29	22	26	35	59	58	64	42	10	5	-
Male.....	18	19	13	16	19	32	19	22	9	3	2	-
Female.....	4	10	9	10	16	27	39	42	33	7	3	-
Black, both sexes.....	-	1	1	-	-	2	-	1	-	-	-	-
Male.....	-	1	1	-	-	2	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
South Carolina												
All races, both sexes.....	110	117	95	116	151	142	168	146	98	25	4	-
Male.....	70	76	59	69	78	71	70	42	21	3	1	-
Female.....	40	41	36	47	73	71	98	104	77	22	3	-
White, both sexes.....	73	82	66	92	122	108	135	118	79	24	2	-
Male.....	48	54	40	55	64	56	57	32	17	3	-	-
Female.....	25	28	26	37	58	52	78	86	62	21	2	-
Black, both sexes.....	36	35	29	23	27	32	32	28	19	1	2	-
Male.....	21	22	19	13	14	15	13	10	4	-	1	-
Female.....	15	13	10	10	13	17	19	18	15	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	2	1	1	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of other parts of digestive system (K20-K92)												
South Dakota												
All races, both sexes.....	13	18	16	15	22	27	36	44	33	12	3	-
Male.....	8	12	8	9	11	13	17	16	10	4	2	-
Female.....	5	6	8	6	11	14	19	28	23	8	1	-
White, both sexes.....	9	12	14	10	17	26	35	41	32	12	3	-
Male.....	4	8	7	6	9	13	17	15	10	4	2	-
Female.....	5	4	7	4	8	13	18	26	22	8	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	6	2	5	5	1	1	3	1	-	-	-
Male.....	4	4	1	3	2	-	-	1	-	-	-	-
Female.....	-	2	1	2	3	1	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	123	146	144	159	182	231	235	213	127	38	6	-
Male.....	81	96	96	93	80	102	93	67	32	4	2	-
Female.....	42	50	48	66	102	129	142	146	95	34	4	-
White, both sexes.....	108	127	129	140	164	207	211	195	114	33	6	-
Male.....	70	86	90	82	71	93	87	60	27	3	2	-
Female.....	38	41	39	58	93	114	124	135	87	30	4	-
Black, both sexes.....	14	18	14	17	15	23	24	18	13	5	-	-
Male.....	10	9	6	10	7	9	6	7	5	1	-	-
Female.....	4	9	8	7	8	14	18	11	8	4	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	2	1	-	-	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of other parts of digestive system (K20-K92)												
Texas												
All races, both sexes.....	480	479	452	436	541	648	684	568	365	117	13	-
Male.....	338	324	284	248	279	280	277	194	102	21	2	-
Female.....	142	155	168	188	262	368	407	374	263	96	11	-
White, both sexes.....	410	429	411	384	475	595	637	529	335	103	11	-
Male.....	286	287	259	222	250	259	261	177	93	17	2	-
Female.....	124	142	152	162	225	336	376	352	242	86	9	-
Black, both sexes.....	67	44	34	45	58	45	44	35	29	14	2	-
Male.....	51	32	22	21	25	17	16	15	9	4	-	-
Female.....	16	12	12	24	33	28	28	20	20	10	2	-
American Indian 1/, both sexes.....	1	1	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	5	6	7	7	8	3	4	1	-	-	-
Male.....	-	5	3	5	4	4	-	2	-	-	-	-
Female.....	2	-	3	2	3	4	3	2	1	-	-	-
Utah												
All races, both sexes.....	25	33	41	49	44	66	77	73	40	18	2	-
Male.....	17	19	23	34	22	31	41	32	14	4	-	-
Female.....	8	14	18	15	22	35	36	41	26	14	2	-
White, both sexes.....	24	28	41	46	43	63	75	71	40	17	2	-
Male.....	16	16	23	32	22	30	40	32	14	3	-	-
Female.....	8	12	18	14	21	33	35	39	26	14	2	-
Black, both sexes.....	-	-	-	-	-	1	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	1	4	-	3	-	-	1	-	-	-	-	-
Male.....	1	2	-	2	-	-	1	-	-	-	-	-
Female.....	-	2	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	2	1	-	-	1	-	-
Male.....	-	1	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of other parts of digestive system (K20-K92)												
Vermont												
All races, both sexes.....	11	7	12	19	19	32	31	24	17	9	-	-
Male.....	8	5	7	11	9	17	12	8	1	1	-	-
Female.....	3	2	5	8	10	15	19	16	16	8	-	-
White, both sexes.....	10	7	12	19	19	32	31	24	17	9	-	-
Male.....	8	5	7	11	9	17	12	8	1	1	-	-
Female.....	2	2	5	8	10	15	19	16	16	8	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	141	123	136	148	194	259	290	220	116	58	13	1
Male.....	85	82	79	84	111	130	116	76	29	10	3	-
Female.....	56	41	57	64	83	129	174	144	87	48	10	1
White, both sexes.....	92	93	102	122	149	223	249	188	103	52	12	-
Male.....	61	60	61	63	88	116	100	66	27	9	2	-
Female.....	31	33	41	59	61	107	149	122	76	43	10	-
Black, both sexes.....	48	27	32	23	40	31	41	31	13	5	1	1
Male.....	24	20	17	20	18	12	16	10	2	-	1	-
Female.....	24	7	15	3	22	19	25	21	11	5	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	2	3	5	5	-	1	-	1	-	-
Male.....	-	2	1	1	5	2	-	-	-	1	-	-
Female.....	1	1	1	2	-	3	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of other parts of digestive system (K20-K92)												
Washington												
All races, both sexes.....	115	104	112	138	117	181	235	243	162	52	16	-
Male.....	80	69	73	83	76	72	102	85	50	11	1	-
Female.....	35	35	39	55	41	109	133	158	112	41	15	-
White, both sexes.....	98	99	99	133	111	172	220	233	157	52	14	-
Male.....	66	67	63	81	74	69	95	79	49	11	1	-
Female.....	32	32	36	52	37	103	125	154	108	41	13	-
Black, both sexes.....	5	1	6	1	2	3	4	3	1	-	-	-
Male.....	4	-	6	-	1	2	1	2	-	-	-	-
Female.....	1	1	-	1	1	1	3	1	1	-	-	-
American Indian 1/, both sexes.....	7	3	4	1	1	3	1	3	-	-	-	-
Male.....	6	1	2	-	-	-	-	2	-	-	-	-
Female.....	1	2	2	1	1	3	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	3	3	3	3	10	4	4	-	2	-
Male.....	4	1	2	2	1	1	6	2	1	-	-	-
Female.....	1	-	1	1	2	2	4	2	3	-	2	-
West Virginia												
All races, both sexes.....	37	43	46	60	79	104	108	72	44	17	3	-
Male.....	32	31	29	37	37	44	46	21	14	5	1	-
Female.....	5	12	17	23	42	60	62	51	30	12	2	-
White, both sexes.....	31	41	41	56	79	102	104	68	43	16	3	-
Male.....	26	31	28	34	37	44	44	21	13	4	1	-
Female.....	5	10	13	22	42	58	60	47	30	12	2	-
Black, both sexes.....	6	2	4	3	-	2	4	3	1	1	-	-
Male.....	6	-	1	3	-	-	2	-	1	1	-	-
Female.....	-	2	3	-	-	2	2	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of esophagus (K20-K22)												
Arkansas												
All races, both sexes.....	1	4	-	2	1	3	5	8	2	2	-	-
Male.....	1	1	-	1	1	-	2	3	2	1	-	-
Female.....	-	3	-	1	-	3	3	5	-	1	-	-
White, both sexes.....	-	4	-	1	-	3	5	8	2	1	-	-
Male.....	-	1	-	1	-	-	2	3	2	1	-	-
Female.....	-	3	-	-	-	3	3	5	-	-	-	-
Black, both sexes.....	1	-	-	1	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	7	2	3	8	7	19	39	33	28	13	3	-
Male.....	3	1	2	5	4	12	21	15	10	7	1	-
Female.....	4	1	1	3	3	7	18	18	18	6	2	-
White, both sexes.....	7	2	3	5	7	14	38	30	26	11	3	-
Male.....	3	1	2	3	4	9	21	14	10	6	1	-
Female.....	4	1	1	2	3	5	17	16	16	5	2	-
Black, both sexes.....	-	-	-	3	-	2	-	2	-	-	-	-
Male.....	-	-	-	2	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	3	1	1	2	2	-	-
Male.....	-	-	-	-	-	2	-	1	-	1	-	-
Female.....	-	-	-	-	-	1	1	-	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of esophagus (K20-K22)												
New Mexico												
All races, both sexes.....	-	-	-	-	2	3	2	3	-	-	-	-
Male.....	-	-	-	-	1	2	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	2	2	-	-	-	-
White, both sexes.....	-	-	-	-	2	3	2	3	-	-	-	-
Male.....	-	-	-	-	1	2	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	2	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	3	1	-	7	6	12	19	21	23	9	2	-
Male.....	3	-	-	6	2	7	8	6	4	1	-	-
Female.....	-	1	-	1	4	5	11	15	19	8	2	-
White, both sexes.....	3	1	-	4	6	9	17	18	23	9	2	-
Male.....	3	-	-	3	2	5	7	5	4	1	-	-
Female.....	-	1	-	1	4	4	10	13	19	8	2	-
Black, both sexes.....	-	-	-	3	-	3	2	2	-	-	-	-
Male.....	-	-	-	3	-	2	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of esophagus (K20-K22)												
South Dakota												
All races, both sexes.....	-	-	-	-	-	1	1	6	4	1	-	-
Male.....	-	-	-	-	-	-	1	3	2	-	-	-
Female.....	-	-	-	-	-	1	-	3	2	1	-	-
White, both sexes.....	-	-	-	-	-	1	1	6	4	1	-	-
Male.....	-	-	-	-	-	-	1	3	2	-	-	-
Female.....	-	-	-	-	-	1	-	3	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	2	1	1	7	6	8	14	17	6	5	-	-
Male.....	2	1	1	5	4	3	7	7	-	-	-	-
Female.....	-	-	-	2	2	5	7	10	6	5	-	-
White, both sexes.....	2	1	1	7	5	6	14	16	6	4	-	-
Male.....	2	1	1	5	4	2	7	7	-	-	-	-
Female.....	-	-	-	2	1	4	7	9	6	4	-	-
Black, both sexes.....	-	-	-	-	-	1	-	1	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Peptic ulcer (K25-K28)												
Arkansas												
All races, both sexes.....	-	1	3	2	3	6	9	7	1	1	-	-
Male.....	-	1	1	1	2	5	4	2	-	-	-	-
Female.....	-	-	2	1	1	1	5	5	1	1	-	-
White, both sexes.....	-	1	2	2	3	5	8	7	1	1	-	-
Male.....	-	1	1	1	2	4	3	2	-	-	-	-
Female.....	-	-	1	1	1	1	5	5	1	1	-	-
Black, both sexes.....	-	-	1	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	36	48	37	44	60	99	128	116	69	24	4	-
Male.....	25	24	18	27	36	39	62	46	21	5	-	-
Female.....	11	24	19	17	24	60	66	70	48	19	4	-
White, both sexes.....	30	38	31	34	52	83	114	102	55	21	4	-
Male.....	19	18	16	22	32	34	56	40	17	5	-	-
Female.....	11	20	15	12	20	49	58	62	38	16	4	-
Black, both sexes.....	5	5	4	3	2	6	3	7	5	2	-	-
Male.....	5	4	2	1	-	3	2	4	-	-	-	-
Female.....	-	1	2	2	2	3	1	3	5	2	-	-
American Indian 1/, both sexes.....	-	2	-	1	1	-	-	-	1	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	2	6	5	10	11	7	8	1	-	-
Male.....	1	1	-	3	4	2	4	2	4	-	-	-
Female.....	-	2	2	3	1	8	7	5	4	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Peptic ulcer (K25-K28)												
New Mexico												
All races, both sexes.....	1	3	1	3	5	2	5	4	-	-	-	-
Male.....	1	3	1	2	1	1	4	-	-	-	-	-
Female.....	-	-	-	1	4	1	1	4	-	-	-	-
White, both sexes.....	1	3	1	3	5	2	5	4	-	-	-	-
Male.....	1	3	1	2	1	1	4	-	-	-	-	-
Female.....	-	-	-	1	4	1	1	4	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	13	15	13	18	27	50	36	58	35	12	3	-
Male.....	10	5	11	10	10	27	20	23	14	1	1	-
Female.....	3	10	2	8	17	23	16	35	21	11	2	-
White, both sexes.....	11	8	13	15	21	38	35	52	34	12	1	-
Male.....	8	1	11	8	5	18	19	22	13	1	1	-
Female.....	3	7	2	7	16	20	16	30	21	11	-	-
Black, both sexes.....	2	6	-	3	6	9	1	5	-	-	2	-
Male.....	2	3	-	2	5	7	1	-	-	-	-	-
Female.....	-	3	-	1	1	2	-	5	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	3	-	1	1	-	-	-
Male.....	-	1	-	-	-	2	-	1	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Gastric ulcer (K25)												
Arkansas												
All races, both sexes.....	-	-	-	-	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	11	15	14	17	14	22	38	30	19	6	1	-
Male.....	4	5	9	11	7	8	13	8	4	2	-	-
Female.....	7	10	5	6	7	14	25	22	15	4	1	-
White, both sexes.....	10	11	12	13	11	19	34	26	13	6	1	-
Male.....	3	3	7	8	6	7	12	6	3	2	-	-
Female.....	7	8	5	5	5	12	22	20	10	4	1	-
Black, both sexes.....	1	2	2	1	1	1	1	2	3	-	-	-
Male.....	1	2	2	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	1	1	1	1	3	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	2	2	3	2	2	-	-	-
Male.....	-	-	-	2	1	1	1	1	1	-	-	-
Female.....	-	1	-	-	1	1	2	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Duodenal ulcer (K26)												
Arkansas												
All races, both sexes.....	-	1	2	2	1	-	4	2	-	-	-	-
Male.....	-	1	1	1	1	-	2	1	-	-	-	-
Female.....	-	-	1	1	-	-	2	1	-	-	-	-
White, both sexes.....	-	1	2	2	1	-	4	2	-	-	-	-
Male.....	-	1	1	1	1	-	2	1	-	-	-	-
Female.....	-	-	1	1	-	-	2	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	14	19	16	13	26	36	33	32	22	8	1	-
Male.....	13	13	7	8	16	16	18	15	10	2	-	-
Female.....	1	6	9	5	10	20	15	17	12	6	1	-
White, both sexes.....	12	18	14	9	23	30	31	28	21	7	1	-
Male.....	11	13	7	7	15	13	18	14	9	2	-	-
Female.....	1	5	7	2	8	17	13	14	12	5	1	-
Black, both sexes.....	2	1	1	1	1	4	-	2	-	1	-	-
Male.....	2	-	-	1	-	3	-	1	-	-	-	-
Female.....	-	1	1	-	1	1	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	3	1	2	2	2	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	1	3	-	2	2	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Duodenal ulcer (K26)												
New Mexico												
All races, both sexes.....	-	1	1	1	1	-	3	2	-	-	-	-
Male.....	-	1	1	1	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	2	-	-	-	-
White, both sexes.....	-	1	1	1	1	-	3	2	-	-	-	-
Male.....	-	1	1	1	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	5	6	6	5	11	18	17	18	17	2	1	-
Male.....	4	2	4	3	7	10	12	9	5	-	1	-
Female.....	1	4	2	2	4	8	5	9	12	2	-	-
White, both sexes.....	4	2	6	4	8	13	17	17	17	2	1	-
Male.....	3	-	4	3	4	7	12	9	5	-	1	-
Female.....	1	2	2	1	4	6	5	8	12	2	-	-
Black, both sexes.....	1	3	-	1	3	3	-	1	-	-	-	-
Male.....	1	1	-	-	3	2	-	-	-	-	-	-
Female.....	-	2	-	1	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	2	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Peptic ulcer, site unspecified (K27)												
Arkansas												
All races, both sexes.....	-	-	1	-	2	6	2	4	1	1	-	-
Male.....	-	-	-	-	1	5	1	1	-	-	-	-
Female.....	-	-	1	-	1	1	1	3	1	1	-	-
White, both sexes.....	-	-	-	-	2	5	2	4	1	1	-	-
Male.....	-	-	-	-	1	4	1	1	-	-	-	-
Female.....	-	-	-	-	1	1	1	3	1	1	-	-
Black, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	11	13	7	12	20	39	55	51	28	9	2	-
Male.....	8	5	2	8	13	14	30	21	7	1	-	-
Female.....	3	8	5	4	7	25	25	30	21	8	2	-
White, both sexes.....	8	8	5	11	18	32	47	45	21	8	2	-
Male.....	5	1	2	7	11	13	25	18	5	1	-	-
Female.....	3	7	3	4	7	19	22	27	16	7	2	-
Black, both sexes.....	2	2	1	-	-	1	2	3	2	1	-	-
Male.....	2	2	-	-	-	-	2	2	-	-	-	-
Female.....	-	-	1	-	-	1	-	1	2	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	1	2	6	6	3	5	-	-	-
Male.....	1	1	-	1	2	1	3	1	2	-	-	-
Female.....	-	1	1	-	-	5	3	2	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Gastrojejunal ulcer (K28)												
Arkansas												
All races, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	-	1	-	2	-	2	2	3	-	1	-	-
Male.....	-	1	-	-	-	1	1	2	-	-	-	-
Female.....	-	-	-	2	-	1	1	1	-	1	-	-
White, both sexes.....	-	1	-	1	-	2	2	3	-	-	-	-
Male.....	-	1	-	-	-	1	1	2	-	-	-	-
Female.....	-	-	-	1	-	1	1	1	-	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Gastritis and duodenitis (K29)												
Arkansas												
All races, both sexes.....	-	-	1	1	-	-	1	1	-	-	-	-
Male.....	-	-	1	1	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	1	1	-	-	1	1	-	-	-	-
Male.....	-	-	1	1	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	3	3	2	-	3	5	6	4	5	6	1	-
Male.....	1	3	1	-	2	3	2	3	2	-	-	-
Female.....	2	-	1	-	1	2	4	1	3	6	1	-
White, both sexes.....	1	2	1	-	3	5	5	4	4	6	1	-
Male.....	-	2	1	-	2	3	2	3	2	-	-	-
Female.....	1	-	-	-	1	2	3	1	2	6	1	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	-	1	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Dyspepsia and other diseases of stomach and duodenum (K30-K31)

New Hampshire

All races, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	2	-	1	-	1	3	2	-	2	-	-	-
Male.....	-	-	1	-	-	1	-	-	1	-	-	-
Female.....	2	-	-	-	1	2	2	-	1	-	-	-
White, both sexes.....	-	-	-	-	1	2	1	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	2	1	-	1	-	-	-
Black, both sexes.....	2	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Dyspepsia and other diseases of stomach and duodenum (K30-K31)

Rhode Island

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	1	-	-	-	1	3	3	1	-	1	-	-
Male.....	1	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	2	2	1	-	1	-	-
White, both sexes.....	1	-	-	-	1	2	2	1	-	1	-	-
Male.....	1	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	1	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hernia (K40-K46)												
Arkansas												
All races, both sexes.....	1	1	2	1	3	4	2	6	-	3	-	-
Male.....	-	1	-	1	1	1	2	2	-	2	-	-
Female.....	1	-	2	-	2	3	-	4	-	1	-	-
White, both sexes.....	-	1	1	1	3	4	2	6	-	2	-	-
Male.....	-	1	-	1	1	1	2	2	-	2	-	-
Female.....	-	-	1	-	2	3	-	4	-	-	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	4	12	11	13	17	24	34	25	14	5	1	-
Male.....	2	7	3	3	7	10	15	9	3	-	-	-
Female.....	2	5	8	10	10	14	19	16	11	5	1	-
White, both sexes.....	3	10	8	10	13	23	31	25	14	5	1	-
Male.....	1	5	1	3	5	10	14	9	3	-	-	-
Female.....	2	5	7	7	8	13	17	16	11	5	1	-
Black, both sexes.....	1	2	1	1	2	1	3	-	-	-	-	-
Male.....	1	2	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	1	1	1	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	2	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hernia (K40-K46)												
Maine												
All races, both sexes.....	-	-	-	1	-	-	2	4	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	2	3	1	-	-	-
White, both sexes.....	-	-	-	1	-	-	2	4	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	2	3	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	1	1	1	3	6	3	2	6	2	-	1	-
Male.....	-	-	-	2	3	2	1	2	1	-	-	-
Female.....	1	1	1	1	3	1	1	4	1	-	1	-
White, both sexes.....	-	1	-	1	4	3	2	2	2	-	-	-
Male.....	-	-	-	1	2	2	1	1	1	-	-	-
Female.....	-	1	-	-	2	1	1	1	1	-	-	-
Black, both sexes.....	1	-	1	2	2	-	-	3	-	-	1	-
Male.....	-	-	-	1	1	-	-	1	-	-	-	-
Female.....	1	-	1	1	1	-	-	2	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hernia (K40-K46)												
Oregon												
All races, both sexes.....	-	1	2	-	3	2	3	5	6	1	-	-
Male.....	-	1	1	-	1	2	1	1	2	-	-	-
Female.....	-	-	1	-	2	-	2	4	4	1	-	-
White, both sexes.....	-	1	2	-	3	2	3	5	6	1	-	-
Male.....	-	1	1	-	1	2	1	1	2	-	-	-
Female.....	-	-	1	-	2	-	2	4	4	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	3	-	3	6	8	12	10	19	10	7	-	-
Male.....	2	-	2	4	6	4	3	4	1	1	-	-
Female.....	1	-	1	2	2	8	7	15	9	6	-	-
White, both sexes.....	3	-	3	4	7	12	9	18	10	7	-	-
Male.....	2	-	2	3	5	4	3	4	1	1	-	-
Female.....	1	-	1	1	2	8	6	14	9	6	-	-
Black, both sexes.....	-	-	-	2	1	-	1	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Crohn's disease and ulcerative colitis (K50-K51)												
Arkansas												
All races, both sexes.....	1	1	-	1	-	2	2	1	-	-	-	-
Male.....	-	-	-	1	-	1	1	-	-	-	-	-
Female.....	1	1	-	-	-	1	1	1	-	-	-	-
White, both sexes.....	1	1	-	1	-	2	2	1	-	-	-	-
Male.....	-	-	-	1	-	1	1	-	-	-	-	-
Female.....	1	1	-	-	-	1	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	2	4	2	8	10	15	15	15	1	1	-	-
Male.....	1	2	-	4	1	4	6	4	-	-	-	-
Female.....	1	2	2	4	9	11	9	11	1	1	-	-
White, both sexes.....	2	4	2	7	9	15	14	14	1	1	-	-
Male.....	1	2	-	3	1	4	6	4	-	-	-	-
Female.....	1	2	2	4	8	11	8	10	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
Arkansas												
All races, both sexes.....	157	3	-	-	-	-	-	1	-	1	-	3
Male.....	49	2	-	-	-	-	-	-	-	-	-	3
Female.....	108	1	-	-	-	-	-	1	-	1	-	-
White, both sexes.....	136	2	-	-	-	-	-	1	-	-	-	1
Male.....	40	1	-	-	-	-	-	-	-	-	-	1
Female.....	96	1	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	20	1	-	-	-	-	-	-	-	1	-	2
Male.....	9	1	-	-	-	-	-	-	-	-	-	2
Female.....	11	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,379	17	3	2	1	-	4	2	3	3	7	16
Male.....	504	10	2	2	-	-	2	1	2	1	6	6
Female.....	875	7	1	-	1	-	2	1	1	2	1	10
White, both sexes.....	1,185	11	3	2	1	-	3	1	3	2	5	13
Male.....	415	7	2	2	-	-	1	-	2	1	4	5
Female.....	770	4	1	-	1	-	2	1	1	1	1	8
Black, both sexes.....	106	4	-	-	-	-	-	1	-	-	2	3
Male.....	50	2	-	-	-	-	-	1	-	-	2	1
Female.....	56	2	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	78	2	-	-	-	-	1	-	-	1	-	-
Male.....	38	1	-	-	-	-	1	-	-	-	-	-
Female.....	40	1	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

United States

All races, both sexes.....	269	413	558	863	1,480	2,199	2,817	2,716	1,796	612	80	-
Male.....	138	178	262	358	609	823	998	793	421	112	18	-
Female.....	131	235	296	505	871	1,376	1,819	1,923	1,375	500	62	-
White, both sexes.....	198	334	456	720	1,256	1,969	2,540	2,509	1,675	559	70	-
Male.....	99	142	202	302	512	737	887	718	392	101	15	-
Female.....	99	192	254	418	744	1,232	1,653	1,791	1,283	458	55	-
Black, both sexes.....	64	69	83	125	189	188	242	175	105	47	9	-
Male.....	34	32	48	50	82	66	94	64	25	6	3	-
Female.....	30	37	35	75	107	122	148	111	80	41	6	-
American Indian 1/, both sexes.....	2	5	8	5	13	10	7	12	4	-	-	-
Male.....	1	3	4	1	4	4	2	4	2	-	-	-
Female.....	1	2	4	4	9	6	5	8	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	5	11	13	22	32	28	20	12	6	1	-
Male.....	4	1	8	5	11	16	15	7	2	5	-	-
Female.....	1	4	3	8	11	16	13	13	10	1	1	-

Alabama

All races, both sexes.....	8	5	15	19	35	38	52	49	31	9	3	-
Male.....	2	2	10	6	15	17	19	16	8	2	2	-
Female.....	6	3	5	13	20	21	33	33	23	7	1	-
White, both sexes.....	6	4	9	14	27	33	40	34	26	8	2	-
Male.....	2	1	6	5	12	15	13	6	6	2	1	-
Female.....	4	3	3	9	15	18	27	28	20	6	1	-
Black, both sexes.....	2	1	6	5	8	4	11	15	5	1	1	-
Male.....	-	1	4	1	3	2	5	10	2	-	1	-
Female.....	2	-	2	4	5	2	6	5	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
Arkansas												
All races, both sexes.....	2	2	1	10	19	29	33	21	25	4	3	-
Male.....	2	-	1	3	7	9	14	5	3	-	-	-
Female.....	-	2	-	7	12	20	19	16	22	4	3	-
White, both sexes.....	2	2	-	10	14	25	30	19	23	4	3	-
Male.....	2	-	-	3	5	7	13	5	3	-	-	-
Female.....	-	2	-	7	9	18	17	14	20	4	3	-
Black, both sexes.....	-	-	1	-	4	4	3	2	2	-	-	-
Male.....	-	-	1	-	2	2	1	-	-	-	-	-
Female.....	-	-	-	-	2	2	2	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
California												
All races, both sexes.....	35	46	58	89	157	205	281	239	155	50	6	-
Male.....	19	17	24	38	66	79	102	76	39	11	1	-
Female.....	16	29	34	51	91	126	179	163	116	39	5	-
White, both sexes.....	28	33	50	73	132	177	238	217	142	46	5	-
Male.....	13	12	21	31	54	65	81	69	35	9	1	-
Female.....	15	21	29	42	78	112	157	148	107	37	4	-
Black, both sexes.....	5	9	5	10	13	11	24	8	9	2	-	-
Male.....	4	4	1	5	7	4	12	4	3	-	-	-
Female.....	1	5	4	5	6	7	12	4	6	2	-	-
American Indian 1/, both sexes.....	-	2	-	1	2	1	2	2	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	2	1	2	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	3	5	10	16	17	12	4	2	1	-
Male.....	2	-	2	2	5	10	9	3	1	2	-	-
Female.....	-	2	1	3	5	6	8	9	3	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

New Hampshire

All races, both sexes.....	1	1	4	4	8	8	11	18	16	4	1	-
Male.....	1	-	1	2	4	2	6	11	6	1	-	-
Female.....	-	1	3	2	4	6	5	7	10	3	1	-
White, both sexes.....	1	1	4	4	8	8	10	18	15	4	1	-
Male.....	1	-	1	2	4	2	6	11	5	1	-	-
Female.....	-	1	3	2	4	6	4	7	10	3	1	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	8	13	15	14	36	44	73	77	50	15	3	-
Male.....	5	4	7	5	9	18	24	17	12	4	-	-
Female.....	3	9	8	9	27	26	49	60	38	11	3	-
White, both sexes.....	3	12	14	12	32	40	65	71	45	13	2	-
Male.....	2	4	6	4	7	16	20	14	11	4	-	-
Female.....	1	8	8	8	25	24	45	57	34	9	2	-
Black, both sexes.....	5	1	1	2	4	3	8	6	5	2	1	-
Male.....	3	-	1	1	2	2	4	3	1	-	-	-
Female.....	2	1	-	1	2	1	4	3	4	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
New Mexico												
All races, both sexes.....	4	-	4	-	9	11	16	18	11	-	-	-
Male.....	2	-	-	-	4	2	11	3	3	-	-	-
Female.....	2	-	4	-	5	9	5	15	8	-	-	-
White, both sexes.....	3	-	3	-	8	10	16	18	10	-	-	-
Male.....	2	-	-	-	3	2	11	3	2	-	-	-
Female.....	1	-	3	-	5	8	5	15	8	-	-	-
Black, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	16	24	33	36	102	109	148	143	104	23	6	-
Male.....	6	12	20	14	43	49	52	42	21	3	3	-
Female.....	10	12	13	22	59	60	96	101	83	20	3	-
White, both sexes.....	13	18	24	33	87	97	139	138	98	23	4	-
Male.....	6	9	13	13	38	42	48	41	21	3	3	-
Female.....	7	9	11	20	49	55	91	97	77	20	1	-
Black, both sexes.....	3	5	7	2	12	8	8	5	6	-	2	-
Male.....	-	2	5	-	5	4	3	1	-	-	-	-
Female.....	3	3	2	2	7	4	5	4	6	-	2	-
American Indian 1/, both sexes.....	-	1	-	-	2	2	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	1	2	1	-	-	-	-	-
Male.....	-	-	2	1	-	2	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

Rhode Island

All races, both sexes.....	1	2	4	3	9	11	15	23	13	3	1	-
Male.....	1	-	1	-	4	7	4	8	3	-	-	-
Female.....	-	2	3	3	5	4	11	15	10	3	1	-
White, both sexes.....	1	2	3	3	9	10	15	22	13	3	1	-
Male.....	1	-	1	-	4	6	4	7	3	-	-	-
Female.....	-	2	2	3	5	4	11	15	10	3	1	-
Black, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	9	10	10	18	21	28	38	52	26	4	-	-
Male.....	4	4	4	6	8	8	16	14	5	-	-	-
Female.....	5	6	6	12	13	20	22	38	21	4	-	-
White, both sexes.....	4	6	5	12	17	15	28	41	20	4	-	-
Male.....	2	2	1	3	5	6	12	10	3	-	-	-
Female.....	2	4	4	9	12	9	16	31	17	4	-	-
Black, both sexes.....	5	4	5	6	4	12	10	11	6	-	-	-
Male.....	2	2	3	3	3	2	4	4	2	-	-	-
Female.....	3	2	2	3	1	10	6	7	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

Texas

All races, both sexes.....	15	25	30	68	104	146	199	182	115	35	2	-
Male.....	9	6	12	28	42	43	62	51	32	6	-	-
Female.....	6	19	18	40	62	103	137	131	83	29	2	-
White, both sexes.....	10	23	26	61	84	138	184	168	104	30	1	-
Male.....	4	5	11	26	35	40	57	46	29	6	-	-
Female.....	6	18	15	35	49	98	127	122	75	24	1	-
Black, both sexes.....	5	2	3	6	16	7	15	13	11	5	1	-
Male.....	5	1	1	1	5	2	5	4	3	-	-	-
Female.....	-	1	2	5	11	5	10	9	8	5	1	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	3	1	-	1	-	-	-	-
Male.....	-	-	-	1	2	1	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Utah

All races, both sexes.....	3	1	6	6	9	14	28	21	10	2	-	-
Male.....	1	-	3	4	4	7	15	9	3	1	-	-
Female.....	2	1	3	2	5	7	13	12	7	1	-	-
White, both sexes.....	3	1	6	6	9	13	27	20	10	1	-	-
Male.....	1	-	3	4	4	7	15	9	3	-	-	-
Female.....	2	1	3	2	5	6	12	11	7	1	-	-
Black, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
Washington												
All races, both sexes.....	5	6	13	22	20	43	68	70	46	16	2	-
Male.....	3	2	8	12	11	13	33	16	14	3	-	-
Female.....	2	4	5	10	9	30	35	54	32	13	2	-
White, both sexes.....	4	6	9	22	20	43	66	67	45	16	2	-
Male.....	2	2	5	12	11	13	33	14	13	3	-	-
Female.....	2	4	4	10	9	30	33	53	32	13	2	-
Black, both sexes.....	1	-	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	2	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	1	1	-	-	-
Male.....	-	-	1	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
West Virginia												
All races, both sexes.....	1	2	6	8	15	26	20	19	13	3	-	-
Male.....	1	2	2	4	8	7	5	3	4	1	-	-
Female.....	-	-	4	4	7	19	15	16	9	2	-	-
White, both sexes.....	1	2	4	8	15	25	19	16	13	3	-	-
Male.....	1	2	2	4	8	7	5	3	4	1	-	-
Female.....	-	-	2	4	7	18	14	13	9	2	-	-
Black, both sexes.....	-	-	2	-	-	1	1	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	-	-	1	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diverticular disease of intestine (K57)												
Arkansas												
All races, both sexes.....	-	2	-	2	1	8	4	4	3	1	-	-
Male.....	-	1	-	-	-	5	1	-	1	-	-	-
Female.....	-	1	-	2	1	3	3	4	2	1	-	-
White, both sexes.....	-	2	-	2	-	8	4	4	-	1	-	-
Male.....	-	1	-	-	-	5	1	-	-	-	-	-
Female.....	-	1	-	2	-	3	3	4	-	1	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	3	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	10	16	10	23	36	57	74	74	71	15	-	-
Male.....	7	5	4	8	14	20	24	22	15	1	-	-
Female.....	3	11	6	15	22	37	50	52	56	14	-	-
White, both sexes.....	10	13	9	21	31	50	69	65	64	14	-	-
Male.....	7	4	4	7	11	15	19	18	13	1	-	-
Female.....	3	9	5	14	20	35	50	47	51	13	-	-
Black, both sexes.....	-	2	1	1	2	4	1	4	2	-	-	-
Male.....	-	1	-	-	2	3	1	1	-	-	-	-
Female.....	-	1	1	1	-	1	-	3	2	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	3	3	4	5	5	1	-	-
Male.....	-	-	-	1	1	2	4	3	2	-	-	-
Female.....	-	-	-	-	2	1	-	2	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diverticular disease of intestine (K57)												
New Mexico												
All races, both sexes.....	-	-	2	1	2	1	5	5	-	-	-	-
Male.....	-	-	2	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	1	2	1	5	3	-	-	-	-
White, both sexes.....	-	-	2	1	2	-	4	5	-	-	-	-
Male.....	-	-	2	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	1	2	-	4	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	5	10	14	16	17	26	43	35	21	8	1	-
Male.....	3	5	7	6	5	8	14	10	6	1	-	-
Female.....	2	5	7	10	12	18	29	25	15	7	1	-
White, both sexes.....	4	9	11	13	16	22	35	30	19	8	1	-
Male.....	3	4	6	4	5	7	12	9	5	1	-	-
Female.....	1	5	5	9	11	15	23	21	14	7	1	-
Black, both sexes.....	1	1	3	3	1	3	8	5	2	-	-	-
Male.....	-	1	1	2	-	1	2	1	1	-	-	-
Female.....	1	-	2	1	1	2	6	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of intestines and peritoneum (K52,K58-K63)												
Arkansas												
All races, both sexes.....	57	-	-	-	-	1	-	-	-	2	-	1
Male.....	27	-	-	-	-	1	-	-	-	1	-	1
Female.....	30	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	47	-	-	-	-	1	-	-	-	1	-	1
Male.....	24	-	-	-	-	1	-	-	-	1	-	1
Female.....	23	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	9	-	-	-	-	-	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	372	15	2	-	1	-	3	1	4	4	3	11
Male.....	145	10	1	-	1	-	1	1	2	3	2	5
Female.....	227	5	1	-	-	-	2	-	2	1	1	6
White, both sexes.....	332	12	2	-	1	-	2	-	3	4	3	9
Male.....	125	9	1	-	1	-	1	-	2	3	2	3
Female.....	207	3	1	-	-	-	1	-	1	1	1	6
Black, both sexes.....	19	1	-	-	-	-	1	1	-	-	-	-
Male.....	9	-	-	-	-	-	-	1	-	-	-	-
Female.....	10	1	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	2	-	-	-	-	-	-	1	-	-	2
Male.....	11	1	-	-	-	-	-	-	-	-	-	2
Female.....	8	1	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of intestines and peritoneum (K52,K58-K63)												
Massachusetts												
All races, both sexes.....	166	-	1	-	-	-	-	-	-	-	1	2
Male.....	63	-	1	-	-	-	-	-	-	-	-	-
Female.....	103	-	-	-	-	-	-	-	-	-	1	2
White, both sexes.....	158	-	1	-	-	-	-	-	-	-	1	2
Male.....	60	-	1	-	-	-	-	-	-	-	-	-
Female.....	98	-	-	-	-	-	-	-	-	-	1	2
Black, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Michigan												
All races, both sexes.....	191	1	-	1	-	-	1	-	-	2	2	4
Male.....	67	1	-	-	-	-	-	-	-	1	-	2
Female.....	124	-	-	1	-	-	1	-	-	1	2	2
White, both sexes.....	174	1	-	-	-	-	-	-	-	1	2	4
Male.....	63	1	-	-	-	-	-	-	-	-	-	2
Female.....	111	-	-	-	-	-	-	-	-	1	2	2
Black, both sexes.....	15	-	-	1	-	-	-	-	-	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	1	-	-
Female.....	11	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of intestines and peritoneum (K52,K58-K63)												
Arkansas												
All races, both sexes.....	-	4	4	4	6	11	6	8	3	7	-	-
Male.....	-	4	2	1	2	5	3	3	3	1	-	-
Female.....	-	-	2	3	4	6	3	5	-	6	-	-
White, both sexes.....	-	4	4	4	4	7	5	7	3	6	-	-
Male.....	-	4	2	1	2	3	2	3	3	1	-	-
Female.....	-	-	2	3	2	4	3	4	-	5	-	-
Black, both sexes.....	-	-	-	-	1	4	1	1	-	1	-	-
Male.....	-	-	-	-	-	2	1	-	-	-	-	-
Female.....	-	-	-	-	1	2	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
California												
All races, both sexes.....	13	14	10	14	34	63	68	58	36	16	2	-
Male.....	6	6	6	4	15	27	23	19	7	6	-	-
Female.....	7	8	4	10	19	36	45	39	29	10	2	-
White, both sexes.....	12	11	8	14	29	60	56	56	34	14	2	-
Male.....	6	5	4	4	11	26	17	19	6	5	-	-
Female.....	6	6	4	10	18	34	39	37	28	9	2	-
Black, both sexes.....	1	2	2	-	2	1	6	-	1	1	-	-
Male.....	-	1	2	-	2	-	3	-	-	-	-	-
Female.....	1	1	-	-	-	1	3	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	2	2	5	2	1	1	-	-
Male.....	-	-	-	-	2	1	3	-	1	1	-	-
Female.....	-	1	-	-	-	1	2	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of intestines and peritoneum (K52,K58-K63)												
New Mexico												
All races, both sexes.....	1	-	5	1	4	4	5	6	4	-	-	-
Male.....	1	-	3	1	-	4	2	3	1	-	-	-
Female.....	-	-	2	-	4	-	3	3	3	-	-	-
White, both sexes.....	1	-	5	1	3	3	4	6	4	-	-	-
Male.....	1	-	3	1	-	3	2	3	1	-	-	-
Female.....	-	-	2	-	3	-	2	3	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	6	8	14	17	32	61	49	60	30	11	-	-
Male.....	2	1	9	8	18	25	11	21	5	2	-	-
Female.....	4	7	5	9	14	36	38	39	25	9	-	-
White, both sexes.....	4	5	13	12	25	57	47	57	28	11	-	-
Male.....	1	1	9	4	13	24	11	21	5	2	-	-
Female.....	3	4	4	8	12	33	36	36	23	9	-	-
Black, both sexes.....	2	3	1	4	6	2	2	2	1	-	-	-
Male.....	1	-	-	3	5	1	-	-	-	-	-	-
Female.....	1	3	1	1	1	1	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	2	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	2	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of intestines and peritoneum (K52,K58-K63)												
Texas												
All races, both sexes.....	7	9	16	18	31	32	52	38	27	6	2	-
Male.....	5	3	9	8	13	16	15	14	7	1	-	-
Female.....	2	6	7	10	18	16	37	24	20	5	2	-
White, both sexes.....	5	9	14	16	26	28	47	35	23	6	2	-
Male.....	4	3	9	6	10	14	14	11	5	1	-	-
Female.....	1	6	5	10	16	14	33	24	18	5	2	-
Black, both sexes.....	2	-	2	1	5	3	5	3	4	-	-	-
Male.....	1	-	-	1	3	1	1	3	2	-	-	-
Female.....	1	-	2	-	2	2	4	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Utah												
All races, both sexes.....	1	1	-	1	1	7	9	7	3	2	-	-
Male.....	1	1	-	-	1	3	6	3	1	1	-	-
Female.....	-	-	-	1	-	4	3	4	2	1	-	-
White, both sexes.....	1	1	-	1	1	6	9	7	3	2	-	-
Male.....	1	1	-	-	1	3	6	3	1	1	-	-
Female.....	-	-	-	1	-	3	3	4	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of liver (K70-K76)												
Arkansas												
All races, both sexes.....	353	1	-	-	-	2	3	2	3	8	18	31
Male.....	211	-	-	-	-	1	-	1	1	5	11	23
Female.....	142	1	-	-	-	1	3	1	2	3	7	8
White, both sexes.....	315	1	-	-	-	2	1	2	3	8	16	27
Male.....	190	-	-	-	-	1	-	1	1	5	10	20
Female.....	125	1	-	-	-	1	1	1	2	3	6	7
Black, both sexes.....	34	-	-	-	-	-	2	-	-	-	2	4
Male.....	19	-	-	-	-	-	-	-	-	-	1	3
Female.....	15	-	-	-	-	-	2	-	-	-	1	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	4,357	7	3	1	3	1	4	20	66	178	386	548
Male.....	2,861	4	1	1	3	1	3	14	50	122	261	391
Female.....	1,496	3	2	-	-	-	1	6	16	56	125	157
White, both sexes.....	3,850	5	2	1	3	-	3	17	56	156	337	485
Male.....	2,565	3	-	1	3	-	2	12	43	108	231	350
Female.....	1,285	2	2	-	-	-	1	5	13	48	106	135
Black, both sexes.....	279	-	-	-	-	1	1	1	8	13	23	37
Male.....	156	-	-	-	-	1	1	-	5	6	14	21
Female.....	123	-	-	-	-	-	-	1	3	7	9	16
American Indian 1/, both sexes.....	61	-	-	-	-	-	-	1	1	4	14	8
Male.....	37	-	-	-	-	-	-	1	1	4	5	6
Female.....	24	-	-	-	-	-	-	-	-	-	9	2
Asian or Pacific Islander 2/, both sexes.....	167	2	1	-	-	-	-	1	1	5	12	18
Male.....	103	1	1	-	-	-	-	1	1	4	11	14
Female.....	64	1	-	-	-	-	-	-	-	1	1	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of liver (K70-K76)												
Nebraska												
All races, both sexes.....	184	-	2	-	-	-	-	1	3	4	19	20
Male.....	110	-	1	-	-	-	-	-	2	3	13	12
Female.....	74	-	1	-	-	-	-	1	1	1	6	8
White, both sexes.....	167	-	2	-	-	-	-	1	3	2	18	16
Male.....	102	-	1	-	-	-	-	-	2	1	13	11
Female.....	65	-	1	-	-	-	-	1	1	1	5	5
Black, both sexes.....	8	-	-	-	-	-	-	-	-	1	-	2
Male.....	5	-	-	-	-	-	-	-	-	1	-	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	1	1	2
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	1	2
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	399	-	-	-	-	2	-	3	6	13	35	57
Male.....	255	-	-	-	-	2	-	-	2	4	17	43
Female.....	144	-	-	-	-	-	-	3	4	9	18	14
White, both sexes.....	347	-	-	-	-	1	-	2	4	10	29	47
Male.....	227	-	-	-	-	1	-	-	2	3	14	35
Female.....	120	-	-	-	-	-	-	2	2	7	15	12
Black, both sexes.....	28	-	-	-	-	1	-	-	2	1	1	6
Male.....	15	-	-	-	-	1	-	-	-	1	1	5
Female.....	13	-	-	-	-	-	-	-	2	-	-	1
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	2	3	3
Male.....	7	-	-	-	-	-	-	-	-	-	1	2
Female.....	6	-	-	-	-	-	-	-	-	2	2	1
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	-	-	1	-	-	2	1
Male.....	6	-	-	-	-	-	-	-	-	-	1	1
Female.....	5	-	-	-	-	-	-	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of liver (K70-K76)												
New Mexico												
All races, both sexes.....	396	-	-	1	-	-	1	3	11	20	40	61
Male.....	261	-	-	-	-	-	1	2	6	15	31	45
Female.....	135	-	-	1	-	-	-	1	5	5	9	16
White, both sexes.....	317	-	-	1	-	-	-	-	4	8	32	50
Male.....	211	-	-	-	-	-	-	-	2	7	26	36
Female.....	106	-	-	1	-	-	-	-	2	1	6	14
Black, both sexes.....	5	-	-	-	-	-	-	1	-	-	1	1
Male.....	3	-	-	-	-	-	-	-	-	-	1	1
Female.....	2	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	74	-	-	-	-	-	1	2	7	12	7	10
Male.....	47	-	-	-	-	-	1	2	4	8	4	8
Female.....	27	-	-	-	-	-	-	-	3	4	3	2
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	1,822	3	-	1	1	-	3	4	11	42	115	218
Male.....	1,136	3	-	1	1	-	2	4	8	28	77	163
Female.....	686	-	-	-	-	-	1	-	3	14	38	55
White, both sexes.....	1,525	2	-	-	1	-	2	2	7	34	93	178
Male.....	946	2	-	-	1	-	1	2	6	23	63	131
Female.....	579	-	-	-	-	-	1	-	1	11	30	47
Black, both sexes.....	254	1	-	1	-	-	1	1	2	6	20	33
Male.....	157	1	-	1	-	-	1	1	1	3	12	26
Female.....	97	-	-	-	-	-	-	-	1	3	8	7
American Indian 1/, both sexes.....	16	-	-	-	-	-	-	-	1	-	1	1
Male.....	11	-	-	-	-	-	-	-	1	-	1	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	-	-	-	-	-	-	1	1	2	1	6
Male.....	22	-	-	-	-	-	-	1	-	2	1	5
Female.....	5	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of liver (K70-K76)												
Vermont												
All races, both sexes.....	74	-	-	-	-	-	-	-	-	3	4	8
Male.....	41	-	-	-	-	-	-	-	-	1	2	6
Female.....	33	-	-	-	-	-	-	-	-	2	2	2
White, both sexes.....	73	-	-	-	-	-	-	-	-	3	4	8
Male.....	41	-	-	-	-	-	-	-	-	1	2	6
Female.....	32	-	-	-	-	-	-	-	-	2	2	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	832	1	-	-	-	1	1	3	8	23	57	94
Male.....	511	1	-	-	-	-	1	1	4	14	43	70
Female.....	321	-	-	-	-	1	-	2	4	9	14	24
White, both sexes.....	668	1	-	-	-	1	1	3	6	17	40	77
Male.....	415	1	-	-	-	-	1	1	2	12	32	61
Female.....	253	-	-	-	-	1	-	2	4	5	8	16
Black, both sexes.....	146	-	-	-	-	-	-	-	2	5	14	17
Male.....	86	-	-	-	-	-	-	-	2	2	8	9
Female.....	60	-	-	-	-	-	-	-	-	3	6	8
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	-	-	-	-	-	1	3	-
Male.....	10	-	-	-	-	-	-	-	-	-	3	-
Female.....	8	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of liver (K70-K76)												
Alaska												
All races, both sexes.....	15	8	5	5	3	1	3	-	1	-	-	-
Male.....	11	7	3	3	2	-	2	-	-	-	-	-
Female.....	4	1	2	2	1	1	1	-	1	-	-	-
White, both sexes.....	11	8	4	4	2	1	3	-	1	-	-	-
Male.....	8	7	3	3	2	-	2	-	-	-	-	-
Female.....	3	1	1	1	-	1	1	-	1	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	1	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	115	91	85	103	82	70	36	18	8	-	-	-
Male.....	84	61	54	70	41	32	16	10	1	-	-	-
Female.....	31	30	31	33	41	38	20	8	7	-	-	-
White, both sexes.....	94	77	77	91	76	68	35	18	8	-	-	-
Male.....	73	50	47	62	37	32	16	10	1	-	-	-
Female.....	21	27	30	29	39	36	19	8	7	-	-	-
Black, both sexes.....	2	2	1	4	3	-	-	-	-	-	-	-
Male.....	1	2	1	3	2	-	-	-	-	-	-	-
Female.....	1	-	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	19	11	7	7	3	1	1	-	-	-	-	-
Male.....	10	8	6	5	2	-	-	-	-	-	-	-
Female.....	9	3	1	2	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of liver (K70-K76)												
Arkansas												
All races, both sexes.....	45	38	44	35	40	37	27	16	2	1	-	-
Male.....	34	28	28	20	22	17	12	7	1	-	-	-
Female.....	11	10	16	15	18	20	15	9	1	1	-	-
White, both sexes.....	41	30	39	31	36	36	25	15	2	-	-	-
Male.....	31	21	26	18	19	17	12	7	1	-	-	-
Female.....	10	9	13	13	17	19	13	8	1	-	-	-
Black, both sexes.....	4	7	4	3	4	1	1	1	-	1	-	-
Male.....	3	6	1	2	3	-	-	-	-	-	-	-
Female.....	1	1	3	1	1	1	1	1	-	1	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
California												
All races, both sexes.....	658	573	449	378	391	299	248	101	32	8	-	3
Male.....	490	409	302	225	229	166	126	47	11	2	-	3
Female.....	168	164	147	153	162	133	122	54	21	6	-	-
White, both sexes.....	572	495	398	338	361	272	223	87	28	8	-	3
Male.....	441	362	270	206	211	153	115	40	9	2	-	3
Female.....	131	133	128	132	150	119	108	47	19	6	-	-
Black, both sexes.....	59	47	27	23	14	13	6	6	-	-	-	-
Male.....	31	28	16	11	9	7	3	3	-	-	-	-
Female.....	28	19	11	12	5	6	3	3	-	-	-	-
American Indian 1/, both sexes.....	13	8	4	3	1	1	3	-	-	-	-	-
Male.....	8	6	3	-	1	-	2	-	-	-	-	-
Female.....	5	2	1	3	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	23	20	14	15	13	16	8	4	-	-	-
Male.....	10	13	13	8	8	6	6	4	2	-	-	-
Female.....	4	10	7	6	7	7	10	4	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of liver (K70-K76)												
Colorado												
All races, both sexes.....	80	55	54	52	51	39	29	17	8	1	1	-
Male.....	55	39	36	33	33	20	11	8	3	1	-	-
Female.....	25	16	18	19	18	19	18	9	5	-	1	-
White, both sexes.....	77	55	53	50	49	38	25	15	8	1	-	-
Male.....	54	39	35	32	32	20	8	7	3	1	-	-
Female.....	23	16	18	18	17	18	17	8	5	-	-	-
Black, both sexes.....	3	-	1	1	2	-	-	2	-	-	1	-
Male.....	1	-	1	1	1	-	-	1	-	-	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	3	-	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
Connecticut												
All races, both sexes.....	56	42	33	49	48	50	45	26	7	1	-	-
Male.....	44	26	18	32	23	27	21	12	3	-	-	-
Female.....	12	16	15	17	25	23	24	14	4	1	-	-
White, both sexes.....	52	37	30	45	45	48	44	25	7	1	-	-
Male.....	40	24	16	28	22	25	21	12	3	-	-	-
Female.....	12	13	14	17	23	23	23	13	4	1	-	-
Black, both sexes.....	3	5	3	4	2	2	1	1	-	-	-	-
Male.....	3	2	2	4	1	2	-	-	-	-	-	-
Female.....	-	3	1	-	1	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of liver (K70-K76)												
Florida												
All races, both sexes.....	333	328	257	263	277	239	172	80	27	5	1	-
Male.....	248	223	177	170	158	133	89	41	8	4	-	-
Female.....	85	105	80	93	119	106	83	39	19	1	1	-
White, both sexes.....	298	284	234	244	263	226	164	79	23	5	1	-
Male.....	221	198	165	158	149	126	86	41	8	4	-	-
Female.....	77	86	69	86	114	100	78	38	15	1	1	-
Black, both sexes.....	34	39	23	18	13	11	7	1	4	-	-	-
Male.....	26	23	12	12	8	6	3	-	-	-	-	-
Female.....	8	16	11	6	5	5	4	1	4	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	5	-	-	1	2	1	-	-	-	-	-
Male.....	-	2	-	-	1	1	-	-	-	-	-	-
Female.....	-	3	-	-	-	1	1	-	-	-	-	-
Georgia												
All races, both sexes.....	155	119	105	106	77	71	49	23	14	-	-	-
Male.....	118	86	71	60	47	36	18	7	8	-	-	-
Female.....	37	33	34	46	30	35	31	16	6	-	-	-
White, both sexes.....	112	93	85	97	66	57	43	20	12	-	-	-
Male.....	86	67	58	56	41	30	16	6	6	-	-	-
Female.....	26	26	27	41	25	27	27	14	6	-	-	-
Black, both sexes.....	40	26	20	9	10	14	5	3	2	-	-	-
Male.....	30	19	13	4	6	6	2	1	2	-	-	-
Female.....	10	7	7	5	4	8	3	2	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of liver (K70-K76)												
Kentucky												
All races, both sexes.....	73	73	58	57	43	39	38	17	9	-	-	-
Male.....	59	60	40	34	22	16	12	7	2	-	-	-
Female.....	14	13	18	23	21	23	26	10	7	-	-	-
White, both sexes.....	67	68	52	52	39	37	37	17	9	-	-	-
Male.....	56	56	34	30	20	15	12	7	2	-	-	-
Female.....	11	12	18	22	19	22	25	10	7	-	-	-
Black, both sexes.....	6	4	6	5	4	2	1	-	-	-	-	-
Male.....	3	3	6	4	2	1	-	-	-	-	-	-
Female.....	3	1	-	1	2	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	96	63	51	53	45	59	35	18	10	-	-	-
Male.....	68	43	31	31	28	34	18	10	2	-	-	-
Female.....	28	20	20	22	17	25	17	8	8	-	-	-
White, both sexes.....	55	47	38	40	36	46	24	14	9	-	-	-
Male.....	40	33	24	23	21	25	11	9	2	-	-	-
Female.....	15	14	14	17	15	21	13	5	7	-	-	-
Black, both sexes.....	38	15	13	13	7	13	10	3	1	-	-	-
Male.....	27	9	7	8	6	9	6	1	-	-	-	-
Female.....	11	6	6	5	1	4	4	2	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	1	1	-	-	-	-
Male.....	1	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of liver (K70-K76)												
Maine												
All races, both sexes.....	18	14	17	20	22	24	13	5	1	-	-	-
Male.....	12	11	15	14	14	13	11	1	1	-	-	-
Female.....	6	3	2	6	8	11	2	4	-	-	-	-
White, both sexes.....	18	14	17	20	22	24	12	5	1	-	-	-
Male.....	12	11	15	14	14	13	10	1	1	-	-	-
Female.....	6	3	2	6	8	11	2	4	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	82	79	59	51	57	49	38	12	6	1	-	-
Male.....	59	54	42	33	30	20	24	5	1	-	-	-
Female.....	23	25	17	18	27	29	14	7	5	1	-	-
White, both sexes.....	55	57	46	35	45	39	33	8	6	1	-	-
Male.....	39	38	34	24	24	17	22	4	1	-	-	-
Female.....	16	19	12	11	21	22	11	4	5	1	-	-
Black, both sexes.....	27	21	11	14	12	9	5	3	-	-	-	-
Male.....	20	15	6	8	6	3	2	-	-	-	-	-
Female.....	7	6	5	6	6	6	3	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	-	1	-	1	-	-	-	-
Male.....	-	1	2	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of liver (K70-K76)												
Missouri												
All races, both sexes.....	86	55	58	46	64	59	36	22	10	1	1	-
Male.....	62	36	38	32	33	32	24	9	5	-	1	-
Female.....	24	19	20	14	31	27	12	13	5	1	-	-
White, both sexes.....	75	47	48	42	59	55	33	21	10	1	-	-
Male.....	58	28	33	30	29	29	22	8	5	-	-	-
Female.....	17	19	15	12	30	26	11	13	5	1	-	-
Black, both sexes.....	11	8	8	3	5	3	2	1	-	-	1	-
Male.....	4	8	4	2	4	2	1	1	-	-	1	-
Female.....	7	-	4	1	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Montana												
All races, both sexes.....	23	20	11	7	13	20	10	3	2	-	-	-
Male.....	18	13	9	3	7	10	6	1	1	-	-	-
Female.....	5	7	2	4	6	10	4	2	1	-	-	-
White, both sexes.....	17	15	9	6	11	18	10	3	2	-	-	-
Male.....	15	10	9	2	6	9	6	1	1	-	-	-
Female.....	2	5	-	4	5	9	4	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	5	2	1	2	1	-	-	-	-	-	-
Male.....	3	3	-	1	1	1	-	-	-	-	-	-
Female.....	3	2	2	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of liver (K70-K76)												
Nebraska												
All races, both sexes.....	25	14	20	13	19	19	15	5	5	-	-	-
Male.....	18	10	12	6	10	12	9	1	1	-	-	-
Female.....	7	4	8	7	9	7	6	4	4	-	-	-
White, both sexes.....	23	12	19	12	18	17	14	5	5	-	-	-
Male.....	17	9	11	6	10	11	8	1	1	-	-	-
Female.....	6	3	8	6	8	6	6	4	4	-	-	-
Black, both sexes.....	2	1	-	1	-	-	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Nevada												
All races, both sexes.....	56	53	48	40	35	24	18	5	3	1	-	-
Male.....	43	39	30	25	19	17	9	3	1	1	-	-
Female.....	13	14	18	15	16	7	9	2	2	-	-	-
White, both sexes.....	53	48	41	37	28	21	17	5	3	1	-	-
Male.....	41	37	25	25	16	15	8	3	1	1	-	-
Female.....	12	11	16	12	12	6	9	2	2	-	-	-
Black, both sexes.....	2	3	4	2	4	2	-	-	-	-	-	-
Male.....	1	2	2	-	1	1	-	-	-	-	-	-
Female.....	1	1	2	2	3	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	1	1	-	-	-	-	-	-
Male.....	-	-	2	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	-	2	-	1	-	-	-	-	-
Male.....	1	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	2	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of liver (K70-K76)												
New Hampshire												
All races, both sexes.....	15	17	13	11	16	20	13	7	-	-	-	-
Male.....	12	10	4	5	7	13	7	4	-	-	-	-
Female.....	3	7	9	6	9	7	6	3	-	-	-	-
White, both sexes.....	15	17	13	11	16	20	12	7	-	-	-	-
Male.....	12	10	4	5	7	13	7	4	-	-	-	-
Female.....	3	7	9	6	9	7	5	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	135	94	90	102	98	89	62	39	18	4	-	1
Male.....	97	68	56	56	61	46	24	17	5	2	-	1
Female.....	38	26	34	46	37	43	38	22	13	2	-	-
White, both sexes.....	105	78	79	91	91	82	57	37	18	4	-	1
Male.....	74	57	49	50	57	44	23	17	5	2	-	1
Female.....	31	21	30	41	34	38	34	20	13	2	-	-
Black, both sexes.....	28	15	11	9	7	7	3	2	-	-	-	-
Male.....	22	10	7	6	4	2	-	-	-	-	-	-
Female.....	6	5	4	3	3	5	3	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	2	-	-	2	-	-	-	-	-
Male.....	1	1	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	2	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of liver (K70-K76)												
New Mexico												
All races, both sexes.....	53	48	42	32	36	23	12	9	2	1	1	-
Male.....	43	31	27	22	17	10	4	5	1	1	-	-
Female.....	10	17	15	10	19	13	8	4	1	-	1	-
White, both sexes.....	49	44	31	24	29	21	11	9	2	1	1	-
Male.....	40	30	20	16	14	9	4	5	1	1	-	-
Female.....	9	14	11	8	15	12	7	4	1	-	1	-
Black, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	4	9	8	7	2	1	-	-	-	-	-
Male.....	3	1	6	6	3	1	-	-	-	-	-	-
Female.....	1	3	3	2	4	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	212	208	223	196	198	165	132	65	19	6	-	-
Male.....	158	133	152	124	112	76	57	30	7	-	-	-
Female.....	54	75	71	72	86	89	75	35	12	6	-	-
White, both sexes.....	175	168	175	157	180	145	121	60	19	6	-	-
Male.....	133	108	120	99	103	68	51	28	7	-	-	-
Female.....	42	60	55	58	77	77	70	32	12	6	-	-
Black, both sexes.....	34	34	38	33	17	19	9	5	-	-	-	-
Male.....	22	20	24	22	9	8	4	2	-	-	-	-
Female.....	12	14	14	11	8	11	5	3	-	-	-	-
American Indian 1/, both sexes.....	-	5	5	1	1	-	1	-	-	-	-	-
Male.....	-	4	3	-	-	-	1	-	-	-	-	-
Female.....	-	1	2	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	5	5	-	1	1	-	-	-	-	-
Male.....	3	1	5	3	-	-	1	-	-	-	-	-
Female.....	-	-	-	2	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of liver (K70-K76)												
Rhode Island												
All races, both sexes.....	16	23	16	14	14	21	11	6	-	-	-	-
Male.....	13	17	12	8	10	11	5	2	-	-	-	-
Female.....	3	6	4	6	4	10	6	4	-	-	-	-
White, both sexes.....	16	22	16	14	14	21	11	6	-	-	-	-
Male.....	13	16	12	8	10	11	5	2	-	-	-	-
Female.....	3	6	4	6	4	10	6	4	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
South Carolina												
All races, both sexes.....	66	75	43	50	63	42	34	16	8	-	-	-
Male.....	41	52	32	32	36	24	15	4	3	-	-	-
Female.....	25	23	11	18	27	18	19	12	5	-	-	-
White, both sexes.....	46	55	32	39	51	38	32	15	4	-	-	-
Male.....	29	40	24	27	30	20	14	3	2	-	-	-
Female.....	17	15	8	12	21	18	18	12	2	-	-	-
Black, both sexes.....	20	20	11	11	10	4	2	1	4	-	-	-
Male.....	12	12	8	5	6	4	1	1	1	-	-	-
Female.....	8	8	3	6	4	-	1	-	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of liver (K70-K76)												
Texas												
All races, both sexes.....	391	355	311	246	244	216	136	78	20	8	-	-
Male.....	279	261	208	152	139	101	69	42	9	3	-	-
Female.....	112	94	103	94	105	115	67	36	11	5	-	-
White, both sexes.....	340	321	287	223	227	202	131	76	19	8	-	-
Male.....	242	235	192	140	129	98	67	40	8	3	-	-
Female.....	98	86	95	83	98	104	64	36	11	5	-	-
Black, both sexes.....	48	30	21	21	16	11	5	1	1	-	-	-
Male.....	36	23	15	11	10	2	2	1	1	-	-	-
Female.....	12	7	6	10	6	9	3	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	3	2	1	3	-	1	-	-	-	-
Male.....	-	3	1	1	-	1	-	1	-	-	-	-
Female.....	2	-	2	1	1	2	-	-	-	-	-	-
Utah												
All races, both sexes.....	18	18	18	27	20	17	10	5	1	2	-	-
Male.....	14	9	11	21	10	11	6	-	1	1	-	-
Female.....	4	9	7	6	10	6	4	5	-	1	-	-
White, both sexes.....	17	15	18	25	19	16	9	5	1	2	-	-
Male.....	13	8	11	19	10	10	5	-	1	1	-	-
Female.....	4	7	7	6	9	6	4	5	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	3	-	2	-	-	1	-	-	-	-	-
Male.....	1	1	-	2	-	-	1	-	-	-	-	-
Female.....	-	2	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of liver (K70-K76)												
Vermont												
All races, both sexes.....	8	7	7	12	6	11	4	3	-	1	-	-
Male.....	6	5	3	7	3	5	2	1	-	-	-	-
Female.....	2	2	4	5	3	6	2	2	-	1	-	-
White, both sexes.....	7	7	7	12	6	11	4	3	-	1	-	-
Male.....	6	5	3	7	3	5	2	1	-	-	-	-
Female.....	1	2	4	5	3	6	2	2	-	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	102	84	83	85	77	98	69	30	12	3	1	-
Male.....	70	62	51	49	45	55	29	10	4	1	1	-
Female.....	32	22	32	36	32	43	40	20	8	2	-	-
White, both sexes.....	69	66	63	69	63	87	65	27	10	3	-	-
Male.....	51	46	39	37	39	51	27	10	4	1	-	-
Female.....	18	20	24	32	24	36	38	17	6	2	-	-
Black, both sexes.....	32	16	18	13	13	7	4	2	2	-	1	-
Male.....	19	14	11	11	5	2	2	-	-	-	1	-
Female.....	13	2	7	2	8	5	2	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	3	1	4	-	1	-	-	-	-
Male.....	-	2	1	1	1	2	-	-	-	-	-	-
Female.....	1	-	1	2	-	2	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Alcoholic liver disease (K70)												
Arkansas												
All races, both sexes.....	65	-	-	-	-	-	-	-	2	2	6	8
Male.....	50	-	-	-	-	-	-	-	-	1	4	5
Female.....	15	-	-	-	-	-	-	-	2	1	2	3
White, both sexes.....	58	-	-	-	-	-	-	-	2	2	6	8
Male.....	44	-	-	-	-	-	-	-	-	1	4	5
Female.....	14	-	-	-	-	-	-	-	2	1	2	3
Black, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	2,506	-	-	-	-	-	1	10	41	127	277	365
Male.....	1,812	-	-	-	-	-	1	9	31	88	191	260
Female.....	694	-	-	-	-	-	-	1	10	39	86	105
White, both sexes.....	2,239	-	-	-	-	-	1	9	37	111	237	331
Male.....	1,646	-	-	-	-	-	1	8	29	77	166	239
Female.....	593	-	-	-	-	-	-	1	8	34	71	92
Black, both sexes.....	158	-	-	-	-	-	-	-	3	7	18	19
Male.....	85	-	-	-	-	-	-	-	1	3	11	9
Female.....	73	-	-	-	-	-	-	-	2	4	7	10
American Indian 1/, both sexes.....	47	-	-	-	-	-	-	1	1	4	13	7
Male.....	29	-	-	-	-	-	-	1	1	4	5	5
Female.....	18	-	-	-	-	-	-	-	-	-	8	2
Asian or Pacific Islander 2/, both sexes.....	62	-	-	-	-	-	-	-	-	5	9	8
Male.....	52	-	-	-	-	-	-	-	-	4	9	7
Female.....	10	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alcoholic liver disease (K70)												
Arkansas												
All races, both sexes.....	14	10	11	6	2	1	3	-	-	-	-	-
Male.....	10	10	9	5	2	1	3	-	-	-	-	-
Female.....	4	-	2	1	-	-	-	-	-	-	-	-
White, both sexes.....	12	7	10	5	2	1	3	-	-	-	-	-
Male.....	8	7	9	4	2	1	3	-	-	-	-	-
Female.....	4	-	1	1	-	-	-	-	-	-	-	-
Black, both sexes.....	2	2	1	1	-	-	-	-	-	-	-	-
Male.....	2	2	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	441	367	274	208	190	116	63	22	3	-	-	1
Male.....	336	283	207	145	132	72	43	10	3	-	-	1
Female.....	105	84	67	63	58	44	20	12	-	-	-	-
White, both sexes.....	384	327	246	187	178	109	60	19	2	-	-	1
Male.....	305	259	188	131	122	68	41	9	2	-	-	1
Female.....	79	68	58	56	56	41	19	10	-	-	-	-
Black, both sexes.....	39	25	17	14	7	5	1	3	-	-	-	-
Male.....	19	13	10	9	6	3	-	1	-	-	-	-
Female.....	20	12	7	5	1	2	1	2	-	-	-	-
American Indian 1/, both sexes.....	11	7	2	1	-	-	-	-	-	-	-	-
Male.....	7	5	1	-	-	-	-	-	-	-	-	-
Female.....	4	2	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	8	9	6	5	2	2	-	1	-	-	-
Male.....	5	6	8	5	4	1	2	-	1	-	-	-
Female.....	2	2	1	1	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alcoholic liver disease (K70)												
Colorado												
All races, both sexes.....	46	33	30	23	21	7	3	1	-	-	-	-
Male.....	34	24	22	18	18	5	2	1	-	-	-	-
Female.....	12	9	8	5	3	2	1	-	-	-	-	-
White, both sexes.....	44	33	29	23	20	7	3	1	-	-	-	-
Male.....	33	24	21	18	18	5	2	1	-	-	-	-
Female.....	11	9	8	5	2	2	1	-	-	-	-	-
Black, both sexes.....	2	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut												
All races, both sexes.....	22	16	7	7	7	6	3	3	-	-	-	-
Male.....	15	11	4	7	4	5	2	1	-	-	-	-
Female.....	7	5	3	-	3	1	1	2	-	-	-	-
White, both sexes.....	21	14	6	5	6	4	3	3	-	-	-	-
Male.....	14	10	3	5	4	3	2	1	-	-	-	-
Female.....	7	4	3	-	2	1	1	2	-	-	-	-
Black, both sexes.....	1	2	1	2	-	2	-	-	-	-	-	-
Male.....	1	1	1	2	-	2	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Chronic hepatitis, not elsewhere classified (K73)												
Nebraska												
All races, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	6	-	-	-	-	-	-	2	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	2	-	-	-	-
White, both sexes.....	5	-	-	-	-	-	-	1	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Chronic hepatitis, not elsewhere classified (K73)

Arkansas

All races, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
White, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4	5	7	9	9	7	10	1	1	-	-	-
Male.....	-	1	1	1	-	2	2	-	-	-	-	-
Female.....	4	4	6	8	9	5	8	1	1	-	-	-
White, both sexes.....	3	3	6	7	9	7	8	1	1	-	-	-
Male.....	-	1	1	1	-	2	2	-	-	-	-	-
Female.....	3	2	5	6	9	5	6	1	1	-	-	-
Black, both sexes.....	1	2	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	2	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic hepatitis, not elsewhere classified (K73)

Florida

All races, both sexes.....	4	1	3	4	8	6	2	2	1	-	-	-
Male.....	3	-	-	-	3	1	-	1	-	-	-	-
Female.....	1	1	3	4	5	5	2	1	1	-	-	-
White, both sexes.....	3	1	2	4	8	6	2	2	1	-	-	-
Male.....	3	-	-	-	3	1	-	1	-	-	-	-
Female.....	-	1	2	4	5	5	2	1	1	-	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	2	3	-	-	5	1	-	1	-	-	-	-
Male.....	1	2	-	-	2	1	-	-	-	-	-	-
Female.....	1	1	-	-	3	-	-	1	-	-	-	-
White, both sexes.....	2	3	-	-	4	1	-	1	-	-	-	-
Male.....	1	2	-	-	2	1	-	-	-	-	-	-
Female.....	1	1	-	-	2	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Fibrosis and cirrhosis of liver (K74)												
Alaska												
All races, both sexes.....	4	3	1	2	1	1	2	-	-	-	-	-
Male.....	3	2	-	1	-	-	1	-	-	-	-	-
Female.....	1	1	1	1	1	1	1	-	-	-	-	-
White, both sexes.....	3	3	1	2	-	1	2	-	-	-	-	-
Male.....	2	2	-	1	-	-	1	-	-	-	-	-
Female.....	1	1	1	1	-	1	1	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	37	34	30	41	48	39	22	10	2	-	-	-
Male.....	27	23	13	22	20	15	7	4	-	-	-	-
Female.....	10	11	17	19	28	24	15	6	2	-	-	-
White, both sexes.....	35	28	28	36	45	38	21	10	2	-	-	-
Male.....	26	18	12	20	18	15	7	4	-	-	-	-
Female.....	9	10	16	16	27	23	14	6	2	-	-	-
Black, both sexes.....	-	1	-	2	2	-	-	-	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	4	2	2	1	-	1	-	-	-	-	-
Male.....	1	3	1	1	1	-	-	-	-	-	-	-
Female.....	1	1	1	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Fibrosis and cirrhosis of liver (K74)												
Arkansas												
All races, both sexes.....	18	14	19	18	26	19	12	6	-	-	-	-
Male.....	14	9	10	8	14	9	3	4	-	-	-	-
Female.....	4	5	9	10	12	10	9	2	-	-	-	-
White, both sexes.....	18	12	17	18	23	18	11	6	-	-	-	-
Male.....	14	7	10	8	12	9	3	4	-	-	-	-
Female.....	4	5	7	10	11	9	8	2	-	-	-	-
Black, both sexes.....	-	2	2	-	3	1	-	-	-	-	-	-
Male.....	-	2	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	2	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
California												
All races, both sexes.....	115	121	114	116	141	134	128	57	20	2	-	2
Male.....	85	78	57	55	63	73	60	24	3	-	-	2
Female.....	30	43	57	61	78	61	68	33	17	2	-	-
White, both sexes.....	98	103	101	102	127	119	115	50	18	2	-	2
Male.....	75	65	50	52	57	66	55	21	2	-	-	2
Female.....	23	38	51	50	70	53	60	29	16	2	-	-
Black, both sexes.....	12	11	6	7	3	6	1	1	-	-	-	-
Male.....	7	9	3	2	1	3	-	1	-	-	-	-
Female.....	5	2	3	5	2	3	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	2	1	1	3	-	-	-	-	-
Male.....	1	1	-	-	1	-	2	-	-	-	-	-
Female.....	1	-	-	2	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	6	7	5	10	8	9	6	2	-	-	-
Male.....	2	3	4	1	4	4	3	2	1	-	-	-
Female.....	1	3	3	4	6	4	6	4	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Fibrosis and cirrhosis of liver (K74)												
Florida												
All races, both sexes.....	134	144	117	126	147	161	115	48	11	-	1	-
Male.....	97	101	75	81	80	83	57	23	4	-	-	-
Female.....	37	43	42	45	67	78	58	25	7	-	1	-
White, both sexes.....	121	130	109	118	140	156	111	47	10	-	1	-
Male.....	87	94	70	77	76	81	54	23	4	-	-	-
Female.....	34	36	39	41	64	75	57	24	6	-	1	-
Black, both sexes.....	12	14	8	7	6	4	3	1	1	-	-	-
Male.....	9	7	5	4	3	2	3	-	-	-	-	-
Female.....	3	7	3	3	3	2	-	1	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Georgia												
All races, both sexes.....	63	56	48	58	37	47	27	10	6	-	-	-
Male.....	48	43	31	31	24	22	9	3	3	-	-	-
Female.....	15	13	17	27	13	25	18	7	3	-	-	-
White, both sexes.....	45	47	44	52	34	37	23	8	6	-	-	-
Male.....	35	34	28	28	23	18	7	3	3	-	-	-
Female.....	10	13	16	24	11	19	16	5	3	-	-	-
Black, both sexes.....	16	9	4	6	3	10	3	2	-	-	-	-
Male.....	12	9	3	3	1	4	2	-	-	-	-	-
Female.....	4	-	1	3	2	6	1	2	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Fibrosis and cirrhosis of liver (K74)												
Kentucky												
All races, both sexes.....	24	32	24	30	22	27	19	12	6	-	-	-
Male.....	19	24	14	17	10	9	5	4	2	-	-	-
Female.....	5	8	10	13	12	18	14	8	4	-	-	-
White, both sexes.....	22	28	23	28	20	26	19	12	6	-	-	-
Male.....	18	21	13	15	9	9	5	4	2	-	-	-
Female.....	4	7	10	13	11	17	14	8	4	-	-	-
Black, both sexes.....	2	3	1	2	2	1	-	-	-	-	-	-
Male.....	1	2	1	2	1	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	29	20	24	21	19	32	19	8	-	-	-	-
Male.....	22	12	18	14	11	15	8	5	-	-	-	-
Female.....	7	8	6	7	8	17	11	3	-	-	-	-
White, both sexes.....	18	16	19	16	13	25	17	7	-	-	-	-
Male.....	14	10	15	10	7	12	7	5	-	-	-	-
Female.....	4	6	4	6	6	13	10	2	-	-	-	-
Black, both sexes.....	10	4	5	5	4	7	1	-	-	-	-	-
Male.....	8	2	3	4	3	3	-	-	-	-	-	-
Female.....	2	2	2	1	1	4	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Fibrosis and cirrhosis of liver (K74)												
Missouri												
All races, both sexes.....	32	27	25	19	35	39	17	12	3	-	-	-
Male.....	24	14	11	11	13	23	11	5	1	-	-	-
Female.....	8	13	14	8	22	16	6	7	2	-	-	-
White, both sexes.....	28	24	19	19	34	37	16	11	3	-	-	-
Male.....	21	11	9	11	13	21	11	4	1	-	-	-
Female.....	7	13	10	8	21	16	5	7	2	-	-	-
Black, both sexes.....	4	3	5	-	1	1	1	1	-	-	-	-
Male.....	3	3	1	-	-	1	-	1	-	-	-	-
Female.....	1	-	4	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Montana												
All races, both sexes.....	8	3	2	4	4	11	5	2	2	-	-	-
Male.....	7	2	2	1	2	3	2	1	1	-	-	-
Female.....	1	1	-	3	2	8	3	1	1	-	-	-
White, both sexes.....	5	2	2	4	3	10	5	2	2	-	-	-
Male.....	5	2	2	1	2	3	2	1	1	-	-	-
Female.....	-	-	-	3	1	7	3	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	1	-	-	1	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Fibrosis and cirrhosis of liver (K74)												
Nebraska												
All races, both sexes.....	4	3	4	6	6	5	7	2	1	-	-	-
Male.....	4	1	1	3	2	2	3	-	1	-	-	-
Female.....	-	2	3	3	4	3	4	2	-	-	-	-
White, both sexes.....	3	3	3	6	6	5	7	2	1	-	-	-
Male.....	3	1	-	3	2	2	3	-	1	-	-	-
Female.....	-	2	3	3	4	3	4	2	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	25	15	11	18	19	11	7	2	1	1	-	-
Male.....	19	11	7	12	12	8	2	2	-	1	-	-
Female.....	6	4	4	6	7	3	5	-	1	-	-	-
White, both sexes.....	24	15	8	16	16	9	7	2	1	1	-	-
Male.....	19	11	5	12	11	7	2	2	-	1	-	-
Female.....	5	4	3	4	5	2	5	-	1	-	-	-
Black, both sexes.....	1	-	1	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	1	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	1	1	-	-	-	-	-	-
Male.....	-	-	1	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Fibrosis and cirrhosis of liver (K74)												
New Hampshire												
All races, both sexes.....	6	7	8	2	9	11	8	4	-	-	-	-
Male.....	5	4	-	1	4	6	4	2	-	-	-	-
Female.....	1	3	8	1	5	5	4	2	-	-	-	-
White, both sexes.....	6	7	8	2	9	11	7	4	-	-	-	-
Male.....	5	4	-	1	4	6	4	2	-	-	-	-
Female.....	1	3	8	1	5	5	3	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	53	41	42	55	52	59	43	24	9	1	-	-
Male.....	41	32	24	25	28	31	17	9	3	1	-	-
Female.....	12	9	18	30	24	28	26	15	6	-	-	-
White, both sexes.....	39	35	37	49	50	57	40	23	9	1	-	-
Male.....	29	27	21	22	26	30	16	9	3	1	-	-
Female.....	10	8	16	27	24	27	24	14	6	-	-	-
Black, both sexes.....	14	5	5	4	2	2	1	1	-	-	-	-
Male.....	12	4	3	3	2	1	-	-	-	-	-	-
Female.....	2	1	2	1	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	-	-	2	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	2	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fibrosis and cirrhosis of liver (K74)

Rhode Island

All races, both sexes.....	7	8	4	10	8	13	9	5	-	-	-	-
Male.....	5	5	2	5	6	7	4	2	-	-	-	-
Female.....	2	3	2	5	2	6	5	3	-	-	-	-
White, both sexes.....	7	8	4	10	8	13	9	5	-	-	-	-
Male.....	5	5	2	5	6	7	4	2	-	-	-	-
Female.....	2	3	2	5	2	6	5	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	18	29	18	19	32	23	22	9	5	-	-	-
Male.....	13	17	14	11	17	11	9	2	2	-	-	-
Female.....	5	12	4	8	15	12	13	7	3	-	-	-
White, both sexes.....	14	24	13	17	27	23	22	9	3	-	-	-
Male.....	10	13	10	10	16	11	9	2	1	-	-	-
Female.....	4	11	3	7	11	12	13	7	2	-	-	-
Black, both sexes.....	4	5	5	2	3	-	-	-	2	-	-	-
Male.....	3	4	4	1	1	-	-	-	1	-	-	-
Female.....	1	1	1	1	2	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Fibrosis and cirrhosis of liver (K74)												
Texas												
All races, both sexes.....	182	166	164	138	150	141	85	53	13	4	-	-
Male.....	126	118	99	79	77	62	42	27	5	1	-	-
Female.....	56	48	65	59	73	79	43	26	8	3	-	-
White, both sexes.....	156	147	152	124	144	131	82	51	12	4	-	-
Male.....	108	103	92	71	72	60	41	25	4	1	-	-
Female.....	48	44	60	53	72	71	41	26	8	3	-	-
Black, both sexes.....	24	18	9	13	5	8	3	1	1	-	-	-
Male.....	18	14	6	8	5	2	1	1	1	-	-	-
Female.....	6	4	3	5	-	6	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	3	1	1	2	-	1	-	-	-	-
Male.....	-	1	1	-	-	-	-	1	-	-	-	-
Female.....	2	-	2	1	1	2	-	-	-	-	-	-
Utah												
All races, both sexes.....	5	5	7	13	15	9	5	4	-	-	-	-
Male.....	5	4	5	9	7	5	3	-	-	-	-	-
Female.....	-	1	2	4	8	4	2	4	-	-	-	-
White, both sexes.....	4	5	7	11	14	9	5	4	-	-	-	-
Male.....	4	4	5	7	7	5	3	-	-	-	-	-
Female.....	-	1	2	4	7	4	2	4	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	2	-	-	-	-	-	-	-	-
Male.....	1	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Fibrosis and cirrhosis of liver (K74)												
Vermont												
All races, both sexes.....	1	1	2	3	2	4	2	3	-	-	-	-
Male.....	1	1	-	1	1	1	1	1	-	-	-	-
Female.....	-	-	2	2	1	3	1	2	-	-	-	-
White, both sexes.....	1	1	2	3	2	4	2	3	-	-	-	-
Male.....	1	1	-	1	1	1	1	1	-	-	-	-
Female.....	-	-	2	2	1	3	1	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	38	48	33	45	45	65	38	20	7	1	-	-
Male.....	23	38	21	28	25	34	14	7	1	-	-	-
Female.....	15	10	12	17	20	31	24	13	6	1	-	-
White, both sexes.....	25	41	26	36	38	59	35	18	6	1	-	-
Male.....	18	31	16	21	24	32	13	7	1	-	-	-
Female.....	7	10	10	15	14	27	22	11	5	1	-	-
Black, both sexes.....	12	7	7	7	7	6	3	1	1	-	-	-
Male.....	5	7	5	6	1	2	1	-	-	-	-	-
Female.....	7	-	2	1	6	4	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	2	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of liver (K71-K72,K75-K76)												
New Mexico												
All races, both sexes.....	79	-	-	1	-	-	-	1	2	4	8	11
Male.....	46	-	-	-	-	-	-	1	2	3	5	9
Female.....	33	-	-	1	-	-	-	-	-	1	3	2
White, both sexes.....	62	-	-	1	-	-	-	-	1	1	6	9
Male.....	36	-	-	-	-	-	-	-	1	1	4	7
Female.....	26	-	-	1	-	-	-	-	-	-	2	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	1	1	3	2	2
Male.....	10	-	-	-	-	-	-	1	1	2	1	2
Female.....	7	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	484	2	-	1	1	-	1	3	6	9	30	52
Male.....	301	2	-	1	1	-	1	3	4	4	22	37
Female.....	183	-	-	-	-	-	-	-	2	5	8	15
White, both sexes.....	384	1	-	-	1	-	1	3	7	7	22	35
Male.....	237	1	-	-	1	-	1	1	3	3	18	22
Female.....	147	-	-	-	-	-	-	-	-	4	4	13
Black, both sexes.....	86	1	-	1	-	-	-	1	2	2	8	14
Male.....	55	1	-	1	-	-	-	1	1	1	4	12
Female.....	31	-	-	-	-	-	-	-	1	1	4	2
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	1	1	-	-	2
Male.....	6	-	-	-	-	-	-	1	-	-	-	2
Female.....	4	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of liver (K71-K72,K75-K76)												
Vermont												
All races, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	234	1	-	-	-	1	1	2	3	6	10	28
Male.....	133	1	-	-	-	-	1	1	1	3	8	21
Female.....	101	-	-	-	-	1	-	1	2	3	2	7
White, both sexes.....	178	1	-	-	-	1	1	2	2	3	6	21
Male.....	101	1	-	-	-	-	1	1	-	2	6	18
Female.....	77	-	-	-	-	1	-	1	2	1	-	3
Black, both sexes.....	44	-	-	-	-	-	-	-	1	2	2	7
Male.....	25	-	-	-	-	-	-	-	1	1	-	3
Female.....	19	-	-	-	-	-	-	-	-	1	2	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	-	-	-	1	2	-
Male.....	7	-	-	-	-	-	-	-	-	-	2	-
Female.....	5	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of liver (K71-K72,K75-K76)												
Arkansas												
All races, both sexes.....	13	14	13	11	12	16	12	10	2	1	-	-
Male.....	10	9	9	7	6	7	6	3	1	-	-	-
Female.....	3	5	4	4	6	9	6	7	1	1	-	-
White, both sexes.....	11	11	11	8	11	16	11	9	2	-	-	-
Male.....	9	7	7	6	5	7	6	3	1	-	-	-
Female.....	2	4	4	2	6	9	5	6	1	-	-	-
Black, both sexes.....	2	3	1	2	1	-	1	1	-	1	-	-
Male.....	1	2	1	1	1	-	-	-	-	-	-	-
Female.....	1	1	-	1	-	-	1	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	98	80	54	45	51	42	47	21	8	6	-	-
Male.....	69	47	37	24	34	19	21	13	5	2	-	-
Female.....	29	33	17	21	17	23	26	8	3	4	-	-
White, both sexes.....	87	62	45	42	47	37	40	17	7	6	-	-
Male.....	61	37	31	22	32	17	17	10	5	2	-	-
Female.....	26	25	14	20	15	20	23	7	2	4	-	-
Black, both sexes.....	7	9	4	1	4	2	4	2	-	-	-	-
Male.....	5	6	3	-	2	1	3	1	-	-	-	-
Female.....	2	3	1	1	2	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	9	3	2	-	3	3	2	1	-	-	-
Male.....	3	4	1	2	-	1	1	2	-	-	-	-
Female.....	1	5	2	-	-	2	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of liver (K71-K72,K75-K76)												
Maine												
All races, both sexes.....	6	5	3	5	6	6	3	3	-	-	-	-
Male.....	4	4	3	3	3	4	3	-	-	-	-	-
Female.....	2	1	-	2	3	2	-	3	-	-	-	-
White, both sexes.....	6	5	3	5	6	6	3	3	-	-	-	-
Male.....	4	4	3	3	3	4	3	-	-	-	-	-
Female.....	2	1	-	2	3	2	-	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	19	23	15	10	12	10	9	2	1	1	-	-
Male.....	9	12	10	8	4	3	5	1	-	-	-	-
Female.....	10	11	5	2	8	7	4	1	1	1	-	-
White, both sexes.....	8	16	13	6	7	6	6	2	1	1	-	-
Male.....	5	7	9	5	3	1	3	1	-	-	-	-
Female.....	3	9	4	1	4	5	3	1	1	1	-	-
Black, both sexes.....	11	7	2	4	5	3	3	-	-	-	-	-
Male.....	4	5	1	3	1	2	2	-	-	-	-	-
Female.....	7	2	1	1	4	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of liver (K71-K72,K75-K76)												
New Mexico												
All races, both sexes.....	7	6	9	7	8	8	3	3	1	-	-	-
Male.....	4	3	5	4	4	3	1	1	1	-	-	-
Female.....	3	3	4	3	4	5	2	2	-	-	-	-
White, both sexes.....	6	5	7	5	6	8	3	3	1	-	-	-
Male.....	4	3	3	3	4	3	1	1	1	-	-	-
Female.....	2	2	4	2	2	5	2	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	2	2	2	-	-	-	-	-	-	-
Male.....	-	-	2	1	-	-	-	-	-	-	-	-
Female.....	1	1	-	1	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	51	55	59	50	49	38	42	28	2	5	-	-
Male.....	37	36	38	29	34	19	19	14	-	-	-	-
Female.....	14	19	21	21	15	19	23	14	2	5	-	-
White, both sexes.....	42	43	43	36	46	33	38	25	2	5	-	-
Male.....	33	26	28	22	32	17	16	13	-	-	-	-
Female.....	9	17	15	14	14	16	22	12	2	5	-	-
Black, both sexes.....	9	10	14	11	3	4	3	3	-	-	-	-
Male.....	4	8	8	7	2	2	2	1	-	-	-	-
Female.....	5	2	6	4	1	2	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	2	-	1	-	-	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	2	-	1	1	-	-	-	-	-
Male.....	-	-	2	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	2	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of liver (K71-K72,K75-K76)												
Vermont												
All races, both sexes.....	-	-	-	3	2	1	-	-	-	1	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	2	1	1	-	-	-	1	-	-
White, both sexes.....	-	-	-	3	2	1	-	-	-	1	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	2	1	1	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	31	18	28	20	19	25	24	9	5	2	1	-
Male.....	20	10	15	9	8	16	12	2	3	1	1	-
Female.....	11	8	13	11	11	9	12	7	2	1	-	-
White, both sexes.....	21	11	21	15	15	20	24	8	4	2	-	-
Male.....	13	4	11	6	6	14	12	2	3	1	-	-
Female.....	8	7	10	9	9	6	12	6	1	1	-	-
Black, both sexes.....	10	6	5	4	3	1	-	1	1	-	1	-
Male.....	7	5	3	3	1	-	-	-	-	-	1	-
Female.....	3	1	2	1	2	1	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	1	4	-	-	-	-	-	-
Male.....	-	1	1	-	1	2	-	-	-	-	-	-
Female.....	-	-	1	1	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cholelithiasis and other disorders of gallbladder (K80-K82)												
Arkansas												
All races, both sexes.....	-	-	2	3	5	4	6	7	3	1	-	-
Male.....	-	-	1	2	4	3	2	1	1	-	-	-
Female.....	-	-	1	1	1	1	4	6	2	1	-	-
White, both sexes.....	-	-	1	2	5	4	5	7	3	1	-	-
Male.....	-	-	1	2	4	3	1	1	1	-	-	-
Female.....	-	-	-	-	1	1	4	6	2	1	-	-
Black, both sexes.....	-	-	1	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	11	13	16	23	48	52	69	74	45	18	4	-
Male.....	9	7	5	9	23	29	28	26	18	5	-	-
Female.....	2	6	11	14	25	23	41	48	27	13	4	-
White, both sexes.....	10	10	12	18	40	46	59	67	35	16	4	-
Male.....	8	6	3	7	18	24	25	22	13	4	-	-
Female.....	2	4	9	11	22	22	34	45	22	12	4	-
Black, both sexes.....	1	3	1	4	1	-	4	1	3	-	-	-
Male.....	1	1	1	2	-	-	1	-	2	-	-	-
Female.....	-	2	-	2	1	-	3	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	1	-	1	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	1	6	5	5	6	6	2	-	-
Male.....	-	-	1	-	4	4	1	4	3	1	-	-
Female.....	-	-	2	1	2	1	4	2	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Cholelithiasis and other disorders of gallbladder (K80-K82)

Oregon

All races, both sexes.....	-	-	2	1	4	4	6	9	5	4	-	-
Male.....	-	-	1	1	1	2	-	2	2	-	-	-
Female.....	-	-	1	-	3	2	6	7	3	4	-	-
White, both sexes.....	-	-	2	-	4	4	6	9	5	4	-	-
Male.....	-	-	1	-	1	2	-	2	2	-	-	-
Female.....	-	-	1	-	3	2	6	7	3	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	2	4	3	5	11	16	24	28	20	13	1	-
Male.....	-	3	1	3	9	12	9	8	7	3	-	-
Female.....	2	1	2	2	2	4	15	20	13	10	1	-
White, both sexes.....	2	4	2	3	9	15	21	27	20	13	1	-
Male.....	-	3	1	3	7	11	8	8	7	3	-	-
Female.....	2	1	1	-	2	4	13	19	13	10	1	-
Black, both sexes.....	-	-	1	2	2	1	3	-	-	-	-	-
Male.....	-	-	-	-	2	1	1	-	-	-	-	-
Female.....	-	-	1	2	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cholelithiasis and other disorders of gallbladder (K80-K82)												
Vermont												
All races, both sexes.....	-	-	-	-	-	-	2	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	1	-	-
White, both sexes.....	-	-	-	-	-	-	2	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	1	3	1	3	4	9	13	5	6	2	3	-
Male.....	-	1	1	2	1	5	5	3	2	-	-	-
Female.....	1	2	-	1	3	4	8	2	4	2	3	-
White, both sexes.....	-	2	-	2	3	8	11	4	6	2	3	-
Male.....	-	-	-	1	1	5	4	2	2	-	-	-
Female.....	-	2	-	1	2	3	7	2	4	2	3	-
Black, both sexes.....	1	1	1	1	1	-	2	1	-	-	-	-
Male.....	-	1	1	1	-	-	1	1	-	-	-	-
Female.....	1	-	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Disorders of biliary tract and pancreas (K83-K86)												
Arkansas												
All races, both sexes.....	71	-	-	-	-	-	-	-	1	1	3	7
Male.....	39	-	-	-	-	-	-	-	-	1	-	5
Female.....	32	-	-	-	-	-	-	-	1	-	3	2
White, both sexes.....	60	-	-	-	-	-	-	-	1	1	2	3
Male.....	33	-	-	-	-	-	-	-	-	1	-	2
Female.....	27	-	-	-	-	-	-	-	1	-	2	1
Black, both sexes.....	11	-	-	-	-	-	-	-	-	-	1	4
Male.....	6	-	-	-	-	-	-	-	-	-	-	3
Female.....	5	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	432	-	-	-	1	2	6	4	10	15	24	27
Male.....	238	-	-	-	-	2	4	3	6	12	13	20
Female.....	194	-	-	-	1	-	2	1	4	3	11	7
White, both sexes.....	367	-	-	-	1	2	3	4	8	13	17	24
Male.....	198	-	-	-	-	2	3	3	5	11	10	18
Female.....	169	-	-	-	1	-	-	1	3	2	7	6
Black, both sexes.....	27	-	-	-	-	-	1	-	-	2	6	2
Male.....	16	-	-	-	-	-	1	-	-	1	2	1
Female.....	11	-	-	-	-	-	-	-	-	1	4	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	-	-	-	-	-	2	-	2	-	1	1
Male.....	24	-	-	-	-	-	-	-	1	-	1	1
Female.....	11	-	-	-	-	-	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Disorders of biliary tract and pancreas (K83-K86)												
United States												
All races, both sexes.....	287	351	315	381	502	603	636	560	312	110	16	1
Male.....	198	219	220	242	287	317	288	197	76	20	2	-
Female.....	89	132	95	139	215	286	348	363	236	90	14	1
White, both sexes.....	211	288	244	324	436	545	579	512	291	95	15	-
Male.....	148	178	173	211	246	290	265	180	74	11	2	-
Female.....	63	110	71	113	190	255	314	332	217	84	13	-
Black, both sexes.....	67	56	61	47	53	39	44	40	18	13	1	1
Male.....	45	38	37	24	35	19	15	13	2	9	-	-
Female.....	22	18	24	23	18	20	29	27	16	4	1	1
American Indian 1/, both sexes.....	6	4	1	2	4	2	4	-	1	1	-	-
Male.....	2	1	1	2	-	-	2	-	-	-	-	-
Female.....	4	3	-	-	4	2	2	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	9	8	9	17	9	8	2	1	-	-
Male.....	3	2	9	5	6	8	6	4	-	-	-	-
Female.....	-	1	-	3	3	9	3	4	2	1	-	-
Alabama												
All races, both sexes.....	8	4	11	7	13	8	14	11	8	2	-	-
Male.....	7	3	8	3	10	2	9	4	-	1	-	-
Female.....	1	1	3	4	3	6	5	7	8	1	-	-
White, both sexes.....	3	2	4	7	13	5	11	7	6	-	-	-
Male.....	3	2	3	3	10	1	6	3	-	-	-	-
Female.....	-	-	1	4	3	4	5	4	6	-	-	-
Black, both sexes.....	5	2	7	-	-	2	3	4	2	2	-	-
Male.....	4	1	5	-	-	1	3	1	-	1	-	-
Female.....	1	1	2	-	-	1	-	3	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Disorders of biliary tract and pancreas (K83-K86)												
Arkansas												
All races, both sexes.....	3	2	6	9	8	10	13	6	2	-	-	-
Male.....	1	2	6	6	5	5	4	3	1	-	-	-
Female.....	2	-	-	3	3	5	9	3	1	-	-	-
White, both sexes.....	3	2	5	7	7	10	13	4	2	-	-	-
Male.....	1	2	5	6	4	5	4	2	1	-	-	-
Female.....	2	-	-	1	3	5	9	2	1	-	-	-
Black, both sexes.....	-	-	1	2	1	-	-	2	-	-	-	-
Male.....	-	-	1	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	2	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	34	25	21	31	37	66	55	41	24	7	2	-
Male.....	22	17	18	21	16	30	25	17	9	2	1	-
Female.....	12	8	3	10	21	36	30	24	15	5	1	-
White, both sexes.....	27	22	16	27	32	58	47	35	23	6	2	-
Male.....	18	15	13	18	12	26	20	13	9	1	1	-
Female.....	9	7	3	9	20	32	27	22	14	5	1	-
Black, both sexes.....	5	3	1	2	-	1	2	1	-	1	-	-
Male.....	3	2	1	2	-	-	1	1	-	1	-	-
Female.....	2	1	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	4	2	4	7	6	5	-	-	-	-
Male.....	1	-	4	1	4	4	4	3	-	-	-	-
Female.....	-	-	-	1	-	3	2	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Disorders of biliary tract and pancreas (K83-K86)												
Maine												
All races, both sexes.....	2	-	-	4	3	3	6	4	-	-	-	-
Male.....	1	-	-	3	2	1	2	2	-	-	-	-
Female.....	1	-	-	1	1	2	4	2	-	-	-	-
White, both sexes.....	2	-	-	4	3	3	6	4	-	-	-	-
Male.....	1	-	-	3	2	1	2	2	-	-	-	-
Female.....	1	-	-	1	1	2	4	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	5	9	6	11	4	8	11	7	6	1	1	-
Male.....	2	5	4	8	4	6	1	2	1	-	-	-
Female.....	3	4	2	3	-	2	10	5	5	1	1	-
White, both sexes.....	4	6	5	7	4	4	9	6	5	1	1	-
Male.....	1	5	3	5	4	3	1	2	1	-	-	-
Female.....	3	1	2	2	-	1	8	4	4	1	1	-
Black, both sexes.....	1	2	1	4	-	4	1	-	-	-	-	-
Male.....	1	-	1	3	-	3	-	-	-	-	-	-
Female.....	-	2	-	1	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of biliary tract and pancreas (K83-K86)

New Mexico

All races, both sexes.....	2	1	3	3	2	2	9	3	2	1	-	-
Male.....	2	1	1	2	1	1	3	1	-	-	-	-
Female.....	-	-	2	1	1	1	6	2	2	1	-	-
White, both sexes.....	2	1	2	3	2	2	9	3	2	-	-	-
Male.....	2	1	-	2	1	1	3	1	-	-	-	-
Female.....	-	-	2	1	1	1	6	2	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	16	20	21	18	35	39	34	42	19	5	-	-
Male.....	11	14	16	10	20	21	17	11	7	2	-	-
Female.....	5	6	5	8	15	18	17	31	12	3	-	-
White, both sexes.....	10	16	12	14	29	35	32	39	17	5	-	-
Male.....	8	10	10	10	17	21	16	10	7	2	-	-
Female.....	2	6	2	4	12	14	16	29	10	3	-	-
Black, both sexes.....	6	4	8	4	5	2	1	1	1	-	-	-
Male.....	3	4	5	-	3	-	-	-	-	-	-	-
Female.....	3	-	3	4	2	2	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	2	1	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Disorders of biliary tract and pancreas (K83-K86)												
Ohio												
All races, both sexes.....	10	16	9	19	27	26	30	28	23	6	2	-
Male.....	9	7	8	11	17	12	14	9	4	1	-	-
Female.....	1	9	1	8	10	14	16	19	19	5	2	-
White, both sexes.....	7	13	5	14	22	24	27	26	22	6	2	-
Male.....	6	6	5	9	13	12	13	8	4	1	-	-
Female.....	1	7	-	5	9	12	14	18	18	5	2	-
Black, both sexes.....	3	3	4	5	5	2	3	2	1	-	-	-
Male.....	3	1	3	2	4	-	1	1	-	-	-	-
Female.....	-	2	1	3	1	2	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Oklahoma												
All races, both sexes.....	4	8	5	9	11	8	7	6	4	2	-	-
Male.....	2	5	2	4	4	6	2	1	1	1	-	-
Female.....	2	3	3	5	7	2	5	5	3	1	-	-
White, both sexes.....	3	5	5	8	10	7	6	6	4	1	-	-
Male.....	2	4	2	3	4	6	2	1	1	-	-	-
Female.....	1	1	3	5	6	1	4	5	3	1	-	-
Black, both sexes.....	-	1	-	-	1	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	1	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	-	1	-	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pancreatitis (K85,K86.0-K86.1)												
Arkansas												
All races, both sexes.....	59	-	-	-	-	-	-	-	1	1	3	5
Male.....	33	-	-	-	-	-	-	-	-	1	-	4
Female.....	26	-	-	-	-	-	-	-	1	-	3	1
White, both sexes.....	48	-	-	-	-	-	-	-	1	1	2	1
Male.....	27	-	-	-	-	-	-	-	-	1	-	1
Female.....	21	-	-	-	-	-	-	-	1	-	2	-
Black, both sexes.....	11	-	-	-	-	-	-	-	-	-	1	4
Male.....	6	-	-	-	-	-	-	-	-	-	-	3
Female.....	5	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	306	-	-	-	1	2	6	3	8	14	21	25
Male.....	169	-	-	-	-	2	4	2	6	11	12	19
Female.....	137	-	-	-	1	-	2	1	2	3	9	6
White, both sexes.....	259	-	-	-	1	2	3	3	7	12	16	22
Male.....	139	-	-	-	-	2	3	2	5	10	9	17
Female.....	120	-	-	-	1	-	-	1	2	2	7	5
Black, both sexes.....	22	-	-	-	-	-	1	-	-	2	4	2
Male.....	13	-	-	-	-	-	1	-	-	1	2	1
Female.....	9	-	-	-	-	-	-	-	-	1	2	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	-	-	-	-	-	2	-	1	-	1	1
Male.....	17	-	-	-	-	-	-	-	1	-	1	1
Female.....	6	-	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pancreatitis (K85,K86.0-K86.1)												
Arkansas												
All races, both sexes.....	2	2	4	9	7	10	10	4	1	-	-	-
Male.....	1	2	4	6	5	5	3	2	-	-	-	-
Female.....	1	-	-	3	2	5	7	2	1	-	-	-
White, both sexes.....	2	2	3	7	6	10	10	2	1	-	-	-
Male.....	1	2	3	6	4	5	3	1	-	-	-	-
Female.....	1	-	-	1	2	5	7	1	1	-	-	-
Black, both sexes.....	-	-	1	2	1	-	-	2	-	-	-	-
Male.....	-	-	1	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	2	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	30	21	14	18	22	42	35	28	13	3	-	-
Male.....	20	14	12	13	7	14	14	13	5	1	-	-
Female.....	10	7	2	5	15	28	21	15	8	2	-	-
White, both sexes.....	23	18	10	17	21	35	29	25	12	3	-	-
Male.....	16	12	8	12	6	10	11	10	5	1	-	-
Female.....	7	6	2	5	15	25	18	15	7	2	-	-
Black, both sexes.....	5	3	1	1	-	1	1	1	-	-	-	-
Male.....	3	2	1	1	-	-	-	1	-	-	-	-
Female.....	2	1	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	3	-	1	6	5	2	-	-	-	-
Male.....	1	-	3	-	1	4	3	2	-	-	-	-
Female.....	-	-	-	-	-	2	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pancreatitis (K85,K86.0-K86.1)												
Maine												
All races, both sexes.....	2	-	-	3	2	2	4	1	-	-	-	-
Male.....	1	-	-	2	2	1	1	1	-	-	-	-
Female.....	1	-	-	1	-	1	3	-	-	-	-	-
White, both sexes.....	2	-	-	3	2	2	4	1	-	-	-	-
Male.....	1	-	-	2	2	1	1	1	-	-	-	-
Female.....	1	-	-	1	-	1	3	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	5	6	5	7	2	4	5	1	3	-	1	-
Male.....	2	3	4	6	2	3	-	1	1	-	-	-
Female.....	3	3	1	1	-	1	5	-	2	-	1	-
White, both sexes.....	4	4	4	4	2	2	3	1	2	-	1	-
Male.....	1	3	3	4	2	1	-	1	1	-	-	-
Female.....	3	1	1	-	-	1	3	-	1	-	1	-
Black, both sexes.....	1	2	1	3	-	2	1	-	-	-	-	-
Male.....	1	-	1	2	-	2	-	-	-	-	-	-
Female.....	-	2	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pancreatitis (K85,K86.0-K86.1)												
New Mexico												
All races, both sexes.....	2	1	2	3	1	1	4	3	-	-	-	-
Male.....	2	1	-	2	1	1	-	1	-	-	-	-
Female.....	-	-	2	1	-	-	4	2	-	-	-	-
White, both sexes.....	2	1	2	3	1	1	4	3	-	-	-	-
Male.....	2	1	-	2	1	1	-	1	-	-	-	-
Female.....	-	-	2	1	-	-	4	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	13	16	16	13	22	22	24	24	5	2	-	-
Male.....	8	12	12	7	12	14	12	8	2	1	-	-
Female.....	5	4	4	6	10	8	12	16	3	1	-	-
White, both sexes.....	7	13	8	11	19	20	24	23	4	2	-	-
Male.....	5	9	7	7	12	14	12	7	2	1	-	-
Female.....	2	4	1	4	7	6	12	16	2	1	-	-
Black, both sexes.....	6	3	7	2	2	1	-	-	-	-	-	-
Male.....	3	3	4	-	-	-	-	-	-	-	-	-
Female.....	3	-	3	2	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	1	1	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
Arkansas												
All races, both sexes.....	12	-	-	-	-	-	-	-	-	-	-	2
Male.....	6	-	-	-	-	-	-	-	-	-	-	1
Female.....	6	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	12	-	-	-	-	-	-	-	-	-	-	2
Male.....	6	-	-	-	-	-	-	-	-	-	-	1
Female.....	6	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	126	-	-	-	-	-	-	1	2	1	3	2
Male.....	69	-	-	-	-	-	-	1	-	1	1	1
Female.....	57	-	-	-	-	-	-	-	2	-	2	1
White, both sexes.....	108	-	-	-	-	-	-	1	1	1	1	2
Male.....	59	-	-	-	-	-	-	1	-	1	1	1
Female.....	49	-	-	-	-	-	-	-	1	-	-	1
Black, both sexes.....	5	-	-	-	-	-	-	-	-	-	2	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	-	-	1	-	-	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
United States												
All races, both sexes.....	43	60	65	101	156	183	223	233	147	61	11	-
Male.....	26	35	45	56	90	100	111	84	41	12	2	-
Female.....	17	25	20	45	66	83	112	149	106	49	9	-
White, both sexes.....	34	46	54	81	127	161	201	212	136	53	10	-
Male.....	21	27	39	47	70	92	102	79	40	8	2	-
Female.....	13	19	15	34	57	69	99	133	96	45	8	-
Black, both sexes.....	8	11	7	14	24	14	19	16	11	6	1	-
Male.....	5	8	2	6	17	5	6	4	1	4	-	-
Female.....	3	3	5	8	7	9	13	12	10	2	1	-
American Indian 1/, both sexes.....	1	2	1	1	1	-	1	-	-	1	-	-
Male.....	-	-	1	1	-	-	1	-	-	-	-	-
Female.....	1	2	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	3	5	4	8	2	5	-	1	-	-
Male.....	-	-	3	2	3	3	2	1	-	-	-	-
Female.....	-	1	-	3	1	5	-	4	-	1	-	-
Alabama												
All races, both sexes.....	1	1	1	2	6	1	6	3	2	1	-	-
Male.....	-	1	-	-	6	-	5	1	-	-	-	-
Female.....	1	-	1	2	-	1	1	2	2	1	-	-
White, both sexes.....	-	1	-	2	6	-	4	3	1	-	-	-
Male.....	-	1	-	-	6	-	3	1	-	-	-	-
Female.....	-	-	-	2	-	-	1	2	1	-	-	-
Black, both sexes.....	1	-	1	-	-	-	2	-	1	1	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
Arkansas												
All races, both sexes.....	1	-	2	-	1	-	3	2	1	-	-	-
Male.....	-	-	2	-	-	-	1	1	1	-	-	-
Female.....	1	-	-	-	1	-	2	1	-	-	-	-
White, both sexes.....	1	-	2	-	1	-	3	2	1	-	-	-
Male.....	-	-	2	-	-	-	1	1	1	-	-	-
Female.....	1	-	-	-	1	-	2	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	4	4	7	13	15	24	20	13	11	4	2	-
Male.....	2	3	6	8	9	16	11	4	4	1	1	-
Female.....	2	1	1	5	6	8	9	9	7	3	1	-
White, both sexes.....	4	4	6	10	11	23	18	10	11	3	2	-
Male.....	2	3	5	6	6	16	9	3	4	-	1	-
Female.....	2	1	1	4	5	7	9	7	7	3	1	-
Black, both sexes.....	-	-	-	1	-	-	1	-	-	1	-	-
Male.....	-	-	-	1	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	3	1	1	3	-	-	-	-
Male.....	-	-	1	1	3	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	1	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)

Maine

All races, both sexes.....	-	-	-	1	1	1	2	3	-	-	-	-
Male.....	-	-	-	1	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	1	1	1	2	-	-	-	-
White, both sexes.....	-	-	-	1	1	1	2	3	-	-	-	-
Male.....	-	-	-	1	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	1	1	1	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	-	3	1	4	2	4	6	6	3	1	-	-
Male.....	-	2	-	2	2	3	1	1	-	-	-	-
Female.....	-	1	1	2	-	1	5	5	3	1	-	-
White, both sexes.....	-	2	1	3	2	2	6	5	3	1	-	-
Male.....	-	2	-	1	2	2	1	1	-	-	-	-
Female.....	-	-	1	2	-	-	5	4	3	1	-	-
Black, both sexes.....	-	-	-	1	-	2	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)

New Mexico

All races, both sexes.....	-	-	1	-	1	1	5	-	2	1	-	-
Male.....	-	-	1	-	-	-	3	-	-	-	-	-
Female.....	-	-	-	-	1	1	2	-	2	1	-	-
White, both sexes.....	-	-	-	-	1	1	5	-	2	-	-	-
Male.....	-	-	-	-	-	-	3	-	-	-	-	-
Female.....	-	-	-	-	1	1	2	-	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	3	4	5	5	13	17	10	18	14	3	-	-
Male.....	3	2	4	3	8	7	5	3	5	1	-	-
Female.....	-	2	1	2	5	10	5	15	9	2	-	-
White, both sexes.....	3	3	4	3	10	15	8	16	13	3	-	-
Male.....	3	1	3	3	5	7	4	3	5	1	-	-
Female.....	-	2	1	-	5	8	4	13	8	2	-	-
Black, both sexes.....	-	1	1	2	3	1	1	1	1	-	-	-
Male.....	-	1	1	-	3	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	1	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)

Ohio

All races, both sexes.....	3	5	2	4	7	10	14	16	13	5	1	-
Male.....	2	2	1	-	2	2	5	6	2	1	-	-
Female.....	1	3	1	4	5	8	9	10	11	4	1	-
White, both sexes.....	2	5	1	2	6	8	11	15	12	5	1	-
Male.....	1	2	1	-	1	2	4	6	2	1	-	-
Female.....	1	3	-	2	5	6	7	9	10	4	1	-
Black, both sexes.....	1	-	1	2	1	2	3	1	1	-	-	-
Male.....	1	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	1	2	-	2	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	-	3	-	2	2	4	3	4	2	-	-	-
Male.....	-	1	-	-	1	3	-	1	1	-	-	-
Female.....	-	2	-	2	1	1	3	3	1	-	-	-
White, both sexes.....	-	1	-	2	2	3	2	4	2	-	-	-
Male.....	-	1	-	-	1	3	-	1	1	-	-	-
Female.....	-	-	-	2	1	-	2	3	1	-	-	-
Black, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

Alaska

All races, both sexes.....	1	-	1	2	2	2	2	1	1	1	-	-
Male.....	1	-	1	2	2	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	1	2	1	1	-	-	-
White, both sexes.....	1	-	1	-	1	1	2	-	1	-	-	-
Male.....	1	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	1	1	-	1	-	1	-	-
Male.....	-	-	-	2	1	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	4	4	1	5	14	22	19	18	15	3	1	-
Male.....	3	4	1	3	9	12	7	9	9	-	-	-
Female.....	1	-	-	2	5	10	12	9	6	3	1	-
White, both sexes.....	4	3	1	5	13	21	19	17	13	2	1	-
Male.....	3	3	1	3	8	11	7	9	8	-	-	-
Female.....	1	-	-	2	5	10	12	8	5	2	1	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	1	1	1	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other diseases of digestive system (K90,K92)												
Arkansas												
All races, both sexes.....	4	4	4	8	7	11	14	14	10	8	4	-
Male.....	3	1	2	6	5	6	8	6	3	3	-	-
Female.....	1	3	2	2	2	5	6	8	7	5	4	-
White, both sexes.....	4	3	4	7	6	8	12	12	10	7	4	-
Male.....	3	1	2	5	4	5	6	5	3	3	-	-
Female.....	1	2	2	2	2	3	6	7	7	4	4	-
Black, both sexes.....	-	1	-	1	1	3	2	2	-	1	-	-
Male.....	-	-	-	1	1	1	2	1	-	-	-	-
Female.....	-	1	-	-	-	2	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	8	7	11	17	22	38	60	61	50	14	3	1
Male.....	4	3	6	8	10	19	26	21	13	5	1	1
Female.....	4	4	5	9	12	19	34	40	37	9	2	-
White, both sexes.....	8	7	10	14	16	30	56	58	44	13	3	1
Male.....	4	3	5	6	7	16	25	21	10	4	1	1
Female.....	4	4	5	8	9	14	31	37	34	9	2	-
Black, both sexes.....	-	-	-	1	4	3	2	2	4	-	-	-
Male.....	-	-	-	1	2	1	-	-	2	-	-	-
Female.....	-	-	-	-	2	2	2	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	2	5	2	1	2	1	-	-
Male.....	-	-	1	1	1	2	1	-	1	1	-	-
Female.....	-	-	-	1	1	3	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

Maine

All races, both sexes.....	-	1	2	2	4	4	11	8	11	1	-	-
Male.....	-	1	2	2	3	1	1	3	2	-	-	-
Female.....	-	-	-	-	1	3	10	5	9	1	-	-
White, both sexes.....	-	1	2	2	4	4	11	8	11	1	-	-
Male.....	-	1	2	2	3	1	1	3	2	-	-	-
Female.....	-	-	-	-	1	3	10	5	9	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	7	4	2	11	13	28	23	22	21	6	2	-
Male.....	3	2	1	7	3	17	8	10	5	2	1	-
Female.....	4	2	1	4	10	11	15	12	16	4	1	-
White, both sexes.....	4	1	1	4	9	21	20	18	16	5	2	-
Male.....	1	1	1	3	2	12	7	7	4	2	1	-
Female.....	3	-	-	1	7	9	13	11	12	3	1	-
Black, both sexes.....	2	3	1	7	3	7	3	4	4	1	-	-
Male.....	1	1	-	4	1	5	1	3	1	-	-	-
Female.....	1	2	1	3	2	2	2	1	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other diseases of digestive system (K90,K92)												
Massachusetts												
All races, both sexes.....	6	8	13	23	17	27	58	59	49	25	4	-
Male.....	3	4	9	14	10	13	23	15	5	6	-	-
Female.....	3	4	4	9	7	14	35	44	44	19	4	-
White, both sexes.....	5	7	11	21	15	25	56	55	47	25	4	-
Male.....	3	4	8	12	9	11	21	13	5	6	-	-
Female.....	2	3	3	9	6	14	35	42	42	19	4	-
Black, both sexes.....	1	1	1	2	-	1	2	3	1	-	-	-
Male.....	-	-	1	2	-	1	2	2	-	-	-	-
Female.....	1	1	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	1	-	1	1	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	1	1	-	-	-
Michigan												
All races, both sexes.....	6	9	15	10	25	35	62	77	49	19	5	-
Male.....	3	7	6	5	13	21	23	28	17	6	-	-
Female.....	3	2	9	5	12	14	39	49	32	13	5	-
White, both sexes.....	5	8	8	10	17	30	55	69	45	19	3	-
Male.....	3	7	2	5	9	16	21	25	15	6	-	-
Female.....	2	1	6	5	8	14	34	44	30	13	3	-
Black, both sexes.....	1	1	7	-	8	4	6	7	4	-	2	-
Male.....	-	-	4	-	4	4	2	3	2	-	-	-
Female.....	1	1	3	-	4	-	4	4	2	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

Nebraska

All races, both sexes.....	2	-	1	3	3	11	8	12	14	6	3	-
Male.....	2	-	-	2	2	7	5	4	3	1	-	-
Female.....	-	-	1	1	1	4	3	8	11	5	3	-
White, both sexes.....	2	-	1	3	3	11	8	11	14	6	3	-
Male.....	2	-	-	2	2	7	5	3	3	1	-	-
Female.....	-	-	1	1	1	4	3	8	11	5	3	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	2	5	2	5	11	16	13	17	6	1	-	-
Male.....	2	3	1	4	7	11	9	6	1	-	-	-
Female.....	-	2	1	1	4	5	4	11	5	1	-	-
White, both sexes.....	2	5	2	4	11	13	13	16	6	1	-	-
Male.....	2	3	1	3	7	10	9	6	1	-	-	-
Female.....	-	2	1	1	4	3	4	10	5	1	-	-
Black, both sexes.....	-	-	-	1	-	3	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other diseases of digestive system (K90,K92)												
New Hampshire												
All races, both sexes.....	3	-	1	4	2	4	11	11	11	4	2	-
Male.....	3	-	1	2	1	1	7	3	1	-	-	-
Female.....	-	-	-	2	1	3	4	8	10	4	2	-
White, both sexes.....	3	-	1	4	2	4	11	11	11	4	2	-
Male.....	3	-	1	2	1	1	7	3	1	-	-	-
Female.....	-	-	-	2	1	3	4	8	10	4	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	6	12	5	6	16	36	50	51	35	8	2	-
Male.....	6	8	4	2	12	15	24	18	12	1	-	-
Female.....	-	4	1	4	4	21	26	33	23	7	2	-
White, both sexes.....	4	10	4	5	14	31	48	50	34	8	2	-
Male.....	4	7	4	1	11	12	22	18	11	1	-	-
Female.....	-	3	-	4	3	19	26	32	23	7	2	-
Black, both sexes.....	2	2	1	1	2	3	1	1	1	-	-	-
Male.....	2	1	-	1	1	2	1	-	1	-	-	-
Female.....	-	1	1	-	1	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other diseases of digestive system (K90,K92)												
New Mexico												
All races, both sexes.....	2	1	1	7	3	6	10	7	5	6	-	-
Male.....	1	1	1	3	2	2	3	2	1	1	-	-
Female.....	1	-	-	4	1	4	7	5	4	5	-	-
White, both sexes.....	2	1	1	7	3	6	9	7	5	6	-	-
Male.....	1	1	1	3	2	2	3	2	1	1	-	-
Female.....	1	-	-	4	1	4	6	5	4	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
New York												
All races, both sexes.....	8	12	12	29	39	51	79	92	74	43	9	-
Male.....	5	6	10	13	12	25	38	30	16	13	2	-
Female.....	3	6	2	16	27	26	41	62	58	30	7	-
White, both sexes.....	7	11	8	26	37	43	74	82	71	39	8	-
Male.....	4	6	7	12	12	21	36	26	14	13	2	-
Female.....	3	5	1	14	25	22	38	56	57	26	6	-
Black, both sexes.....	1	1	3	3	2	8	5	9	3	3	1	-
Male.....	1	-	2	1	-	4	2	4	2	-	-	-
Female.....	-	1	1	2	2	4	3	5	1	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	1	-	1	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other diseases of digestive system (K90,K92)												
Oregon												
All races, both sexes.....	3	10	6	7	8	14	28	27	21	10	1	-
Male.....	3	6	5	5	3	6	11	12	2	4	-	-
Female.....	-	4	1	2	5	8	17	15	19	6	1	-
White, both sexes.....	3	8	6	7	8	14	28	26	20	10	1	-
Male.....	3	5	5	5	3	6	11	11	2	4	-	-
Female.....	-	3	1	2	5	8	17	15	18	6	1	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	16	12	20	28	44	83	127	123	97	34	9	-
Male.....	11	10	13	19	28	38	57	46	24	2	1	-
Female.....	5	2	7	9	16	45	70	77	73	32	8	-
White, both sexes.....	14	10	16	24	38	73	117	115	95	32	9	-
Male.....	10	9	10	17	25	34	53	43	23	2	1	-
Female.....	4	1	6	7	13	39	64	72	72	30	8	-
Black, both sexes.....	2	1	4	4	5	9	10	8	2	2	-	-
Male.....	1	1	3	2	3	3	4	3	1	-	-	-
Female.....	1	-	1	2	2	6	6	5	1	2	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
United States												
All races, both sexes.....	3,937	1	4	2	3	8	13	18	32	43	85	100
Male.....	1,439	1	4	2	2	2	1	4	12	19	36	54
Female.....	2,498	-	-	-	1	6	12	14	20	24	49	46
White, both sexes.....	2,902	1	3	2	-	2	5	4	19	17	53	70
Male.....	1,107	1	3	2	-	-	1	1	8	10	26	44
Female.....	1,795	-	-	-	-	2	4	3	11	7	27	26
Black, both sexes.....	962	-	-	-	3	5	7	14	13	24	31	25
Male.....	305	-	-	-	2	2	-	3	4	9	10	7
Female.....	657	-	-	-	1	3	7	11	9	15	21	18
American Indian 1/, both sexes.....	22	-	-	-	-	-	-	-	-	2	-	2
Male.....	6	-	-	-	-	-	-	-	-	-	-	1
Female.....	16	-	-	-	-	-	-	-	-	2	-	1
Asian or Pacific Islander 2/, both sexes.....	51	-	1	-	-	1	1	-	-	-	1	3
Male.....	21	-	1	-	-	-	-	-	-	-	-	2
Female.....	30	-	-	-	-	1	1	-	-	-	1	1
Alabama												
All races, both sexes.....	91	-	-	-	-	1	1	-	3	3	-	5
Male.....	28	-	-	-	-	-	-	-	-	2	-	2
Female.....	63	-	-	-	-	1	1	-	3	1	-	3
White, both sexes.....	42	-	-	-	-	-	-	-	1	1	-	3
Male.....	14	-	-	-	-	-	-	-	-	1	-	2
Female.....	28	-	-	-	-	-	-	-	1	-	-	1
Black, both sexes.....	48	-	-	-	-	-	1	-	2	2	-	2
Male.....	14	-	-	-	-	-	-	-	-	1	-	-
Female.....	34	-	-	-	-	-	1	-	2	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
Arkansas												
All races, both sexes.....	41	-	-	-	-	-	-	-	-	-	4	2
Male.....	12	-	-	-	-	-	-	-	-	-	1	1
Female.....	29	-	-	-	-	-	-	-	-	-	3	1
White, both sexes.....	32	-	-	-	-	-	-	-	-	-	2	1
Male.....	10	-	-	-	-	-	-	-	-	-	1	1
Female.....	22	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	9	-	-	-	-	-	-	-	-	-	2	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	256	1	2	-	-	-	3	1	2	5	6	9
Male.....	99	1	2	-	-	-	-	-	1	2	2	4
Female.....	157	-	-	-	-	-	3	1	1	3	4	5
White, both sexes.....	198	1	1	-	-	-	1	1	2	4	3	6
Male.....	80	1	1	-	-	-	-	-	1	2	1	3
Female.....	118	-	-	-	-	-	1	1	1	2	2	3
Black, both sexes.....	37	-	-	-	-	-	1	-	-	1	3	2
Male.....	11	-	-	-	-	-	-	-	-	-	1	-
Female.....	26	-	-	-	-	-	1	-	-	1	2	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	1	-	-	-	1	-	-	-	-	-
Male.....	7	-	1	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XII. Diseases of the skin and subcutaneous tissue (L00-L98)

Arkansas

All races, both sexes.....	3	2	-	1	2	1	12	5	5	3	1	-
Male.....	-	-	-	-	2	-	6	-	2	-	-	-
Female.....	3	2	-	1	-	1	6	5	3	3	1	-
White, both sexes.....	3	2	-	1	1	1	12	3	3	2	1	-
Male.....	-	-	-	-	1	-	6	-	1	-	-	-
Female.....	3	2	-	1	-	1	6	3	2	2	1	-
Black, both sexes.....	-	-	-	-	1	-	-	2	2	1	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	13	14	14	7	18	28	40	43	33	12	5	-
Male.....	7	5	8	4	9	13	12	14	8	6	1	-
Female.....	6	9	6	3	9	15	28	29	25	6	4	-
White, both sexes.....	10	10	9	6	15	22	30	37	26	10	4	-
Male.....	7	4	7	4	8	10	10	11	4	5	1	-
Female.....	3	6	2	2	7	12	20	26	22	5	3	-
Black, both sexes.....	2	4	2	1	1	6	6	3	4	1	-	-
Male.....	-	1	-	-	1	3	1	2	2	-	-	-
Female.....	2	3	2	1	-	3	5	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	3	-	2	-	3	3	3	1	1	-
Male.....	-	-	1	-	-	-	1	1	2	1	-	-
Female.....	1	-	2	-	2	-	2	2	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XII. Diseases of the skin and subcutaneous tissue (L00-L98)

Maine

All races, both sexes.....	-	1	-	1	-	1	1	3	3	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	1	-	1	-	1	1	3	2	1	-	-
White, both sexes.....	-	1	-	1	-	1	1	3	3	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	1	-	1	-	1	1	3	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	4	4	6	5	12	7	19	17	17	8	2	-
Male.....	3	1	1	1	7	2	7	8	2	1	-	-
Female.....	1	3	5	4	5	5	12	9	15	7	2	-
White, both sexes.....	2	3	3	2	5	4	9	13	9	3	2	-
Male.....	2	1	-	1	4	2	5	8	2	-	-	-
Female.....	-	2	3	1	1	2	4	5	7	3	2	-
Black, both sexes.....	2	1	3	2	6	3	9	4	8	5	-	-
Male.....	1	-	1	-	3	-	2	-	-	1	-	-
Female.....	1	1	2	2	3	3	7	4	8	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XII. Diseases of the skin and subcutaneous tissue (L00-L98)

New Mexico

All races, both sexes.....	1	1	1	1	4	4	5	2	2	2	1	-
Male.....	1	1	-	-	2	2	3	1	1	1	1	-
Female.....	-	-	1	1	2	2	2	1	1	1	-	-
White, both sexes.....	1	1	1	1	4	3	3	2	2	-	1	-
Male.....	1	1	-	-	2	1	2	1	1	-	1	-
Female.....	-	-	1	1	2	2	1	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	5	7	6	16	23	34	38	47	26	14	3	-
Male.....	3	4	1	7	12	14	18	17	7	2	-	-
Female.....	2	3	5	9	11	20	20	30	19	12	3	-
White, both sexes.....	3	4	2	10	16	31	30	43	20	10	3	-
Male.....	2	3	1	3	9	11	15	17	6	2	-	-
Female.....	1	1	1	7	7	20	15	26	14	8	3	-
Black, both sexes.....	2	3	4	6	6	3	8	4	6	4	-	-
Male.....	1	1	-	4	3	3	3	-	1	-	-	-
Female.....	1	2	4	2	3	-	5	4	5	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XII. Diseases of the skin and subcutaneous tissue (L00-L98)

Texas

All races, both sexes.....	12	15	10	17	25	34	43	35	36	14	7	-
Male.....	5	9	6	10	14	21	12	14	8	-	-	-
Female.....	7	6	4	7	11	13	31	21	28	14	7	-
White, both sexes.....	9	10	6	14	15	29	31	25	28	8	6	-
Male.....	3	6	2	7	8	20	11	11	6	-	-	-
Female.....	6	4	4	7	7	9	20	14	22	8	6	-
Black, both sexes.....	3	5	4	3	10	5	12	10	8	6	1	-
Male.....	2	3	4	3	6	1	1	3	2	-	-	-
Female.....	1	2	-	-	4	4	11	7	6	6	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	2	-	1	1	1	3	7	2	7	3	-	-
Male.....	-	-	-	1	-	2	4	-	2	1	-	-
Female.....	2	-	1	-	1	1	3	2	5	2	-	-
White, both sexes.....	2	-	1	1	1	3	6	2	7	3	-	-
Male.....	-	-	-	1	-	2	4	-	2	1	-	-
Female.....	2	-	1	-	1	1	2	2	5	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Infections of skin and subcutaneous tissue (L00-L08)												
Arkansas												
All races, both sexes.....	12	-	-	-	-	-	-	-	-	-	2	1
Male.....	6	-	-	-	-	-	-	-	-	-	1	1
Female.....	6	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	10	-	-	-	-	-	-	-	-	-	1	1
Male.....	6	-	-	-	-	-	-	-	-	-	1	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	114	1	1	-	-	-	1	1	1	1	1	5
Male.....	57	1	1	-	-	-	-	-	1	1	1	3
Female.....	57	-	-	-	-	-	1	1	-	-	-	2
White, both sexes.....	97	1	-	-	-	-	-	1	1	1	-	3
Male.....	48	1	-	-	-	-	-	-	1	1	-	2
Female.....	49	-	-	-	-	-	-	1	-	-	-	1
Black, both sexes.....	8	-	-	-	-	-	-	-	-	-	1	1
Male.....	4	-	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	1	-	-	-	1	-	-	-	-	-
Male.....	4	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Infections of skin and subcutaneous tissue (L00-L08)												
Arkansas												
All races, both sexes.....	-	1	-	1	1	-	4	1	-	1	-	-
Male.....	-	-	-	-	1	-	3	-	-	-	-	-
Female.....	-	1	-	1	-	-	1	1	-	1	-	-
White, both sexes.....	-	1	-	1	1	-	4	-	-	1	-	-
Male.....	-	-	-	-	1	-	3	-	-	-	-	-
Female.....	-	1	-	1	-	-	1	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	9	7	10	3	7	11	16	25	8	4	2	-
Male.....	6	4	8	3	4	6	2	10	1	4	1	-
Female.....	3	3	2	-	3	5	14	15	7	-	1	-
White, both sexes.....	9	6	9	3	6	8	14	24	6	3	2	-
Male.....	6	3	7	3	4	5	2	9	-	3	1	-
Female.....	3	3	2	-	2	3	12	15	6	-	1	-
Black, both sexes.....	-	1	-	-	-	3	-	-	2	-	-	-
Male.....	-	1	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	2	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	1	1	-	1	-	-
Male.....	-	-	1	-	-	-	-	1	-	1	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Infections of skin and subcutaneous tissue (I00-L08)												
Maine												
All races, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	1	2	2	1	2	1	2	3	2	-	-	-
Male.....	1	-	-	-	-	1	2	3	-	-	-	-
Female.....	-	2	2	1	2	-	-	-	2	-	-	-
White, both sexes.....	1	1	2	-	1	1	2	3	2	-	-	-
Male.....	1	-	-	-	-	1	2	3	-	-	-	-
Female.....	-	1	2	-	1	-	-	-	2	-	-	-
Black, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
United States												
All races, both sexes.....	2,654	-	2	1	3	8	9	16	22	33	54	56
Male.....	877	-	2	1	2	2	1	3	5	12	14	22
Female.....	1,777	-	-	-	1	6	8	13	17	21	40	34
White, both sexes.....	1,802	-	2	1	-	2	5	3	11	13	32	35
Male.....	622	-	2	1	-	-	1	1	2	6	11	17
Female.....	1,180	-	-	-	-	2	4	2	9	7	21	18
Black, both sexes.....	807	-	-	-	3	5	4	13	11	20	21	19
Male.....	240	-	-	-	2	2	-	2	3	6	3	5
Female.....	567	-	-	-	1	3	4	11	8	14	18	14
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	33	-	-	-	-	1	-	-	-	-	1	1
Male.....	11	-	-	-	-	-	-	-	-	-	-	-
Female.....	22	-	-	-	-	1	-	-	-	-	1	1
Alabama												
All races, both sexes.....	65	-	-	-	-	1	1	-	3	2	-	4
Male.....	18	-	-	-	-	-	-	-	-	1	-	1
Female.....	47	-	-	-	-	1	1	-	3	1	-	3
White, both sexes.....	26	-	-	-	-	-	-	-	1	1	-	2
Male.....	7	-	-	-	-	-	-	-	-	1	-	1
Female.....	19	-	-	-	-	-	-	-	1	-	-	1
Black, both sexes.....	38	-	-	-	-	-	1	-	2	1	-	2
Male.....	11	-	-	-	-	-	-	-	-	-	-	-
Female.....	27	-	-	-	-	-	1	-	2	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
Arkansas												
All races, both sexes.....	3	1	-	-	1	1	8	4	5	2	1	-
Male.....	-	-	-	-	1	-	3	-	2	-	-	-
Female.....	3	1	-	-	-	1	5	4	3	2	1	-
White, both sexes.....	3	1	-	-	-	1	8	3	3	1	1	-
Male.....	-	-	-	-	-	-	3	-	1	-	-	-
Female.....	3	1	-	-	-	1	5	3	2	1	1	-
Black, both sexes.....	-	-	-	-	1	-	-	1	2	1	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	4	7	4	4	11	17	24	18	25	8	3	-
Male.....	1	1	-	1	5	7	10	4	7	2	-	-
Female.....	3	6	4	3	6	10	14	14	18	6	3	-
White, both sexes.....	1	4	-	3	9	14	16	13	20	7	2	-
Male.....	1	1	-	1	4	5	8	2	4	2	-	-
Female.....	-	3	-	2	5	9	8	11	16	5	2	-
Black, both sexes.....	2	3	2	1	1	3	6	3	2	1	-	-
Male.....	-	-	-	-	1	2	1	2	1	-	-	-
Female.....	2	3	2	1	-	1	5	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	-	1	-	2	2	3	-	1	-
Male.....	-	-	-	-	-	-	1	-	2	-	-	-
Female.....	1	-	2	-	1	-	1	2	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)

Maine

All races, both sexes.....	-	-	-	1	-	1	1	2	3	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	1	-	1	1	2	2	1	-	-
White, both sexes.....	-	-	-	1	-	1	1	2	3	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	1	-	1	1	2	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	3	2	4	4	10	6	17	14	15	8	2	-
Male.....	2	1	1	1	7	1	5	5	2	1	-	-
Female.....	1	1	3	3	3	5	12	9	13	7	2	-
White, both sexes.....	1	2	1	2	4	3	7	10	7	3	2	-
Male.....	1	1	-	1	4	1	3	5	2	-	-	-
Female.....	-	1	1	1	-	2	4	5	5	3	2	-
Black, both sexes.....	2	-	3	1	6	3	9	4	8	5	-	-
Male.....	1	-	1	-	3	-	2	-	-	1	-	-
Female.....	1	-	2	1	3	3	7	4	8	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)

New Mexico

All races, both sexes.....	-	-	-	-	4	4	3	1	2	2	-	-
Male.....	-	-	-	-	2	2	2	-	1	1	-	-
Female.....	-	-	-	-	2	2	1	1	1	1	-	-
White, both sexes.....	-	-	-	-	4	3	2	1	2	-	-	-
Male.....	-	-	-	-	2	1	1	-	1	-	-	-
Female.....	-	-	-	-	2	2	1	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1	6	4	7	16	25	32	30	15	8	3	-
Male.....	-	3	1	4	8	13	15	11	1	2	-	-
Female.....	1	3	3	3	8	12	17	19	14	6	3	-
White, both sexes.....	1	3	1	4	9	22	24	27	10	5	3	-
Male.....	-	2	1	2	5	10	12	11	1	2	-	-
Female.....	1	1	-	2	4	12	12	16	9	3	3	-
Black, both sexes.....	-	3	3	3	6	3	8	3	5	3	-	-
Male.....	-	1	-	2	3	3	3	-	-	-	-	-
Female.....	-	2	3	1	3	-	5	3	5	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)

Texas

All races, both sexes.....	8	5	5	9	16	23	31	26	23	13	7	-
Male.....	2	1	3	5	9	13	8	10	6	-	-	-
Female.....	6	4	2	4	7	10	23	16	17	13	7	-
White, both sexes.....	7	4	2	8	8	19	21	17	16	7	6	-
Male.....	2	1	-	4	5	12	7	7	4	-	-	-
Female.....	5	3	2	4	3	7	14	10	12	7	6	-
Black, both sexes.....	1	1	3	1	8	4	10	9	7	6	1	-
Male.....	-	-	3	1	4	1	1	3	2	-	-	-
Female.....	1	1	-	-	4	3	9	6	5	6	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	1	-	1	1	-	1	3	2	4	2	-	-
Male.....	-	-	-	1	-	1	2	-	1	-	-	-
Female.....	1	-	1	-	-	-	1	2	3	2	-	-
White, both sexes.....	1	-	1	1	-	1	2	2	4	2	-	-
Male.....	-	-	-	1	-	1	2	-	1	-	-	-
Female.....	1	-	1	-	-	-	-	2	3	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Arkansas

All races, both sexes.....	153	1	-	-	-	1	-	-	3	2	4	6
Male.....	54	1	-	-	-	-	-	-	1	1	1	1
Female.....	99	-	-	-	-	1	-	-	2	1	3	5
White, both sexes.....	128	1	-	-	-	-	-	-	2	-	-	4
Male.....	44	1	-	-	-	-	-	-	1	-	-	1
Female.....	84	-	-	-	-	-	-	-	1	-	-	3
Black, both sexes.....	24	-	-	-	-	1	-	-	1	2	3	2
Male.....	10	-	-	-	-	-	-	-	-	1	1	-
Female.....	14	-	-	-	-	1	-	-	1	1	2	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-

California

All races, both sexes.....	1,314	3	2	3	1	8	15	13	15	36	43	61
Male.....	398	2	-	-	-	2	5	3	4	13	15	22
Female.....	916	1	2	3	1	6	10	10	11	23	28	39
White, both sexes.....	1,086	2	1	2	1	5	7	10	9	23	27	45
Male.....	321	1	-	-	-	1	4	2	2	8	8	20
Female.....	765	1	1	2	1	4	3	8	7	15	19	25
Black, both sexes.....	116	-	-	1	-	1	6	1	6	9	7	11
Male.....	37	-	-	-	-	-	1	-	2	4	2	-
Female.....	79	-	-	1	-	1	5	1	4	5	5	11
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	-	2	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	7	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	102	1	1	-	-	2	2	2	-	4	7	5
Male.....	37	1	-	-	-	1	-	1	-	1	4	2
Female.....	65	-	1	-	-	1	2	1	-	3	3	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Kentucky

All races, both sexes.....	237	-	1	1	-	-	1	1	6	3	5	4
Male.....	69	-	1	-	-	-	1	-	2	2	3	2
Female.....	168	-	-	1	-	-	-	1	4	1	2	2
White, both sexes.....	215	-	1	1	-	-	1	-	2	2	2	3
Male.....	63	-	1	-	-	-	1	-	1	2	2	2
Female.....	152	-	-	1	-	-	-	-	1	-	-	1
Black, both sexes.....	21	-	-	-	-	-	-	1	4	1	3	1
Male.....	5	-	-	-	-	-	-	-	1	-	1	-
Female.....	16	-	-	-	-	-	-	1	3	1	2	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	234	-	-	-	1	1	3	6	1	8	5	12
Male.....	68	-	-	-	1	-	-	2	-	3	1	4
Female.....	166	-	-	-	-	1	3	4	1	5	4	8
White, both sexes.....	153	-	-	-	-	-	-	-	-	4	2	8
Male.....	40	-	-	-	-	-	-	-	-	2	1	3
Female.....	113	-	-	-	-	-	-	-	-	2	1	5
Black, both sexes.....	79	-	-	-	1	1	3	5	1	4	3	4
Male.....	28	-	-	-	1	-	-	2	-	1	-	1
Female.....	51	-	-	-	-	1	3	3	1	3	3	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Maine

All races, both sexes.....	102	-	1	1	-	-	-	1	-	1	2	2
Male.....	23	-	-	-	-	-	-	-	-	-	-	1
Female.....	79	-	1	1	-	-	-	1	-	1	2	1
White, both sexes.....	102	-	1	1	-	-	-	1	-	1	2	2
Male.....	23	-	-	-	-	-	-	-	-	-	-	1
Female.....	79	-	1	1	-	-	-	1	-	1	2	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	309	-	-	1	-	1	1	4	5	10	13	17
Male.....	99	-	-	1	-	-	-	2	3	1	8	2
Female.....	210	-	-	-	-	1	1	2	2	9	5	15
White, both sexes.....	230	-	-	1	-	-	-	2	2	3	10	4
Male.....	79	-	-	1	-	-	-	-	2	-	6	-
Female.....	151	-	-	-	-	-	-	2	-	3	4	4
Black, both sexes.....	72	-	-	-	-	1	1	2	3	6	3	12
Male.....	19	-	-	-	-	-	-	2	1	1	2	2
Female.....	53	-	-	-	-	1	1	-	2	5	1	10
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

New Hampshire

All races, both sexes.....	56	-	-	1	-	-	-	-	-	-	-	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	47	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	56	-	-	1	-	-	-	-	-	-	-	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	47	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	358	-	-	-	-	1	4	3	7	4	9	15
Male.....	104	-	-	-	-	1	1	-	3	-	4	5
Female.....	254	-	-	-	-	-	3	3	4	4	5	10
White, both sexes.....	301	-	-	-	-	-	-	2	1	4	8	9
Male.....	87	-	-	-	-	-	-	-	1	-	4	3
Female.....	214	-	-	-	-	-	-	2	-	4	4	6
Black, both sexes.....	53	-	-	-	-	1	3	1	6	-	1	6
Male.....	16	-	-	-	-	1	1	-	2	-	-	2
Female.....	37	-	-	-	-	-	2	1	4	-	1	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

New Mexico

All races, both sexes.....	137	-	-	-	1	-	1	1	1	1	6	2
Male.....	49	-	-	-	-	-	-	-	-	1	5	2
Female.....	88	-	-	-	1	-	1	1	1	-	1	-
White, both sexes.....	124	-	-	-	1	-	1	1	-	1	6	2
Male.....	44	-	-	-	-	-	-	-	-	1	5	2
Female.....	80	-	-	-	1	-	1	1	-	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-

New York

All races, both sexes.....	656	2	1	-	-	7	10	7	6	20	25	27
Male.....	206	2	1	-	-	3	-	2	4	3	9	12
Female.....	450	-	-	-	-	4	10	5	2	17	16	15
White, both sexes.....	540	2	1	-	-	4	5	2	2	11	17	17
Male.....	167	2	1	-	-	1	-	1	1	3	6	7
Female.....	373	-	-	-	-	3	5	1	1	8	11	10
Black, both sexes.....	104	-	-	-	-	2	4	4	4	8	8	8
Male.....	33	-	-	-	-	2	-	1	3	-	3	3
Female.....	71	-	-	-	-	-	4	3	1	8	5	5
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	1	1	1	-	1	-	2
Male.....	5	-	-	-	-	-	-	-	-	-	-	2
Female.....	6	-	-	-	-	1	1	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Texas

All races, both sexes.....	944	2	2	-	3	6	8	8	14	19	35	41
Male.....	255	2	2	-	1	1	1	2	2	9	7	12
Female.....	689	-	-	-	2	5	7	6	12	10	28	29
White, both sexes.....	808	-	2	-	2	4	2	2	8	9	24	30
Male.....	214	-	2	-	-	-	-	2	1	5	5	6
Female.....	594	-	-	-	2	4	2	-	7	4	19	24
Black, both sexes.....	126	2	-	-	1	1	6	6	5	10	11	11
Male.....	36	2	-	-	1	-	1	-	1	4	2	6
Female.....	90	-	-	-	-	1	5	6	4	6	9	5
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	1	-	-	1	-	-	-
Male.....	5	-	-	-	-	1	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	1	-	-	-

Utah

All races, both sexes.....	148	-	-	-	-	1	1	-	4	1	1	4
Male.....	39	-	-	-	-	-	-	-	-	-	1	1
Female.....	109	-	-	-	-	1	1	-	4	1	-	3
White, both sexes.....	143	-	-	-	-	1	1	-	1	1	1	4
Male.....	39	-	-	-	-	-	-	-	-	-	1	1
Female.....	104	-	-	-	-	1	1	-	1	1	-	3
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Arkansas

All races, both sexes.....	6	11	5	13	14	18	27	23	12	6	1	-
Male.....	2	4	1	7	7	7	9	6	4	2	-	-
Female.....	4	7	4	6	7	11	18	17	8	4	1	-
White, both sexes.....	5	11	5	9	12	17	26	21	9	6	-	-
Male.....	2	4	1	4	6	6	8	6	2	2	-	-
Female.....	3	7	4	5	6	11	18	15	7	4	-	-
Black, both sexes.....	1	-	-	4	2	1	1	2	3	-	1	-
Male.....	-	-	-	3	1	1	1	-	2	-	-	-
Female.....	1	-	-	1	1	-	-	2	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	44	72	92	107	118	157	178	155	136	45	10	-
Male.....	19	21	29	33	39	52	53	43	31	10	2	-
Female.....	25	51	63	74	79	105	125	112	105	35	8	-
White, both sexes.....	33	52	78	91	98	133	155	135	127	43	9	-
Male.....	13	12	25	30	32	46	40	38	28	9	2	-
Female.....	20	40	53	61	66	87	115	97	99	34	7	-
Black, both sexes.....	9	12	6	9	6	12	9	8	3	-	-	-
Male.....	5	7	2	-	4	2	5	2	1	-	-	-
Female.....	4	5	4	9	2	10	4	6	2	-	-	-
American Indian 1/, both sexes.....	1	1	-	2	2	-	-	-	1	1	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	2	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	7	8	5	12	12	14	12	5	1	1	-
Male.....	-	2	2	2	3	4	8	3	2	1	-	-
Female.....	1	5	6	3	9	8	6	9	3	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Florida

All races, both sexes.....	23	38	35	54	93	127	118	116	67	27	6	-
Male.....	8	14	15	23	25	23	42	25	10	5	-	-
Female.....	15	24	20	31	68	104	76	91	57	22	6	-
White, both sexes.....	15	30	27	52	82	119	110	111	63	26	6	-
Male.....	8	12	12	22	22	22	39	22	8	5	-	-
Female.....	7	18	15	30	60	97	71	89	55	21	6	-
Black, both sexes.....	7	7	8	2	11	7	8	5	4	1	-	-
Male.....	-	2	3	1	3	1	3	3	2	-	-	-
Female.....	7	5	5	1	8	6	5	2	2	1	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Georgia

All races, both sexes.....	22	26	33	32	32	40	40	41	22	10	2	-
Male.....	12	10	13	7	15	12	11	12	3	-	1	-
Female.....	10	16	20	25	17	28	29	29	19	10	1	-
White, both sexes.....	9	16	20	18	28	30	33	35	18	10	2	-
Male.....	6	7	8	3	14	11	8	8	2	-	1	-
Female.....	3	9	12	15	14	19	25	27	16	10	1	-
Black, both sexes.....	13	10	13	14	3	10	7	6	4	-	-	-
Male.....	6	3	5	4	1	1	3	4	1	-	-	-
Female.....	7	7	8	10	2	9	4	2	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Iowa

All races, both sexes.....	4	5	4	11	16	22	30	36	30	10	6	-
Male.....	3	3	2	1	4	8	8	11	5	2	1	-
Female.....	1	2	2	10	12	14	22	25	25	8	5	-
White, both sexes.....	4	5	4	11	16	22	30	36	30	10	6	-
Male.....	3	3	2	1	4	8	8	11	5	2	1	-
Female.....	1	2	2	10	12	14	22	25	25	8	5	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	5	6	8	10	17	28	30	32	22	10	4	-
Male.....	2	3	2	2	4	9	9	6	9	4	-	-
Female.....	3	3	6	8	13	19	21	26	13	6	4	-
White, both sexes.....	5	6	6	10	16	26	27	31	21	10	3	-
Male.....	2	3	2	2	3	9	8	5	9	4	-	-
Female.....	3	3	4	8	13	17	19	26	12	6	3	-
Black, both sexes.....	-	-	1	-	1	1	3	1	1	-	1	-
Male.....	-	-	-	-	1	-	1	1	-	-	-	-
Female.....	-	-	1	-	-	1	2	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Kentucky

All races, both sexes.....	10	11	17	20	23	31	30	45	19	5	4	-
Male.....	3	3	8	6	13	8	6	8	2	1	-	-
Female.....	7	8	9	14	10	23	24	37	17	4	4	-
White, both sexes.....	7	10	17	19	23	29	28	45	17	5	3	-
Male.....	2	2	8	5	13	7	6	8	2	1	-	-
Female.....	5	8	9	14	10	22	22	37	15	4	3	-
Black, both sexes.....	2	1	-	1	-	2	2	-	2	-	1	-
Male.....	-	1	-	1	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	2	-	2	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	14	12	14	19	21	29	30	26	20	11	1	-
Male.....	5	4	4	10	10	8	7	7	1	1	-	-
Female.....	9	8	10	9	11	21	23	19	19	10	1	-
White, both sexes.....	8	6	8	8	12	26	22	19	20	10	-	-
Male.....	2	2	3	5	5	8	3	4	1	1	-	-
Female.....	6	4	5	3	7	18	19	15	19	9	-	-
Black, both sexes.....	6	6	6	11	8	3	8	7	-	1	1	-
Male.....	3	2	1	5	5	-	4	3	-	-	-	-
Female.....	3	4	5	6	3	3	4	4	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Maine

All races, both sexes.....	3	4	3	7	14	9	14	20	12	6	2	-
Male.....	1	2	2	3	2	3	4	2	2	1	-	-
Female.....	2	2	1	4	12	6	10	18	10	5	2	-
White, both sexes.....	3	4	3	7	14	9	14	20	12	6	2	-
Male.....	1	2	2	3	2	3	4	2	2	1	-	-
Female.....	2	2	1	4	12	6	10	18	10	5	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	15	10	21	17	23	41	47	41	33	8	1	-
Male.....	7	2	8	8	9	16	15	10	7	-	-	-
Female.....	8	8	13	9	14	25	32	31	26	8	1	-
White, both sexes.....	9	4	14	16	19	34	40	34	30	7	1	-
Male.....	6	1	6	8	7	14	13	8	7	-	-	-
Female.....	3	3	8	8	12	20	27	26	23	7	1	-
Black, both sexes.....	5	6	6	1	4	6	6	6	3	1	-	-
Male.....	1	1	2	-	2	2	1	2	-	-	-	-
Female.....	4	5	4	1	2	4	5	4	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Nebraska

All races, both sexes.....	4	3	1	3	10	12	20	22	24	15	1	-
Male.....	2	1	-	2	2	8	6	4	7	4	-	-
Female.....	2	2	1	1	8	4	14	18	17	11	1	-
White, both sexes.....	3	3	1	2	10	12	20	22	24	15	1	-
Male.....	2	1	-	1	2	8	6	4	7	4	-	-
Female.....	1	2	1	1	8	4	14	18	17	11	1	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	2	2	4	7	12	11	6	8	3	3	-	-
Male.....	1	1	-	1	3	4	4	5	-	-	-	-
Female.....	1	1	4	6	9	7	2	3	3	3	-	-
White, both sexes.....	1	2	3	6	9	10	6	8	3	2	-	-
Male.....	1	1	-	-	1	4	4	5	-	-	-	-
Female.....	-	1	3	6	8	6	2	3	3	2	-	-
Black, both sexes.....	1	-	1	1	2	-	-	-	-	1	-	-
Male.....	-	-	-	1	2	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

New Hampshire

All races, both sexes.....	4	-	2	4	3	7	11	10	9	4	1	-
Male.....	-	-	-	2	1	-	2	3	-	1	-	-
Female.....	4	-	2	2	2	7	9	7	9	3	1	-
White, both sexes.....	4	-	2	4	3	7	11	10	9	4	1	-
Male.....	-	-	-	2	1	-	2	3	-	1	-	-
Female.....	4	-	2	2	2	7	9	7	9	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	12	16	17	18	37	44	62	48	49	8	4	-
Male.....	2	5	6	7	14	15	21	13	5	1	1	-
Female.....	10	11	11	11	23	29	41	35	44	7	3	-
White, both sexes.....	8	13	12	16	32	39	55	47	44	7	4	-
Male.....	1	5	4	7	12	13	19	13	4	-	1	-
Female.....	7	8	8	9	20	26	36	34	40	7	3	-
Black, both sexes.....	4	3	5	1	5	4	7	1	5	-	-	-
Male.....	1	-	2	-	2	2	2	-	1	-	-	-
Female.....	3	3	3	1	3	2	5	1	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

New Mexico

All races, both sexes.....	5	7	9	13	9	18	20	23	14	6	-	-
Male.....	2	3	3	5	4	7	7	4	6	-	-	-
Female.....	3	4	6	8	5	11	13	19	8	6	-	-
White, both sexes.....	5	5	8	10	9	16	20	21	13	5	-	-
Male.....	2	3	2	4	4	5	7	4	5	-	-	-
Female.....	3	2	6	6	5	11	13	17	8	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	1	1	3	-	2	-	2	1	-	-	-
Male.....	-	-	1	1	-	2	-	-	1	-	-	-
Female.....	-	1	-	2	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	30	32	39	48	61	77	86	94	59	16	9	-
Male.....	7	8	21	18	31	26	26	19	12	2	-	-
Female.....	23	24	18	30	30	51	60	75	47	14	9	-
White, both sexes.....	23	19	32	38	54	69	77	86	56	16	9	-
Male.....	6	6	16	15	27	22	24	16	11	2	-	-
Female.....	17	13	16	23	27	47	53	70	45	14	9	-
Black, both sexes.....	7	12	7	9	5	6	9	8	3	-	-	-
Male.....	1	2	5	2	2	3	2	3	1	-	-	-
Female.....	6	10	2	7	3	3	7	5	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	2	2	-	-	-	-	-	-
Male.....	-	-	-	-	2	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Texas

All races, both sexes.....	52	42	69	66	106	122	120	116	73	31	9	-
Male.....	12	13	22	21	34	35	34	29	11	4	1	-
Female.....	40	29	47	45	72	87	86	87	62	27	8	-
White, both sexes.....	41	35	60	54	96	112	110	107	70	31	9	-
Male.....	11	11	20	16	28	32	31	28	11	4	1	-
Female.....	30	24	40	38	68	80	79	79	59	27	8	-
Black, both sexes.....	10	6	9	9	10	10	8	8	3	-	-	-
Male.....	1	2	2	3	6	3	2	-	-	-	-	-
Female.....	9	4	7	6	4	7	6	8	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	3	-	-	1	1	-	-	-	-
Male.....	-	-	-	2	-	-	1	1	-	-	-	-
Female.....	1	1	-	1	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	5	2	8	8	13	19	20	33	21	5	2	-
Male.....	1	-	4	4	3	4	6	11	3	1	-	-
Female.....	4	2	4	4	10	15	14	22	18	4	2	-
White, both sexes.....	5	2	8	8	12	18	20	33	21	5	2	-
Male.....	1	-	4	4	3	4	6	11	3	1	-	-
Female.....	4	2	4	4	9	14	14	22	18	4	2	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Vermont

All races, both sexes.....	1	1	1	-	6	6	4	7	3	3	-	-
Male.....	1	-	1	-	1	3	1	1	-	1	-	-
Female.....	-	1	-	-	5	3	3	6	3	2	-	-
White, both sexes.....	1	1	1	-	6	6	4	7	3	3	-	-
Male.....	1	-	1	-	1	3	1	1	-	1	-	-
Female.....	-	1	-	-	5	3	3	6	3	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	21	12	17	23	27	55	64	54	30	11	8	-
Male.....	8	5	8	6	6	17	17	11	1	1	1	-
Female.....	13	7	9	17	21	38	47	43	29	10	7	-
White, both sexes.....	12	8	12	22	21	45	55	47	29	10	7	-
Male.....	7	3	5	6	5	16	13	9	1	1	1	-
Female.....	5	5	7	16	16	29	42	38	28	9	6	-
Black, both sexes.....	7	4	5	1	5	10	7	6	1	1	1	-
Male.....	1	2	3	-	1	1	3	2	-	-	-	-
Female.....	6	2	2	1	4	9	4	4	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	1	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
New Mexico												
All races, both sexes.....	39	-	-	-	-	-	-	-	-	-	-	-
Male.....	14	-	-	-	-	-	-	-	-	-	-	-
Female.....	25	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	33	-	-	-	-	-	-	-	-	-	-	-
Male.....	12	-	-	-	-	-	-	-	-	-	-	-
Female.....	21	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	97	-	-	-	-	-	-	1	-	-	1	1
Male.....	21	-	-	-	-	-	-	-	-	-	1	-
Female.....	76	-	-	-	-	-	-	1	-	-	-	1
White, both sexes.....	89	-	-	-	-	-	-	-	-	-	-	1
Male.....	19	-	-	-	-	-	-	-	-	-	-	-
Female.....	70	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	6	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)

Arkansas

All races, both sexes.....	-	3	2	1	6	8	7	8	-	-	-	-
Male.....	-	1	-	-	3	3	2	1	-	-	-	-
Female.....	-	2	2	1	3	5	5	7	-	-	-	-
White, both sexes.....	-	3	2	1	6	8	7	7	-	-	-	-
Male.....	-	1	-	-	3	3	2	1	-	-	-	-
Female.....	-	2	2	1	3	5	5	6	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4	12	22	28	28	38	48	31	14	3	-	-
Male.....	3	6	6	7	8	9	11	5	1	1	-	-
Female.....	1	6	16	21	20	29	37	26	13	2	-	-
White, both sexes.....	3	7	17	27	27	33	41	25	14	3	-	-
Male.....	2	2	5	7	8	8	7	4	1	1	-	-
Female.....	1	5	12	20	19	25	34	21	13	2	-	-
Black, both sexes.....	-	3	2	1	-	1	2	2	-	-	-	-
Male.....	-	3	1	-	-	-	2	-	-	-	-	-
Female.....	-	-	1	1	-	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	3	-	-	4	5	4	-	-	-	-
Male.....	-	1	-	-	-	1	2	1	-	-	-	-
Female.....	-	1	3	-	-	3	3	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)

Iowa

All races, both sexes.....	1	-	-	1	7	6	5	11	6	1	-	-
Male.....	-	-	-	-	1	3	-	3	1	-	-	-
Female.....	1	-	-	1	6	3	5	8	5	1	-	-
White, both sexes.....	1	-	-	1	7	6	5	11	6	1	-	-
Male.....	-	-	-	-	1	3	-	3	1	-	-	-
Female.....	1	-	-	1	6	3	5	8	5	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	1	3	5	5	5	8	11	4	4	-	-	-
Male.....	-	1	2	2	2	2	3	-	1	-	-	-
Female.....	1	2	3	3	3	6	8	4	3	-	-	-
White, both sexes.....	1	3	4	5	5	7	9	4	4	-	-	-
Male.....	-	1	2	2	2	2	2	-	1	-	-	-
Female.....	1	2	2	3	3	5	7	4	3	-	-	-
Black, both sexes.....	-	-	1	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)

New Mexico

All races, both sexes.....	-	3	2	6	4	7	4	8	4	1	-	-
Male.....	-	1	1	2	2	2	1	2	3	-	-	-
Female.....	-	2	1	4	2	5	3	6	1	1	-	-
White, both sexes.....	-	1	2	3	4	7	4	8	3	1	-	-
Male.....	-	1	1	1	2	2	1	2	2	-	-	-
Female.....	-	-	1	2	2	5	3	6	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	3	-	-	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	1	-	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	2	3	3	6	10	23	16	20	8	-	3	-
Male.....	-	1	1	1	6	5	1	3	2	-	-	-
Female.....	2	2	2	5	4	18	15	17	6	-	3	-
White, both sexes.....	2	3	3	5	10	21	15	19	7	-	3	-
Male.....	-	1	1	-	6	5	1	3	2	-	-	-
Female.....	2	2	2	5	4	16	14	16	5	-	3	-
Black, both sexes.....	-	-	-	1	-	1	1	1	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)

Vermont

All races, both sexes.....	-	-	-	-	1	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	1	-	-
White, both sexes.....	-	-	-	-	1	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	1	-	3	8	7	20	15	11	3	2	1	-
Male.....	1	-	2	1	2	4	-	2	1	-	-	-
Female.....	-	-	1	7	5	16	15	9	2	2	1	-
White, both sexes.....	1	-	3	7	4	16	14	9	3	2	-	-
Male.....	1	-	2	1	1	4	-	2	1	-	-	-
Female.....	-	-	1	6	3	12	14	7	2	2	-	-
Black, both sexes.....	-	-	-	1	3	4	1	1	-	-	1	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	2	4	1	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Systemic lupus erythematosus (M32)												
Arkansas												
All races, both sexes.....	21	-	-	-	-	1	-	-	2	1	3	3
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	19	-	-	-	-	1	-	-	2	1	3	3
White, both sexes.....	12	-	-	-	-	-	-	-	1	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	1	-	-	1
Black, both sexes.....	8	-	-	-	-	1	-	-	1	1	2	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	1	-	-	1	1	2	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
California												
All races, both sexes.....	152	-	-	-	1	4	10	9	7	16	14	11
Male.....	27	-	-	-	-	1	3	2	1	4	3	1
Female.....	125	-	-	-	1	3	7	7	6	12	11	10
White, both sexes.....	90	-	-	-	1	1	4	6	3	8	6	5
Male.....	16	-	-	-	-	-	2	1	-	2	-	1
Female.....	74	-	-	-	1	1	2	5	3	6	6	4
Black, both sexes.....	39	-	-	-	-	1	4	1	4	4	5	4
Male.....	5	-	-	-	-	-	1	-	1	1	1	-
Female.....	34	-	-	-	-	1	3	1	3	3	4	4
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	21	-	-	-	-	2	2	2	-	4	2	2
Male.....	6	-	-	-	-	1	-	1	-	1	2	-
Female.....	15	-	-	-	-	1	2	1	-	3	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Systemic lupus erythematosus (M32)												
Kentucky												
All races, both sexes.....	13	-	-	-	-	-	-	1	3	1	2	2
Male.....	5	-	-	-	-	-	-	-	1	-	-	2
Female.....	8	-	-	-	-	-	-	1	2	1	2	-
White, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	2
Male.....	4	-	-	-	-	-	-	-	-	-	-	2
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	7	-	-	-	-	-	-	1	3	1	2	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	6	-	-	-	-	-	-	1	2	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	28	-	-	-	-	1	1	3	-	3	1	5
Male.....	3	-	-	-	-	-	-	1	-	1	-	-
Female.....	25	-	-	-	-	1	1	2	-	2	1	5
White, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes.....	19	-	-	-	-	1	1	2	-	3	1	3
Male.....	2	-	-	-	-	-	-	1	-	1	-	-
Female.....	17	-	-	-	-	1	1	1	-	2	1	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Systemic lupus erythematosus (M32)												
Maine												
All races, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	33	-	-	-	-	-	-	-	1	4	2	7
Male.....	3	-	-	-	-	-	-	-	1	-	1	-
Female.....	30	-	-	-	-	-	-	-	-	4	1	7
White, both sexes.....	14	-	-	-	-	-	-	-	-	-	2	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	12	-	-	-	-	-	-	-	-	-	1	1
Black, both sexes.....	18	-	-	-	-	-	-	-	1	3	-	6
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	17	-	-	-	-	-	-	-	-	3	-	6
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Systemic lupus erythematosus (M32)												
New Hampshire												
All races, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	44	-	-	-	-	-	4	2	3	4	3	7
Male.....	11	-	-	-	-	-	1	-	2	-	1	1
Female.....	33	-	-	-	-	-	3	2	1	4	2	6
White, both sexes.....	28	-	-	-	-	-	-	1	1	4	2	6
Male.....	9	-	-	-	-	-	-	-	1	-	1	1
Female.....	19	-	-	-	-	-	-	1	-	4	1	5
Black, both sexes.....	15	-	-	-	-	-	3	1	2	-	1	1
Male.....	2	-	-	-	-	-	1	-	1	-	-	-
Female.....	13	-	-	-	-	-	2	1	1	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Systemic lupus erythematosus (M32)												
New Mexico												
All races, both sexes.....	7	-	-	-	-	-	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	1	-	1	-	-	-
White, both sexes.....	6	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
New York												
All races, both sexes.....	69	-	-	-	-	2	8	2	2	11	7	9
Male.....	6	-	-	-	-	1	-	-	-	-	1	2
Female.....	63	-	-	-	-	1	8	2	2	11	6	7
White, both sexes.....	41	-	-	-	-	1	4	-	1	6	5	5
Male.....	4	-	-	-	-	-	-	-	-	-	1	1
Female.....	37	-	-	-	-	1	4	-	1	6	4	4
Black, both sexes.....	25	-	-	-	-	1	3	2	1	5	2	3
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	24	-	-	-	-	-	3	2	1	5	2	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Systemic lupus erythematosus (M32)												
Texas												
All races, both sexes.....	128	-	-	-	2	3	6	3	5	6	17	13
Male.....	13	-	-	-	1	-	1	-	-	-	-	1
Female.....	115	-	-	-	1	3	5	3	5	6	17	12
White, both sexes.....	87	-	-	-	1	3	1	-	2	2	11	11
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	78	-	-	-	1	3	1	-	2	2	11	11
Black, both sexes.....	41	-	-	-	1	-	5	3	3	4	6	2
Male.....	4	-	-	-	1	-	1	-	-	-	-	1
Female.....	37	-	-	-	-	-	4	3	3	4	6	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Utah												
All races, both sexes.....	13	-	-	-	-	-	-	-	3	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	-	-	3	1	-	1
White, both sexes.....	11	-	-	-	-	-	-	-	1	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	1	1	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Systemic lupus erythematosus (M32)												
Arkansas												
All races, both sexes.....	1	1	1	1	1	1	2	-	3	-	-	-
Male.....	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	1	1	1	1	2	-	2	-	-	-
White, both sexes.....	1	1	1	1	-	1	2	-	3	-	-	-
Male.....	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	1	1	-	1	2	-	2	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	7	15	14	12	12	12	3	3	2	-	-	-
Male.....	1	1	2	2	2	3	1	-	-	-	-	-
Female.....	6	14	12	10	10	9	2	3	2	-	-	-
White, both sexes.....	5	11	11	5	9	10	1	2	2	-	-	-
Male.....	1	1	2	2	1	3	-	-	-	-	-	-
Female.....	4	10	9	3	8	7	1	2	2	-	-	-
Black, both sexes.....	1	3	2	6	1	2	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	3	2	6	-	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	1	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	1	1	1	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
New Mexico												
All races, both sexes.....	45	-	-	-	1	-	-	-	-	-	4	-
Male.....	15	-	-	-	-	-	-	-	-	-	3	-
Female.....	30	-	-	-	1	-	-	-	-	-	1	-
White, both sexes.....	43	-	-	-	1	-	-	-	-	-	4	-
Male.....	15	-	-	-	-	-	-	-	-	-	3	-
Female.....	28	-	-	-	1	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	228	-	-	-	-	3	1	4	2	7	12	10
Male.....	66	-	-	-	-	1	-	2	2	1	3	5
Female.....	162	-	-	-	-	2	1	2	-	6	9	5
White, both sexes.....	184	-	-	-	-	2	1	2	-	3	8	8
Male.....	52	-	-	-	-	1	-	1	-	1	1	4
Female.....	132	-	-	-	-	1	1	1	-	2	7	4
Black, both sexes.....	39	-	-	-	-	-	-	2	2	3	4	2
Male.....	11	-	-	-	-	-	-	1	2	-	2	1
Female.....	28	-	-	-	-	-	-	1	-	3	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	1	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
Arkansas												
All races, both sexes.....	4	4	2	5	6	3	5	1	2	1	1	-
Male.....	1	1	1	2	3	2	2	-	-	-	-	-
Female.....	3	3	1	3	3	1	3	1	2	1	1	-
White, both sexes.....	3	4	2	3	6	3	5	1	1	1	-	-
Male.....	1	1	1	1	3	2	2	-	-	-	-	-
Female.....	2	3	1	2	3	1	3	1	1	1	-	-
Black, both sexes.....	1	-	-	2	-	-	-	-	1	-	1	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	15	25	40	35	42	51	47	47	40	12	3	-
Male.....	4	6	14	6	10	21	13	14	10	3	-	-
Female.....	11	19	26	29	32	30	34	33	30	9	3	-
White, both sexes.....	13	18	37	29	34	44	40	40	37	10	3	-
Male.....	3	3	12	5	8	19	10	12	7	2	-	-
Female.....	10	15	25	24	26	25	30	28	30	8	3	-
Black, both sexes.....	2	3	-	2	2	4	2	3	1	-	-	-
Male.....	1	2	-	-	1	1	1	1	1	-	-	-
Female.....	1	1	-	2	1	3	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	2	-	-	-	-	-	1	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	3	2	6	3	5	4	2	1	-	-
Male.....	-	1	2	-	1	1	2	1	2	1	-	-
Female.....	-	2	1	2	5	2	3	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

Florida

All races, both sexes.....	12	16	12	24	40	46	37	26	16	3	2	-
Male.....	6	6	4	7	10	11	14	4	4	-	-	-
Female.....	6	10	8	17	30	35	23	22	12	3	2	-
White, both sexes.....	10	14	10	23	36	45	37	26	14	3	2	-
Male.....	6	6	3	6	9	10	14	4	3	-	-	-
Female.....	4	8	7	17	27	35	23	22	11	3	2	-
Black, both sexes.....	2	2	2	1	4	1	-	-	2	-	-	-
Male.....	-	-	1	1	1	1	-	-	1	-	-	-
Female.....	2	2	1	-	3	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	8	10	11	11	10	16	7	10	8	4	2	-
Male.....	4	5	4	3	4	4	3	4	1	-	1	-
Female.....	4	5	7	8	6	12	4	6	7	4	1	-
White, both sexes.....	3	7	7	6	7	11	5	9	5	4	2	-
Male.....	2	3	2	2	3	4	3	4	1	-	1	-
Female.....	1	4	5	4	4	7	2	5	4	4	1	-
Black, both sexes.....	5	3	4	5	2	5	2	1	3	-	-	-
Male.....	2	2	2	1	1	-	-	-	-	-	-	-
Female.....	3	1	2	4	1	5	2	1	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

Nebraska

All races, both sexes.....	2	3	-	-	4	4	10	7	4	9	-	-
Male.....	-	1	-	-	1	3	5	-	-	2	-	-
Female.....	2	2	-	-	3	1	5	7	4	7	-	-
White, both sexes.....	1	3	-	-	4	4	10	7	4	9	-	-
Male.....	-	1	-	-	1	3	5	-	-	2	-	-
Female.....	1	2	-	-	3	1	5	7	4	7	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	1	-	1	4	7	1	2	5	1	-	-	-
Male.....	-	-	-	-	2	-	1	4	-	-	-	-
Female.....	1	-	1	4	5	1	1	1	1	-	-	-
White, both sexes.....	-	-	-	4	4	1	2	5	1	-	-	-
Male.....	-	-	-	-	-	-	1	4	-	-	-	-
Female.....	-	-	-	4	4	1	1	1	1	-	-	-
Black, both sexes.....	1	-	1	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

New Hampshire

All races, both sexes.....	2	-	1	3	-	3	2	2	-	-	1	-
Male.....	-	-	-	2	-	-	1	1	-	-	-	-
Female.....	2	-	1	1	-	3	1	1	-	-	1	-
White, both sexes.....	2	-	1	3	-	3	2	2	-	-	1	-
Male.....	-	-	-	2	-	-	1	1	-	-	-	-
Female.....	2	-	1	1	-	3	1	1	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	9	7	8	11	15	15	17	9	16	3	2	-
Male.....	1	2	4	3	6	4	4	3	4	-	-	-
Female.....	8	5	4	8	9	11	13	6	12	3	2	-
White, both sexes.....	5	6	5	10	15	13	15	9	15	3	2	-
Male.....	-	2	2	3	6	4	4	3	4	-	-	-
Female.....	5	4	3	7	9	9	11	6	11	3	2	-
Black, both sexes.....	4	1	3	-	-	1	2	-	1	-	-	-
Male.....	1	-	2	-	-	-	-	-	-	-	-	-
Female.....	3	1	1	-	-	1	2	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

Texas

All races, both sexes.....	23	16	27	18	33	48	43	29	21	9	2	-
Male.....	5	5	7	5	9	15	11	6	4	1	-	-
Female.....	18	11	20	13	24	33	32	23	17	8	2	-
White, both sexes.....	20	12	22	15	30	45	41	27	21	9	2	-
Male.....	5	4	5	4	7	15	10	6	4	1	-	-
Female.....	15	8	17	11	23	30	31	21	17	8	2	-
Black, both sexes.....	2	4	5	2	3	3	-	2	-	-	-	-
Male.....	-	1	2	1	2	-	-	-	-	-	-	-
Female.....	2	3	3	1	1	3	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	2	1	2	1	1	6	3	8	4	1	1	-
Male.....	-	-	2	-	-	-	1	3	-	1	-	-
Female.....	2	1	-	1	1	6	2	5	4	-	1	-
White, both sexes.....	2	1	2	1	-	5	3	8	4	1	1	-
Male.....	-	-	2	-	-	-	1	3	-	1	-	-
Female.....	2	1	-	1	-	5	2	5	4	-	1	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

Vermont

All races, both sexes.....	-	-	-	-	3	1	2	3	-	2	-	-
Male.....	-	-	-	-	1	1	1	-	-	1	-	-
Female.....	-	-	-	-	2	-	1	3	-	1	-	-
White, both sexes.....	-	-	-	-	3	1	2	3	-	2	-	-
Male.....	-	-	-	-	1	1	1	-	-	1	-	-
Female.....	-	-	-	-	2	-	1	3	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	13	6	8	8	10	13	24	18	5	4	3	-
Male.....	5	2	2	1	-	4	10	3	-	-	1	-
Female.....	8	4	6	7	10	9	14	15	5	4	2	-
White, both sexes.....	7	4	5	8	9	10	20	14	5	3	3	-
Male.....	4	1	-	1	-	3	7	1	-	-	1	-
Female.....	3	3	5	7	9	7	13	13	5	3	2	-
Black, both sexes.....	4	2	3	-	1	3	2	4	-	1	-	-
Male.....	1	1	2	-	-	1	2	2	-	-	-	-
Female.....	3	1	1	-	1	2	-	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Dorsopathies (M40-M54)												
Arkansas												
All races, both sexes.....	-	1	-	-	-	2	3	6	-	-	-	-
Male.....	-	-	-	-	-	-	1	2	-	-	-	-
Female.....	-	1	-	-	-	2	2	4	-	-	-	-
White, both sexes.....	-	1	-	-	-	2	3	6	-	-	-	-
Male.....	-	-	-	-	-	-	1	2	-	-	-	-
Female.....	-	1	-	-	-	2	2	4	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	2	6	6	9	10	8	13	13	8	-	-	-
Male.....	1	2	3	3	2	7	8	5	2	-	-	-
Female.....	1	4	3	6	8	1	5	8	6	-	-	-
White, both sexes.....	2	4	5	9	6	6	12	13	8	-	-	-
Male.....	1	1	2	3	1	5	7	5	2	-	-	-
Female.....	1	3	3	6	5	1	5	8	6	-	-	-
Black, both sexes.....	-	1	1	-	1	1	-	-	-	-	-	-
Male.....	-	1	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	3	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	1	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Soft tissue disorders (M60-M79)												
Arkansas												
All races, both sexes.....	1	1	-	3	1	2	4	1	2	1	-	-
Male.....	1	-	-	2	1	2	3	1	2	1	-	-
Female.....	-	1	-	1	-	-	1	-	-	-	-	-
White, both sexes.....	1	1	-	1	-	1	3	1	-	1	-	-
Male.....	1	-	-	-	-	1	2	1	-	1	-	-
Female.....	-	1	-	1	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	2	1	1	1	-	2	-	-	-
Male.....	-	-	-	2	1	1	1	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	10	10	4	5	12	23	19	9	12	3	1	-
Male.....	5	6	2	3	9	5	9	4	5	1	1	-
Female.....	5	4	2	2	3	18	10	5	7	2	-	-
White, both sexes.....	7	9	3	5	9	18	18	8	11	3	1	-
Male.....	4	5	2	3	7	4	8	4	5	1	1	-
Female.....	3	4	1	2	2	14	10	4	6	2	-	-
Black, both sexes.....	3	1	-	-	1	3	-	1	-	-	-	-
Male.....	1	1	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	3	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	2	1	-	1	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)												
Arkansas												
All races, both sexes.....	-	1	-	3	-	2	6	7	5	4	-	-
Male.....	-	1	-	3	-	-	1	2	1	1	-	-
Female.....	-	-	-	-	-	2	5	5	4	3	-	-
White, both sexes.....	-	1	-	3	-	2	6	6	5	4	-	-
Male.....	-	1	-	3	-	-	1	2	1	1	-	-
Female.....	-	-	-	-	-	2	5	4	4	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	6	4	6	18	14	25	48	52	60	27	6	-
Male.....	5	-	2	12	8	7	11	15	13	5	1	-
Female.....	1	4	4	6	6	18	37	37	47	22	5	-
White, both sexes.....	3	3	5	16	13	22	43	47	55	27	5	-
Male.....	2	-	2	10	7	7	8	13	13	5	1	-
Female.....	1	3	3	6	6	15	35	34	42	22	4	-
Black, both sexes.....	3	1	1	-	1	1	4	2	2	-	-	-
Male.....	3	-	-	-	1	-	2	1	-	-	-	-
Female.....	-	1	1	-	-	1	2	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	2	1	3	2	-	1	-
Male.....	-	-	-	2	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	2	-	2	2	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)

Kentucky

All races, both sexes.....	2	1	1	-	3	6	5	17	9	2	2	-
Male.....	1	-	-	-	1	3	-	5	-	-	-	-
Female.....	1	1	1	-	2	3	5	12	9	2	2	-
White, both sexes.....	2	1	1	-	3	5	5	17	9	2	2	-
Male.....	1	-	-	-	1	2	-	5	-	-	-	-
Female.....	1	1	1	-	2	3	5	12	9	2	2	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	-	-	1	3	6	3	10	10	7	7	-	-
Male.....	-	-	-	2	3	1	2	2	-	-	-	-
Female.....	-	-	1	1	3	2	8	8	7	7	-	-
White, both sexes.....	-	-	-	1	2	3	7	8	7	6	-	-
Male.....	-	-	-	1	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	2	2	7	7	7	6	-	-
Black, both sexes.....	-	-	1	2	3	-	3	2	-	1	-	-
Male.....	-	-	-	1	3	-	2	1	-	-	-	-
Female.....	-	-	1	1	-	-	1	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)

Maine

All races, both sexes.....	-	1	1	1	3	3	5	9	5	2	2	-
Male.....	-	1	1	-	1	1	1	1	-	-	-	-
Female.....	-	-	-	1	2	2	4	8	5	2	2	-
White, both sexes.....	-	1	1	1	3	3	5	9	5	2	2	-
Male.....	-	1	1	-	1	1	1	1	-	-	-	-
Female.....	-	-	-	1	2	2	4	8	5	2	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	1	-	2	1	6	8	12	14	16	3	1	-
Male.....	1	-	1	-	4	3	4	4	3	-	-	-
Female.....	-	-	1	1	2	5	8	10	13	3	1	-
White, both sexes.....	1	-	1	1	3	6	9	10	15	3	1	-
Male.....	1	-	-	-	2	3	3	3	3	-	-	-
Female.....	-	-	1	1	1	3	6	7	12	3	1	-
Black, both sexes.....	-	-	1	-	3	1	3	3	1	-	-	-
Male.....	-	-	1	-	2	-	1	1	-	-	-	-
Female.....	-	-	-	-	1	1	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)												
Vermont												
All races, both sexes.....	1	-	-	-	-	2	-	1	3	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	3	-	-	-
White, both sexes.....	1	-	-	-	-	2	-	1	3	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	1	2	3	2	5	9	15	18	17	3	3	-
Male.....	1	2	3	2	1	4	3	2	-	-	-	-
Female.....	-	-	-	-	4	5	12	16	17	3	3	-
White, both sexes.....	1	1	3	2	4	9	13	17	17	3	3	-
Male.....	1	1	3	2	1	4	3	2	-	-	-	-
Female.....	-	-	-	-	3	5	10	15	17	3	3	-
Black, both sexes.....	-	1	-	-	-	-	2	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Osteoporosis (M80-M81)												
Arkansas												
All races, both sexes.....	-	-	-	-	-	-	5	5	4	1	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	5	4	3	1	-	-
White, both sexes.....	-	-	-	-	-	-	5	5	4	1	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	5	4	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	-	2	3	4	2	15	28	37	41	23	5	-
Male.....	-	-	2	2	1	-	4	6	6	3	1	-
Female.....	-	2	1	2	1	15	24	31	35	20	4	-
White, both sexes.....	-	2	3	4	2	12	27	33	39	23	4	-
Male.....	-	-	2	2	1	-	3	5	6	3	1	-
Female.....	-	2	1	2	1	12	24	28	33	20	3	-
Black, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	3	1	-	1	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	2	-	2	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Osteoporosis (M80-M81)												
Maine												
All races, both sexes.....	-	-	-	-	-	-	2	5	5	2	2	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	5	5	2	2	-
White, both sexes.....	-	-	-	-	-	-	2	5	5	2	2	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	5	5	2	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	-	-	-	-	1	2	3	6	11	3	1	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	1	2	2	6	10	3	1	-
White, both sexes.....	-	-	-	-	1	2	3	5	11	3	1	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	1	2	2	5	10	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Osteoporosis (M80-M81)												
Vermont												
All races, both sexes.....	-	-	-	-	-	1	-	1	3	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	3	-	-	-
White, both sexes.....	-	-	-	-	-	1	-	1	3	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	-	-	-	-	3	3	6	12	11	2	3	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	3	3	5	11	11	2	3	-
White, both sexes.....	-	-	-	-	2	3	5	12	11	2	3	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	2	3	4	11	11	2	3	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)

Arkansas

All races, both sexes.....	-	1	-	3	-	2	1	2	1	3	-	-
Male.....	-	1	-	3	-	-	1	1	-	1	-	-
Female.....	-	-	-	-	-	2	-	1	1	2	-	-
White, both sexes.....	-	1	-	3	-	2	1	1	1	3	-	-
Male.....	-	1	-	3	-	-	1	1	-	1	-	-
Female.....	-	-	-	-	-	2	-	-	1	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	2	3	14	12	10	20	15	19	4	1	-
Male.....	5	-	-	10	7	7	7	9	7	2	-	-
Female.....	1	2	3	4	5	3	13	6	12	2	1	-
White, both sexes.....	3	1	2	12	11	10	16	14	16	4	1	-
Male.....	2	-	-	8	6	7	5	8	7	2	-	-
Female.....	1	1	2	4	5	3	11	6	9	2	1	-
Black, both sexes.....	3	1	1	-	1	-	4	1	2	-	-	-
Male.....	3	-	-	-	1	-	2	1	-	-	-	-
Female.....	-	1	1	-	-	-	2	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	-	-	-	1	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)

Maine

All races, both sexes.....	-	1	1	1	3	3	3	4	-	-	-	-
Male.....	-	1	1	-	1	1	-	1	-	-	-	-
Female.....	-	-	-	1	2	2	3	3	-	-	-	-
White, both sexes.....	-	1	1	1	3	3	3	4	-	-	-	-
Male.....	-	1	1	-	1	1	-	1	-	-	-	-
Female.....	-	-	-	1	2	2	3	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	1	-	2	1	5	6	9	8	5	-	-	-
Male.....	1	-	1	-	4	3	3	4	2	-	-	-
Female.....	-	-	1	1	1	3	6	4	3	-	-	-
White, both sexes.....	1	-	1	1	2	4	6	5	4	-	-	-
Male.....	1	-	-	-	2	3	2	3	2	-	-	-
Female.....	-	-	1	1	-	1	4	2	2	-	-	-
Black, both sexes.....	-	-	1	-	3	1	3	3	1	-	-	-
Male.....	-	-	1	-	2	-	1	1	-	-	-	-
Female.....	-	-	-	-	1	1	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

