Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Ba	sed															
on the Internation																
Classification of														Asian or		
Diseases, Tenth	All races				White			Black			American Indian 1/			Pacific Islander 2/		
Revision, 1992)	Both			Both			Both			Both			Both			
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	
All causes																
All ages	2,443,387	1,199,264	1,244,123	2,102,589	1,025,196	1,077,393	290,051	146,835	143,216	12,415	6,750	5,665	38,332	20,483	17,849	
Under 1 year	28,034	15,717	12,317	18,369	10,433	7,936	8,524	4,652	3,872	343	191	152	798	441	357	
1-4 years	4,858	2,806	2,052	3,406	1,958	1,448	1,196	702	494	90	49	41	166	97	69	
5-9 years	3,018	1,702	1,316	2,168	1,219	949	701	402	299	48	21	27	101	60	41	
10-14 years	4,132	2,496	1,636	2,970	1,786	1,184	965	596	369	78	44	34	119	70	49	
15-19 years	13,812	9,844	3,968	10,613	7,474	3,139	2,602	1,963	639	267	178	89	330	229	101	
20-24 years	19,234	14,572	4,662	14,028	10,608	3,420	4,443	3,401	1,042	316	238	78	447	325	122	
25-29 years	17,959	12,954	5,005	12,703	9,219	3,484	4,550	3,229	1,321	290	218	72	416	288	128	
30-34 years	23,396	15,782	7,614	16,868	11,579	5,289	5,621	3,619	2,002	362	239	123	545	345	200	
35-39 years	35,347	22,626	12,721	25,912	16,840	9,072	8,227	4,996	3,231	512	335	177	696	455	241	
40-44 years	55,793	34,967	20,826	42,181	27,115	15,066	12,008	6,853	5,155	657	414	243	947	585	362	
45-49 years	76,065	47,701	28,364	57,690	36,894	20,796	16,184	9,501	6,683	751	455	296	1,440	851	589	
50-54 years	96,320	60,021	36,299	74,126	46,757	27,369	19,439	11,621	7,818	851	523	328	1,904	1,120	784	
55-59 years	115,441	69,830	45,611	92,712	56,535	36,177	19,693	11,550	8,143	894	514	380	2,142	1,231	911	
60-64 years	137,901	81,533	56,368	112,702	67,016	45,686	21,643	12,450	9,193	992	560	432	2,564	1,507	1,057	
65-69 years	175,591	100,590	75,001	146,491	84,741	61,750	24,783	13,465	11,318	1,095	590	505	3,222	1,794	1,428	
70-74 years	247,399	136,431	110,968	213,556	118,994	94,562	28,531	14,733	13,798	1,196	611	585	4,116	2,093	2,023	
75-79 years	330,140	169,625	160,515	291,430	150,862	140,568	32,431	15,434	16,997	1,160	586	574	5,119	2,743	2,376	
80-84 years	377,514	173,879	203,635	340,923	157,792	183,131	30,431	13,044	17,387	1,055	462	593	5,105	2,581	2,524	
85-89 years	345,385	134,637	210,748	316,444	124,020	192,424	23,920	8,292	15,628	746	317	429	4,275	2,008	2,267	
90-94 years	228,587	68,817	159,770	210,030	63,038	146,992	15,458	4,455	11,003	470	135	335	2,629	1,189	1,440	
95-99 years	88,282	19,522	68,760	80,543	17,634	62,909	6,578	1,454	5,124	182	47	135	979	387	592	
100 years & over.	18,822	2,930	15,892	16,438	2,452	13,986	2,066	383	1,683	53	17	36	265	78	187	
Age not stated	357	282	75	286	230	56	57	40	17	7	6	1	7	6	1	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other salmonella infections (A02) 10 All ages.... 11 Under 1 year.... 3 1 2 2 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 2 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 3 70-74 years..... 75-79 years..... 80-84 years..... 5 4 4 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Salmonella gastroenteritis (A02.0) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Salmonella septicemia (A02.1) All ages.... Under 1 year.... 2 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Localized salmonella infections (A02.2) All ages.... Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Salmonella infection, unspecified (A02.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Shigellosis (A03) All ages..... Under 1 year.... 1-4 years..... 1 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Shigellosis due to Shigella sonnei (A03.3) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Shigellosis, unspecified (A03.9) 1 All ages.... Under 1 year.... 1-4 years..... 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Other bacterial intestinal infections (A04) 2,254 1,378 2,099 1,286 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Enteropathogenic Escherichia coli infection (A04.0) 1 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other intestinal Escherichia coli infections (A04.4) 3 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Enterocolitis due to Clostridium difficile (A04.7) 2,195 2,043 1,255 All ages..... 1,345 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.7 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other specified bacterial intestinal infections (A04.8) 19 39 18 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 1 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 9 5 4 9 5 85-89 years..... 10 1.0 90-94 years..... 4 1 3 4 1 3 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Bacterial intestinal infection, unspecified (A04.9) All ages.... 10 13 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 3 1 1 1 1 1 90-94 years..... 2 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other bacterial food-borne intoxications (A05) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 1 1 1 45-49 years..... 2. 1 1 2 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Botulism (A05.1) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Female Male Female Male Female and age sexes Male Female Male Female sexes Male sexes sexes sexes Food-borne Clostridium perfringens [Clostridium welchii] intoxication (A05.2) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Food-borne Vibrio parahemolyticus intoxication (A05.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Amebiasis (A06) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acute amebic dysentery (A06.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Amebic liver abscess (A06.4) 1 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Amebiasis, unspecified (A06.9) All ages.... 2 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other protozoal intestinal diseases (A07) All ages.... Under 1 year.... 1 1 1 1 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Giardiasis [lambliasis] (A07.1) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Cryptosporidiosis (A07.2) 1 All ages.... Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Isosporiasis (A07.3) All ages..... Under 1 year.... 1-4 years..... 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Protozoal intestinal disease, unspecified (A07.9) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Viral and other specified intestinal infections (A08) 111 97 12 All ages.... Under 1 year.... 7 1 6 4 1 3 3 1-4 years..... 5 3 2 3 2 1 1 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 2 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 3 3 2. 2 1 55-59 years..... 5 1 1 60-64 years..... 1 1 65-69 years..... 3 70-74 years..... 10 75-79 years..... 3 2 80-84 years..... 20 7 13 19 6 13 85-89 years..... 18 12 15 5 1.0 3 2 6 1 90-94 years..... 14 12 13 2 11 2 1 1 95-99 years..... 9 8 9 1 8 1 8 6 8 6 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Rotaviral enteritis (A08.0) 3 All ages.... Under 1 year.... 2 1 1 1 1 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acute gastroenteropathy due to Norwalk agent (A08.1) 1 All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other viral enteritis (A08.3) All ages.... 1 Under 1 year.... 1 1-4 years..... 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Viral intestinal infection, unspecified (A08.4) 104 94 25 All ages.... Under 1 year.... 4 4 3 3 1-4 years..... 2 1 2 1 1 1 3 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 3 3 2. 50-54 years..... 2 55-59 years..... 5 1 1 60-64 years..... 1 1 65-69 years..... 3 70-74 years..... 9 75-79 years..... 3 2 80-84 years..... 20 7 13 19 6 13 85-89 years..... 18 12 15 5 1.0 3 2 6 1 90-94 years..... 14 12 13 2 11 2 1 1 95-99 years..... 9 8 9 1 8 1 8 6 8 6 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Diarrhea and gastroenteritis of infectious origin (A09) 33 All ages.... Under 1 year.... 3 1 2 1 1 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 2 2 2 4 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 70-74 years..... 7 75-79 years..... 3 4 6 3 3 1 1 7 13 18 6 2 80-84 years..... 2.0 12 1 1 18 3 15 18 3 15 85-89 years..... 90-94 years..... 7 7 13 6 13 6 95-99 years..... 6 5 6 5 1 1 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Female Male Female sexes Male Female Male sexes Male sexes sexes Respiratory tuberculosis, not confirmed bacteriologically or histologically (A16) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.7 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.4 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Female Male Female sexes Male Female Male sexes Male sexes sexes Tuberculosis of lung, without mention of bacteriological or histological confirmation (A16.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.3 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1.3 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992)				White Both			Black Both			American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Tuberculosis of lar	ynx, trache	ea, and br	conchus, wi	thout ment	ion of bac	cteriologic	cal or his	stologica	l confirma	ation (Ale	5.4)				
All ages	2	1	1	2	1	1	_	_	_	_	_	_	_	_	-
Under 1 year	-	-	-	-	-		-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-		-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-		-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-		-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	_	_	-	-	_	-	-	-
40-44 years	-	-	-	-	-	-	-	_	_	-	-	_	-	-	-
45-49 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	_	_	-	-	_	-	-	-
70-74 years	-	-	-	-	-	-	-	_	_	-	-	_	-	-	-
75-79 years	1	-	1	1	-	1	-	_	_	-	-	_	-	-	-
80-84 years	-	-	-	-	-	-	-	_	_	-	-	_	-	-	-
85-89 years	-	-	-	-	-	-	_	_	-	-	-	-	-	-	_
90-94 years	-	-	-	-	-	-	_	_	-	-	-	-	-	-	_
95-99 years	-	-	-	-	-	-	-	_	_	-	_	-	-	-	_
100 years & over.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-
Age not stated	_	_	_	_	_	_	_	_	_	_	_	_	_	_	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Tuberculous pleurisy, without mention of bacteriological or histological confirmation (A16.5) 5 2 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 2 1 1 1 90-94 years..... 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Female Male Female sexes Male Female Male sexes Male sexes sexes Primary respiratory tuberculosis without mention of bacteriological or histological confirmation (A16.7) All ages.... 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Respiratory tuberculosis unspecified, without mention of bacteriological or histological confirmation (A16.9) All ages.... 2.7 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2. 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1.3 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Tuberculosis of nervous system (A17) All ages.... 11 Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 1 1 1 35-39 years..... 4 2 2 4 2 40-44 years..... 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 3 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Tuberculous meningitis (A17.0) 5 All ages.... Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 1 1 1 35-39 years..... 4 2 2 2 40-44 years..... 45-49 years..... 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 1 65-69 years..... 3 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other tuberculosis of nervous system (A17.8) 3 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Tuberculosis of other organs (A18) 59 33 All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 1 2 2 1 1 1 3 2 50-54 years..... 3 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 9 7 75-79 years..... 18 12 15 10 80-84 years..... 12 6 6 12 6 6 85-89 years..... 4 2 2. 2. 4 2 90-94 years..... 3 3 3 3 95-99 years..... 2 1 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Tuberculosis of bones and joints (A18.0) All ages.... 33 26 51 2.8 23 3 1 2 1 1 2 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 2 45-49 years..... 2 1 1 1 1 50-54 years..... 3 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 14 10 4 11 8 3 1 80-84 years..... 12 6 12 6 6 85-89 years..... 3 3 1 2 1 2 90-94 years..... 3 3 3 3 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Tuberculosis of genitourinary system (A18.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Tuberculosis of intestines, peritoneum, and mesenteric glands (A18.3) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Tuberculosis of skin and subcutaneous tissue (A18.4) 1 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Tuberculosis of other specified organs (A18.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Miliary tuberculosis (A19) 35 2 All ages.... 11 15 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 1 1 40-44 years..... 6 2 2 3 3 45-49 years..... 3 1 2 1 1 3 3 50-54 years..... 5 5 1 1 55-59 years..... 3 1 60-64 years..... 1 65-69 years..... 12 1 70-74 years..... 75-79 years..... 80-84 years..... 2 2 2 2 85-89 years..... 3 2 1 1 1 90-94 years..... 1 2 1 1 2 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Miliary tuberculosis, unspecified (A19.9) 2 All ages.... 11 15 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 1 1 40-44 years..... 6 2 2 1 3 3 45-49 years..... 3 1 2 1 1 3 3 50-54 years..... 5 5 1 1 1 55-59 years..... 3 1 60-64 years..... 1 65-69 years..... 12 1 70-74 years..... 75-79 years..... 80-84 years..... 2 2 2 2 85-89 years..... 3 2 1 1 1 90-94 years..... 1 2 1 1 2 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Tularemia (A21) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Pulmonary tularemia (A21.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Brucellosis (A23) 1 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Brucellosis, unspecified (A23.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Erysipeloid (A26) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cutaneous erysipeloid (A26.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Erysipelothrix septicemia (A26.7) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Leptospirosis (A27) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Leptospirosis, unspecified (A27.9) All ages..... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age Female Male Female Male Female sexes sexes Male sexes sexes sexes Other zoonotic bacterial diseases, not elsewhere classified (A28) 13 All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 3 2. 1 50-54 years..... 3 2 55-59 years..... 1 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 4 80-84 years..... 1 3 2 1 1 1 1 85-89 years..... 5 2 2 2 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Pasteurellosis (A28.0) 12 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 2. 2. 2. 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 80-84 years..... 1 1 2 1 1 85-89 years..... 3 2. 1 2 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other specified zoonotic bacterial diseases, not elsewhere classified (A28.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 80-84 years..... 2 1 1 85-89 years..... 2 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Leprosy [Hansen's disease] (A30) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Leprosy, unspecified (A30.9) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Infection due to other mycobacteria (A31) 215 113 177 78 33 2 All ages.... 102 2.2 11 1 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 35-39 years..... 4 3 1 2 2 2 1 1 40-44 years..... 8 3 2 2 7 5 1 11 2 45-49 years..... 8 3 5 5 2 3 3 50-54 years..... 7 5 2 3 2 2 2 55-59 years..... 5 60-64 years..... 15 11 65-69 years..... 16 15 70-74 years..... 36 19 17 30 16 75-79 years..... 39 21 18 34 17 17 80-84 years..... 35 15 20 32 13 19 2 2 85-89 years..... 2.7 28 10 18 9 18 1 1 90-94 years..... 7 7 7 7 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pulmonary mycobacterial infection (A31.0) All ages..... 164 74 90 137 58 79 23 14 1 1 3 2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 3 1 2 1 1 40-44 years..... 7 4 3 1 1 4 2 2 1 45-49 years..... 5 3 2 3 2 1 2 1 50-54 years..... 3 55-59 years..... 1 1 60-64 years..... 65-69 years..... 13 13 70-74 years..... 34 18 16 29 16 13 75-79 years..... 27 13 14 24 11 13 3 2 80-84 years..... 2.7 1.0 17 25 9 16 1 1 85-89 years..... 23 9 14 22 8 14 1 90-94 years..... 5 5 5 5 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other mycobacterial infections (A31.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mycobacterial infection, unspecified (A31.9) 37 19 18 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 3 3 1 2 1 45-49 years..... 3 2 1 50-54 years..... 1 2 1 1 1 55-59 years..... 1 1 60-64 years..... 65-69 years..... 3 70-74 years..... 2 75-79 years..... 11 80-84 years..... 8 5 3 7 4 3 85-89 years..... 3 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Listeriosis (A32) 12 9 19 All ages.... Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 1 1 45-49 years..... 2 2 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 4 4 85-89 years..... 1 1 1 1 90-94 years..... 2 3 2 3 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Female Male Female Male Female and age sexes Male Male Female Male Female sexes sexes sexes sexes Listerial meningitis and meningoencephalitis (A32.1) 12 All ages.... Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 1 1 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 2 2 3 80-84 years..... 2 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Listerial septicemia (A32.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 2 2 2 2 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other forms of listeriosis (A32.8) 2 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Listeriosis, unspecified (A32.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 1 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Other tetanus (A35) 3 3 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 60-64 years..... 65-69 years..... 70-74 years..... 2 75-79 years..... 1 1 1 80-84 years..... 1 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Whooping cough (A37) 18 12 10 All ages.... Under 1 year.... 18 6 12 15 5 10 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Whooping cough due to Bordetella pertussis (A37.0) All ages.... 1 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Whooping cough due to Bordetella parapertussis (A37.1) All ages.... 1 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Whooping cough, unspecified (A37.9) 5 11 All ages.... 9 Under 1 year.... 16 5 11 13 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Meningococcal infection (A39) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2. 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Meningococcal meningitis (A39.0) 21 39 13 All ages.... 16 Under 1 year.... 4 1 3 2 1 1 1-4 years..... 5-9 years..... 2 2 2. 7 10-14 years..... 5 2 3 3 3 2 1 15-19 years..... 10 3 8 2 6 2 1 1 20-24 years..... 4 25-29 years..... 6 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 40-44 years..... 1 1 45-49 years..... 2 2 2 2 50-54 years..... 2 2 2 55-59 years..... 1 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Waterhouse-Friderichsen syndrome (A39.1) 10 12 All ages.... Under 1 year.... 4 1 3 3 1 2 1 1-4 years..... 2 1 1 1 1 1 5-9 years..... 1 1 10-14 years..... 2 1 1 1 15-19 years..... 2 1 1 2 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 2 1 2 1 45-49 years..... 2 1 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acute meningococcemia (A39.2) 2 All ages.... Under 1 year.... 1-4 years..... 2 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

on the International Classification of Diseases, Tenth	1	All rac	100	White			Black			American Indian 1/			Asian or Pacific Islander 2/		
Revision, 1992)	Both	1111 10000		Both	WIIICC		Both	DIACK		Both			Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Meningococcemia, uns	specified (	(A39.4)													
All ages	78	47	31	65	39	26	10	6	4	_	_	_	3	2	1
Under 1 year	9	6	3	9	6	3	-	-	-	_	-	_	-	_	-
1-4 years	8	6	2	6	4	2	2	2	-	_	-	_	-	_	-
5-9 years	3	3	-	3	3	-	-	-	-	_	-	_	-	_	-
10-14 years	5	2	3	2	1	1	3	1	2	_	_	_	_	_	_
15-19 years	7	6	1	6	5	1	1	1	_	_	_	_	_	_	_
20-24 years	7	6	1	7	6	1	_	_	_	_	_	_	_	_	_
25-29 years	3	1	2	1	_	1	1	_	1	_	_	_	1	1	_
30-34 years	3	2	1	3	2	1	_	_	_	_	_	_	_	_	_
35-39 years	3	2	1	1	1	_	2	1	1	_	_	_	_	_	_
40-44 years	1	1	_	_	_	_	1	1	_	_	_	_	_	_	_
45-49 years	5	3	2	5	3	2	_	_	_	_	_	_	_	_	_
50-54 years	5	3	2	5	3	2	_	_	_	_	_	_	_	_	_
55-59 years	3	1	2	2	1	1	_	_	_	_	_	_	1	_	1
60-64 years	2	1	1	2	1	1	_	_	_	_	_	_	_	_	_
65-69 years	2	1	1	1	_	1	_	_	_	_	_	_	1	1	_
70-74 years	2	_	2	2	_	2	_	_	_	_	_	_	_	_	_
75-79 years	2	1	1	2	1	1	_	_	_	_	_	_	_	_	_
80-84 years	6	2	4	6	2	4	_	_	_	_	_	_	_	_	_
85-89 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
90-94 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
95-99 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
100 years & over.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should

be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Other meningococcal infections (A39.8) All ages..... 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Meningococcal infection, unspecified (A39.9) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 2 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Streptococcal septicemia (A40) All ages.... Under 1 year.... 2.0 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.7 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Septicemia due to streptococcus, group A (A40.0) 11 All ages.... 16 12 11 Under 1 year.... 1 1 1-4 years..... 2 1 1 1 1 1 5-9 years..... 4 2 2 3 1 2 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 1 1 30-34 years..... 2 1 1 1 1 1 35-39 years..... 2 1 1 2 1 1 40-44 years..... 45-49 years..... 3 1 1 2 50-54 years..... 1 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 2 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should

be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Septicemia due to streptococcus, group B (A40.1) 17 3 All ages..... 27 12 15 10 5 2 12 6 6 6 2 6 2 Under 1 year.... 4 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 2 2 1 2 3 85-89 years..... 3 1 2 3 1 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Septicemia due to streptococcus, group D (A40.2) 178 140 77 3 All ages.... 10 Under 1 year.... 4 2 2 3 2 1 1 1 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 3 3 3 45-49 years..... 3 4 3 1 4 1 2 50-54 years..... 8 4 4 2 2 55-59 years..... 6 5 3 60-64 years..... 14 10 65-69 years..... 15 12 70-74 years..... 11 15 20 11 9 75-79 years..... 25 19 22 18 80-84 years..... 30 13 17 26 12 14 4 3 85-89 years..... 2.0 5 15 15 5 1.0 4 90-94 years..... 11 7 11 4 4 95-99 years..... 5 4 3 3 2 1 1 1 1 100 years & over. 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Septicemia due to Streptococcus pneumoniae (A40.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other streptococcal septicemia (A40.8) 15 13 All ages.... Under 1 year.... 1 1 1-4 years..... 5-9 years..... 1 1 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 2 2 2 40-44 years..... 3 1 2 3 1 45-49 years..... 1 1 1 50-54 years..... 1 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 3 3 1 1 90-94 years..... 2 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Streptococcal septicemia, unspecified (A40.9) All ages.... 1.3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Bot.h Bot.h Both and age Female Female Female Male Female sexes Male Female sexes Male sexes Male sexes Male sexes Other septicemia (A41) 33,257 14,656 18,601 26,621 11,681 14,940 6,044 2,664 3,380 All ages..... Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1,129 55-59 years..... 1,465 1.042 60-64 years..... 1,825 1,310 65-69 years..... 2,554 1,278 1,276 1,921 70-74 years..... 3,679 1,833 1,846 2,933 1,484 1,449 75-79 years..... 5,124 2,439 2,685 4,197 1,991 2,206 80-84 years..... 5,745 2,522 3,223 4,881 2,141 2,740 85-89 years..... 4,977 1,843 3,134 4,283 1,601 2,682 90-94 years..... 2,966 2,141 2.547 1.847 95-99 years..... 1,095 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Septicemia due to Staphylococcus aureus (A41.0) All ages.... 1.0 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Septicemia due to other specified staphylococcus (A41.1) 18 10 All ages.... 13 Under 1 year.... 2 2 2 2 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 2 2 50-54 years..... 1 1 1 1 55-59 years..... 1 1 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 1 3 3 1 2 1 1 85-89 years..... 5 2. 3 3 1 1 90-94 years..... 1 2 3 1 2 3 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Septicemia due to unspecified staphylococcus (A41.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.3 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Septicemia due to Hemophilus influenzae (A41.3) 3 All ages.... Under 1 year.... 2 2 1-4 years..... 2 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Septicemia due to anaerobes (A41.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 1 1 1 1 45-49 years..... 2 2 2 2 50-54 years..... 1 1 1 1 3 55-59 years..... 3 3 60-64 years..... 10 10 65-69 years..... 7 70-74 years..... 10 9 75-79 years..... 14 13 80-84 years..... 13 9 4 11 2 2 85-89 years..... 9 2 7 7 1 1 1 90-94 years..... 8 7 1 1 6 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female and age sexes Female Male Female sexes Male Female sexes sexes sexes Septicemia due to other Gram-negative organisms (A41.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other specified septicemia (A41.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Bot.h Bot.h Both and age Female Female Female Male Female sexes Male Female sexes Male sexes Male sexes Male sexes Septicemia, unspecified (A41.9) 13,390 17,230 24,448 10,633 13,815 5,634 2,476 3,158 All ages..... 30,620 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1,046 55-59 years..... 1,333 60-64 years..... 1,679 1,194 65-69 years..... 2,319 1,162 1,157 1,737 70-74 years..... 3,382 1,670 1,712 2,681 1,345 1,336 75-79 years..... 4,703 2,250 2,453 3,834 1,832 2,002 80-84 years..... 5,283 2,285 2,998 4,482 1,939 2,543 2.0 1,689 2,942 1,455 85-89 years..... 4,631 3,973 2,518 90-94 years..... 2.778 2,015 2,373 1.729 95-99 years..... 1,046 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Actinomycosis (A42) 12 All ages.... Under 1 year.... 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 2 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pulmonary actinomycosis (A42.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Actinomycotic septicemia (A42.7) All ages.... Under 1 year.... 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other forms of actinomycosis (A42.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 35-39 years..... 1 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Actinomycosis, unspecified (A42.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Nocardiosis (A43) All ages.... 16 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 2 2 2 40-44 years..... 1 1 1 45-49 years..... 1 1 50-54 years..... 3 1 2 2 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 6 4 2 85-89 years..... 2 2 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pulmonary nocardiosis (A43.0) 15 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 35-39 years..... 2 2 2 40-44 years..... 1 1 45-49 years..... 1 1 50-54 years..... 1 1 1 55-59 years..... 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 6 5 3 1 85-89 years..... 2 2. 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Other forms of nocardiosis (A43.8) All ages..... 8 3 4 2 2 1 1 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Nocardiosis, unspecified (A43.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 3 50-54 years..... 1 2. 3 1 2 55-59 years..... 3 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Erysipelas (A46) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female Male Female and age Female Male Female sexes sexes sexes sexes sexes Other bacterial diseases, not elsewhere classified (A48) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.3 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Gas gangrene (A48.0) All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 2 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 3 70-74 years..... 75-79 years..... 80-84 years..... 3 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Legionnaires' disease (A48.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 35-39 years..... 2 2 40-44 years..... 3 3 45-49 years..... 6 3 5 3 2 1 50-54 years..... 5 2. 3 1 3 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 10 80-84 years..... 7 3 7 3 85-89 years..... 3 3 3 3 90-94 years..... 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Nonpneumonic Legionnaires' disease [Pontiac fever] (A48.2) 1 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Toxic shock syndrome (A48.3) 31 26 16 11 All ages.... Under 1 year.... 1 1 1 1 1 1-4 years..... 1 1 5-9 years..... 3 1 2 1 1 2 2 10-14 years..... 2 2 2 2 15-19 years..... 3 1 2 2 1 1 1 20-24 years..... 25-29 years..... 3 30-34 years..... 3 2 1 3 2 1 35-39 years..... 2 2 2 2 40-44 years..... 3 2 3 1 1 45-49 years..... 5 2 3 5 2 3 50-54 years..... 9 5 1 1 55-59 years..... 13 10 60-64 years..... 6 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 1 3 4 1 3 85-89 years..... 2 1 1 1 1 90-94 years..... 2 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other specified bacterial diseases (A48.8) All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 3 2 1 2 1 50-54 years..... 1 1 1 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Bacterial infection of unspecified site (A49) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1.3 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Staphylococcal infection, unspecified (A49.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2.7 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Streptococcal infection, unspecified (A49.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2. 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hemophilus influenzae infection, unspecified (A49.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 2 1 3 3 3 3 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mycoplasma infection, unspecified (A49.3) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female Male Female and age sexes Female Male Female sexes sexes sexes sexes Other bacterial infections of unspecified site (A49.8) 140 76 53 All ages.... 119 16 1 Under 1 year.... 3 3 2 2 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 1 1 1 1 40-44 years..... 2 1 1 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 3 2. 2 5 55-59 years..... 60-64 years..... 65-69 years..... 3 70-74 years..... 9 7 9 7 9 75-79 years..... 27 17 10 24 15 80-84 years..... 29 13 16 26 10 16 2 2 7 25 7 18 2.2 3 3 85-89 years..... 15 90-94 years..... 10 9 8 1 7 2 1 2 95-99 years..... 6 2 4 5 1 1 1 1 1 100 years & over. 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Bacterial infection, unspecified (A49.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3.0 85-89 years..... 2.0 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Congenital syphilis (A50) All ages..... Under 1 year.... 1 1 1-4 years..... 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Late congenital neurosyphilis [juvenile neurosyphilis] (A50.4) All ages.... 1 Under 1 year.... 1-4 years..... 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Congenital syphilis, unspecified (A50.9) All ages.... Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Late syphilis (A52) 16 18 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 1 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 3 3 1 1 2 55-59 years..... 1 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 6 4 3 2 85-89 years..... 5 1 1 2 90-94 years..... 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cardiovascular syphilis (A52.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Symptomatic neurosyphilis (A52.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Neurosyphilis, unspecified (A52.3) 9 13 All ages.... 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 1 1 1 50-54 years..... 1 1 1 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 5 1 4 2 2 3 2 85-89 years..... 3 1 1 2 90-94 years..... 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Late syphilis, unspecified (A52.9) 1 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other and unspecified syphilis (A53) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Latent syphilis, unspecified as early or late (A53.0) 1 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Syphilis, unspecified (A53.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Gonococcal infection (A54) All ages..... Under 1 year.... 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Gonococcal pharyngitis (A54.5) All ages..... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other gonococcal infections (A54.8) All ages.... Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Unspecified sexually transmitted disease (A64) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other spirochetal infections (A69) 5 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lyme disease (A69.2) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Other diseases caused by chlamydiae (A74) All ages..... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of

asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or All races Diseases, Tenth White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Chlamydial conjunctivitis (A74.0) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Spotted fever [tick-borne rickettsioses] (A77) 10 10 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 2 2 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 2 2 2 2 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Spotted fever due to Rickettsia rickettsii (A77.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 2 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Other spotted fevers (A77.8) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes Atypical virus infections of central nervous system (A81) 220 98 93 115 All ages.... 122 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 3 1 2 3 1 2 15-19 years..... 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 3 1 2 2 2 35-39 years..... 2 2 2 2 40-44 years..... 7 3 7 3 45-49 years..... 4 2 2 4 2 2 50-54 years..... 9 9 16 16 55-59 years..... 20 13 20 13 60-64 years..... 34 16 18 30 14 16 65-69 years..... 39 21 18 36 19 17 70-74 years..... 18 28 46 18 28 75-79 years..... 32 15 17 30 15 15 80-84 years..... 8 4 4 8 4 4 85-89 years..... 3 1 3 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Creutzfeldt-Jakob disease (A81.0) 198 114 189 109 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 2 6 2 6 45-49 years..... 4 2 2 2 2 4 50-54 years..... 9 15 6 15 6 55-59 years..... 20 13 20 13 60-64 years..... 30 14 16 26 12 14 65-69 years..... 37 19 18 34 17 17 70-74 years..... 17 28 45 17 28 75-79 years..... 29 12 17 27 12 15 80-84 years..... 8 4 4 8 4 4 85-89 years..... 3 3 3 3 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality. 2002"]

Cause of death (Based on the International Classification of Asian or All races Diseases, Tenth White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Subacute sclerosing panencephalitis (A81.1) All ages..... 5 3 2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 3 1 3 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Progressive multifocal leukoencephalopathy (A81.2) 10 All ages.... 11 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 3 1 2 2 2 35-39 years..... 1 1 1 40-44 years..... 1 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Atypical virus infection of central nervous system, unspecified (A81.9) 1 All ages..... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Rabies (A82) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 10-14 years..... 1 1 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Rabies, unspecified (A82.9) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 10-14 years..... 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mosquito-borne viral encephalitis (A83) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 1 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Eastern equine encephalitis (A83.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes St. Louis encephalitis (A83.3) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other mosquito-borne viral encephalitis (A83.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mosquito-borne viral encephalitis, unspecified (A83.9) 3 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other viral encephalitis, not elsewhere classified (A85) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Enteroviral encephalitis (A85.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other specified viral encephalitis (A85.8) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Unspecified viral encephalitis (A86) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1.0 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Viral meningitis (A87) 32 12 15 All ages.... 12 Under 1 year.... 2 2 2 2 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 2 2 2 40-44 years..... 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 5 1 4 5 1 85-89 years..... 2 1 1 1 1 90-94 years..... 2 1 4 2 2 3 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lymphocytic choriomeningitis (A87.2) All ages.... Under 1 year.... 1 1 1 1 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should

be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Viral meningitis, unspecified (A87.9) 15 All ages..... 25 1.0 22 1.0 12 1 1 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 1 1 1 1 1 1 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 5 3 5 75-79 years..... 2 2 3 80-84 years..... 5 1 1 85-89 years..... 2 1 1 2 1 1 90-94 years..... 3 2 2 2 1 1 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Unspecified viral infection of central nervous system (A89) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Dengue fever [classical dengue] (A90) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other mosquito-borne viral fevers (A92) 163 136 All ages.... 101 19 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 2 1 1 2 1 1 40-44 years..... 2 2 1 1 45-49 years..... 1 2 1 1 2 1 2 50-54 years..... 2. 2 2 55-59 years..... 4 3 1 60-64 years..... 1 65-69 years..... 13 10 13 10 70-74 years..... 27 19 21 14 75-79 years..... 38 25 13 29 20 9 80-84 years..... 24 13 11 22 12 10 2 1 85-89 years..... 29 13 16 2.7 16 2 11 90-94 years..... 7 5 6 2 4 2 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Venezuelan equine fever (A92.2) All ages..... 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes West Nile fever (A92.3) 101 135 53 All ages.... 19 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 20-24 years..... 1 25-29 years..... 1 1 1 30-34 years..... 1 1 1 1 35-39 years..... 2 1 1 1 40-44 years..... 2 2 1 1 1 1 45-49 years..... 1 2 1 1 2 1 50-54 years..... 4 4 55-59 years..... 3 1 1 60-64 years..... 7 65-69 years..... 13 10 13 10 70-74 years..... 27 19 21 14 75-79 years..... 38 25 13 29 2.0 9 9 5 4 24 1.3 11 2.2 12 2 80-84 years..... 10 1 1 29 13 16 27 11 16 2 85-89 years..... 2 90-94 years..... 7 5 2 6 4 2 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Unspecified arthropod-borne viral fever (A94) 1 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Yellow fever (A95) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Yellow fever, unspecified (A95.9) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other viral hemorrhagic fevers, not elsewhere classified (A98) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Marburg virus disease (A98.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Herpes-viral [herpes simplex] infections (B00) All ages.... Under 1 year.... 1.0 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2.2 2.2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Herpes-viral vesicular dermatitis (B00.1) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Herpes-viral meningitis (B00.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 35-39 years..... 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1 1 80-84 years..... 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Herpes-viral encephalitis (B00.4) 101 41 60 36 All ages.... Under 1 year.... 3 1 2 2 1 1 1 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 2 1 1 1 40-44 years..... 3 3 2 2 1 45-49 years..... 2 1 1 2 1 1 3 3 1 2 50-54 years..... 1 2 55-59 years..... 4 3 60-64 years..... 1 65-69 years..... 7 70-74 years..... 22 75-79 years..... 13 9 13 9 80-84 years..... 17 6 11 17 6 11 85-89 years..... 8 8 12 12 90-94 years..... 2 1 2 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disseminated herpes-viral disease (B00.7) All ages.... 10 Under 1 year.... 4 2 2 2 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 1 1 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 80-84 years..... 2 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other forms of herpes-viral infection (B00.8) All ages.... 13 Under 1 year.... 2 2 2 2 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 5 80-84 years..... 2 2 2 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Herpes-viral infection, unspecified (B00.9) 20 33 17 All ages.... 16 9 Under 1 year.... 15 6 9 5 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 1 2 2 2 85-89 years..... 8 2. 2. 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Varicella [chickenpox] (B01) 10 All ages.... 12 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 5 3 2 3 2 1 1 1 40-44 years..... 3 3 2 2 1 45-49 years..... 1 1 1 1 50-54 years..... 2. 1 1 1 55-59 years..... 1 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 2 2 85-89 years..... 3 3 1 1 90-94 years..... 2 2 2 2 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Varicella encephalitis (B01.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 2 85-89 years..... 1 1 1 1 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Varicella pneumonia (B01.2) 10 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 2 2 2 2 40-44 years..... 1 1 1 1 45-49 years..... 1 1 1 2 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 1 90-94 years..... 1 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Varicella without complications (B01.9) All ages.... 1.3 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 3 1 2 1 1 1 40-44 years..... 2 2 1 1 45-49 years..... 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Zoster [herpes zoster] (B02) 130 53 77 120 73 All ages.... 1 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 2 2 2 2 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 1 1 60-64 years..... 1 1 1 1 65-69 years..... 70-74 years..... 8 75-79 years..... 10 80-84 years..... 17 9 8 15 8 85-89 years..... 8 30 32 2.3 24 1 1 90-94 years..... 29 9 20 29 9 20 95-99 years..... 10 10 14 14 4 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Zoster encephalitis (B02.0) 10 All ages.... Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 5 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Zoster with other nervous system involvement (B02.2) 15 9 15 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 2 2 85-89 years..... 3 1 1 90-94 years..... 4 2 2 2 2 4 95-99 years..... 3 1 3 1 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Zoster ocular disease (B02.3) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disseminated zoster (B02.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Zoster with other complications (B02.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Zoster without complication (B02.9) 55 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 3 75-79 years..... 80-84 years..... 13 6 7 11 4 85-89 years..... 2.2 6 16 21 5 16 1 90-94 years..... 23 7 16 23 16 95-99 years..... 11 3 8 11 3 8 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Other viral infections characterized by skin and mucous membrane lesions, not elsewhere classified (BO8) 2 All ages.... Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Erythema infectiosum [fifth disease] (B08.3) 2 All ages.... Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acute hepatitis A (B15) 37 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 2 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 3 2 3 2 1 40-44 years..... 3 3 3 3 45-49 years..... 7 7 6 6 3 3 50-54 years..... 2 1 1 1 55-59 years..... 5 3 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 8 3 5 8 3 5 85-89 years..... 6 10 10 90-94 years..... 2 1 1 2 1 1 95-99 years..... 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Hepatitis A with hepatic coma (B15.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Hepatitis A without hepatic coma (B15.9) All ages..... 75 46 29 63 37 26 1 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 4 2 2 1 3 2 1 30-34 years..... 1 1 1 35-39 years..... 3 2 3 2 40-44 years..... 3 3 3 3 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 8 5 3 5 2 7 80-84 years..... 3 3 85-89 years..... 10 4 10 6 4 6 90-94 years..... 2 1 1 2 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acute hepatitis B (B16) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.0 50-54 years..... 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.0 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality. 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Acute hepatitis B without delta-agent with hepatic coma (B16.2) 9 All ages..... 35 18 17 21 12 3 1 4 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 30-34 years..... 2 1 1 35-39 years..... 1 1 40-44 years..... 3 1 3 1 3 1 45-49 years..... 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 3 80-84 years..... 85-89 years..... 2 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Acute hepatitis B without delta-agent and without hepatic coma (B16.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Other acute viral hepatitis (B17) 4,327 2,840 1,487 3,512 2,351 1,161 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Acute hepatitis C (B17.1) 4,321 2,837 1,484 3,506 2,348 1,158 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Acute hepatitis E (B17.2) 1 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other specified acute viral hepatitis (B17.8) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Chronic viral hepatitis (B18) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1.0 1.0 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Chronic viral hepatitis B without delta-agent (B18.1) 103 All ages.... 1.0 15 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 1 1 1 1 35-39 years..... 4 3 1 2 2 2 1 1 40-44 years..... 3 2 2 4 1 1 45-49 years..... 15 9 6 14 8 1 6 17 50-54 years..... 1.3 11 8 3 3 1 55-59 years..... 16 11 10 60-64 years..... 5 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 3 1 2 2 1 85-89 years..... 5 2 1 2 1 90-94 years..... 2 1 1 2 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Chronic viral hepatitis C (B18.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other chronic viral hepatitis (B18.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Chronic viral hepatitis, unspecified (B18.9) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 3 3 2 2 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Unspecified viral hepatitis (B19) 101 55 78 39 18 All ages.... Under 1 year.... 2 1 1 1 1 1 1 1 1 1-4 years..... 1 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 4 4 4 20-24 years..... 1 1 25-29 years..... 1 1 1 1 30-34 years..... 3 1 2 3 1 2 35-39 years..... 7 3 5 1 4 1 40-44 years..... 8 3 5 8 3 5 45-49 years..... 1.3 1 50-54 years..... 11 2 55-59 years..... 8 1 1 60-64 years..... 65-69 years..... 9 70-74 years..... 75-79 years..... 11 6 5 10 5 5 3 3 80-84 years..... 2. 1 2 1 5 2 85-89 years..... 3 2 5 3 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Unspecified viral hepatitis with coma (B19.0) 3 All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 1 1 2 1 1 35-39 years..... 2 1 1 1 1 1 40-44 years..... 1 1 1 45-49 years..... 1 1 1 2 50-54 years..... 2. 2. 55-59 years..... 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Unspecified viral hepatitis without coma (B19.9) 90 71 15 All ages.... Under 1 year.... 2 1 1 1 1 1 1-4 years..... 1 1 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 4 4 4 4 20-24 years..... 1 25-29 years..... 1 30-34 years..... 1 1 1 1 35-39 years..... 5 3 2 4 3 1 1 40-44 years..... 7 3 3 45-49 years..... 2 12 8 6 5 1 50-54 years..... 9 5 3 2 1 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 5 75-79 years..... 10 80-84 years..... 3 2 1 3 2 1 85-89 years..... 5 3 3 2 2. 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Bot.h Bot.h Both Male Female and age Female Female sexes Male Female sexes Male sexes Male Female sexes Male sexes Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases (B20) 5,603 1,471 2,011 2,053 All ages..... 4,132 2,510 3,012 2.4 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1,075 1,215 40-44 years..... 45-49 years..... 1,080 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2. 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes HIV disease resulting in mycobacterial infection (B20.0) 165 119 52 All ages.... 14 32 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 3 1 25-29 years..... 9 5 4 6 3 3 30-34 years..... 21 13 8 7 4 3 14 9 5 35-39 years..... 55 39 16 23 19 32 20 12 40-44 years..... 32 23 9 20 12 12 11 1 8 45-49 years..... 19 18 1 7 7 12 11 1 15 9 50-54 years..... 13 6 4 55-59 years..... 4 3 3 3 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age Female Male Female sexes Male Female sexes Male sexes sexes sexes HIV disease resulting in other bacterial infections (B20.1) 1,091 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes HIV disease resulting in cytomegaloviral disease (B20.2) 30 17 19 All ages.... 13 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2 30-34 years..... 11 8 3 3 3 8 5 3 35-39 years..... 8 4 4 5 3 3 1 2 40-44 years..... 3 3 45-49 years..... 4 2 1 50-54 years..... 5 1 3 2. 1 55-59 years..... 3 3 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female sexes Male Female Male sexes sexes sexes HIV disease resulting in other viral infections (B20.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes HIV disease resulting in candidiasis (B20.4) 17 All ages.... 1.3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 4 2 2 40-44 years..... 5 3 3 1 45-49 years..... 5 4 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female Male Female and age sexes Female Male Female sexes sexes sexes sexes HIV disease resulting in other mycoses (B20.5) 326 250 100 197 All ages.... 76 126 26 148 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 12 8 5 3 25-29 years..... 20 11 9 12 9 8 2 30-34 years..... 46 33 13 14 9 5 31 23 8 1 1 35-39 years..... 82 68 14 37 31 6 44 37 7 1 40-44 years..... 72 54 18 30 23 30 41 11 1 45-49 years..... 39 34 5 12 12 27 22 5 27 7 50-54 years..... 21 9 18 14 55-59 years..... 7 1 7 6 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age Female Female sexes Male Female sexes Male sexes Male sexes sexes HIV disease resulting in Pneumocystis carinii pneumonia (B20.6) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.6 50-54 years..... 2.3 2.5 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes HIV disease resulting in multiple infections (B20.7) 1,366 1,004 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.4 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes HIV disease resulting in other infectious and parasitic diseases (B20.8) 1,251 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Male Female Male Female sexes Male Female sexes sexes sexes HIV disease resulting in unspecified infectious or parasitic disease (B20.9) 9 All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 3 2 2 2 1 40-44 years..... 1 1 1 45-49 years..... 1 1 2 2 2 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms (B21) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes HIV disease resulting in Kaposi's sarcoma (B21.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 3 3 3 25-29 years..... 5 5 2 30-34 years..... 13 12 1 7 7 6 5 1 35-39 years..... 28 28 20 20 8 8 40-44 years..... 23 23 13 13 10 10 45-49 years..... 13 12 7 7 6 5 1 50-54 years..... 6 6 5 1 1 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes HIV disease resulting in Burkitt's lymphoma (B21.1) 20 17 3 13 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 4 3 1 1 1 3 3 35-39 years..... 8 5 3 3 1 5 3 2 40-44 years..... 3 2 2 1 2 1 45-49 years..... 10 9 1 8 1 1 2 50-54 years..... 2. 2 2 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Female sexes Male Female Male sexes Male sexes sexes HIV disease resulting in other types of non-Hodgkin's lymphoma (B21.2) 409 162 All ages.... 346 63 242 14 114 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 2 2 2 15-19 years..... 2 1 1 2 1 1 20-24 years..... 5 2 2 25-29 years..... 10 5 5 3 7 2 30-34 years..... 34 28 6 20 19 1 14 9 5 35-39 years..... 85 74 11 54 50 31 24 7 40-44 years..... 99 87 12 60 58 2 36 27 1 1 1 9 45-49 years..... 76 69 7 47 46 1 29 23 6 39 23 2.1 17 50-54 years..... 48 2 24 1 19 55-59 years..... 23 16 15 6 3 60-64 years..... 16 13 11 9 65-69 years..... 5 5 5 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Female Male Female sexes Male Female Male sexes Male sexes sexes HIV disease resulting in other malignant neoplasms of lymphoid, hematopoietic, and related tissue (B21.3) 29 3 All ages.... 32 2.0 17 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 30-34 years..... 4 4 3 3 1 1 35-39 years..... 6 5 4 3 2 2 40-44 years..... 10 2 5 2 12 3 45-49 years..... 12 12 6 6 6 9 50-54 years..... 11 6 1 1 55-59 years..... 1 1 60-64 years..... 65-69 years..... 3 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes HIV disease resulting in multiple malignant neoplasms (B21.7) 29 All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 30-34 years..... 1 1 1 1 35-39 years..... 6 5 1 4 4 2 1 1 40-44 years..... 11 7 3 12 1 6 3 45-49 years..... 10 10 1.0 1.0 10 50-54 years..... 11 6 6 1 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female Male Female and age sexes Male Female sexes Male Female sexes sexes sexes Male Female HIV disease resulting in other malignant neoplasms (B21.8) All ages.... 233 169 64 79 18 135 89 46 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 25-29 years..... 3 1 2 1 1 2 2 30-34 years..... 10 7 3 6 6 4 1 3 35-39 years..... 18 12 7 6 5 6 6 11 40-44 years..... 42 27 15 15 11 27 16 11 45-49 years..... 55 39 23 19 20 16 32 12 32 50-54 years..... 42 10 15 11 26 20 6 55-59 years..... 25 20 14 11 11 9 60-64 years..... 15 12 7 5 65-69 years..... 10 10 3 70-74 years..... 8 7 75-79 years..... 2 1 1 1 1 80-84 years..... 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Male Female Male Female sexes Male Female sexes sexes sexes HIV disease resulting in unspecified malignant neoplasm (B21.9) 39 All ages.... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 4 3 1 1 2 2 40-44 years..... 13 9 5 45-49 years..... 13 10 6 3 3 50-54 years..... 9 8 1 1 55-59 years..... 5 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Human immunodeficiency virus [HIV] disease resulting in other specified diseases (B22) 1,348 1,066 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female Male Female and age sexes Female Male Female sexes sexes sexes sexes HIV disease resulting in encephalopathy (B22.0) 160 120 All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 2 2 2 20-24 years..... 25-29 years..... 4 3 30-34 years..... 10 7 3 3 3 7 4 3 35-39 years..... 28 25 3 8 7 1 20 18 2 40-44 years..... 38 31 7 17 20 18 14 6 45-49 years..... 34 25 22 18 12 7 5 10 7 7 7 50-54 years..... 14 3 55-59 years..... 11 5 60-64 years..... 3 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female Male Female and age sexes Female Male Female sexes sexes sexes sexes HIV disease resulting in wasting syndrome (B22.2) 209 151 9 115 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 5 3 30-34 years..... 24 15 9 8 7 1 15 8 7 35-39 years..... 40 27 13 13 12 1 27 15 12 40-44 years..... 51 38 13 26 23 3 15 24 9 1 45-49 years..... 33 26 7 17 15 2 15 10 1 5 50-54 years..... 2.2 7 9 7 1.5 8 13 6 55-59 years..... 12 11 4 3 60-64 years..... 6 3 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Female Male Female sexes Male Female Male sexes Male sexes sexes HIV disease resulting in multiple diseases classified elsewhere (B22.7) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

1

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth		All rac	All races		White			Black		American Indian 1/			Asian or Pacific Islander 2/		
Revision, 1992)	Both	1111 10000		Both			Both	Diack		Both			Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Human immunodeficien	cy virus	[HIV] dise	ase result	ing in othe	er conditi	ons (B23)									
All ages	3,414	2,449	965	1,233	993	240	2,152	1,434	718	11	8	3	18	14	4
Under 1 year	1	-	1	1	-	1	-	_	-	-	-	-	-	-	_
1-4 years	3	-	3	-	-	-	3	-	3	-	-	-	-	_	_
5-9 years	2	2	_	-	-	-	2	2	-	-	-	-	-	_	_
10-14 years	10	4	6	1	1	_	9	3	6	_	_	_	_	_	_
15-19 years	13	7	6	2	_	2	11	7	4	_	_	_	_	_	_
20-24 years	22	10	12	6	3	3	16	7	9	_	_	_	_	_	_
25-29 years	106	61	45	28	19	9	78	42	36	_	_	_	_	_	_
30-34 years	294	196	98	91	72	19	199	122	77	3	2	1	1	_	1
35-39 years	579	430	149	234	193	41	340	232	108	3	3	_	2	2	_
40-44 years	751	502	249	286	223	63	458	274	184	4	3	1	3	2	1
45-49 years	661	479	182	229	178	51	428	299	129	1	_	1	3	2	1
50-54 years	451	350	101	161	139	22	287	208	79	-	_	_	3	3	_
55-59 years	240	189	51	95	83	12	143	104	39	_	_	_	2	2	_
60-64 years	130	108	22	48	43	5	80	63	17	_	_	_	2	2	_
65-69 years	80	66	14	24	20	4	55	45	10	_	_	_	1	1	_
70-74 years	32	21	11	7	6	1	24	15	9	_	_	_	1	_	1
75-79 years	21	14	7	9	7	2	12	7	5	_	_	_	_	_	_
80-84 years	13	8	5	8	5	3	5	3	2	_	_	_	_	_	_
85-89 years	2	1	1	_	_	_	2	1	1	_	_	_	_	_	_
90-94 years	2	_	2	2	_	2	_	_	_	_	_	_	_	_	_
95-99 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
100 years & over.	_				_					_				_	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes HIV disease resulting in hematological and immunological abnormalities, not elsewhere classified (B23.2) 175 94 25 All ages.... 264 89 69 167 104 2 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 2 1 25-29 years..... 10 5 5 4 1 3 30-34 years..... 30 20 10 11 10 1 19 10 9 35-39 years..... 54 36 18 23 16 29 18 11 1 60 42 18 22 19 3 38 23 40-44 years..... 15 45-49 years..... 43 26 17 17 11 25 15 1.0 1 6 32 25 7 21 7 50-54 years..... 4 4 28 55-59 years..... 17 10 3 10 60-64 years..... 5 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes HIV disease resulting in other specified conditions (B23.8) 3,150 2,274 1,985 1,330 All ages..... 1,139 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Female sexes Male Female sexes Male sexes Male sexes Male sexes Unspecified human immunodeficiency virus [HIV] disease (B24) 2,810 2,056 1,630 1,080 All ages..... 1,148 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cytomegaloviral disease (B25) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2. 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cytomegaloviral pneumonitis (B25.0) 32 All ages.... 11 Under 1 year.... 11 9 2 5 4 1 5 1-4 years..... 4 1 3 3 1 2 5-9 years..... 1 1 1 1 10-14 years..... 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 4 2 2 2 1 1 2 1 1 35-39 years..... 3 1 2 2 1 1 1 1 40-44 years..... 5 3 2 2 4 1 45-49 years..... 5 3 2 3 2 50-54 years..... 5 1 1 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 2 1 3 2 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cytomegaloviral hepatitis (B25.1) 2 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other cytomegaloviral diseases (B25.8) 15 All ages.... Under 1 year.... 4 2 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 2 1 1 1 50-54 years..... 1 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 2 1 1 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cytomegaloviral disease, unspecified (B25.9) 40 16 31 10 All ages.... Under 1 year.... 8 6 2 4 3 1 1 1-4 years..... 1 1 1 1 5-9 years..... 1 1 1 1 10-14 years..... 2 2 1 1 1 1 15-19 years..... 2 1 1 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 3 2 1 2 45-49 years..... 3 2 1 3 2 1 50-54 years..... 1 1 1 1 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mumps (B26) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mumps without complication (B26.9) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Infectious mononucleosis (B27) 18 18 13 All ages.... Under 1 year.... 2 2 1-4 years..... 5 4 1 2 1 5-9 years..... 10-14 years..... 3 3 3 3 15-19 years..... 5 2 3 2 1 1 20-24 years..... 6 6 25-29 years..... 1 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Gamma-herpes-viral mononucleosis (B27.0) 3 12 9 3 All ages.... 17 14 Under 1 year.... 2 2 1-4 years..... 5 4 1 3 2 1 5-9 years..... 10-14 years..... 3 3 3 3 15-19 years..... 2 1 1 2 1 1 20-24 years..... 3 3 25-29 years..... 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Infectious mononucleosis, unspecified (B27.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 3 20-24 years..... 3 3 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other viral diseases, not elsewhere classified (B33) 37 54 33 All ages.... 1.0 1 Under 1 year.... 3 3 3 3 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 2 2 1 1 15-19 years..... 1 1 1 1 20-24 years..... 3 2 25-29 years..... 5 4 4 30-34 years..... 3 2 1 3 2 1 35-39 years..... 6 3 3 2 2 1 3 40-44 years..... 5 2 3 3 2 2 45-49 years..... 9 5 4 4 3 1 50-54 years..... 3 5 3 2 2 55-59 years..... 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 2. 2 2 90-94 years..... 3 2 2 1 5 2 4 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Viral carditis (B33.2) 28 26 All ages.... 16 1 Under 1 year.... 3 3 3 3 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 2 1 1 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 3 2 1 1 1 2 1 1 40-44 years..... 4 2 2 3 2 1 45-49 years..... 4 3 6 4 2 1 1 50-54 years..... 3 5 3 2 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Retrovirus infections, not elsewhere classified (B33.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 35-39 years..... 2 2 2 40-44 years..... 1 1 1 45-49 years..... 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other specified viral diseases (B33.8) All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 3 25-29 years..... 1 30-34 years..... 2 1 1 2 1 1 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 90-94 years..... 4 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Viral infection of unspecified site (B34) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2.7 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Adenovirus infection, unspecified (B34.0) All ages.... 12 Under 1 year.... 3 2 1 2 2 1-4 years..... 3 2 1 3 2 1 5-9 years..... 2. 1 1 2 1 1 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 40-44 years..... 3 1 3 2 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age Male Female Male Female Male Female sexes sexes sexes sexes sexes Enterovirus infection, unspecified (B34.1) 10 All ages.... 10 Under 1 year.... 5 5 5 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Papovirus infection, unspecified (B34.4) All ages.... 1 Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Other viral infections of unspecified site (B34.8) 50 26 10 All ages.... 35 19 Under 1 year.... 16 25 13 12 5 1 1 1-4 years..... 4 3 3 1 1 4 5-9 years..... 3 1 2 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 1 40-44 years..... 1 45-49 years..... 1 50-54 years..... 1 55-59 years..... 1 1 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 1 1 2 1 1 3 3 80-84 years..... 1 1 85-89 years..... 1 3 2 1 3 2 90-94 years..... 2 2 2 2 95-99 years..... 3 3 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Viral infection, unspecified (B34.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Dermatophytosis (B35) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Tinea pedis (B35.3) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Candidiasis (B37) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.0 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Candidal stomatitis (B37.0) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Pulmonary candidiasis (B37.1) 9 All ages.... 16 22 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 4 3 1 4 3 1 80-84 years..... 3 2. 2. 1 1 1 85-89 years..... 2 1 1 1 2 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Candidiasis of skin and nail (B37.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Candidiasis of other urogenital sites (B37.4) All ages.... 12 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 2 1 1 85-89 years..... 1 1 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Candidal meningitis (B37.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Candidal endocarditis (B37.6) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Candidal septicemia (B37.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Candidiasis of other sites (B37.8) 13 All ages.... 16 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 1 40-44 years..... 1 1 45-49 years..... 2 2 2 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 11 4 7 10 3 1 85-89 years..... 7 2. 6 2 1 1 90-94 years..... 2 1 1 1 1 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality. 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Candidiasis, unspecified (B37.9) All ages..... 31 17 14 26 12 14 5 2 1 Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 5 3 2 5 3 80-84 years..... 85-89 years..... 3 1 1 1 90-94 years..... 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Coccidioidomycosis (B38) 17 17 All ages.... 1.3 13 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 4 3 30-34 years..... 6 5 1 3 2 1 3 3 35-39 years..... 1 1 1 1 40-44 years..... 2 2 2 2 45-49 years..... 7 7 4 4 50-54 years..... 6 1 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 8 75-79 years..... 12 10 80-84 years..... 6 4 2 5 3 2 85-89 years..... 5 1 1 90-94 years..... 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acute pulmonary coccidioidomycosis (B38.0) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Chronic pulmonary coccidioidomycosis (B38.1) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pulmonary coccidioidomycosis, unspecified (B38.2) All ages.... Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 40-44 years..... 45-49 years..... 2 2 3 50-54 years..... 3 55-59 years..... 1 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 2 2. 80-84 years..... 1 1 1 1 2 85-89 years..... 2 2 2 90-94 years..... 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Coccidioidomycosis meningitis (B38.4) All ages.... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 2 2 2 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disseminated coccidioidomycosis (B38.7) 3 13 10 All ages.... 17 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 2 30-34 years..... 2 1 1 1 1 1 35-39 years..... 40-44 years..... 1 1 45-49 years..... 4 4 1 1 3 50-54 years..... 1 1 1 1 55-59 years..... 1 1 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other forms of coccidioidomycosis (B38.8) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Coccidioidomycosis, unspecified (B38.9) 15 All ages.... 13 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 55-59 years..... 1 1 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 3 3 2. 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Histoplasmosis (B39) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 2 1 1 1 35-39 years..... 3 1 2 3 1 40-44 years..... 5 3 3 1 1 1 45-49 years..... 2 2 2 50-54 years..... 1 55-59 years..... 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 2 2 85-89 years..... 2 2 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pulmonary histoplasmosis capsulati, unspecified (B39.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Histoplasmosis capsulati, unspecified (B39.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Histoplasmosis, unspecified (B39.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 2 1 1 1 35-39 years..... 3 1 2 3 1 40-44 years..... 4 3 2 2 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 5 1 1 55-59 years..... 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 80-84 years..... 2 2 2 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Blastomycosis (B40) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 3 1 2 2 1 1 1 1 35-39 years..... 2 2 1 1 1 40-44 years..... 2 2 2 2 45-49 years..... 3 2 1 2 1 50-54 years..... 1 1 1 1 55-59 years..... 1 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 2 2 3 1 2 1 85-89 years..... 1 1 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pulmonary blastomycosis, unspecified (B40.2) 10 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 3 1 2 2 1 1 1 1 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h and age Male Female Male Female sexes Male Female Male Female Male Female sexes sexes sexes sexes Cutaneous blastomycosis (B40.3) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disseminated blastomycosis (B40.7) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Blastomycosis, unspecified (B40.9) 11 All ages.... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 1 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 1 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Sporotrichosis (B42) 1 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disseminated sporotrichosis (B42.7) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Chromomycosis and pheomycotic abscess (B43) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other forms of chromomycosis (B43.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Aspergillosis (B44) All ages.... 2.0 Under 1 year.... 1-4 years..... 5-9 years..... 2. 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.5 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Invasive pulmonary aspergillosis (B44.0) 19 17 10 All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 2 30-34 years..... 2 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 3 1 3 1 2 50-54 years..... 2 55-59 years..... 1 1 1 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other pulmonary aspergillosis (B44.1) 122 99 31 2 All ages.... 1.3 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 1 1 1 1 35-39 years..... 2 2 1 1 1 1 40-44 years..... 3 3 3 4 1 1 1 45-49 years..... 1.0 5 5 4 3 2 1 1 50-54 years..... 10 10 6 6 7 55-59 years..... 11 6 60-64 years..... 13 11 12 10 65-69 years..... 17 11 15 9 70-74 years..... 18 13 16 11 75-79 years..... 13 9 10 80-84 years..... 13 11 2 10 8 2 2 2 85-89 years..... 3 3 4 1 4 1 90-94 years..... 2 1 1 2 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disseminated aspergillosis (B44.7) 9 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 1 1 45-49 years..... 3 3 3 3 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other forms of aspergillosis (B44.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Aspergillosis, unspecified (B44.9) 39 23 All ages.... 48 12 1 Under 1 year.... 1-4 years..... 2 2 2 2 5-9 years..... 1 1 1 1 10-14 years..... 1 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 1 1 30-34 years..... 1 1 1 1 35-39 years..... 4 3 1 1 1 2 1 40-44 years..... 2 2 2 4 4 2 45-49 years..... 4 1 3 1 50-54 years..... 3 2 1 1 55-59 years..... 6 60-64 years..... 10 65-69 years..... 4 70-74 years..... 11 10 75-79 years..... 9 80-84 years..... 5 3 5 3 2 85-89 years..... 2 2 2 90-94 years..... 2 2 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cryptococcosis (B45) 119 79 17 36 27 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 2 25-29 years..... 2 3 30-34 years..... 7 7 2 2 4 4 35-39 years..... 11 8 3 6 5 1 5 3 2 40-44 years..... 16 13 3 9 3 1 10 1 2 45-49 years..... 11 10 1 7 7 2 1 1 50-54 years..... 7 7 3 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 11 11 9 75-79 years..... 14 9 11 80-84 years..... 4 2 2 4 2 2 85-89 years..... 2 2 2 90-94 years..... 2 2 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age Male Female Male Female Male Female sexes sexes sexes sexes sexes Pulmonary cryptococcosis (B45.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should

be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Cerebral cryptococcosis (B45.1) All ages..... 65 18 51 41 10 29 22 1 1 2 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 2 1 25-29 years..... 5 2 3 4 1 3 1 1 30-34 years..... 7 7 2 2 4 4 35-39 years..... 8 2 1 6 3 40-44 years..... 12 9 3 8 1 2 2 7 45-49 years..... 1 1 1 50-54 years..... 6 3 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 11 75-79 years..... 8 5 4 2 80-84 years..... 1 1 1 1 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disseminated cryptococcosis (B45.7) All ages.... 12 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 2 35-39 years..... 1 40-44 years..... 4 2 2 1 1 1 45-49 years..... 2 2 2 2 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 3 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other forms of cryptococcosis (B45.8) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cryptococcosis, unspecified (B45.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 45-49 years..... 2 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Zygomycosis (B46) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 1 30-34 years..... 1 1 1 1 35-39 years..... 1 1 40-44 years..... 1 1 1 45-49 years..... 3 2 1 1 1 1 50-54 years..... 2 2. 1 1 1 55-59 years..... 3 1 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pulmonary mucormycosis (B46.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Rhinocerebral mucormycosis (B46.1) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age Male Female Male Female Male Female sexes sexes sexes sexes sexes Disseminated mucormycosis (B46.4) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

on the International Classification of Diseases, Tenth	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
Revision, 1992)	Both			Both			Both			Both			Both	1	
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Mucormycosis, unspec	cified (B46	6.5)													
All ages	9	4	5	6	4	2	2	-	2	1	_	1	_	-	_
Under 1 year	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	_	-	-	-	-	-	-	-		-	_	-	-	-
5-9 years	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	_	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	_	-	-	-	-	-
30-34 years	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	-	-	-	-	-	-
50-54 years	1	1	_	1	1	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-
65-69 years	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
75-79 years	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	_	-	-	-	_	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	_	_	_	-	-	-	-	-	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Zygomycosis, unspecified (B46.9) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mycetoma (B47) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mycetoma, unspecified (B47.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other mycoses, not elsewhere classified (B48) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 2 2. 50-54 years..... 55-59 years..... 1 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Allescheriasis (B48.2) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Opportunistic mycoses (B48.7) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth American Indian 1/ Pacific Islander 2/ All races White Black Revision, 1992) Both Both Both Both Bot.h and age Male Female sexes Other specified mycoses (B48.8) 3 All ages..... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Unspecified mycosis (B49) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Plasmodium falciparum malaria (B50) 2 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Plasmodium falciparum malaria with cerebral complications (B50.0) All ages..... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth American Indian 1/ Pacific Islander 2/ All races White Black Revision, 1992) Both Both Both Both Bot.h Male Female sexes Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes Plasmodium falciparum malaria, unspecified (B50.9) All ages..... 1 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Unspecified malaria (B54) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 3 3 3 1 1 1 55-59 years..... 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age Male Female Male Female Male Female sexes sexes sexes sexes sexes Leishmaniasis (B55) 1 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Leishmaniasis, unspecified (B55.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Chagas' disease (B57) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Chagas' disease (chronic) with heart involvement (B57.2) 1 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age Male Female Male Female Male Female sexes sexes sexes sexes sexes Toxoplasmosis (B58) All ages.... 11 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 5 1 4 1 4 40-44 years..... 1 1 1 1 45-49 years..... 3 1 3 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Toxoplasma meningoencephalitis (B58.2) All ages.... Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 2 35-39 years..... 3 1 2 40-44 years..... 45-49 years..... 3 2 1 2 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Toxoplasmosis with other organ involvement (B58.8) 3 All ages..... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Toxoplasmosis, unspecified (B58.9) 1 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 2 35-39 years..... 2 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age Male Female Male Female Male Female sexes sexes sexes sexes sexes Pneumocystosis (B59) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 2. 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age Male Female Male Female Male Female sexes sexes sexes sexes sexes Other protozoal diseases, not elsewhere classified (B60) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 3 2 1 3 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Babesiosis (B60.0) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Negleriasis (B60.2) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 3 1 3 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Echinococcosis (B67) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Echinococcosis, other and unspecified (B67.9) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cysticercosis (B69) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 2 1 1 2 1 1 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cysticercosis of central nervous system (B69.0) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 2 1 1 2 1 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cysticercosis, unspecified (B69.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Ascariasis (B77) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Ascariasis, unspecified (B77.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Strongyloidiasis (B78) All ages..... 4 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disseminated strongyloidiasis (B78.7) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Strongyloidiasis, unspecified (B78.9) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or All races Diseases, Tenth White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Pediculosis and phthiriasis (B85) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pediculosis due to Pediculus humanus corporis (B85.1) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pediculosis, unspecified (B85.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Scabies (B86) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Other infestations (B88) 1 1 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other specified infestations (B88.8) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Unspecified parasitic disease (B89) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or All races Diseases, Tenth White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Sequelae of tuberculosis (B90) 7 All ages..... 108 46 62 80 2.8 52 11 1 1 16 1.0 6 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 1 1 40-44 years..... 2 1 1 1 1 1 3 1 1 45-49 years..... 1 1 50-54 years..... 4 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 3 75-79 years..... 17 8 9 13 5 8 9 9 7 18 13 6 3 80-84 years..... 1 1 26 10 16 23 8 85-89 years..... 15 1 1 90-94 years..... 8 1 8 1 95-99 years..... 5 5 5 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female Male Female and age sexes Male Female sexes sexes sexes sexes Sequelae of tuberculosis of bones and joints (B90.2) 1 1 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Male Female Male Female sexes Male Female sexes Male sexes sexes sexes Sequelae of respiratory and unspecified tuberculosis (B90.9) 107 28 52 6 1 16 All ages.... 45 62 10 1 10 6 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 2 1 1 1 1 1 45-49 years..... 1 4 3 1 1 1 1 2 50-54 years..... 2 2 2 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 3 75-79 years..... 17 13 9 80-84 years..... 18 9 13 6 1 1 1 3 2 85-89 years..... 26 16 23 8 10 15 1 1 2 90-94 years..... 8 7 8 7 1 1 95-99 years..... 5 5 5 5 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should

be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Sequelae of poliomyelitis (B91) 2 All ages..... 323 146 177 314 143 171 7 5 1 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 3 1 3 45-49 years..... 1 1 50-54 years..... 13 5 12 5 55-59 years..... 21 12 20 8 12 60-64 years..... 22 15 7 20 14 1 65-69 years..... 41 21 20 40 21 19 1 70-74 years..... 48 21 27 45 21 24 75-79 years..... 65 23 42 65 23 42 25 23 25 48 23 48 80-84 years..... 40 17 23 39 16 23 1 85-89 years..... 90-94 years..... 15 7 8 15 7 8 95-99 years..... 5 3 5 3 2 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Female Male Female and age Female Female sexes Male Female sexes Male sexes Male sexes Male sexes Sequelae of other and unspecified infectious and parasitic diseases (B94) 1,660 1,003 1,392 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 2. 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2.4 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Sequelae of viral encephalitis (B94.1) 5 1 All ages.... 12 11 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 3 2 1 2 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 1 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Sequelae of viral hepatitis (B94.2) 1,065 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.4 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2.2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Sequelae of other specified infectious and parasitic diseases (B94.8) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.7 85-89 years..... 2.7 2.8 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes Sequelae of unspecified infectious or parasitic disease (B94.9) 2 2 2 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other and unspecified infectious diseases (B99) 100 All ages.... 53 17 11 Under 1 year.... 4 2 2 2 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 2 2 1 20-24 years..... 1 1 1 25-29 years..... 1 1 1 1 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 2 1 3 1 1 1 1 45-49 years..... 4 1 2 2 2 1 1 2 1 50-54 years..... 6 1 4 1 55-59 years..... 60-64 years..... 65-69 years..... 9 70-74 years..... 3 75-79 years..... 15 10 5 14 1.0 1 1 9 12 3 3 8 1 80-84 years..... 11 1 12 7 5 11 85-89 years..... 6 5 1 90-94 years..... 9 5 4 8 4 1 1 95-99 years..... 4 4 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of lip (C00) 52 17 All ages.... Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 1 40-44 years..... 3 3 3 45-49 years..... 4 4 4 4 2. 50-54 years..... 2 2 2 1 55-59 years..... 4 3 3 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 13 14 13 80-84 years..... 8 6 2 8 6 2 85-89 years..... 5 7 5 12 12 90-94 years..... 9 3 3 1 6 8 5 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes External upper lip (C00.0) 3 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes External lower lip (C00.1) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes External lip, unspecified (C00.2) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lip, unspecified (C00.9) 58 All ages.... 63 44 19 42 16 1 1 Under 1 year.... 1-4 years..... 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 1 1 1 1 35-39 years..... 1 1 40-44 years..... 2 2 2 45-49 years..... 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 3 70-74 years..... 3 75-79 years..... 11 10 1 11 1.0 1 80-84 years..... 7 7 6 1 6 1 85-89 years..... 5 11 11 6 6 5 90-94 years..... 7 6 6 1 5 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of base of tongue (CO1) 130 111 All ages.... 32 18 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 3 3 2 2 1 1 40-44 years..... 2 2 2 2 45-49 years..... 4 4 1 1 3 3 50-54 years..... 7 6 1 6 55-59 years..... 24 19 20 16 60-64 years..... 24 15 20 12 65-69 years..... 12 10 9 70-74 years..... 10 15 9 75-79 years..... 20 15 20 15 80-84 years..... 9 8 8 7 1 1 85-89 years..... 5 2 3 2 2 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Malignant neoplasm of other and unspecified parts of tongue (CO2) 1,757 All ages..... 1,122 1,510 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lingual tonsil (C02.4) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Male Female Male Female Male Female sexes Male Female sexes sexes sexes sexes Tongue, unspecified (C02.9) All ages..... 1,756 1,121 1,509 2.1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of qum (CO3) 28 31 52 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 2 1 1 2 1 1 15-19 years..... 3 1 2 2 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 1 1 50-54 years..... 1 1 55-59 years..... 6 3 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 9 5 4 9 5 85-89 years..... 2 2 2 90-94 years..... 3 3 5 2 4 1 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Upper qum (C03.0) 15 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 2 1 3 2 1 85-89 years..... 1 1 1 1 90-94 years..... 1 2 1 1 2 1 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lower gum (C03.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 80-84 years..... 4 2 4 2 2 85-89 years..... 1 1 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Gum, unspecified (C03.9) 18 16 29 13 All ages.... 16 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 2 1 1 2 1 1 15-19 years..... 3 1 2 2 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 4 3 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 2 1 1 85-89 years..... 2 1 1 1 1 90-94 years..... 2 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Malignant neoplasm of floor of mouth (CO4) All ages..... 149 112 37 126 94 32 21 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 3 2 1 3 2 1 45-49 years..... 8 7 1 6 5 2 17 50-54 years..... 19 17 15 55-59 years..... 24 22 19 17 60-64 years..... 16 12 15 11 65-69 years..... 17 12 10 70-74 years..... 24 18 20 14 75-79 years..... 16 9 12 8 4 1 3 1.0 6 8 5 3 2 80-84 years..... 1 1 85-89 years..... 10 9 3 3 6 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Floor of mouth, unspecified (C04.9) All ages.... 112 126 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 3 2 3 2 45-49 years..... 8 6 2 7 5 2 1 50-54 years..... 17 17 19 1.5 1 1 55-59 years..... 24 22 19 17 5 60-64 years..... 16 12 15 11 65-69 years..... 17 12 10 70-74 years..... 18 20 14 75-79 years..... 16 9 12 8 80-84 years..... 10 6 4 8 5 3 2 85-89 years..... 10 3 9 3 6 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of palate (CO5) 90 72 141 All ages.... 19 12 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 1 1 1 1 45-49 years..... 5 5 4 4 1 1 50-54 years..... 9 3 2 5 4 1 55-59 years..... 15 13 12 10 60-64 years..... 16 15 1 15 14 1 65-69 years..... 23 15 20 12 70-74 years..... 25 14 11 21 11 10 75-79 years..... 20 9 11 20 9 11 80-84 years..... 22 4 18 21 4 17 1 1 85-89 years..... 12 5 7 12 5 7 90-94 years..... 10 8 8 6 1 1 2 2 95-99 years..... 2 1 2 1 1 1 1 1 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hard palate (C05.0) 13 All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 3 3 3 85-89 years..... 90-94 years..... 3 2 1 3 2 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Soft palate (C05.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 3 2 1 50-54 years..... 1 1 1 1 55-59 years..... 6 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 5 2 5 85-89 years..... 90-94 years..... 2 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Uvula (C05.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 55-59 years..... 1 1 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Palate, unspecified (C05.9) 70 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 3 3 2 2 1 1 5 50-54 years..... 2 3 2 1 2 55-59 years..... 60-64 years..... 65-69 years..... 9 70-74 years..... 13 75-79 years..... 9 9 80-84 years..... 11 2 9 10 2 8 1 85-89 years..... 5 5 1 1 90-94 years..... 2 2 5 2 4 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Female Male Female sexes Male Female Male sexes Male sexes sexes Malignant neoplasm of other and unspecified parts of mouth (CO6) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cheek mucosa (C06.0) 15 17 15 17 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 2 2. 2 2 55-59 years..... 4 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 5 80-84 years..... 1 1 85-89 years..... 2 2. 2 2 90-94 years..... 1 5 1 6 6 5 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Retromolar area (C06.2) 13 10 All ages.... 10 1.3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 1 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 3 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 5 3 2 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mouth, unspecified (C06.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 8.0 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of parotid gland (CO7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.0 1.5 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Malignant neoplasm of other and unspecified major salivary glands (CO8) 169 97 72 All ages.... 149 16 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 1 5 40-44 years..... 8 3 5 3 8 45-49 years..... 9 5 4 8 5 3 1 50-54 years..... 10 6 8 1 1 1 55-59 years..... 14 10 13 10 60-64 years..... 22 16 15 13 1 65-69 years..... 12 7 11 7 70-74 years..... 14 12 25 13 12 75-79 years..... 24 15 9 21 13 8 80-84 years..... 20 12 8 19 11 8 1 1 85-89 years..... 3 8 2. 8 11 10 1 1 90-94 years..... 8 2 1 2 6 5 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Submandibular gland (C08.0) All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 4 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 3 1 3 1 85-89 years..... 2. 2 2 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Major salivary gland, unspecified (C08.9) 131 58 51 All ages.... 73 116 12 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 40-44 years..... 7 3 7 3 45-49 years..... 7 8 4 4 4 3 1 50-54 years..... 9 7 3 1 5 1 55-59 years..... 10 10 60-64 years..... 17 12 12 10 65-69 years..... 4 70-74 years..... 19 10 18 9 75-79 years..... 18 12 16 80-84 years..... 16 9 15 8 1 85-89 years..... 7 1 6 1 1 90-94 years..... 7 2 2 5 5 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of tonsil (CO9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1.0 1.0 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Tonsillar fossa (C09.0) 16 All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 2 1 2 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Tonsillar pillar (anterior) (posterior) (C09.1) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Tonsil, unspecified (C09.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1.0 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of oropharynx (C10) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Vallecula (C10.0) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality. 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Branchial cleft (C10.4) All ages..... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Oropharynx, unspecified (C10.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female and age sexes Male Female Male Female Male Female sexes Male Female sexes sexes sexes Malignant neoplasm of nasopharynx (C11) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.4 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Superior wall of nasopharynx (C11.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Posterior wall of nasopharynx (C11.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 1 1 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Nasopharynx, unspecified (C11.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.4 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of pyriform sinus (C12) 126 17 111 All ages.... 109 16 14 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 3 3 2 2 1 45-49 years..... 7 6 1 5 4 1 2 2 50-54 years..... 8 8 55-59 years..... 23 20 18 15 5 60-64 years..... 18 14 17 13 65-69 years..... 15 14 14 13 70-74 years..... 23 25 23 75-79 years..... 13 10 13 10 80-84 years..... 8 7 1 8 7 1 85-89 years..... 3 2 3 1 2 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Male Female Male Female sexes Male Female sexes sexes sexes Malignant neoplasm of hypopharynx (C13) 197 53 158 All ages.... 112 29 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 1 2 2 1 1 1 45-49 years..... 11 11 8 8 3 3 50-54 years..... 18 1.5 14 11 55-59 years..... 26 19 20 16 3 60-64 years..... 29 24 20 16 65-69 years..... 27 21 20 14 70-74 years..... 30 21 27 18 9 75-79 years..... 29 18 11 26 15 11 80-84 years..... 11 7 4 9 6 3 2 85-89 years..... 9 3 9 3 6 6 90-94 years..... 3 3 2 1 2 1 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Postcricoid region (C13.0) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Aryepiglottic fold, hypopharyngeal aspect (C13.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hypopharynx, unspecified (C13.9) 190 139 51 151 107 All ages.... 29 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 1 2 2 1 1 1 45-49 years..... 11 11 8 8 3 3 50-54 years..... 18 1.5 3 14 11 55-59 years..... 25 18 19 15 3 60-64 years..... 28 23 19 15 65-69 years..... 21 19 14 70-74 years..... 29 20 26 17 9 75-79 years..... 29 18 11 26 15 11 80-84 years..... 10 6 4 8 5 3 2 85-89 years..... 7 7 5 5 2 2 90-94 years..... 3 3 2 1 2 1 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Female sexes Male Female sexes Male sexes Male sexes Male sexes Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx (C14) 1,558 1,261 All ages..... 1,147 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pharynx, unspecified (C14.0) 1,558 1,147 1,261 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Male Female Female sexes sexes Male Female sexes sexes Male Malignant neoplasm of esophagus (C15) 12,701 9,789 2,912 10,910 8,510 2,400 1,590 All ages..... 1,133 1.0 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1,286 1,099 1,044 60-64 years..... 1,477 1,222 1,218 1,026 65-69 years..... 1,736 1,394 1,442 1,185 70-74 years..... 1,955 1,558 1,708 1,378 75-79 years..... 1,909 1,437 1,698 1,301 80-84 years..... 1,353 1,480 1,017 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated... 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cervical part of esophagus (C15.0) 3 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Thoracic part of esophagus (C15.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Upper third of esophagus (C15.3) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Middle third of esophagus (C15.4) 2 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lower third of esophagus (C15.5) 53 17 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 2 2 50-54 years..... 9 55-59 years..... 60-64 years..... 65-69 years..... 7 70-74 years..... 12 12 12 12 75-79 years..... 10 7 10 80-84 years..... 7 4 3 7 4 3 85-89 years..... 3 2. 2 3 1 90-94 years..... 2 1 1 2 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Female Male Female and age sexes Female Male Female sexes Male Female Male sexes sexes Male sexes Esophagus, unspecified (C15.9) 9,727 2,889 10,830 8,452 2,378 1,585 All ages..... 12,616 1,129 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1,278 1,093 1,037 60-64 years..... 1,466 1,215 1,208 1,020 65-69 years..... 1,728 1,387 1,434 1,178 70-74 years..... 1,940 1,543 1,694 1,364 75-79 years..... 1,898 1,430 1,687 1,294 80-84 years..... 1,473 1,013 1,346 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Female sexes Male Female Male sexes sexes Male sexes Malignant neoplasm of stomach (C16) 12,198 5,065 9,319 5,542 3,777 2,131 All ages..... 7,133 1,194 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.0 55-59 years..... 60-64 years..... 65-69 years..... 1,179 70-74 years..... 1,637 1,063 1,260 75-79 years..... 1,903 1,118 1,496 80-84 years..... 1,753 1,406 85-89 years..... 1,086 2.5 1,344 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Female Male Female Male Female and age sexes Male Male Female Male Female sexes sexes sexes sexes Cardia (C16.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 3.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Fundus of stomach (C16.1) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Body of stomach (C16.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pyloric antrum (C16.3) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 80-84 years..... 1 1 85-89 years..... 3 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pylorus (C16.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 2 2 2 2 90-94 years..... 95-99 years..... 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lesser curvature of stomach, unspecified (C16.5) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Overlapping lesion of stomach (C16.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Female sexes Male Female Male sexes sexes Male sexes Stomach, unspecified (C16.9) 6,557 4,942 8,662 5,000 2,097 All ages..... 11,499 3,662 1,167 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.0 55-59 years..... 60-64 years..... 65-69 years..... 1,098 70-74 years..... 1,523 1,150 75-79 years..... 1,790 1,027 1,389 80-84 years..... 1,694 1,349 85-89 years..... 1,050 2.4 1,305 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Malignant neoplasm of small intestine (C17) 1,017 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Duodenum (C17.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2.0 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Jejunum (C17.1) 17 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 3 30-34 years..... 35-39 years..... 1 1 40-44 years..... 2 2 1 1 1 45-49 years..... 2 1 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 5 2 5 85-89 years..... 2 2 1 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Ileum (C17.2) 13 All ages.... 12 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 2 2 2 50-54 years..... 1 1 1 1 55-59 years..... 4 3 3 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 2 1 1 85-89 years..... 2 1 1 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Meckel's diverticulum (C17.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Small intestine, unspecified (C17.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.8 85-89 years..... 1.0 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Bot.h Bot.h Both and age Female Female Female Male Female sexes Male Female sexes Male sexes Male sexes Male sexes Malignant neoplasm of colon (C18) 20,097 20,529 5,916 2,834 All ages..... 47,586 23,486 24,100 40,626 3,082 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1,337 50-54 years..... 2,229 1,749 1,242 55-59 years..... 2,968 1,726 1,242 2,380 1,412 60-64 years..... 3,769 2,221 1,548 3,060 1,820 1,240 65-69 years..... 4,835 2,805 2,030 4,008 2,360 1,648 70-74 years..... 6,321 3,466 2,855 5,425 3,026 2,399 75-79 years..... 7,531 3,831 3,700 6,569 3,356 3,213 80-84 years..... 7,563 3,413 4,150 6,713 3,041 3,672 85-89 years..... 5,647 2,187 3,460 5,121 1,976 3,145 90-94 years..... 2,995 2,109 2,675 1.882 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cecum (C18.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Appendix (C18.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Ascending colon (C18.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hepatic flexure (C18.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 1 1 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Transverse colon (C18.4) 50 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 2. 2 2 2 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 11 75-79 years..... 9 9 80-84 years..... 3 6 8 3 5 1 85-89 years..... 1.0 3 7 8 5 3 1 1 90-94 years..... 5 3 5 3 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Splenic flexure (C18.5) 5 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Descending colon (C18.6) 33 3 All ages.... 1.0 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 3 1 2 2 3 2. 50-54 years..... 3 3 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 9 75-79 years..... 11 80-84 years..... 6 3 3 6 3 3 85-89 years..... 2 8 12 1.0 1.0 2 90-94 years..... 7 3 4 6 2 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Sigmoid colon (C18.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Bot.h Bot.h Both and age Female Female Female Male Female sexes Male Female sexes Male sexes Male sexes Male sexes Colon, unspecified (C18.9) 22,711 23,207 19,430 19,759 2,752 All ages..... 45,918 39,189 5,739 2,987 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1,279 50-54 years..... 2,128 1,188 1,663 55-59 years..... 2,846 1,648 1,198 2,276 1,346 60-64 years..... 3,648 2,159 1,489 2,956 1,767 1,189 65-69 years..... 4,654 2,710 1,944 3,856 2,281 1,575 70-74 years..... 6,111 3,364 2,747 5,245 2,935 2,310 75-79 years..... 7,284 3,714 3,570 6,358 3,258 3,100 80-84 years..... 7,337 3,315 4,022 6,510 2,954 3,556 1,913 85-89 years..... 5,450 2,115 3,335 4,944 3,031 90-94 years..... 2,032 2,885 2.578 1.814 95-99 years..... 100 years & over. Age not stated... 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age Female Male Female sexes Male Female sexes Male sexes sexes sexes Malignant neoplasm of rectosigmoid junction (C19) 2,276 1,950 1,090 All ages..... 1,262 1,014 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 5.8 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality. 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black Pacific Islander 2/ American Indian 1/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Malignant neoplasm of rectum (C20) 3,068 All ages.... 6,340 3,540 2,800 5,501 2,433 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of anus and anal canal (C21) All ages.... 2.7 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2.0 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Anus, unspecified (C21.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.7 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Anal canal (C21.1) All ages.... 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1 1 80-84 years..... 1 1 1 1 85-89 years..... 90-94 years..... 3 1 3 2 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cloacogenic zone (C21.2) 11 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Overlapping lesion of rectum, anus, and anal canal (C21.8) 13 All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 2 2 2 40-44 years..... 3 1 2 3 2 45-49 years..... 2 1 1 2 1 1 50-54 years..... 2 1 1 1 1 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 5 1 4 4 1 3 85-89 years..... 8 7 8 1 1 90-94 years..... 2 2 2 2 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or															
Diseases, Tenth	All races			White				Black		American Indian 1/			Pacific Islander 2/		
Revision, 1992)	Both			Both			Both			Both			Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Malignant neoplasm	of liver a	nd intrahe	epatic bile	e ducts (C2	2)										
All ages	14,047	9,011	5,036	11,250	7,114	4,136	1,734	1,165	569	94	60	34	969	672	297
Under 1 year	3	2	1	2	2	-	1	-	1	-	-	-	-	-	_
1-4 years	28	19	9	22	14	8	4	3	1	1	1	-	1	1	-
5-9 years	7	4	3	7	4	3	-	-	-	-	-	-	-	-	-
10-14 years	11	8	3	6	3	3	3	3	-	-	_	-	2	2	-
15-19 years	10	9	1	6	5	1	3	3	-	-	-	-	1	1	_
20-24 years	17	9	8	13	5	8	1	1	-	-	-	-	3	3	_
25-29 years	33	20	13	18	8	10	9	6	3	-	-	-	6	6	_
30-34 years	72	42	30	39	19	20	18	11	7	1	1	-	14	11	3
35-39 years	123	85	38	74	48	26	23	16	7	_	_	_	26	21	5
40-44 years	291	223	68	201	153	48	61	45	16	2	2	_	27	23	4
45-49 years	731	596	135	521	426	95	147	116	31	6	4	2	57	50	7
50-54 years	1,245	1,015	230	862	703	159	258	209	49	11	10	1	114	93	21
55-59 years	1,208	899	309	875	651	224	231	170	61	9	8	1	93	70	23
60-64 years	1,350	959	391	1,053	746	307	161	115	46	11	7	4	125	91	34
65-69 years	1,618	1,100	518	1,298	889	409	184	129	55	13	7	6	123	75	48
70-74 years	1,963	1,267	696	1,611	1,041	570	204	135	69	14	10	4	134	81	53
75-79 years	2,049	1,212	837	1,766	1,049	717	176	97	79	6	2	4	101	64	37
80-84 years	1,679	900	779	1,471	781	690	122	67	55	11	6	5	75	46	29
85-89 years	1,094	463	631	973	417	556	77	24	53	5	2	3	39	20	19
90-94 years	419	155	264	354	131	223	43	12	31	2	-	2	20	12	8
95-99 years	80	22	58	67	18	49	6	3	3	2	-	2	5	1	4
100 years & over.	16	2	14	11	1	10	2	_	2	-	-	-	3	1	2

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Female sexes Male Female Male sexes sexes Male sexes Liver cell carcinoma (C22.0) 5,734 4,264 1,470 4,385 3,253 1,132 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Bot.h Male Female and age sexes Female Male Female Female sexes Male Female Male sexes sexes Male sexes Intrahepatic bile duct carcinoma (C22.1) 2,999 1,480 1,519 2,577 1,275 1,302 All ages..... 2.7 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hepatoblastoma (C22.2) 22 13 29 18 11 All ages.... Under 1 year.... 3 2 1 2 2 1-4 years..... 24 15 9 20 12 8 4 1 5-9 years..... 4 3 1 3 1 10-14 years..... 2 2 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Angiosarcoma of liver (C22.3) 13 10 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 2 1 50-54 years..... 1 1 55-59 years..... 3 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other sarcomas of liver (C22.4) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Female sexes Male Female Male sexes sexes Male sexes Liver, unspecified (C22.9) 5,258 3,231 2,027 4,244 2,558 1,686 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality. 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Malignant neoplasm of gallbladder (C23) All ages..... 1,907 1,345 1,599 1,122 1.0 2.4 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Malignant neoplasm of other and unspecified parts of biliary tract (C24) 1,501 All ages..... 1,346 2.7 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Extrahepatic bile duct (C24.0) All ages.... 2.7 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.7 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Ampulla of Vater (C24.1) 182 All ages.... 166 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 3 1 45-49 years..... 4 1 3 4 1 3 50-54 years..... 2 10 3 8 3 55-59 years..... 8 60-64 years..... 3 65-69 years..... 17 1 70-74 years..... 18 12 18 12 75-79 years..... 40 20 20 35 17 18 80-84 years..... 31 18 13 30 18 12 1 85-89 years..... 30 31 12 19 19 11 1 90-94 years..... 7 7 3 4 3 4 95-99 years..... 4 4 3 3 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Biliary tract, unspecified (C24.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Bot.h Bot.h Both and age Female Female Female Male Female sexes Male Female sexes Male sexes Male sexes Male sexes Malignant neoplasm of pancreas (C25) 1,877 15,387 26,031 3,494 1,617 All ages..... 30,264 14,877 12,921 13,110 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1,223 1,544 55-59 years..... 2,321 1,394 1,927 1,166 1,618 60-64 years..... 2,784 1,166 2,321 1,378 65-69 years..... 3,564 1,924 1,640 2,975 1,645 1,330 70-74 years..... 4,623 2,346 2,277 3,969 2,048 1,921 75-79 years..... 5,210 2,424 2,786 4,574 2,177 2,397 80-84 years..... 4,345 1,846 2,499 3,904 1,679 2,225 85-89 years..... 1,652 2,824 1,839 2,552 90-94 years..... 1,217 1,104 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Head of pancreas (C25.0) 135 63 72 All ages.... 112 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 2 2 1 1 45-49 years..... 3 2 1 3 2 1 50-54 years..... 1 3 1 2. 2 1 55-59 years..... 60-64 years..... 65-69 years..... 13 12 7 70-74 years..... 12 75-79 years..... 20 11 17 10 80-84 years..... 28 9 19 23 7 16 5 2 3 85-89 years..... 17 1.3 9 12 3 90-94 years..... 12 9 11 9 3 2 1 95-99 years..... 4 4 4 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Body of pancreas (C25.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Tail of pancreas (C25.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 3 3 85-89 years..... 2 1 1 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pancreatic duct (C25.3) 19 11 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 1 1 1 55-59 years..... 1 1 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 5 3 2. 3 90-94 years..... 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Endocrine pancreas (C25.4) 70 132 All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 1 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 7 2 5 5 1 2 1 1 40-44 years..... 12 5 6 6 11 6 1 45-49 years..... 12 8 12 8 4 4 50-54 years..... 6 2 6 2 55-59 years..... 17 6 11 16 10 60-64 years..... 11 3 65-69 years..... 28 18 10 27 17 10 70-74 years..... 21 15 20 75-79 years..... 18 10 16 10 2 80-84 years..... 8 4 4 6 3 3 2 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Bot.h Bot.h Both and age Female Female Female Male Female sexes Male Female sexes Male sexes Male sexes Male sexes Pancreas, unspecified (C25.9) 14,724 25,756 12,784 12,972 3,455 1,603 1,852 All ages..... 29,948 15,224 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1,532 1,214 55-59 years..... 2,295 1,380 1,902 1,152 60-64 years..... 2,760 1,599 1,161 2,300 1,361 65-69 years..... 3,520 1,894 1,626 2,933 1,617 1,316 70-74 years..... 4,581 2,330 2,251 3,934 2,034 1,900 75-79 years..... 5,168 2,402 2,766 4,538 2,156 2,382 80-84 years..... 4,304 1,832 2,472 3,870 1,668 2,202 1,638 85-89 years..... 2,799 1,821 2,532 90-94 years..... 1,092 1,204 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female sexes Male Female Male sexes sexes sexes Malignant neoplasm of other and ill-defined digestive organs (C26) 1,349 All ages..... 1,172 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2. 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Intestinal tract, part unspecified (C26.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.7 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Spleen (C26.1) 10 10 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 1 1 1 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 2 2 1 85-89 years..... 3 3 3 3 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Overlapping lesion of digestive system (C26.8) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Ill-defined sites within the digestive system (C26.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of nasal cavity and middle ear (C30) 33 31 All ages.... 17 16 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 5 5 1 1 50-54 years..... 5 1 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 6 3 3 3 3 85-89 years..... 2 1 1 1 1 90-94 years..... 4 4 4 4 95-99 years..... 2 1 1 2 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Nasal cavity (C30.0) All ages..... 45 28 17 42 26 16 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 1 1 40-44 years..... 45-49 years..... 5 1 50-54 years..... 3 3 55-59 years..... 60-64 years..... 3 65-69 years..... 70-74 years..... 75-79 years..... 3 4 7 3 5 2. 3 80-84 years..... 2 85-89 years..... 2 1 1 2 1 1 90-94 years..... 2 2 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Middle ear (C30.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 90-94 years..... 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of accessory sinuses (C31) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2.7 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Maxillary sinus (C31.0) 155 59 130 53 17 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 1 1 2 1 1 35-39 years..... 6 6 4 4 2 2 40-44 years..... 1 1 1 1 45-49 years..... 13 11 2 1.0 9 1 1 50-54 years..... 9 12 3 9 8 1 3 55-59 years..... 6 3 3 3 60-64 years..... 15 13 12 10 65-69 years..... 11 11 70-74 years..... 14 10 21 11 10 75-79 years..... 22 10 12 20 9 11 80-84 years..... 15 7 8 13 5 8 1 85-89 years..... 9 13 7 7 2 16 6 1 90-94 years..... 7 5 7 2 2 5 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Ethmoidal sinus (C31.1) 12 13 10 All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 3 50-54 years..... 3 3 3 55-59 years..... 5 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 3 3 3 85-89 years..... 1 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Frontal sinus (C31.2) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Sphenoidal sinus (C31.3) 12 All ages.... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 3 2 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Accessory sinus, unspecified (C31.9) 198 76 186 70 All ages.... 116 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 4 2 2 3 2 1 1 40-44 years..... 10 7 3 2 2 1 8 6 1 45-49 years..... 12 10 2 12 1.0 2 50-54 years..... 15 7 8 13 1 55-59 years..... 23 16 22 15 60-64 years..... 21 14 20 14 65-69 years..... 17 12 16 12 70-74 years..... 29 19 10 26 17 9 75-79 years..... 21 13 20 12 8 80-84 years..... 23 11 12 23 11 12 85-89 years..... 3 3 11 14 11 14 90-94 years..... 5 2 2 7 5 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female sexes Male Female Male sexes sexes sexes Malignant neoplasm of larynx (C32) 3,723 2,922 3,012 2,351 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated... 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth		All rac	ces		White		Black			American Indian 1/			Asian or Pacific Islander 2/		
Revision, 1992)	Both			Both			Both			Both			Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Glottis (C32.0)															
All ages	79	71	8	66	59	7	13	12	1	_	_	_	_	_	_
Under 1 year	-	-	-	-	-	_	-	-	-	_	-	-	-	-	_
1-4 years	-	-	-	-	-	_	-	-	-	_	-	-	-	-	_
5-9 years	-	-	-	-	-	_	-	-	-	_	-	-	-	-	_
10-14 years	-	-	-	-	-	_	-	-	-	_	-	-	-	-	_
15-19 years	-	-	-	-	-	_	-	-	-	_	-	-	-	-	_
20-24 years	-	-	-	-	-	_	-	-	-	_	-	-	-	-	_
25-29 years	-	-	-	-	-	_	-	-	-	_	-	-	-	-	_
30-34 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
35-39 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
40-44 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
45-49 years	1	1	_	1	1	_	_	_	_	_	_	_	_	_	_
50-54 years	5	4	1	3	2	1	2	2	_	_	_	_	_	_	_
55-59 years	6	6	_	4	4	_	2	2	_	_	_	_	_	_	_
60-64 years	8	8	_	6	6	_	2	2	_	_	_	_	_	_	_
65-69 years	8	7	1	8	7	1	_	_	_	_	_	_	_	_	_
70-74 years	17	12	5	15	11	4	2	1	1	_	_	_	_	_	_
75-79 years	20	19	1	16	15	1	4	4	_	_	_	_	_	_	_
80-84 years	9	9	-	8	8	_	1	1	_	_	_	_	_	_	_
85-89 years	3	3	_	3	3	_	_	_	_	_	_	_	_	_	_
90-94 years	2	2	_	2	2	_	_	_	_	_	_	_	_	_	_
95-99 years	-	-	-	-	-	_	-	_	-	_	_	-	-	-	_
100 years & over.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Supraglottis (C32.1) 169 124 104 All ages.... 2.0 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 1 2 1 45-49 years..... 5 3 2 2 2 3 1 2 50-54 years..... 7 7 3 10 3 3 3 55-59 years..... 25 16 22 15 60-64 years..... 25 20 20 16 65-69 years..... 21 18 17 14 70-74 years..... 30 22 26 19 75-79 years..... 27 22 24 20 80-84 years..... 15 10 5 15 10 5 85-89 years..... 3 3 3 6 6 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Subglottis (C32.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 1 1 1 55-59 years..... 1 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Laryngeal cartilage (C32.3) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Larynx, unspecified (C32.9) 2,720 2,796 2,182 All ages..... 3,464 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of trachea (C33) 50 71 All ages.... 1.0 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 3 2 2 1 1 45-49 years..... 5 4 1 3 1 1 4 50-54 years..... 3 2 1 55-59 years..... 60-64 years..... 12 65-69 years..... 12 12 70-74 years..... 7 9 75-79 years..... 80-84 years..... 10 6 4 9 5 1 1 85-89 years..... 5 3 3 2. 1 1 1 90-94 years..... 3 2 1 4 1 3 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or															
Diseases, Tenth		All races			White			Black		American Indian 1/			Pacific Islander 2/		
Revision, 1992)	Both	oth		Both			Both			Both			Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Malignant neoplasm	of bronchu	ıs and lung	g (C34)												
All ages	157,630	90,121	67,509	138,590	78,423	60,167	16,306	10,069	6,237	556	304	252	2,178	1,325	853
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	_	-	-	-	_	-	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	4	2	2	3	2	1	1	-	1	-	-	_	-	-	-
20-24 years	17	14	3	14	11	3	3	3	-	-	_	-	-	-	-
25-29 years	35	19	16	25	14	11	4	2	2	-	_	-	6	3	3
30-34 years	130	71	59	102	58	44	19	12	7	1	-	1	8	1	7
35-39 years	582	290	292	464	222	242	96	57	39	_	_	_	22	11	11
40-44 years	2,112	1,094	1,018	1,653	839	814	408	232	176	5	2	3	46	21	25
45-49 years	4,336	2,467	1,869	3,422	1,910	1,512	826	504	322	14	7	7	74	46	28
50-54 years	7,802	4,720	3,082	6,282	3,741	2,541	1,353	882	471	35	20	15	132	77	55
55-59 years	12,923	7,763	5,160	10,866	6,435	4,431	1,797	1,156	641	61	41	20	199	131	68
60-64 years	17,742	10,638	7,104	15,173	8,944	6,229	2,227	1,474	753	90	53	37	252	167	85
65-69 years	22,346	13,202	9,144	19,468	11,409	8,059	2,516	1,598	918	93	44	49	269	151	118
70-74 years	27,891	16,329	11,562	24,967	14,554	10,413	2,466	1,516	950	98	50	48	360	209	151
75-79 years	27,960	15,827	12,133	25,255	14,188	11,067	2,275	1,372	903	77	45	32	353	222	131
80-84 years	20,103	10,982	9,121	18,407	9,976	8,431	1,399	809	590	47	27	20	250	170	80
85-89 years	9,776	5,020	4,756	8,969	4,588	4,381	634	335	299	26	13	13	147	84	63
90-94 years	3,210	1,438	1,772	2,934	1,306	1,628	222	104	118	8	2	6	46	26	20
95-99 years	575	216	359	518	200	318	44	10	34	_	_	_	13	6	7
100 years & over.	81	25	56	64	23	41	15	2	13	1	-	1	1	-	1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Main bronchus (C34.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 1 1 1 1 50-54 years..... 3 3 2. 2. 55-59 years..... 60-64 years..... 65-69 years..... 10 10 70-74 years..... 9 75-79 years..... 80-84 years..... 6 4 2 4 2 85-89 years..... 5 1 1 90-94 years..... 1 1 2 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Upper lobe, bronchus or lung (C34.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Middle lobe, bronchus or lung (C34.2) 19 18 All ages.... 16 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 2 2 1 50-54 years..... 1 3 55-59 years..... 3 3 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 9 7 80-84 years..... 1 1 1 1 85-89 years..... 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States:

Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992) and age		All races  Male Female		Both sexes	White	Female	Both sexes	Black Male	Female	American Indian 1/ Both sexes Male Female					or Islander 2/ le Female	
and age	sexes	Male	remare	sexes	Male	rellate	sexes	мате	remare	sexes	мате	remare	sexes	мате	remare	
Lower lobe, bronchus	s or lung	(C34.3)														
All ages	247	130	117	219	116	103	22	13	9	1	_	1	5	1	4	
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-9 years	-	_	-	-	-	-	-	_	-	-	-	-	-	-	-	
10-14 years	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	
15-19 years	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30-34 years	1	_	1	-	-	-	-	_	-	-	-	-	1	-	1	
35-39 years	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	
40-44 years	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	
45-49 years	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	
50-54 years	8	6	2	7	5	2	1	1	-	-	-	-	-	-	-	
55-59 years	21	11	10	16	8	8	4	3	1	-	-	-	1	-	1	
60-64 years	23	13	10	19	11	8	4	2	2	-	-	-	-	-	-	
65-69 years	32	18	14	28	17	11	3	1	2	-	-	-	1	-	1	
70-74 years	42	18	24	35	15	20	4	2	2	1	-	1	2	1	1	
75-79 years	52	31	21	48	28	20	4	3	1	-	-	-	-	-	-	
80-84 years	39	19	20	38	18	20	1	1	-	-	-	-	-	-	-	
85-89 years	16	11	5	16	11	5	-	_	-	-	-	-	-	-	-	
90-94 years	12	3	9	11	3	8	1	-	1	-	-	_	-	-	-	
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	_	-	-	-	
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Overlapping lesion of bronchus and lung (C34.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black Pacific Islander 2/ American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Both and age Female Male Female sexes Male Female sexes Male sexes Male Female sexes Male Female sexes Bronchus or lung, unspecified (C34.9) 137,748 77,941 16,235 10,022 303 247 2,156 1,311 All ages.... 156,689 89,577 67,112 59,807 6,213 550 845 Under 1 year..... 1-4 years..... 1 1 1 1 5-9 years..... 2 2 1 1 1 1 10-14 years..... 2 2 1 1 1 1 15-19 years..... 4 2 2 3 2 1 1 1 20-24 years..... 17 14 3 14 11 3 3 3 25-29 years..... 35 19 16 25 14 11 4 2 3 3 30-34 years..... 127 69 58 100 56 44 19 12 7 1 7 1 6 35-39 years..... 578 289 289 460 221 239 96 57 39 22 11 11 2,101 1,088 1,013 1,645 834 811 407 232 175 3 45 24 40-44 years..... 1 21 45-49 years..... 4,323 2,456 1,867 3,410 1,900 1,510 825 503 322 7 7 74 46 28 14 50-54 years..... 7,764 4,696 6,252 3,722 2,530 877 77 3,068 1,347 470 34 20 14 131 54 55-59 years..... 12,857 7,726 5,131 10,811 6,404 4,407 1,789 1,151 638 60 41 19 197 130 67 60-64 years..... 17,637 10,578 7,059 15,088 8,897 6,191 2,210 1,464 746 90 53 37 249 164 85 65-69 years..... 22,210 13,121 9,089 19,342 11,335 8,007 2,508 1,592 916 93 44 49 267 150 117 70-74 years..... 27,710 16,223 11,487 24,805 14,459 10,346 2,453 1,508 945 50 46 356 206 75-79 years..... 27,788 15,710 12,078 25,100 14,085 11,015 2,264 1,362 902 76 45 31 348 218 130 80-84 years..... 19,988 10,926 9,062 18,297 9,924 8,373 1,396 807 589 47 27 20 248 168 80 335 297 26 13 84 62 85-89 years..... 9,710 4,986 4,724 8,906 4,554 4,352 632 13 146 90-94 years..... 2,906 221 104 117 26 20 3,181 1,429 1.752 1.297 1,609 8 2 6 46 95-99 years..... 573 216 357 516 200 316 44 10 34 13 6 7 13 100 years & over. 81 25 56 64 23 41 15 2 1 1 1 Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of thymus (C37) 172 72 76 53 30 12 5 All ages.... 100 129 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 2 25-29 years..... 3 3 30-34 years..... 7 6 1 4 3 1 1 1 2 35-39 years..... 11 6 5 8 4 3 2 1 40-44 years..... 11 5 3 5 1 6 8 1 45-49 years..... 23 14 16 9 1 2 1 50-54 years..... 19 10 14 1 1 55-59 years..... 14 11 9 4 60-64 years..... 10 7 1 65-69 years..... 18 10 11 70-74 years..... 22 11 11 20 11 75-79 years..... 16 7 9 14 80-84 years..... 9 4 5 8 4 1 85-89 years..... 2. 2. 4 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female and age sexes Female Male Female Male Female sexes Male Female sexes sexes sexes Malignant neoplasm of heart, mediastinum, and pleura (C38) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Heart (C38.0) 19 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 2 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 1 40-44 years..... 1 1 1 1 45-49 years..... 3 3 5 2 5 2 50-54 years..... 1 1 1 55-59 years..... 5 60-64 years..... 1 65-69 years..... 12 70-74 years..... 75-79 years..... 80-84 years..... 8 2 6 8 2 6 85-89 years..... 8 7 8 1 1 90-94 years..... 2 2 2 2 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Anterior mediastinum (C38.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mediastinum, part unspecified (C38.3) 128 All ages.... 12 Under 1 year.... 2 2 2 2 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 15-19 years..... 3 2 1 3 2 1 20-24 years..... 8 25-29 years..... 5 4 30-34 years..... 6 3 3 5 2 3 35-39 years..... 6 5 1 6 5 1 40-44 years..... 5 3 1 1 1 3 45-49 years..... 6 4 2 5 3 2 1 1 50-54 years..... 4 3 3 1 1 55-59 years..... 5 4 3 60-64 years..... 16 13 15 12 1 65-69 years..... 12 70-74 years..... 17 16 75-79 years..... 20 10 10 18 9 9 80-84 years..... 7 4 3 7 4 3 85-89 years..... 9 9 6 15 15 90-94 years..... 3 3 4 1 4 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pleura (C38.4) 39 30 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 2 2 3 2 2. 50-54 years..... 1 3 1 55-59 years..... 3 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 11 14 80-84 years..... 16 7 15 7 8 85-89 years..... 8 8 90-94 years..... 6 6 3 3 3 3 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Female Male Female sexes Male Female sexes Male sexes sexes Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs (C39) All ages..... 18 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 1 1 45-49 years..... 1 4 1 3 2 1 2 3 50-54 years..... 3 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 8 3 8 3 5 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of

asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Upper respiratory tract, part unspecified (C39.0) All ages..... 4 3 3 2 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 2 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Ill-defined sites within the respiratory system (C39.9) 17 All ages.... 39 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 1 1 45-49 years..... 1 4 1 3 2 1 50-54 years..... 3 3 3 3 3 3 55-59 years..... 3 60-64 years..... 65-69 years..... 3 2 1 2 1 70-74 years..... 75-79 years..... 5 2 5 3 2 80-84 years..... 8 3 3 5 8 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

on the International Classification of Diseases, Tenth Revision, 1992) and age	All races Both			White Both			Black Both			American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Malignant neoplasm o	of bone and	l articula	ır cartilage	e of limbs	(C40)										
All ages	77	41	36	68	37	31	8	4	4	_	_	_	1	_	1
Under 1 year	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
1-4 years	-	-	-	-	-	-	-	_	_	-	_	-	-	-	_
5-9 years	4	1	3	2	-	2	2	1	1	-	-	-	-	-	_
10-14 years	5	3	2	5	3	2	_	_	_	_	_	_	_	_	_
15-19 years	11	6	5	10	6	4	1	-	1	-	-	-	-	-	_
20-24 years	3	2	1	3	2	1	_	-	-	-	-	-	-	-	_
25-29 years	-	-	_	-	-	-	_	-	-	-	-	-	-	-	_
30-34 years	3	2	1	3	2	1	_	_	_	_	_	_	_	_	_
35-39 years	1	1	_	1	1	_	_	_	_	_	_	_	_	_	_
40-44 years	3	3	_	2	2	_	1	1	_	_	_	_	_	_	_
45-49 years	6	4	2	6	4	2	_	_	_	_	_	_	_	_	_
50-54 years	4	3	1	4	3	1	-	_	_	-	_	-	-	-	_
55-59 years	4	2	2	3	2	1	1	-	1	-	-	-	-	-	_
60-64 years	4	1	3	3	1	2	_	-	-	-	-	-	1	-	1
65-69 years	7	3	4	5	2	3	2	1	1	_	_	_	_	_	_
70-74 years	1	1	_	_	_	_	1	1	_	_	_	_	_	_	_
75-79 years	6	2	4	6	2	4	-	_	-	_	_	_	_	_	_
80-84 years	9	5	4	9	5	4	-	_	-	_	_	_	_	_	_
85-89 years	4	1	3	4	1	3	-	_	_	-	_	-	-	-	_
90-94 years	_	_	_	_	-	_	-	_	-	_	_	_	_	_	_
95-99 years	1	1	_	1	1	_	_	_	_	_	_	_	_	_	_
100 years & over.	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
Age not stated	_	_	_	_		_								_	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Scapula and long bones of upper limb (C40.0) 13 All ages.... 16 11 Under 1 year.... 1-4 years..... 5-9 years..... 2. 1 1 1 1 1 10-14 years..... 1 1 1 1 15-19 years..... 2 1 1 2 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 3 3 3 3 50-54 years..... 2 1 1 2 1 1 55-59 years..... 1 1 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 2 2 4 2 2 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 1 1 1 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Long bones of lower limb (C40.2) 46 All ages..... 50 25 25 24 22 Under 1 year.... 1-4 years..... 5-9 years..... 2 2 1 1 1 1 10-14 years..... 4 2 2 4 2 2 15-19 years..... 9 5 4 3 20-24 years..... 2 2 25-29 years..... 30-34 years..... 2 1 1 2 1 35-39 years..... 1 1 1 1 40-44 years..... 2 2. 2 2 45-49 years..... 3 1 3 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 5 1 1 80-84 years..... 2 5 3 2 5 3 85-89 years..... 3 1 2 3 1 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Malignant neoplasm of bone and articular cartilage of other and unspecified sites (C41) All ages..... 1,117 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.8 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Bones of skull and face (C41.0) 25 15 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 1 1 45-49 years..... 4 3 1 1 1 3 50-54 years..... 1 1 1 1 55-59 years..... 5 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 5 3 2 3 2 85-89 years..... 3 1 1 1 90-94 years..... 95-99 years..... 2 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Mandible (C41.1) 108 92 56 36 15 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 2 1 1 2 1 1 15-19 years..... 20-24 years..... 25-29 years..... 3 1 2 1 1 2 1 1 30-34 years..... 1 1 1 1 35-39 years..... 2 1 1 1 40-44 years..... 3 2 1 2 2 45-49 years..... 3 1 2 3 1 50-54 years..... 5 5 3 3 55-59 years..... 60-64 years..... 65-69 years..... 10 70-74 years..... 7 75-79 years..... 15 9 6 15 9 6 7 13 6 5 80-84 years..... 12 85-89 years..... 20 10 19 10 9 1.0 1 1 90-94 years..... 7 3 4 7 3 95-99 years..... 1 1 1 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Vertebral column (C41.2) All ages.... 36 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 2 2 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 1 1 1 1 1 35-39 years..... 1 1 1 40-44 years..... 3 2 2 1 1 45-49 years..... 6 2 4 2 3 1 50-54 years..... 3 3 3 3 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 5 2 5 85-89 years..... 3 3 5 90-94 years..... 2 2 4 2 2 4 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Ribs, sternum, and clavicle (C41.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 3 2 2 50-54 years..... 1 1 1 1 55-59 years..... 3 1 1 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pelvic bones, sacrum, and coccyx (C41.4) 50 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 5 2 3 2 3 20-24 years..... 25-29 years..... 30-34 years..... 3 2 1 3 2 1 35-39 years..... 1 1 1 1 40-44 years..... 2 2 2 2 45-49 years..... 4 2 2 2 4 50-54 years..... 3 1 3 3 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 5 1 4 4 1 3 1 85-89 years..... 3 2. 2 1 1 90-94 years..... 2 3 1 2 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female and age sexes Male Female Male Female Male Female sexes Male Female sexes sexes sexes Bone and articular cartilage, unspecified (C41.9) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 1.0 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.8 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Female Male Female and age sexes Female Male Female sexes Male Female Male sexes sexes Male sexes Malignant melanoma of skin (C43) 7,514 4,725 2,789 7,353 4,639 2,714 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant melanoma of lip (C43.0) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Male Female Male Female sexes Male Female sexes sexes sexes Malignant melanoma of eyelid, including canthus (C43.1) 2 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes Malignant melanoma of ear and external auricular canal (C43.2) 19 19 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 2 1 1 2 1 1 50-54 years..... 2 2. 2 55-59 years..... 1 1 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 4 4 4 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992)				White Both			Black Both			American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Malignant melanoma of	f other ar	nd unspeci	fied parts	of face (	243.3)										
All ages	81	52	29	80	52	28	1	_	1	_	_	_	_	_	_
Under 1 year	-	-	-	_	-	_	_	_	_	-	-	_	_	-	-
1-4 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
50-54 years	4	4	-	4	4	-	-	-	-	-	-	-	-	-	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-
60-64 years	5	4	1	5	4	1	-	-	-	-	-	-	-	-	-
65-69 years	7	6	1	7	6	1	-	-	-	-	-	-	_	-	-
70-74 years	7	4	3	7	4	3	-	-	-	-	-	-	_	-	-
75-79 years	13	6	7	13	6	7	-	-	-	-	_	_	_	-	-
80-84 years	21	15	6	21	15	6	_	_	_	-	-	_	_	-	-
85-89 years	6	2	4	5	2	3	1	-	1	-	_	_	_	-	-
90-94 years	7	6	1	7	6	1	_	_	_	-	-	_	_	-	-
95-99 years	2	1	1	2	1	1	_	_	_	-	-	_	_	-	-
100 years & over.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Age not stated	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant melanoma of scalp and neck (C43.4) 118 30 115 30 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 4 4 40-44 years..... 6 3 3 6 45-49 years..... 8 6 2 5 2 1 50-54 years..... 6 6 55-59 years..... 5 60-64 years..... 1 1 65-69 years..... 12 12 12 12 70-74 years..... 7 7 75-79 years..... 18 16 17 15 80-84 years..... 16 14 2 16 14 2 85-89 years..... 10 5 1.0 5 5 90-94 years..... 6 6 2 4 2 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant melanoma of trunk (C43.5) 76 253 177 76 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 3 25-29 years..... 3 2 2 30-34 years..... 6 2 4 6 2 35-39 years..... 4 1 3 4 1 3 40-44 years..... 23 9 23 9 14 14 45-49 years..... 14 10 14 1.0 50-54 years..... 18 21 18 21 3 3 55-59 years..... 20 11 20 11 60-64 years..... 22 13 22 13 65-69 years..... 28 20 28 20 70-74 years..... 34 27 34 27 75-79 years..... 29 23 29 23 80-84 years..... 32 25 32 25 85-89 years..... 15 9 14 8 1 90-94 years..... 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Malignant melanoma of upper limb, including shoulder (C43.6) 140 81 59 59 All ages.... 140 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 4 3 1 4 3 1 40-44 years..... 7 3 7 3 4 4 45-49 years..... 10 7 3 1.0 7 3 50-54 years..... 9 9 55-59 years..... 14 10 14 10 60-64 years..... 17 17 65-69 years..... 20 10 10 20 10 10 70-74 years..... 15 10 15 10 5 75-79 years..... 19 9 10 19 9 10 80-84 years..... 16 10 6 16 10 6 85-89 years..... 7 4 3 7 3 4 90-94 years..... 2 2 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Malignant melanoma of lower limb, including hip (C43.7) 162 75 71 All ages.... 154 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 1 40-44 years..... 10 5 10 5 45-49 years..... 5 1 5 1 4 50-54 years..... 16 12 16 12 55-59 years..... 15 8 13 6 60-64 years..... 12 10 11 10 65-69 years..... 10 4 9 70-74 years..... 15 13 75-79 years..... 23 9 14 22 8 14 80-84 years..... 29 15 14 29 15 14 85-89 years..... 16 3 13 15 3 12 1 1 90-94 years..... 6 1 5 6 1 5 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Female Male Female and age Female Male Female sexes Male Female sexes Male sexes sexes Male sexes Malignant melanoma of skin, unspecified (C43.9) 6,730 6,583 4,151 2,432 All ages..... 4,228 2,502 2.2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female sexes Male Female Male sexes sexes sexes Other malignant neoplasms of skin (C44) 2,391 2,217 1,520 All ages..... 1,646 1.0 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.7 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Skin of lip (C44.0) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Skin of eyelid, including canthus (C44.1) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Female Male Female Male Female and age sexes Male Male Female Male Female sexes sexes sexes sexes Skin of ear and external auricular canal (C44.2) 92 66 89 65 24 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 10 9 75-79 years..... 18 13 5 17 13 1 5 17 12 16 12 80-84 years..... 1 1 85-89 years..... 14 10 14 10 4 90-94 years..... 15 12 3 15 12 3 95-99 years..... 4 2 4 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Skin of other and unspecified parts of face (C44.3) 223 153 70 151 70 All ages.... 221 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 2 1 1 40-44 years..... 2 2 2 2 45-49 years..... 4 4 4 4 50-54 years..... 1 1 12 11 1 11 10 55-59 years..... 8 6 8 6 60-64 years..... 16 14 16 14 65-69 years..... 12 9 12 9 70-74 years..... 21 24 21 3 75-79 years..... 27 22 27 22 5 80-84 years..... 31 17 14 31 17 14 37 37 21 16 21 16 85-89 years..... 90-94 years..... 23 11 12 23 11 12 95-99 years..... 10 10 21 11 21 11 2 2 100 years & over. 4 4

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Skin of scalp and neck (C44.4) 1,046 All ages..... 2.7 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Skin of trunk (C44.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 2 35-39 years..... 2 2 40-44 years..... 45-49 years..... 50-54 years..... 3 3 2 2 1 55-59 years..... 3 60-64 years..... 65-69 years..... 10 70-74 years..... 3 75-79 years..... 10 80-84 years..... 5 2 3 4 2 2 85-89 years..... 5 1 1 90-94 years..... 1 2 1 4 2 2 3 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Skin of upper limb, including shoulder (C44.6) 17 All ages.... 17 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 2 1 2. 1 1 1 55-59 years..... 1 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 5 4 1 5 4 1 85-89 years..... 2. 2 90-94 years..... 3 5 3 5 2 2 95-99 years..... 3 3 3 3 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Skin of lower limb, including hip (C44.7) 32 19 All ages.... Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 2 2 2 40-44 years..... 1 1 45-49 years..... 1 1 1 1 50-54 years..... 3 2. 1 3 1 55-59 years..... 3 1 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 14 4 10 14 10 85-89 years..... 5 3 5 3 2. 2 90-94 years..... 8 6 8 2 2 6 95-99 years..... 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of skin, unspecified (C44.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mesothelioma (C45) 2,431 2,005 2,313 1,913 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2. 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mesothelioma of pleura (C45.0) 178 207 170 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 3 3 2 1 4 45-49 years..... 3 2 1 3 2 1 8 50-54 years..... 55-59 years..... 12 11 60-64 years..... 21 18 21 18 65-69 years..... 31 27 29 25 2 70-74 years..... 47 38 36 75-79 years..... 45 37 44 36 80-84 years..... 27 22 5 26 21 5 16 15 16 15 85-89 years..... 1 1 2 2 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mesothelioma of peritoneum (C45.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 2 2 45-49 years..... 5 2 5 2 3 50-54 years..... 2 5 3 2 3 55-59 years..... 60-64 years..... 10 10 65-69 years..... 10 10 70-74 years..... 13 13 75-79 years..... 14 13 80-84 years..... 8 6 8 6 2 85-89 years..... 2 2. 2 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mesothelioma of pericardium (C45.2) 3 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 35-39 years..... 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mesothelioma of other sites (C45.7) 327 13 All ages.... 266 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 1 30-34 years..... 35-39 years..... 2 2 2 2 40-44 years..... 5 3 2 5 3 45-49 years..... 3 3 2 2 1 1 3 50-54 years..... 2. 1 3 2 1 55-59 years..... 23 16 23 16 60-64 years..... 27 26 1 23 23 1 65-69 years..... 50 42 47 39 8 70-74 years..... 12 57 45 12 75-79 years..... 58 10 65 56 9 80-84 years..... 62 46 16 60 45 15 2 1 1 2.7 23 26 2.2 4 85-89 years..... 4 1 1 90-94 years..... 11 9 11 9 2 2 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mesothelioma, unspecified (C45.9) 1,789 1,500 1,700 1,430 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Kaposi's sarcoma (C46) 54 31 23 43 22 21 1 1 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 3 3 3 35-39 years..... 5 5 4 40-44 years..... 5 3 4 3 1 1 45-49 years..... 2 2. 2 2 50-54 years..... 55-59 years..... 1 1 60-64 years..... 65-69 years..... 70-74 years..... 1 75-79 years..... 2 1 1 2 1 8 7 5 3 3 80-84 years..... 1 85-89 years..... 7 11 7 11 4 4 90-94 years..... 10 3 9 3 6 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Kaposi's sarcoma of skin (C46.0) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Kaposi's sarcoma of other sites (C46.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality. 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Kaposi's sarcoma, unspecified (C46.9) All ages..... 46 26 2.0 37 19 18 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2 2 30-34 years..... 2 35-39 years..... 5 4 40-44 years..... 3 1 2 1 45-49 years..... 2. 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1 1 1 1 6 6 80-84 years..... 11 85-89 years..... 11 4 4 90-94 years..... 10 3 9 3 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes Malignant neoplasm of peripheral nerves and autonomic nervous system (C47) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Peripheral nerves of head, face, and neck (C47.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes Peripheral nerves of upper limb, including shoulder (C47.1) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Peripheral nerves of lower limb, including hip (C47.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Peripheral nerves of abdomen (C47.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Peripheral nerves of pelvis (C47.5) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Peripheral nerves and autonomic nervous system, unspecified (C47.9) 50 71 33 All ages.... 10 10 1 Under 1 year.... 1 1-4 years..... 1 1 1 5-9 years..... 2 2 2 2 10-14 years..... 7 4 3 4 2 2 3 2 1 15-19 years..... 4 3 6 3 3 1 1 20-24 years..... 6 25-29 years..... 7 2 30-34 years..... 3 3 2 2 1 1 35-39 years..... 6 3 6 3 40-44 years..... 9 5 5 3 8 1 45-49 years..... 4 1 3 1 2 1 1 50-54 years..... 10 3 55-59 years..... 7 3 60-64 years..... 65-69 years..... 70-74 years..... 3 75-79 years..... 80-84 years..... 5 2 3 5 2 3 85-89 years..... 2 2 2 90-94 years..... 2 1 3 1 2 1 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Malignant neoplasm of retroperitoneum and peritoneum (C48) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1.0 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2.4 80-84 years..... 85-89 years..... 5.0 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Retroperitoneum (C48.0) 219 112 107 196 101 17 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 1 30-34 years..... 35-39 years..... 6 3 3 3 3 40-44 years..... 8 5 3 7 5 2 1 45-49 years..... 9 4 5 8 4 4 50-54 years..... 7 2. 1 3 6 1 55-59 years..... 18 12 6 15 11 3 60-64 years..... 33 19 14 27 15 12 65-69 years..... 23 12 11 21 11 10 70-74 years..... 23 13 10 21 12 9 75-79 years..... 33 11 22 32 11 21 80-84 years..... 39 19 20 35 18 17 2 1 85-89 years..... 7 13 7 6 13 6 90-94 years..... 2 2 4 2 2 4 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Specified parts of peritoneum (C48.1) All ages..... 40 16 24 37 15 22 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 3 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 5 2 5 2 80-84 years..... 5 2. 3 3 2. 85-89 years..... 1 1 1 1 90-94 years..... 2 2 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Peritoneum, unspecified (C48.2) 52 All ages.... 523 1 11 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 6 2 4 6 2 40-44 years..... 9 2 7 1 8 1 45-49 years..... 7 10 3 9 2 7 1 50-54 years..... 28 23 3 6 22 19 2 55-59 years..... 49 44 43 5 38 5 60-64 years..... 77 70 71 65 1 65-69 years..... 82 75 70 12 11 70-74 years..... 92 88 3 3 76 75-79 years..... 89 82 83 80-84 years..... 79 6 73 75 6 69 3 3 85-89 years..... 34 36 35 35 1 1 1 90-94 years..... 6 1 1 7 1 6 1 5 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Overlapping lesion of retroperitoneum and peritoneum (C48.8) All ages.... 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Bot.h Male Female and age sexes Female Female Female sexes Male Female Male sexes Male sexes Male sexes Malignant neoplasm of other connective and soft tissue (C49) 3,381 1,682 1,699 1,465 1,447 All ages..... 2,912 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Connective and soft tissue of head, face, and neck (C49.0) 33 All ages.... 30 1.0 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 3 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 3 2 1 3 2 1 50-54 years..... 2 3 1 2 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 13 12 80-84 years..... 7 4 3 7 4 3 85-89 years..... 9 3 6 7 6 1 1 1 90-94 years..... 7 5 2 2 5 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Connective and soft tissue of upper limb, including shoulder (C49.1) 39 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 25-29 years..... 30-34 years..... 2 2 2 2 35-39 years..... 3 3 4 4 40-44 years..... 1 1 1 2 45-49 years..... 50-54 years..... 1 55-59 years..... 1 1 60-64 years..... 3 65-69 years..... 70-74 years..... 75-79 years..... 10 6 4 9 6 3 1 1 9 5 8 3 80-84 years..... 1 1 9 8 85-89 years..... 5 4 4 4 1 90-94 years..... 3 2 3 2 1 1 95-99 years..... 1 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Connective and soft tissue of lower limb, including hip (C49.2) 245 101 113 30 21 All ages..... 111 134 214 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 5 4 4 30-34 years..... 3 3 3 3 35-39 years..... 9 6 3 9 3 40-44 years..... 6 5 3 1 4 1 45-49 years..... 13 1.0 3 1.0 7 3 3 3 50-54 years..... 7 7 15 14 1 1 55-59 years..... 17 16 60-64 years..... 19 11 15 10 65-69 years..... 20 11 18 11 70-74 years..... 13 13 21 11 10 75-79 years..... 32 16 16 29 15 14 80-84 years..... 26 7 19 2.0 6 14 6 5 25 8 17 23 8 15 2 85-89 years..... 2 90-94 years..... 16 3 13 16 3 13 95-99 years..... 5 4 5 4 1 1 1 1 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Connective and soft tissue of thorax (C49.3) 33 35 30 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 2 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 3 1 2 2 1 45-49 years..... 2 2. 2 50-54 years..... 55-59 years..... 6 3 5 3 60-64 years..... 65-69 years..... 11 10 70-74 years..... 7 9 75-79 years..... 80-84 years..... 11 6 5 10 6 1 1 85-89 years..... 8 5 3 7 5 2 1 1 90-94 years..... 3 3 1 2 1 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Connective and soft tissue of abdomen (C49.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.8 2.0 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Connective and soft tissue of pelvis (C49.5) 117 61 108 50 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 3 2 1 3 2 1 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 2 2 2 2 35-39 years..... 5 3 2 5 3 2 3 3 2 1 40-44 years..... 4 1 1 7 45-49 years..... 9 2 1 1 5 5 50-54 years..... 55-59 years..... 1 60-64 years..... 13 13 65-69 years..... 15 13 70-74 years..... 17 10 16 9 75-79 years..... 11 6 5 10 5 5 8 3 8 3 5 80-84 years..... 8 7 1 85-89 years..... 4 4 3 4 90-94 years..... 3 2 3 1 2 1 95-99 years..... 1 100 years & over. Age not stated...

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Connective and soft tissue of trunk, unspecified (C49.6) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Overlapping lesion of connective and soft tissue (C49.8) 2 All ages..... 3 2 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Male Female Male Female Female sexes Male Female sexes sexes sexes Male sexes Connective and soft tissue, unspecified (C49.9) 2,259 1,136 1,123 All ages..... 2,628 1,303 1,325 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h and age Female Female Female Male Female sexes Male Female sexes Male sexes Male sexes Male sexes Malignant neoplasm of breast (C50) 41,883 35,382 35,082 148 717 712 All ages..... 369 41,514 300 5,636 5,572 148 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 9 9 6 6 2 1 25-29 years..... 63 2 61 40 2 38 22 22 30-34 years..... 362 1 361 245 245 103 1 102 4 4 10 10 35-39 years..... 904 4 900 634 2 632 234 2 232 10 10 26 26 1,818 8 1,810 1,316 1,309 445 444 7 7 50 50 40-44 years..... 1 45-49 years..... 2,747 2,731 2,059 11 2,048 585 580 14 14 89 89 16 5 3,707 3,679 2,904 2,883 673 667 107 50-54 years..... 28 21 6 22 22 108 1 55-59 years..... 3,924 29 3,895 3,206 23 3,183 604 6 598 17 17 97 97 60-64 years..... 3,914 38 3,876 3,288 28 3,260 533 524 14 14 79 1 78 65-69 years..... 3,954 35 3,919 3,365 3,341 513 11 502 18 18 58 70-74 years..... 4,551 4,502 3,968 3,924 5 496 11 11 71 71 75-79 years..... 4,978 57 4,921 4,465 47 4,418 457 449 9 47 45 80-84 years..... 4,770 55 4,715 4,268 49 4,219 449 5 444 9 9 44 1 43 31 3,497 3,218 284 20 2.0 85-89 years..... 3,528 29 3,189 286 2 4 90-94 years..... 1,856 1,702 10 1,692 148 145 14 14 1,869 13 3 5 5 95-99 years..... 658 3 655 590 3 587 64 64 2 2 2 2 126 126 108 108 16 1 100 years & over. 16 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Nipple and areola (C50.0) 3 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female and age sexes Female Male Female Female sexes Male Female Male sexes sexes Male sexes Breast, unspecified (C50.9) 41,880 41,511 35,379 35,079 148 717 712 All ages..... 369 300 5,636 5,572 148 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 9 9 6 6 2 1 25-29 years..... 63 2 61 40 2 38 22 22 30-34 years..... 362 1 361 245 245 103 1 102 4 4 10 10 35-39 years..... 904 4 900 634 2 632 234 2 232 10 10 26 26 1,818 8 1,810 1,316 1,309 445 444 7 7 50 50 40-44 years..... 1 45-49 years..... 2,747 2,731 2,059 11 2,048 585 580 14 14 89 89 16 5 50-54 years..... 3,707 3,679 2,904 2,883 673 667 107 28 21 6 22 22 108 1 55-59 years..... 3,924 29 3,895 3,206 23 3,183 604 6 598 17 17 97 97 60-64 years..... 3,914 38 3,876 3,288 28 3,260 533 524 14 14 79 1 78 65-69 years..... 3,954 35 3,919 3,365 3,341 513 11 502 18 18 58 70-74 years..... 4,551 4,502 3,968 3,924 5 496 11 11 71 71 75-79 years..... 4,978 57 4,921 4,465 47 4,418 457 449 9 47 45 80-84 years..... 4,770 55 4,715 4,268 49 4,219 449 5 444 9 9 44 1 43 31 3,495 3,216 284 20 2.0 85-89 years..... 3,526 29 3,187 286 2 4 90-94 years..... 13 1,855 1,701 10 1,691 148 145 14 14 1,868 3 5 5 95-99 years..... 658 3 655 590 3 587 64 64 2 2 2 2 126 126 108 108 16 1 100 years & over. 16 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Female Male Female and age sexes Male Male Female Male Female sexes Male Female sexes sexes sexes Malignant neoplasm of vulva (C51) 794 742 742 All ages.... 43 43 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . . . . . . . 20-24 years..... 1 . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . 30-34 years..... 6 6 3 3 3 3 . . . 35-39 years..... 6 6 6 6 . . . . . . . . . . . . 2 40-44 years..... 12 12 10 10 . . . . . . . . . . . . 45-49 years..... 15 15 14 14 1 1 50-54 years..... 2.7 27 22 . . . 22 . . . 5 5 55-59 years..... 32 32 30 30 2 . . . . . . . . . . . . 60-64 years..... 51 51 47 47 1 1 . . . . . . . . . . . . . . . 65-69 years..... 45 43 43 . . . . . . . . . . . . 70-74 years..... 74 74 71 71 . . . . . . . . . . . . . . . 75-79 years..... 139 139 131 131 . . . . . . . . . . . . . . . 80-84 years..... 135 135 127 127 5 5 1 . . . . . . . . . . . . 85-89 years..... 126 126 119 119 6 6 1 1 . . . . . . . . . . . . . . . 90-94 years..... 88 84 84 88 4 . . . . . . 4 95-99 years..... 24 24 24 24 . . . . . . . . . . . . 12 12 10 1 100 years & over. 10 1 . . . . . . . . . . . . . . . Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Labium majus (C51.0) All ages.... 11 11 11 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 35-39 years..... 2 2 . . . . . . 40-44 years..... . . . . . . . . . 45-49 years..... 50-54 years..... 1 . . . 1 1 . . . 1 55-59 years..... 1 . . . . . . . . . . . . 60-64 years..... 1 1 . . . . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... 3 3 . . . . . . . . . . . . 85-89 years..... 1 1 1 1 . . . . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . . . . 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Bot.h Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Clitoris (C51.2) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 35-39 years..... . . . . . . 40-44 years..... . . . . . . . . . 45-49 years..... 50-54 years..... . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... 1 . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... 1 1 1 . . . . . . . . . . . . 85-89 years..... . . . . . . . . . . . . . . . 90-94 years..... 1 1 1 1 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Female Male Female and age sexes Male Male Female Male Female sexes Male Female sexes sexes sexes Vulva, unspecified (C51.9) 780 728 728 All ages.... 43 43 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . . . . . . . 20-24 years..... 1 . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . 30-34 years..... 6 6 3 3 3 3 . . . 35-39 years..... 4 4 4 4 . . . . . . . . . . . . 12 2 40-44 years..... 12 10 10 . . . . . . . . . . . . 45-49 years..... 15 15 14 14 1 1 50-54 years..... 26 . . . 26 21 . . . 21 5 5 55-59 years..... 31 31 29 29 2 . . . . . . . . . . . . 60-64 years..... 49 49 45 45 1 1 . . . . . . . . . . . . . . . 65-69 years..... 44 42 42 . . . . . . . . . . . . 70-74 years..... 74 74 71 71 . . . . . . . . . . . . . . . 75-79 years..... 138 138 130 130 . . . . . . . . . . . . . . . 80-84 years..... 131 131 123 123 5 5 1 . . . . . . . . . . . . 85-89 years..... 125 125 118 118 6 6 1 1 . . . . . . . . . . . . . . . 90-94 years..... 87 83 83 87 4 . . . . . . 4 95-99 years..... 24 24 24 24 . . . . . . . . . . . . 12 12 10 1 100 years & over. 10 1 . . . . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Female Male Female and age sexes Male Female Male Female sexes Male Female Male sexes sexes sexes Malignant neoplasm of vagina (C52) 378 3 All ages.... 326 326 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . 30-34 years..... 1 1 1 1 . . . 35-39 years..... 8 8 7 7 1 . . . . . . . . . . . . 40-44 years..... 11 11 10 10 1 1 . . . . . . . . . . . . 45-49 years..... 14 14 1.0 10 4 4 22 50-54 years..... 23 . . . 23 22 . . . 1 1 55-59 years..... 19 19 15 15 4 4 . . . . . . . . . . . . 60-64 years..... 24 24 19 19 1 . . . . . . . . . . . . . . . 65-69 years..... 22 18 18 . . . . . . . . . . . . . . . 70-74 years..... 55 46 . . . . . . . . . . . . . . . 75-79 years..... 46 46 39 39 . . . . . . . . . . . . . . . 80-84 years..... 52 52 44 44 6 6 1 1 . . . . . . . . . . . . 85-89 years..... 54 54 50 50 4 . . . . . . . . . . . . . . . 90-94 years..... 40 37 37 40 3 3 . . . . . . 95-99 years..... 7 7 6 6 1 1 . . . . . . . . . 100 years & over. 1 1 1 1 . . . . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

. . .

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female and age sexes Female Male Female Female sexes Male Female Male sexes sexes Male sexes Malignant neoplasm of cervix uteri (C53) 3,952 3,952 2,967 2,967 All ages..... 829 829 34 34 122 122 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . . . . 15-19 years..... 1 1 1 1 . . . . . . . . . . . . 20-24 years..... 16 16 12 12 2 2 . . . . . . . . . . . . . . . 25-29 years..... 47 47 34 34 13 13 . . . . . . . . . . . . . . . 30-34 years..... 161 161 126 126 30 30 2 2 3 3 . . . . . . . . . . . . . . . 35-39 years..... 275 275 211 211 60 60 4 4 . . . . . . . . . . . . . . . 391 391 292 292 86 3 40-44 years..... 86 10 10 . . . . . . . . . . . . . . . 45-49 years..... 439 439 324 324 95 95 9 9 11 11 455 455 343 96 50-54 years..... . . . 343 . . . 96 . . . 3 3 13 . . . 13 55-59 years..... 401 401 319 319 62 62 2 2 18 18 . . . . . . . . . . . . . . . 60-64 years..... 324 324 234 234 69 69 2 2 19 19 . . . . . . . . . . . . . . . 65-69 years..... 315 315 226 226 77 77 10 10 . . . . . . . . . . . . . . . 70-74 years..... 315 315 229 229 75 75 3 8 8 . . . . . . . . . . . . . . . 75-79 years..... 305 305 237 237 56 56 1 11 11 . . . . . . . . . . . . . . . 223 223 170 170 48 3 3 80-84 years..... 48 2 2 . . . . . . . . . . . . . . . 155 155 116 116 30 85-89 years..... 30 1 8 8 . . . . . . 1 90-94 years..... 99 99 74 74 19 19 2 2 . . . . . . . . . . . . . . . 24 24 15 15 9 9 95-99 years..... . . . . . . . . . . . . 100 years & over. 6 6 5 5 1 1 . . . . . . . . . Age not stated...

. . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female Male Female Male Female and age sexes Male Female sexes sexes sexes sexes Endocervix (C53.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 35-39 years..... 2 2 1 1 1 . . . . . . 2 2 40-44 years..... 2 2 . . . . . . . . . 45-49 years..... 2 1 1 1 1 50-54 years..... 1 . . . 1 1 . . . 1 55-59 years..... . . . . . . . . . 60-64 years..... 1 1 . . . . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... 4 2 2 2 2 . . . . . . . . . . . . 85-89 years..... 1 1 1 . . . . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . . . . 1 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female sexes Male Female sexes sexes sexes Exocervix (C53.1) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 35-39 years..... . . . . . . 40-44 years..... . . . . . . . . . 45-49 years..... 50-54 years..... . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . . . . . . . 85-89 years..... . . . . . . . . . . . . . . . 90-94 years..... 1 1 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Female Male Female and age sexes Male Female Male Female sexes Male Female Male sexes sexes sexes Cervix uteri, unspecified (C53.9) 3,920 3,920 2,943 2,943 All ages..... 822 822 34 34 121 121 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . . . . 15-19 years..... 1 1 1 1 . . . . . . . . . . . . 20-24 years..... 16 16 12 12 2 2 . . . . . . . . . . . . . . . 25-29 years..... 47 47 34 34 13 13 . . . . . . . . . . . . . . . 30-34 years..... 161 161 126 126 30 30 2 2 3 3 . . . . . . . . . . . . . . . 35-39 years..... 273 273 210 210 59 59 4 4 . . . . . . . . . . . . . . . 389 389 290 290 86 3 40-44 years..... 86 10 10 . . . . . . . . . . . . . . . 45-49 years..... 437 437 323 323 94 94 9 11 11 454 454 342 96 50-54 years..... . . . 342 96 . . . 3 3 13 13 55-59 years..... 399 399 317 317 62 62 2 18 18 . . . . . . . . . . . . . . . 60-64 years..... 317 317 228 228 68 68 2 19 19 . . . . . . . . . . . . . . . 65-69 years..... 313 313 224 224 77 77 10 10 . . . . . . . . . . . . . . . 70-74 years..... 312 312 227 227 75 75 7 . . . . . . . . . . . . . . . 75-79 years..... 301 301 234 234 55 55 11 . . . . . . . . . . . . . . . 80-84 years..... 219 219 168 168 46 46 2 2 3 3 . . . . . . . . . . . . . . . 154 154 115 115 30 8 85-89 years..... 30 1 8 . . . . . . . . . . . . . . . 90-94 years..... 98 98 73 73 19 19 2 2 4 . . . 4 95-99 years..... 24 24 15 15 9 9 . . . . . . . . . . . . . . . 100 years & over. 5 5 5 5 . . . . . . . . .

. . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Malignant neoplasm of corpus uteri (C54) 3,187 3,187 2,613 2,613 493 All ages..... 493 12 12 69 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . . . . . . . 20-24 years..... . . . . . . . . . . . . . . . 25-29 years..... 1 . . . . . . . . . . . . . . . 30-34 years..... 8 8 6 6 1 1 1 1 . . . 35-39 years..... 16 16 14 14 1 1 1 1 . . . . . . . . . . . . 41 37 37 2 40-44 years..... 41 2 1 1 1 . . . . . . . . . . . . 45-49 years..... 73 73 60 60 5 3 3 5 5 5 50-54 years..... 155 155 127 127 . . . . . . 20 . . . 20 1 257 55-59 years..... 257 201 201 48 48 1 . . . . . . . . . . . . . . . 60-64 years..... 333 333 261 261 60 60 2 10 10 . . . . . . . . . . . . . . . 65-69 years..... 425 425 314 314 94 94 15 15 . . . . . . . . . . . . . . . 70-74 years..... 501 501 417 417 75 75 . . . . . . . . . . . . . . . 75-79 years..... 504 504 415 415 80 80 . . . . . . . . . . . . . . . 80-84 years..... 402 402 352 352 48 48 2 2 . . . . . . . . . . . . . . . 256 291 256 33 85-89 years..... 291 33 2 . . . . . . . . . . . . . . . 134 134 116 116 16 90-94 years..... 16 2 2 . . . . . . 95-99 years..... 43 43 34 34 9 9 . . . . . . . . . . . . . . . 100 years & over. 3 3 3 3 . . . . . . . . . . . .

. . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Isthmus uteri (C54.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . 30-34 years..... 35-39 years..... . . . . . . 40-44 years..... . . . . . . . . . 45-49 years..... 50-54 years..... . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... 1 1 . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . . . . . . . 85-89 years..... . . . . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Female Male Female Male Female and age sexes Male Male Female Male Female sexes sexes sexes sexes Endometrium (C54.1) 3,159 3,159 2,589 2,589 489 All ages..... 489 12 12 69 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . . . . . . . 20-24 years..... . . . . . . . . . . . . . . . 25-29 years..... 1 . . . . . . . . . . . . . . . 30-34 years..... 8 8 6 6 1 1 1 1 . . . 35-39 years..... 15 15 13 13 1 1 1 1 . . . . . . . . . . . . 40 40 36 36 2 40-44 years..... 2 1 1 1 . . . . . . . . . . . . 45-49 years..... 73 73 60 60 5 3 3 5 5 5 155 155 127 127 50-54 years..... . . . . . . 20 . . . 20 1 55-59 years..... 254 254 198 198 48 48 1 . . . . . . . . . . . . . . . 60-64 years..... 330 330 258 258 60 60 2 10 10 . . . . . . . . . . . . . . . 65-69 years..... 421 421 311 311 93 93 15 15 . . . . . . . . . . . . . . . 70-74 years..... 498 498 414 414 75 75 . . . . . . . . . . . . . . . 75-79 years..... 499 499 412 412 78 78 . . . . . . . . . . . . . . . 80-84 years..... 400 400 350 350 48 48 2 2 . . . . . . . . . . . . . . . 253 287 287 253 32 85-89 years..... 32 . . . . . . . . . . . . . . . 90-94 years..... 133 133 115 115 16 16 2 2 . . . . . . 95-99 years..... 42 42 33 33 9 9 . . . . . . . . . . . . . . . 100 years & over. 3 3 3 3 . . . . . . . . . . . . Age not stated...

. . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth White American Indian 1/ Pacific Islander 2/ All races Black Revision, 1992) Both Both Both Both Both Male Female Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Myometrium (C54.2) All ages..... 2 2 2 Under 1 year.... 1-4 years..... 5-9 years..... . . . 10-14 years..... . . . . . . 15-19 years..... . . . . . . . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... 30-34 years..... . . . . . . 35-39 years..... . . . . . . 40-44 years..... 45-49 years..... . . . . . . 50-54 years..... . . . . . . . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... 1 1 . . . . . . . . . 80-84 years..... . . . . . . . . . . . . . . . 85-89 years..... 1 1 1 1 90-94 years..... . . . . . . 95-99 years..... . . . . . . . . . . . . . . . 100 years & over. . . . . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Corpus uteri, unspecified (C54.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 35-39 years..... 1 1 1 . . . . . . 40-44 years..... 1 1 1 1 . . . . . . . . . 45-49 years..... 50-54 years..... . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . . . . 65-69 years..... 1 . . . . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... 2 2 2 2 . . . . . . . . . . . . 3 3 2 85-89 years..... 2. 1 1 . . . . . . . . . . . . . . . 90-94 years..... 1 1 1 1 . . . 95-99 years..... 1 1 1 1 . . . . . . 100 years & over. . . . . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female and age sexes Female Male Female Female sexes Male Female Male sexes sexes Male sexes Malignant neoplasm of uterus, part unspecified (C55) 3,666 2,954 2,954 All ages..... 3,666 626 626 20 2.0 66 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 13 13 10 10 3 3 . . . . . . 35-39 years..... 30 30 20 20 7 7 3 3 . . . . . . . . . . . . 59 59 45 45 12 40-44 years..... 12 . . . . . . . . . . . . . . . 45-49 years..... 116 116 87 87 23 23 1 5 5 221 221 41 50-54 years..... 169 . . . 169 41 2 2 55-59 years..... 274 274 211 211 51 51 2 10 10 . . . . . . . . . . . . . . . 60-64 years..... 335 335 261 261 64 64 1 . . . . . . . . . . . . . . . 65-69 years..... 384 384 281 281 94 94 . . . . . . . . . . . . . . . 70-74 years..... 525 525 407 407 113 113 . . . . . . . . . . . . . . . 75-79 years..... 547 547 450 450 82 82 . . . . . . . . . . . . . . . 80-84 years..... 504 504 431 431 63 63 2 2 . . . . . . . . . . . . . . . 403 353 353 48 85-89 years..... 403 48 2 . . . . . . . . . . . . . . . 180 180 165 165 15 90-94 years..... 15 . . . . . . 95-99 years..... 66 66 57 57 8 8 . . . . . . . . . . . . 1 . . . 1 100 years & over. 8 8 6 6 2 . . . . . . . . . Age not stated...

. . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Bot.h Bot.h Bot.h and age Female Female Female Male Female sexes Male Female sexes Male sexes Male sexes Male sexes Malignant neoplasm of ovary (C56) 14,682 13,202 13,202 All ages..... 14,682 1,163 1,163 50 50 267 267 Under 1 year.... 1 1 1 1 1 1-4 years..... 1 1 1 5-9 years..... 1 1 1 1 10-14 years..... 1 1 1 1 . . . 15-19 years..... 12 12 9 9 3 3 . . . . . . . . . . . . 20-24 years..... 25 25 21 21 4 4 . . . . . . . . . 25-29 years..... 33 33 29 29 3 3 . . . . . . . . . . . . . . . 30-34 years..... 64 64 48 48 10 10 1 1 5 5 . . . . . . . . . . . . . . . 35-39 years..... 150 150 122 122 24 24 1 1 3 3 . . . . . . . . . . . . . . . 319 319 269 269 35 35 40-44 years..... 3 3 12 12 . . . . . . . . . . . . . . . 45-49 years..... 688 688 582 582 73 73 27 27 6 6 50-54 years..... 1,029 906 906 87 87 7 29 29 . . . 1,029 . . . . . . 55-59 years..... 1,249 1,249 1,102 1,102 114 114 4 4 29 29 . . . . . . . . . . . . . . . 60-64 years..... 1,499 1,499 1,339 1,339 126 126 4 30 30 . . . . . . . . . . . . . . . 65-69 years..... 1,662 1,662 1,484 1,484 140 140 35 . . . . . . . . . . . . . . . 70-74 years..... 1,939 1,939 1,751 1,751 149 149 9 30 . . . . . . . . . . . . . . . 75-79 years..... 2,249 2,249 2,058 2,058 154 154 36 36 . . . . . . . . . . . . . . . 80-84 years..... 2,010 2,010 1,859 1,859 124 124 8 19 19 . . . . . . . . . . . . . . . 1,087 1,087 78 78 8 8 85-89 years..... 1,174 1,174 1 1 . . . . . . . . . . . . . . . 90-94 years..... 416 27 27 447 447 416 1 3 3 . . . . . . 1 95-99 years..... 115 115 105 105 9 9 . . . . . . . . . . . . 1 . . . 1 100 years & over. 14 14 11 11 3 3 . . . . . . . . .

. . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Female Male Female and age Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Malignant neoplasm of other and unspecified female genital organs (C57) All ages.... 418 418 363 363 10 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... 1 . . . . . . . . . . . . . . . 30-34 years..... 4 4 3 3 1 1 . . . 35-39 years..... 5 5 3 3 2 2 . . . . . . . . . . . . 8 40-44 years..... 11 11 8 3 3 . . . . . . . . . . . . 45-49 years..... 13 13 12 12 1 1 30 25 50-54 years..... . . . 30 25 . . . 4 4 1 1 55-59 years..... 29 29 26 26 3 3 . . . . . . . . . . . . 60-64 years..... 46 46 33 33 12 12 1 . . . . . . . . . . . . . . . 65-69 years..... 49 49 44 4 . . . . . . . . . . . . . . . 70-74 years..... 56 50 50 . . . . . . . . . . . . 75-79 years..... 71 71 65 65 . . . . . . . . . . . . . . . 80-84 years..... 56 56 51 51 2 2 3 3 . . . . . . . . . . . . 2.8 28 25 25 3 3 85-89 years..... . . . . . . . . . . . . . . . 14 14 13 90-94 years..... 13 1 1 . . . . . . 95-99 years..... 4 4 3 3 1 1 . . . . . . . . . . . . 1 1 100 years & over. 1 1 . . . . . . . . . . . . . . . Age not stated...

. . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Female Male Female and age sexes Male Male Female Male Female sexes Male Female sexes sexes sexes Fallopian tube (C57.0) 171 5 All ages.... 194 194 171 17 17 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . 30-34 years..... 1 1 1 1 . . . 35-39 years..... 2 2 1 1 1 1 . . . . . . . . . . . . 3 3 40-44 years..... 3 3 . . . . . . . . . . . . 45-49 years..... 7 7 6 1 6 50-54 years..... 15 . . . 1.5 12 . . . 12 2 2 1 1 55-59 years..... 19 19 18 18 1 . . . . . . . . . . . . 60-64 years..... 26 26 20 20 . . . . . . . . . . . . . . . 65-69 years..... 32 32 29 29 . . . . . . . . . . . . . . . 70-74 years..... 28 28 25 25 . . . . . . . . . . . . . . . 75-79 years..... 35 35 33 33 . . . . . . . . . . . . . . . 80-84 years..... 17 17 15 15 1 1 1 . . . . . . . . . . . . 85-89 years..... 5 5 4 1 1 . . . . . . . . . . . . . . . 3 3 90-94 years..... 3 3 . . . . . . 95-99 years..... 1 1 1 . . . 1 . . . . . . 100 years & over. . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Uterine adnexa, unspecified (C57.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 35-39 years..... . . . . . . 40-44 years..... . . . . . . . . . 45-49 years..... 50-54 years..... . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . . . . . . . 85-89 years..... . . . 1 . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female and age sexes Male Female Male Female Male Female sexes Male Female sexes sexes sexes Other specified female genital organs (C57.7) 15 15 All ages.... 18 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 35-39 years..... . . . . . . 40-44 years..... . . . . . . . . . 45-49 years..... 50-54 years..... 2 . . . . . . 55-59 years..... 1 . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . . . . . . . 85-89 years..... 1 1 1 1 . . . . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Female Male Female and age sexes Male Male Female Male Female sexes Male Female sexes sexes sexes Overlapping lesion of female genital organs (C57.8) 3 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... 30-34 years..... 1 1 1 1 . . . . . . 35-39 years..... . . . . . . . . . 40-44 years..... 45-49 years..... 1 . . . 1 1 . . . 1 50-54 years..... . . . . . . . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . 80-84 years..... . . . . . . . . . . . . . . . 85-89 years..... 90-94 years..... . . . . . . 95-99 years..... . . . . . . . . . . . . . . . 100 years & over. . . . . . . . . . Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Female genital organ, unspecified (C57.9) 173 173 5 All ages.... 202 202 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . 30-34 years..... 2 2 1 1 1 1 . . . 35-39 years..... 3 3 2 2 1 1 . . . . . . . . . 8 5 40-44 years..... 8 5 3 3 . . . . . . . . . . . . 45-49 years..... 5 5 5 5 50-54 years..... 13 . . . 13 11 . . . 11 2 55-59 years..... 9 9 7 7 . . . . . . . . . . . . 60-64 years..... 17 17 12 12 1 . . . . . . . . . . . . . . . 65-69 years..... 15 15 14 1 . . . . . . . . . . . . 70-74 years..... 25 22 22 . . . . . . . . . . . . . . . 75-79 years..... 34 34 30 30 . . . . . . . . . . . . . . . 80-84 years..... 35 35 32 32 1 1 2 . . . . . . . . . . . . . . . 21 19 2 85-89 years..... 21 19 . . . 2 . . . . . . . . . . . . 90-94 years..... 11 10 10 11 1 1 . . . . . . 95-99 years..... 3 3 2 2 1 1 . . . . . . . . . 100 years & over. . . . . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Malignant neoplasm of placenta (C58) All ages.... 14 10 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 2 2 2 2 35-39 years..... 1 1 1 . . . . . . 3 40-44 years..... 3 1 1 . . . . . . 45-49 years..... 2 2 1 1 1 1 50-54 years..... 1 . . . 1 1 . . . 1 55-59 years..... . . . . . . . . . . . . 60-64 years..... 1 1 1 . . . . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . . . . . . . 85-89 years..... . . . . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Malignant neoplasm of penis (C60) 209 All ages.... 180 180 2.2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . . . . . . . . . . 25-29 years..... 1 1 . . . . . . . . . . . . . . . 30-34 years..... 2 2 2 2 . . . 35-39 years..... 4 4 3 3 1 1 . . . . . . 40-44 years..... 6 6 6 6 . . . . . . . . . . . . 45-49 years..... 12 12 9 9 3 50-54 years..... 14 14 . . . 12 12 . . . 1 1 1 55-59 years..... 17 17 13 13 3 3 1 1 . . . . . . . . . 60-64 years..... 21 21 17 17 . . . . . . . . . . . . . . . 65-69 years..... 26 24 24 . . . . . . . . . . . . 70-74 years..... 32 32 25 25 . . . . . . . . . . . . 75-79 years..... 31 31 28 28 . . . . . . . . . . . . . . . 80-84 years..... 20 2.0 19 19 1 1 . . . . . . . . . 13 13 13 85-89 years..... 1.3 . . . . . . . . . . . . . . . 7 1 90-94 years..... 8 8 1 95-99 years..... 1 1 1 1 . . . . . . . . . 100 years & over. . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Bot.h Bot.h Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Prepuce (C60.0) 1 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... . . . 35-39 years..... . . . 40-44 years..... . . . . . . . . . 45-49 years..... 50-54 years..... . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... 1 . . . . . . 85-89 years..... . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . . . . 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Bot.h Bot.h Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Penis, unspecified (C60.9) 179 179 All ages.... 208 2.2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . . . . . . . . . . 25-29 years..... 1 1 . . . . . . . . . . . . . . . 30-34 years..... 2 2 2 2 . . . 35-39 years..... 4 4 3 3 1 1 . . . . . . 40-44 years..... 6 6 6 6 . . . . . . . . . . . . 45-49 years..... 12 12 9 9 3 50-54 years..... 14 14 . . . 12 12 . . . 1 1 1 55-59 years..... 17 17 13 13 3 3 1 1 . . . . . . . . . 60-64 years..... 21 21 17 17 . . . . . . . . . . . . . . . 65-69 years..... 26 24 24 . . . . . . . . . . . . 70-74 years..... 32 32 25 25 . . . . . . . . . . . . 75-79 years..... 31 31 28 28 . . . . . . . . . . . . . . . 80-84 years..... 19 19 18 18 1 1 . . . . . . . . . 13 13 85-89 years..... 13 1.3 . . . . . . . . . . . . . . . 7 1 90-94 years..... 8 8 1 95-99 years..... 1 1 1 1 . . . . . . . . . 100 years & over. . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Malignant neoplasm of prostate (C61) 30,446 All ages..... 30,446 24.918 24.918 5,145 5,145 85 85 298 298 Under 1 year.... 1-4 years..... . . . 5-9 years..... 10-14 years..... . . . . . . . . . . . . 15-19 years..... . . . . . . . . . . . . . . . 20-24 years..... 1 1 . . . . . . . . . . . . . . . 25-29 years..... . . . 30-34 years..... 1 1 1 1 . . . . . . . . . . . . . . . 35-39 years..... 7 7 1 1 6 6 . . . . . . . . . . . . . . . 40-44 years..... 25 25 19 19 6 6 8.0 8.0 48 48 45-49 years..... . . . . . . 31 31 1 1 207 50-54 years..... 302 302 207 88 88 2 5 5 . . . . . . . . . . . . . . . 55-59 years..... 696 696 505 505 174 174 6 11 11 . . . . . . . . . . . . . . . 60-64 years..... 1,324 1,324 958 958 338 338 22 . . . . . . . . . . . . 65-69 years..... 2,316 2,316 1,746 1,746 545 545 7 18 . . . . . . . . . . . . 70-74 years..... 3,984 3,984 3,112 3,112 825 825 13 13 34 34 . . . . . . . . . . . . . . . 75-79 years..... 5,915 5,915 4,801 4,801 1,029 1,029 18 18 67 67 . . . . . . . . . . . . 5,765 5,765 54 6,838 6,838 1,001 18 54 80-84 years..... 1,001 18 . . . . . . . . . . . . . . . 5,474 5,474 4,780 4,780 641 8 45 85-89 years..... 641 8 45 . . . . . . 90-94 years..... 2,708 2,708 2,329 2,329 344 344 5 30 30 . . . . . . . . . . . . . . . 703 703 588 588 103 103 10 95-99 years..... 2 10 . . . . . . . . . . . . 100 years & over. 72 72 53 53 18 18 1 1 . . . . . . . . . . . . Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of testis (C62) 357 357 All ages.... 393 393 28 Under 1 year.... 1-4 years..... 5-9 years..... . . . 10-14 years..... . . . 15-19 years..... 9 9 9 9 . . . . . . . . . . . . . . . 20-24 years..... 34 34 29 29 3 . . . . . . . . . . . . . . . 25-29 years..... 42 42 37 37 4 . . . . . . . . . . . . . . . 30-34 years..... 52 52 47 47 4 4 1 1 . . . 35-39 years..... 45 45 41 41 4 4 . . . . . . . . . 54 54 51 1 40-44 years..... 51 2 2 1 . . . . . . . . . . . . . . . 45-49 years..... 42 42 38 38 4 4 50-54 years..... 25 25 2.1 2.1 . . . 3 1 1 55-59 years..... 18 18 16 16 1 . . . . . . . . . . . . 60-64 years..... 18 18 17 17 1 . . . . . . . . . . . . . . . 65-69 years..... 14 12 12 2 . . . . . . . . . . . . 70-74 years..... 12 12 12 12 . . . . . . . . . . . . 75-79 years..... 5 5 5 5 . . . . . . . . . . . . . . . 80-84 years..... 12 12 11 11 1 1 . . . . . . . . . 6 6 6 85-89 years..... 6 . . . . . . . . . . . . . . . 90-94 years..... 5 5 5 5 95-99 years..... . . . . . . . . . 100 years & over. . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Bot.h Bot.h Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Testis, unspecified (C62.9) 393 357 357 All ages.... 28 Under 1 year.... 1-4 years..... 5-9 years..... . . . 10-14 years..... . . . 15-19 years..... 9 9 9 9 . . . . . . . . . . . . 20-24 years..... 34 34 29 29 3 . . . . . . . . . . . . . . . 25-29 years..... 42 42 37 37 4 . . . . . . . . . . . . . . . 30-34 years..... 52 52 47 47 4 4 1 1 . . . 35-39 years..... 45 45 41 41 4 4 . . . . . . 54 54 51 1 40-44 years..... 51 2 2 1 . . . . . . . . . . . . . . . 45-49 years..... 42 42 38 38 4 4 50-54 years..... 25 25 2.1 2.1 . . . 3 1 1 55-59 years..... 18 18 16 16 1 . . . . . . . . . . . . 60-64 years..... 18 18 17 17 1 . . . . . . . . . . . . 65-69 years..... 14 12 12 2 . . . . . . . . . . . . 70-74 years..... 12 12 12 12 . . . . . . . . . . . . 75-79 years..... 5 5 5 5 . . . . . . . . . . . . . . . 80-84 years..... 12 12 11 11 1 1 . . . . . . . . . 6 6 6 85-89 years..... 6 . . . . . . . . . . . . . . . 90-94 years..... 5 5 5 5 95-99 years..... . . . . . . . . . 100 years & over. . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Malignant neoplasm of other and unspecified male genital organs (C63) 5 All ages.... 36 30 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... . . . 35-39 years..... . . . 3 3 2 1 40-44 years..... . . . . . . . . . . . . 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 3 3 3 . . . . . . . . . . . . 60-64 years..... 1 1 . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... 1 . . . . . . 3 3 3 3 85-89 years..... . . . . . . . . . . . . . . . 90-94 years..... 3 3 3 95-99 years..... . . . . . . 100 years & over. . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Bot.h Bot.h Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Spermatic cord (C63.1) 2 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... . . . 35-39 years..... . . . 40-44 years..... . . . . . . . . . . . . 45-49 years..... 50-54 years..... . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... 1 1 1 1 . . . . . . 85-89 years..... . . . . . . . . . . . . 90-94 years..... 1 1 1 1 95-99 years..... . . . . . . 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Bot.h Bot.h Bot.h Bot.h Male Female Male Female Male Female and age Male Female Male Female sexes sexes sexes sexes sexes Scrotum (C63.2) All ages.... 14 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... . . . 35-39 years..... . . . 2 2 1 1 40-44 years..... . . . . . . . . . . . . 45-49 years..... 50-54 years..... 55-59 years..... . . . . . . . . . . . . 60-64 years..... 1 . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... 2 2 2 2 . . . . . . 85-89 years..... . . . . . . . . . . . . . . . 90-94 years..... 2 2 2 2 95-99 years..... . . . . . . 100 years & over. . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Bot.h Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male genital organ, unspecified (C63.9) All ages.... 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 35-39 years..... . . . 40-44 years..... 1 1 1 . . . . . . . . . 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 1 1 1 . . . . . . . . . . . . 60-64 years..... 1 . . . . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... 4 1 . . . . . . 3 3 85-89 years..... . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . 100 years & over. . . . . . . Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Female sexes Male Female Male sexes sexes Male sexes Malignant neoplasm of kidney, except renal pelvis (C64) 11,992 7,489 6,709 3,980 1,064 All ages..... 4,503 10,689 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1,061 60-64 years..... 1,246 1,096 65-69 years..... 1,508 1,004 1,342 70-74 years..... 1,678 1,050 1,516 75-79 years..... 1,801 1,109 1,627 1,020 80-84 years..... 1,496 1,373 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of renal pelvis (C65) 173 75 167 73 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 8 3 3 5 8 5 50-54 years..... 5 5 4 4 1 55-59 years..... 14 13 60-64 years..... 19 13 18 12 65-69 years..... 25 16 25 16 9 70-74 years..... 28 17 11 27 16 11 75-79 years..... 28 14 14 27 13 14 80-84 years..... 30 15 15 29 15 14 1 85-89 years..... 7 7 11 4 11 4 90-94 years..... 3 4 3 1 4 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of ureter (C66) 131 279 123 3 All ages.... 166 156 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 2 2 2 45-49 years..... 1 2 1 1 2 1 50-54 years..... 3 3 1 4 1 55-59 years..... 14 12 9 3 60-64 years..... 21 17 20 16 65-69 years..... 35 20 15 34 19 15 70-74 years..... 59 29 30 57 29 28 26 75-79 years..... 56 28 28 52 26 80-84 years..... 45 2.7 18 44 26 18 1 85-89 years..... 25 19 38 2.1 17 3 2 44 1 90-94 years..... 11 5 6 11 5 6 95-99 years..... 3 1 2 3 1 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Female sexes Male Female Male sexes sexes Male sexes Malignant neoplasm of bladder (C67) 12,628 4,124 11,512 7,908 3,604 All ages..... 8,504 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1,151 1,031 70-74 years..... 1,756 1,244 1,594 1,157 75-79 years..... 2,366 1,659 2,177 1,544 80-84 years..... 2,341 1,540 2,167 1,446 85-89 years..... 1,722 1,095 1,864 1,163 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Trigone of bladder (C67.0) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Bladder neck (C67.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Ureteric orifice (C67.6) 2 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 95-99 years..... 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Urachus (C67.7) 12 All ages.... 10 19 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 1 1 1 40-44 years..... 2 1 1 2 1 45-49 years..... 1 1 1 1 50-54 years..... 2. 1 1 1 55-59 years..... 3 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Female sexes Male Female Male sexes sexes Male sexes Bladder, unspecified (C67.9) 8,489 4,112 11,488 7,894 3,594 All ages..... 12,601 Under 1 year.... 1-4 years..... 5-9 years..... 2. 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1,147 1,027 70-74 years..... 1,750 1,239 1,588 1,152 75-79 years..... 2,366 1,659 2,177 1,544 80-84 years..... 2,341 1,540 2,167 1,446 85-89 years..... 1,721 1,095 1,863 1,163 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Malignant neoplasm of other and unspecified urinary organs (C68) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.2 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Urethra (C68.0) 163 124 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 2 1 2 1 1 45-49 years..... 6 5 1 4 1 1 4 50-54 years..... 17 9 2 6 55-59 years..... 17 60-64 years..... 15 65-69 years..... 19 7 12 15 70-74 years..... 19 13 17 13 75-79 years..... 23 8 15 19 7 12 80-84 years..... 20 11 9 17 9 8 3 1 85-89 years..... 5 16 15 11 11 1 1 90-94 years..... 5 1 4 5 1 4 95-99 years..... 2 1 1 2 1 1 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth American Indian 1/ Pacific Islander 2/ All races White Black Revision, 1992) Both Both Both Both Bot.h and age Male Female sexes Overlapping lesion of urinary organs (C68.8) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Urinary organ, unspecified (C68.9) 112 175 104 71 All ages.... 11 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 2 2 2 50-54 years..... 3 2 1 3 1 1 1 55-59 years..... 4 4 3 3 60-64 years..... 10 1 1 65-69 years..... 9 70-74 years..... 12 24 10 75-79 years..... 42 25 17 40 24 16 80-84 years..... 37 24 13 35 22 13 1 1 85-89 years..... 31 18 1.3 29 18 11 1 1 90-94 years..... 18 7 11 17 11 6 1 95-99 years..... 3 2 1 3 2 1 1 1 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes Malignant neoplasm of eye and adnexa (C69) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Conjunctiva (C69.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Cornea (C69.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Retina (C69.2) 16 9 13 5 All ages.... Under 1 year.... 1-4 years..... 3 1 2 1 1 1 5-9 years..... 3 1 2 1 1 2 1 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 2 2 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Choroid (C69.3) 10 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 3 85-89 years..... 90-94 years..... 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Ciliary body (C69.4) All ages.... 4 1 1 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age Male Female Male Female Male Female sexes sexes sexes sexes sexes Lacrimal gland and duct (C69.5) 5 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 1 1 1 1 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Orbit (C69.6) All ages..... 33 19 14 29 17 12 2 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 3 3 2 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 8 5 3 8 5 3 3 3 2 80-84 years..... 1 2 1 85-89 years..... 3 2 2 1 3 1 90-94 years..... 2 1 1 2 1 1 95-99 years..... 1 100 years & over. 1 1

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Eye, unspecified (C69.9) 77 155 76 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 2 2 40-44 years..... 5 1 5 1 45-49 years..... 9 7 8 6 2 50-54 years..... 5 12 12 5 55-59 years..... 22 13 21 13 60-64 years..... 19 11 19 11 65-69 years..... 13 8 70-74 years..... 17 9 17 9 75-79 years..... 20 11 19 11 80-84 years..... 18 6 12 18 6 12 85-89 years..... 10 5 5 1.0 5 5 90-94 years..... 5 5 5 5 95-99 years..... 4 4 4 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of meninges (C70) 111 51 All ages.... 60 12 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 2 1 1 2 1 1 20-24 years..... 25-29 years..... 30-34 years..... 3 3 3 3 35-39 years..... 40-44 years..... 2 2 3 45-49 years..... 3 2 1 3 2 1 2 50-54 years..... 6 3 3 4 1 3 55-59 years..... 13 5 4 2 60-64 years..... 16 10 12 65-69 years..... 19 11 16 10 70-74 years..... 13 11 20 10 10 75-79 years..... 18 9 16 8 8 80-84 years..... 18 14 4 15 12 3 3 2 85-89 years..... 3 3 3 90-94 years..... 3 3 2 1 4 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cerebral meninges (C70.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 1 1 50-54 years..... 1 1 1 55-59 years..... 3 1 60-64 years..... 1 1 1 1 65-69 years..... 70-74 years..... 2 75-79 years..... 1 1 1 1 1 1 80-84 years..... 3 3 3 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Spinal meninges (C70.1) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Meninges, unspecified (C70.9) 52 All ages.... 113 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 2 1 1 2 1 1 20-24 years..... 25-29 years..... 30-34 years..... 2 2 2 2 35-39 years..... 40-44 years..... 2 2 3 45-49 years..... 3 2 1 3 2 1 50-54 years..... 4 1 2. 3 1 2 55-59 years..... 10 5 60-64 years..... 12 10 65-69 years..... 19 11 16 10 70-74 years..... 21 12 18 9 75-79 years..... 15 7 14 80-84 years..... 14 11 3 12 9 3 2 85-89 years..... 2. 2 2 90-94 years..... 3 3 2 1 4 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Female sexes Male Female Male sexes sexes Male sexes Malignant neoplasm of brain (C71) 6,971 5,585 11,561 6,423 5,138 All ages..... 12,556 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1,037 1,135 55-59 years..... 1,253 1,148 60-64 years..... 1,262 1,177 65-69 years..... 1,377 1,284 70-74 years..... 1,507 1,419 75-79 years..... 1,428 1,342 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age Male Female Male Female Male Female sexes sexes sexes sexes sexes Cerebrum, except lobes and ventricles (C71.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Frontal lobe (C71.1) 109 50 102 57 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 2 2 2 2 35-39 years..... 5 4 1 5 4 1 40-44 years..... 3 3 3 3 45-49 years..... 11 8 11 8 3 50-54 years..... 11 1.0 6 1 55-59 years..... 13 10 1 60-64 years..... 12 12 65-69 years..... 70-74 years..... 12 11 75-79 years..... 10 10 80-84 years..... 13 5 8 12 5 1 1 85-89 years..... 5 5 3 2 2 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Temporal lobe (C71.2) 104 101 59 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 2 1 1 2 1 1 35-39 years..... 1 1 1 1 40-44 years..... 8 6 8 6 45-49 years..... 7 8 5 3 5 2 1 50-54 years..... 9 11 2 11 55-59 years..... 11 6 10 5 60-64 years..... 11 11 65-69 years..... 12 12 70-74 years..... 11 11 75-79 years..... 13 10 12 9 80-84 years..... 7 3 7 3 85-89 years..... 2 5 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Parietal lobe (C71.3) All ages..... 59 32 2.7 56 31 25 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 2 2 35-39 years..... 2 2 40-44 years..... 5 3 4 3 1 1 45-49 years..... 2 2 2 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 11 4 1.0 3 6 6 80-84 years..... 1 1 85-89 years..... 5 1 5 1 4 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Occipital lobe (C71.4) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Cerebral ventricle (C71.5) 9 All ages.... 13 12 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 3 2 1 2 1 1 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 1 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 1 2 1 1 80-84 years..... 1 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Cerebellum (C71.6) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1.8 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Brain stem (C71.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Overlapping lesion of brain (C71.8) 10 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 2 1 1 1 1 45-49 years..... 4 2 2 4 2 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 2 2 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Female sexes Male Female Male sexes sexes Male sexes Brain, unspecified (C71.9) 6,410 5,199 10,727 5,929 4,798 All ages..... 11,609 Under 1 year..... 1-4 years..... 5-9 years..... 3.0 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1,072 50-54 years..... 55-59 years..... 1,180 1,087 60-64 years..... 1,205 1,121 65-69 years..... 1,318 1,232 70-74 years..... 1,438 1,353 75-79 years..... 1,351 1,269 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Malignant neoplasm of spinal cord, cranial nerves, and other parts of central nervous system (C72) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2. 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Spinal cord (C72.0) 17 30 13 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 3 30-34 years..... 3 1 2 3 1 2 35-39 years..... 5 3 2 5 3 2 3 3 3 3 40-44 years..... 45-49 years..... 3 2 5 2 4 2 1 1 50-54 years..... 4 3 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 2 2 3 2 80-84 years..... 1 2 1 85-89 years..... 2 1 1 2 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Olfactory nerve (C72.2) 1 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Optic nerve (C72.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other and unspecified cranial nerves (C72.5) 1 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age Male Female Male Female Male Female sexes sexes sexes sexes sexes Central nervous system, unspecified (C72.9) 42 76 39 37 2 All ages.... Under 1 year.... 1 1 1 1 1-4 years..... 5 1 3 1 2 1 4 5-9 years..... 2 1 2 1 1 1 10-14 years..... 2 2 1 1 15-19 years..... 4 3 1 4 3 1 20-24 years..... 2 1 25-29 years..... 30-34 years..... 2 2 2 2 35-39 years..... 1 1 1 40-44 years..... 3 2 1 2 2 45-49 years..... 6 3 3 5 3 2 1 50-54 years..... 9 3 8 2 55-59 years..... 6 60-64 years..... 1 65-69 years..... 70-74 years..... 11 10 75-79 years..... 80-84 years..... 6 3 3 6 3 3 85-89 years..... 5 5 1 1 90-94 years..... 3 3 3 3 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of thyroid gland (C73) 1,367 1,200 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.4 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant neoplasm of adrenal gland (C74) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 3.0 2.8 2.4 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.0 85-89 years..... 1.0 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cortex of adrenal gland (C74.0) 37 33 33 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 10-14 years..... 3 1 2 1 1 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 4 2 2 3 2 1 1 1 35-39 years..... 4 4 4 4 40-44 years..... 9 3 2 1 8 45-49 years..... 4 1 3 1 3 4 50-54 years..... 8 2 55-59 years..... 6 60-64 years..... 10 10 65-69 years..... 5 70-74 years..... 75-79 years..... 80-84 years..... 3 3 3 3 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Medulla of adrenal gland (C74.1) 17 15 All ages.... 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 1 1 1 1 40-44 years..... 1 1 1 1 45-49 years..... 4 1 4 1 1 50-54 years..... 2 2 55-59 years..... 2 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 1 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Adrenal gland, unspecified (C74.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 3.0 2.8 2.4 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1.0 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Malignant neoplasm of other endocrine glands and related structures (C75) 103 55 48 All ages.... 14 1 Under 1 year.... 2 2 2 2 5 1 3 1 1 1-4 years..... 1 4 4 5-9 years..... 3 3 2 2 1 10-14 years..... 1 1 1 1 15-19 years..... 5 5 3 3 1 1 20-24 years..... 25-29 years..... 3 30-34 years..... 5 2 3 4 2 2 1 1 35-39 years..... 2 2 2 2 40-44 years..... 3 3 3 45-49 years..... 8 4 6 2 1 1 9 50-54 years..... 6 3 8 3 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 10 75-79 years..... 10 10 80-84 years..... 7 3 6 3 3 1 1 85-89 years..... 3 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Parathyroid gland (C75.0) All ages.... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 2 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pituitary gland (C75.1) 17 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 2. 2 2 55-59 years..... 1 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 1 1 2 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Craniopharyngeal duct (C75.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pineal gland (C75.3) 20 14 13 10 All ages.... Under 1 year.... 2 2 2 2 1-4 years..... 5 1 4 1 3 1 4 5-9 years..... 3 3 2 2 1 10-14 years..... 1 1 1 1 15-19 years..... 4 4 2 2 1 20-24 years..... 4 25-29 years..... 2 30-34 years..... 3 1 2 2 1 1 1 1 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 4 1 2 3 1 50-54 years..... 2 1 2 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Aortic body and other paraganglia (C75.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Endocrine gland, unspecified (C75.9) 18 17 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 2 45-49 years..... 1 1 1 1 50-54 years..... 3 3 1 2 1 2 55-59 years..... 4 1 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 2 1 1 85-89 years..... 2. 2 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Female Male Female and age Female Male Female sexes Male Female sexes Male sexes sexes Male sexes Malignant neoplasm of other and ill-defined sites (C76) 3,466 1,968 1,498 2,912 1,633 1,279 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female sexes Male Female Male sexes sexes sexes Head, face, and neck (C76.0) 2,030 1,459 1,675 1,188 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Thorax (C76.1) 119 70 109 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 3 3 1 2 1 45-49 years..... 5 4 1 3 3 1 1 50-54 years..... 2 2 3 1 55-59 years..... 6 4 60-64 years..... 3 65-69 years..... 70-74 years..... 19 12 19 12 75-79 years..... 15 9 14 8 8 80-84 years..... 15 7 14 7 85-89 years..... 2.0 13 7 2.0 1.3 90-94 years..... 16 5 11 15 5 10 1 95-99 years..... 3 1 2 3 1 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Abdomen (C76.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pelvis (C76.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Upper limb (C76.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 2 2. 1 1 1 90-94 years..... 2 2 2 2 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lower limb (C76.5) 23 33 13 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 40-44 years..... 1 1 1 45-49 years..... 1 1 3 3 2. 50-54 years..... 55-59 years..... 1 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 1 1 85-89 years..... 90-94 years..... 1 2 1 1 2 1 95-99 years..... 1 1 1 1 3 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other ill-defined sites (C76.7) 117 5 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 1 1 2 1 1 35-39 years..... 1 1 1 1 40-44 years..... 1 1 45-49 years..... 4 2 3 2 1 50-54 years..... 3 1 3 1 55-59 years..... 6 6 60-64 years..... 65-69 years..... 10 70-74 years..... 22 10 12 19 10 75-79 years..... 21 13 18 12 80-84 years..... 19 8 11 15 6 9 2 1 85-89 years..... 7 18 11 17 6 11 1 1 90-94 years..... 12 7 5 12 7 5 95-99 years..... 2 1 2 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Overlapping lesion of other and ill-defined sites (C76.8) 1 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Secondary and unspecified malignant neoplasm of lymph nodes (C77) 26 All ages.... 11 33 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 3 3 3 50-54 years..... 3 55-59 years..... 3 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 6 3 3 5 2 3 85-89 years..... 5 6 1 5 1 90-94 years..... 1 1 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lymph nodes of head, face, and neck (C77.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Intrathoracic lymph nodes (C77.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 2 2 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Intra-abdominal lymph nodes (C77.2) 3 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Axillary and upper limb lymph nodes (C77.3) 1 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

80-84 years.....

85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Inguinal and lower limb lymph nodes (C77.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years.....

1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lymph node, unspecified (C77.9) 13 All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 2 1 2 1 1 85-89 years..... 3 2. 3 1 2. 1 90-94 years..... 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Female Male Female and age sexes Female Female sexes Male Female Male sexes Male sexes Male sexes Secondary malignant neoplasm of respiratory and digestive organs (C78) 3,280 2,778 1,493 All ages..... 1,538 1,742 1,285 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

on the International Classification of Diseases, Tenth Revision, 1992)	l All races Both			White Both			Black Both			American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Secondary malignant	neoplasm o	of lung (C	78.0)												
All ages	259	120	139	229	102	127	29	18	11	_	_	_	1	_	1
Under 1 year	-	-	-	-	-	-	_	_	_	-	-	_	_	_	_
1-4 years	-	-	-	-	-	-	-	_	_	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	_
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	-	-	-	-	-	_
35-39 years	2	1	1	1	-	1	1	1	-	-	-	-	-	-	_
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-	-	-	_
45-49 years	4	1	3	4	1	3	-	-	-	-	-	-	-	-	_
50-54 years	4	1	3	-	-	-	4	1	3	-	-	-	-	-	_
55-59 years	10	3	7	9	3	6	-	_	-	-	-	-	1	-	1
60-64 years	14	4	10	11	3	8	3	1	2	-	-	-	-	-	_
65-69 years	23	11	12	20	10	10	3	1	2	-	-	-	-	-	-
70-74 years	46	28	18	41	23	18	5	5	-	-	-	-	-	-	-
75-79 years	44	25	19	36	19	17	8	6	2	-	-	-	-	-	-
80-84 years	39	21	18	35	18	17	4	3	1	-	-	-	-	-	-
85-89 years	40	17	23	40	17	23	-	_	-	-	-	-	-	-	-
90-94 years	21	4	17	21	4	17	-	_	-	-	-	-	-	-	-
95-99 years	8	4	4	8	4	4	-	_	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	_	_	-	-	-	-	_	-
Age not stated	_	_	_	_	_	_	_	_	_	_	_	_	_	_	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Secondary malignant neoplasm of mediastinum (C78.1) 12 All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Secondary malignant neoplasm of pleura (C78.2) All ages..... 137 64 73 118 52 66 16 11 3 2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 50-54 years..... 55-59 years..... 1 1 60-64 years..... 65-69 years..... 7 70-74 years..... 14 12 75-79 years..... 25 12 13 23 1.0 13 2 2 29 15 25 80-84 years..... 14 12 13 3 2 85-89 years..... 27 8 19 24 7 17 1 1 7 90-94 years..... 15 8 14 8 6 1 1 95-99 years..... 6 6 1 5 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Male Female Male Female sexes Male Female sexes sexes sexes Secondary malignant neoplasm of other and unspecified respiratory organs (C78.3) 3 3 All ages..... 1 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Secondary malignant neoplasm of small intestine (C78.4) 3 3 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Secondary malignant neoplasm of large intestine and rectum (C78.5) 18 All ages..... 11 16 1.0 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 60-64 years..... 3 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 5 3 5 3 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Female Male Female sexes Male Female Male sexes Male sexes sexes Secondary malignant neoplasm of retroperitoneum and peritoneum (C78.6) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.4 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Secondary malignant neoplasm of liver (C78.7) 2,416 1,201 2,022 1,023 All ages..... 1,215 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female sexes Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes Secondary malignant neoplasm of other and unspecified digestive organs (C78.8) All ages..... 32 17 15 28 13 15 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2 1 30-34 years..... 1 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 2 2 75-79 years..... 7 6 1 5 1 5 80-84 years..... 1 1 85-89 years..... 3 3 3 3 90-94 years..... 2 2 2 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Female Male Female and age Female Male Female sexes Male Female sexes Male sexes sexes Male sexes Secondary malignant neoplasm of other sites (C79) 2,934 2,548 1,341 1,207 All ages..... 1,563 1,371 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Male Female Male Female sexes Male Female sexes sexes sexes Secondary malignant neoplasm of kidney and renal pelvis (C79.0) 3 3 All ages..... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Female Male Female sexes Male Female Male sexes Male sexes sexes Secondary malignant neoplasm of bladder and other and unspecified urinary organs (C79.1) 5 All ages..... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Secondary malignant neoplasm of skin (C79.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 3 2 1 3 2 1 35-39 years..... 1 1 1 1 40-44 years..... 6 3 6 3 45-49 years..... 3 2 1 2 2 1 4 50-54 years..... 55-59 years..... 6 60-64 years..... 10 65-69 years..... 7 70-74 years..... 9 75-79 years..... 80-84 years..... 13 8 5 13 8 5 85-89 years..... 2 1 1 2 1 1 90-94 years..... 1 1 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Secondary malignant neoplasm of brain and cerebral meninges (C79.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Female Male Female sexes Male Female sexes Male sexes sexes Secondary malignant neoplasm of other and unspecified parts of nervous system (C79.4) 6 All ages..... 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 3 1 1 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Secondary malignant neoplasm of bone and bone marrow (C79.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Female Male Female and age Male Female Male Female sexes Male Female sexes Male sexes sexes sexes Secondary malignant neoplasm of ovary (C79.6) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 35-39 years..... . . . . . . 40-44 years..... . . . . . . . . . 45-49 years..... 2 50-54 years..... . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . . . . . . . 85-89 years..... . . . . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Secondary malignant neoplasm of adrenal gland (C79.7) 2 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female sexes Male Female Male sexes sexes sexes Secondary malignant neoplasm of other specified sites (C79.8) 1,586 All ages..... 1,343 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Bot.h Bot.h Both and age Female Female Female Male Female sexes Male Female sexes Male sexes Male sexes Male sexes Malignant neoplasm without specification of site (C80) 26,482 22,947 11,436 11,511 2,993 1,404 1,589 All ages..... 13,124 13,358 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1,419 1,146 55-59 years..... 1,867 1,569 60-64 years..... 2,395 1,361 1,034 2,016 1,150 65-69 years..... 2,802 1,569 1,233 2,381 1,376 1,005 70-74 years..... 3,706 1,955 1,751 3,230 1,725 1,505 75-79 years..... 4,193 2,092 2,101 3,718 1,856 1,862 80-84 years..... 3,822 1,740 2,082 3,460 1,593 1,867 1,459 85-89 years..... 2,676 1,051 1,625 2,422 90-94 years..... 1,124 1,246 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hodgkin's disease (C81) 1,352 1,193 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lymphocytic predominance (C81.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 2 2 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Nodular sclerosis (C81.1) 11 All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 3 3 3 3 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 3 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Mixed cellularity (C81.2) 5 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lymphocytic depletion (C81.3) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hodgkin's disease, unspecified (C81.9) 1,327 1,170 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 8.0 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Follicular [nodular] non-Hodgkin's lymphoma (C82) 197 75 184 71 113 10 All ages.... 122 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 2 2 2 2 40-44 years..... 2 2 3 1 4 1 45-49 years..... 7 2 5 5 2 3 2 2 50-54 years..... 7 3 3 55-59 years..... 12 6 10 6 60-64 years..... 12 3 1 65-69 years..... 25 13 12 23 12 11 70-74 years..... 21 11 10 20 10 10 75-79 years..... 36 11 25 35 11 24 80-84 years..... 34 13 21 33 13 2.0 1 1 85-89 years..... 2.7 21 2.7 21 6 6 90-94 years..... 7 6 7 1 1 6 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Small cleaved cell, follicular (C82.0) 13 All ages.... 18 5 17 4 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 4 1 4 3 80-84 years..... 1 1 1 1 85-89 years..... 4 4 4 4 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mixed small cleaved and large cell, follicular (C82.1) All ages.... 11 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Large cell, follicular (C82.2) 10 All ages.... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 1 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 1 2 1 2 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other types of follicular non-Hodgkin's lymphoma (C82.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Follicular non-Hodgkin's lymphoma, unspecified (C82.9) 147 135 53 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 35-39 years..... 2 2 2 40-44 years..... 2 2 3 1 4 1 45-49 years..... 6 1 5 4 1 3 2 2 50-54 years..... 3 1 3 1 55-59 years..... 60-64 years..... 1 65-69 years..... 18 17 70-74 years..... 15 75-79 years..... 25 19 24 18 80-84 years..... 29 12 17 28 12 16 1 1 85-89 years..... 21 6 15 2.1 6 15 90-94 years..... 5 5 1 4 1 4 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female and age sexes Male Female Male Female Male Female sexes sexes Male Female sexes sexes Diffuse non-Hodgkin's lymphoma (C83) 2,500 1,461 1,039 2,298 1,354 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Small cell (diffuse) (C83.0) 138 116 227 104 All ages.... 123 15 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 2 2 2 2 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 2 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 3 4 3 1 4 1 9 7 3 50-54 years..... 4 5 4 55-59 years..... 10 6 6 3 60-64 years..... 19 11 16 65-69 years..... 29 20 21 12 9 70-74 years..... 38 26 12 35 25 10 75-79 years..... 43 29 14 40 26 14 80-84 years..... 49 18 31 46 17 29 3 1 2 85-89 years..... 30 16 14 2.8 15 13 2 1 1 90-94 years..... 15 11 14 10 4 4 1 1 95-99 years..... 4 4 4 4 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Small cleaved cell (diffuse) (C83.1) 308 113 All ages.... 120 16 10 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 1 40-44 years..... 7 5 2 1 6 4 45-49 years..... 8 7 1 8 7 1 50-54 years..... 17 19 13 11 1 1 55-59 years..... 28 22 25 20 60-64 years..... 40 33 37 31 65-69 years..... 61 66 58 8 70-74 years..... 78 59 19 73 55 18 75-79 years..... 72 51 21 72 51 21 80-84 years..... 64 45 19 62 44 18 1 1 85-89 years..... 37 2.0 17 33 18 15 4 2 90-94 years..... 17 7 10 17 10 95-99 years..... 3 3 3 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mixed small and large cell (diffuse) (C83.2) 31 16 15 All ages.... 1.5 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 1 1 1 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 7 3 85-89 years..... 3 3 3 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Large cell (diffuse) (C83.3) 1,347 1,242 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Immunoblastic (diffuse) (C83.4) 17 All ages.... 16 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 2 1 1 1 1 50-54 years..... 2 2. 2 2 55-59 years..... 3 3 60-64 years..... 1 1 1 1 65-69 years..... 70-74 years..... 9 3 9 75-79 years..... 6 3 6 80-84 years..... 2 2. 2 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lymphoblastic (diffuse) (C83.5) 48 56 All ages.... 16 1 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 1 1 1 1 10-14 years..... 3 3 2 2 1 15-19 years..... 2 2 2 2 20-24 years..... 6 6 25-29 years..... 4 3 2 30-34 years..... 5 5 3 3 2 2 35-39 years..... 2 2 2 2 40-44 years..... 2 3 2 1 45-49 years..... 8 6 2 5 2 1 50-54 years..... 3 1 2. 2 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Undifferentiated (diffuse) (C83.6) 3 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 1 1 1 1 80-84 years..... 2 2 2 2 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Burkitt's tumor (C83.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other types of diffuse non-Hodgkin's lymphoma (C83.8) 33 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 2. 2 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 15 75-79 years..... 17 11 16 10 80-84 years..... 12 7 5 12 7 5 85-89 years..... 5 5 5 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Diffuse non-Hodgkin's lymphoma, unspecified (C83.9) 12 29 17 All ages.... 17 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 1 1 1 1 80-84 years..... 8 85-89 years..... 3 3 3 3 90-94 years..... 2 2 2 2 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Peripheral and cutaneous T-cell lymphomas (C84) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.8 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mycosis fungoides (C84.0) 71 23 All ages.... 15 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 3 3 2 2 1 40-44 years..... 4 2 2 2 2 2 45-49 years..... 1 1 1 1 50-54 years..... 3 3 6 3 1 55-59 years..... 12 5 4 60-64 years..... 11 65-69 years..... 70-74 years..... 9 75-79 years..... 12 11 80-84 years..... 14 9 5 11 8 3 3 2 85-89 years..... 8 12 5 2 14 1 1 90-94 years..... 2 3 1 3 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Sezary's disease (C84.1) 10 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 3 2 1 85-89 years..... 1 1 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Peripheral T-cell lymphoma (C84.4) 15 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 2 2 2 2 45-49 years..... 2 2 2 2 50-54 years..... 2. 3 2 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 6 1 5 5 1 1 85-89 years..... 3 3 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other and unspecified T-cell lymphomas (C84.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2.8 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Female sexes Male Female sexes Male sexes Male sexes Male sexes Other and unspecified types of non-Hodgkin's lymphoma (C85) 18,439 9,530 8,909 16,920 8,738 8,182 1,160 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1,086 60-64 years..... 1,453 1,312 65-69 years..... 1,849 1,086 1,679 70-74 years..... 2,556 1,365 1,191 2,347 1,263 1,084 75-79 years..... 3,167 1,585 1,582 2,978 1,501 1,477 80-84 years..... 3,053 1,432 1,621 2,891 1,360 1,531 2,065 1,217 85-89 years..... 2,141 1,267 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lymphosarcoma (C85.0) 18 17 31 17 All ages.... 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 3 1 2 2 1 50-54 years..... 55-59 years..... 60-64 years..... 3 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 9 4 5 9 4 5 85-89 years..... 3 2. 2 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes B-cell lymphoma, unspecified (C85.1) All ages.... 2.7 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

on the International Classification of Diseases, Tenth	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
Revision, 1992)	Both			Both			Both			Both			Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Other specified types	s of non-H	Hodgkin's	lymphoma (	C85.7)											
All ages	8	5	3	7	4	3	1	1	_	_	_	_	_	_	_
Under 1 year	-	_	_	-	-	_	-	-	-	-	-	-	-	-	_
1-4 years	-	_	_	-	-	_	-	-	-	-	-	-	-	-	_
5-9 years	-	_	_	-	-	_	-	-	-	-	-	-	-	-	_
10-14 years	-	_	_	-	-	_	-	-	-	-	-	-	-	-	_
15-19 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
20-24 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
25-29 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
30-34 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
35-39 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
40-44 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
45-49 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
50-54 years	2	1	1	1	_	1	1	1	_	_	_	_	_	_	_
55-59 years	-	_	_	-	-	_	-	-	-	-	-	-	-	-	_
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-	-	-	_
65-69 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
70-74 years	3	3	_	3	3	_	_	_	_	_	_	_	_	_	_
75-79 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
80-84 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
85-89 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
90-94 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
95-99 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
100 years & over.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Age not stated														_	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Male Female Female sexes Male Female sexes Male sexes sexes Male sexes Non-Hodgkin's lymphoma, unspecified type (C85.9) 17,509 9,069 16,089 8,331 7,758 1,096 All ages..... 8,440 2.0 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1,046 60-64 years..... 1,389 1,257 65-69 years..... 1,754 1,027 1,601 70-74 years..... 2,415 1,299 1,116 2,217 1,203 1,014 75-79 years..... 3,003 1,511 1,492 2,827 1,431 1,396 80-84 years..... 2,890 1,353 1,537 2,740 1,286 1,454 85-89 years..... 2,029 1,207 1,957 1,159 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female and age sexes Male Female Male Female Male Female sexes Male Female sexes sexes sexes Malignant immunoproliferative diseases (C88) 156 396 375 17 All ages.... 240 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 3 2 45-49 years..... 4 1 3 1 1 1 5 5 10 5 5 50-54 years..... 10 55-59 years..... 11 3 60-64 years..... 29 23 27 21 65-69 years..... 20 23 17 70-74 years..... 48 33 15 48 33 15 75-79 years..... 86 53 33 83 51 32 3 2 1 58 85 55 30 90 32 3 2 80-84 years..... 1 1 85-89 years..... 53 25 28 51 24 27 1 1 1 90-94 years..... 32 12 20 29 11 18 3 2 95-99 years..... 6 4 6 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Waldenstrom's macroglobulinemia (C88.0) 153 15 All ages.... 366 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 3 2 2 1 1 50-54 years..... 9 9 55-59 years..... 11 6 3 60-64 years..... 26 20 26 20 65-69 years..... 25 19 23 17 70-74 years..... 47 33 14 47 33 14 75-79 years..... 85 52 33 82 50 32 80-84 years..... 88 56 32 83 53 30 3 1 2 1 85-89 years..... 25 2.7 50 52 2.4 26 1 1 1 90-94 years..... 32 12 20 29 11 18 3 2 95-99 years..... 5 2 3 5 2 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Alpha heavy chain disease (C88.1) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age Male Female Male Female Male Female sexes sexes sexes sexes sexes Gamma heavy chain disease (C88.2) 2 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant immunoproliferative disease, unspecified (C88.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 55-59 years..... 60-64 years..... 3 65-69 years..... 70-74 years..... 75-79 years..... 1 1 1 1 80-84 years..... 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Female sexes Male Female sexes Male sexes Male sexes Male sexes Multiple myeloma and malignant plasma cell neoplasms (C90) 10,996 5,713 5,283 4,797 1,754 All ages..... 9,045 4,248 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1,322 1,048 70-74 years..... 1,780 1,468 75-79 years..... 1,981 1,037 1,694 80-84 years..... 1,814 1,585 85-89 years..... 1,118 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Multiple myeloma (C90.0) 10,819 5,623 5,196 8,897 4,723 4,174 1,729 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1,307 1,038 70-74 years..... 1,754 1,445 75-79 years..... 1,957 1,029 1,670 80-84 years..... 1,788 1,561 85-89 years..... 1,103 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Plasma cell leukemia (C90.1) 33 15 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 1 45-49 years..... 1 6 4 4 3 1 50-54 years..... 7 3 3 1 1 2 55-59 years..... 60-64 years..... 12 65-69 years..... 70-74 years..... 13 75-79 years..... 11 11 80-84 years..... 7 3 4 6 3 3 85-89 years..... 5 3 5 3 90-94 years..... 1 1 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality. 2002"]

Cause of death (Based on the International Classification of Asian or All races Diseases, Tenth White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Plasmacytoma, extramedullary (C90.2) All ages.... 48 46 81 41 40 10 5 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 35-39 years..... 1 40-44 years..... 5 2 3 4 2 2 1 45-49 years..... 2. 1 1 1 50-54 years..... 1 55-59 years..... 11 10 60-64 years..... 7 3 65-69 years..... 7 70-74 years..... 12 10 75-79 years..... 13 4 9 13 4 9 19 7 12 18 80-84 years..... 11 85-89 years..... 10 5 10 5 5 5 90-94 years..... 3 2 2 1 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Male Female Female sexes Male Female sexes sexes Male sexes Lymphoid leukemia (C91) 6,271 3,613 2,658 5,674 3,285 2,389 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Male Female Male Female sexes Male Female sexes sexes sexes Acute lymphoblastic leukemia (C91.0) 1,432 1,252 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2.7 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.2 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female sexes Male Female Male sexes sexes sexes Chronic lymphocytic leukemia (C91.1) 1,888 4,053 2,343 1,710 All ages..... 4,443 2,555 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Subacute lymphocytic leukemia (C91.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Prolymphocytic leukemia (C91.3) 52 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 2 2 2 3 3 50-54 years..... 1 1 55-59 years..... 6 60-64 years..... 65-69 years..... 11 11 70-74 years..... 10 10 7 75-79 years..... 10 10 80-84 years..... 16 13 16 13 3 85-89 years..... 4 3 1 4 3 1 90-94 years..... 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hairy-cell leukemia (C91.4) 106 73 All ages.... 113 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 5 50-54 years..... 5 5 55-59 years..... 5 60-64 years..... 1 65-69 years..... 11 7 11 70-74 years..... 11 9 75-79 years..... 17 11 15 9 80-84 years..... 26 16 10 26 16 10 85-89 years..... 19 13 6 19 13 6 90-94 years..... 2 2 2 2 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female Male Female and age sexes Male Female sexes Male Female sexes sexes sexes Male Female Adult T-cell leukemia (C91.5) All ages.... 1.0 14 23 1.0 13 1 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 1 1 2 1 1 9 80-84 years..... 9 5 85-89 years..... 1 1 1 1 90-94 years..... 2 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lymphoid leukemia, unspecified (C91.9) 183 167 91 All ages.... 14 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 1 1 1 45-49 years..... 2 2 1 1 1 50-54 years..... 3 3 3 3 55-59 years..... 5 1 5 1 60-64 years..... 65-69 years..... 11 11 70-74 years..... 17 12 17 12 75-79 years..... 38 24 14 36 22 14 80-84 years..... 35 19 16 33 19 14 2 2 85-89 years..... 33 3 13 2.0 30 19 11 1 90-94 years..... 15 7 13 7 2 1 8 6 95-99 years..... 6 1 5 5 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Male Female Female sexes Male Female sexes sexes Male sexes Myeloid leukemia (C92) 9,900 5,533 4,367 8,856 4,974 3,882 All ages..... Under 1 year.... 1-4 years..... 1.0 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1,045 70-74 years..... 1,401 1,288 75-79 years..... 1,602 1,488 80-84 years..... 1,432 1,338 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Female sexes Male Female Male sexes sexes Male sexes Acute myeloid leukemia (C92.0) 7,608 4,240 3,368 6,850 3,846 3,004 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1,117 1,028 75-79 years..... 1,250 1,162 80-84 years..... 1,059 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Chronic myeloid leukemia (C92.1) 1,367 1,151 All ages..... 2.0 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2. 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Subacute myeloid leukemia (C92.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Myeloid sarcoma (C92.3) 10 All ages.... 10 Under 1 year.... 1-4 years..... 2 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 1 1 2 1 1 35-39 years..... 1 1 40-44 years..... 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 3 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 5 1 1 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acute promyelocytic leukemia (C92.4) 125 51 111 12 All ages.... Under 1 year.... 1 1 1 1-4 years..... 1 5-9 years..... 2 2 1 1 1 1 10-14 years..... 2 1 1 2 1 1 15-19 years..... 3 2 1 2 1 1 1 1 20-24 years..... 4 25-29 years..... 4 30-34 years..... 6 4 2 5 4 1 1 1 35-39 years..... 3 2 1 1 1 2 1 1 40-44 years..... 8 3 5 3 8 45-49 years..... 4 3 1 3 1 4 50-54 years..... 10 9 3 55-59 years..... 12 10 11 60-64 years..... 65-69 years..... 20 15 18 13 70-74 years..... 8 5 75-79 years..... 11 11 80-84 years..... 14 9 5 14 9 5 85-89 years..... 2 6 6 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acute myelomonocytic leukemia (C92.5) 158 74 153 83 70 All ages.... Under 1 year.... 1-4 years..... 5 4 3 1 1 1 4 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 1 3 1 3 4 4 45-49 years..... 1 1 1 1 50-54 years..... 9 5 55-59 years..... 3 3 3 3 60-64 years..... 65-69 years..... 10 9 70-74 years..... 29 15 28 14 75-79 years..... 26 17 9 26 17 9 80-84 years..... 29 14 15 2.8 14 14 1 1 85-89 years..... 2.3 9 14 23 9 14 90-94 years..... 9 4 8 1 1 5 4 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other myeloid leukemia (C92.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.7 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Myeloid leukemia, unspecified (C92.9) 208 92 190 105 15 All ages.... 116 1 Under 1 year.... 1-4 years..... 2 2 1 1 1 1 5-9 years..... 10-14 years..... 2 2 2 15-19 years..... 1 1 20-24 years..... 25-29 years..... 30-34 years..... 2 1 1 1 1 1 1 35-39 years..... 40-44 years..... 3 3 1 45-49 years..... 4 4 2 2 2 2 50-54 years..... 4 3 1 2 1 1 2 55-59 years..... 5 3 5 3 60-64 years..... 10 65-69 years..... 18 10 16 9 70-74 years..... 16 20 15 75-79 years..... 38 17 21 37 17 20 80-84 years..... 41 23 18 41 23 18 85-89 years..... 29 13 16 2.8 13 15 90-94 years..... 19 9 10 19 9 10 95-99 years..... 2 2 2 2 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Monocytic leukemia (C93) 59 134 80 All ages.... 12 Under 1 year.... 1-4 years..... 4 1 3 1 4 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 1 1 2 1 1 40-44 years..... 3 3 2 1 45-49 years..... 4 3 1 2 1 1 2 7 50-54 years..... 3 2 3 55-59 years..... 4 60-64 years..... 65-69 years..... 15 15 9 70-74 years..... 18 12 17 12 75-79 years..... 27 22 25 21 80-84 years..... 20 5 15 2.0 5 15 85-89 years..... 7 22 8 2.0 2 14 1.3 1 1 90-94 years..... 2 1 6 4 5 4 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acute monocytic leukemia (C93.0) 106 115 All ages.... 66 Under 1 year.... 1-4 years..... 3 1 2 1 3 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 1 1 2 1 1 40-44 years..... 3 3 2 1 45-49 years..... 3 1 4 1 2 1 2 50-54 years..... 7 4 3 2 3 55-59 years..... 6 3 3 60-64 years..... 65-69 years..... 12 12 70-74 years..... 13 75-79 years..... 17 14 17 3 80-84 years..... 17 4 13 17 4 13 85-89 years..... 17 6 16 6 11 10 1 90-94 years..... 3 1 4 1 3 3 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Chronic monocytic leukemia (C93.1) All ages.... 11 14 11 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Monocytic leukemia, unspecified (C93.9) All ages.... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 2. 3 2 1 1 1 90-94 years..... 1 2 2 1 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other leukemias of specified cell type (C94) 27 65 All ages.... 2.0 1.0 1 Under 1 year.... 1-4 years..... 2 2 2 2 5-9 years..... 10-14 years..... 2 1 1 1 1 1 1 15-19 years..... 2 2 2 2 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 2 2 2 2 40-44 years..... 3 2 1 1 1 1 45-49 years..... 5 3 2 3 3 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 1 65-69 years..... 10 70-74 years..... 9 9 9 9 75-79 years..... 13 11 12 10 80-84 years..... 8 4 7 4 3 85-89 years..... 3 1 1 90-94 years..... 2 2 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acute erythremia and erythroleukemia (C94.0) 13 13 All ages.... 1.3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 2 2 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Chronic erythremia (C94.1) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acute megakaryoblastic leukemia (C94.2) All ages.... Under 1 year.... 1-4 years..... 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 1 1 1 45-49 years..... 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mast cell leukemia (C94.3) 3 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acute myelofibrosis (C94.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other specified leukemias (C94.7) 25 13 30 All ages.... 1 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 2 1 1 1 1 1 1 15-19 years..... 2 2 2 2 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 40-44 years..... 2 2 1 1 45-49 years..... 3 2 1 2 2 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 2 1 2 1 85-89 years..... 3 3 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Male Female Female sexes Male Female sexes sexes Male sexes Leukemia of unspecified cell type (C95) 5,104 2,733 2,371 4,544 2,451 2,093 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Male Female and age sexes Female Male Female Male Female sexes Male Female sexes sexes sexes Acute leukemia of unspecified cell type (C95.0) 2,370 1,270 2,141 1,155 All ages..... 1,100 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.4 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Chronic leukemia of unspecified cell type (C95.1) 189 172 95 All ages.... 104 14 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 3 1 4 1 1 50-54 years..... 6 6 5 1 1 55-59 years..... 4 60-64 years..... 3 1 65-69 years..... 10 9 70-74 years..... 18 12 15 10 75-79 years..... 31 21 10 30 21 9 80-84 years..... 39 19 20 38 18 2.0 1 1 85-89 years..... 29 1.0 19 2.8 10 18 1 1 90-94 years..... 25 11 14 23 10 13 2 1 95-99 years..... 9 5 4 8 5 3 1 1 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Subacute leukemia of unspecified cell type (C95.2) 1 All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other leukemia of unspecified cell type (C95.7) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Leukemia, unspecified (C95.9) 1,356 1,185 2,227 1,198 1,029 All ages..... 2,541 Under 1 year.... 1-4 years..... 5-9 years..... 2. 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue (C96) 38 All ages.... 29 61 1 Under 1 year.... 3 3 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 2 2 50-54 years..... 3 2 5 2 2 55-59 years..... 1 1 60-64 years..... 1 1 1 1 65-69 years..... 70-74 years..... 11 10 11 10 75-79 years..... 12 4 9 80-84 years..... 13 8 5 11 6 5 1 85-89 years..... 9 5 9 5 90-94 years..... 5 2 2 2 2 1 4 1 95-99 years..... 2 1 1 2 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Letterer-Siwe disease (C96.0) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malignant histiocytosis (C96.1) All ages.... Under 1 year.... 3 3 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality. 2002"]

Cause of death (Based on the International Classification of Asian or All races Diseases, Tenth White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Malignant mast cell tumor (C96.2) 2 All ages..... 4 2 4 2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Female Male Female sexes Male Female Male sexes Male sexes sexes Other specified malignant neoplasms of lymphoid, hematopoietic, and related tissue (C96.7) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Malignant neoplasms of lymphoid, hematopoietic, and related tissue, unspecified (C96.9) 32 All ages..... 2.5 19 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 2 3 50-54 years..... 2 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 9 75-79 years..... 80-84 years..... 12 8 4 10 6 1 85-89 years..... 9 5 9 5 90-94 years..... 5 2 2 2 2 1 4 1 95-99 years..... 2 1 1 2 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Female Male Female and age Female Female sexes Male Female sexes Male sexes Male sexes Male sexes Malignant neoplasms of independent (primary) multiple sites (C97) 4,459 2,568 1,891 3,855 1,635 All ages..... 2,220 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Carcinoma in situ of oral cavity, esophagus, and stomach (D00) 3 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Lip, oral cavity, and pharynx (D00.0) All ages..... 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both and age Male Female Male Female Male Female sexes Male Female Male Female sexes sexes sexes sexes Esophagus (D00.1) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Stomach (D00.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes Carcinoma in situ of other and unspecified digestive organs (D01) All ages..... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Colon (D01.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Carcinoma in situ of middle ear and respiratory system (D02) 1 All ages..... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Bronchus and lung (D02.2) 1 1 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Melanoma in situ (D03) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Melanoma in situ of scalp and neck (D03.4) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Melanoma in situ of other sites (D03.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Carcinoma in situ of skin (D04) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Skin of scalp and neck (D04.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Skin, unspecified (D04.9) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Carcinoma in situ of breast (D05) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Carcinoma in situ of breast, unspecified (D05.9) 3 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Carcinoma in situ of cervix uteri (D06) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... 30-34 years..... . . . . . . 35-39 years..... . . . . . . . . . 40-44 years..... 45-49 years..... 1 . . . 1 1 . . . 1 50-54 years..... . . . . . . . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . 80-84 years..... . . . . . . . . . . . . . . . 85-89 years..... . . . 90-94 years..... . . . . . . 95-99 years..... . . . . . . . . . . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Bot.h Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Cervix, unspecified (D06.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 35-39 years..... . . . . . . 40-44 years..... . . . . . . . . . 45-49 years..... 1 1 1 1 50-54 years..... . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... 1 1 . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . . . . . . . 85-89 years..... . . . . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Carcinoma in situ of other and unspecified sites (D09) 3 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality. 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Bladder (D09.0) 2 All ages..... 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Carcinoma in situ of other specified sites (D09.7) 1 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Benign neoplasm of mouth and pharynx (D10) All ages..... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other and unspecified parts of mouth (D10.3) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Benign neoplasm of major salivary glands (D11) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Major salivary gland, unspecified (D11.9) All ages..... 2 1 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age Male Female Male Female Male Female sexes sexes sexes sexes sexes Benign neoplasm of colon, rectum, anus, and anal canal (D12) 39 20 13 All ages..... 59 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 2 1 3 2 45-49 years..... 50-54 years..... 55-59 years..... 3 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 12 11 80-84 years..... 17 10 7 14 9 5 3 2 85-89 years..... 10 8 8 1 1 1 1 90-94 years..... 9 7 2 2 5 1 1 95-99 years..... 3 2 1 1 1 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cecum (D12.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Appendix (D12.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Ascending colon (D12.2) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Transverse colon (D12.3) 1 1 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Sigmoid colon (D12.5) 1 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Colon, unspecified (D12.6) All ages.... 18 1.0 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 2 1 3 2 45-49 years..... 50-54 years..... 3 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 12 11 80-84 years..... 13 8 5 12 8 1 1 85-89 years..... 5 6 5 1 1 90-94 years..... 9 1 1 2 2 5 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Rectum (D12.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes Benign neoplasm of other and ill-defined parts of digestive system (D13) 35 52 32 All ages.... 1 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 2 2 2 2 40-44 years..... 2 1 1 2 1 45-49 years..... 2 1 1 2 1 1 50-54 years..... 2 1 1 1 1 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 11 80-84 years..... 4 1 3 4 1 3 85-89 years..... 7 11 11 90-94 years..... 5 5 5 5 95-99 years..... 2 2 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Stomach (D13.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 2. 2 90-94 years..... 3 3 3 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Duodenum (D13.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Liver (D13.4) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 1 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1 1 1 80-84 years..... 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Extrahepatic bile ducts (D13.5) 2 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pancreas (D13.6) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 85-89 years..... 90-94 years..... 95-99 years..... 2 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Endocrine pancreas (D13.7) 11 All ages.... 12 11 12 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 6 3 3 3 80-84 years..... 1 1 1 1 85-89 years..... 2 2 2 2 90-94 years..... 2 2 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Ill-defined sites within the digestive system (D13.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Benign neoplasm of middle ear and respiratory system (D14) All ages.... Under 1 year.... 1-4 years..... 1 1 1 5-9 years..... 1 1 1 10-14 years..... 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 2 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Middle ear, nasal cavity, and accessory sinuses (D14.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Larynx (D14.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Trachea (D14.2) All ages.... Under 1 year.... 1-4 years..... 1 1 5-9 years..... 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Bronchus and lung (D14.3) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Respiratory system, unspecified (D14.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Benign neoplasm of other and unspecified intrathoracic organs (D15) 32 2 All ages.... 51 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 4 2 2 3 2 1 1 1 35-39 years..... 3 1 2 2 2 1 1 40-44 years..... 3 3 3 3 45-49 years..... 9 3 6 6 3 2. 50-54 years..... 5 2. 3 2 1 55-59 years..... 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1.0 2 8 10 2 8 85-89 years..... 12 9 9 2 12 90-94 years..... 5 5 1 1 4 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Thymus (D15.0) 19 17 13 13 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 1 1 2 1 1 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 2 2 1 50-54 years..... 1 3 3 1 55-59 years..... 3 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 1 2 3 1 2 85-89 years..... 3 3 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Heart (D15.1) 12 39 All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 1 1 1 1 1 1 35-39 years..... 2 2 2 40-44 years..... 3 3 3 3 45-49 years..... 5 1 4 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 6 1 6 85-89 years..... 8 8 6 1 1 90-94 years..... 4 1 3 1 4 3 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Mediastinum (D15.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Benign neoplasm of bone and articular cartilage (D16) All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Bones of skull and face (D16.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lower jaw bone (D16.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Vertebral column (D16.6) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pelvic bones, sacrum, and coccyx (D16.8) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Bone and articular cartilage, unspecified (D16.9) 3 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Benign lipomatous neoplasm (D17) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 2 80-84 years..... 3 2 1 85-89 years..... 90-94 years..... 2 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Benign lipomatous neoplasm of skin and subcutaneous tissue of head, face, and neck (D17.0) 2 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Benign lipomatous neoplasm of other sites (D17.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Benign lipomatous neoplasm, unspecified (D17.9) 3 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1 80-84 years..... 2 85-89 years..... 90-94 years..... 2 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Hemangioma and lymphangioma, any site (D18) 98 53 45 74 37 37 20 All ages.... 13 1 Under 1 year.... 9 5 4 8 4 1-4 years..... 2 1 1 1 1 1 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2 1 30-34 years..... 1 1 1 1 35-39 years..... 5 5 3 3 1 1 40-44 years..... 3 2 1 2 2 1 45-49 years..... 3 2 1 2 1 1 3 1 50-54 years..... 2. 1 2 1 1 1 55-59 years..... 4 3 3 1 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 15 80-84 years..... 13 6 7 11 5 6 2 1 1 85-89 years..... 9 7 3 2 2 6 90-94 years..... 6 5 2 4 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hemangioma, any site (D18.0) All ages.... 14 1 Under 1 year.... 4 3 1 4 3 1 1-4 years..... 1 1 1 1 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 30-34 years..... 1 1 1 1 35-39 years..... 5 5 3 3 1 40-44 years..... 3 2 2 2 1 45-49 years..... 3 2 1 2 1 1 3 1 50-54 years..... 2 1 1 1 1 55-59 years..... 3 60-64 years..... 65-69 years..... 3 70-74 years..... 75-79 years..... 80-84 years..... 6 1 5 5 1 1 1 85-89 years..... 3 3 1 1 90-94 years..... 1 2 1 1 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lymphangioma, any site (D18.1) 19 15 13 All ages.... Under 1 year.... 5 2 3 4 1 3 1-4 years..... 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 7 5 2 4 2 85-89 years..... 5 5 3 2 2 90-94 years..... 3 4 1 4 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Benign neoplasm of mesothelial tissue (D19) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mesothelial tissue of pleura (D19.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mesothelial tissue of peritoneum (D19.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mesothelial tissue, unspecified (D19.9) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Benign neoplasm of soft tissue of retroperitoneum and peritoneum (D20) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Retroperitoneum (D20.0) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Peritoneum (D20.1) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Other benign neoplasms of connective and other soft tissue (D21) 5 5 13 All ages.... 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 2 2 2 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 1 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 3 2. 1 1 90-94 years..... 1 2 1 1 1 1 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Connective and other soft tissue of head, face, and neck (D21.0) All ages..... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Connective and other soft tissue of thorax (D21.3) 1 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Connective and other soft tissue of abdomen (D21.4) 1 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Connective and other soft tissue, unspecified (D21.9) 10 All ages.... 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 1 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 1 2 1 1 1 1 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Melanocytic nevi (D22) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Melanocytic nevi, unspecified (D22.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other benign neoplasms of skin (D23) 18 All ages.... 14 11 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Skin of lower limb, including hip (D23.7) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Skin, unspecified (D23.9) 13 17 10 All ages.... Under 1 year.... 1-4 years..... 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 3 1 1 1 1 1 65-69 years..... 3 70-74 years..... 75-79 years..... 4 3 3 80-84 years..... 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 2 2 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Bot.h Bot.h Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Leiomyoma of uterus (D25) All ages.... 10 10 2.0 2.0 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 1 1 1 1 35-39 years..... 2 2 1 1 1 1 . . . . . . 40-44 years..... 1 1 4 4 1 . . . . . . 45-49 years..... 1 1 8 8 50-54 years..... . . . . . . 3 55-59 years..... . . . . . . . . . 60-64 years..... . . . . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . . . . . . . 85-89 years..... . . . . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Submucous leiomyoma of uterus (D25.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 35-39 years..... . . . . . . 40-44 years..... . . . . . . . . . 45-49 years..... 1 1 1 1 50-54 years..... . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . . . . . . . 85-89 years..... . . . . . . . . . . . . . . . 90-94 years..... . . . 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Bot.h Bot.h Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Leiomyoma of uterus, unspecified (D25.9) All ages.... 31 10 10 19 19 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 1 1 1 1 35-39 years..... 2 2 1 1 1 1 . . . 40-44 years..... 1 1 4 1 . . . . . . 45-49 years..... 1 1 50-54 years..... . . . . . . 3 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . . . . . . . 85-89 years..... . . . . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Other benign neoplasms of uterus (D26) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 35-39 years..... . . . . . . 1 40-44 years..... 1 . . . . . . . . . 45-49 years..... 50-54 years..... . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . . . . . . . 85-89 years..... . . . . . . . . . . . . . . . 90-94 years..... 1 1 1 1 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Uterus, unspecified (D26.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 35-39 years..... . . . . . . 40-44 years..... 1 1 . . . . . . . . . 45-49 years..... 50-54 years..... . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . . . . . . . 85-89 years..... . . . . . . . . . . . . . . . 90-94 years..... 1 1 1 1 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Benign neoplasm of ovary (D27) 15 15 All ages.... 15 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 35-39 years..... . . . . . . 40-44 years..... . . . . . . . . . 45-49 years..... 3 3 3 50-54 years..... . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... 1 1 1 . . . . . . . . . . . . 2 85-89 years..... 2 2 . . . . . . . . . . . . . . . 90-94 years..... 2 2 2 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Benign neoplasm of urinary organs (D30) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 1 1 1 80-84 years..... 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Kidney (D30.0) 5 All ages.... 3 2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Bladder (D30.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Benign neoplasm of eye and adnexa (D31) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Ciliary body (D31.4) 1 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Benign neoplasm of meninges (D32) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 2.7 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2.2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cerebral meninges (D32.0) 145 184 57 127 5 All ages.... 213 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 1 40-44 years..... 3 3 2 2 1 45-49 years..... 8 4 4 3 1 50-54 years..... 4 3 8 3 1 1 55-59 years..... 3 3 60-64 years..... 11 65-69 years..... 70-74 years..... 7 7 11 75-79 years..... 38 11 27 30 8 22 80-84 years..... 40 12 28 37 12 25 2 2 32 29 85-89 years..... 44 12 39 10 3 1 90-94 years..... 17 2 15 17 2 15 95-99 years..... 4 4 3 3 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Spinal meninges (D32.1) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Meninges, unspecified (D32.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Male Female Male Female sexes Male Female sexes Male sexes sexes sexes Benign neoplasm of brain and other parts of central nervous system (D33) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2. 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Brain, supratentorial (D33.0) 3 All ages.... Under 1 year.... 1 1 1 1-4 years..... 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Brain, infratentorial (D33.1) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 45-49 years..... 1 1 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Brain, unspecified (D33.2) 43 39 2 All ages.... Under 1 year.... 1-4 years..... 1 1 1 5-9 years..... 10-14 years..... 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 2 2 30-34 years..... 3 3 2 2 35-39 years..... 2 2 2 2 40-44 years..... 2 2 4 45-49 years..... 8 6 2 8 6 2 5 50-54 years..... 1 55-59 years..... 3 3 60-64 years..... 1 65-69 years..... 5 70-74 years..... 15 75-79 years..... 17 11 14 80-84 years..... 13 3 10 11 2 9 85-89 years..... 9 5 8 3 1 4 5 1 90-94 years..... 2 2 2 2 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cranial nerves (D33.3) 18 17 17 All ages.... 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 35-39 years..... 2 2 1 1 40-44 years..... 1 1 45-49 years..... 1 2 1 1 2 1 50-54 years..... 1 1 1 1 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 5 3 2 5 3 2 85-89 years..... 3 1 1 90-94 years..... 3 3 1 4 1 4 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Spinal cord (D33.4) 3 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Central nervous system, unspecified (D33.9) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Benign neoplasm of thyroid gland (D34) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1 80-84 years..... 2 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Benign neoplasm of other and unspecified endocrine glands (D35) 121 3 All ages.... 15 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 2 2 1 1 35-39 years..... 5 3 2 5 3 2 40-44 years..... 7 3 5 2 3 1 1 45-49 years..... 13 4 11 4 2 9 50-54 years..... 5 6 1 2 55-59 years..... 11 1 60-64 years..... 65-69 years..... 13 70-74 years..... 75-79 years..... 13 9 11 80-84 years..... 13 5 8 10 4 6 3 1 2 10 5 5 8 2 85-89 years..... 1 1 90-94 years..... 4 3 1 3 1 1 95-99 years..... 1 1 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Adrenal gland (D35.0) All ages.... 16 16 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 35-39 years..... 2 2 2 40-44 years..... 4 2 2 45-49 years..... 1.0 2 2 2 6 50-54 years..... 2 1 1 1 1 1 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 2 2 85-89 years..... 2 1 1 1 1 90-94 years..... 95-99 years..... 1 1 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Parathyroid gland (D35.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 3 3 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Pituitary gland (D35.2) All ages.... 69 39 30 49 29 2.0 18 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 3 1 40-44 years..... 3 1 2 1 1 1 45-49 years..... 3 2. 1 3 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 11 70-74 years..... 9 75-79 years..... 7 2 5 2 2 2 80-84 years..... 1.0 5 2 1 85-89 years..... 7 3 5 2 2 4 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pineal gland (D35.4) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Benign neoplasm of other and unspecified sites (D36) 53 All ages.... Under 1 year.... 1 1 1 1 1-4 years..... 1 1 1 5-9 years..... 2 1 1 1 1 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 3 25-29 years..... 2 2 30-34 years..... 1 1 1 1 35-39 years..... 4 2 2 2 1 1 2 1 1 40-44 years..... 3 3 2 45-49 years..... 3 1 2 3 1 2 50-54 years..... 2 2. 2 55-59 years..... 3 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 1 3 3 1 2 85-89 years..... 2 2 90-94 years..... 2 2 2 2 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Peripheral nerves and autonomic nervous system (D36.1) 30 All ages.... 12 18 14 Under 1 year.... 1 1 1 1 1-4 years..... 1 1 1 5-9 years..... 2 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 30-34 years..... 2 35-39 years..... 2 2 1 1 2 1 1 40-44 years..... 2 2 1 45-49 years..... 2 2 2 2 1 50-54 years..... 1 1 1 55-59 years..... 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 2 2 85-89 years..... 2 2. 2 90-94 years..... 2 2 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other specified sites (D36.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Benign neoplasm of unspecified site (D36.9) 15 All ages.... 1.3 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 20-24 years..... 25-29 years..... 1 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 1 1 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 1 1 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 1 1 85-89 years..... 3 2. 1 90-94 years..... 95-99 years..... 2 2 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs (D37) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 1.3 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lip, oral cavity, and pharynx (D37.0) 17 All ages.... Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 2 2 1 1 1 1 2. 2. 50-54 years..... 55-59 years..... 4 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 1 1 85-89 years..... 5 2 3 2. 2 90-94 years..... 3 3 4 1 4 1 95-99 years..... 6 1 5 5 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Stomach (D37.1) 33 30 All ages.... Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 1 40-44 years..... 2 1 2 1 1 1 45-49 years..... 2 2 2 50-54 years..... 1 55-59 years..... 60-64 years..... 3 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 12 5 7 9 5 2 1 85-89 years..... 1.5 8 7 8 14 1 1 90-94 years..... 12 3 9 12 9 3 95-99 years..... 3 3 3 3 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Small intestine (D37.2) 13 19 All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 2 1 2 1 85-89 years..... 3 2. 1 2 1 90-94 years..... 2 1 1 3 1 2 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Appendix (D37.3) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Colon (D37.4) 33 13 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 2 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 3 3 60-64 years..... 1 65-69 years..... 70-74 years..... 9 75-79 years..... 9 4 80-84 years..... 13 5 8 9 4 5 3 85-89 years..... 2.0 7 13 18 6 12 1 1 90-94 years..... 16 5 11 15 11 4 1 95-99 years..... 5 2 3 4 1 3 1 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Rectum (D37.5) 13 15 10 13 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 50-54 years..... 1 1 1 1 1 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 3 5 3 2 85-89 years..... 3 3 1 1 90-94 years..... 3 2 1 2 1 1 1 95-99 years..... 1 1 1 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Liver, gallbladder, and bile ducts (D37.6) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2.7 2.4 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other digestive organs (D37.7) 195 78 117 103 2 All ages.... 169 10 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 3 3 3 3 40-44 years..... 45-49 years..... 4 3 3 3 2 50-54 years..... 3 1 1 55-59 years..... 10 6 60-64 years..... 10 65-69 years..... 16 15 70-74 years..... 10 10 7 75-79 years..... 25 11 14 23 11 12 80-84 years..... 33 11 22 29 9 2.0 4 2 2 85-89 years..... 37 26 41 12 29 3 11 1 2 90-94 years..... 20 5 15 16 12 3 4 3 95-99 years..... 10 2 8 10 2 8 1 1 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Digestive organ, unspecified (D37.9) 39 32 32 10 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 2 45-49 years..... 3 1 2 1 1 1 1 7 3 50-54 years..... 3 3 55-59 years..... 6 60-64 years..... 65-69 years..... 10 70-74 years..... 7 75-79 years..... 10 80-84 years..... 4 4 4 85-89 years..... 3 8 2. 5 1 90-94 years..... 6 2 6 2 4 95-99 years..... 4 1 3 3 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Neoplasm of uncertain or unknown behavior of middle ear and respiratory and intrathoracic organs (D38) All ages.... 2.3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 5.8 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Larynx (D38.0) 10 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 55-59 years..... 1 1 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 1 1 2 1 80-84 years..... 2 2 2. 2 85-89 years..... 1 2 1 1 1 90-94 years..... 3 2 1 3 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Trachea, bronchus, and lung (D38.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Pleura (D38.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 3 1 1 90-94 years..... 95-99 years..... 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mediastinum (D38.3) 16 15 13 13 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 3 3 3 3 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 2 2 4 2 2 85-89 years..... 3 1 1 90-94 years..... 3 3 4 1 1 4 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should

be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

on the International Classification of Diseases, Tenth Revision, 1992)	All races Both			White Both			Black Both			American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Thymus (D38.4)															
All ages	1	1	_	1	1	_	_	_	_	_	_	_	_	_	_
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
1-4 years	-	-	-	-	-	-	-	_	-	-	-	-	-	-	_
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
65-69 years	-	-	-	-	_	-	_	-	-	-	-	-	-	_	_
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-
75-79 years	-	-	-	-	_	-	_	-	-	-	-	-	-	_	_
80-84 years	-	-	-	-	_	-	_	-	-	-	-	-	-	_	_
85-89 years	1	1	-	1	1	-	_	-	-	-	-	-	-	_	_
90-94 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	_
95-99 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	_
100 years & over.	-	-	-	-	-	_	_	_	_	-	_	_	_	_	_
Age not stated	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Other respiratory organs (D38.5) 2 5 All ages..... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 75-79 years..... 1 80-84 years..... 1 1 85-89 years..... 3 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Respiratory organ, unspecified (D38.6) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female and age sexes Female Female Male Female sexes Male Female Male sexes Male sexes sexes Neoplasm of uncertain or unknown behavior of female genital organs (D39) 73 73 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... 1 1 1 1 . . . . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... . . . 35-39 years..... 2 2 2 2 . . . . . . 2 2 40-44 years..... 2 2 . . . . . . . . . 45-49 years..... 2 2 1 1 1 1 50-54 years..... . . . . . . 5 2 2 55-59 years..... . . . . . . . . . . . . 60-64 years..... 1 1 . . . . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... 1.0 1.0 1.0 10 . . . . . . . . . . . . 12 12 85-89 years..... 12 12 . . . . . . . . . . . . . . . 16 16 16 16 90-94 years..... . . . . . . 95-99 years..... 4 4 4 4 . . . . . . . . . 100 years & over. . . . . . . . . . . . . . . . Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should

be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Uterus (D39.0) All ages..... 21 21 19 19 2 Under 1 year.... 1-4 years..... 5-9 years..... . . . 10-14 years..... . . . . . . 15-19 years..... . . . . . . . . . . . . 20-24 years..... . . . . . . . . . . . . . . . 25-29 years..... 30-34 years..... . . . . . . 35-39 years..... 1 . . . . . . . . . 40-44 years..... 1 1 1 1 45-49 years..... 2 . . . 2. 1 . . . 1 1 1 50-54 years..... . . . . . . . . . . . . 55-59 years..... . . . . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . 3 3 80-84 years..... . . . . . . . . . . . . . . . 3 3 85-89 years..... 3 3 . . . . . . 90-94 years..... 3 3 3 3 . . . . . . 95-99 years..... . . . . . . . . . . . . . . . 100 years & over. . . . . . . . . . . . . Age not stated... . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or All races Diseases, Tenth White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Ovary (D39.1) All ages..... 48 48 42 42 5 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . . . . 15-19 years..... . . . . . . . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... 30-34 years..... . . . . . . 35-39 years..... 1 1 . . . . . . . . . 40-44 years..... 45-49 years..... . . . . . . 50-54 years..... . . . . . . . . . . . . 55-59 years..... . . . . . . . . . . . . . . . 60-64 years..... 1 . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... 4 2 2 . . . . . . . . . 5 80-84 years..... . . . . . . . . . . . . 8 8 8 85-89 years..... 8 . . . 90-94 years..... 10 10 10 10 . . . . . . 2 95-99 years..... . . . . . . . . . . . . . . . 100 years & over. . . . . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Bot.h Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Placenta (D39.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 35-39 years..... . . . . . . 40-44 years..... 1 1 . . . . . . . . . 45-49 years..... 50-54 years..... . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . . . . . . . 85-89 years..... . . . . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Other female genital organs (D39.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 35-39 years..... . . . . . . 40-44 years..... . . . . . . . . . 45-49 years..... 50-54 years..... . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . . . . . . . 85-89 years..... . . . . . . . . . . . . . . . 90-94 years..... 3 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Bot.h Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Female genital organ, unspecified (D39.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... 35-39 years..... . . . . . . 40-44 years..... . . . . . . . . . 45-49 years..... 50-54 years..... 1 . . . 1 1 . . . 1 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... 2 2 2 2 . . . . . . . . . . . . 85-89 years..... 1 1 1 . . . . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female and age Male Female Male Female Male Female sexes Male Female sexes sexes sexes sexes Neoplasm of uncertain or unknown behavior of male genital organs (D40) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 . . . . . . . . . 20-24 years..... . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... . . . 35-39 years..... 1 1 1 . . . 40-44 years..... . . . . . . . . . . . . 45-49 years..... 50-54 years..... . . . . . . 1 55-59 years..... 1 . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... 4 4 4 . . . . . . 8 8 8 8 85-89 years..... . . . . . . . . . . . . 90-94 years..... 1 1 1 1 95-99 years..... . . . . . . 100 years & over. . . . Age not stated...

. . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Bot.h Bot.h Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Prostate (D40.0) 19 All ages.... 18 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... . . . 35-39 years..... . . . 40-44 years..... . . . . . . . . . . . . 45-49 years..... 50-54 years..... . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... 4 4 . . . . . . 85-89 years..... 8 8 8 8 . . . . . . . . . . . . 90-94 years..... 1 1 1 1 95-99 years..... . . . . . . 100 years & over. . . .

. . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Bot.h Bot.h Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Testis (D40.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 . . . . . . . . . 20-24 years..... . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... . . . 35-39 years..... 1 1 1 . . . 40-44 years..... . . . . . . . . . . . . 45-49 years..... 50-54 years..... . . . . . . 1 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . 85-89 years..... . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . . . . 100 years & over. . . .

. . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female sexes Male Female sexes sexes sexes Other male genital organs (D40.7) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . . . . . . . . . . 25-29 years..... 30-34 years..... . . . 35-39 years..... . . . . . . . . . . . . 40-44 years..... 45-49 years..... . . . . . . 50-54 years..... . . . . . . . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . 80-84 years..... . . . . . . . . . . . . 85-89 years..... 90-94 years..... . . . 95-99 years..... . . . . . . 100 years & over. . . . Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Male Female Male Female sexes Male Female sexes Male sexes sexes sexes Neoplasm of uncertain or unknown behavior of urinary organs (D41) 160 100 92 54 All ages.... 60 146 11 Under 1 year.... 1 1 1 1 3 2 1 1 1-4 years..... 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 2 1 2 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 3 65-69 years..... 3 2 70-74 years..... 13 75-79 years..... 21 15 18 13 80-84 years..... 33 24 9 31 23 8 1 1 39 38 24 15 23 85-89 years..... 15 1 90-94 years..... 25 14 11 22 13 9 3 2 1 95-99 years..... 7 4 3 6 3 3 1 1 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Kidney (D41.0) 35 59 33 26 All ages.... Under 1 year.... 1-4 years..... 3 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 1 2 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 7 75-79 years..... 10 80-84 years..... 11 6 5 6 85-89 years..... 15 9 6 15 9 90-94 years..... 9 4 7 3 2 1 5 95-99 years..... 2 1 2 1 1 1 1 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Renal pelvis (D41.1) 1 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Ureter (D41.2) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Bladder (D41.4) 58 All ages.... Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 7 75-79 years..... 13 10 12 9 80-84 years..... 22 18 4 21 17 85-89 years..... 23 9 24 15 9 14 1 90-94 years..... 14 10 4 13 10 3 1 1 95-99 years..... 5 3 2 4 2 2 1 1 1 1 100 years & over. 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Neoplasm of uncertain or unknown behavior of meninges (D42) 15 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 1 85-89 years..... 3 2 3 1 1 2 90-94 years..... 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Cerebral meninges (D42.0) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Spinal meninges (D42.1) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Meninges, unspecified (D42.9) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Female sexes Male Female sexes Male sexes Male sexes Male sexes Neoplasm of uncertain or unknown behavior of brain and central nervous system (D43) 2,840 1,349 1,491 2,495 1,195 1,300 All ages..... Under 1 year.... 1.0 2.0 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Brain, supratentorial (D43.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Brain, infratentorial (D43.1) 60 36 All ages.... 16 10 1 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 2 3 1 1 10-14 years..... 4 3 1 4 3 1 15-19 years..... 2 2 2 2 20-24 years..... 25-29 years..... 30-34 years..... 2 1 1 1 1 1 1 1 35-39 years..... 3 1 2 2 2 1 40-44 years..... 4 3 3 3 1 1 1 45-49 years..... 3 1 2 3 1 2 50-54 years..... 5 1 1 55-59 years..... 3 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 10 9 80-84 years..... 11 3 8 9 3 6 2 2 85-89 years..... 5 2 3 3 1 1 90-94 years..... 1 6 2 4 5 1 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Brain, unspecified (D43.2) 1,196 1,306 2,203 1,062 1,141 All ages..... 2,502 1.0 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Spinal cord (D43.4) 17 19 31 15 All ages.... 16 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 1 1 1 45-49 years..... 1 4 1 3 50-54 years..... 1 3 3 1 2 1 55-59 years..... 3 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 2 2 4 2 2 85-89 years..... 3 2. 2 1 1 90-94 years..... 1 1 2 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age Male Female Male Female Male Female sexes sexes sexes sexes sexes Central nervous system, unspecified (D43.9) 12 11 All ages.... Under 1 year.... 2 1 1 2 1 1 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 3 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 2 1 1 85-89 years..... 90-94 years..... 1 1 1 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes Neoplasm of uncertain or unknown behavior of endocrine glands (D44) All ages.... 2.0 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Thyroid gland (D44.0) 10 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2 30-34 years..... 1 1 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 2 80-84 years..... 2 2 85-89 years..... 90-94 years..... 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Adrenal gland (D44.1) 11 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 3 50-54 years..... 2 1 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pituitary gland (D44.3) 33 All ages.... 15 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 1 1 30-34 years..... 4 2 2 2 1 1 2 1 1 35-39 years..... 2 2 1 1 1 1 40-44 years..... 3 2 1 3 2 45-49 years..... 3 3 3 2. 50-54 years..... 2 1 1 1 1 55-59 years..... 6 3 60-64 years..... 65-69 years..... 9 70-74 years..... 12 75-79 years..... 14 10 10 80-84 years..... 5 2 5 2 3 85-89 years..... 6 3 3 2 1 1 90-94 years..... 4 4 4 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Craniopharyngeal duct (D44.4) All ages..... 48 24 2.4 37 2.0 17 11 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 2 1 1 2 1 1 15-19 years..... 20-24 years..... 1 25-29 years..... 1 1 30-34 years..... 4 1 3 1 1 35-39 years..... 1 1 1 1 40-44 years..... 1 1 1 45-49 years..... 5 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 5 1 1 80-84 years..... 2. 1 1 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Pineal gland (D44.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Carotid body (D44.6) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Aortic body and other paraganglia (D44.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 3 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pluriglandular involvement (D44.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Endocrine gland, unspecified (D44.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Polycythemia vera (D45) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2.4 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Female sexes Male Female Male sexes sexes Male sexes Myelodysplastic syndromes (D46) 4,528 2,537 1,991 4,235 2,396 1,839 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1,039 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Refractory anemia with sideroblasts (D46.1) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 3 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Refractory anemia with excess of blasts (D46.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 1 1 85-89 years..... 3 2. 1 2 1 90-94 years..... 2 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Refractory anemia, unspecified (D46.4) 171 All ages.... 164 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 2 2 2. 2 50-54 years..... 55-59 years..... 1 1 60-64 years..... 1 65-69 years..... 70-74 years..... 13 12 75-79 years..... 28 13 15 27 12 15 1 80-84 years..... 41 2.0 21 40 2.0 2.0 85-89 years..... 39 2.4 24 15 38 14 90-94 years..... 23 11 12 22 10 12 1 95-99 years..... 7 7 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other myelodysplastic syndromes (D46.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 6 3 3 3 85-89 years..... 1 1 1 1 90-94 years..... 1 1 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female and age sexes Female Male Female Female sexes Male Female sexes sexes Male sexes Myelodysplastic syndrome, unspecified (D46.9) 4,320 1,896 4,034 2,286 1,748 All ages..... 2,424 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Female sexes Male Female sexes Male sexes Male sexes Male sexes Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue (D47) 1,629 1,508 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Female Male Female sexes sexes Male sexes sexes Histiocytic and mast cell tumors of uncertain and unknown behavior (D47.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Chronic myeloproliferative disease (D47.1) 1,414 1,314 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Monoclonal gammopathy (D47.2) 33 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 11 9 80-84 years..... 9 15 6 14 5 9 1 85-89 years..... 17 7 10 16 1 10 90-94 years..... 8 6 6 2 2 6 2 95-99 years..... 3 3 2 2 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age Male Female Male Female Male Female sexes sexes sexes sexes sexes Essential (hemorrhagic) thrombocythemia (D47.3) 19 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 1 1 1 1 50-54 years..... 1 1 2 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 3 85-89 years..... 7 5 5 2 90-94 years..... 3 2 3 2 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Female Male Female sexes Male Female sexes Male sexes sexes Other specified neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue (D47.7) 3 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Neoplasm of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue, unspecified (D47.9) 115 53 58 All ages.... 62 106 1 Under 1 year.... 1 1 1 1 3 2 3 2 1 1-4 years..... 1 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 3 2 1 2 2 1 1 35-39 years..... 2 1 1 2 1 1 40-44 years..... 2 1 1 2 1 1 45-49 years..... 5 3 2 3 2 50-54 years..... 1 1 1 1 55-59 years..... 1 1 1 1 60-64 years..... 65-69 years..... 70-74 years..... 9 9 75-79 years..... 25 15 10 23 14 9 80-84 years..... 24 14 1.0 22 13 9 1 15 3 12 15 3 85-89 years..... 12 90-94 years..... 2 6 2 4 6 4 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Neoplasm of uncertain or unknown behavior of other and unspecified sites (D48) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.7 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Bone and articular cartilage (D48.0) 15 All ages.... Under 1 year.... 7 5 1-4 years..... 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 3 3 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 2 1 1 85-89 years..... 2. 2. 90-94 years..... 2 1 1 1 2 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Connective and other soft tissue (D48.1) 52 All ages.... Under 1 year.... 2 1 1 2 1 1 1-4 years..... 5-9 years..... 2 10-14 years..... 2 1 1 15-19 years..... 4 4 4 4 20-24 years..... 25-29 years..... 3 30-34 years..... 4 2 2 4 2 2 35-39 years..... 5 4 1 4 3 1 1 40-44 years..... 6 2 2 45-49 years..... 8 2 6 2 50-54 years..... 5 3 55-59 years..... 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 2 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Peripheral nerves and autonomic nervous system (D48.2) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2 30-34 years..... 2 2 2 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Retroperitoneum (D48.3) 12 10 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 1 1 60-64 years..... 2 65-69 years..... 70-74 years..... 75-79 years..... 1 1 1 1 80-84 years..... 3 1 1 85-89 years..... 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Peritoneum (D48.4) All ages.... Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 1 2 1 50-54 years..... 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Skin (D48.5) All ages.... Under 1 year.... 1-4 years..... 1 1 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 1 1 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Breast (D48.6) 19 19 All ages.... 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 2 2 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 3 3 80-84 years..... 2 2 2 2 85-89 years..... 1 1 1 1 90-94 years..... 2 2 2 2 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other specified sites (D48.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age Male Female Male Female Male Female sexes sexes sexes sexes sexes Neoplasms of uncertain or unknown behavior, unspecified (D48.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1.0 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Iron deficiency anemia (D50) 138 40 122 35 12 All ages.... Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 2 2 2 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 2 2 1 1 45-49 years..... 1 1 1 1 2. 2. 50-54 years..... 2 2 55-59 years..... 3 60-64 years..... 65-69 years..... 70-74 years..... 9 75-79 years..... 12 10 80-84 years..... 13 2 11 11 2 9 2 2 85-89 years..... 9 26 2.7 18 8 18 1 90-94 years..... 29 5 24 26 22 2 1 1 4 95-99 years..... 12 15 2 13 14 2 1 1 2 100 years & over. 4 4

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Iron deficiency anemia secondary to blood loss (chronic) (D50.0) 50 21 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 2 2 2 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 1 1 1 1 3 2 2. 50-54 years..... 1 3 1 55-59 years..... 3 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 7 1 6 5 1 4 2 2 85-89 years..... 6 10 5 16 15 10 1 90-94 years..... 13 3 10 12 2 10 1 95-99 years..... 5 2 3 5 2 3 3 1 3 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Other iron deficiency anemias (D50.8) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 2 75-79 years..... 1 80-84 years..... 1 1 1 1 85-89 years..... 2 2 2 2 90-94 years..... 2 2 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Iron deficiency anemia, unspecified (D50.9) 13 All ages.... 1.3 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 1 1 1 1 1 1 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 5 1 4 5 1 85-89 years..... 9 3 6 9 3 6 90-94 years..... 14 12 13 2 11 1 2 95-99 years..... 9 9 8 8 1 1 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Vitamin B-12 deficiency anemia (D51) All ages.... 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 3 75-79 years..... 80-84 years..... 8 2 6 8 2 6 85-89 years..... 5 18 13 17 12 1 90-94 years..... 8 7 7 1 8 1 95-99 years..... 7 11 4 11 4 4 1 3 4 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Vitamin B-12 deficiency anemia due to intrinsic factor deficiency (D51.0) 16 40 55 39 All ages.... 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 3 75-79 years..... 80-84 years..... 8 2 6 8 2 6 85-89 years..... 5 12 16 17 11 1 90-94 years..... 8 7 8 7 1 1 95-99 years..... 7 11 4 11 4 1 3 3 100 years & over. 4 4

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992)		All rac	All races		White Both		Both	Black		American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Vitamin B-12 deficie	ncy anemia	a due to s	selective v	itamin B-1:	2 malabsor	ption with	n proteinu	ıria (D51	.1)						
All ages	1	_	1	1	_	1	_	_	_	_	_	_	_	_	-
Under 1 year	-	-	-	_	-	_	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-
20-24 years	-	-	-	_	-	_	-	-	_	-	-	-	-	-	_
25-29 years	-	-	-	_	-	_	-	-	_	-	-	-	-	-	_
30-34 years	-	-	-	_	-	_	-	-	_	-	-	-	-	-	_
35-39 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
40-44 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
45-49 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
50-54 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
55-59 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
60-64 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
65-69 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
70-74 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
75-79 years	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_
80-84 years	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_
85-89 years	1	_	1	1	-	1	_	_	_	_	_	_	_	_	_
90-94 years	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_
95-99 years	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_
100 years & over.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Folate deficiency anemia (D52) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 3 90-94 years..... 3 3 3 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Folate deficiency anemia, unspecified (D52.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 3 90-94 years..... 3 3 3 95-99 years..... 1 1 1 1 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other nutritional anemias (D53) 51 15 36 All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 7 1 6 5 1 4 1 1 85-89 years..... 12 3 2 16 14 11 1 90-94 years..... 12 10 11 2 9 2 95-99 years..... 7 8 6 1 5 2 2 1 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Protein deficiency anemia (D53.0) 5 All ages..... 21 16 16 4 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 3 75-79 years..... 3 80-84 years..... 3 1 1 85-89 years..... 5 4 1 3 1 4 1 1 90-94 years..... 5 1 5 1 95-99 years..... 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other megaloblastic anemias, not elsewhere classified (D53.1) 3 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 95-99 years..... 1 1 1 1 100 years & over. 1 Age not stated...

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Nutritional anemia, unspecified (D53.9) All ages.... 1.3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 3 3 85-89 years..... 3 7 9 2. 1.0 1 90-94 years..... 7 6 6 1 1 5 95-99 years..... 4 4 4 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Thalassemia (D56) 10 18 17 12 2 All ages.... Under 1 year.... 6 4 2 2 1 1 1 1-4 years..... 1 1 1 1 5-9 years..... 2 2 1 1 1 10-14 years..... 15-19 years..... 1 1 20-24 years..... 25-29 years..... 2 30-34 years..... 2 1 1 2 1 1 35-39 years..... 1 1 1 40-44 years..... 2 2 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 3 3 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Alpha thalassemia (D56.0) All ages.... Under 1 year.... 4 4 1 1 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Beta thalassemia (D56.1) 9 All ages.... Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 2 2 1 1 1 10-14 years..... 15-19 years..... 1 1 20-24 years..... 1 25-29 years..... 1 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 40-44 years..... 1 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Other thalassemias (D56.8) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Thalassemia, unspecified (D56.9) All ages.... Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 3 3 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Sickle-cell disorders (D57) All ages.... 1.3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female Male Female and age sexes Male Female sexes sexes sexes sexes Sickle-cell anemia with crisis (D57.0) 110 5 102 All ages.... Under 1 year.... 1-4 years..... 1 1 1 5-9 years..... 2 2 2 2 10-14 years..... 2 2 2 2 15-19 years..... 8 5 3 1 1 5 2 20-24 years..... 11 8 11 8 25-29 years..... 17 13 15 12 30-34 years..... 15 6 1 1 14 6 8 35-39 years..... 18 11 7 18 11 7 40-44 years..... 8 7 1 8 1 45-49 years..... 1 15 5 1.0 1 14 4 1.0 4 50-54 years..... 4 4 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over. 1 1 Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Sickle-cell anemia without crisis (D57.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Double heterozygous sickling disorders (D57.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Sickle-cell trait (D57.3) All ages.... Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 2 30-34 years..... 2 2 2 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 2 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other hereditary hemolytic anemias (D58) 153 90 131 54 21 All ages.... 12 Under 1 year.... 3 2 1 3 2 1 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 3 3 2 2 1 1 35-39 years..... 2 1 1 1 1 1 1 40-44 years..... 2 5 3 1 3 45-49 years..... 2 2 1 1 3 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 7 70-74 years..... 10 75-79 years..... 25 17 21 14 80-84 years..... 28 10 18 2.8 1.0 18 85-89 years..... 31 28 10 21 9 19 3 2 1 90-94 years..... 12 3 9 11 3 8 1 1 95-99 years..... 3 2 1 3 2 1 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hereditary spherocytosis (D58.0) All ages.... Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or All races Diseases, Tenth White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Other hemoglobinopathies (D58.2) 5 All ages..... 5 1 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 30-34 years..... 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other specified hereditary hemolytic anemias (D58.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Hereditary hemolytic anemia, unspecified (D58.9) 145 125 50 75 19 All ages.... 12 Under 1 year.... 1 1 1 1 1 1 1 1-4 years..... 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 2 2 2 2 35-39 years..... 2 1 1 1 1 1 40-44 years..... 2 5 3 1 3 45-49 years..... 2 2 1 1 3 3 3 2 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 7 70-74 years..... 10 75-79 years..... 25 17 21 14 80-84 years..... 27 10 17 27 1.0 17 85-89 years..... 30 9 21 2.7 8 19 3 2 1 90-94 years..... 12 3 9 11 3 8 1 1 95-99 years..... 3 2 1 3 2 1 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acquired hemolytic anemia (D59) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other autoimmune hemolytic anemias (D59.1) 119 110 39 71 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 1 1 30-34 years..... 3 1 2 2 1 1 1 1 35-39 years..... 2 2 2 2 40-44 years..... 1 1 45-49 years..... 4 2 4 2 2 50-54 years..... 3 2. 1 3 2 1 55-59 years..... 4 3 1 60-64 years..... 1 65-69 years..... 11 11 70-74 years..... 13 11 75-79 years..... 17 13 14 10 80-84 years..... 19 2 17 19 2 17 85-89 years..... 15 18 3 17 3 14 1 1 90-94 years..... 10 6 10 4 4 6 2 95-99 years..... 6 3 3 5 3 1 1 1 1 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Drug-induced nonautoimmune hemolytic anemia (D59.2) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hemolytic-uremic syndrome (D59.3) 11 9 17 All ages.... Under 1 year.... 2 1 1 2 1 1 1-4 years..... 5 1 4 3 1 2 5-9 years..... 1 1 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 2 1 1 1 1 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 2 2 2 2 3 50-54 years..... 1 2 2 2 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 1 2 2 1 1 85-89 years..... 2 1 1 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other nonautoimmune hemolytic anemias (D59.4) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 1 1 1 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Male Female Male Female sexes Male Female sexes Male sexes sexes sexes Paroxysmal nocturnal hemoglobinuria [Marchiafava-Micheli] (D59.5) 15 10 5 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 5 4 1 4 3 1 35-39 years..... 1 1 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hemoglobinuria due to hemolysis from other external causes (D59.6) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acquired hemolytic anemia, unspecified (D59.9) 13 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 1 1 85-89 years..... 2 1 1 1 2 1 90-94 years..... 2 1 2 1 1 1 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes Acquired pure red cell aplasia [erythroblastopenia] (D60) 10 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 2 2 2 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Chronic acquired pure red cell aplasia (D60.0) 1 1 1 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acquired pure red cell aplasia, unspecified (D60.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other aplastic anemias (D61) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.0 50-54 years..... 1.3 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Constitutional aplastic anemia (D61.0) 10 All ages.... 1.0 Under 1 year.... 1-4 years..... 2 2 2 2 5-9 years..... 8 6 3 3 1 10-14 years..... 15-19 years..... 3 3 3 3 20-24 years..... 2 25-29 years..... 1 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Idiopathic aplastic anemia (D61.3) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Aplastic anemia, unspecified (D61.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.0 50-54 years..... 1.3 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acute posthemorrhagic anemia (D62) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 3 85-89 years..... 3 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Other anemias (D64) 2,497 1,633 2,072 1,381 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other sideroblastic anemias (D64.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 80-84 years..... 15 5 10 14 4 10 85-89 years..... 5 11 5 11 6 90-94 years..... 6 5 1 6 5 95-99 years..... 2 1 1 2 1 1 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other specified anemias (D64.8) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 2 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 9 5 4 5 3 1 85-89 years..... 8 3 8 3 5 90-94 years..... 8 1 1 1 6 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Anemia, unspecified (D64.9) 1,985 All ages.... 2,402 1.582 1,335 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Disseminated intravascular coagulation [defibrination syndrome] (D65) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.8 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2.4 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International

on the international															
Classification of Diseases, Tenth	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
Revision, 1992) and age	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Hereditary factor V	III deficie	ency (D66)	)												
All ages	67	50	17	58	44	14	8	6	2	1	_	1	_	_	_
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-	-	_	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-
20-24 years	4	4	-	3	3	-	1	1	-	-	-	-	-	_	-
25-29 years	2	2	_	1	1	_	1	1	_	_	_	_	_	_	_
30-34 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
35-39 years	2	2	_	2	2	_	_	_	_	_	_	_	_	_	_
40-44 years	9	6	3	6	4	2	2	2	_	1	_	1	_	_	_
45-49 years	5	5	_	5	5	_	_	_	_	_	_	_	_	_	_
50-54 years	1	1	_	_	_	_	1	1	_	_	_	_	_	_	_
55-59 years	4	3	1	3	3	_	1	_	1	_	_	_	_	_	_
60-64 years	3	1	2	2	1	1	1	_	1	_	_	_	_	_	_
65-69 years	2	2	_	2	2	_	_	_	_	_	_	_	_	_	_
70-74 years	4	3	1	4	3	1	_	_	_	_	_	_	_	_	_
75-79 years	9	7	2	8	6	2	1	1	_	_	_	_	_	_	_
80-84 years	10	6	4	10	6	4	_	_	_	_	_	_	_	_	_
85-89 years	6	4	2	6	4	2	_	_	_	_	_	_	_	_	_
90-94 years	4	3	1	4	3	1	_	_	_	_	_	_	_	_	_
95-99 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
100 years & over.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Age not stated	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
,															

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hereditary factor IX deficiency (D67) All ages.... Under 1 year.... 1-4 years..... 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Other coagulation defects (D68) All ages..... 1,129 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Von Willebrand's disease (D68.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 3 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Hereditary factor XI deficiency (D68.1) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hereditary deficiency of other clotting factors (D68.2) 31 32 All ages.... 35 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 35-39 years..... 2 2 2 2 40-44 years..... 2 1 1 1 1 1 45-49 years..... 1 3 1 2 2 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 11 5 6 11 5 6 85-89 years..... 5 11 6 10 5 5 1 1 90-94 years..... 2 2 1 1 1 1 95-99 years..... 3 2 3 1 2 1 1 1 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female and age sexes Male Female Male Female Male Female sexes Male Female sexes sexes sexes Hemorrhagic disorder due to circulating anticoagulants (D68.3) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 1 1 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States:

Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992) and age		All races  Male Female		White Both sexes Male Fem			Black Both e sexes Male Fema			American Indian 1/ Both ale sexes Male Female			Asian or Pacific Islander 2/ Both sexes Male Female		
Acquired coagulation	factor d	eficiency	(D68.4)												
All ages	11	7	4	8	5	3	2	1	1	-	_	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
30-34 years	-	-	_	-	-	-	-	_	-	-	_	-	-	-	-
35-39 years	-	-	_	-	-	-	-	_	-	-	_	-	-	-	-
40-44 years	-	-	-	-	-	-	_	_	_	-	-	-	-	-	-
45-49 years	1	1	_	-	-	-	1	1	-	-	_	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	_
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	_
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	_
75-79 years	4	2	2	2	1	1	1	-	1	-	-	-	1	1	_
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-	-	-	_
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	_	_	-	-	_	_	_	_	_
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Other specified coagulation defects (D68.8) 60 32 53 All ages.... 11 Under 1 year.... 1-4 years..... 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 3 25-29 years..... 5 2 30-34 years..... 4 2 2 3 1 2 1 1 35-39 years..... 7 1 6 6 1 5 1 1 40-44 years..... 6 3 3 6 45-49 years..... 14 4 1.0 1.0 2 50-54 years..... 8 2 6 6 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 4 2 2 6 6 85-89 years..... 1 1 90-94 years..... 1 95-99 years..... 1 1 1 1 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female and age sexes Female Male Female Male Female sexes sexes Male Female sexes sexes Coagulation defect, unspecified (D68.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 8.0 2.8 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female and age sexes Female Male Female Male Female sexes Male Female sexes sexes sexes Purpura and other hemorrhagic conditions (D69) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.4 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Allergic purpura (D69.0) 12 All ages.... Under 1 year.... 1-4 years..... 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 2 80-84 years..... 2 2 2 85-89 years..... 2 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Oualitative platelet defects (D69.1) All ages.... Under 1 year.... 1-4 years..... 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Idiopathic thrombocytopenic purpura (D69.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.4 85-89 years..... 2.4 2.0 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other primary thrombocytopenia (D69.4) 56 All ages.... Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 1 40-44 years..... 1 1 1 1 45-49 years..... 4 2 3 2 1 1 50-54 years..... 5 2. 3 1 3 55-59 years..... 3 3 60-64 years..... 65-69 years..... 70-74 years..... 2 75-79 years..... 80-84 years..... 10 4 9 3 6 85-89 years..... 7 3 3 90-94 years..... 5 1 4 5 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Secondary thrombocytopenia (D69.5) 10 11 10 All ages.... 19 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 3 2 1 1 50-54 years..... 1 1 1 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 2 85-89 years..... 2 1 1 1 1 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Thrombocytopenia, unspecified (D69.6) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.7 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hemorrhagic condition, unspecified (D69.9) 15 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 4 4 1 1 3 3 8 8 80-84 years..... 85-89 years..... 8 8 2 2 6 6 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age Male Female Male Female Male Female sexes sexes sexes sexes sexes Agranulocytosis (D70) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.3 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2.4 2.0 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Functional disorders of polymorphonuclear neutrophils (D71) All ages.... 1.3 Under 1 year.... 1-4 years..... 2 5-9 years..... 2 2 2 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 2. 1 1 1 1 1 55-59 years..... 1 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other disorders of white blood cells (D72) 70 15 All ages.... 10 Under 1 year.... 1 1 1 1 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 1 40-44 years..... 3 1 2 1 1 45-49 years..... 2 2 2. 2 50-54 years..... 55-59 years..... 1 1 60-64 years..... 65-69 years..... 70-74 years..... 9 3 75-79 years..... 13 9 80-84 years..... 16 4 12 15 4 11 1 1 85-89 years..... 17 10 14 9 2 1 1 90-94 years..... 8 8 8 8 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Genetic anomalies of leukocytes (D72.0) All ages.... Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Eosinophilia (D72.1) 13 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 1 40-44 years..... 3 1 1 1 45-49 years..... 50-54 years..... 2 2 2 55-59 years..... 1 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 2 2 1 85-89 years..... 2 2 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Other specified disorders of white blood cells (D72.8) 51 39 All ages.... 12 11 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 3 70-74 years..... 75-79 years..... 12 3 80-84 years..... 13 2 11 12 2 10 1 1 85-89 years..... 14 5 9 11 3 8 2 1 1 90-94 years..... 8 8 8 8 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Diseases of spleen (D73) 173 76 159 70 13 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 2 2 2 2 20-24 years..... 25-29 years..... 30-34 years..... 2 1 1 1 1 1 1 35-39 years..... 3 1 2 2 1 1 1 40-44 years..... 11 8 3 8 3 11 45-49 years..... 5 2 3 5 2 3 50-54 years..... 1 16 1.3 6 55-59 years..... 18 11 16 2 60-64 years..... 8 3 3 65-69 years..... 20 13 18 11 70-74 years..... 13 20 12 75-79 years..... 22 14 21 13 80-84 years..... 28 14 14 27 14 13 85-89 years..... 7 11 4 10 6 1 1 90-94 years..... 4 4 4 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hyposplenism (D73.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hypersplenism (D73.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 3 2 3 2. 1 1 55-59 years..... 4 3 4 3 60-64 years..... 65-69 years..... 11 10 70-74 years..... 13 12 75-79 years..... 9 80-84 years..... 13 13 85-89 years..... 7 3 3 6 3 1 90-94 years..... 3 3 3 3 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Chronic congestive splenomegaly (D73.2) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality. 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Abscess of spleen (D73.3) All ages..... 14 10 11 8 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Infarction of spleen (D73.5) 19 17 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 2 1 1 2 1 1 50-54 years..... 3 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 9 4 9 4 5 85-89 years..... 2 2. 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other diseases of spleen (D73.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 2 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disease of spleen, unspecified (D73.9) 18 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 2 35-39 years..... 1 1 1 1 40-44 years..... 5 1 4 45-49 years..... 1 1 1 1 50-54 years..... 5 2. 3 1 1 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 2 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Other diseases of blood and blood-forming organs (D75) 176 71 158 15 All ages.... 105 1 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 3 30-34 years..... 35-39 years..... 2 2 1 1 40-44 years..... 3 3 2 1 1 45-49 years..... 8 5 3 6 3 3 2 2 50-54 years..... 2 3 2 55-59 years..... 6 60-64 years..... 65-69 years..... 70-74 years..... 8 7 75-79 years..... 20 10 10 19 9 10 80-84 years..... 41 15 26 37 14 23 3 3 85-89 years..... 21 30 7 23 2.7 3 6 90-94 years..... 17 3 14 17 3 14 95-99 years..... 7 2 5 7 2 5 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Secondary polycythemia (D75.1) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Essential thrombocytosis (D75.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 3 75-79 years..... 80-84 years..... 9 2 9 2 85-89 years..... 1.0 3 7 9 1 90-94 years..... 3 3 3 3 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Other specified diseases of blood and blood-forming organs (D75.8) 36 51 All ages.... 1.0 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 1 1 1 1 4 2 50-54 years..... 2 2 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 3 75-79 years..... 12 11 80-84 years..... 26 10 16 22 9 13 3 3 85-89 years..... 16 2 14 14 13 2 1 1 90-94 years..... 9 7 9 7 2 2 95-99 years..... 5 2 3 5 2 3 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes Disease of blood and blood-forming organs, unspecified (D75.9) 23 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 3 30-34 years..... 35-39 years..... 2 2 1 40-44 years..... 3 3 1 1 45-49 years..... 2 7 4 3 5 2 3 50-54 years..... 2 2. 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 5 2 3 5 2 3 85-89 years..... 2 2 2 90-94 years..... 5 1 4 5 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Certain diseases involving lymphoreticular tissue and reticulohistiocytic system (D76) 71 27 59 35 All ages.... 1 1 Under 1 year.... 14 10 4 1.0 8 2 2 1 2 1 23 16 7 19 12 7 2 2 1 1 1-4 years..... 5-9 years..... 2 1 1 1 1 1 10-14 years..... 2 2 2 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 3 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 1 40-44 years..... 3 2 3 1 1 45-49 years..... 2 1 1 2 1 1 50-54 years..... 3 1 3 1 55-59 years..... 1 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 2 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

on the International Classification of Diseases, Tenth Revision, 1992)	All races			White Both			Black Both			American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Langerhans' cell his	tiocytosis	s, not els	sewhere cla	ssified (D	76.0)										
All ages	22	13	9	21	12	9	_	_	-	1	1	_	_	_	_
Under 1 year	3	2	1	3	2	1	-	-	_	-	_	-	-	_	-
1-4 years	7	5	2	6	4	2	-	-	-	1	1	-	-	_	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	_	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	3	-	3	3	-	3	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hemophagocytic lymphohistiocytosis (D76.1) 15 15 1.0 All ages.... Under 1 year.... 7 7 5 5 1 1-4 years..... 10 6 7 3 2 5-9 years..... 1 1 1 1 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hemophagocytic syndrome, infection-associated (D76.2) 3 All ages.... 1 Under 1 year.... 1 1 1 1-4 years..... 2 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other histiocytosis syndromes (D76.3) 15 10 12 All ages.... Under 1 year.... 3 1 2 2 1 1 1-4 years..... 4 4 4 4 5-9 years..... 1 1 10-14 years..... 1 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 3 1 2 1 3 2 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes Immunodeficiency with predominantly antibody defects (D80) 19 All ages.... 13 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 2 2 2 2 20-24 years..... 3 25-29 years..... 1 1 30-34 years..... 2 2 2 2 35-39 years..... 1 1 1 1 40-44 years..... 3 2 1 1 45-49 years..... 1 1 1 1 50-54 years..... 2 1 1 1 1 55-59 years..... 3 3 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 3 3 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hereditary hypogammaglobulinemia (D80.0) 3 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Nonfamilial hypogammaglobulinemia (D80.1) 10 All ages.... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 2 2 2 35-39 years..... 1 1 1 40-44 years..... 1 1 1 45-49 years..... 1 1 1 1 1 50-54 years..... 2. 1 1 1 55-59 years..... 1 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Selective deficiency of immunoglobulin A [IgA] (D80.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Selective deficiency of immunoglobulin G [IgG] subclasses (D80.3) 2 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Selective deficiency of immunoglobulin M [IgM] (D80.4) 1 All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Other immunodeficiencies with predominantly antibody defects (D80.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Male Female Male Female sexes Male Female sexes sexes sexes Immunodeficiency with predominantly antibody defects, unspecified (D80.9) 2 All ages.... Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Combined immunodeficiencies (D81) 11 All ages.... Under 1 year.... 7 4 3 6 4 2 1 1-4 years..... 4 1 3 2 2 1 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 1 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other combined immunodeficiencies (D81.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should

be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Combined immunodeficiency, unspecified (D81.9) All ages..... 16 7 12 6 6 3 7 4 3 6 2 1 Under 1 year.... 4 1-4 years..... 1 3 2. 2 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Immunodeficiency associated with other major defects (D82) 20 13 1.0 All ages.... Under 1 year.... 6 5 1 5 4 1 1-4 years..... 2 2 2 2 5-9 years..... 10-14 years..... 2 2 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 1 1 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 3 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Wiskott-Aldrich syndrome (D82.0) 5 All ages.... Under 1 year.... 1 1 1 1 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Di George's syndrome (D82.1) 5 All ages.... Under 1 year.... 5 4 1 4 3 1 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Female Male Female sexes Male Female sexes Male sexes sexes Immunodeficiency following hereditary defective response to Epstein-Barr virus (D82.3) 3 2 All ages..... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hyperimmunoglobulin E [IgE] syndrome (D82.4) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Common variable immunodeficiency (D83) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Common variable immunodeficiency, unspecified (D83.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 10-14 years..... 15-19 years..... 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other immunodeficiencies (D84) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1.0 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Defects in the complement system (D84.1) 33 19 14 18 All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 4 2 2 2 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 2. 50-54 years..... 5 2. 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 1 2 3 1 2 85-89 years..... 1 1 1 1 90-94 years..... 1 2 1 2 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other specified immunodeficiencies (D84.8) All ages.... 1 1 Under 1 year.... 1-4 years..... 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Immunodeficiency, unspecified (D84.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Sarcoidosis (D86) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1.0 5.8 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Sarcoidosis of lung (D86.0) 104 57 19 104 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 5 2 3 5 2 3 35-39 years..... 13 2 11 13 2 11 40-44 years..... 10 10 6 4 6 4 45-49 years..... 18 9 9 1 1 16 8 8 50-54 years..... 30 12 18 8 2 22 10 12 55-59 years..... 17 7 10 1 13 6 7 60-64 years..... 14 11 65-69 years..... 16 10 70-74 years..... 13 11 75-79 years..... 9 7 80-84 years..... 10 4 6 7 3 3 2 85-89 years..... 4 3 3 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Sarcoidosis of lung with sarcoidosis of lymph nodes (D86.2) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Sarcoidosis of skin (D86.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Sarcoidosis of other and combined sites (D86.8) 57 All ages.... 16 12 32 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 2 2 25-29 years..... 30-34 years..... 2 2 1 35-39 years..... 12 9 3 3 2 7 6 1 40-44 years..... 19 13 6 3 15 5 1 10 45-49 years..... 14 8 6 4 1 9 4 5 7 50-54 years..... 2 1 1 1 55-59 years..... 1 60-64 years..... 11 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 1 2 1 2 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Sarcoidosis, unspecified (D86.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1.3 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Female Male Female sexes Male Female Male sexes Male sexes sexes Other disorders involving the immune mechanism, not elsewhere classified (D89) 26 20 All ages.... 26 Under 1 year.... 1 1-4 years..... 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 3 1 2 3 2 45-49 years..... 7 5 2 6 5 1 1 50-54 years..... 1 3 1 1 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 3 3 85-89 years..... 3 3 1 1 90-94 years..... 2 2 2 2 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Polyclonal hypergammaglobulinemia (D89.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Cryoglobulinemia (D89.1) All ages..... 38 21 17 34 2.0 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 3 1 1 40-44 years..... 2 45-49 years..... 5 1 1 50-54 years..... 55-59 years..... 60-64 years..... 3 65-69 years..... 70-74 years..... 75-79 years..... 2 1 1 1 80-84 years..... 3 3 3 85-89 years..... 1 3 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female Male Female and age sexes Male Female sexes Male Female sexes sexes sexes Male Female Hypergammaglobulinemia, unspecified (D89.2) 2 All ages..... 1 1 2 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Other specified disorders involving the immune mechanism, not elsewhere classified (D89.8) All ages.... 1 1 1 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorder involving the immune mechanism, unspecified (D89.9) 10 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 1 2 50-54 years..... 2 1 1 1 1 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Congenital iodine-deficiency syndrome (E00) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Congenital iodine-deficiency syndrome, unspecified (E00.9) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other hypothyroidism (E03) 1,547 1,235 1,431 1,148 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Congenital hypothyroidism without goiter (E03.1) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Atrophy of thyroid (acquired) (E03.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Myxedema coma (E03.5) 11 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 80-84 years..... 1 1 2 1 1 85-89 years..... 2 1 1 1 1 90-94 years..... 1 1 2 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hypothyroidism, unspecified (E03.9) 1,534 1,227 1,420 1,141 All ages..... 2.2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other nontoxic goiter (E04) All ages.... 12 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 2 2 2 2 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 5 5 5 5 85-89 years..... 3 9 9 3 3 12 90-94 years..... 10 9 9 8 1 1 1 1 95-99 years..... 2 2 2 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Nontoxic single thyroid nodule (E04.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Nontoxic multinodular goiter (E04.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other specified nontoxic goiter (E04.8) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Nontoxic goiter, unspecified (E04.9) All ages.... 1.0 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 80-84 years..... 5 5 5 5 85-89 years..... 1.0 3 7 8 3 5 2 90-94 years..... 10 9 9 8 1 1 1 1 95-99 years..... 1 1 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Thyrotoxicosis [hyperthyroidism] (E05) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.4 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Thyrotoxicosis with diffuse goiter (E05.0) 23 All ages.... 11 14 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 2 2 2 35-39 years..... 2 2 2 40-44 years..... 2 1 2 1 1 45-49 years..... 4 1 1 1 50-54 years..... 1 2. 1 3 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 1 3 4 1 3 85-89 years..... 3 3 1 1 90-94 years..... 1 2 1 1 3 2 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Thyrotoxicosis with toxic multinodular goiter (E05.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 80-84 years..... 2 1 1 85-89 years..... 2 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Thyroid crisis or storm (E05.5) 5 17 All ages.... 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 3 1 2 2 2 1 35-39 years..... 40-44 years..... 45-49 years..... 2 2 2 50-54 years..... 2 2 1 1 1 55-59 years..... 4 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 1 1 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Thyrotoxicosis, unspecified (E05.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.0 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Thyroiditis (E06) 11 All ages.... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 2 2 1 1 45-49 years..... 50-54 years..... 2 2 2 2 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acute thyroiditis (E06.0) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Autoimmune thyroiditis (E06.3) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other chronic thyroiditis (E06.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Thyroiditis, unspecified (E06.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other disorders of thyroid (E07) 13 All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 2 2 1 1 50-54 years..... 1 55-59 years..... 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 7 1 5 2 2 85-89 years..... 3 2 1 1 2 90-94 years..... 6 5 1 1 5 1 1 95-99 years..... 3 3 2 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or All races Diseases, Tenth White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Other specified disorders of thyroid (E07.8) 6 5 All ages..... 6 1 5 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1 1 1 1 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 2 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorder of thyroid, unspecified (E07.9) 31 17 13 All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 2 50-54 years..... 2 1 1 1 55-59 years..... 3 60-64 years..... 65-69 years..... 70-74 years..... 3 75-79 years..... 80-84 years..... 1 6 5 1 2 2 85-89 years..... 5 3 2 2 2 1 1 90-94 years..... 1 4 4 3 3 1 95-99 years..... 3 3 2 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Female Male Female and age Female Male Female sexes Male Female sexes Male sexes sexes Male sexes Insulin-dependent diabetes mellitus (E10) 6,832 3,704 5,681 2,642 3,039 All ages..... 3,128 1,042 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With coma (E10.0) 18 15 20 All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 3 2 30-34 years..... 3 2 1 3 2 1 35-39 years..... 5 2 3 2 1 1 1 2 40-44 years..... 1 1 1 45-49 years..... 2 1 1 1 1 1 1 3 50-54 years..... 1 3 1 55-59 years..... 5 3 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 2 1 1 85-89 years..... 2 2 90-94 years..... 1 1 2 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With ketoacidosis (E10.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With renal complications (E10.2) 170 76 147 18 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 7 30-34 years..... 8 4 4 4 3 35-39 years..... 6 4 2 6 4 2 40-44 years..... 7 1 1 14 12 6 6 45-49 years..... 7 15 8 13 1 1 6 50-54 years..... 20 13 16 11 2 55-59 years..... 10 4 8 3 60-64 years..... 16 15 65-69 years..... 18 10 15 7 70-74 years..... 17 4 13 14 11 75-79 years..... 17 9 14 80-84 years..... 11 5 6 11 5 6 85-89 years..... 15 14 11 10 1 90-94 years..... 2 1 1 2 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With ophthalmic complications (E10.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With neurological complications (E10.4) 50 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 4 2 2 3 2 1 1 1 35-39 years..... 3 1 2 3 1 2 40-44 years..... 2 2 1 1 1 45-49 years..... 2 2 50-54 years..... 3 2 55-59 years..... 3 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 7 3 3 90-94 years..... 1 1 1 1 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes With peripheral circulatory complications (E10.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2. 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With other specified complications (E10.6) 19 31 18 13 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 3 2 1 2 2 1 40-44 years..... 3 2 1 1 2 1 1 45-49 years..... 4 3 1 4 3 1 50-54 years..... 5 1 1 55-59 years..... 1 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 5 2 2 3 3 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With multiple complications (E10.7) 115 57 All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 6 3 3 5 3 2 1 40-44 years..... 10 2 9 8 3 12 1 45-49 years..... 9 4 8 3 50-54 years..... 9 16 15 8 55-59 years..... 7 7 3 60-64 years..... 14 13 65-69 years..... 13 11 70-74 years..... 10 75-79 years..... 17 16 9 80-84 years..... 11 7 4 11 85-89 years..... 9 9 5 90-94 years..... 1 1 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With unspecified complications (E10.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female sexes Male Female Male sexes sexes sexes Without complications (E10.9) 5,419 2,438 2,981 4,536 2,068 2,468 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2. 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Female sexes Male Female Male sexes sexes Male sexes Noninsulin-dependent diabetes mellitus (E11) 14,201 6,470 11,963 5,581 6,382 1,855 1,138 All ages..... 7,731 8.5 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.0 55-59 years..... 60-64 years..... 65-69 years..... 1,321 1,049 70-74 years..... 1,776 1,443 75-79 years..... 2,434 1,142 1,292 2,095 1,016 1,079 80-84 years..... 2,661 1,164 1,497 2,329 1,033 1,296 85-89 years..... 1,313 1,155 2,156 1,928 90-94 years..... 1,009 1,111 8.0 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With coma (E11.0) 13 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 2 2 1 1 1 1 2 1 50-54 years..... 3 1 1 1 1 55-59 years..... 4 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 21 12 16 80-84 years..... 17 5 12 16 5 11 1 85-89 years..... 7 9 2 7 9 2 90-94 years..... 4 3 4 3 1 1 95-99 years..... 3 3 3 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With ketoacidosis (E11.1) 112 50 35 50 All ages.... 13 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 1 1 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 4 1 2 2 1 50-54 years..... 3 2. 6 3 2 1 1 1 55-59 years..... 3 2 60-64 years..... 12 11 65-69 years..... 9 70-74 years..... 19 11 16 9 75-79 years..... 15 13 80-84 years..... 19 7 12 15 11 4 3 1 85-89 years..... 8 5 7 4 3 1 1 90-94 years..... 3 3 3 3 95-99 years..... 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With renal complications (E11.2) 135 171 All ages.... 126 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 9 6 3 8 6 2 1 1 50-54 years..... 16 6 1.0 12 5 3 3 1 55-59 years..... 17 6 11 15 5 10 60-64 years..... 24 10 14 22 10 12 1 65-69 years..... 36 16 20 30 14 16 70-74 years..... 24 21 35 22 13 75-79 years..... 57 27 30 50 25 25 80-84 years..... 56 23 33 55 23 32 1 1 85-89 years..... 32 30 13 19 18 12 1 1 1 90-94 years..... 10 7 10 7 3 3 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With ophthalmic complications (E11.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 2 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With neurological complications (E11.4) 30 33 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 2 1 3 50-54 years..... 5 3 1 55-59 years..... 1 1 60-64 years..... 65-69 years..... 3 70-74 years..... 75-79 years..... 17 11 17 80-84 years..... 1.0 6 4 9 5 4 1 85-89 years..... 10 3 7 9 3 6 1 1 90-94 years..... 5 6 4 4 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes With peripheral circulatory complications (E11.5) 1,551 1,262 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality. 2002"]

Cause of death (Based on the International Classification of Asian or All races Diseases, Tenth White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female With other specified complications (E11.6) 34 All ages..... 26 50 22 2.8 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 3 2 1 60-64 years..... 65-69 years..... 10 70-74 years..... 1 1 1.3 75-79 years..... 11 80-84 years..... 10 5 9 1 5 5 1 85-89 years..... 11 4 9 3 2 1 90-94 years..... 3 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes With multiple complications (E11.7) 155 All ages.... 17 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 2 2 2 40-44 years..... 3 3 2 2 1 1 45-49 years..... 2 2 2 2 50-54 years..... 8 3 55-59 years..... 13 11 60-64 years..... 13 7 11 5 65-69 years..... 28 11 17 23 10 13 70-74 years..... 24 12 12 21 10 11 75-79 years..... 26 11 15 23 9 14 2 1 1 1 4 38 19 19 34 19 15 80-84 years..... 4 15 6 9 10 85-89 years..... 5 5 5 4 90-94 years..... 10 6 4 8 6 2 2 2 95-99 years..... 2 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With unspecified complications (E11.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Female Male Female and age sexes Female Male Female sexes Male Female Male sexes sexes Male sexes Without complications (E11.9) 11,826 5,376 6,450 10,006 4,639 5,367 1,501 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 8.5 55-59 years..... 60-64 years..... 65-69 years..... 1,083 70-74 years..... 1,453 1,192 75-79 years..... 1,996 1,059 1,724 80-84 years..... 2,210 1,257 1,932 1,086 85-89 years..... 1,654 1,834 1,122 90-94 years..... 5.8 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Malnutrition-related diabetes mellitus (E12) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With ophthalmic complications (E12.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other specified diabetes mellitus (E13) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With renal complications (E13.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With peripheral circulatory complications (E13.5) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With multiple complications (E13.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Without complications (E13.9) 1 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based															
Cause of death (Bas on the Internationa															
Classification of											Z	sian or			
Diseases, Tenth	All races			White			Black			American Indian 1/			Pacific Islander 2/		
Revision, 1992)	Both			Both			Both			Both			Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Unspecified diabete	es mellitus	(E14)													
All ages	52,209	24,701	27,508	40,809	19,886	20,923	9,789	4,048	5,741	522	235	287	1,089	532	557
Under 1 year	1	_	1	1	_	1	_	_	_	-	-	-	_	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	_	-	-	_
5-9 years	4	3	1	3	3	-	1	-	1	-	-	_	-	-	_
10-14 years	22	12	10	11	8	3	11	4	7	-	-	_	-	-	_
15-19 years	44	24	20	28	14	14	14	8	6	1	1	_	1	1	_
20-24 years	90	53	37	55	31	24	34	22	12	1	_	1	_	_	_
25-29 years	166	95	71	103	64	39	61	30	31	1	1	_	1	_	1
30-34 years	271	176	95	173	111	62	95	62	33	1	1	_	2	2	_
35-39 years	551	334	217	379	235	144	161	92	69	7	4	3	4	3	1
40-44 years	994	640	354	694	457	237	270	163	107	21	14	7	9	6	3
45-49 years	1,590	941	649	1,080	661	419	453	250	203	34	18	16	23	12	11
50-54 years	2,517	1,494	1,023	1,755	1,083	672	672	357	315	48	25	23	42	29	13
55-59 years	3,351	1,969	1,382	2,416	1,474	942	799	418	381	59	28	31	77	49	28
60-64 years	4,114	2,314	1,800	3,009	1,759	1,250	955	473	482	60	33	27	90	49	41
65-69 years	5,289	2,707	2,582	3,879	2,080	1,799	1,196	510	686	74	33	41	140	84	56
70-74 years	6,861	3,407	3,454	5,377	2,784	2,593	1,243	508	735	82	38	44	159	77	82
75-79 years	8,316	3,843	4,473	6,720	3,262	3,458	1,335	488	847	63	17	46	198	76	122
80-84 years	8,035	3,413	4,622	6,717	2,967	3,750	1,127	373	754	44	15	29	147	58	89
85-89 years	5,954	2,199	3,755	5,006	1,933	3,073	786	193	593	18	7	11	144	66	78
90-94 years	2,962	837	2,125	2,520	754	1,766	399	68	331	7	_	7	36	15	21
95-99 years	953	221	732	793	192	601	144	24	120	1	_	1	15	5	10
100 years & over.	122	18	104	88	13	75	33	5	28	-	_	_	1	-	1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With coma (E14.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.7 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h sexes Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes With ketoacidosis (E14.1) 1,631 1,127 All ages..... Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With renal complications (E14.2) 1,219 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.0 2.8 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With ophthalmic complications (E14.3) 15 13 10 All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 35-39 years..... 1 1 2 1 1 40-44 years..... 3 2 3 2 1 1 45-49 years..... 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 1 1 1 1 85-89 years..... 3 3 1 1 2 1 1 90-94 years..... 1 1 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With neurological complications (E14.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.8 85-89 years..... 1.3 2. 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes With peripheral circulatory complications (E14.5) 5,465 4,110 2,091 2,019 1,201 All ages..... 2,644 2,821 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,004 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With other specified complications (E14.6) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2.2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With multiple complications (E14.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2.7 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes With unspecified complications (E14.8) All ages.... 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 35-39 years..... 3 1 3 2 40-44 years..... 4 3 3 2 1 1 1 45-49 years..... 2 1 1 1 1 1 50-54 years..... 6 1 3 1 3 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 7 75-79 years..... 10 80-84 years..... 2 1 1 2 1 1 85-89 years..... 8 3 3 1 90-94 years..... 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Bas	Cause of death (Based														
on the Internationa	ıl												I	Asian or	•
Diseases, Tenth	All races			White			Black			American Indian 1/			Pacific Islander 2/		
Revision, 1992)	Both			Both			Both			Both			Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Without complication	ons (E14.9)														
All ages	42,486	19,952	22,534	33,498	16,223	17,275	7,649	3,085	4,564	425	196	229	914	448	466
Under 1 year	_	_	_	_	_	_	_	_	_	_	-	_	-	-	-
1-4 years	1	-	1	1	_	1	-	-	-	-	-	-	-	_	_
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
10-14 years	5	2	3	-	_	-	5	2	3	-	-	-	-	_	_
15-19 years	14	6	8	9	3	6	5	3	2	-	-	-	-	_	_
20-24 years	35	14	21	24	10	14	11	4	7	_	_	_	_	_	_
25-29 years	86	44	42	50	26	24	34	17	17	1	1	_	1	_	1
30-34 years	165	102	63	112	69	43	51	31	20	_	_	_	2	2	_
35-39 years	372	225	147	261	163	98	103	56	47	5	3	2	3	3	_
40-44 years	688	433	255	477	312	165	185	104	81	17	11	6	9	6	3
45-49 years	1,197	701	496	815	498	317	340	181	159	26	15	11	16	7	9
50-54 years	1,972	1,185	787	1,385	869	516	512	270	242	38	19	19	37	27	10
55-59 years	2,731	1,631	1,100	1,963	1,220	743	656	345	311	45	23	22	67	43	24
60-64 years	3,366	1,891	1,475	2,473	1,457	1,016	769	362	407	49	29	20	75	43	32
65-69 years	4,308	2,229	2,079	3,183	1,724	1,459	950	410	540	62	28	34	113	67	46
70-74 years	5,636	2,788	2,848	4,433	2,295	2,138	1,012	406	606	67	32	35	124	55	69
75-79 years	6,840	3,117	3,723	5,555	2,657	2,898	1,068	381	687	55	15	40	162	64	98
80-84 years	6,640	2,828	3,812	5,581	2,473	3,108	888	288	600	37	13	24	134	54	80
85-89 years	5,019	1,844	3,175	4,271	1,630	2,641	605	148	457	18	7	11	125	59	66
90-94 years	2,497	708	1,789	2,150	642	1,508	309	52	257	4	_	4	34	14	20
95-99 years	815	190	625	684	165	519	119	21	98	1	_	1	11	4	7
100 years & over.	98	13	85	70	9	61	27	4	23	_	_	_	1	_	1
Age not stated	_	_	_	_	_	_	_	-	_	_	-	-	-	-	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Nondiabetic hypoglycemic coma (E15) 5 11 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 2 2 50-54 years..... 1 1 1 55-59 years..... 1 1 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Other disorders of pancreatic internal secretion (E16) All ages.... 3.0 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.2 1.3 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Drug-induced hypoglycemia without coma (E16.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other hypoglycemia (E16.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hypoglycemia, unspecified (E16.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2.2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes Other specified disorders of pancreatic internal secretion (E16.8) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hypoparathyroidism (E20) 13 11 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 5 1 5 1 85-89 years..... 2 2. 1 1 1 1 90-94 years..... 1 4 5 1 5 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Idiopathic hypoparathyroidism (E20.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pseudohypoparathyroidism (E20.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other hypoparathyroidism (E20.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hypoparathyroidism, unspecified (E20.9) 11 10 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 1 1 1 80-84 years..... 3 3 3 3 85-89 years..... 2 2 1 1 1 90-94 years..... 5 5 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female and age sexes Female Male Female Male Female sexes Male Female sexes sexes sexes Hyperparathyroidism and other disorders of parathyroid gland (E21) 18 63 All ages.... 16 16 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 5 1 4 1 3 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 11 75-79 years..... 8 80-84 years..... 20 3 17 17 3 14 3 3 85-89 years..... 21 17 15 2 2 19 90-94 years..... 14 13 11 10 3 1 1 3 95-99 years..... 3 3 3 3 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Primary hyperparathyroidism (E21.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hyperparathyroidism, unspecified (E21.3) 76 All ages.... 16 16 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 3 5 1 4 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 11 75-79 years..... 8 80-84 years..... 20 3 17 17 3 14 3 3 85-89 years..... 21 17 15 2 2 19 90-94 years..... 13 12 10 9 3 1 1 3 95-99 years..... 3 3 3 3 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hyperfunction of pituitary gland (E22) 59 17 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 2 1 2 1 1 45-49 years..... 50-54 years..... 2 1 1 1 1 1 55-59 years..... 5 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1.0 3 7 10 3 7 85-89 years..... 16 3 13 15 2 13 1 90-94 years..... 11 10 11 10 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acromegaly and pituitary gigantism (E22.0) 17 10 All ages.... 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 1 1 2 45-49 years..... 2 1 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Syndrome of inappropriate secretion of antidiuretic hormone (E22.2) 15 All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 9 3 6 9 3 6 85-89 years..... 1.5 3 12 2. 1 14 12 1 11 10 11 10 90-94 years..... 1 1 95-99 years..... 1 1 1 1 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female and age Female Female Male Female sexes Male Female sexes sexes Male sexes sexes Hypofunction and other disorders of the pituitary gland (E23) All ages.... 1.3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2. 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hypopituitarism (E23.0) 39 70 36 All ages.... 12 Under 1 year.... 2 1 1 2 1 1 1-4 years..... 4 2 2 4 2 2 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 3 25-29 years..... 3 2 30-34 years..... 1 1 1 1 35-39 years..... 4 1 3 4 1 40-44 years..... 5 3 2 2 2 1 45-49 years..... 3 2. 2 50-54 years..... 1 55-59 years..... 3 60-64 years..... 65-69 years..... 70-74 years..... 10 75-79 years..... 12 10 80-84 years..... 6 2 3 1 2 2 2 85-89 years..... 8 3 1 1 90-94 years..... 2 2 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Diabetes insipidus (E23.2) 17 All ages.... 1 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 2 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 1 40-44 years..... 2 2 1 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 3 75-79 years..... 12 80-84 years..... 5 1 4 5 1 85-89 years..... 7 3 3 90-94 years..... 95-99 years..... 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hypothalamic dysfunction, not elsewhere classified (E23.3) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other disorders of pituitary gland (E23.6) All ages..... 2 1 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorder of pituitary gland, unspecified (E23.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cushing's syndrome (E24) 19 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 3 2 1 2 1 1 35-39 years..... 2 2 2 2 40-44 years..... 1 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 2 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 2 1 3 2 1 85-89 years..... 1 1 1 1 90-94 years..... 1 1 1 1 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Drug-induced Cushing's syndrome (E24.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Ectopic ACTH syndrome (E24.3) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cushing's syndrome, unspecified (E24.9) 17 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 3 2 1 2 1 1 35-39 years..... 2 2 2 2 40-44 years..... 1 1 1 1 45-49 years..... 1 1 1 1 2 50-54 years..... 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 2 3 2 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Adrenogenital disorders (E25) All ages.... Under 1 year.... 2 1 1 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Congenital adrenogenital disorders associated with enzyme deficiency (E25.0) 3 All ages.... Under 1 year.... 2 1 1 2 1 1 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Adrenogenital disorder, unspecified (E25.9) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hyperaldosteronism (E26) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female sexes Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes Primary hyperaldosteronism (E26.0) 2 All ages..... 3 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hyperaldosteronism, unspecified (E26.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other disorders of adrenal gland (E27) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.2 2.2 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Primary adrenocortical insufficiency (E27.1) 120 79 111 37 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 2 1 1 2 1 1 20-24 years..... 3 25-29 years..... 1 30-34 years..... 3 2 1 3 2 1 35-39 years..... 1 1 1 1 40-44 years..... 3 1 3 1 45-49 years..... 6 6 6 6 50-54 years..... 55-59 years..... 5 3 60-64 years..... 65-69 years..... 7 70-74 years..... 12 9 11 75-79 years..... 19 13 18 12 2 80-84 years..... 24 7 17 21 5 16 1 85-89 years..... 1.0 5 5 1.0 5 5 90-94 years..... 8 6 7 5 1 1 2 2 95-99 years..... 3 1 2 3 1 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Addisonian crisis (E27.2) 9 All ages..... Under 1 year.... 1-4 years..... 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 1 90-94 years..... 1 1 1 2 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Drug-induced adrenocortical insufficiency (E27.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female and age sexes Female Male Female Male Female sexes Male Female sexes sexes sexes Other and unspecified adrenocortical insufficiency (E27.4) 37 15 All ages.... Under 1 year.... 3 2 1 2 1 1 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 1 1 30-34 years..... 3 3 2 2 1 1 35-39 years..... 3 1 2 2 1 1 1 1 40-44 years..... 3 3 2 2 1 1 45-49 years..... 3 3 3 3 5 3 2 50-54 years..... 3 2 1 1 55-59 years..... 3 1 60-64 years..... 1 65-69 years..... 70-74 years..... 9 75-79 years..... 12 10 80-84 years..... 11 4 7 10 4 6 1 1 85-89 years..... 9 9 2 90-94 years..... 7 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorder of adrenal gland, unspecified (E27.9) 17 10 All ages.... 10 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 4 3 3 85-89 years..... 2 2 90-94 years..... 1 1 2 1 4 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Ovarian dysfunction (E28) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . 30-34 years..... 35-39 years..... . . . . . . 40-44 years..... . . . . . . . . . 45-49 years..... 50-54 years..... . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . . . . . . . 85-89 years..... 1 1 1 . . . . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Polycystic ovarian syndrome (E28.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . 30-34 years..... 35-39 years..... . . . . . . 40-44 years..... . . . . . . . . . 45-49 years..... 50-54 years..... . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . . . . . . . 85-89 years..... . . . 1 . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Primary ovarian failure (E28.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... . . . 15-19 years..... . . . . . . 20-24 years..... . . . . . . . . . . . . 25-29 years..... . . . . . . . . . . . . 30-34 years..... 35-39 years..... . . . . . . 40-44 years..... . . . . . . . . . 45-49 years..... 50-54 years..... . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . . . . . . . 85-89 years..... . . . . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . . . . 100 years & over. . . . . . . . . . . . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Bot.h Bot.h Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Testicular dysfunction (E29) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... . . . 35-39 years..... . . . 40-44 years..... . . . . . . . . . 45-49 years..... 50-54 years..... . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . 85-89 years..... . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . . . . 100 years & over.

. . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Bot.h Bot.h Bot.h Bot.h Male Female Male Female and age Male Female Male Female sexes Male Female sexes sexes sexes sexes Testicular hypofunction (E29.1) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... . . . . . . . . . 20-24 years..... . . . . . . 25-29 years..... . . . . . . . . . . . . . . . 30-34 years..... . . . 35-39 years..... . . . 40-44 years..... . . . . . . . . . 45-49 years..... 50-54 years..... . . . . . . 55-59 years..... . . . . . . . . . . . . 60-64 years..... . . . . . . . . . . . . 65-69 years..... . . . . . . . . . . . . 70-74 years..... . . . . . . . . . . . . 75-79 years..... . . . . . . . . . . . . . . . 80-84 years..... . . . . . . 85-89 years..... . . . . . . . . . . . . 90-94 years..... 95-99 years..... . . . . . . 100 years & over.

. . .

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Polyglandular dysfunction (E31) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Autoimmune polyglandular failure (E31.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Diseases of thymus (E32) 3 All ages..... Under 1 year.... 2 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Persistent hyperplasia of thymus (E32.0) All ages.... Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other diseases of thymus (E32.8) All ages.... Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Disease of thymus, unspecified (E32.9) All ages..... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age Male Female Male Female Male Female sexes sexes sexes sexes sexes Other endocrine disorders (E34) 107 49 58 98 52 All ages.... Under 1 year.... 28 17 11 25 17 8 1 1-4 years..... 1 1 1 1 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 3 1 2 3 45-49 years..... 4 1 3 4 1 3 50-54 years..... 1 3 3 1 2 1 55-59 years..... 6 60-64 years..... 65-69 years..... 11 70-74 years..... 75-79 years..... 11 80-84 years..... 9 2 7 8 2 6 1 1 85-89 years..... 6 13 13 90-94 years..... 2 1 1 2 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Carcinoid syndrome (E34.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 2 2 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 11 80-84 years..... 8 1 7 1 6 85-89 years..... 6 6 12 12 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Short stature, not elsewhere classified (E34.3) 31 19 All ages.... 19 12 Under 1 year.... 26 15 11 23 15 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other specified endocrine disorders (E34.8) All ages.... Under 1 year.... 2 2 2 2 1-4 years..... 1 1 1 1 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 2 2 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Endocrine disorder, unspecified (E34.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 1 3 1 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Kwashiorkor (E40) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 1 75-79 years..... 1 1 80-84 years..... 2 2. 1 1 1 1 85-89 years..... 2 2 2 2 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of

asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Nutritional marasmus (E41) All ages..... 189 52 137 161 42 119 22 9 13 3 3 3 1 2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2 30-34 years..... 1 1 1 1 1 1 35-39 years..... 40-44 years..... 2 2 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 18 5 13 12 3 9 5 1 4 32 2.0 28 9 4 3 80-84 years..... 12 19 1 51 10 41 45 9 36 2 85-89 years..... 3 1 1 32 21 90-94 years..... 34 11 23 11 2 2 95-99 years..... 17 1 16 16 1 15 1 100 years & over. 1 6 6 1 5 1 Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Unspecified severe protein-energy malnutrition (E43) All ages.... 2.2.7 2.7 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.3 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Protein-energy malnutrition of moderate and mild degree (E44) 3 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Moderate protein-energy malnutrition (E44.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mild protein-energy malnutrition (E44.1) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Retarded development following protein-energy malnutrition (E45) 104 23 All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 2 70-74 years..... 75-79 years..... 4 80-84 years..... 22 9 13 2.0 9 11 1 1 1 85-89 years..... 23 6 17 18 6 12 4 4 90-94 years..... 19 19 18 18 1 1 18 15 16 95-99 years..... 3 3 13 2 2 5 5 100 years & over. 4 4

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Male Female Male Female sexes sexes Male Female sexes sexes Unspecified protein-energy malnutrition (E46) 2,835 1,007 2,417 1,564 All ages..... 1,828 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.4 2.7 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Thiamin deficiency (E51) 16 All ages.... 1.3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 2 2 1 1 1 55-59 years..... 3 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 2 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Beriberi (E51.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Wernicke's encephalopathy (E51.2) All ages.... 14 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 2. 2 1 50-54 years..... 1 1 55-59 years..... 3 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Bot.h Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Deficiency of other B group vitamins (E53) 16 All ages.... 14 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 3 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 7 1 5 1 1 6 95-99 years..... 5 1 4 5 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pyridoxine deficiency (E53.1) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Deficiency of other specified B group vitamins (E53.8) 19 13 All ages.... Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 3 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 7 1 5 1 1 6 95-99 years..... 4 1 3 4 1 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Vitamin B deficiency, unspecified (E53.9) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Ascorbic acid deficiency (E54) 1 1 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Vitamin D deficiency (E55) All ages.... Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Rickets, active (E55.0) 1 All ages..... Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Deficiency of other nutrient elements (E61) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 1 95-99 years..... 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Iron deficiency (E61.1) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 1 95-99 years..... 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other nutritional deficiencies (E63) 109 125 17 All ages.... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 2 1 1 2 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 16 10 15 9 80-84 years..... 16 4 12 14 2 12 2 2 85-89 years..... 33 37 30 4 3 41 8 1 90-94 years..... 28 26 26 2 24 2 2 2 95-99 years..... 18 15 2 3 16 3 13 2 5 5 1 100 years & over. 4 4

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other specified nutritional deficiencies (E63.8) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Nutritional deficiency, unspecified (E63.9) 142 124 17 All ages.... 108 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 2 1 1 2 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 10 15 9 80-84 years..... 16 4 12 14 2 12 2 2 85-89 years..... 32 36 4 3 40 8 29 1 90-94 years..... 28 26 26 2 24 2 2 2 95-99 years..... 18 15 2 3 16 3 13 2 5 5 1 100 years & over. 4 4

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Sequelae of malnutrition and other nutritional deficiencies (E64) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 40-44 years..... 1 1 1 1 45-49 years..... 3 1 3 50-54 years..... 1 55-59 years..... 1 1 1 1 60-64 years..... 65-69 years..... 70-74 years..... 3 75-79 years..... 80-84 years..... 13 4 9 11 3 8 1 1 85-89 years..... 6 14 8 13 5 8 1 1 90-94 years..... 15 3 12 15 12 3 95-99 years..... 4 4 4 4 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Sequelae of protein-energy malnutrition (E64.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 1 1 1 1 45-49 years..... 50-54 years..... 1 3 1 3 55-59 years..... 1 1 1 1 60-64 years..... 65-69 years..... 70-74 years..... 3 75-79 years..... 80-84 years..... 13 4 9 11 3 8 1 1 85-89 years..... 6 8 13 8 5 14 1 1 90-94 years..... 14 3 11 14 3 11 95-99 years..... 4 4 4 4 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality. 2002"]

Cause of death (Based on the International Classification of Asian or All races Diseases, Tenth White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female Male Female and age sexes Male Female sexes Male Female sexes sexes sexes Male Female Sequelae of other nutritional deficiencies (E64.8) All ages..... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Sequelae of unspecified nutritional deficiency (E64.9) 1 All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Male Female Male Female sexes Male Female sexes sexes sexes Obesity (E66) 3,690 1,725 1,965 2,894 1,422 1,472 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Obesity due to excess calories (E66.0) 15 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 3 30-34 years..... 3 1 2 3 1 2 35-39 years..... 5 3 2 4 2 2 1 40-44 years..... 5 1 1 1 45-49 years..... 3 1 1 50-54 years..... 3 3 1 1 55-59 years..... 1 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female Male Female and age sexes Female Male Female sexes sexes sexes sexes Extreme obesity with alveolar hypoventilation (E66.2) 119 53 96 50 21 All ages.... 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 4 30-34 years..... 3 2 1 3 2 1 35-39 years..... 4 4 2 2 2 40-44 years..... 8 5 2 1 1 45-49 years..... 12 10 2 9 8 1 2 1 50-54 years..... 9 4 3 1 55-59 years..... 15 4 11 11 60-64 years..... 18 12 15 65-69 years..... 12 10 70-74 years..... 9 7 75-79 years..... 12 80-84 years..... 8 2 6 8 2 6 85-89 years..... 2 2 2 4 2 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Male Female Male Female sexes Male Female sexes sexes sexes Other obesity (E66.8) 2,182 1,038 1,702 All ages..... 1,144 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Obesity, unspecified (E66.9) 1,060 All ages..... 1,343 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.0 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other hyperalimentation (E67) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hypervitaminosis A (E67.0) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorders of aromatic amino-acid metabolism (E70) All ages.... Under 1 year.... 1-4 years..... 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other hyperphenylalaninemias (E70.1) 2 All ages.... Under 1 year.... 1-4 years..... 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Albinism (E70.3) 3 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1 1 1 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of

asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992)				White Both			Black Both			American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Other disorders of a	romatic an	mino-acid	metabolism	(E70.8)											
All ages	1	1	_	_	_	_	_	_	_	_	_	_	1	1	_
Under 1 year	-	-	-	-	-	-	_	_	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	_	_	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	_	_	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	_	_	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	_	_	-	-	-	-	-	-	-
20-24 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
25-29 years	-	-	-	-	-	-	_	_	-	-	-	-	-	-	-
30-34 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
35-39 years	_	_	-	_	_	_	_	_	_	-	_	_	_	_	_
40-44 years	_	_	-	_	_	_	_	_	_	-	_	_	_	_	_
45-49 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
50-54 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
55-59 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
60-64 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
65-69 years	1	1	_	_	_	_	_	_	_	_	_	_	1	1	_
70-74 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
75-79 years	_	_	-	_	_	_	_	_	_	-	_	_	_	_	_
80-84 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
85-89 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
90-94 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
95-99 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
100 years & over.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Age not stated	_				_				_		_			_	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism (E71) 51 17 53 14 All ages.... 12 10 Under 1 year.... 14 9 5 8 6 2 5 3 1 9 4 5 8 3 5 1 1-4 years..... 1 5-9 years..... 9 7 2 8 6 2 1 1 10-14 years..... 13 9 4 9 4 2 15-19 years..... 6 6 6 6 20-24 years..... 2 2 25-29 years..... 4 4 30-34 years..... 2 2 1 1 1 1 35-39 years..... 40-44 years..... 2 45-49 years..... 2 2 2 2 3 3 1 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Maple-syrup-urine disease (E71.0) All ages..... 3 1 2 2 1 1 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 2 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Male Female Male Female sexes Male Female sexes Male sexes sexes sexes Other disorders of branched-chain amino-acid metabolism (E71.1) 8 ρ 3 All ages.... 1.3 Under 1 year.... 5 4 1 4 4 1-4 years..... 3 1 2 3 1 2 5-9 years..... 2 2 1 1 1 1 10-14 years..... 2 1 1 1 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorders of fatty-acid metabolism (E71.3) 32 12 All ages.... 10 10 9 Under 1 year.... 5 4 4 2 2 5 3 1-4 years..... 5 2 3 1 3 1 4 1 5-9 years..... 7 6 5 1 1 1 1 9 10-14 years..... 8 1 6 1 2 15-19 years..... 5 5 5 5 20-24 years..... 25-29 years..... 4 4 30-34 years..... 2 2 1 1 1 1 35-39 years..... 40-44 years..... 2 45-49 years..... 2 2 2 2 3 3 1 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other disorders of amino-acid metabolism (E72) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorders of amino-acid transport (E72.0) All ages.... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 3 3 30-34 years..... 35-39 years..... 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorders of sulphur-bearing amino-acid metabolism (E72.1) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 1 1 2 1 1 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorders of urea cycle metabolism (E72.2) 32 13 All ages.... 17 12 Under 1 year.... 15 6 9 9 5 6 1-4 years..... 5-9 years..... 2. 1 1 1 1 1 10-14 years..... 2 1 1 2 1 1 15-19 years..... 2 2 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 1 40-44 years..... 1 1 1 1 45-49 years..... 2 1 1 1 1 1 3 2 50-54 years..... 2 1 3 1 55-59 years..... 3 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 2 85-89 years..... 1 1 90-94 years..... 95-99 years..... 1 1 1 1 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorders of lysine and hydroxylysine metabolism (E72.3) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorders of ornithine metabolism (E72.4) 3 All ages.... Under 1 year.... 2 2 2 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorders of glycine metabolism (E72.5) All ages.... Under 1 year.... 2 1 1 2 1 1 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other specified disorders of amino-acid metabolism (E72.8) 2 All ages.... 2 Under 1 year.... 1-4 years..... 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years.....

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorder of amino-acid metabolism, unspecified (E72.9) All ages.... Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Lactose intolerance (E73) 1 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Secondary lactase deficiency (E73.1) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other disorders of carbohydrate metabolism (E74) 1.8 All ages.... 1 Under 1 year.... 17 8 9 10 6 6 1 1-4 years..... 6 4 2 2 2 1 4 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 3 2 2 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 40-44 years..... 3 3 2 1 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 1 60-64 years..... 1 1 1 65-69 years..... 1 70-74 years..... 75-79 years..... 3 80-84 years..... 4 1 1 3 85-89 years..... 3 2 1 2 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Glycogen storage disease (E74.0) 15 11 11 All ages.... Under 1 year.... 13 8 5 8 6 2 5 2 1-4 years..... 6 4 2 4 2 2 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 1 1 1 45-49 years..... 1 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorders of fructose metabolism (E74.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes Other disorders of intestinal carbohydrate absorption (E74.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 2 85-89 years..... 3 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes Disorders of pyruvate metabolism and gluconeogenesis (E74.4) All ages.... Under 1 year.... 3 3 2 2 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes Other specified disorders of carbohydrate metabolism (E74.8) All ages.... Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Female Male Female sexes Male Female Male sexes Male sexes sexes Disorders of sphingolipid metabolism and other lipid storage disorders (E75) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... R 1.8 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes GM2 gangliosidosis (E75.0) 10 10 All ages.... Under 1 year.... 1 1 1 1 1-4 years..... 8 4 4 6 4 2 5-9 years..... 4 2 2 4 2. 2 10-14 years..... 3 3 3 3 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Other gangliosidosis (E75.1) 2 All ages.... Under 1 year.... 1-4 years..... 2 1 1 2 1 1 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other sphingolipidosis (E75.2) 70 99 62 37 14 2 All ages.... 116 Under 1 year.... 12 5 7 10 5 5 1-4 years..... 29 14 15 23 1.0 13 5 4 1 5-9 years..... 1.0 7 3 ρ 1 2 2 10 10-14 years..... 8 2 9 2 1 1 15-19 years..... 6 1 6 5 1 1 1 20-24 years..... 6 25-29 years..... 5 4 30-34 years..... 4 1 3 3 1 2 1 1 35-39 years..... 2 2 1 1 1 1 40-44 years..... 5 3 5 3 45-49 years..... 5 4 1 5 4 1 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Neuronal ceroid lipofuscinosis (E75.4) 17 All ages.... 15 14 14 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 7 3 6 2 1 1 5 10-14 years..... 2 3 5 2 3 15-19 years..... 8 1 1 6 20-24 years..... 4 25-29 years..... 3 3 3 30-34 years..... 2 2 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other lipid storage disorders (E75.5) 3 All ages.... Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 35-39 years..... 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lipid storage disorder, unspecified (E75.6) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Female sexes sexes sexes Male sexes Disorders of glycosaminoglycan metabolism (E76) All ages.... 53 30 23 44 26 18 3 1 1 1 1 Under 1 year.... 1-4 years..... 8 4 3 1 1 5-9 years..... 6 3 3 5 3 2 1 1 10-14 years..... 13 8 5 12 5 1 15-19 years..... 13 9 12 8 20-24 years..... 7 4 3 3 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 2 3 2 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mucopolysaccharidosis, type I (E76.0) All ages.... 1.3 Under 1 year.... 1-4 years..... 5 4 2 1 1 1 5-9 years..... 3 3 1 2 1 1 1 10-14 years..... 4 4 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mucopolysaccharidosis, type II (E76.1) All ages.... Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 2 2 2 2. 10-14 years..... 4 4 3 3 1 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other mucopolysaccharidoses (E76.2) 10 13 All ages.... 14 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 3 2 1 3 2 1 15-19 years..... 9 2 9 2 20-24 years..... 6 3 2 25-29 years..... 1 30-34 years..... 35-39 years..... 1 1 40-44 years..... 45-49 years..... 3 1 2 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mucopolysaccharidosis, unspecified (E76.3) All ages.... Under 1 year.... 1-4 years..... 1 1 1 5-9 years..... 2 2 2 2 10-14 years..... 15-19 years..... 3 1 2 2 2 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorders of glycoprotein metabolism (E77) 27 17 10 13 All ages.... 1.0 Under 1 year.... 2 2 2 2 1-4 years..... 2 2 2 2 5-9 years..... 3 1 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 2 2 4 2 2 85-89 years..... 3 3 1 1 90-94 years..... 4 3 2 1 1 3 1 95-99 years..... 2 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Defects in posttranslational modification of lysosomal enzymes (E77.0) 1 All ages.... 1 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Defects in glycoprotein degradation (E77.1) All ages.... Under 1 year.... 2 2 2 2 1-4 years..... 1 1 1 1 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other disorders of glycoprotein metabolism (E77.8) 18 All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 2 2 4 2 2 85-89 years..... 3 3 1 1 90-94 years..... 4 3 2 1 1 3 1 95-99 years..... 2 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorder of glycoprotein metabolism, unspecified (E77.9) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Female Male Female and age sexes Female Female sexes Male Female Male sexes Male sexes Male sexes Disorders of lipoprotein metabolism and other lipidemias (E78) 5,237 2,874 2,111 All ages..... 2,363 4,693 2,582 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pure hypercholesterolemia (E78.0) 1,660 1,457 All ages.... 2.0 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Pure hyperglyceridemia (E78.1) All ages.... 49 12 54 42 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 3 25-29 years..... 1 1 1 1 30-34 years..... 6 6 6 6 35-39 years..... 8 8 1 40-44 years..... 6 6 6 6 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 3 65-69 years..... 70-74 years..... 1 75-79 years..... 2 1 1 2 1 80-84 years..... 2. 2. 2. 85-89 years..... 2 2 2 2 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth American Indian 1/ Pacific Islander 2/ All races White Black Revision, 1992) Both Both Both Both Bot.h Male Female sexes Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes Mixed hyperlipidemia (E78.2) 9 All ages..... 12 19 9 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 4 2 1 80-84 years..... 5 3 1 1 1 1 85-89 years..... 3 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hyperchylomicronemia (E78.3) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other hyperlipidemia (E78.4) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Male Female Male Female sexes Male Female sexes sexes sexes Hyperlipidemia, unspecified (E78.5) 3,470 1,894 1,576 3,141 1,716 1,425 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lipoprotein deficiency (E78.6) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 3 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Other disorders of lipoprotein metabolism (E78.8) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorder of lipoprotein metabolism, unspecified (E78.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorders of purine and pyrimidine metabolism (E79) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 1 85-89 years..... 3 2. 1 2 1 1 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth American Indian 1/ Pacific Islander 2/ All races White Black Revision, 1992) Both Both Both Both Bot.h and age Male Female sexes Hyperuricemia without signs of inflammatory arthritis and tophaceous disease (E79.0) All ages..... 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 3 2 1 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lesch-Nyhan syndrome (E79.1) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Other disorders of purine and pyrimidine metabolism (E79.8) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorders of porphyrin and bilirubin metabolism (E80) 18 10 All ages.... 11 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 2 2 4 1 1 2 50-54 years..... 2. 2 2 55-59 years..... 3 1 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 2 1 1 1 1 90-94 years..... 2 1 1 2 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hereditary erythropoietic porphyria (E80.0) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age Male Female Male Female Male Female sexes sexes sexes sexes sexes Porphyria cutanea tarda (E80.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other porphyria (E80.2) All ages..... 12 6 6 1.0 5 5 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 1 35-39 years..... 40-44 years..... 45-49 years..... 3 1 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Gilbert's syndrome (E80.4) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Crigler-Najjar syndrome (E80.5) All ages.... Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Disorders of mineral metabolism (E83) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 2. 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 1.0 50-54 years..... 2.7 2.0 1.5 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorders of copper metabolism (E83.0) 19 All ages.... Under 1 year.... 2 2 2 2 1-4 years..... 6 6 5 5 1 5-9 years..... 2. 2 2 10-14 years..... 2 2 2 2 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 2 30-34 years..... 2 1 1 1 1 35-39 years..... 1 1 1 40-44 years..... 2 2 2 4 4 45-49 years..... 2 2 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorders of iron metabolism (E83.1) 215 196 136 All ages.... 146 16 Under 1 year.... 4 2 2 2 2 1 1 1-4 years..... 5-9 years..... 10-14 years..... 1 1 15-19 years..... 20-24 years..... 25-29 years..... 2 30-34 years..... 5 2 3 2 1 1 3 1 2 35-39 years..... 40-44 years..... 1 1 45-49 years..... 9 9 8 8 1 50-54 years..... 2 14 12 11 10 1 1 55-59 years..... 15 12 8 3 60-64 years..... 20 14 19 13 65-69 years..... 23 18 23 18 70-74 years..... 26 32 25 75-79 years..... 41 22 19 39 21 18 80-84 years..... 31 22 9 31 22 9 85-89 years..... 7 4 3 7 3 4 90-94 years..... 3 3 3 3 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorders of phosphorus metabolism (E83.3) All ages.... Under 1 year.... 4 3 1 4 3 1 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorders of magnesium metabolism (E83.4) 5 All ages..... 6 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorders of calcium metabolism (E83.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2. 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.0 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorder of mineral metabolism, unspecified (E83.9) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Female Male Female Male Female and age Male Male Female Male Female sexes sexes sexes sexes sexes Cystic fibrosis (E84) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Female sexes sexes sexes Male sexes Cystic fibrosis with pulmonary manifestations (E84.0) 187 All ages..... 197 95 102 91 96 4 1 2 2 2 2 Under 1 year.... 1-4 years..... 2 1 1 1 1 1 1 5-9 years..... 5 2 3 5 2 3 10-14 years..... 12 3 9 10 3 15-19 years..... 25 8 17 25 8 17 20-24 years..... 42 17 25 38 14 24 25-29 years..... 33 19 14 32 18 14 1 1 30-34 years..... 26 16 10 26 16 10 35-39 years..... 18 10 8 17 10 7 1 40-44 years..... 15 6 15 6 45-49 years..... 4 3 1 3 4 1 50-54 years..... 3 3 3 3 55-59 years..... 60-64 years..... 3 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female Male Female and age sexes Male Female sexes sexes sexes sexes Cystic fibrosis with intestinal manifestations (E84.1) All ages.... Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 1 1 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cystic fibrosis with other manifestations (E84.8) All ages.... Under 1 year.... 3 2 1 2 2 1-4 years..... 1 1 1 1 5-9 years..... 2 10-14 years..... 2 2 2 15-19 years..... 4 2 2 4 2 20-24 years..... 5 25-29 years..... 2 30-34 years..... 2 1 1 2 1 1 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 2 2 2 2 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Cystic fibrosis, unspecified (E84.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Amyloidosis (E85) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.4 1.0 50-54 years..... 3.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2.0 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Nonneuropathic heredofamilial amyloidosis (E85.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Neuropathic heredofamilial amyloidosis (E85.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Heredofamilial amyloidosis, unspecified (E85.2) 10 10 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 1 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Secondary systemic amyloidosis (E85.3) All ages.... 11 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 1 1 45-49 years..... 5 4 1 5 1 50-54 years..... 7 2 2 5 3 55-59 years..... 12 10 60-64 years..... 14 13 65-69 years..... 9 70-74 years..... 12 10 75-79 years..... 12 12 80-84 years..... 5 3 2 4 3 1 1 1 85-89 years..... 2 1 1 2 1 1 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Organ-limited amyloidosis (E85.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.0 1.5 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other amyloidosis (E85.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Amyloidosis, unspecified (E85.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1.0 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Male Female Male Female sexes Male Female sexes sexes sexes Volume depletion (E86) 4,250 1,287 2,963 3,741 1,103 2,638 All ages..... 2.0 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1,019 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Female Male Female and age sexes Female Female sexes Male Female Male sexes Male sexes Male sexes Other disorders of fluid, electrolyte, and acid-base balance (E87) 3,095 1,928 1,610 All ages..... 1,167 2,521 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Hyperosmolality and hypernatremia (E87.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hypo-osmolality and hyponatremia (E87.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acidosis (E87.2) All ages..... Under 1 year.... 1.0 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.4 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1.3 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Alkalosis (E87.3) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 5 1 1 90-94 years..... 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mixed disorder of acid-base balance (E87.4) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Hyperkalemia (E87.5) All ages..... 1.0 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2.7 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hypokalemia (E87.6) 131 115 35 13 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 2 1 30-34 years..... 4 4 4 35-39 years..... 2 2 2 2 40-44 years..... 2 2 45-49 years..... 8 3 50-54 years..... 5 1 1 55-59 years..... 60-64 years..... 65-69 years..... 9 1 70-74 years..... 9 75-79 years..... 15 9 13 80-84 years..... 17 5 12 16 4 12 85-89 years..... 2.3 17 19 13 6 90-94 years..... 11 9 9 9 2 2 2 95-99 years..... 5 5 4 1 1 3 3 3 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Fluid overload (E87.7) All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 3 2 1 3 2 1 35-39 years..... 1 1 1 40-44 years..... 1 1 45-49 years..... 7 5 4 3 1 2 1 3 50-54 years..... 1 2 1 1 1 55-59 years..... 3 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 11 6 5 9 5 2 1 85-89 years..... 5 7 8 3 3 1 1 90-94 years..... 3 2 3 2 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Other disorders of electrolyte and fluid balance, not elsewhere classified (E87.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1.0 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other metabolic disorders (E88) All ages.... Under 1 year.... 2.4 1-4 years..... 5-9 years..... ρ 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or All races Diseases, Tenth White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Disorders of plasma-protein metabolism, not elsewhere classified (E88.0) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2.7 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2.0 1.0 2.0 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality. 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Lipodystrophy, not elsewhere classified (E88.1) All ages..... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Lipomatosis, not elsewhere classified (E88.2) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other specified metabolic disorders (E88.8) 7 18 12 All ages.... 17 Under 1 year.... 2 2 2 2 1-4 years..... 2 1 1 2 1 1 5-9 years..... 1 1 1 1 10-14 years..... 2 1 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 2 2 2 2 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Metabolic disorder, unspecified (E88.9) All ages.... Under 1 year.... 3.0 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.7 85-89 years..... 2.4 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Vascular dementia (F01) 18 17 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 3 75-79 years..... 80-84 years..... 6 5 1 5 5 1 1 85-89 years..... 9 11 2 1.5 13 2 90-94 years..... 11 8 11 8 3 3 95-99 years..... 3 3 3 3 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth American Indian 1/ Pacific Islander 2/ All races White Black Revision, 1992) Both Both Both Both Bot.h Male Female sexes Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes Multi-infarct dementia (F01.1) 5 8 All ages..... 15 1.0 12 4 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 4 3 75-79 years..... 80-84 years..... 1 1 85-89 years..... 5 1 4 4 1 3 1 1 90-94 years..... 2 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Female Male Female Male Female Male Female and age sexes Male Male Female sexes sexes sexes sexes Mixed cortical and subcortical vascular dementia (F01.3) 1 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other vascular dementia (F01.8) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Vascular dementia, unspecified (F01.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 3 3 85-89 years..... 9 2. 8 2 1 1 90-94 years..... 8 5 8 3 3 5 95-99 years..... 1 1 1 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Female sexes Male Female Male sexes sexes Male sexes Unspecified dementia (F03) 41,794 12,265 29,529 38,351 11,107 27,244 2,965 2,009 377 All ages..... 956 101 55 156 221 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 3 1 2 2 2 1 1 35-39 years..... 10 5 5 5 1 4 40-44 years..... 1 45-49 years..... 21 10 11 16 5 11 4 4 1 32 17 17 50-54 years..... 15 29 12 2 2 1 1 55-59 years..... 79 34 45 70 32 38 2 60-64 years..... 204 104 100 176 90 86 25 12 13 2 1 65-69 years..... 512 273 239 432 223 209 72 43 29 3 70-74 years..... 1,478 721 757 1,291 624 667 166 86 80 15 7 75-79 years..... 3,988 1,688 2,300 3,542 1,476 2,066 389 183 206 20 9 11 37 20 17 80-84 years..... 8,015 2,949 5,066 7,328 2,694 4,634 600 222 378 16 7 9 71 26 45 31 52 85-89 years..... 11,276 3,351 7,925 10,475 3,107 7,368 675 186 489 95 43 15 16 90-94 years..... 10,331 2,269 8,062 9,651 2,090 7.561 580 142 438 15 11 85 33 52 4 95-99 years..... 4,772 711 4,061 4,402 644 3,758 315 51 264 6 3 3 49 13 36 1,072 134 938 931 109 822 122 18 104 2 16 10 100 years & over. 3 1 6

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Delirium, not induced by alcohol and other psychoactive substances (F05) 145 75 70 70 63 All ages.... 133 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 2 2 1 1 1 45-49 years..... 6 5 1 6 5 1 50-54 years..... 1 1 1 1 55-59 years..... 4 3 3 60-64 years..... 65-69 years..... 70-74 years..... 11 11 75-79 years..... 15 9 12 80-84 years..... 22 10 12 22 1.0 12 85-89 years..... 29 18 11 2.8 18 10 1 1 90-94 years..... 23 7 16 22 7 15 1 1 95-99 years..... 14 6 8 10 4 6 4 2 2 5 4 5 1 4 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other delirium (F05.8) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Delirium, unspecified (F05.9) 75 132 70 All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 2 2 1 1 1 45-49 years..... 6 5 1 6 5 1 50-54 years..... 1 1 1 1 55-59 years..... 4 3 60-64 years..... 65-69 years..... 70-74 years..... 11 11 75-79 years..... 15 9 12 80-84 years..... 22 10 12 22 1.0 12 85-89 years..... 29 18 11 2.8 18 10 1 1 90-94 years..... 22 7 15 21 7 14 1 1 95-99 years..... 4 14 6 8 10 4 6 2 2 5 4 5 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female sexes Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes Other mental disorders due to brain damage and dysfunction and to physical disease (F06) All ages..... 1,812 1,275 1,666 1,178 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Organic mood [affective] disorders (F06.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Female Female sexes Male Female Male sexes Male sexes Male sexes Unspecified mental disorder due to brain damage and dysfunction and to physical disease (F06.9) 1,811 1,275 1,665 1,178 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Personality and behavioral disorders due to brain disease, damage, and dysfunction (F07) All ages..... Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Organic personality disorder (F07.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Postencephalitic syndrome (F07.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Postconcussional syndrome (F07.2) 3 All ages.... Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Unspecified organic or symptomatic mental disorder (F09) All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 1 3 3 1 2 1 1 85-89 years..... 2 1 1 1 1 1 90-94 years..... 2 1 2 1 1 1 95-99 years..... 1 1 1 1 1 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Female sexes Male Female sexes Male sexes Male sexes Male sexes Mental and behavioral disorders due to use of alcohol (F10) 6,842 5,402 4,390 1,172 1,037 All ages..... 1,440 5,562 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1,122 50-54 years..... 1,125 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.4 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acute intoxication (F10.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Harmful use (F10.1) 1,741 1,364 1,408 1,106 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2. 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Female Male Female Male Female sexes Male Female Male sexes sexes sexes Dependence syndrome (F10.2) 3,679 2,940 3,021 2,408 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Withdrawal state (F10.3) 93 75 All ages.... 116 18 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 2 2 2 35-39 years..... 18 13 5 14 10 3 1 40-44 years..... 19 13 16 12 1 6 1 1 45-49 years..... 10 7 3 1.0 7 50-54 years..... 9 2 14 11 3 11 1 55-59 years..... 8 7 5 2 60-64 years..... 14 13 1 65-69 years..... 11 10 70-74 years..... 10 9 75-79 years..... 5 4 80-84 years..... 2 2 2 2 85-89 years..... 2 1 1 1 1 90-94 years..... 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Withdrawal state with delirium (F10.4) 10 10 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 6 6 6 7 40-44 years..... 9 8 1 8 1 45-49 years..... 7 3 2 10 3 8 5 50-54 years..... 13 12 10 3 55-59 years..... 12 12 11 11 60-64 years..... 11 11 10 10 65-69 years..... 10 9 10 9 9 70-74 years..... 9 9 9 9 1 75-79 years..... 8 1 9 8 80-84 years..... 3 3 1 1 85-89 years..... 1 2 1 1 2 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Psychotic disorder (F10.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Amnesic syndrome (F10.6) 17 12 10 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 55-59 years..... 1 1 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 3 1 1 2 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Residual and late-onset psychotic disorder (F10.7) 175 103 3 All ages.... 131 141 23 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 3 3 3 3 50-54 years..... 7 3 5 2 1 1 1 1 55-59 years..... 5 5 1 1 60-64 years..... 16 15 1 14 13 65-69 years..... 21 16 16 11 70-74 years..... 23 14 16 7 75-79 years..... 34 26 31 24 80-84 years..... 31 21 10 25 17 8 5 4 1 1 85-89 years..... 18 14 4 17 13 1 1 90-94 years..... 9 5 2 1 6 3 1 1 95-99 years..... 4 3 1 4 3 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other mental and behavioral disorders (F10.8) 1 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1 1 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female sexes Male Female sexes sexes sexes Unspecified mental and behavioral disorder (F10.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2. 2. 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age Female Female sexes sexes Male sexes Male sexes sexes Mental and behavioral disorders due to use of opioids (F11) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Harmful use (F11.1) 148 111 37 25 All ages.... 112 23 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 3 2 1 1 1 1 1 1 20-24 years..... 5 4 25-29 years..... 7 5 4 30-34 years..... 15 9 6 14 9 5 1 1 35-39 years..... 23 19 4 22 18 1 1 40-44 years..... 31 22 27 20 2 45-49 years..... 28 21 2.0 17 3 8 4 4 50-54 years..... 25 21 9 11 14 12 2 55-59 years..... 8 6 4 4 2 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Dependence syndrome (F11.2) 54 All ages.... 16 12 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 2 1 1 2 1 1 20-24 years..... 5 25-29 years..... 3 2 2 2 30-34 years..... 4 4 4 4 35-39 years..... 16 11 5 15 10 5 40-44 years..... 17 12 5 14 10 2 1 45-49 years..... 13 12 1 12 12 1 9 8 7 50-54 years..... 1 6 55-59 years..... 3 3 3 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth American Indian 1/ Pacific Islander 2/ All races White Black Revision, 1992) Both Both Both Both Bot.h Male Female sexes Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes Withdrawal state (F11.3) 2 2 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 1 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Unspecified mental and behavioral disorder (F11.9) 50 All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 5 25-29 years..... 3 2 30-34 years..... 4 3 1 4 3 1 35-39 years..... 6 3 3 5 3 2 40-44 years..... 11 9 2 2 2 45-49 years..... 10 10 9 50-54 years..... 8 7 1 1 1 55-59 years..... 3 3 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes Mental and behavioral disorders due to use of cannabinoids (F12) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Harmful use (F12.1) 1 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Mental and behavioral disorders due to use of sedatives or hypnotics (F13) 2 2 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Dependence syndrome (F13.2) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Withdrawal state (F13.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Unspecified mental and behavioral disorder (F13.9) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 35-39 years..... 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age Female Female sexes Male Female sexes Male sexes Male sexes sexes Mental and behavioral disorders due to use of cocaine (F14) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.8 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acute intoxication (F14.0) 11 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 2 2 2 35-39 years..... 2 2 1 1 1 40-44 years..... 2 2 2 2 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Harmful use (F14.1) 178 101 All ages.... 164 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 2 2 1 1 1 1 20-24 years..... 7 5 2 25-29 years..... 17 11 10 7 3 30-34 years..... 17 10 7 7 5 2 10 5 5 35-39 years..... 38 20 18 17 10 20 9 11 1 40-44 years..... 70 41 29 26 19 22 22 44 45-49 years..... 53 35 18 16 11 5 35 23 12 1 50-54 years..... 35 31 10 21 4 10 2.5 4 55-59 years..... 15 12 3 4 4 11 8 60-64 years..... 8 1 1 1 6 65-69 years..... 3 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Dependence syndrome (F14.2) All ages.... 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 2 1 30-34 years..... 2 2 1 1 1 1 35-39 years..... 7 4 6 3 1 1 40-44 years..... 16 10 6 5 3 8 5 45-49 years..... 12 8 4 1 1 11 7 7 3 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Withdrawal state (F14.3) 1 1 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Psychotic disorder (F14.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 2 1 45-49 years..... 1 2 1 2 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Unspecified mental and behavioral disorder (F14.9) 103 35 59 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 3 25-29 years..... 8 4 30-34 years..... 5 3 2 3 3 1 1 1 35-39 years..... 15 10 5 9 6 6 4 2 40-44 years..... 20 12 8 6 5 1 1.3 6 45-49 years..... 23 19 4 1.0 1.0 13 9 50-54 years..... 12 1 1 11 8 3 55-59 years..... 7 1 5 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality. 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Mental and behavioral disorders due to use of other stimulants, including caffeine (F15) 2 All ages..... 52 34 18 44 29 15 1 1 2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 6 3 25-29 years..... 3 3 3 30-34 years..... 5 5 5 5 35-39 years..... 13 11 1 40-44 years..... 12 8 1.0 1 8 45-49 years..... 6 50-54 years..... 3 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acute intoxication (F15.0) 3 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 2 1 1 1 40-44 years..... 1 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Harmful use (F15.1) 18 15 All ages.... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 5 3 25-29 years..... 2 2 30-34 years..... 2 2 2 2 35-39 years..... 8 4 7 3 1 40-44 years..... 6 3 3 3 1 1 45-49 years..... 3 2 1 3 2 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Dependence syndrome (F15.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should

be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Psychotic disorder (F15.5) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Female Male Female Male Female and age sexes Male Male Female Male Female sexes sexes sexes sexes Unspecified mental and behavioral disorder (F15.9) 11 1 All ages.... 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 25-29 years..... 2 2 30-34 years..... 35-39 years..... 2 2 2 2 40-44 years..... 3 3 2 45-49 years..... 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mental and behavioral disorders due to use of hallucinogens (F16) 3 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 2 2 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Harmful use (F16.1) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Dependence syndrome (F16.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Female Male Female sexes Male sexes sexes sexes Mental and behavioral disorders due to use of tobacco (F17) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.5 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Harmful use (F17.1) 147 73 136 70 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 1 2 45-49 years..... 3 1 2 2 1 1 1 1 50-54 years..... 5 3 2 2 55-59 years..... 15 10 13 8 60-64 years..... 18 15 65-69 years..... 21 13 20 12 70-74 years..... 31 11 20 31 11 20 75-79 years..... 21 9 12 20 8 12 9 80-84 years..... 20 11 19 8 11 1 85-89 years..... 7 3 2 6 1 90-94 years..... 3 3 3 3 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Dependence syndrome (F17.2) 18 17 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 1 1 50-54 years..... 3 2 1 1 2 1 1 55-59 years..... 3 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 4 2 2 85-89 years..... 2 1 1 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Withdrawal state (F17.3) 1 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Residual and late-onset psychotic disorder (F17.7) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Unspecified mental and behavioral disorder (F17.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2.0 2.4 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992)				White Both			Black Both			American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Mental and behavioral	l disorden	rs due to	use of vol	atile solv	ents (F18)										
All ages	5	3	2	5	3	2	_	_	_	_	_	_	_	_	_
Under 1 year	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-
1-4 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-
5-9 years	-	-	-	-	-	_	-	-	_	-	_	_	-	_	_
10-14 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-
15-19 years	3	2	1	3	2	1	_	_	_	_	_	_	_	_	-
20-24 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-
25-29 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-
30-34 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
35-39 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
40-44 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
45-49 years	1	1	_	1	1	_	_	_	_	_	_	_	_	_	_
50-54 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
55-59 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
60-64 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
65-69 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
70-74 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
75-79 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
80-84 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
85-89 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
90-94 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
95-99 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
100 years & over.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Age not stated	_				_									_	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Harmful use (F18.1) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Unspecified mental and behavioral disorder (F18.9) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States:
Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances (F19) All ages..... 1,352 1,043 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2.0 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2. 80-84 years..... 2. 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Harmful use (F19.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Dependence syndrome (F19.2) 192 All ages.... 221 164 2.7 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 7 7 25-29 years..... 15 12 3 15 12 3 30-34 years..... 27 19 8 25 18 7 2 1 1 35-39 years..... 46 32 41 27 1 14 14 4 4 40-44 years..... 45 31 14 39 28 11 6 3 45-49 years..... 59 49 37 44 15 12 10 3 37 27 9 50-54 years..... 32 5 24 3 55-59 years..... 6 1 3 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 1 2 1 1 80-84 years..... 1 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Withdrawal state (F19.3) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2 2 30-34 years..... 2 2 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 3 3 3 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Withdrawal state with delirium (F19.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Psychotic disorder (F19.5) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Male Female Male Female and age sexes Female Male Female Male Female sexes sexes sexes sexes Unspecified mental and behavioral disorder (F19.9) 136 55 59 All ages.... 106 2.0 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 10 25-29 years..... 9 6 3 8 5 30-34 years..... 13 6 7 13 6 35-39 years..... 16 8 8 10 4 6 4 2 40-44 years..... 18 12 17 6 11 6 1 1 45-49 years..... 25 18 7 17 12 5 8 6 50-54 years..... 16 11 11 6 1 55-59 years..... 7 5 4 3 60-64 years..... 3 1 2 1 65-69 years..... 4 2 2 3 70-74 years..... 1 2 75-79 years..... 2. 2. 2. 2. 80-84 years..... 3 2 1 85-89 years..... 1 2 1 1 90-94 years..... 2 1 1 1 1 95-99 years..... 1 1 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of

asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Schizophrenia (F20) All ages..... 3.0 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1.0 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality. 2002"]

Cause of death (Based on the International Classification of Asian or All races Diseases, Tenth White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Paranoid schizophrenia (F20.0) All ages.... 36 12 24 27 9 18 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 1 1 1 1 45-49 years..... 1 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 5 5 75-79 years..... 1 1 2 5 2 4 80-84 years..... 6 1 1 85-89 years..... 4 1 3 3 3 1 90-94 years..... 4 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hebephrenic schizophrenia (F20.1) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Catatonic schizophrenia (F20.2) 13 11 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Undifferentiated schizophrenia (F20.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Residual schizophrenia (F20.5) 33 17 All ages.... 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 4 3 1 2 2 1 50-54 years..... 1 1 1 1 55-59 years..... 3 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 8 5 3 5 3 85-89 years..... 2. 5 2 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Simple schizophrenia (F20.6) 10 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 5 1 4 4 1 3 85-89 years..... 2. 9 11 2. 9 11 90-94 years..... 5 3 5 2 3 2 95-99 years..... 7 3 4 5 1 1 1 1 3 3 3 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Other schizophrenia (F20.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Schizophrenia, unspecified (F20.9) All ages.... 285 114 171 244 95 149 37 17 2.0 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2 2 2 2 30-34 years..... 6 2 3 1 1 2 35-39 years..... 5 2 3 5 2 40-44 years..... 1.0 5 5 2 45-49 years..... 9 1 11 8 1 1 50-54 years..... 12 55-59 years..... 18 10 13 60-64 years..... 9 7 9 7 65-69 years..... 17 9 12 70-74 years..... 38 19 19 34 16 18 75-79 years..... 46 18 28 42 14 2.8 4 4 9 21 32 23 28 2 80-84 years..... 85-89 years..... 9 37 43 9 34 3 3 46 90-94 years..... 23 3 20 19 3 16 3 3 1 95-99 years..... 9 8 8 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Persistent delusional disorders (F22) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 3 85-89 years..... 2 2 90-94 years..... 95-99 years..... 1 1 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Delusional disorder (F22.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 1 1 1 1 80-84 years..... 4 85-89 years..... 2 2 90-94 years..... 95-99 years..... 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States:

Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992)		All races		White Both			Both	Black		American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Acute and transient	navahot i a	digardare	- (E22)												
Acute and transfert	psychotic	disorders	5 (FZ3)												
All ages	11	8	3	8	6	2	3	2	1	_	_	_	_	_	_
Under 1 year	-	-	-	-	-	_	-	-	_	-	_	_	-	-	-
1-4 years	-	-	-	-	-	_	-	-	_	-	_	_	-	-	-
5-9 years	-	-	-	-	-	_	-	-	-	-	_	-	-	-	-
10-14 years	-	-	_	-	-	-	-	-	-	-	-	-	-	-	_
15-19 years	-	-	_	-	-	-	-	-	-	-	-	-	-	-	_
20-24 years	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	_	-	-	-	-
35-39 years	2	2	-	1	1	-	1	1	-	-	_	-	-	-	_
40-44 years	1	1	-	-	-	-	1	1	-	-	_	-	-	-	_
45-49 years	2	2	-	2	2	-	-	-	_	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Acute and transient psychotic disorder, unspecified (F23.9) All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 2 2 35-39 years..... 1 1 40-44 years..... 1 1 1 1 45-49 years..... 2 2 2 50-54 years..... 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Schizoaffective disorders (F25) 10 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 2 2 2. 55-59 years..... 60-64 years..... 65-69 years..... 3 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Schizoaffective disorder, unspecified (F25.9) All ages.... 1.0 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 2 2 2 2. 55-59 years..... 60-64 years..... 65-69 years..... 3 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Unspecified nonorganic psychosis (F29) All ages.... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 3 3 1 1 2 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 3 70-74 years..... 75-79 years..... 80-84 years..... 8 8 7 1 85-89 years..... 8 7 1 1 90-94 years..... 8 7 7 1 1 1 1 6 95-99 years..... 6 6 6 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Manic episode (F30) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 2 1 1 2 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hypomania (F30.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Manic episode, unspecified (F30.9) 2 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 2 1 1 2 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Bipolar affective disorder (F31) 32 29 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 3 1 2 3 2 40-44 years..... 3 3 2 2 1 45-49 years..... 6 1 5 1 1 1 50-54 years..... 2 2. 2 2 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 12 11 11 10 75-79 years..... 13 11 13 11 80-84 years..... 18 8 10 18 8 10 85-89 years..... 7 2 9 9 11 2 1 1 90-94 years..... 2 4 2 4 2 2 95-99 years..... 3 3 3 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Female Male Female sexes sexes Male sexes sexes Bipolar affective disorder, current episode manic without psychotic symptoms (F31.1) All ages..... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other bipolar affective disorders (F31.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Bipolar affective disorder, unspecified (F31.9) 90 55 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 3 1 2 3 1 2 40-44 years..... 3 3 2 2 1 45-49 years..... 6 1 5 1 1 1 2 50-54 years..... 3 1 2 3 1 55-59 years..... 4 60-64 years..... 65-69 years..... 70-74 years..... 10 10 9 75-79 years..... 11 9 11 80-84 years..... 17 7 1.0 17 10 85-89 years..... 7 2 9 9 11 2 1 1 90-94 years..... 4 2 4 2 2 2 95-99 years..... 3 3 3 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Depressive episode (F32) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female Male Female and age sexes Female Male Female sexes Male sexes sexes sexes Severe depressive episode without psychotic symptoms (F32.2) 19 75 17 58 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 3 3 60-64 years..... 65-69 years..... 70-74 years..... 9 9 75-79 years..... 80-84 years..... 20 3 17 15 2 13 3 85-89 years..... 19 5 14 19 14 90-94 years..... 10 7 10 7 3 3 95-99 years..... 5 5 5 5 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Severe depressive episode with psychotic symptoms (F32.3) All ages.... 12 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 4 80-84 years..... 3 3 3 3 85-89 years..... 2 2. 2 2. 90-94 years..... 1 1 1 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other depressive episodes (F32.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Depressive episode, unspecified (F32.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Recurrent depressive disorder (F33) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 1 1 90-94 years..... 4 4 4 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age sexes Male Female Female Male Female sexes Male Female sexes Male sexes sexes Recurrent depressive disorder, current episode severe without psychotic symptoms (F33.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 3 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Recurrent depressive disorder, unspecified (F33.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 1 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Persistent mood [affective] disorders (F34) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Cyclothymia (F34.0) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Dysthymia (F34.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Unspecified mood [affective] disorder (F39) 3 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Phobic anxiety disorders (F40) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Agoraphobia (F40.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Specific (isolated) phobias (F40.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other anxiety disorders (F41) 11 All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 1 1 45-49 years..... 1 1 1 1 50-54 years..... 1 2 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 7 1 6 6 1 5 1 85-89 years..... 7 3 9 3 1.0 1 90-94 years..... 5 5 5 5 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Panic disorder [episodic paroxysmal anxiety] (F41.0) 1 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Generalized anxiety disorder (F41.1) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 85-89 years..... 90-94 years..... 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mixed anxiety and depressive disorder (F41.2) All ages.... 11 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 2 2 1 1 85-89 years..... 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Anxiety disorder, unspecified (F41.9) 19 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 1 1 1 1 50-54 years..... 1 2. 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 2 2 2 85-89 years..... 8 3 3 1 90-94 years..... 3 3 3 3 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes Reaction to severe stress, and adjustment disorders (F43) 17 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 1 1 1 1 5 50-54 years..... 1 1 55-59 years..... 3 3 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 6 4 2 4 2 85-89 years..... 5 2. 3 3 2 90-94 years..... 3 3 2 95-99 years..... 6 6 6 3 3 3 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Posttraumatic stress disorder (F43.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 3 3 2. 1 50-54 years..... 1 55-59 years..... 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Adjustment disorders (F43.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 2 80-84 years..... 3 1 85-89 years..... 2 90-94 years..... 1 1 95-99 years..... 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Reaction to severe stress, unspecified (F43.9) 13 All ages.... 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 1 1 1 1 50-54 years..... 2. 1 1 1 1 1 55-59 years..... 60-64 years..... 1 1 65-69 years..... 3 70-74 years..... 75-79 years..... 80-84 years..... 2 1 1 2 1 1 85-89 years..... 2 1 1 1 1 90-94 years..... 2 2 2 2 95-99 years..... 6 6 6 6 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Dissociative [conversion] disorders (F44) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Dissociative motor disorders (F44.4) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other dissociative [conversion] disorders (F44.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Somatoform disorders (F45) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Somatoform autonomic dysfunction (F45.3) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other somatoform disorders (F45.8) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other neurotic disorders (F48) All ages.... Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Neurasthenia (F48.0) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Neurotic disorder, unspecified (F48.9) All ages.... Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Eating disorders (F50) 207 249 50 199 2 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 4 4 20-24 years..... 5 25-29 years..... 7 7 6 30-34 years..... 14 1 13 14 1 13 35-39 years..... 10 1 9 10 1 9 40-44 years..... 7 7 45-49 years..... 7 1 7 1 6 6 50-54 years..... 8 1 8 1 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 11 7 10 80-84 years..... 31 12 19 30 12 18 1 1 85-89 years..... 15 37 34 52 48 14 4 3 90-94 years..... 52 10 42 50 9 41 1 1 1 95-99 years..... 25 25 22 3 22 3 9 1 8 9 1 8 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Anorexia nervosa (F50.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 4 20-24 years..... 25-29 years..... 30-34 years..... 9 7 35-39 years..... 7 7 40-44 years..... 5 5 45-49 years..... 5 1 1 50-54 years..... 1 1 55-59 years..... 3 3 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 3 1 2 3 1 2 85-89 years..... 1 1 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Bulimia nervosa (F50.2) 15 12 All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 30-34 years..... 5 1 4 5 1 35-39 years..... 2 2 2 2 40-44 years..... 1 1 1 1 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 1 85-89 years..... 1 1 1 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other eating disorders (F50.8) 132 All ages.... 169 126 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 1 1 70-74 years..... 3 9 75-79 years..... 9 5 80-84 years..... 27 10 17 26 10 16 1 1 85-89 years..... 31 49 15 34 45 14 3 90-94 years..... 49 10 39 47 9 38 1 1 1 95-99 years..... 22 25 22 25 3 3 9 1 8 9 1 8 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Eating disorder, unspecified (F50.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Sexual dysfunction, not caused by organic disorder or disease (F52) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Sexual aversion and lack of sexual enjoyment (F52.1) 1 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Orgasmic dysfunction (F52.3) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female and age Female Female Male Female sexes Male Female sexes Male sexes Male sexes sexes Psychological and behavioral factors associated with disorders or diseases classified elsewhere (F54) 140 70 70 58 All ages.... 112 10 15 2 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 1 35-39 years..... 40-44 years..... 2 2 1 1 1 45-49 years..... 3 2 1 3 2 1 4 3 2 50-54 years..... 3 1 1 1 55-59 years..... 3 1 1 1 60-64 years..... 3 65-69 years..... 9 1 70-74 years..... 12 9 10 75-79 years..... 15 13 80-84 years..... 31 18 13 2.8 16 12 3 2 1 7 21 1.0 11 16 9 85-89 years..... 4 4 1 90-94 years..... 20 5 15 17 5 12 3 3 95-99 years..... 11 3 8 8 3 5 3 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age Male Female Male Female Male Female sexes sexes sexes sexes sexes Abuse of non-dependence-producing substances (F55) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Specific personality disorders (F60) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Emotionally unstable personality disorder (F60.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Anankastic personality disorder (F60.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Personality disorder, unspecified (F60.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or All races Diseases, Tenth White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Male Female Enduring personality changes, not attributable to brain damage and disease (F62) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other enduring personality changes (F62.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disorders of sexual preference (F65) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 1 1 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other disorders of sexual preference (F65.8) 1 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Mild mental retardation (F70) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Moderate mental retardation (F71) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Severe mental retardation (F72) 39 30 58 30 All ages.... 1.0 Under 1 year.... 1-4 years..... 2 2 2 2 5-9 years..... 1 1 1 1 10-14 years..... 3 3 2 2 1 1 15-19 years..... 2 2 2 2 20-24 years..... 25-29 years..... 1 1 30-34 years..... 35-39 years..... 5 1 3 2 1 1 1 40-44 years..... 6 3 3 5 3 2 1 45-49 years..... 7 3 4 5 2 3 1 50-54 years..... 5 1 1 55-59 years..... 4 3 3 60-64 years..... 10 65-69 years..... 5 70-74 years..... 75-79 years..... 80-84 years..... 3 3 3 3 85-89 years..... 2 2 2. 2. 90-94 years..... 2 2 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Profound mental retardation (F73) 39 17 32 All ages.... 14 Under 1 year.... 1-4 years..... 2 2 2 2 5-9 years..... 3 2 1 3 2 1 10-14 years..... 1 1 1 15-19 years..... 1 1 20-24 years..... 25-29 years..... 2 30-34 years..... 4 2 2 1 1 3 1 2 35-39 years..... 40-44 years..... 3 1 2 3 45-49 years..... 11 8 3 11 8 3 1 50-54 years..... 6 5 1 4 3 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 4 3 1 4 3 1 85-89 years..... 2 1 1 2. 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Unspecified mental retardation (F79) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.8 50-54 years..... 2.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female sexes Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes Specific developmental disorders of scholastic skills (F81) All ages..... 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Developmental disorder of scholastic skills, unspecified (F81.9) 1 1 All ages..... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Specific developmental disorder of motor function (F82) 2 2 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 10-14 years..... 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

100 years & over. Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both Male Female Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Pervasive developmental disorders (F84) All ages.... 30 7 23 27 5 22 1 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 4 4 4 10-14 years..... 6 1 5 6 1 5 15-19 years..... 3 20-24 years..... 25-29 years..... 2 30-34 years..... 4 4 4 35-39 years..... 1 1 2 40-44 years..... 5 3 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 1 1 1 90-94 years..... 95-99 years.....

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Childhood autism (F84.0) 9 6 All ages..... Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 1 1 1 1 10-14 years..... 2 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 2 2 2 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female Male Female and age sexes Male Female Male Female sexes sexes sexes sexes Rett's syndrome (F84.2) 19 19 18 18 All ages.... Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 3 3 3 3 10-14 years..... 4 4 4 4 15-19 years..... 3 3 2 2 1 1 20-24 years..... 25-29 years..... 30-34 years..... 4 4 4 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other childhood disintegrative disorder (F84.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Female Male Female Male Female sexes Male sexes sexes sexes Unspecified disorder of psychological development (F89) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 2 1 1 1 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 1 1 1 1 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h and age Male Female Male Female Male Female sexes Male Female Male Female sexes sexes sexes sexes Hyperkinetic disorders (F90) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Disturbance of activity and attention (F90.0) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Conduct disorders (F91) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Other conduct disorders (F91.8) 1 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Conduct disorder, unspecified (F91.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 35-39 years..... 1 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth White American Indian 1/ Pacific Islander 2/ All races Black Revision, 1992) Both Both Both Both Both Male Female Male Female and age sexes Male Female sexes Male Female sexes Male Female sexes sexes Tic disorders (F95) All ages..... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Combined vocal and multiple motor tic disorder [de la Tourette] (F95.2) 1 All ages..... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Mental disorder, not otherwise specified (F99) 12 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 1 1 40-44 years..... 2 1 1 1 45-49 years..... 1 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 3 90-94 years..... 2 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Bot.h Bot.h Male Female Male Female and age Female Male Female sexes Male Female sexes Male sexes sexes sexes Bacterial meningitis, not elsewhere classified (G00) All ages.... Under 1 year.... 1.0 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.4 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Bot.h Male Female Male Female and age sexes Male Female Male Female Male Female sexes sexes sexes sexes Hemophilus meningitis (G00.0) All ages.... Under 1 year.... 3 3 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.