



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Alaska

All races, both sexes.....	750	-	-	1	3	1	2	2	6	9	19	39
Male.....	421	-	-	1	2	-	1	-	3	5	9	19
Female.....	329	-	-	-	1	1	1	2	3	4	10	20
White, both sexes.....	570	-	-	1	2	1	1	-	3	8	13	30
Male.....	338	-	-	1	2	-	1	-	1	4	7	16
Female.....	232	-	-	-	-	1	-	-	2	4	6	14
Black, both sexes.....	18	-	-	-	-	-	-	-	-	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	139	-	-	-	1	-	1	2	3	1	5	7
Male.....	66	-	-	-	-	-	-	-	2	1	2	3
Female.....	73	-	-	-	1	-	1	2	1	-	3	4
Asian or Pacific Islander 2/, both sexes.....	23	-	-	-	-	-	-	-	-	-	1	2
Male.....	11	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	-	-	-	-	1	2

Arizona

All races, both sexes.....	9,884	1	16	16	6	10	16	22	50	65	175	334
Male.....	5,314	-	9	8	4	5	9	15	27	32	81	181
Female.....	4,570	1	7	8	2	5	7	7	23	33	94	153
White, both sexes.....	9,373	1	15	13	5	8	14	19	44	58	156	310
Male.....	5,085	-	8	8	4	5	7	13	25	32	73	172
Female.....	4,288	1	7	5	1	3	7	6	19	26	83	138
Black, both sexes.....	226	-	-	1	-	-	1	1	2	1	11	12
Male.....	110	-	-	-	-	-	1	-	1	-	6	5
Female.....	116	-	-	1	-	-	-	1	1	1	5	7
American Indian 1/, both sexes.....	197	-	1	2	1	2	1	1	1	3	3	7
Male.....	85	-	1	-	-	-	1	1	-	-	1	3
Female.....	112	-	-	2	1	2	-	-	-	3	2	4
Asian or Pacific Islander 2/, both sexes.....	88	-	-	-	-	-	-	1	3	3	5	5
Male.....	34	-	-	-	-	-	-	1	-	-	1	1
Female.....	54	-	-	-	-	-	-	-	3	3	4	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Arkansas

All races, both sexes.....	6,257	2	10	3	3	6	14	13	26	48	102	240
Male.....	3,416	-	4	1	1	5	8	10	15	22	53	128
Female.....	2,841	2	6	2	2	1	6	3	11	26	49	112
White, both sexes.....	5,390	2	7	3	3	5	10	11	21	36	79	176
Male.....	2,929	-	3	1	1	5	6	8	12	18	42	91
Female.....	2,461	2	4	2	2	-	4	3	9	18	37	85
Black, both sexes.....	839	-	2	-	-	-	4	2	5	12	21	62
Male.....	468	-	-	-	-	-	2	2	3	4	11	36
Female.....	371	-	2	-	-	-	2	-	2	8	10	26
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	-	1	1
Male.....	10	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	13	-	1	-	-	1	-	-	-	-	1	1
Male.....	9	-	1	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	1	-	-	-	-	1	-

California

All races, both sexes.....	55,607	15	60	88	107	109	139	164	332	586	1,087	2,033
Male.....	28,159	7	33	54	53	75	77	95	173	253	457	959
Female.....	27,448	8	27	34	54	34	62	69	159	333	630	1,074
White, both sexes.....	46,625	12	49	75	83	88	109	133	248	447	845	1,560
Male.....	23,560	6	27	45	40	61	62	80	125	193	367	736
Female.....	23,065	6	22	30	43	27	47	53	123	254	478	824
Black, both sexes.....	4,202	-	5	8	9	9	12	11	30	58	119	232
Male.....	2,166	-	3	7	5	6	7	5	17	21	44	108
Female.....	2,036	-	2	1	4	3	5	6	13	37	75	124
American Indian 1/, both sexes.....	227	-	-	-	-	1	2	2	1	5	8	14
Male.....	116	-	-	-	-	1	2	1	-	2	3	10
Female.....	111	-	-	-	-	-	-	1	1	3	5	4
Asian or Pacific Islander 2/, both sexes.....	4,553	3	6	5	15	11	16	18	53	76	115	227
Male.....	2,317	1	3	2	8	7	6	9	31	37	43	105
Female.....	2,236	2	3	3	7	4	10	9	22	39	72	122

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Colorado

All races, both sexes.....	6,564	2	2	3	13	14	13	23	26	64	145	239
Male.....	3,377	-	1	1	4	8	9	13	16	33	57	112
Female.....	3,187	2	1	2	9	6	4	10	10	31	88	127
White, both sexes.....	6,238	1	2	3	13	11	12	23	24	60	129	227
Male.....	3,200	-	1	1	4	6	8	13	15	30	49	106
Female.....	3,038	1	1	2	9	5	4	10	9	30	80	121
Black, both sexes.....	221	-	-	-	-	3	-	-	1	3	10	7
Male.....	129	-	-	-	-	2	-	-	-	3	5	4
Female.....	92	-	-	-	-	1	-	-	1	-	5	3
American Indian 1/, both sexes.....	24	-	-	-	-	-	-	-	-	1	3	-
Male.....	11	-	-	-	-	-	-	-	-	-	2	-
Female.....	13	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	81	1	-	-	-	-	1	-	1	-	3	5
Male.....	37	-	-	-	-	-	1	-	1	-	1	2
Female.....	44	1	-	-	-	-	-	-	-	-	2	3

Connecticut

All races, both sexes.....	7,339	2	3	4	9	7	11	12	22	58	121	192
Male.....	3,709	1	3	4	8	5	6	8	13	29	56	78
Female.....	3,630	1	-	-	1	2	5	4	9	29	65	114
White, both sexes.....	6,815	1	2	3	7	7	9	10	20	48	106	161
Male.....	3,452	-	2	3	6	5	6	6	12	25	49	66
Female.....	3,363	1	-	-	1	2	3	4	8	23	57	95
Black, both sexes.....	473	-	1	-	1	-	1	1	2	8	13	30
Male.....	232	-	1	-	1	-	-	1	1	3	6	11
Female.....	241	-	-	-	-	-	1	-	1	5	7	19
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	46	1	-	1	1	-	1	1	-	2	2	1
Male.....	22	1	-	1	1	-	-	1	-	1	1	1
Female.....	24	-	-	-	-	-	1	-	-	1	1	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Florida

All races, both sexes.....	40,420	2	22	33	33	43	56	70	128	281	696	1,294
Male.....	21,704	1	12	18	13	29	35	37	55	113	341	669
Female.....	18,716	1	10	15	20	14	21	33	73	168	355	625
White, both sexes.....	36,431	1	19	25	26	36	47	55	96	212	569	1,035
Male.....	19,643	1	10	13	11	25	29	30	43	90	290	541
Female.....	16,788	-	9	12	15	11	18	25	53	122	279	494
Black, both sexes.....	3,768	1	3	7	7	7	9	14	30	64	118	245
Male.....	1,952	-	2	5	2	4	6	6	11	22	46	121
Female.....	1,816	1	1	2	5	3	3	8	19	42	72	124
American Indian 1/, both sexes.....	28	-	-	-	-	-	-	-	-	-	-	1
Male.....	19	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	193	-	-	1	-	-	-	1	2	5	9	13
Male.....	90	-	-	-	-	-	-	1	1	1	5	7
Female.....	103	-	-	1	-	-	-	-	1	4	4	6

Georgia

All races, both sexes.....	14,370	5	7	20	14	20	21	48	87	183	359	576
Male.....	7,420	2	3	13	7	12	10	25	35	67	178	302
Female.....	6,950	3	4	7	7	8	11	23	52	116	181	274
White, both sexes.....	10,583	4	4	11	9	13	12	23	49	99	224	341
Male.....	5,503	2	2	8	3	8	6	14	21	36	103	187
Female.....	5,080	2	2	3	6	5	6	9	28	63	121	154
Black, both sexes.....	3,659	1	3	9	5	7	9	25	37	80	130	226
Male.....	1,848	-	1	5	4	4	4	11	14	29	73	112
Female.....	1,811	1	2	4	1	3	5	14	23	51	57	114
American Indian 1/, both sexes.....	30	-	-	-	-	-	-	-	-	1	1	-
Male.....	14	-	-	-	-	-	-	-	-	-	1	-
Female.....	16	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	98	-	-	-	-	-	-	-	1	3	4	9
Male.....	55	-	-	-	-	-	-	-	-	2	1	3
Female.....	43	-	-	-	-	-	-	-	1	1	3	6





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Iowa

All races, both sexes.....	6,642	2	3	4	7	7	11	16	25	36	105	194
Male.....	3,416	1	3	1	4	5	6	9	10	15	44	91
Female.....	3,226	1	-	3	3	2	5	7	15	21	61	103
White, both sexes.....	6,521	1	2	4	7	7	10	16	24	32	105	186
Male.....	3,346	1	2	1	4	5	6	9	10	12	44	87
Female.....	3,175	-	-	3	3	2	4	7	14	20	61	99
Black, both sexes.....	93	1	-	-	-	-	-	-	1	2	-	6
Male.....	53	-	-	-	-	-	-	-	-	1	-	2
Female.....	40	1	-	-	-	-	-	-	1	1	-	4
American Indian 1/, both sexes.....	9	-	-	-	-	-	1	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	1	-	-	-	-	-	-	2	-	2
Male.....	14	-	1	-	-	-	-	-	-	2	-	2
Female.....	5	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	5,464	3	4	4	4	5	2	14	15	47	91	169
Male.....	2,804	2	1	2	2	1	2	7	8	18	48	88
Female.....	2,660	1	3	2	2	4	-	7	7	29	43	81
White, both sexes.....	5,142	3	3	3	3	5	2	11	15	45	79	153
Male.....	2,642	2	1	2	1	1	2	4	8	18	44	82
Female.....	2,500	1	2	1	2	4	-	7	7	27	35	71
Black, both sexes.....	258	-	-	-	1	-	-	2	-	1	10	12
Male.....	131	-	-	-	1	-	-	2	-	-	2	4
Female.....	127	-	-	-	-	-	-	-	-	1	8	8
American Indian 1/, both sexes.....	25	-	-	-	-	-	-	-	-	-	1	2
Male.....	12	-	-	-	-	-	-	-	-	-	1	1
Female.....	13	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	39	-	1	1	-	-	-	1	-	1	1	2
Male.....	19	-	-	-	-	-	-	1	-	-	1	1
Female.....	20	-	1	1	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Kentucky

All races, both sexes.....	9,558	1	10	1	15	10	23	30	37	88	192	336
Male.....	5,111	1	6	-	7	4	10	17	15	38	89	173
Female.....	4,447	-	4	1	8	6	13	13	22	50	103	163
White, both sexes.....	8,883	-	9	1	13	10	21	25	32	81	179	293
Male.....	4,769	-	5	-	6	4	10	15	13	37	84	151
Female.....	4,114	-	4	1	7	6	11	10	19	44	95	142
Black, both sexes.....	641	1	1	-	2	-	2	5	4	6	12	40
Male.....	325	1	1	-	1	-	-	2	1	-	4	21
Female.....	316	-	-	-	1	-	2	3	3	6	8	19
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	1	-	1	-
Male.....	5	-	-	-	-	-	-	-	1	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	-	-	-	-	-	-	-	-	1	-	3
Male.....	12	-	-	-	-	-	-	-	-	1	-	1
Female.....	16	-	-	-	-	-	-	-	-	-	-	2

Louisiana

All races, both sexes.....	9,755	2	7	7	6	12	18	17	56	113	216	413
Male.....	5,177	2	5	2	2	9	9	6	28	45	101	225
Female.....	4,578	-	2	5	4	3	9	11	28	68	115	188
White, both sexes.....	6,799	2	2	5	4	6	9	9	29	70	131	239
Male.....	3,622	2	1	2	2	4	4	3	16	35	64	138
Female.....	3,177	-	1	3	2	2	5	6	13	35	67	101
Black, both sexes.....	2,903	-	5	2	2	6	9	8	27	41	85	173
Male.....	1,531	-	4	-	-	5	5	3	12	10	37	86
Female.....	1,372	-	1	2	2	1	4	5	15	31	48	87
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	-	1	-	1
Male.....	12	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	36	-	-	-	-	-	-	-	-	1	-	-
Male.....	12	-	-	-	-	-	-	-	-	-	-	-
Female.....	24	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Maine

All races, both sexes.....	3,187	-	-	1	2	2	3	7	9	22	52	100
Male.....	1,606	-	-	-	1	1	3	1	5	8	19	57
Female.....	1,581	-	-	1	1	1	-	6	4	14	33	43
White, both sexes.....	3,160	-	-	1	2	2	3	7	9	21	52	98
Male.....	1,592	-	-	-	1	1	3	1	5	8	19	56
Female.....	1,568	-	-	1	1	1	-	6	4	13	33	42
Black, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	-	-	-	-	1
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	-	1	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Maryland

All races, both sexes.....	10,527	-	9	5	15	13	12	12	44	110	212	391
Male.....	5,333	-	3	4	9	7	8	4	18	42	98	178
Female.....	5,194	-	6	1	6	6	4	8	26	68	114	213
White, both sexes.....	7,702	-	4	4	7	8	7	7	18	65	123	228
Male.....	3,947	-	1	3	4	4	4	1	12	31	62	105
Female.....	3,755	-	3	1	3	4	3	6	6	34	61	123
Black, both sexes.....	2,635	-	5	1	7	5	4	5	22	43	80	152
Male.....	1,295	-	2	1	4	3	3	3	5	10	31	68
Female.....	1,340	-	3	-	3	2	1	2	17	33	49	84
American Indian 1/, both sexes.....	16	-	-	-	-	-	-	-	-	-	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	174	-	-	-	1	-	1	-	4	2	9	11
Male.....	83	-	-	-	1	-	1	-	1	1	5	5
Female.....	91	-	-	-	-	-	-	-	3	1	4	6

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Massachusetts

All races, both sexes.....	13,895	3	4	8	11	18	13	22	53	115	236	475
Male.....	6,907	2	1	5	8	13	8	10	29	51	104	220
Female.....	6,988	1	3	3	3	5	5	12	24	64	132	255
White, both sexes.....	13,103	3	4	8	8	15	8	17	42	107	205	424
Male.....	6,499	2	1	5	5	12	4	10	22	49	87	195
Female.....	6,604	1	3	3	3	3	4	7	20	58	118	229
Black, both sexes.....	608	-	-	-	2	2	4	4	7	8	26	40
Male.....	302	-	-	-	2	1	3	-	5	2	15	18
Female.....	306	-	-	-	-	1	1	4	2	6	11	22
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	-	-	1	-
Male.....	9	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	172	-	-	-	1	1	1	1	4	-	4	11
Male.....	97	-	-	-	1	-	1	-	2	-	1	7
Female.....	75	-	-	-	-	1	-	1	2	-	3	4

Michigan

All races, both sexes.....	20,191	6	7	23	19	22	38	43	85	173	372	744
Male.....	10,427	3	4	13	11	16	18	24	42	85	173	382
Female.....	9,764	3	3	10	8	6	20	19	43	88	199	362
White, both sexes.....	17,380	5	6	17	14	19	32	34	66	125	298	591
Male.....	8,992	3	4	9	6	13	14	21	37	66	144	302
Female.....	8,388	2	2	8	8	6	18	13	29	59	154	289
Black, both sexes.....	2,617	1	1	5	3	3	6	9	15	44	68	141
Male.....	1,352	-	-	3	3	3	4	3	4	16	27	74
Female.....	1,265	1	1	2	-	-	2	6	11	28	41	67
American Indian 1/, both sexes.....	89	-	-	-	-	-	-	-	1	-	1	8
Male.....	29	-	-	-	-	-	-	-	1	-	-	4
Female.....	60	-	-	-	-	-	-	-	-	-	1	4
Asian or Pacific Islander 2/, both sexes.....	105	-	-	1	2	-	-	-	3	4	5	4
Male.....	54	-	-	1	2	-	-	-	-	3	2	2
Female.....	51	-	-	-	-	-	-	-	3	1	3	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Minnesota

All races, both sexes.....	9,464	3	16	10	10	7	22	24	44	96	161	301
Male.....	4,835	-	12	6	3	6	12	8	19	41	69	152
Female.....	4,629	3	4	4	7	1	10	16	25	55	92	149
White, both sexes.....	9,134	3	14	10	10	7	18	19	36	86	151	281
Male.....	4,655	-	11	6	3	6	10	6	18	34	65	139
Female.....	4,479	3	3	4	7	1	8	13	18	52	86	142
Black, both sexes.....	165	-	2	-	-	-	-	-	5	6	5	12
Male.....	93	-	1	-	-	-	-	-	-	5	4	9
Female.....	72	-	1	-	-	-	-	-	5	1	1	3
American Indian 1/, both sexes.....	72	-	-	-	-	-	1	1	1	1	4	2
Male.....	36	-	-	-	-	-	1	-	1	-	-	1
Female.....	36	-	-	-	-	-	-	1	-	1	4	1
Asian or Pacific Islander 2/, both sexes.....	93	-	-	-	-	-	3	4	2	3	1	6
Male.....	51	-	-	-	-	-	1	2	-	2	-	3
Female.....	42	-	-	-	-	-	2	2	2	1	1	3

Mississippi

All races, both sexes.....	6,054	-	7	10	8	3	16	24	24	74	157	237
Male.....	3,305	-	4	4	4	1	6	11	10	28	60	128
Female.....	2,749	-	3	6	4	2	10	13	14	46	97	109
White, both sexes.....	4,106	-	4	4	4	1	12	13	15	41	86	116
Male.....	2,257	-	2	3	2	1	4	8	6	16	34	67
Female.....	1,849	-	2	1	2	-	8	5	9	25	52	49
Black, both sexes.....	1,925	-	3	6	4	2	4	11	8	31	71	118
Male.....	1,040	-	2	1	2	-	2	3	3	12	26	61
Female.....	885	-	1	5	2	2	2	8	5	19	45	57
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	1	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	-	-	-	1	1	-	2
Male.....	4	-	-	-	-	-	-	-	1	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	1	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Missouri

All races, both sexes.....	12,655	5	8	9	7	10	12	25	53	100	261	428
Male.....	6,546	4	4	4	3	7	5	16	20	37	112	215
Female.....	6,109	1	4	5	4	3	7	9	33	63	149	213
White, both sexes.....	11,315	3	3	9	5	8	10	24	41	82	221	343
Male.....	5,871	2	2	4	2	5	4	15	14	32	96	174
Female.....	5,444	1	1	5	3	3	6	9	27	50	125	169
Black, both sexes.....	1,287	2	3	-	2	2	2	1	12	18	39	83
Male.....	654	2	2	-	1	2	1	1	6	5	15	39
Female.....	633	-	1	-	1	-	1	-	6	13	24	44
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	-	-	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	38	-	2	-	-	-	-	-	-	-	1	1
Male.....	13	-	-	-	-	-	-	-	-	-	1	1
Female.....	25	-	2	-	-	-	-	-	-	-	-	-

Montana

All races, both sexes.....	1,918	-	1	2	2	3	4	5	7	12	26	45
Male.....	1,008	-	1	2	1	3	2	3	4	3	16	20
Female.....	910	-	-	-	1	-	2	2	3	9	10	25
White, both sexes.....	1,844	-	1	1	1	2	3	5	7	12	26	40
Male.....	975	-	1	1	-	2	2	3	4	3	16	19
Female.....	869	-	-	-	1	-	1	2	3	9	10	21
Black, both sexes.....	3	-	-	-	1	1	-	-	-	-	-	-
Male.....	2	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	63	-	-	1	-	-	-	-	-	-	-	4
Male.....	29	-	-	1	-	-	-	-	-	-	-	1
Female.....	34	-	-	-	-	-	-	-	-	-	-	3
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	1	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Nebraska

All races, both sexes.....	3,441	1	2	4	-	4	6	2	10	21	51	113
Male.....	1,768	-	1	4	-	2	4	1	4	6	21	49
Female.....	1,673	1	1	-	-	2	2	1	6	15	30	64
White, both sexes.....	3,293	1	1	4	-	4	5	1	10	19	45	101
Male.....	1,681	-	-	4	-	2	3	1	4	5	18	43
Female.....	1,612	1	1	-	-	2	2	-	6	14	27	58
Black, both sexes.....	120	-	1	-	-	-	1	1	-	2	5	9
Male.....	72	-	1	-	-	-	1	-	-	1	3	5
Female.....	48	-	-	-	-	-	-	1	-	1	2	4
American Indian 1/, both sexes.....	16	-	-	-	-	-	-	-	-	-	-	2
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	-	-	-	-	1	1
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	1	1

Nevada

All races, both sexes.....	4,218	1	4	1	3	2	8	13	13	28	72	131
Male.....	2,335	1	4	1	2	1	7	5	9	12	29	68
Female.....	1,883	-	-	-	1	1	1	8	4	16	43	63
White, both sexes.....	3,846	-	4	1	3	2	7	11	10	23	58	102
Male.....	2,157	-	4	1	2	1	6	5	6	10	25	57
Female.....	1,689	-	-	-	1	1	1	6	4	13	33	45
Black, both sexes.....	229	-	-	-	-	-	1	-	2	3	6	16
Male.....	119	-	-	-	-	-	1	-	2	-	1	8
Female.....	110	-	-	-	-	-	-	-	-	3	5	8
American Indian 1/, both sexes.....	25	-	-	-	-	-	-	-	-	-	2	1
Male.....	11	-	-	-	-	-	-	-	-	-	-	-
Female.....	14	-	-	-	-	-	-	-	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	118	1	-	-	-	-	-	2	1	2	6	12
Male.....	48	1	-	-	-	-	-	-	1	2	3	3
Female.....	70	-	-	-	-	-	-	2	-	-	3	9

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

New Hampshire

All races, both sexes.....	2,538	1	-	2	1	1	4	2	5	21	58	86
Male.....	1,304	-	-	2	1	-	2	1	2	11	29	38
Female.....	1,234	1	-	-	-	1	2	1	3	10	29	48
White, both sexes.....	2,513	1	-	2	1	1	4	2	5	21	53	85
Male.....	1,295	-	-	2	1	-	2	1	2	11	27	38
Female.....	1,218	1	-	-	-	1	2	1	3	10	26	47
Black, both sexes.....	11	-	-	-	-	-	-	-	-	-	3	-
Male.....	6	-	-	-	-	-	-	-	-	-	1	-
Female.....	5	-	-	-	-	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	-	-	-	-	2	1
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	9	-	-	-	-	-	-	-	-	-	1	1

New Jersey

All races, both sexes.....	18,429	3	6	15	18	16	38	41	90	152	357	570
Male.....	9,049	1	5	8	11	13	23	20	47	71	150	267
Female.....	9,380	2	1	7	7	3	15	21	43	81	207	303
White, both sexes.....	15,903	3	5	14	11	12	34	33	65	110	275	433
Male.....	7,785	1	4	8	6	9	21	17	36	60	120	210
Female.....	8,118	2	1	6	5	3	13	16	29	50	155	223
Black, both sexes.....	2,207	-	1	-	7	1	2	5	22	34	66	113
Male.....	1,105	-	1	-	5	1	1	1	10	7	24	45
Female.....	1,102	-	-	-	2	-	1	4	12	27	42	68
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	-	-	-	1	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	308	-	-	1	-	3	2	3	3	8	15	24
Male.....	154	-	-	-	-	3	1	2	1	4	6	12
Female.....	154	-	-	1	-	-	1	1	2	4	9	12

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

New Mexico

All races, both sexes.....	3,208	2	6	3	6	9	5	6	13	31	42	94
Male.....	1,719	1	3	1	3	7	2	1	5	8	16	42
Female.....	1,489	1	3	2	3	2	3	5	8	23	26	52
White, both sexes.....	3,024	2	5	3	5	9	5	6	12	26	40	86
Male.....	1,612	1	2	1	2	7	2	1	5	5	16	37
Female.....	1,412	1	3	2	3	2	3	5	7	21	24	49
Black, both sexes.....	51	-	-	-	-	-	-	-	-	-	-	-
Male.....	31	-	-	-	-	-	-	-	-	-	-	-
Female.....	20	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	122	-	1	-	1	-	-	-	1	5	2	7
Male.....	71	-	1	-	1	-	-	-	-	3	-	4
Female.....	51	-	-	-	-	-	-	-	1	2	2	3
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	1
Male.....	5	-	-	-	-	-	-	-	-	-	-	1
Female.....	6	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	37,008	8	30	31	34	32	67	97	178	331	719	1,224
Male.....	17,975	5	18	17	19	21	45	43	79	136	316	575
Female.....	19,033	3	12	14	15	11	22	54	99	195	403	649
White, both sexes.....	31,172	7	26	25	23	22	50	69	128	231	503	887
Male.....	15,099	4	14	13	15	15	32	34	57	101	226	419
Female.....	16,073	3	12	12	8	7	18	35	71	130	277	468
Black, both sexes.....	4,892	1	3	6	8	9	15	21	37	81	170	284
Male.....	2,337	1	3	4	3	5	13	7	15	27	64	126
Female.....	2,555	-	-	2	5	4	2	14	22	54	106	158
American Indian 1/, both sexes.....	61	-	1	-	1	-	-	-	1	-	-	2
Male.....	32	-	1	-	1	-	-	-	-	-	-	1
Female.....	29	-	-	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	883	-	-	-	2	1	2	7	12	19	46	51
Male.....	507	-	-	-	-	1	-	2	7	8	26	29
Female.....	376	-	-	-	2	-	2	5	5	11	20	22



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Ohio

All races, both sexes.....	25,709	6	15	21	21	28	41	46	98	226	457	912
Male.....	13,124	4	12	13	14	18	20	25	41	89	208	464
Female.....	12,585	2	3	8	7	10	21	21	57	137	249	448
White, both sexes.....	22,955	5	13	18	20	24	33	40	89	192	379	761
Male.....	11,687	3	10	11	14	14	17	24	37	77	172	379
Female.....	11,268	2	3	7	6	10	16	16	52	115	207	382
Black, both sexes.....	2,672	1	2	3	1	3	8	5	9	31	72	148
Male.....	1,396	1	2	2	-	3	-	-	4	10	34	84
Female.....	1,276	-	-	1	1	-	5	5	5	21	38	64
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	74	-	-	-	-	1	-	1	-	3	5	3
Male.....	39	-	-	-	-	1	-	1	-	2	1	1
Female.....	35	-	-	-	-	-	-	-	-	1	4	2

Oklahoma

All races, both sexes.....	7,502	4	7	8	4	12	12	26	38	60	124	263
Male.....	3,982	1	5	6	2	4	5	11	17	27	57	137
Female.....	3,520	3	2	2	2	8	7	15	21	33	67	126
White, both sexes.....	6,697	2	5	7	3	8	10	23	32	48	102	216
Male.....	3,557	-	3	6	2	2	3	10	13	22	49	112
Female.....	3,140	2	2	1	1	6	7	13	19	26	53	104
Black, both sexes.....	434	2	1	-	1	1	-	3	3	4	8	28
Male.....	222	1	1	-	-	-	-	1	3	3	4	14
Female.....	212	1	-	-	1	1	-	2	-	1	4	14
American Indian 1/, both sexes.....	342	-	1	1	-	3	-	-	3	6	13	19
Male.....	191	-	1	-	-	2	-	-	1	2	4	11
Female.....	151	-	-	1	-	1	-	-	2	4	9	8
Asian or Pacific Islander 2/, both sexes.....	29	-	-	-	-	-	2	-	-	2	1	-
Male.....	12	-	-	-	-	-	2	-	-	-	-	-
Female.....	17	-	-	-	-	-	-	-	-	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Oregon

All races, both sexes.....	7,413	-	7	9	8	9	11	16	28	44	108	208
Male.....	3,780	-	2	3	5	9	4	6	13	19	40	107
Female.....	3,633	-	5	6	3	-	7	10	15	25	68	101
White, both sexes.....	7,155	-	6	9	7	8	9	16	27	42	103	197
Male.....	3,643	-	1	3	4	8	2	6	12	19	38	99
Female.....	3,512	-	5	6	3	-	7	10	15	23	65	98
Black, both sexes.....	88	-	1	-	-	-	-	-	1	-	-	5
Male.....	61	-	1	-	-	-	-	-	1	-	-	5
Female.....	27	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	50	-	-	-	-	1	1	-	-	1	1	2
Male.....	24	-	-	-	-	1	1	-	-	-	1	1
Female.....	26	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	120	-	-	-	1	-	1	-	-	1	4	4
Male.....	52	-	-	-	1	-	1	-	-	-	1	2
Female.....	68	-	-	-	-	-	-	-	-	1	3	2

Pennsylvania

All races, both sexes.....	30,612	4	17	21	23	36	30	52	111	196	474	939
Male.....	15,676	1	10	13	17	26	18	27	47	76	226	480
Female.....	14,936	3	7	8	6	10	12	25	64	120	248	459
White, both sexes.....	27,698	4	15	18	20	31	23	44	94	172	408	787
Male.....	14,194	1	9	11	15	22	12	25	43	66	195	407
Female.....	13,504	3	6	7	5	9	11	19	51	106	213	380
Black, both sexes.....	2,766	-	2	3	3	5	7	8	15	19	63	145
Male.....	1,403	-	1	2	2	4	6	2	4	8	30	68
Female.....	1,363	-	1	1	1	1	1	6	11	11	33	77
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	1	-	-
Male.....	6	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	139	-	-	-	-	-	-	-	2	4	3	7
Male.....	73	-	-	-	-	-	-	-	-	1	1	5
Female.....	66	-	-	-	-	-	-	-	2	3	2	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Rhode Island

All races, both sexes.....	2,398	3	1	5	2	4	-	5	9	14	45	66
Male.....	1,187	2	1	3	2	3	-	4	3	5	25	36
Female.....	1,211	1	-	2	-	1	-	1	6	9	20	30
White, both sexes.....	2,308	2	1	5	2	3	-	5	9	14	43	60
Male.....	1,135	2	1	3	2	3	-	4	3	5	24	32
Female.....	1,173	-	-	2	-	-	-	1	6	9	19	28
Black, both sexes.....	68	1	-	-	-	1	-	-	-	-	2	4
Male.....	39	-	-	-	-	-	-	-	-	-	1	2
Female.....	29	1	-	-	-	1	-	-	-	-	1	2
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	-	-	-	-	-	-	-	2
Male.....	12	-	-	-	-	-	-	-	-	-	-	2
Female.....	6	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	8,719	-	3	6	5	13	14	17	34	63	209	357
Male.....	4,660	-	2	3	1	7	6	9	17	26	88	180
Female.....	4,059	-	1	3	4	6	8	8	17	37	121	177
White, both sexes.....	6,308	-	2	2	3	9	8	10	25	40	122	212
Male.....	3,357	-	1	-	1	6	5	6	13	18	54	104
Female.....	2,951	-	1	2	2	3	3	4	12	22	68	108
Black, both sexes.....	2,378	-	1	4	2	4	6	6	9	23	85	143
Male.....	1,287	-	1	3	-	1	1	3	4	8	33	75
Female.....	1,091	-	-	1	2	3	5	3	5	15	52	68
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	-	-	-	-	-	-	1	-	-	2	2
Male.....	11	-	-	-	-	-	-	-	-	-	1	1
Female.....	13	-	-	-	-	-	-	1	-	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

South Dakota

All races, both sexes.....	1,684	-	-	2	4	4	5	7	5	15	22	47
Male.....	889	-	-	2	2	2	3	3	4	5	11	21
Female.....	795	-	-	-	2	2	2	4	1	10	11	26
White, both sexes.....	1,610	-	-	2	4	4	4	6	3	15	20	45
Male.....	850	-	-	2	2	2	3	2	3	5	9	19
Female.....	760	-	-	-	2	2	1	4	-	10	11	26
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	72	-	-	-	-	-	1	1	2	-	2	2
Male.....	38	-	-	-	-	-	-	1	1	-	2	2
Female.....	34	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	12,861	2	7	10	18	12	28	24	47	118	289	483
Male.....	6,795	1	5	3	10	5	11	8	18	50	139	256
Female.....	6,066	1	2	7	8	7	17	16	29	68	150	227
White, both sexes.....	11,000	1	4	8	11	7	22	19	36	92	217	369
Male.....	5,853	1	3	3	6	3	9	7	17	40	111	203
Female.....	5,147	-	1	5	5	4	13	12	19	52	106	166
Black, both sexes.....	1,819	1	3	2	6	4	6	5	11	25	67	110
Male.....	923	-	2	-	4	1	2	1	1	9	24	50
Female.....	896	1	1	2	2	3	4	4	10	16	43	60
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	1	1	2
Male.....	5	-	-	-	-	-	-	-	-	1	1	2
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	-	-	-	1	1	-	-	-	-	4	2
Male.....	14	-	-	-	-	1	-	-	-	-	3	1
Female.....	21	-	-	-	1	-	-	-	-	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Texas

All races, both sexes.....	34,594	8	51	48	53	71	85	117	198	357	748	1,414
Male.....	18,181	3	31	28	30	41	46	64	93	159	332	691
Female.....	16,413	5	20	20	23	30	39	53	105	198	416	723
White, both sexes.....	29,851	6	47	40	42	59	77	91	158	295	589	1,123
Male.....	15,718	2	29	25	23	36	42	52	75	143	263	555
Female.....	14,133	4	18	15	19	23	35	39	83	152	326	568
Black, both sexes.....	4,318	2	3	7	8	10	8	23	31	54	144	255
Male.....	2,265	1	1	3	6	4	4	11	12	14	60	119
Female.....	2,053	1	2	4	2	6	4	12	19	40	84	136
American Indian 1/, both sexes.....	37	-	1	-	-	1	-	-	-	1	1	3
Male.....	21	-	1	-	-	1	-	-	-	-	1	1
Female.....	16	-	-	-	-	-	-	-	-	1	-	2
Asian or Pacific Islander 2/, both sexes.....	388	-	-	1	3	1	-	3	9	7	14	33
Male.....	177	-	-	-	1	-	-	1	6	2	8	16
Female.....	211	-	-	1	2	1	-	2	3	5	6	17

Utah

All races, both sexes.....	2,514	3	1	6	3	7	6	16	24	35	69	102
Male.....	1,324	2	1	5	2	6	4	8	10	21	38	51
Female.....	1,190	1	-	1	1	1	2	8	14	14	31	51
White, both sexes.....	2,439	3	1	6	3	5	6	15	24	32	65	97
Male.....	1,280	2	1	5	2	5	4	7	10	20	35	48
Female.....	1,159	1	-	1	1	-	2	8	14	12	30	49
Black, both sexes.....	20	-	-	-	-	2	-	1	-	-	1	2
Male.....	15	-	-	-	-	1	-	1	-	-	1	2
Female.....	5	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	21	-	-	-	-	-	-	-	-	1	2	2
Male.....	11	-	-	-	-	-	-	-	-	1	2	1
Female.....	10	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	34	-	-	-	-	-	-	-	-	2	1	1
Male.....	18	-	-	-	-	-	-	-	-	-	-	-
Female.....	16	-	-	-	-	-	-	-	-	2	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

II. Neoplasms (C00-D48)

Vermont

All races, both sexes.....	1,247	-	-	3	1	-	2	2	5	8	18	51
Male.....	649	-	-	2	1	-	2	1	-	3	13	24
Female.....	598	-	-	1	-	-	-	1	5	5	5	27
White, both sexes.....	1,242	-	-	3	1	-	2	2	5	8	17	50
Male.....	645	-	-	2	1	-	2	1	-	3	12	23
Female.....	597	-	-	1	-	-	-	1	5	5	5	27
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	14,110	7	14	12	14	23	29	39	64	160	308	468
Male.....	7,336	3	9	7	8	13	14	21	32	71	137	224
Female.....	6,774	4	5	5	6	10	15	18	32	89	171	244
White, both sexes.....	11,023	6	10	8	9	18	21	30	40	102	203	334
Male.....	5,686	3	7	5	6	10	13	17	22	46	93	160
Female.....	5,337	3	3	3	3	8	8	13	18	56	110	174
Black, both sexes.....	2,837	-	3	4	4	3	7	7	21	48	94	120
Male.....	1,526	-	1	2	2	1	1	4	9	21	41	60
Female.....	1,311	-	2	2	2	2	6	3	12	27	53	60
American Indian 1/, both sexes.....	10	-	-	-	-	1	-	1	-	-	1	-
Male.....	6	-	-	-	-	1	-	-	-	-	1	-
Female.....	4	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	240	1	1	-	1	1	1	1	3	10	10	14
Male.....	118	-	1	-	-	1	-	-	1	4	2	4
Female.....	122	1	-	-	1	-	1	1	2	6	8	10





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

United States

All races, both sexes.....	30,678	42,821	54,109	64,096	79,506	91,209	81,097	52,992	23,875	6,164	810	12
Male.....	16,033	22,950	29,662	35,572	43,555	48,630	41,131	24,486	9,535	2,100	227	8
Female.....	14,645	19,871	24,447	28,524	35,951	42,579	39,966	28,506	14,340	4,064	583	4
White, both sexes.....	24,351	35,602	45,757	54,820	69,484	81,131	73,048	48,174	21,651	5,467	666	11
Male.....	12,728	19,066	25,043	30,445	38,185	43,263	37,036	22,292	8,598	1,821	187	8
Female.....	11,623	16,536	20,714	24,375	31,299	37,868	36,012	25,882	13,053	3,646	479	3
Black, both sexes.....	5,316	6,109	7,050	7,759	8,280	8,275	6,621	3,961	1,877	588	124	-
Male.....	2,833	3,353	3,920	4,298	4,497	4,386	3,346	1,760	763	223	28	-
Female.....	2,483	2,756	3,130	3,461	3,783	3,889	3,275	2,201	1,114	365	96	-
American Indian 1/, both sexes.....	189	224	249	263	303	287	216	112	49	17	5	-
Male.....	92	112	132	147	157	138	102	57	22	10	2	-
Female.....	97	112	117	116	146	149	114	55	27	7	3	-
Asian or Pacific Islander 2/, both sexes.....	822	886	1,053	1,254	1,439	1,516	1,212	745	298	92	15	1
Male.....	380	419	567	682	716	843	647	377	152	46	10	-
Female.....	442	467	486	572	723	673	565	368	146	46	5	1

Alabama

All races, both sexes.....	602	771	1,053	1,312	1,423	1,525	1,269	783	398	105	14	-
Male.....	340	460	624	770	816	845	645	363	147	42	1	-
Female.....	262	311	429	542	607	680	624	420	251	63	13	-
White, both sexes.....	395	595	812	1,042	1,143	1,204	1,023	618	306	70	11	-
Male.....	220	353	483	611	655	673	529	286	105	26	1	-
Female.....	175	242	329	431	488	531	494	332	201	44	10	-
Black, both sexes.....	204	172	234	268	275	315	244	165	92	33	3	-
Male.....	119	104	138	159	159	169	115	77	42	14	-	-
Female.....	85	68	96	109	116	146	129	88	50	19	3	-
American Indian 1/, both sexes.....	-	3	3	-	1	5	-	-	-	1	-	-
Male.....	-	2	2	-	1	2	-	-	-	1	-	-
Female.....	-	1	1	-	-	3	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	4	2	4	1	2	-	-	1	-	-
Male.....	1	1	1	-	1	1	-	-	-	1	-	-
Female.....	2	-	3	2	3	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Alaska

All races, both sexes.....	51	92	98	73	96	131	73	40	10	4	-	-
Male.....	32	59	50	46	53	74	37	22	6	2	-	-
Female.....	19	33	48	27	43	57	36	18	4	2	-	-
White, both sexes.....	43	65	81	54	66	105	55	31	8	3	-	-
Male.....	28	45	46	34	37	65	26	18	6	1	-	-
Female.....	15	20	35	20	29	40	29	13	2	2	-	-
Black, both sexes.....	-	3	3	2	6	3	-	1	-	-	-	-
Male.....	-	1	2	-	2	1	-	-	-	-	-	-
Female.....	-	2	1	2	4	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	8	18	13	13	23	19	15	7	2	1	-	-
Male.....	4	10	2	9	13	7	9	3	-	1	-	-
Female.....	4	8	11	4	10	12	6	4	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	6	1	4	1	4	3	1	-	-	-	-
Male.....	-	3	-	3	1	1	2	1	-	-	-	-
Female.....	-	3	1	1	-	3	1	-	-	-	-	-

Arizona

All races, both sexes.....	464	721	923	1,186	1,398	1,650	1,403	924	387	96	19	2
Male.....	236	374	513	679	792	885	761	484	175	36	6	2
Female.....	228	347	410	507	606	765	642	440	212	60	13	-
White, both sexes.....	421	675	878	1,113	1,340	1,575	1,350	897	372	89	18	2
Male.....	215	356	486	645	760	865	730	473	169	31	6	2
Female.....	206	319	392	468	580	710	620	424	203	58	12	-
Black, both sexes.....	14	19	25	36	27	30	21	14	7	4	-	-
Male.....	6	8	16	17	17	11	12	5	3	2	-	-
Female.....	8	11	9	19	10	19	9	9	4	2	-	-
American Indian 1/, both sexes.....	19	21	13	26	26	28	23	11	6	1	1	-
Male.....	10	7	6	14	12	7	14	4	2	1	-	-
Female.....	9	14	7	12	14	21	9	7	4	-	1	-
Asian or Pacific Islander 2/, both sexes.....	10	6	7	11	5	17	9	2	2	2	-	-
Male.....	5	3	5	3	3	2	5	2	1	2	-	-
Female.....	5	3	2	8	2	15	4	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Arkansas

All races, both sexes.....	344	515	645	764	867	977	840	530	233	66	9	-
Male.....	191	298	371	452	491	550	448	252	93	22	1	-
Female.....	153	217	274	312	376	427	392	278	140	44	8	-
White, both sexes.....	283	426	557	664	769	867	752	466	196	50	7	-
Male.....	154	240	318	392	434	493	399	219	78	14	1	-
Female.....	129	186	239	272	335	374	353	247	118	36	6	-
Black, both sexes.....	57	85	87	97	96	108	83	63	37	16	2	-
Male.....	35	55	52	58	55	56	44	32	15	8	-	-
Female.....	22	30	35	39	41	52	39	31	22	8	2	-
American Indian 1/, both sexes.....	2	3	1	1	1	1	3	1	-	-	-	-
Male.....	1	2	1	1	1	-	3	1	-	-	-	-
Female.....	1	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	2	1	1	2	-	-	-	-	-
Male.....	1	1	-	1	1	1	2	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3,102	4,097	5,089	5,918	7,485	8,595	8,232	5,319	2,391	581	78	-
Male.....	1,550	2,060	2,720	3,139	3,991	4,526	4,177	2,491	1,019	223	27	-
Female.....	1,552	2,037	2,369	2,779	3,494	4,069	4,055	2,828	1,372	358	51	-
White, both sexes.....	2,421	3,313	4,155	4,860	6,280	7,321	7,204	4,723	2,133	505	61	-
Male.....	1,223	1,672	2,200	2,550	3,349	3,854	3,658	2,197	905	189	21	-
Female.....	1,198	1,641	1,955	2,310	2,931	3,467	3,546	2,526	1,228	316	40	-
Black, both sexes.....	336	400	474	512	553	568	463	254	111	31	7	-
Male.....	174	209	268	283	314	295	232	120	37	10	1	-
Female.....	162	191	206	229	239	273	231	134	74	21	6	-
American Indian 1/, both sexes.....	24	22	25	31	31	28	20	6	6	1	-	-
Male.....	9	12	15	17	16	15	8	2	3	-	-	-
Female.....	15	10	10	14	15	13	12	4	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	321	362	435	515	621	678	545	336	141	44	10	-
Male.....	144	167	237	289	312	362	279	172	74	24	5	-
Female.....	177	195	198	226	309	316	266	164	67	20	5	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Colorado

All races, both sexes.....	397	477	664	739	918	994	866	634	257	68	6	-
Male.....	214	248	365	404	497	529	427	301	109	27	2	-
Female.....	183	229	299	335	421	465	439	333	148	41	4	-
White, both sexes.....	378	453	624	699	859	939	835	624	250	66	6	-
Male.....	200	237	341	384	465	500	411	297	103	27	2	-
Female.....	178	216	283	315	394	439	424	327	147	39	4	-
Black, both sexes.....	15	17	30	29	42	34	15	7	6	2	-	-
Male.....	10	9	19	16	25	21	7	2	6	-	-	-
Female.....	5	8	11	13	17	13	8	5	-	2	-	-
American Indian 1/, both sexes.....	1	2	4	4	2	4	3	-	-	-	-	-
Male.....	1	1	1	4	1	1	-	-	-	-	-	-
Female.....	-	1	3	-	1	3	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	5	6	7	15	17	13	3	1	-	-	-
Male.....	3	1	4	-	6	7	9	2	-	-	-	-
Female.....	-	4	2	7	9	10	4	1	1	-	-	-

Connecticut

All races, both sexes.....	320	503	664	718	1,026	1,183	1,158	837	384	96	8	1
Male.....	153	274	354	389	568	616	574	384	157	28	-	1
Female.....	167	229	310	329	458	567	584	453	227	68	8	-
White, both sexes.....	263	451	606	661	953	1,118	1,110	811	367	92	8	1
Male.....	127	246	321	361	523	586	556	375	149	27	-	1
Female.....	136	205	285	300	430	532	554	436	218	65	8	-
Black, both sexes.....	53	48	55	49	67	61	43	24	13	3	-	-
Male.....	26	24	30	27	41	28	16	8	7	1	-	-
Female.....	27	24	25	22	26	33	27	16	6	2	-	-
American Indian 1/, both sexes.....	-	2	-	-	1	2	-	-	-	-	-	-
Male.....	-	2	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	3	8	5	2	5	2	4	1	-	-
Male.....	-	2	3	1	3	2	2	1	1	-	-	-
Female.....	4	-	-	7	2	-	3	1	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Delaware

All races, both sexes.....	107	125	167	215	243	308	247	140	45	24	2	-
Male.....	62	74	80	118	139	162	133	72	16	9	1	-
Female.....	45	51	87	97	104	146	114	68	29	15	1	-
White, both sexes.....	83	106	135	175	212	256	218	126	39	20	2	-
Male.....	45	62	66	95	121	137	120	67	14	7	1	-
Female.....	38	44	69	80	91	119	98	59	25	13	1	-
Black, both sexes.....	24	18	28	37	30	50	29	14	5	4	-	-
Male.....	17	11	14	22	17	24	13	5	1	2	-	-
Female.....	7	7	14	15	13	26	16	9	4	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	3	3	-	1	-	-	1	-	-	-
Male.....	-	1	-	1	-	1	-	-	1	-	-	-
Female.....	-	-	3	2	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	75	110	104	109	157	149	149	116	51	11	4	-
Male.....	40	61	50	50	95	81	78	48	23	2	-	-
Female.....	35	49	54	59	62	68	71	68	28	9	4	-
White, both sexes.....	13	20	18	22	34	37	46	41	19	3	-	-
Male.....	7	10	7	11	26	19	24	16	6	2	-	-
Female.....	6	10	11	11	8	18	22	25	13	1	-	-
Black, both sexes.....	60	90	84	87	123	110	100	74	32	8	4	-
Male.....	32	51	41	39	69	60	52	31	17	-	-	-
Female.....	28	39	43	48	54	50	48	43	15	8	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	-	-	2	3	1	-	-	-	-
Male.....	1	-	2	-	-	2	2	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Florida

All races, both sexes.....	1,925	2,804	3,667	4,498	5,829	6,806	5,919	4,023	1,773	468	50	-
Male.....	1,052	1,547	2,044	2,552	3,358	3,688	3,152	2,001	790	180	17	-
Female.....	873	1,257	1,623	1,946	2,471	3,118	2,767	2,022	983	288	33	-
White, both sexes.....	1,567	2,428	3,243	3,968	5,291	6,318	5,552	3,793	1,673	435	42	-
Male.....	870	1,350	1,803	2,255	3,063	3,432	2,947	1,904	755	167	14	-
Female.....	697	1,078	1,440	1,713	2,228	2,886	2,605	1,889	918	268	28	-
Black, both sexes.....	336	353	399	502	502	466	347	221	98	31	8	-
Male.....	171	185	227	284	273	249	197	93	34	11	3	-
Female.....	165	168	172	218	229	217	150	128	64	20	5	-
American Indian 1/, both sexes.....	1	4	2	3	5	4	4	2	-	2	-	-
Male.....	1	4	1	2	4	2	1	2	-	2	-	-
Female.....	-	-	1	1	1	2	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	19	23	25	31	18	16	7	2	-	-	-
Male.....	10	8	13	11	18	5	7	2	1	-	-	-
Female.....	11	11	10	14	13	13	9	5	1	-	-	-

Georgia

All races, both sexes.....	955	1,331	1,625	1,830	1,935	1,960	1,733	1,032	482	128	19	-
Male.....	495	702	919	1,016	1,048	1,051	831	473	176	47	8	-
Female.....	460	629	706	814	887	909	902	559	306	81	11	-
White, both sexes.....	604	932	1,177	1,368	1,514	1,567	1,373	781	363	103	12	-
Male.....	310	497	665	780	824	848	652	361	132	37	7	-
Female.....	294	435	512	588	690	719	721	420	231	66	5	-
Black, both sexes.....	338	387	424	442	407	387	352	241	117	25	7	-
Male.....	179	199	240	225	215	200	174	105	43	10	1	-
Female.....	159	188	184	217	192	187	178	136	74	15	6	-
American Indian 1/, both sexes.....	5	1	7	5	4	1	3	1	1	-	-	-
Male.....	1	-	4	3	2	-	1	1	1	-	-	-
Female.....	4	1	3	2	2	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	11	17	15	10	5	5	9	1	-	-	-
Male.....	5	6	10	8	7	3	4	6	-	-	-	-
Female.....	3	5	7	7	3	2	1	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Hawaii

All races, both sexes.....	121	176	197	224	291	375	328	197	81	28	4	-
Male.....	64	82	123	120	159	228	188	113	46	11	3	-
Female.....	57	94	74	104	132	147	140	84	35	17	1	-
White, both sexes.....	45	71	63	62	70	109	97	52	20	7	2	-
Male.....	30	37	41	34	41	65	60	30	11	1	1	-
Female.....	15	34	22	28	29	44	37	22	9	6	1	-
Black, both sexes.....	1	2	-	1	1	2	2	1	-	-	-	-
Male.....	-	1	-	-	1	1	1	1	-	-	-	-
Female.....	1	1	-	1	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	75	103	134	161	220	262	229	144	61	21	2	-
Male.....	34	44	82	86	117	161	127	82	35	10	2	-
Female.....	41	59	52	75	103	101	102	62	26	11	-	-

Idaho

All races, both sexes.....	118	157	207	236	363	385	332	248	116	24	5	-
Male.....	55	79	109	132	184	221	178	132	58	10	2	-
Female.....	63	78	98	104	179	164	154	116	58	14	3	-
White, both sexes.....	117	155	202	233	356	380	329	247	115	24	4	-
Male.....	55	79	105	132	181	218	176	132	58	10	1	-
Female.....	62	76	97	101	175	162	153	115	57	14	3	-
Black, both sexes.....	-	-	1	-	1	2	-	-	1	-	-	-
Male.....	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	1	3	1	4	3	1	-	-	-	1	-
Male.....	-	-	2	-	2	2	1	-	-	-	1	-
Female.....	-	1	1	1	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	2	2	-	2	1	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	1	1	-	2	2	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Illinois

All races, both sexes.....	1,321	1,752	2,290	2,775	3,442	4,023	3,722	2,488	1,123	299	34	-
Male.....	667	943	1,252	1,528	1,870	2,143	1,851	1,096	446	91	5	-
Female.....	654	809	1,038	1,247	1,572	1,880	1,871	1,392	677	208	29	-
White, both sexes.....	1,001	1,365	1,836	2,238	2,911	3,503	3,260	2,265	1,032	256	28	-
Male.....	505	735	992	1,216	1,597	1,867	1,616	1,004	415	78	4	-
Female.....	496	630	844	1,022	1,314	1,636	1,644	1,261	617	178	24	-
Black, both sexes.....	293	350	406	490	484	476	423	197	88	39	6	-
Male.....	148	190	234	281	249	246	215	82	28	12	1	-
Female.....	145	160	172	209	235	230	208	115	60	27	5	-
American Indian 1/, both sexes.....	2	2	2	3	-	2	1	1	-	-	-	-
Male.....	2	1	-	2	-	1	1	1	-	-	-	-
Female.....	-	1	2	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	35	46	44	47	42	38	25	3	4	-	-
Male.....	12	17	26	29	24	29	19	9	3	1	-	-
Female.....	13	18	20	15	23	13	19	16	-	3	-	-

Indiana

All races, both sexes.....	702	1,025	1,312	1,532	1,886	2,162	1,826	1,165	541	119	22	4
Male.....	355	565	719	846	1,034	1,182	923	492	219	30	8	3
Female.....	347	460	593	686	852	980	903	673	322	89	14	1
White, both sexes.....	633	938	1,183	1,402	1,735	2,003	1,704	1,097	506	111	20	4
Male.....	315	521	640	773	938	1,098	859	469	207	27	8	3
Female.....	318	417	543	629	797	905	845	628	299	84	12	1
Black, both sexes.....	65	84	127	125	146	155	117	67	32	8	2	-
Male.....	38	43	79	73	94	83	60	23	12	3	-	-
Female.....	27	41	48	52	52	72	57	44	20	5	2	-
American Indian 1/, both sexes.....	2	-	1	1	2	-	1	-	-	-	-	-
Male.....	1	-	-	2	-	1	-	-	-	-	-	-
Female.....	1	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	1	4	3	4	4	1	3	-	-	-
Male.....	1	1	-	-	-	1	3	-	-	-	-	-
Female.....	1	2	1	4	3	3	1	1	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Iowa

All races, both sexes.....	314	425	550	713	907	1,072	1,006	746	374	113	12	-
Male.....	172	232	288	404	532	576	503	352	136	29	3	-
Female.....	142	193	262	309	375	496	503	394	238	84	9	-
White, both sexes.....	305	411	537	691	895	1,059	991	743	371	112	12	-
Male.....	168	221	280	392	525	568	496	349	134	29	3	-
Female.....	137	190	257	299	370	491	495	394	237	83	9	-
Black, both sexes.....	8	12	12	15	7	11	13	2	2	1	-	-
Male.....	4	9	8	9	5	7	5	2	1	-	-	-
Female.....	4	3	4	6	2	4	8	-	1	1	-	-
American Indian 1/, both sexes.....	1	1	1	1	2	1	1	-	-	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	6	3	1	1	1	1	-	-	-
Male.....	-	1	-	2	2	1	1	1	1	-	-	-
Female.....	-	-	-	4	1	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	307	354	481	544	744	902	844	567	288	66	9	-
Male.....	152	185	259	319	402	492	414	267	111	22	2	-
Female.....	155	169	222	225	342	410	430	300	177	44	7	-
White, both sexes.....	282	327	444	506	698	852	810	550	278	64	9	-
Male.....	140	172	236	301	375	468	396	259	107	21	2	-
Female.....	142	155	208	205	323	384	414	291	171	43	7	-
Black, both sexes.....	16	24	27	34	37	41	28	14	9	2	-	-
Male.....	8	11	19	15	22	22	14	7	3	1	-	-
Female.....	8	13	8	19	15	19	14	7	6	1	-	-
American Indian 1/, both sexes.....	1	1	6	2	4	4	3	1	-	-	-	-
Male.....	1	-	2	1	3	1	2	-	-	-	-	-
Female.....	-	1	4	1	1	3	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	2	4	2	5	5	3	2	1	-	-	-
Male.....	3	2	2	2	2	1	2	1	1	-	-	-
Female.....	5	-	2	-	3	4	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Kentucky

All races, both sexes.....	516	788	1,077	1,220	1,410	1,468	1,194	714	338	80	10	-
Male.....	277	449	596	719	779	791	646	328	140	24	2	-
Female.....	239	339	481	501	631	677	548	386	198	56	8	-
White, both sexes.....	459	732	1,003	1,131	1,315	1,383	1,119	675	319	74	9	-
Male.....	246	424	557	662	726	752	605	314	136	20	2	-
Female.....	213	308	446	469	589	631	514	361	183	54	7	-
Black, both sexes.....	53	54	68	85	88	85	72	37	19	6	1	-
Male.....	29	24	36	56	49	39	41	12	4	4	-	-
Female.....	24	30	32	29	39	46	31	25	15	2	1	-
American Indian 1/, both sexes.....	1	-	-	1	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	6	3	6	-	3	1	-	-	-	-
Male.....	1	1	3	1	3	-	-	1	-	-	-	-
Female.....	2	1	3	2	3	-	3	-	-	-	-	-

Louisiana

All races, both sexes.....	619	813	966	1,123	1,376	1,509	1,230	770	365	94	22	1
Male.....	339	484	547	639	736	825	621	364	145	33	9	1
Female.....	280	329	419	484	640	684	609	406	220	61	13	-
White, both sexes.....	363	531	623	793	988	1,147	943	567	266	59	12	1
Male.....	205	319	360	459	522	631	471	264	97	18	4	1
Female.....	158	212	263	334	466	516	472	303	169	41	8	-
Black, both sexes.....	250	277	334	325	383	354	283	198	98	33	10	-
Male.....	132	163	183	179	212	189	147	97	47	15	5	-
Female.....	118	114	151	146	171	165	136	101	51	18	5	-
American Indian 1/, both sexes.....	1	1	3	1	2	2	2	3	-	-	-	-
Male.....	-	-	3	-	1	2	2	3	-	-	-	-
Female.....	1	1	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	4	6	4	3	6	2	2	1	2	-	-
Male.....	2	2	1	1	1	3	1	-	1	-	-	-
Female.....	3	2	5	3	2	3	1	2	-	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Maine

All races, both sexes.....	155	235	310	333	457	572	452	283	148	40	4	-
Male.....	85	115	158	186	249	303	212	140	50	12	1	-
Female.....	70	120	152	147	208	269	240	143	98	28	3	-
White, both sexes.....	154	230	308	331	453	568	449	280	148	40	4	-
Male.....	85	112	157	185	245	301	211	139	50	12	1	-
Female.....	69	118	151	146	208	267	238	141	98	28	3	-
Black, both sexes.....	-	1	1	-	1	2	1	1	-	-	-	-
Male.....	-	1	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	3	1	1	2	2	1	2	-	-	-	-
Male.....	-	1	-	-	2	1	-	1	-	-	-	-
Female.....	1	2	1	1	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	-	1	-	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Maryland

All races, both sexes.....	634	885	993	1,189	1,460	1,702	1,384	936	408	104	9	-
Male.....	325	479	516	662	796	897	670	414	168	32	3	-
Female.....	309	406	477	527	664	805	714	522	240	72	6	-
White, both sexes.....	368	592	667	839	1,098	1,327	1,141	768	342	81	8	-
Male.....	203	329	344	466	606	706	561	338	142	23	2	-
Female.....	165	263	323	373	492	621	580	430	200	58	6	-
Black, both sexes.....	250	279	301	327	334	350	226	162	61	21	-	-
Male.....	116	144	162	187	179	176	97	72	24	8	-	-
Female.....	134	135	139	140	155	174	129	90	37	13	-	-
American Indian 1/, both sexes.....	2	1	5	2	3	3	-	-	-	-	-	-
Male.....	1	-	2	-	2	3	-	-	-	-	-	-
Female.....	1	1	3	2	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	13	20	21	25	22	17	6	5	2	1	-
Male.....	5	6	8	9	9	12	12	4	2	1	1	-
Female.....	9	7	12	12	16	10	5	2	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Massachusetts

All races, both sexes.....	671	943	1,144	1,432	1,890	2,276	2,212	1,447	702	197	23	-
Male.....	351	483	594	787	1,023	1,135	1,094	653	270	60	6	-
Female.....	320	460	550	645	867	1,141	1,118	794	432	137	17	-
White, both sexes.....	593	883	1,063	1,339	1,785	2,166	2,135	1,398	686	192	22	-
Male.....	305	453	556	732	970	1,079	1,055	632	261	59	5	-
Female.....	288	430	507	607	815	1,087	1,080	766	425	133	17	-
Black, both sexes.....	59	49	62	67	82	80	61	38	14	2	1	-
Male.....	32	24	26	37	38	42	32	16	8	-	1	-
Female.....	27	25	36	30	44	38	29	22	6	2	-	-
American Indian 1/, both sexes.....	2	1	-	3	2	-	2	-	-	1	-	-
Male.....	1	1	-	2	2	-	1	-	-	1	-	-
Female.....	1	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	10	19	23	21	30	14	11	2	2	-	-
Male.....	13	5	12	16	13	14	6	5	1	-	-	-
Female.....	4	5	7	7	8	16	8	6	1	2	-	-

Michigan

All races, both sexes.....	1,170	1,541	1,869	2,188	2,854	3,326	2,916	1,877	736	160	22	-
Male.....	597	830	1,039	1,193	1,559	1,754	1,477	844	296	62	5	-
Female.....	573	711	830	995	1,295	1,572	1,439	1,033	440	98	17	-
White, both sexes.....	900	1,242	1,581	1,871	2,480	2,956	2,608	1,693	682	141	19	-
Male.....	454	661	894	1,031	1,366	1,556	1,315	761	274	56	5	-
Female.....	446	581	687	840	1,114	1,400	1,293	932	408	85	14	-
Black, both sexes.....	249	277	273	292	345	350	290	173	51	18	3	-
Male.....	133	161	141	153	183	188	153	78	20	5	-	-
Female.....	116	116	132	139	162	162	137	95	31	13	3	-
American Indian 1/, both sexes.....	7	7	9	11	18	13	10	4	-	-	-	-
Male.....	2	1	2	3	6	7	3	-	-	-	-	-
Female.....	5	6	7	8	12	6	7	4	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	15	6	14	11	7	8	7	3	1	-	-
Male.....	8	7	2	6	4	3	6	5	2	1	-	-
Female.....	6	8	4	8	7	4	2	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Minnesota

All races, both sexes.....	418	612	853	939	1,279	1,497	1,434	1,079	482	156	21	-
Male.....	210	313	451	502	678	812	739	538	199	58	7	-
Female.....	208	299	402	437	601	685	695	541	283	98	14	-
White, both sexes.....	385	586	809	909	1,244	1,452	1,400	1,062	477	154	21	-
Male.....	189	298	426	481	667	783	722	529	198	57	7	-
Female.....	196	288	383	428	577	669	678	533	279	97	14	-
Black, both sexes.....	16	14	23	15	14	20	19	9	3	2	-	-
Male.....	9	9	13	10	5	12	10	4	1	1	-	-
Female.....	7	5	10	5	9	8	9	5	2	1	-	-
American Indian 1/, both sexes.....	5	7	12	8	12	9	6	3	-	-	-	-
Male.....	4	4	8	6	2	5	1	3	-	-	-	-
Female.....	1	3	4	2	10	4	5	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	5	9	7	9	16	9	5	2	-	-	-
Male.....	8	2	4	5	4	12	6	2	-	-	-	-
Female.....	4	3	5	2	5	4	3	3	2	-	-	-

Mississippi

All races, both sexes.....	367	528	671	748	821	886	737	438	218	67	13	-
Male.....	204	312	397	444	468	502	387	211	96	25	3	-
Female.....	163	216	274	304	353	384	350	227	122	42	10	-
White, both sexes.....	214	342	465	532	565	656	541	306	146	36	7	-
Male.....	122	194	275	326	327	371	283	145	57	11	3	-
Female.....	92	148	190	206	238	285	258	161	89	25	4	-
Black, both sexes.....	153	181	206	212	253	227	196	131	71	31	6	-
Male.....	82	115	122	116	140	130	104	66	39	14	-	-
Female.....	71	66	84	96	113	97	92	65	32	17	6	-
American Indian 1/, both sexes.....	-	2	-	1	1	2	-	1	1	-	-	-
Male.....	-	2	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	-	3	2	1	-	-	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	2	-	2	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Missouri

All races, both sexes.....	678	882	1,258	1,526	1,823	1,968	1,739	1,148	535	162	17	1
Male.....	370	475	710	867	989	1,067	871	506	204	52	7	1
Female.....	308	407	548	659	834	901	868	642	331	110	10	-
White, both sexes.....	581	768	1,110	1,370	1,618	1,808	1,591	1,063	498	144	14	1
Male.....	319	414	634	768	888	984	803	474	188	42	6	1
Female.....	262	354	476	602	730	824	788	589	310	102	8	-
Black, both sexes.....	92	106	141	150	194	158	142	84	35	18	3	-
Male.....	49	58	74	95	98	81	67	32	15	10	1	-
Female.....	43	48	67	55	96	77	75	52	20	8	2	-
American Indian 1/, both sexes.....	3	1	2	1	3	1	1	-	2	-	-	-
Male.....	1	-	2	-	2	1	-	-	1	-	-	-
Female.....	2	1	-	1	1	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	7	5	5	8	1	5	1	-	-	-	-
Male.....	1	3	-	4	1	1	1	-	-	-	-	-
Female.....	1	4	5	1	7	-	4	1	-	-	-	-

Montana

All races, both sexes.....	90	127	155	194	276	322	288	223	99	34	3	-
Male.....	40	70	97	105	162	166	153	112	39	9	-	-
Female.....	50	57	58	89	114	156	135	111	60	25	3	-
White, both sexes.....	87	119	146	188	265	311	278	217	99	33	3	-
Male.....	40	66	90	103	157	159	151	110	39	9	-	-
Female.....	47	53	56	85	108	152	127	107	60	24	3	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	8	9	6	8	9	8	6	-	1	-	-
Male.....	-	4	7	2	4	6	2	2	-	-	-	-
Female.....	3	4	2	4	4	3	6	4	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	2	2	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Nebraska

All races, both sexes.....	157	207	282	364	469	584	542	374	183	60	5	-
Male.....	73	115	154	181	265	332	287	177	69	20	3	-
Female.....	84	92	128	183	204	252	255	197	114	40	2	-
White, both sexes.....	145	195	269	351	446	564	525	363	182	58	4	-
Male.....	65	106	144	173	254	319	277	174	68	18	3	-
Female.....	80	89	125	178	192	245	248	189	114	40	1	-
Black, both sexes.....	10	9	12	10	18	17	13	10	-	1	1	-
Male.....	7	6	9	5	8	13	9	3	-	1	-	-
Female.....	3	3	3	5	10	4	4	7	-	-	1	-
American Indian 1/, both sexes.....	1	1	1	1	4	2	2	1	1	-	-	-
Male.....	1	1	1	1	2	-	-	-	1	-	-	-
Female.....	-	-	-	-	2	2	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	2	1	1	2	-	-	1	-	-
Male.....	-	2	-	2	1	-	1	-	-	1	-	-
Female.....	1	-	-	-	-	1	1	-	-	-	-	-

Nevada

All races, both sexes.....	235	388	498	538	633	713	551	272	87	25	1	1
Male.....	130	204	297	318	371	406	283	131	44	11	1	-
Female.....	105	184	201	220	262	307	268	141	43	14	-	1
White, both sexes.....	198	354	455	491	587	667	515	253	81	23	1	-
Male.....	111	185	273	298	350	380	265	124	42	11	1	-
Female.....	87	169	182	193	237	287	250	129	39	12	-	-
Black, both sexes.....	20	27	31	31	28	25	22	11	4	2	-	-
Male.....	10	17	22	12	14	14	12	4	2	-	-	-
Female.....	10	10	9	19	14	11	10	7	2	2	-	-
American Indian 1/, both sexes.....	1	-	3	3	3	4	4	4	-	-	-	-
Male.....	1	-	1	2	2	2	2	1	-	-	-	-
Female.....	-	-	2	1	1	2	2	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	7	9	13	15	17	10	4	2	-	-	1
Male.....	8	2	1	6	5	10	4	2	-	-	-	-
Female.....	8	5	8	7	10	7	6	2	2	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

New Hampshire

All races, both sexes.....	137	216	237	291	340	384	326	261	123	37	5	-
Male.....	76	116	139	155	178	204	172	119	44	15	-	-
Female.....	61	100	98	136	162	180	154	142	79	22	5	-
White, both sexes.....	136	214	234	289	336	380	324	260	123	37	5	-
Male.....	75	116	138	154	176	202	172	119	44	15	-	-
Female.....	61	98	96	135	160	178	152	141	79	22	5	-
Black, both sexes.....	1	-	1	2	1	3	-	-	-	-	-	-
Male.....	1	-	1	1	-	2	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	-	2	1	2	1	-	-	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	1	2	-	-	1	2	1	-	-	-	-

New Jersey

All races, both sexes.....	853	1,282	1,601	1,872	2,616	3,158	2,823	1,891	791	204	32	-
Male.....	407	641	840	1,003	1,416	1,576	1,371	784	312	75	8	-
Female.....	446	641	761	869	1,200	1,582	1,452	1,107	479	129	24	-
White, both sexes.....	663	1,032	1,299	1,566	2,263	2,817	2,584	1,739	722	192	31	-
Male.....	318	525	674	828	1,230	1,390	1,241	713	293	74	7	-
Female.....	345	507	625	738	1,033	1,427	1,343	1,026	429	118	24	-
Black, both sexes.....	162	214	261	274	321	314	201	139	58	11	1	-
Male.....	76	103	137	160	171	171	107	65	18	1	1	-
Female.....	86	111	124	114	150	143	94	74	40	10	-	-
American Indian 1/, both sexes.....	1	1	4	-	1	-	2	-	1	-	-	-
Male.....	-	-	3	-	1	-	1	-	-	-	-	-
Female.....	1	1	1	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	35	37	32	31	27	36	13	10	1	-	-
Male.....	13	13	26	15	14	15	22	6	1	-	-	-
Female.....	14	22	11	17	17	12	14	7	9	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

New Mexico

All races, both sexes.....	182	243	321	359	471	499	448	298	144	20	6	-
Male.....	91	134	178	216	284	254	248	158	60	6	1	-
Female.....	91	109	143	143	187	245	200	140	84	14	5	-
White, both sexes.....	166	225	305	341	441	479	429	282	134	18	5	-
Male.....	83	127	170	203	262	244	235	147	56	5	1	-
Female.....	83	98	135	138	179	235	194	135	78	13	4	-
Black, both sexes.....	5	2	2	6	11	9	6	6	4	-	-	-
Male.....	3	-	-	5	8	4	4	5	2	-	-	-
Female.....	2	2	2	1	3	5	2	1	2	-	-	-
American Indian 1/, both sexes.....	10	14	14	11	17	10	13	8	5	2	1	-
Male.....	5	6	8	7	13	6	9	5	2	1	-	-
Female.....	5	8	6	4	4	4	4	3	3	1	1	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	1	2	1	-	2	1	-	-	-
Male.....	-	1	-	1	1	-	-	1	-	-	-	-
Female.....	1	1	-	-	1	1	-	1	1	-	-	-

New York

All races, both sexes.....	1,983	2,766	3,481	3,968	5,075	5,903	5,285	3,595	1,660	466	75	-
Male.....	994	1,390	1,784	2,084	2,622	2,953	2,497	1,564	631	161	21	-
Female.....	989	1,376	1,697	1,884	2,453	2,950	2,788	2,031	1,029	305	54	-
White, both sexes.....	1,487	2,201	2,803	3,199	4,344	5,178	4,732	3,262	1,512	420	63	-
Male.....	743	1,099	1,437	1,682	2,240	2,566	2,235	1,427	580	143	17	-
Female.....	744	1,102	1,366	1,517	2,104	2,612	2,497	1,835	932	277	46	-
Black, both sexes.....	413	486	582	645	624	592	474	259	129	42	11	-
Male.....	205	248	292	322	324	299	217	102	42	15	3	-
Female.....	208	238	290	323	300	293	257	157	87	27	8	-
American Indian 1/, both sexes.....	7	6	10	4	6	9	8	5	1	-	-	-
Male.....	5	4	4	4	2	5	2	3	-	-	-	-
Female.....	2	2	6	-	4	4	6	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	76	73	86	120	101	124	71	69	18	4	1	-
Male.....	41	39	51	76	56	83	43	32	9	3	1	-
Female.....	35	34	35	44	45	41	28	37	9	1	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Ohio

All races, both sexes.....	1,341	1,850	2,469	2,897	3,672	4,333	3,692	2,325	990	238	31	-
Male.....	700	993	1,337	1,565	1,991	2,293	1,853	1,033	363	84	4	-
Female.....	641	857	1,132	1,332	1,681	2,040	1,839	1,292	627	154	27	-
White, both sexes.....	1,152	1,610	2,142	2,547	3,298	3,948	3,371	2,149	918	220	26	-
Male.....	604	860	1,148	1,375	1,794	2,087	1,690	949	341	77	4	-
Female.....	548	750	994	1,172	1,504	1,861	1,681	1,200	577	143	22	-
Black, both sexes.....	182	235	324	334	358	376	315	173	70	17	5	-
Male.....	94	131	188	181	188	200	161	83	20	7	-	-
Female.....	88	104	136	153	170	176	154	90	50	10	5	-
American Indian 1/, both sexes.....	-	1	1	1	1	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	1	1	1	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	4	2	15	15	8	5	2	2	1	-	-
Male.....	2	2	1	9	9	5	2	1	2	-	-	-
Female.....	5	2	1	6	6	3	3	1	-	1	-	-

Oklahoma

All races, both sexes.....	400	598	782	892	1,100	1,180	976	617	321	68	10	-
Male.....	218	335	423	509	607	636	544	281	132	22	3	-
Female.....	182	263	359	383	493	544	432	336	189	46	7	-
White, both sexes.....	344	524	697	809	972	1,068	894	574	294	58	7	-
Male.....	183	292	378	462	538	578	502	263	119	18	2	-
Female.....	161	232	319	347	434	490	392	311	175	40	5	-
Black, both sexes.....	28	37	43	47	66	62	49	23	20	6	2	-
Male.....	20	22	17	27	39	31	23	7	7	2	-	-
Female.....	8	15	26	20	27	31	26	16	13	4	2	-
American Indian 1/, both sexes.....	27	37	39	32	57	43	32	18	6	4	1	-
Male.....	14	21	27	18	28	25	19	10	5	2	1	-
Female.....	13	16	12	14	29	18	13	8	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	3	4	5	7	1	2	1	-	-	-
Male.....	1	-	1	2	2	-	-	1	1	-	-	-
Female.....	-	-	2	2	3	5	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Oregon

All races, both sexes.....	352	550	689	819	1,014	1,159	1,120	803	358	91	10	-
Male.....	188	301	378	415	539	612	575	395	143	23	3	-
Female.....	164	249	311	404	475	547	545	408	215	68	7	-
White, both sexes.....	325	527	665	793	976	1,121	1,083	790	352	89	10	-
Male.....	173	287	364	402	519	591	558	390	142	22	3	-
Female.....	152	240	301	391	457	530	525	400	210	67	7	-
Black, both sexes.....	13	6	9	9	12	14	12	4	1	1	-	-
Male.....	12	5	5	5	10	10	4	3	-	-	-	-
Female.....	1	1	4	4	2	4	8	1	1	1	-	-
American Indian 1/, both sexes.....	7	4	4	3	6	9	6	1	3	1	-	-
Male.....	2	2	3	1	2	5	4	-	-	1	-	-
Female.....	5	2	1	2	4	4	2	1	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	13	11	14	20	15	19	8	2	-	-	-
Male.....	1	7	6	7	8	6	9	2	1	-	-	-
Female.....	6	6	5	7	12	9	10	6	1	-	-	-

Pennsylvania

All races, both sexes.....	1,371	2,013	2,563	3,237	4,414	5,416	4,815	3,144	1,361	336	37	2
Male.....	745	1,064	1,395	1,808	2,339	2,903	2,403	1,449	523	98	8	-
Female.....	626	949	1,168	1,429	2,075	2,513	2,412	1,695	838	238	29	2
White, both sexes.....	1,148	1,721	2,243	2,896	4,015	4,985	4,469	2,968	1,285	320	30	2
Male.....	619	903	1,232	1,637	2,137	2,658	2,234	1,378	489	93	8	-
Female.....	529	818	1,011	1,259	1,878	2,327	2,235	1,590	796	227	22	2
Black, both sexes.....	199	277	310	324	377	413	333	171	69	16	7	-
Male.....	114	156	157	162	192	233	161	68	28	5	-	-
Female.....	85	121	153	162	185	180	172	103	41	11	7	-
American Indian 1/, both sexes.....	1	4	-	1	2	-	-	-	-	-	-	-
Male.....	1	3	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	11	10	16	20	18	13	5	7	-	-	-
Male.....	11	2	6	9	9	12	8	3	6	-	-	-
Female.....	12	9	4	7	11	6	5	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Rhode Island

All races, both sexes.....	135	155	189	236	313	383	410	265	126	26	6	-
Male.....	67	76	100	106	185	187	203	118	49	9	3	-
Female.....	68	79	89	130	128	196	207	147	77	17	3	-
White, both sexes.....	123	145	182	230	302	367	400	261	122	26	6	-
Male.....	60	71	94	105	175	178	198	116	47	9	3	-
Female.....	63	74	88	125	127	189	202	145	75	17	3	-
Black, both sexes.....	8	8	4	4	8	14	7	3	4	-	-	-
Male.....	5	4	3	1	7	8	5	1	2	-	-	-
Female.....	3	4	1	3	1	6	2	2	2	-	-	-
American Indian 1/, both sexes.....	1	-	-	2	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	3	-	3	1	3	1	-	-	-	-
Male.....	2	1	3	-	3	-	-	1	-	-	-	-
Female.....	1	1	-	-	-	1	3	-	-	-	-	-

South Carolina

All races, both sexes.....	521	793	978	1,146	1,225	1,285	1,078	630	257	75	10	-
Male.....	278	445	590	670	688	702	541	288	97	19	3	-
Female.....	243	348	388	476	537	583	537	342	160	56	7	-
White, both sexes.....	312	553	682	847	947	993	818	484	182	52	5	-
Male.....	169	306	404	489	533	541	414	214	65	12	2	-
Female.....	143	247	278	358	414	452	404	270	117	40	3	-
Black, both sexes.....	206	238	291	291	274	288	259	145	75	23	5	-
Male.....	107	139	182	176	153	160	127	74	32	7	1	-
Female.....	99	99	109	115	121	128	132	71	43	16	4	-
American Indian 1/, both sexes.....	-	-	2	3	2	1	-	1	-	-	-	-
Male.....	-	-	2	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	2	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	3	5	2	3	1	-	-	-	-	-
Male.....	2	-	2	4	1	-	-	-	-	-	-	-
Female.....	1	2	1	1	1	3	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

South Dakota

All races, both sexes.....	73	105	122	181	226	292	258	185	101	27	3	-
Male.....	36	53	65	100	125	178	145	90	39	5	-	-
Female.....	37	52	57	81	101	114	113	95	62	22	3	-
White, both sexes.....	68	97	112	170	222	282	246	183	98	26	3	-
Male.....	33	49	62	93	124	172	140	88	37	5	-	-
Female.....	35	48	50	77	98	110	106	95	61	21	3	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	7	10	11	4	9	12	2	3	1	-	-
Male.....	3	3	3	7	1	6	5	2	2	-	-	-
Female.....	2	4	7	4	3	3	7	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	780	1,076	1,369	1,584	1,780	1,900	1,685	1,034	468	128	19	-
Male.....	424	597	799	900	1,007	1,051	833	456	173	42	7	-
Female.....	356	479	570	684	773	849	852	578	295	86	12	-
White, both sexes.....	606	913	1,184	1,381	1,556	1,663	1,486	914	394	105	12	-
Male.....	321	511	697	794	876	925	740	402	148	32	4	-
Female.....	285	402	487	587	680	738	746	512	246	73	8	-
Black, both sexes.....	168	160	182	198	220	233	195	119	74	23	7	-
Male.....	101	86	100	105	130	123	92	54	25	10	3	-
Female.....	67	74	82	93	90	110	103	65	49	13	4	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	3	5	4	4	2	1	-	-	-	-
Male.....	2	-	2	1	1	3	-	-	-	-	-	-
Female.....	4	2	1	4	3	1	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Texas

All races, both sexes.....	2,046	2,842	3,459	4,132	4,763	5,227	4,591	2,738	1,281	316	49	-
Male.....	1,087	1,520	1,950	2,343	2,696	2,821	2,383	1,268	473	107	15	-
Female.....	959	1,322	1,509	1,789	2,067	2,406	2,208	1,470	808	209	34	-
White, both sexes.....	1,648	2,361	2,950	3,544	4,150	4,638	4,136	2,472	1,116	271	38	-
Male.....	871	1,249	1,670	2,015	2,373	2,496	2,148	1,148	401	90	12	-
Female.....	777	1,112	1,280	1,529	1,777	2,142	1,988	1,324	715	181	26	-
Black, both sexes.....	366	433	459	542	561	537	419	247	155	43	11	-
Male.....	205	243	257	307	298	300	216	115	69	17	3	-
Female.....	161	190	202	235	263	237	203	132	86	26	8	-
American Indian 1/, both sexes.....	3	3	5	5	5	6	1	2	-	-	-	-
Male.....	2	2	3	4	4	1	-	1	-	-	-	-
Female.....	1	1	2	1	1	5	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	45	45	41	47	46	35	17	10	2	-	-
Male.....	9	26	20	17	21	24	19	4	3	-	-	-
Female.....	20	19	25	24	26	22	16	13	7	2	-	-

Utah

All races, both sexes.....	133	188	244	241	320	381	334	264	112	22	3	-
Male.....	70	100	129	135	171	206	174	128	54	9	-	-
Female.....	63	88	115	106	149	175	160	136	58	13	3	-
White, both sexes.....	129	179	237	234	315	371	324	257	112	22	2	-
Male.....	68	92	126	132	168	202	166	124	54	9	-	-
Female.....	61	87	111	102	147	169	158	133	58	13	2	-
Black, both sexes.....	-	3	1	2	-	3	2	3	-	-	-	-
Male.....	-	3	1	1	-	2	2	1	-	-	-	-
Female.....	-	-	-	1	-	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	2	2	1	2	3	2	2	1	-	-	1	-
Male.....	1	1	-	1	1	1	1	1	-	-	-	-
Female.....	1	1	1	1	2	1	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	4	5	3	2	5	6	3	-	-	-	-
Male.....	1	4	2	1	2	1	5	2	-	-	-	-
Female.....	1	-	3	2	-	4	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Vermont

All races, both sexes.....	57	90	111	137	200	197	177	110	57	20	1	-
Male.....	30	51	56	69	119	102	96	53	20	6	1	-
Female.....	27	39	55	68	81	95	81	57	37	14	-	-
White, both sexes.....	57	90	110	137	200	196	176	110	57	20	1	-
Male.....	30	51	56	69	119	101	95	53	20	6	1	-
Female.....	27	39	54	68	81	95	81	57	37	14	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	835	1,165	1,426	1,612	1,914	2,237	1,939	1,196	508	124	16	-
Male.....	440	634	817	922	1,025	1,202	999	518	194	42	4	-
Female.....	395	531	609	690	889	1,035	940	678	314	82	12	-
White, both sexes.....	596	892	1,120	1,237	1,482	1,794	1,613	998	406	95	9	-
Male.....	304	488	625	707	797	953	827	433	140	29	1	-
Female.....	292	404	495	530	685	841	786	565	266	66	8	-
Black, both sexes.....	215	246	280	345	395	416	309	187	100	26	7	-
Male.....	127	132	180	194	213	232	160	79	53	11	3	-
Female.....	88	114	100	151	182	184	149	108	47	15	4	-
American Indian 1/, both sexes.....	-	1	1	-	1	3	1	-	-	-	-	-
Male.....	-	-	1	-	1	2	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	26	25	30	36	24	16	11	2	3	-	-
Male.....	9	14	11	21	14	15	12	6	1	2	-	-
Female.....	15	12	14	9	22	9	4	5	1	1	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

II. Neoplasms (C00-D48)

Wisconsin

All races, both sexes.....	550	785	893	1,132	1,489	1,743	1,639	1,257	584	152	13	-
Male.....	296	415	469	654	810	986	858	609	225	51	3	-
Female.....	254	370	424	478	679	757	781	648	359	101	10	-
White, both sexes.....	488	725	833	1,075	1,416	1,683	1,598	1,218	578	146	13	-
Male.....	265	390	437	619	773	958	836	590	221	47	3	-
Female.....	223	335	396	456	643	725	762	628	357	99	10	-
Black, both sexes.....	50	52	47	47	60	53	34	30	4	6	-	-
Male.....	27	24	25	31	30	23	20	15	3	4	-	-
Female.....	23	28	22	16	30	30	14	15	1	2	-	-
American Indian 1/, both sexes.....	7	4	8	6	7	4	1	5	1	-	-	-
Male.....	3	-	5	2	5	3	-	3	-	-	-	-
Female.....	4	4	3	4	2	1	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	4	5	4	6	3	6	4	1	-	-	-
Male.....	1	1	2	2	2	2	2	1	1	-	-	-
Female.....	4	3	3	2	4	1	4	3	-	-	-	-

Wyoming

All races, both sexes.....	57	69	102	120	146	142	128	83	46	9	2	-
Male.....	30	39	61	74	78	76	74	42	12	3	1	-
Female.....	27	30	41	46	68	66	54	41	34	6	1	-
White, both sexes.....	57	68	102	112	144	137	127	82	44	9	2	-
Male.....	30	38	61	68	78	73	73	42	10	3	1	-
Female.....	27	30	41	44	66	64	54	40	34	6	1	-
Black, both sexes.....	-	-	-	2	-	2	-	-	1	-	-	-
Male.....	-	-	-	2	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	5	2	3	-	-	1	-	-	-
Male.....	-	1	-	4	-	2	-	-	1	-	-	-
Female.....	-	-	-	1	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

Alaska

All races, both sexes.....	735	-	-	1	3	1	2	2	6	9	19	39
Male.....	413	-	-	1	2	-	1	-	3	5	9	19
Female.....	322	-	-	-	1	1	1	2	3	4	10	20
White, both sexes.....	558	-	-	1	2	1	1	-	3	8	13	30
Male.....	330	-	-	1	2	-	1	-	1	4	7	16
Female.....	228	-	-	-	-	1	-	-	2	4	6	14
Black, both sexes.....	16	-	-	-	-	-	-	-	-	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	139	-	-	-	1	-	1	2	3	1	5	7
Male.....	66	-	-	-	-	-	-	-	2	1	2	3
Female.....	73	-	-	-	1	-	1	2	1	-	3	4
Asian or Pacific Islander 2/, both sexes.....	22	-	-	-	-	-	-	-	-	-	1	2
Male.....	11	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	-	-	-	-	-	-	-	-	1	2

Arizona

All races, both sexes.....	9,627	-	13	15	5	10	15	22	48	62	169	326
Male.....	5,180	-	7	7	3	5	9	15	26	30	75	176
Female.....	4,447	-	6	8	2	5	6	7	22	32	94	150
White, both sexes.....	9,124	-	12	12	4	8	13	19	42	56	150	302
Male.....	4,952	-	6	7	3	5	7	13	24	30	67	167
Female.....	4,172	-	6	5	1	3	6	6	18	26	83	135
Black, both sexes.....	224	-	-	1	-	-	1	1	2	1	11	12
Male.....	110	-	-	-	-	-	1	-	1	-	6	5
Female.....	114	-	-	1	-	-	-	1	1	1	5	7
American Indian 1/, both sexes.....	193	-	1	2	1	2	1	1	1	2	3	7
Male.....	84	-	1	-	-	-	1	1	-	-	1	3
Female.....	109	-	-	2	1	2	-	-	-	2	2	4
Asian or Pacific Islander 2/, both sexes.....	86	-	-	-	-	-	-	1	3	3	5	5
Male.....	34	-	-	-	-	-	-	1	-	-	1	1
Female.....	52	-	-	-	-	-	-	-	3	3	4	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

Arkansas

All races, both sexes.....	6,119	1	9	3	3	5	12	12	26	44	99	240
Male.....	3,344	-	3	1	1	4	7	9	15	20	50	128
Female.....	2,775	1	6	2	2	1	5	3	11	24	49	112
White, both sexes.....	5,267	1	7	3	3	4	8	10	21	32	77	176
Male.....	2,864	-	3	1	1	4	5	7	12	16	40	91
Female.....	2,403	1	4	2	2	-	3	3	9	16	37	85
Black, both sexes.....	825	-	2	-	-	-	4	2	5	12	20	62
Male.....	462	-	-	-	-	-	2	2	3	4	10	36
Female.....	363	-	2	-	-	-	2	-	2	8	10	26
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	-	1	1
Male.....	10	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	1	-	-	-	-	1	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	1	-	-	-	-	1	-

California

All races, both sexes.....	54,319	12	59	83	105	104	134	160	313	570	1,068	2,008
Male.....	27,504	6	33	52	53	71	74	92	161	246	448	949
Female.....	26,815	6	26	31	52	33	60	68	152	324	620	1,059
White, both sexes.....	45,505	9	48	72	81	85	104	129	233	436	831	1,539
Male.....	22,985	5	27	45	40	58	59	77	117	188	362	727
Female.....	22,520	4	21	27	41	27	45	52	116	248	469	812
Black, both sexes.....	4,126	-	5	8	9	9	12	11	28	54	117	228
Male.....	2,132	-	3	7	5	6	7	5	15	20	43	107
Female.....	1,994	-	2	1	4	3	5	6	13	34	74	121
American Indian 1/, both sexes.....	226	-	-	-	-	1	2	2	1	5	8	14
Male.....	116	-	-	-	-	1	2	1	-	2	3	10
Female.....	110	-	-	-	-	-	-	1	1	3	5	4
Asian or Pacific Islander 2/, both sexes.....	4,462	3	6	3	15	9	16	18	51	75	112	227
Male.....	2,271	1	3	-	8	6	6	9	29	36	40	105
Female.....	2,191	2	3	3	7	3	10	9	22	39	72	122

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

Colorado

All races, both sexes.....	6,417	1	2	3	12	14	13	22	25	64	140	234
Male.....	3,307	-	1	1	4	8	9	12	15	33	56	110
Female.....	3,110	1	1	2	8	6	4	10	10	31	84	124
White, both sexes.....	6,098	-	2	3	12	11	12	22	23	60	124	223
Male.....	3,133	-	1	1	4	6	8	12	14	30	48	104
Female.....	2,965	-	1	2	8	5	4	10	9	30	76	119
Black, both sexes.....	215	-	-	-	-	3	-	-	1	3	10	6
Male.....	126	-	-	-	-	2	-	-	-	3	5	4
Female.....	89	-	-	-	-	1	-	-	1	-	5	2
American Indian 1/, both sexes.....	24	-	-	-	-	-	-	-	-	1	3	-
Male.....	11	-	-	-	-	-	-	-	-	-	2	-
Female.....	13	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	80	1	-	-	-	-	1	-	1	-	3	5
Male.....	37	-	-	-	-	-	1	-	1	-	1	2
Female.....	43	1	-	-	-	-	-	-	-	-	2	3

Connecticut

All races, both sexes.....	7,131	1	2	4	8	6	11	9	21	57	118	189
Male.....	3,606	-	2	4	7	5	6	6	12	28	54	76
Female.....	3,525	1	-	-	1	1	5	3	9	29	64	113
White, both sexes.....	6,615	1	1	3	6	6	9	8	19	47	104	158
Male.....	3,355	-	1	3	5	5	6	5	11	24	48	64
Female.....	3,260	1	-	-	1	1	3	3	8	23	56	94
Black, both sexes.....	466	-	1	-	1	-	1	-	2	8	12	30
Male.....	227	-	1	-	1	-	-	-	1	3	5	11
Female.....	239	-	-	-	-	-	1	-	1	5	7	19
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	45	-	-	1	1	-	1	1	-	2	2	1
Male.....	21	-	-	1	1	-	-	1	-	1	1	1
Female.....	24	-	-	-	-	-	1	-	-	1	1	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

Florida

All races, both sexes.....	39,404	-	20	29	32	42	51	66	123	281	682	1,269
Male.....	21,190	-	11	15	13	29	31	34	53	113	334	658
Female.....	18,214	-	9	14	19	13	20	32	70	168	348	611
White, both sexes.....	35,494	-	17	24	25	35	43	52	91	212	557	1,015
Male.....	19,172	-	9	13	11	25	26	28	41	90	283	532
Female.....	16,322	-	8	11	14	10	17	24	50	122	274	483
Black, both sexes.....	3,696	-	3	4	7	7	8	13	30	64	116	241
Male.....	1,913	-	2	2	2	4	5	5	11	22	46	120
Female.....	1,783	-	1	2	5	3	3	8	19	42	70	121
American Indian 1/, both sexes.....	26	-	-	-	-	-	-	-	-	-	-	1
Male.....	18	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	188	-	-	1	-	-	-	1	2	5	9	12
Male.....	87	-	-	-	-	-	-	1	1	1	5	6
Female.....	101	-	-	1	-	-	-	-	1	4	4	6

Georgia

All races, both sexes.....	14,032	2	6	18	14	17	20	46	81	177	353	564
Male.....	7,242	-	2	12	7	9	10	24	29	66	175	297
Female.....	6,790	2	4	6	7	8	10	22	52	111	178	267
White, both sexes.....	10,314	1	3	11	9	10	12	23	43	96	220	334
Male.....	5,348	-	1	8	3	5	6	14	15	35	100	183
Female.....	4,966	1	2	3	6	5	6	9	28	61	120	151
Black, both sexes.....	3,590	1	3	7	5	7	8	23	37	77	128	221
Male.....	1,825	-	1	4	4	4	4	10	14	29	73	111
Female.....	1,765	1	2	3	1	3	4	13	23	48	55	110
American Indian 1/, both sexes.....	30	-	-	-	-	-	-	-	-	1	1	-
Male.....	14	-	-	-	-	-	-	-	-	-	1	-
Female.....	16	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	98	-	-	-	-	-	-	-	1	3	4	9
Male.....	55	-	-	-	-	-	-	-	-	2	1	3
Female.....	43	-	-	-	-	-	-	-	1	1	3	6





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

Iowa

All races, both sexes.....	6,469	2	3	3	7	6	11	15	24	35	102	192
Male.....	3,341	1	3	1	4	5	6	8	10	15	43	90
Female.....	3,128	1	-	2	3	1	5	7	14	20	59	102
White, both sexes.....	6,350	1	2	3	7	6	10	15	23	31	102	184
Male.....	3,272	1	2	1	4	5	6	8	10	12	43	86
Female.....	3,078	-	-	2	3	1	4	7	13	19	59	98
Black, both sexes.....	92	1	-	-	-	-	-	-	1	2	-	6
Male.....	52	-	-	-	-	-	-	-	-	1	-	2
Female.....	40	1	-	-	-	-	-	-	1	1	-	4
American Indian 1/, both sexes.....	9	-	-	-	-	-	1	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	1	-	-	-	-	-	-	2	-	2
Male.....	14	-	1	-	-	-	-	-	-	2	-	2
Female.....	4	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	5,332	3	4	4	3	5	2	14	14	47	90	165
Male.....	2,741	2	1	2	2	1	2	7	8	18	48	85
Female.....	2,591	1	3	2	1	4	-	7	6	29	42	80
White, both sexes.....	5,015	3	3	3	2	5	2	11	14	45	78	149
Male.....	2,582	2	1	2	1	1	2	4	8	18	44	79
Female.....	2,433	1	2	1	1	4	-	7	6	27	34	70
Black, both sexes.....	253	-	-	-	1	-	-	2	-	1	10	12
Male.....	128	-	-	-	1	-	-	2	-	-	2	4
Female.....	125	-	-	-	-	-	-	-	-	1	8	8
American Indian 1/, both sexes.....	25	-	-	-	-	-	-	-	-	-	1	2
Male.....	12	-	-	-	-	-	-	-	-	-	1	1
Female.....	13	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	39	-	1	1	-	-	-	1	-	1	1	2
Male.....	19	-	-	-	-	-	-	1	-	-	1	1
Female.....	20	-	1	1	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

Kentucky

All races, both sexes.....	9,378	-	10	1	15	10	22	27	34	88	185	332
Male.....	5,023	-	6	-	7	4	10	14	14	38	82	172
Female.....	4,355	-	4	1	8	6	12	13	20	50	103	160
White, both sexes.....	8,713	-	9	1	13	10	20	23	29	81	172	289
Male.....	4,684	-	5	-	6	4	10	13	12	37	77	150
Female.....	4,029	-	4	1	7	6	10	10	17	44	95	139
Black, both sexes.....	631	-	1	-	2	-	2	4	4	6	12	40
Male.....	322	-	1	-	1	-	-	1	1	-	4	21
Female.....	309	-	-	-	1	-	2	3	3	6	8	19
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	1	-	1	-
Male.....	5	-	-	-	-	-	-	-	1	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	-	-	-	-	-	-	-	-	1	-	3
Male.....	12	-	-	-	-	-	-	-	-	1	-	1
Female.....	16	-	-	-	-	-	-	-	-	-	-	2

Louisiana

All races, both sexes.....	9,533	1	5	7	2	11	16	14	55	108	211	409
Male.....	5,067	1	3	2	1	9	8	4	27	42	96	223
Female.....	4,466	-	2	5	1	2	8	10	28	66	115	186
White, both sexes.....	6,634	1	2	5	1	5	8	7	29	67	127	237
Male.....	3,543	1	1	2	1	4	3	2	16	33	60	136
Female.....	3,091	-	1	3	-	1	5	5	13	34	67	101
Black, both sexes.....	2,847	-	3	2	1	6	8	7	26	39	84	171
Male.....	1,501	-	2	-	-	5	5	2	11	9	36	86
Female.....	1,346	-	1	2	1	1	3	5	15	30	48	85
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	-	1	-	1
Male.....	12	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	35	-	-	-	-	-	-	-	-	1	-	-
Male.....	11	-	-	-	-	-	-	-	-	-	-	-
Female.....	24	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

Maine

All races, both sexes.....	3,120	-	-	1	2	2	3	7	9	22	51	99
Male.....	1,572	-	-	-	1	1	3	1	5	8	19	56
Female.....	1,548	-	-	1	1	1	-	6	4	14	32	43
White, both sexes.....	3,093	-	-	1	2	2	3	7	9	21	51	97
Male.....	1,558	-	-	-	1	1	3	1	5	8	19	55
Female.....	1,535	-	-	1	1	1	-	6	4	13	32	42
Black, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	-	-	-	-	1
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	-	1	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Maryland

All races, both sexes.....	10,292	-	9	4	14	12	12	12	43	108	207	380
Male.....	5,217	-	3	3	8	7	8	4	18	40	96	173
Female.....	5,075	-	6	1	6	5	4	8	25	68	111	207
White, both sexes.....	7,517	-	4	3	7	7	7	7	18	64	118	221
Male.....	3,853	-	1	2	4	4	4	1	12	30	60	103
Female.....	3,664	-	3	1	3	3	3	6	6	34	58	118
Black, both sexes.....	2,586	-	5	1	7	5	4	5	21	42	80	148
Male.....	1,274	-	2	1	4	3	3	3	5	9	31	65
Female.....	1,312	-	3	-	3	2	1	2	16	33	49	83
American Indian 1/, both sexes.....	16	-	-	-	-	-	-	-	-	-	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	173	-	-	-	-	-	1	-	4	2	9	11
Male.....	82	-	-	-	-	-	1	-	1	1	5	5
Female.....	91	-	-	-	-	-	-	-	3	1	4	6

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

Massachusetts

All races, both sexes.....	13,551	3	4	8	11	17	13	20	52	110	234	468
Male.....	6,736	2	1	5	8	12	8	8	28	49	102	217
Female.....	6,815	1	3	3	3	5	5	12	24	61	132	251
White, both sexes.....	12,772	3	4	8	8	14	8	15	41	104	203	417
Male.....	6,331	2	1	5	5	11	4	8	21	47	85	192
Female.....	6,441	1	3	3	3	3	4	7	20	57	118	225
Black, both sexes.....	600	-	-	-	2	2	4	4	7	6	26	40
Male.....	300	-	-	-	2	1	3	-	5	2	15	18
Female.....	300	-	-	-	-	1	1	4	2	4	11	22
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	-	-	1	-
Male.....	9	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	167	-	-	-	1	1	1	1	4	-	4	11
Male.....	96	-	-	-	1	-	1	-	2	-	1	7
Female.....	71	-	-	-	-	1	-	1	2	-	3	4

Michigan

All races, both sexes.....	19,713	3	7	22	19	20	38	42	85	170	366	732
Male.....	10,177	1	4	12	11	16	18	24	42	84	171	375
Female.....	9,536	2	3	10	8	4	20	18	43	86	195	357
White, both sexes.....	16,955	3	6	16	14	17	32	33	66	124	292	582
Male.....	8,768	1	4	8	6	13	14	21	37	65	142	296
Female.....	8,187	2	2	8	8	4	18	12	29	59	150	286
Black, both sexes.....	2,567	-	1	5	3	3	6	9	15	42	68	138
Male.....	1,327	-	-	3	3	3	4	3	4	16	27	73
Female.....	1,240	-	1	2	-	-	2	6	11	26	41	65
American Indian 1/, both sexes.....	89	-	-	-	-	-	-	-	1	-	1	8
Male.....	29	-	-	-	-	-	-	-	1	-	-	4
Female.....	60	-	-	-	-	-	-	-	-	-	1	4
Asian or Pacific Islander 2/, both sexes.....	102	-	-	1	2	-	-	-	3	4	5	4
Male.....	53	-	-	1	2	-	-	-	-	3	2	2
Female.....	49	-	-	-	-	-	-	-	3	1	3	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

Minnesota

All races, both sexes.....	9,183	2	12	10	10	7	21	23	43	93	159	297
Male.....	4,702	-	9	6	3	6	12	8	18	39	67	150
Female.....	4,481	2	3	4	7	1	9	15	25	54	92	147
White, both sexes.....	8,859	2	10	10	10	7	17	18	35	83	149	277
Male.....	4,526	-	8	6	3	6	10	6	17	32	63	137
Female.....	4,333	2	2	4	7	1	7	12	18	51	86	140
Black, both sexes.....	162	-	2	-	-	-	-	-	5	6	5	12
Male.....	91	-	1	-	-	-	-	-	-	5	4	9
Female.....	71	-	1	-	-	-	-	-	5	1	1	3
American Indian 1/, both sexes.....	70	-	-	-	-	-	1	1	1	1	4	2
Male.....	35	-	-	-	-	-	1	-	1	-	-	1
Female.....	35	-	-	-	-	-	-	1	-	1	4	1
Asian or Pacific Islander 2/, both sexes.....	92	-	-	-	-	-	3	4	2	3	1	6
Male.....	50	-	-	-	-	-	1	2	-	2	-	3
Female.....	42	-	-	-	-	-	2	2	2	1	1	3

Mississippi

All races, both sexes.....	5,960	-	5	9	7	3	15	20	23	71	153	234
Male.....	3,261	-	3	3	4	1	5	9	10	27	59	127
Female.....	2,699	-	2	6	3	2	10	11	13	44	94	107
White, both sexes.....	4,042	-	2	3	4	1	12	11	14	40	85	116
Male.....	2,225	-	1	2	2	1	4	7	6	15	34	67
Female.....	1,817	-	1	1	2	-	8	4	8	25	51	49
Black, both sexes.....	1,896	-	3	6	3	2	3	9	8	29	68	115
Male.....	1,029	-	2	1	2	-	1	2	3	12	25	60
Female.....	867	-	1	5	1	2	2	7	5	17	43	55
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	1	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	-	-	-	1	1	-	2
Male.....	4	-	-	-	-	-	-	-	1	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	1	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

Missouri

All races, both sexes.....	12,354	3	4	8	7	10	12	25	52	96	258	421
Male.....	6,399	2	2	3	3	7	5	16	20	34	110	213
Female.....	5,955	1	2	5	4	3	7	9	32	62	148	208
White, both sexes.....	11,037	1	3	8	5	8	10	24	40	80	218	338
Male.....	5,738	-	2	3	2	5	4	15	14	30	94	173
Female.....	5,299	1	1	5	3	3	6	9	26	50	124	165
Black, both sexes.....	1,267	2	1	-	2	2	2	1	12	16	39	81
Male.....	641	2	-	-	1	2	1	1	6	4	15	38
Female.....	626	-	1	-	1	-	1	-	6	12	24	43
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	-	-	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	-	-	-	-	-	-	-	-	-	1	1
Male.....	12	-	-	-	-	-	-	-	-	-	1	1
Female.....	23	-	-	-	-	-	-	-	-	-	-	-

Montana

All races, both sexes.....	1,847	-	1	2	2	3	4	4	7	11	26	45
Male.....	966	-	1	2	1	3	2	2	4	3	16	20
Female.....	881	-	-	-	1	-	2	2	3	8	10	25
White, both sexes.....	1,776	-	1	1	1	2	3	4	7	11	26	40
Male.....	936	-	1	1	-	2	2	2	4	3	16	19
Female.....	840	-	-	-	1	-	1	2	3	8	10	21
Black, both sexes.....	3	-	-	-	1	1	-	-	-	-	-	-
Male.....	2	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	61	-	-	1	-	-	-	-	-	-	-	4
Male.....	27	-	-	1	-	-	-	-	-	-	-	1
Female.....	34	-	-	-	-	-	-	-	-	-	-	3
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

Nebraska

All races, both sexes.....	3,339	1	2	4	-	4	6	1	10	19	49	110
Male.....	1,715	-	1	4	-	2	4	-	4	5	21	47
Female.....	1,624	1	1	-	-	2	2	1	6	14	28	63
White, both sexes.....	3,192	1	1	4	-	4	5	-	10	17	43	98
Male.....	1,628	-	-	4	-	2	3	-	4	4	18	41
Female.....	1,564	1	1	-	-	2	2	-	6	13	25	57
Black, both sexes.....	119	-	1	-	-	-	1	1	-	2	5	9
Male.....	72	-	1	-	-	-	1	-	-	1	3	5
Female.....	47	-	-	-	-	-	-	1	-	1	2	4
American Indian 1/, both sexes.....	16	-	-	-	-	-	-	-	-	-	-	2
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	-	-	-	-	1	1
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	1	1

Nevada

All races, both sexes.....	4,138	-	4	1	3	2	7	13	13	26	72	130
Male.....	2,294	-	4	1	2	1	6	5	9	12	29	68
Female.....	1,844	-	-	-	1	1	1	8	4	14	43	62
White, both sexes.....	3,770	-	4	1	3	2	7	11	10	21	58	101
Male.....	2,119	-	4	1	2	1	6	5	6	10	25	57
Female.....	1,651	-	-	-	1	1	1	6	4	11	33	44
Black, both sexes.....	227	-	-	-	-	-	-	-	2	3	6	16
Male.....	117	-	-	-	-	-	-	-	2	-	1	8
Female.....	110	-	-	-	-	-	-	-	-	3	5	8
American Indian 1/, both sexes.....	25	-	-	-	-	-	-	-	-	-	2	1
Male.....	11	-	-	-	-	-	-	-	-	-	-	-
Female.....	14	-	-	-	-	-	-	-	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	116	-	-	-	-	-	-	2	1	2	6	12
Male.....	47	-	-	-	-	-	-	-	1	2	3	3
Female.....	69	-	-	-	-	-	-	2	-	-	3	9

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

New Hampshire

All races, both sexes.....	2,485	-	-	2	1	1	4	2	5	21	58	85
Male.....	1,274	-	-	2	1	-	2	1	2	11	29	37
Female.....	1,211	-	-	-	-	1	2	1	3	10	29	48
White, both sexes.....	2,460	-	-	2	1	1	4	2	5	21	53	84
Male.....	1,265	-	-	2	1	-	2	1	2	11	27	37
Female.....	1,195	-	-	-	-	1	2	1	3	10	26	47
Black, both sexes.....	11	-	-	-	-	-	-	-	-	-	3	-
Male.....	6	-	-	-	-	-	-	-	-	-	1	-
Female.....	5	-	-	-	-	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	-	-	-	-	2	1
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	9	-	-	-	-	-	-	-	-	-	1	1

New Jersey

All races, both sexes.....	17,957	2	4	15	16	15	36	37	82	148	346	558
Male.....	8,810	-	3	8	10	12	21	17	41	69	144	258
Female.....	9,147	2	1	7	6	3	15	20	41	79	202	300
White, both sexes.....	15,480	2	3	14	9	12	32	29	59	108	268	426
Male.....	7,568	-	2	8	5	9	19	14	31	59	115	205
Female.....	7,912	2	1	6	4	3	13	15	28	49	153	221
Black, both sexes.....	2,166	-	1	-	7	-	2	5	20	33	62	108
Male.....	1,088	-	1	-	5	-	1	1	9	7	23	41
Female.....	1,078	-	-	-	2	-	1	4	11	26	39	67
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	-	-	-	1	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	300	-	-	1	-	3	2	3	3	7	15	24
Male.....	149	-	-	-	-	3	1	2	1	3	6	12
Female.....	151	-	-	1	-	-	1	1	2	4	9	12

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

New Mexico

All races, both sexes.....	3,103	1	6	2	5	8	5	4	11	31	41	91
Male.....	1,666	1	3	1	2	6	2	1	4	8	15	41
Female.....	1,437	-	3	1	3	2	3	3	7	23	26	50
White, both sexes.....	2,925	1	5	2	5	8	5	4	10	26	39	84
Male.....	1,563	1	2	1	2	6	2	1	4	5	15	37
Female.....	1,362	-	3	1	3	2	3	3	6	21	24	47
Black, both sexes.....	51	-	-	-	-	-	-	-	-	-	-	-
Male.....	31	-	-	-	-	-	-	-	-	-	-	-
Female.....	20	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	117	-	1	-	-	-	-	-	1	5	2	6
Male.....	67	-	1	-	-	-	-	-	-	3	-	3
Female.....	50	-	-	-	-	-	-	-	1	2	2	3
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	1
Male.....	5	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	36,238	4	27	29	29	32	60	91	170	318	710	1,204
Male.....	17,615	2	16	15	17	21	41	41	73	127	311	569
Female.....	18,623	2	11	14	12	11	19	50	97	191	399	635
White, both sexes.....	30,486	4	23	23	21	22	43	66	121	224	496	874
Male.....	14,775	2	12	11	13	15	28	32	52	96	221	414
Female.....	15,711	2	11	12	8	7	15	34	69	128	275	460
Black, both sexes.....	4,826	-	3	6	6	9	15	19	36	76	168	279
Male.....	2,307	-	3	4	3	5	13	7	14	23	64	125
Female.....	2,519	-	-	2	3	4	2	12	22	53	104	154
American Indian 1/, both sexes.....	61	-	1	-	1	-	-	-	1	-	-	2
Male.....	32	-	1	-	1	-	-	-	-	-	-	1
Female.....	29	-	-	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	865	-	-	-	1	1	2	6	12	18	46	49
Male.....	501	-	-	-	-	1	-	2	7	8	26	29
Female.....	364	-	-	-	1	-	2	4	5	10	20	20



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

Ohio

All races, both sexes.....	25,076	-	10	20	19	24	39	43	91	220	447	900
Male.....	12,826	-	9	13	12	14	20	24	40	87	200	460
Female.....	12,250	-	1	7	7	10	19	19	51	133	247	440
White, both sexes.....	22,378	-	9	17	18	21	31	37	82	187	370	753
Male.....	11,418	-	8	11	12	11	17	23	36	75	165	378
Female.....	10,960	-	1	6	6	10	14	14	46	112	205	375
Black, both sexes.....	2,616	-	1	3	1	2	8	5	9	30	71	144
Male.....	1,367	-	1	2	-	2	3	-	4	10	33	81
Female.....	1,249	-	-	1	1	-	5	5	5	20	38	63
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	74	-	-	-	-	1	-	1	-	3	5	3
Male.....	39	-	-	-	-	1	-	1	-	2	1	1
Female.....	35	-	-	-	-	-	-	-	-	1	4	2

Oklahoma

All races, both sexes.....	7,338	2	6	8	4	11	9	25	37	57	120	259
Male.....	3,907	1	4	6	2	3	4	11	17	25	55	134
Female.....	3,431	1	2	2	2	8	5	14	20	32	65	125
White, both sexes.....	6,549	1	4	7	3	7	7	22	31	45	98	213
Male.....	3,490	-	2	6	2	1	2	10	13	20	47	110
Female.....	3,059	1	2	1	1	6	5	12	18	25	51	103
Black, both sexes.....	425	1	1	-	1	1	-	3	3	4	8	27
Male.....	219	1	1	-	-	-	-	1	3	3	4	13
Female.....	206	-	-	-	1	1	-	2	-	1	4	14
American Indian 1/, both sexes.....	336	-	1	1	-	3	-	-	3	6	13	19
Male.....	187	-	1	-	-	2	-	-	1	2	4	11
Female.....	149	-	-	1	-	1	-	-	2	4	9	8
Asian or Pacific Islander 2/, both sexes.....	28	-	-	-	-	-	2	-	-	2	1	-
Male.....	11	-	-	-	-	-	2	-	-	-	-	-
Female.....	17	-	-	-	-	-	-	-	-	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

Oregon

All races, both sexes.....	7,232	-	7	8	8	9	11	15	28	42	108	204
Male.....	3,693	-	2	3	5	9	4	6	13	19	40	106
Female.....	3,539	-	5	5	3	-	7	9	15	23	68	98
White, both sexes.....	6,978	-	6	8	7	8	9	15	27	40	103	194
Male.....	3,557	-	1	3	4	8	2	6	12	19	38	98
Female.....	3,421	-	5	5	3	-	7	9	15	21	65	96
Black, both sexes.....	88	-	1	-	-	-	-	-	1	-	-	5
Male.....	61	-	1	-	-	-	-	-	1	-	-	5
Female.....	27	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	50	-	-	-	-	1	1	-	-	1	1	2
Male.....	24	-	-	-	-	1	1	-	-	-	1	1
Female.....	26	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	116	-	-	-	1	-	1	-	-	1	4	3
Male.....	51	-	-	-	1	-	1	-	-	-	1	2
Female.....	65	-	-	-	-	-	-	-	-	1	3	1

Pennsylvania

All races, both sexes.....	29,841	2	15	21	17	33	30	51	109	185	465	929
Male.....	15,315	1	9	13	13	24	18	26	46	69	222	477
Female.....	14,526	1	6	8	4	9	12	25	63	116	243	452
White, both sexes.....	26,971	2	13	18	14	30	23	43	93	161	401	779
Male.....	13,853	1	8	11	11	22	12	24	43	59	192	405
Female.....	13,118	1	5	7	3	8	11	19	50	102	209	374
Black, both sexes.....	2,724	-	2	3	3	3	7	8	14	19	61	143
Male.....	1,385	-	1	2	2	2	6	2	3	8	29	67
Female.....	1,339	-	1	1	1	1	1	6	11	11	32	76
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	1	-	-
Male.....	6	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	137	-	-	-	-	-	-	-	2	4	3	7
Male.....	71	-	-	-	-	-	-	-	-	1	1	5
Female.....	66	-	-	-	-	-	-	-	2	3	2	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
<b>Malignant neoplasms (C00-C97)</b>												
<b>Rhode Island</b>												
All races, both sexes.....	2,328	1	1	5	1	3	-	5	8	14	45	64
Male.....	1,148	1	1	3	1	3	-	4	3	5	25	35
Female.....	1,180	-	-	2	-	-	-	1	5	9	20	29
White, both sexes.....	2,242	1	1	5	1	3	-	5	8	14	43	58
Male.....	1,097	1	1	3	1	3	-	4	3	5	24	31
Female.....	1,145	-	-	2	-	-	-	1	5	9	19	27
Black, both sexes.....	64	-	-	-	-	-	-	-	-	-	2	4
Male.....	38	-	-	-	-	-	-	-	-	-	1	2
Female.....	26	-	-	-	-	-	-	-	-	-	1	2
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	-	-	-	-	-	-	-	2
Male.....	12	-	-	-	-	-	-	-	-	-	-	2
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
<b>South Carolina</b>												
All races, both sexes.....	8,512	-	2	5	5	13	14	16	31	61	209	352
Male.....	4,554	-	1	2	1	7	6	9	16	25	88	177
Female.....	3,958	-	1	3	4	6	8	7	15	36	121	175
White, both sexes.....	6,147	-	2	2	3	9	8	9	22	40	122	210
Male.....	3,278	-	1	-	1	6	5	6	12	18	54	102
Female.....	2,869	-	1	2	2	3	3	3	10	22	68	108
Black, both sexes.....	2,332	-	-	3	2	4	6	6	9	21	85	140
Male.....	1,260	-	-	2	-	1	1	3	4	7	33	74
Female.....	1,072	-	-	1	2	3	5	3	5	14	52	66
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	-	-	-	-	-	-	1	-	-	2	2
Male.....	11	-	-	-	-	-	-	-	-	-	1	1
Female.....	13	-	-	-	-	-	-	1	-	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

South Dakota

All races, both sexes.....	1,636	-	-	1	4	4	5	7	4	15	22	46
Male.....	861	-	-	1	2	2	3	3	3	5	11	20
Female.....	775	-	-	-	2	2	2	4	1	10	11	26
White, both sexes.....	1,565	-	-	1	4	4	4	6	3	15	20	44
Male.....	824	-	-	1	2	2	3	2	3	5	9	18
Female.....	741	-	-	-	2	2	1	4	-	10	11	26
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	69	-	-	-	-	-	1	1	1	-	2	2
Male.....	36	-	-	-	-	-	-	1	-	-	2	2
Female.....	33	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	12,613	2	6	9	15	11	26	24	43	113	286	479
Male.....	6,673	1	4	2	8	5	11	8	15	47	137	253
Female.....	5,940	1	2	7	7	6	15	16	28	66	149	226
White, both sexes.....	10,780	1	4	7	9	7	21	19	32	89	214	365
Male.....	5,743	1	3	2	4	3	9	7	14	38	109	200
Female.....	5,037	-	1	5	5	4	12	12	18	51	105	165
Black, both sexes.....	1,791	1	2	2	5	3	5	5	11	23	67	110
Male.....	911	-	1	-	4	1	2	1	1	8	24	50
Female.....	880	1	1	2	1	2	3	4	10	15	43	60
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	1	1	2
Male.....	5	-	-	-	-	-	-	-	-	1	1	2
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	-	-	-	1	1	-	-	-	-	4	2
Male.....	14	-	-	-	-	1	-	-	-	-	3	1
Female.....	21	-	-	-	1	-	-	-	-	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

Texas

All races, both sexes.....	33,867	4	43	46	49	69	80	113	189	352	738	1,400
Male.....	17,835	2	27	28	29	40	43	62	90	155	325	679
Female.....	16,032	2	16	18	20	29	37	51	99	197	413	721
White, both sexes.....	29,215	3	40	39	40	58	73	89	151	291	582	1,110
Male.....	15,416	1	26	25	23	35	39	52	73	139	258	544
Female.....	13,799	2	14	14	17	23	34	37	78	152	324	566
Black, both sexes.....	4,238	1	2	6	7	9	7	21	29	53	141	254
Male.....	2,226	1	-	3	5	4	4	9	11	14	58	118
Female.....	2,012	-	2	3	2	5	3	12	18	39	83	136
American Indian 1/, both sexes.....	37	-	1	-	-	1	-	-	-	1	1	3
Male.....	21	-	1	-	-	1	-	-	-	-	1	1
Female.....	16	-	-	-	-	-	-	-	-	1	-	2
Asian or Pacific Islander 2/, both sexes.....	377	-	-	1	2	1	-	3	9	7	14	33
Male.....	172	-	-	-	1	-	-	1	6	2	8	16
Female.....	205	-	-	1	1	1	-	2	3	5	6	17

Utah

All races, both sexes.....	2,444	2	1	6	3	7	6	13	24	35	67	98
Male.....	1,288	2	1	5	2	6	4	7	10	21	36	47
Female.....	1,156	-	-	1	1	1	2	6	14	14	31	51
White, both sexes.....	2,370	2	1	6	3	5	6	12	24	32	63	93
Male.....	1,245	2	1	5	2	5	4	6	10	20	33	44
Female.....	1,125	-	-	1	1	-	2	6	14	12	30	49
Black, both sexes.....	20	-	-	-	-	2	-	1	-	-	1	2
Male.....	15	-	-	-	-	1	-	1	-	-	1	2
Female.....	5	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	21	-	-	-	-	-	-	-	-	1	2	2
Male.....	11	-	-	-	-	-	-	-	-	1	2	1
Female.....	10	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	33	-	-	-	-	-	-	-	-	2	1	1
Male.....	17	-	-	-	-	-	-	-	-	-	-	-
Female.....	16	-	-	-	-	-	-	-	-	2	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

Vermont

All races, both sexes.....	1,210	-	-	3	1	-	2	2	4	7	18	51
Male.....	635	-	-	2	1	-	2	1	-	2	13	24
Female.....	575	-	-	1	-	-	-	1	4	5	5	27
White, both sexes.....	1,205	-	-	3	1	-	2	2	4	7	17	50
Male.....	631	-	-	2	1	-	2	1	-	2	12	23
Female.....	574	-	-	1	-	-	-	1	4	5	5	27
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	13,781	4	12	8	13	23	27	38	61	153	304	462
Male.....	7,177	2	8	4	7	13	13	20	29	67	134	222
Female.....	6,604	2	4	4	6	10	14	18	32	86	170	240
White, both sexes.....	10,756	4	8	5	9	18	19	29	39	97	200	330
Male.....	5,563	2	6	2	6	10	12	16	21	44	91	158
Female.....	5,193	2	2	3	3	8	7	13	18	53	109	172
Black, both sexes.....	2,780	-	3	3	3	3	7	7	19	46	93	118
Male.....	1,491	-	1	2	1	1	1	4	7	19	40	60
Female.....	1,289	-	2	1	2	2	6	3	12	27	53	58
American Indian 1/, both sexes.....	10	-	-	-	-	1	-	1	-	-	1	-
Male.....	6	-	-	-	-	1	-	-	-	-	1	-
Female.....	4	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	235	-	1	-	1	1	1	1	3	10	10	14
Male.....	117	-	1	-	-	1	-	-	1	4	2	4
Female.....	118	-	-	-	1	-	1	1	2	6	8	10





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

United States

All races, both sexes.....	30,291	42,315	53,377	63,141	78,107	89,086	78,531	50,789	22,660	5,827	770	12
Male.....	15,815	22,671	29,256	35,048	42,745	47,516	39,866	23,531	9,124	2,006	217	8
Female.....	14,476	19,644	24,121	28,093	35,362	41,570	38,665	27,258	13,536	3,821	553	4
White, both sexes.....	24,033	35,179	45,119	54,000	68,223	79,174	70,674	46,109	20,524	5,156	636	11
Male.....	12,546	18,836	24,690	29,981	37,449	42,224	35,860	21,387	8,219	1,735	179	8
Female.....	11,487	16,343	20,429	24,019	30,774	36,950	34,814	24,722	12,305	3,421	457	3
Black, both sexes.....	5,257	6,043	6,972	7,652	8,164	8,142	6,464	3,863	1,807	566	116	-
Male.....	2,804	3,314	3,876	4,248	4,432	4,328	3,274	1,726	740	217	27	-
Female.....	2,453	2,729	3,096	3,404	3,732	3,814	3,190	2,137	1,067	349	89	-
American Indian 1/, both sexes.....	189	220	245	257	300	283	211	108	48	16	4	-
Male.....	92	109	130	146	155	135	99	55	21	10	2	-
Female.....	97	111	115	111	145	148	112	53	27	6	2	-
Asian or Pacific Islander 2/, both sexes.....	812	873	1,041	1,232	1,420	1,487	1,182	709	281	89	14	1
Male.....	373	412	560	673	709	829	633	363	144	44	9	-
Female.....	439	461	481	559	711	658	549	346	137	45	5	1

Alabama

All races, both sexes.....	589	763	1,038	1,288	1,408	1,488	1,233	754	380	100	14	-
Male.....	332	458	614	755	807	824	631	353	141	40	1	-
Female.....	257	305	424	533	601	664	602	401	239	60	13	-
White, both sexes.....	383	589	799	1,020	1,132	1,170	992	593	292	66	11	-
Male.....	213	351	475	597	648	654	516	277	100	24	1	-
Female.....	170	238	324	423	484	516	476	316	192	42	10	-
Black, both sexes.....	203	170	233	266	271	312	239	161	88	32	3	-
Male.....	118	104	137	158	157	167	114	76	41	14	-	-
Female.....	85	66	96	108	114	145	125	85	47	18	3	-
American Indian 1/, both sexes.....	-	3	2	-	1	5	-	-	-	1	-	-
Male.....	-	2	1	-	1	2	-	-	-	1	-	-
Female.....	-	1	1	-	-	3	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	4	2	4	1	2	-	-	1	-	-
Male.....	1	1	1	-	1	1	1	-	-	1	-	-
Female.....	2	-	3	2	3	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Alaska

All races, both sexes.....	51	92	97	71	93	128	69	39	9	4	-	-
Male.....	32	59	50	44	52	72	35	22	5	2	-	-
Female.....	19	33	47	27	41	56	34	17	4	2	-	-
White, both sexes.....	43	65	80	52	65	103	51	30	7	3	-	-
Male.....	28	45	46	32	36	63	24	18	5	1	-	-
Female.....	15	20	34	20	29	40	27	12	2	2	-	-
Black, both sexes.....	-	3	3	2	4	3	-	1	-	-	-	-
Male.....	-	1	2	-	2	1	-	-	-	-	-	-
Female.....	-	2	1	2	2	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	8	18	13	13	23	19	15	7	2	1	-	-
Male.....	4	10	2	9	13	7	9	3	-	1	-	-
Female.....	4	8	11	4	10	12	6	4	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	6	1	4	1	3	3	1	-	-	-	-
Male.....	-	3	-	3	1	1	2	1	-	-	-	-
Female.....	-	3	1	1	-	2	1	-	-	-	-	-

Arizona

All races, both sexes.....	460	705	909	1,168	1,369	1,615	1,368	879	361	89	17	2
Male.....	234	364	507	665	774	866	745	466	165	33	6	2
Female.....	226	341	402	503	595	749	623	413	196	56	11	-
White, both sexes.....	417	661	864	1,097	1,312	1,540	1,316	852	346	82	17	2
Male.....	213	347	480	631	742	846	714	455	159	28	6	2
Female.....	204	314	384	466	570	694	602	397	187	54	11	-
Black, both sexes.....	14	18	25	36	26	30	21	14	7	4	-	-
Male.....	6	8	16	17	17	11	12	5	3	2	-	-
Female.....	8	10	9	19	9	19	9	9	4	2	-	-
American Indian 1/, both sexes.....	19	20	13	25	26	28	23	11	6	1	-	-
Male.....	10	6	6	14	12	7	14	4	2	1	-	-
Female.....	9	14	7	11	14	21	9	7	4	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	6	7	10	5	17	8	2	2	2	-	-
Male.....	5	3	5	3	3	2	5	2	1	2	-	-
Female.....	5	3	2	7	2	15	3	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Arkansas

All races, both sexes.....	344	510	638	752	852	956	809	513	221	63	7	-
Male.....	191	296	368	444	480	541	433	245	87	21	-	-
Female.....	153	214	270	308	372	415	376	268	134	42	7	-
White, both sexes.....	283	422	550	653	756	846	725	451	185	48	6	-
Male.....	154	239	315	385	424	484	385	212	72	14	-	-
Female.....	129	183	235	268	332	362	340	239	113	34	6	-
Black, both sexes.....	57	84	87	96	94	108	79	61	36	15	1	-
Male.....	35	54	52	57	54	56	43	32	15	7	-	-
Female.....	22	30	35	39	40	52	36	29	21	8	1	-
American Indian 1/, both sexes.....	2	3	1	1	1	1	3	1	-	-	-	-
Male.....	1	2	1	1	1	-	3	1	-	-	-	-
Female.....	1	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	2	1	1	2	-	-	-	-	-
Male.....	1	1	-	1	1	1	2	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3,058	4,050	5,023	5,836	7,339	8,408	7,977	5,111	2,275	553	73	-
Male.....	1,522	2,035	2,686	3,099	3,908	4,428	4,037	2,395	972	212	25	-
Female.....	1,536	2,015	2,337	2,737	3,431	3,980	3,940	2,716	1,303	341	48	-
White, both sexes.....	2,387	3,276	4,100	4,791	6,153	7,161	6,971	4,537	2,027	478	57	-
Male.....	1,202	1,652	2,171	2,515	3,274	3,767	3,530	2,111	860	178	20	-
Female.....	1,185	1,624	1,929	2,276	2,879	3,394	3,441	2,426	1,167	300	37	-
Black, both sexes.....	332	397	470	504	544	555	451	246	108	31	7	-
Male.....	171	207	267	279	310	290	227	115	37	10	1	-
Female.....	161	190	203	225	234	265	224	131	71	21	6	-
American Indian 1/, both sexes.....	24	21	25	31	31	28	20	6	6	1	-	-
Male.....	9	12	15	17	16	15	8	2	3	-	-	-
Female.....	15	9	10	14	15	13	12	4	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	315	356	428	510	611	664	535	322	134	43	9	-
Male.....	140	164	233	288	308	356	272	167	72	24	4	-
Female.....	175	192	195	222	303	308	263	155	62	19	5	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Colorado

All races, both sexes.....	394	473	655	730	904	976	831	609	244	65	6	-
Male.....	212	246	360	400	489	522	408	289	106	24	2	-
Female.....	182	227	295	330	415	454	423	320	138	41	4	-
White, both sexes.....	375	450	615	691	846	922	802	599	237	63	6	-
Male.....	198	235	336	380	458	494	393	285	100	24	2	-
Female.....	177	215	279	311	388	428	409	314	137	39	4	-
Black, both sexes.....	15	16	30	28	41	33	14	7	6	2	-	-
Male.....	10	9	19	16	24	20	6	2	6	-	-	-
Female.....	5	7	11	12	17	13	8	5	-	2	-	-
American Indian 1/, both sexes.....	1	2	4	4	2	4	3	-	-	-	-	-
Male.....	1	1	1	4	1	1	-	-	-	-	-	-
Female.....	-	1	3	-	1	3	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	5	6	7	15	17	12	3	1	-	-	-
Male.....	3	1	4	-	6	7	9	2	-	-	-	-
Female.....	-	4	2	7	9	10	3	1	1	-	-	-

Connecticut

All races, both sexes.....	315	499	651	701	1,003	1,150	1,120	800	366	91	8	1
Male.....	153	270	344	377	555	598	556	372	153	27	-	1
Female.....	162	229	307	324	448	552	564	428	213	64	8	-
White, both sexes.....	259	447	593	644	932	1,086	1,072	774	350	87	8	1
Male.....	127	242	311	349	512	568	538	363	146	26	-	1
Female.....	132	205	282	295	420	518	534	411	204	61	8	-
Black, both sexes.....	52	48	55	49	65	60	43	24	12	3	-	-
Male.....	26	24	30	27	39	28	16	8	6	1	-	-
Female.....	26	24	25	22	26	32	27	16	6	2	-	-
American Indian 1/, both sexes.....	-	2	-	-	1	2	-	-	-	-	-	-
Male.....	-	2	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	3	8	5	2	5	2	4	1	-	-
Male.....	-	2	3	1	3	2	2	1	1	-	-	-
Female.....	4	-	-	7	2	-	3	1	3	1	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Florida

All races, both sexes.....	1,906	2,767	3,610	4,432	5,715	6,629	5,727	3,854	1,675	444	50	-
Male.....	1,042	1,524	2,016	2,518	3,291	3,598	3,042	1,919	756	176	17	-
Female.....	864	1,243	1,594	1,914	2,424	3,031	2,685	1,935	919	268	33	-
White, both sexes.....	1,552	2,400	3,196	3,911	5,179	6,155	5,366	3,629	1,580	413	42	-
Male.....	863	1,331	1,782	2,228	2,996	3,347	2,842	1,826	722	163	14	-
Female.....	689	1,069	1,414	1,683	2,183	2,808	2,524	1,803	858	250	28	-
Black, both sexes.....	332	345	391	493	500	453	342	217	93	29	8	-
Male.....	168	181	220	277	273	245	193	90	33	11	3	-
Female.....	164	164	171	216	227	208	149	127	60	18	5	-
American Indian 1/, both sexes.....	1	4	1	3	5	4	4	1	-	2	-	-
Male.....	1	4	1	2	4	2	1	1	-	2	-	-
Female.....	-	-	-	1	1	2	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	18	22	25	31	17	15	7	2	-	-	-
Male.....	10	8	13	11	18	4	6	2	1	-	-	-
Female.....	11	10	9	14	13	13	9	5	1	-	-	-

Georgia

All races, both sexes.....	941	1,315	1,598	1,793	1,896	1,921	1,684	982	466	119	19	-
Male.....	488	696	905	995	1,028	1,031	802	446	168	44	8	-
Female.....	453	619	693	798	868	890	882	536	298	75	11	-
White, both sexes.....	594	922	1,155	1,335	1,484	1,534	1,334	737	351	94	12	-
Male.....	305	493	652	760	807	829	628	338	125	34	7	-
Female.....	289	429	503	575	677	705	706	399	226	60	5	-
Black, both sexes.....	334	381	419	438	398	381	342	235	113	25	7	-
Male.....	177	197	239	224	212	199	169	101	42	10	1	-
Female.....	157	184	180	214	186	182	173	134	71	15	6	-
American Indian 1/, both sexes.....	5	1	7	5	4	1	3	1	1	-	-	-
Male.....	1	-	4	3	2	-	1	1	1	-	-	-
Female.....	4	1	3	2	2	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	11	17	15	10	5	5	9	1	-	-	-
Male.....	5	6	10	8	7	3	4	6	-	-	-	-
Female.....	3	5	7	7	3	2	1	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Hawaii

All races, both sexes.....	118	174	194	219	283	367	317	184	78	26	4	-
Male.....	61	81	121	118	154	225	185	105	44	9	3	-
Female.....	57	93	73	101	129	142	132	79	34	17	1	-
White, both sexes.....	43	71	61	61	67	106	93	47	19	7	2	-
Male.....	28	37	39	34	39	64	59	27	11	1	1	-
Female.....	15	34	22	27	28	42	34	20	8	6	1	-
Black, both sexes.....	1	2	-	1	1	2	2	1	-	-	-	-
Male.....	-	1	-	-	1	1	1	1	-	-	-	-
Female.....	1	1	-	1	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	74	101	133	157	215	257	222	136	59	19	2	-
Male.....	33	43	82	84	114	159	125	77	33	8	2	-
Female.....	41	58	51	73	101	98	97	59	26	11	-	-

Idaho

All races, both sexes.....	118	156	207	234	358	376	326	231	105	23	5	-
Male.....	55	79	109	132	180	216	176	125	54	10	2	-
Female.....	63	77	98	102	178	160	150	106	51	13	3	-
White, both sexes.....	117	154	202	231	351	371	323	230	104	23	4	-
Male.....	55	79	105	132	177	213	174	125	54	10	1	-
Female.....	62	75	97	99	174	158	149	105	50	13	3	-
Black, both sexes.....	-	-	1	-	1	2	-	-	1	-	-	-
Male.....	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	1	3	1	4	3	1	-	-	-	1	-
Male.....	-	-	2	-	2	2	1	-	-	-	1	-
Female.....	-	1	1	1	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	2	2	-	2	1	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	1	1	-	2	2	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Illinois

All races, both sexes.....	1,305	1,733	2,255	2,728	3,388	3,922	3,597	2,372	1,053	285	32	-
Male.....	656	932	1,231	1,502	1,843	2,093	1,785	1,049	424	88	5	-
Female.....	649	801	1,024	1,226	1,545	1,829	1,812	1,323	629	197	27	-
White, both sexes.....	989	1,348	1,810	2,196	2,866	3,413	3,141	2,155	965	243	26	-
Male.....	496	726	976	1,193	1,576	1,821	1,551	957	393	75	4	-
Female.....	493	622	834	1,003	1,290	1,592	1,590	1,198	572	168	22	-
Black, both sexes.....	289	348	397	485	475	466	417	192	85	38	6	-
Male.....	146	188	229	278	243	243	214	82	28	12	1	-
Female.....	143	160	168	207	232	223	203	110	57	26	5	-
American Indian 1/, both sexes.....	2	2	2	3	-	2	1	1	-	-	-	-
Male.....	2	1	-	2	-	1	1	1	-	-	-	-
Female.....	-	1	2	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	35	46	44	47	41	38	24	3	4	-	-
Male.....	12	17	26	29	24	28	19	9	3	1	-	-
Female.....	13	18	20	15	23	13	19	15	-	3	-	-

Indiana

All races, both sexes.....	695	1,016	1,291	1,507	1,838	2,108	1,781	1,107	517	107	22	4
Male.....	351	562	704	835	1,009	1,154	900	472	208	26	8	3
Female.....	344	454	587	672	829	954	881	635	309	81	14	1
White, both sexes.....	626	930	1,163	1,378	1,689	1,951	1,660	1,042	484	99	20	4
Male.....	311	518	626	763	914	1,070	836	450	196	23	8	3
Female.....	315	412	537	615	775	881	824	592	288	76	12	1
Black, both sexes.....	65	83	126	124	144	153	116	65	30	8	2	-
Male.....	38	43	78	72	93	83	60	22	12	3	-	-
Female.....	27	40	48	52	51	70	56	43	18	5	2	-
American Indian 1/, both sexes.....	2	-	1	1	2	-	1	-	-	-	-	-
Male.....	1	-	-	-	2	-	1	-	-	-	-	-
Female.....	1	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	1	4	3	4	4	-	3	-	-	-
Male.....	1	1	-	-	-	1	3	-	-	-	-	-
Female.....	1	2	1	4	3	3	1	-	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Iowa

All races, both sexes.....	309	421	543	709	889	1,043	967	721	354	101	12	-
Male.....	167	230	286	401	522	564	486	340	130	26	3	-
Female.....	142	191	257	308	367	479	481	381	224	75	9	-
White, both sexes.....	300	408	530	688	877	1,030	952	718	351	100	12	-
Male.....	163	220	278	389	515	556	479	337	128	26	3	-
Female.....	137	188	252	299	362	474	473	381	223	74	9	-
Black, both sexes.....	8	11	12	15	7	11	13	2	2	1	-	-
Male.....	4	8	8	9	5	7	5	2	1	-	-	-
Female.....	4	3	4	6	2	4	8	-	1	1	-	-
American Indian 1/, both sexes.....	1	1	1	1	2	1	1	-	-	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	5	3	1	1	1	1	-	-	-
Male.....	-	1	-	2	2	1	1	1	1	-	-	-
Female.....	-	-	-	3	1	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	302	351	476	534	733	875	814	550	271	66	9	-
Male.....	149	184	254	314	397	475	400	260	108	22	2	-
Female.....	153	167	222	220	336	400	414	290	163	44	7	-
White, both sexes.....	278	324	439	497	687	826	781	533	262	64	9	-
Male.....	138	171	231	296	370	452	383	252	104	21	2	-
Female.....	140	153	208	201	317	374	398	281	158	43	7	-
Black, both sexes.....	15	24	27	33	37	40	27	14	8	2	-	-
Male.....	7	11	19	15	22	21	13	7	3	1	-	-
Female.....	8	13	8	18	15	19	14	7	5	1	-	-
American Indian 1/, both sexes.....	1	1	6	2	4	4	3	1	-	-	-	-
Male.....	1	-	2	1	3	1	2	-	-	-	-	-
Female.....	-	1	4	1	1	3	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	2	4	2	5	5	3	2	1	-	-	-
Male.....	3	2	2	2	2	1	2	1	1	-	-	-
Female.....	5	-	2	-	3	4	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Kentucky

All races, both sexes.....	511	778	1,068	1,199	1,391	1,442	1,163	690	324	78	10	-
Male.....	273	444	593	707	769	776	634	319	135	24	2	-
Female.....	238	334	475	492	622	666	529	371	189	54	8	-
White, both sexes.....	454	723	994	1,111	1,296	1,358	1,091	653	305	72	9	-
Male.....	242	419	554	650	716	738	593	305	131	20	2	-
Female.....	212	304	440	461	580	620	498	348	174	52	7	-
Black, both sexes.....	53	53	68	84	88	84	69	35	19	6	1	-
Male.....	29	24	36	56	49	38	41	12	4	4	-	-
Female.....	24	29	32	28	39	46	28	23	15	2	1	-
American Indian 1/, both sexes.....	1	-	-	1	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	6	3	6	-	3	1	-	-	-	-
Male.....	1	1	3	1	3	-	-	1	-	-	-	-
Female.....	2	1	3	2	3	-	3	-	-	-	-	-

Louisiana

All races, both sexes.....	609	801	956	1,109	1,353	1,479	1,185	745	348	87	21	1
Male.....	333	478	541	633	721	804	601	357	141	32	9	1
Female.....	276	323	415	476	632	675	584	388	207	55	12	-
White, both sexes.....	358	524	617	784	970	1,123	907	546	250	53	12	1
Male.....	202	316	356	454	510	615	456	258	94	18	4	1
Female.....	156	208	261	330	460	508	451	288	156	35	8	-
Black, both sexes.....	246	272	330	320	378	348	274	194	97	32	9	-
Male.....	130	160	181	178	209	184	142	96	46	14	5	-
Female.....	116	112	149	142	169	164	132	98	51	18	4	-
American Indian 1/, both sexes.....	1	1	3	1	2	2	2	3	-	-	-	-
Male.....	-	-	3	-	1	2	2	3	-	-	-	-
Female.....	1	1	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	4	6	4	3	6	2	2	1	2	-	-
Male.....	1	2	1	1	1	3	1	-	1	-	-	-
Female.....	3	2	5	3	2	3	1	2	-	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Maine

All races, both sexes.....	152	232	306	331	446	559	442	274	139	40	3	-
Male.....	82	114	155	184	244	296	207	133	50	12	1	-
Female.....	70	118	151	147	202	263	235	141	89	28	2	-
White, both sexes.....	151	227	304	329	442	555	439	271	139	40	3	-
Male.....	82	111	154	183	240	294	206	132	50	12	1	-
Female.....	69	116	150	146	202	261	233	139	89	28	2	-
Black, both sexes.....	-	1	1	-	1	2	1	1	-	-	-	-
Male.....	-	1	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	3	1	1	2	2	1	2	-	-	-	-
Male.....	-	1	-	-	2	1	-	1	-	-	-	-
Female.....	1	2	1	1	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	-	1	-	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Maryland

All races, both sexes.....	626	874	980	1,173	1,427	1,665	1,342	910	385	101	8	-
Male.....	320	473	508	655	773	880	653	405	159	29	2	-
Female.....	306	401	472	518	654	785	689	505	226	72	6	-
White, both sexes.....	363	583	659	828	1,073	1,298	1,107	742	322	79	7	-
Male.....	198	324	337	461	588	691	547	329	135	21	1	-
Female.....	165	259	322	367	485	607	560	413	187	58	6	-
Black, both sexes.....	247	277	296	322	326	342	218	162	58	20	-	-
Male.....	116	143	161	185	174	174	94	72	22	7	-	-
Female.....	131	134	135	137	152	168	124	90	36	13	-	-
American Indian 1/, both sexes.....	2	1	5	2	3	3	-	-	-	-	-	-
Male.....	1	-	2	-	2	3	-	-	-	-	-	-
Female.....	1	1	3	2	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	13	20	21	25	22	17	6	5	2	1	-
Male.....	5	6	8	9	9	12	12	4	2	1	1	-
Female.....	9	7	12	12	16	10	5	2	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Massachusetts

All races, both sexes.....	663	930	1,121	1,401	1,861	2,226	2,145	1,393	662	187	22	-
Male.....	347	474	582	773	1,006	1,106	1,063	627	255	57	6	-
Female.....	316	456	539	628	855	1,120	1,082	766	407	130	16	-
White, both sexes.....	586	870	1,041	1,312	1,757	2,116	2,069	1,346	647	182	21	-
Male.....	301	444	544	720	953	1,050	1,024	606	247	56	5	-
Female.....	285	426	497	592	804	1,066	1,045	740	400	126	16	-
Black, both sexes.....	58	49	61	65	81	80	61	38	13	2	1	-
Male.....	32	24	26	36	38	42	32	16	7	-	1	-
Female.....	26	25	35	29	43	38	29	22	6	2	-	-
American Indian 1/, both sexes.....	2	1	-	3	2	-	2	-	-	1	-	-
Male.....	1	1	-	2	2	-	1	-	-	1	-	-
Female.....	1	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	10	19	21	21	30	13	9	2	2	-	-
Male.....	13	5	12	15	13	14	6	5	1	-	-	-
Female.....	4	5	7	6	8	16	7	4	1	2	-	-

Michigan

All races, both sexes.....	1,150	1,526	1,850	2,152	2,811	3,252	2,812	1,793	698	145	20	-
Male.....	589	818	1,024	1,170	1,535	1,714	1,418	812	277	57	5	-
Female.....	561	708	826	982	1,276	1,538	1,394	981	421	88	15	-
White, both sexes.....	884	1,233	1,566	1,842	2,442	2,885	2,513	1,614	645	128	18	-
Male.....	447	655	883	1,013	1,344	1,517	1,262	729	255	51	5	-
Female.....	437	578	683	829	1,098	1,368	1,251	885	390	77	13	-
Black, both sexes.....	245	271	269	287	340	348	281	168	50	16	2	-
Male.....	132	155	137	149	181	187	147	78	20	5	-	-
Female.....	113	116	132	138	159	161	134	90	30	11	2	-
American Indian 1/, both sexes.....	7	7	9	11	18	13	10	4	-	-	-	-
Male.....	2	1	2	3	6	7	3	-	-	-	-	-
Female.....	5	6	7	8	12	6	7	4	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	15	6	12	11	6	8	7	3	1	-	-
Male.....	8	7	2	5	4	3	6	5	2	1	-	-
Female.....	6	8	4	7	7	3	2	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Minnesota

All races, both sexes.....	414	606	841	922	1,248	1,468	1,370	1,018	453	146	20	-
Male.....	208	309	444	492	666	793	708	510	191	56	7	-
Female.....	206	297	397	430	582	675	662	508	262	90	13	-
White, both sexes.....	381	581	798	893	1,213	1,423	1,338	1,002	448	144	20	-
Male.....	187	295	420	471	655	764	693	501	190	55	7	-
Female.....	194	286	378	422	558	659	645	501	258	89	13	-
Black, both sexes.....	16	14	22	15	14	20	18	8	3	2	-	-
Male.....	9	9	12	10	5	12	9	4	1	1	-	-
Female.....	7	5	10	5	9	8	9	4	2	1	-	-
American Indian 1/, both sexes.....	5	6	12	7	12	9	6	3	-	-	-	-
Male.....	4	3	8	6	2	5	1	3	-	-	-	-
Female.....	1	3	4	1	10	4	5	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	5	9	7	9	16	8	5	2	-	-	-
Male.....	8	2	4	5	4	12	5	2	-	-	-	-
Female.....	4	3	5	2	5	4	3	3	2	-	-	-

Mississippi

All races, both sexes.....	364	525	663	742	811	871	719	434	212	66	13	-
Male.....	202	309	395	442	464	493	376	210	94	25	3	-
Female.....	162	216	268	300	347	378	343	224	118	41	10	-
White, both sexes.....	212	341	458	528	558	645	526	302	142	35	7	-
Male.....	121	193	273	324	324	364	273	144	56	11	3	-
Female.....	91	148	185	204	234	281	253	158	86	24	4	-
Black, both sexes.....	152	180	205	210	250	223	193	131	69	31	6	-
Male.....	81	114	122	116	139	128	103	66	38	14	-	-
Female.....	71	66	83	94	111	95	90	65	31	17	6	-
American Indian 1/, both sexes.....	-	1	-	1	1	2	-	1	1	-	-	-
Male.....	-	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	-	3	2	1	-	-	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	2	-	2	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Missouri

All races, both sexes.....	671	873	1,242	1,506	1,792	1,931	1,685	1,085	505	151	16	1
Male.....	366	469	699	858	968	1,051	850	472	193	50	7	1
Female.....	305	404	543	648	824	880	835	613	312	101	9	-
White, both sexes.....	574	760	1,096	1,352	1,588	1,774	1,539	1,001	469	135	13	1
Male.....	315	409	625	760	867	970	783	441	178	41	6	1
Female.....	259	351	471	592	721	804	756	560	291	94	7	-
Black, both sexes.....	92	105	139	149	193	155	140	83	34	16	3	-
Male.....	49	57	72	95	98	79	66	31	14	9	1	-
Female.....	43	48	67	54	95	76	74	52	20	7	2	-
American Indian 1/, both sexes.....	3	1	2	1	3	1	1	-	2	-	-	-
Male.....	1	-	2	-	2	1	-	-	1	-	-	-
Female.....	2	1	-	1	1	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	7	5	4	8	1	5	1	-	-	-	-
Male.....	1	3	-	3	1	1	1	-	-	-	-	-
Female.....	1	4	5	1	7	-	4	1	-	-	-	-

Montana

All races, both sexes.....	89	123	151	193	271	306	279	207	89	32	2	-
Male.....	40	68	94	104	157	155	149	103	34	8	-	-
Female.....	49	55	57	89	114	151	130	104	55	24	2	-
White, both sexes.....	86	115	143	187	260	297	269	201	89	31	2	-
Male.....	40	64	88	102	152	150	147	101	34	8	-	-
Female.....	46	51	55	85	108	147	122	100	55	23	2	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	8	8	6	8	8	8	6	-	1	-	-
Male.....	-	4	6	2	4	5	2	2	-	-	-	-
Female.....	3	4	2	4	4	3	6	4	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	2	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Nebraska

All races, both sexes.....	155	205	281	360	452	571	515	359	173	58	4	-
Male.....	71	114	154	178	255	327	270	169	67	19	3	-
Female.....	84	91	127	182	197	244	245	190	106	39	1	-
White, both sexes.....	143	193	268	347	429	551	498	348	172	56	4	-
Male.....	63	105	144	170	244	314	260	166	66	17	3	-
Female.....	80	88	124	177	185	237	238	182	106	39	1	-
Black, both sexes.....	10	9	12	10	18	17	13	10	-	1	-	-
Male.....	7	6	9	5	8	13	9	3	-	1	-	-
Female.....	3	3	3	5	10	4	4	7	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	1	4	2	2	1	1	-	-	-
Male.....	1	1	1	1	2	-	-	-	1	-	-	-
Female.....	-	-	-	-	2	2	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	2	1	1	2	-	-	1	-	-
Male.....	-	2	-	2	1	-	1	-	-	1	-	-
Female.....	1	-	-	-	-	1	1	-	-	-	-	-

Nevada

All races, both sexes.....	232	383	492	531	628	694	537	261	84	24	-	1
Male.....	128	201	292	313	369	399	276	125	43	11	-	-
Female.....	104	182	200	218	259	295	261	136	41	13	-	1
White, both sexes.....	195	349	449	484	582	648	502	242	79	22	-	-
Male.....	109	182	268	293	348	373	259	118	41	11	-	-
Female.....	86	167	181	191	234	275	243	124	38	11	-	-
Black, both sexes.....	20	27	31	31	28	25	21	11	4	2	-	-
Male.....	10	17	22	12	14	14	11	4	2	-	-	-
Female.....	10	10	9	19	14	11	10	7	2	2	-	-
American Indian 1/, both sexes.....	1	-	3	3	3	4	4	4	-	-	-	-
Male.....	1	-	1	2	2	2	2	1	-	-	-	-
Female.....	-	-	2	1	1	2	2	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	7	9	13	15	17	10	4	1	-	-	1
Male.....	8	2	1	6	5	10	4	2	-	-	-	-
Female.....	8	5	8	7	10	7	6	2	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

New Hampshire

All races, both sexes.....	136	213	228	288	337	374	316	253	120	36	5	-
Male.....	75	115	133	154	177	197	166	114	43	15	-	-
Female.....	61	98	95	134	160	177	150	139	77	21	5	-
White, both sexes.....	135	211	225	286	333	370	314	252	120	36	5	-
Male.....	74	115	132	153	175	195	166	114	43	15	-	-
Female.....	61	96	93	133	158	175	148	138	77	21	5	-
Black, both sexes.....	1	-	1	2	1	3	-	-	-	-	-	-
Male.....	1	-	1	1	-	2	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	-	2	1	2	1	-	-	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	1	2	-	-	1	2	1	-	-	-	-

New Jersey

All races, both sexes.....	842	1,263	1,577	1,842	2,561	3,086	2,736	1,820	748	192	31	-
Male.....	401	632	828	986	1,379	1,535	1,331	758	298	72	7	-
Female.....	441	631	749	856	1,182	1,551	1,405	1,062	450	120	24	-
White, both sexes.....	655	1,015	1,278	1,539	2,212	2,750	2,501	1,676	682	180	30	-
Male.....	314	517	663	812	1,196	1,352	1,201	689	280	71	6	-
Female.....	341	498	615	727	1,016	1,398	1,300	987	402	109	24	-
Black, both sexes.....	159	214	259	271	317	310	197	132	57	11	1	-
Male.....	74	103	137	159	168	169	107	63	18	1	1	-
Female.....	85	111	122	112	149	141	90	69	39	10	-	-
American Indian 1/, both sexes.....	1	1	4	-	1	-	2	-	1	-	-	-
Male.....	-	-	3	-	1	-	1	-	-	-	-	-
Female.....	1	1	1	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	33	36	32	31	26	36	12	8	1	-	-
Male.....	13	12	25	15	14	14	22	6	-	-	-	-
Female.....	14	21	11	17	17	12	14	6	8	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

New Mexico

All races, both sexes.....	175	238	316	349	458	485	426	288	137	20	6	-
Male.....	87	131	175	211	276	249	232	154	60	6	1	-
Female.....	88	107	141	138	182	236	194	134	77	14	5	-
White, both sexes.....	159	220	300	331	430	465	408	273	127	18	5	-
Male.....	79	124	167	198	255	239	220	143	56	5	1	-
Female.....	80	96	133	133	175	226	188	130	71	13	4	-
Black, both sexes.....	5	2	2	6	11	9	6	6	4	-	-	-
Male.....	3	-	-	5	8	4	4	5	2	-	-	-
Female.....	2	2	2	1	3	5	2	1	2	-	-	-
American Indian 1/, both sexes.....	10	14	14	11	16	10	12	7	5	2	1	-
Male.....	5	6	8	7	12	6	8	5	2	1	-	-
Female.....	5	8	6	4	4	4	4	2	3	1	1	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	1	1	1	-	2	1	-	-	-
Male.....	-	1	-	1	1	-	-	1	-	-	-	-
Female.....	1	1	-	-	-	1	-	1	1	-	-	-

New York

All races, both sexes.....	1,956	2,731	3,434	3,917	4,999	5,785	5,147	3,479	1,598	448	70	-
Male.....	977	1,369	1,759	2,056	2,583	2,904	2,439	1,511	609	156	19	-
Female.....	979	1,362	1,675	1,861	2,416	2,881	2,708	1,968	989	292	51	-
White, both sexes.....	1,463	2,169	2,762	3,160	4,276	5,069	4,604	3,154	1,452	402	58	-
Male.....	726	1,080	1,415	1,661	2,206	2,520	2,182	1,377	559	138	15	-
Female.....	737	1,089	1,347	1,499	2,070	2,549	2,422	1,777	893	264	43	-
Black, both sexes.....	411	483	577	636	618	583	465	255	128	42	11	-
Male.....	205	246	290	317	319	296	213	100	42	15	3	-
Female.....	206	237	287	319	299	287	252	155	86	27	8	-
American Indian 1/, both sexes.....	7	6	10	4	6	9	8	5	1	-	-	-
Male.....	5	4	4	4	2	5	2	3	-	-	-	-
Female.....	2	2	6	-	4	4	6	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	75	73	85	117	99	124	70	65	17	4	1	-
Male.....	41	39	50	74	56	83	42	31	8	3	1	-
Female.....	34	34	35	43	43	41	28	34	9	1	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Ohio

All races, both sexes.....	1,322	1,824	2,436	2,849	3,618	4,236	3,575	2,225	929	220	29	-
Male.....	688	977	1,317	1,539	1,962	2,242	1,799	993	346	80	4	-
Female.....	634	847	1,119	1,310	1,656	1,994	1,776	1,232	583	140	25	-
White, both sexes.....	1,137	1,591	2,114	2,505	3,249	3,857	3,259	2,052	861	204	24	-
Male.....	595	847	1,130	1,351	1,768	2,039	1,639	910	326	73	4	-
Female.....	542	744	984	1,154	1,481	1,818	1,620	1,142	535	131	20	-
Black, both sexes.....	178	228	319	328	353	370	310	170	66	15	5	-
Male.....	91	128	186	179	185	197	158	82	18	7	-	-
Female.....	87	100	133	149	168	173	152	88	48	8	5	-
American Indian 1/, both sexes.....	-	1	1	1	1	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	1	1	1	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	4	2	15	15	8	5	2	2	1	-	-
Male.....	2	2	1	9	9	5	2	1	2	-	-	-
Female.....	5	2	1	6	6	3	3	1	-	1	-	-

Oklahoma

All races, both sexes.....	399	587	774	882	1,076	1,161	949	590	306	66	10	-
Male.....	217	329	419	505	594	625	532	271	128	22	3	-
Female.....	182	258	355	377	482	536	417	319	178	44	7	-
White, both sexes.....	343	513	690	799	950	1,050	870	552	281	56	7	-
Male.....	182	286	375	458	526	568	492	254	116	18	2	-
Female.....	161	227	315	341	424	482	378	298	165	38	5	-
Black, both sexes.....	28	37	42	47	65	62	48	20	19	6	2	-
Male.....	20	22	16	27	38	31	23	7	7	2	-	-
Female.....	8	15	26	20	27	31	25	13	12	4	2	-
American Indian 1/, both sexes.....	27	37	39	32	56	42	30	16	6	4	1	-
Male.....	14	21	27	18	28	24	17	9	5	2	1	-
Female.....	13	16	12	14	28	18	13	7	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	3	4	5	7	1	2	-	-	-	-
Male.....	1	-	1	2	2	-	-	1	-	-	-	-
Female.....	-	-	2	2	3	5	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Oregon

All races, both sexes.....	349	542	681	810	996	1,125	1,086	762	343	88	10	-
Male.....	187	297	372	412	529	591	557	376	139	23	3	-
Female.....	162	245	309	398	467	534	529	386	204	65	7	-
White, both sexes.....	322	519	657	784	958	1,087	1,050	750	338	86	10	-
Male.....	172	283	358	399	509	570	540	372	138	22	3	-
Female.....	150	236	299	385	449	517	510	378	200	64	7	-
Black, both sexes.....	13	6	9	9	12	14	12	4	1	1	-	-
Male.....	12	5	5	5	10	10	4	3	-	-	-	-
Female.....	1	1	4	4	2	4	8	1	1	1	-	-
American Indian 1/, both sexes.....	7	4	4	3	6	9	6	1	3	1	-	-
Male.....	2	2	3	1	2	5	4	-	-	1	-	-
Female.....	5	2	1	2	4	4	2	1	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	13	11	14	20	15	18	7	1	-	-	-
Male.....	1	7	6	7	8	6	9	1	1	-	-	-
Female.....	6	6	5	7	12	9	9	6	-	-	-	-

Pennsylvania

All races, both sexes.....	1,356	1,989	2,521	3,183	4,335	5,273	4,664	3,014	1,298	314	35	2
Male.....	736	1,052	1,376	1,781	2,297	2,818	2,336	1,395	503	95	8	-
Female.....	620	937	1,145	1,402	2,038	2,455	2,328	1,619	795	219	27	2
White, both sexes.....	1,135	1,699	2,202	2,848	3,941	4,847	4,321	2,843	1,227	301	28	2
Male.....	611	892	1,213	1,612	2,096	2,578	2,169	1,326	470	90	8	-
Female.....	524	807	989	1,236	1,845	2,269	2,152	1,517	757	211	20	2
Black, both sexes.....	197	275	309	318	372	409	330	166	65	13	7	-
Male.....	113	155	157	160	191	229	159	66	28	5	-	-
Female.....	84	120	152	158	181	180	171	100	37	8	7	-
American Indian 1/, both sexes.....	1	4	-	1	2	-	-	-	-	-	-	-
Male.....	1	3	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	11	10	16	20	17	13	5	6	-	-	-
Male.....	11	2	6	9	9	11	8	3	5	-	-	-
Female.....	12	9	4	7	11	6	5	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Rhode Island

All races, both sexes.....	131	152	184	234	307	378	394	249	120	26	6	-
Male.....	63	73	96	104	182	185	194	111	47	9	3	-
Female.....	68	79	88	130	125	193	200	138	73	17	3	-
White, both sexes.....	120	142	177	228	297	362	384	245	116	26	6	-
Male.....	57	68	90	103	172	176	189	109	45	9	3	-
Female.....	63	74	87	125	125	186	195	136	71	17	3	-
Black, both sexes.....	7	8	4	4	7	14	7	3	4	-	-	-
Male.....	4	4	3	1	7	8	5	1	2	-	-	-
Female.....	3	4	1	3	-	6	2	2	2	-	-	-
American Indian 1/, both sexes.....	1	-	-	2	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	3	-	3	1	3	1	-	-	-	-
Male.....	2	1	3	-	3	-	-	1	-	-	-	-
Female.....	1	1	-	-	-	1	3	-	-	-	-	-

South Carolina

All races, both sexes.....	514	784	964	1,130	1,202	1,247	1,040	596	244	73	10	-
Male.....	276	440	583	658	674	683	522	273	91	19	3	-
Female.....	238	344	381	472	528	564	518	323	153	54	7	-
White, both sexes.....	306	544	673	834	928	963	788	456	172	51	5	-
Male.....	168	301	400	479	522	527	399	202	61	12	2	-
Female.....	138	243	273	355	406	436	389	254	111	39	3	-
Black, both sexes.....	205	238	286	288	270	280	251	139	72	22	5	-
Male.....	106	139	179	174	150	155	123	71	30	7	1	-
Female.....	99	99	107	114	120	125	128	68	42	15	4	-
American Indian 1/, both sexes.....	-	-	2	3	2	1	-	1	-	-	-	-
Male.....	-	-	2	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	2	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	3	5	2	3	1	-	-	-	-	-
Male.....	2	-	2	4	1	-	-	-	-	-	-	-
Female.....	1	2	1	1	1	3	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

South Dakota

All races, both sexes.....	73	104	119	175	225	283	249	175	96	26	3	-
Male.....	36	52	63	97	124	172	141	84	37	5	-	-
Female.....	37	52	56	78	101	111	108	91	59	21	3	-
White, both sexes.....	68	96	109	166	221	273	237	173	93	25	3	-
Male.....	33	48	60	91	123	166	136	82	35	5	-	-
Female.....	35	48	49	75	98	107	101	91	58	20	3	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	7	10	9	4	9	12	2	3	1	-	-
Male.....	3	3	3	6	1	6	5	2	2	-	-	-
Female.....	2	4	7	3	3	3	7	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	770	1,067	1,356	1,564	1,747	1,866	1,641	1,000	447	122	19	-
Male.....	421	594	790	890	985	1,031	816	441	167	40	7	-
Female.....	349	473	566	674	762	835	825	559	280	82	12	-
White, both sexes.....	599	904	1,172	1,366	1,526	1,632	1,446	880	376	99	12	-
Male.....	318	508	689	787	857	907	724	387	142	30	4	-
Female.....	281	396	483	579	669	725	722	493	234	69	8	-
Black, both sexes.....	165	160	181	193	217	230	191	119	71	23	7	-
Male.....	101	86	99	102	127	121	91	54	25	10	3	-
Female.....	64	74	82	91	90	109	100	65	46	13	4	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	3	5	4	4	2	1	-	-	-	-
Male.....	2	-	2	1	1	3	-	-	-	-	-	-
Female.....	4	2	1	4	3	1	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Texas

All races, both sexes.....	2,025	2,812	3,423	4,085	4,694	5,109	4,444	2,640	1,208	297	47	-
Male.....	1,076	1,507	1,931	2,315	2,651	2,760	2,316	1,233	451	100	15	-
Female.....	949	1,305	1,492	1,770	2,043	2,349	2,128	1,407	757	197	32	-
White, both sexes.....	1,632	2,334	2,917	3,503	4,087	4,531	4,010	2,381	1,053	253	38	-
Male.....	862	1,239	1,654	1,990	2,332	2,440	2,091	1,115	382	84	12	-
Female.....	770	1,095	1,263	1,513	1,755	2,091	1,919	1,266	671	169	26	-
Black, both sexes.....	361	431	457	537	556	527	401	242	145	42	9	-
Male.....	203	241	255	304	294	295	208	114	66	16	3	-
Female.....	158	190	202	233	262	232	193	128	79	26	6	-
American Indian 1/, both sexes.....	3	3	5	5	5	6	1	2	-	-	-	-
Male.....	2	2	3	4	4	1	-	1	-	-	-	-
Female.....	1	1	2	1	1	5	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	44	44	40	46	45	32	15	10	2	-	-
Male.....	9	25	19	17	21	24	17	3	3	-	-	-
Female.....	20	19	25	23	25	21	15	12	7	2	-	-

Utah

All races, both sexes.....	130	185	239	235	314	372	322	254	107	21	3	-
Male.....	70	99	126	131	168	201	168	123	53	8	-	-
Female.....	60	86	113	104	146	171	154	131	54	13	3	-
White, both sexes.....	126	177	232	228	309	362	312	247	107	21	2	-
Male.....	68	92	123	128	165	197	160	119	53	8	-	-
Female.....	58	85	109	100	144	165	152	128	54	13	2	-
Black, both sexes.....	-	3	1	2	-	3	2	3	-	-	-	-
Male.....	-	3	1	1	-	2	2	1	-	-	-	-
Female.....	-	-	-	1	-	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	2	2	1	2	3	2	2	1	-	-	1	-
Male.....	1	1	-	1	1	1	1	1	-	-	-	-
Female.....	1	1	1	1	2	1	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	3	5	3	2	5	6	3	-	-	-	-
Male.....	1	3	2	1	2	1	5	2	-	-	-	-
Female.....	1	-	3	2	-	4	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Vermont

All races, both sexes.....	55	90	109	137	196	193	167	105	54	15	1	-
Male.....	28	51	56	69	119	100	91	52	18	5	1	-
Female.....	27	39	53	68	77	93	76	53	36	10	-	-
White, both sexes.....	55	90	108	137	196	192	166	105	54	15	1	-
Male.....	28	51	56	69	119	99	90	52	18	5	1	-
Female.....	27	39	52	68	77	93	76	53	36	10	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	823	1,154	1,406	1,595	1,885	2,177	1,880	1,135	489	117	15	-
Male.....	434	630	803	911	1,009	1,175	968	495	189	40	4	-
Female.....	389	524	603	684	876	1,002	912	640	300	77	11	-
White, both sexes.....	588	884	1,105	1,224	1,459	1,740	1,563	944	393	90	8	-
Male.....	301	485	616	698	784	928	802	412	140	28	1	-
Female.....	287	399	489	526	675	812	761	532	253	62	7	-
Black, both sexes.....	212	243	275	342	389	411	301	180	94	24	7	-
Male.....	125	131	175	192	210	230	154	77	48	10	3	-
Female.....	87	112	100	150	179	181	147	103	46	14	4	-
American Indian 1/, both sexes.....	-	1	1	-	1	3	1	-	-	-	-	-
Male.....	-	-	1	-	1	2	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	26	25	29	36	23	15	11	2	3	-	-
Male.....	8	14	11	21	14	15	12	6	1	2	-	-
Female.....	15	12	14	8	22	8	3	5	1	1	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Wisconsin

All races, both sexes.....	542	775	883	1,111	1,458	1,690	1,588	1,197	548	140	11	-
Male.....	295	409	464	639	789	955	835	580	212	46	2	-
Female.....	247	366	419	472	669	735	753	617	336	94	9	-
White, both sexes.....	480	717	824	1,055	1,387	1,633	1,549	1,160	543	134	11	-
Male.....	264	385	433	605	753	929	814	561	209	42	2	-
Female.....	216	332	391	450	634	704	735	599	334	92	9	-
Black, both sexes.....	50	50	46	46	59	51	32	29	3	6	-	-
Male.....	27	23	24	30	30	22	19	15	2	4	-	-
Female.....	23	27	22	16	29	29	13	14	1	2	-	-
American Indian 1/, both sexes.....	7	4	8	6	6	3	1	5	1	-	-	-
Male.....	3	-	5	2	4	2	-	3	-	-	-	-
Female.....	4	4	3	4	2	1	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	4	5	4	6	3	6	3	1	-	-	-
Male.....	1	1	2	2	2	2	2	1	1	-	-	-
Female.....	4	3	3	2	4	1	4	2	-	-	-	-

Wyoming

All races, both sexes.....	57	68	102	117	143	139	125	78	44	9	2	-
Male.....	30	38	61	73	76	73	72	37	12	3	1	-
Female.....	27	30	41	44	67	66	53	41	32	6	1	-
White, both sexes.....	57	67	102	110	141	134	124	77	42	9	2	-
Male.....	30	37	61	67	76	70	71	37	10	3	1	-
Female.....	27	30	41	43	65	64	53	40	32	6	1	-
Black, both sexes.....	-	-	-	2	-	2	-	-	1	-	-	-
Male.....	-	-	-	2	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	4	2	3	-	-	1	-	-	-
Male.....	-	1	-	4	-	2	-	-	1	-	-	-
Female.....	-	-	-	-	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

Arkansas

All races, both sexes.....	93	-	-	1	-	-	-	-	-	-	1	3
Male.....	69	-	-	-	-	-	-	-	-	-	1	3
Female.....	24	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	77	-	-	1	-	-	-	-	-	-	1	1
Male.....	57	-	-	-	-	-	-	-	-	-	1	1
Female.....	20	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	16	-	-	-	-	-	-	-	-	-	-	2
Male.....	12	-	-	-	-	-	-	-	-	-	-	2
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	901	-	1	-	1	1	5	1	6	13	21	39
Male.....	599	-	1	-	1	1	3	-	4	10	15	30
Female.....	302	-	-	-	-	-	2	1	2	3	6	9
White, both sexes.....	716	-	1	-	-	-	3	-	4	9	12	32
Male.....	468	-	1	-	-	-	2	-	2	7	11	23
Female.....	248	-	-	-	-	-	1	-	2	2	1	9
Black, both sexes.....	73	-	-	-	1	-	1	-	-	3	5	2
Male.....	51	-	-	-	1	-	-	-	-	2	1	2
Female.....	22	-	-	-	-	-	1	-	-	1	4	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	110	-	-	-	-	1	1	1	2	1	4	5
Male.....	78	-	-	-	-	1	1	-	2	1	3	5
Female.....	32	-	-	-	-	-	-	1	-	-	1	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

Iowa

All races, both sexes.....	82	-	-	-	-	-	-	-	2	-	2	4
Male.....	49	-	-	-	-	-	-	-	1	-	2	2
Female.....	33	-	-	-	-	-	-	-	1	-	-	2
White, both sexes.....	80	-	-	-	-	-	-	-	2	-	2	3
Male.....	48	-	-	-	-	-	-	-	1	-	2	2
Female.....	32	-	-	-	-	-	-	-	1	-	-	1
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	65	-	-	-	-	-	-	-	-	2	1	4
Male.....	38	-	-	-	-	-	-	-	-	-	-	4
Female.....	27	-	-	-	-	-	-	-	-	2	1	-
White, both sexes.....	60	-	-	-	-	-	-	-	-	1	-	4
Male.....	35	-	-	-	-	-	-	-	-	-	-	4
Female.....	25	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

New Hampshire

All races, both sexes.....	37	-	-	-	-	-	-	-	-	3	2	3
Male.....	26	-	-	-	-	-	-	-	-	3	2	3
Female.....	11	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	37	-	-	-	-	-	-	-	-	3	2	3
Male.....	26	-	-	-	-	-	-	-	-	3	2	3
Female.....	11	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	236	-	-	-	-	-	1	-	1	-	6	18
Male.....	159	-	-	-	-	-	1	-	-	-	5	16
Female.....	77	-	-	-	-	-	-	-	1	-	1	2
White, both sexes.....	191	-	-	-	-	-	1	-	-	-	3	12
Male.....	131	-	-	-	-	-	1	-	-	-	3	11
Female.....	60	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	38	-	-	-	-	-	-	-	-	-	2	6
Male.....	23	-	-	-	-	-	-	-	-	-	1	5
Female.....	15	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	1	-	1	-
Male.....	5	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

Arkansas

All races, both sexes.....	8	9	17	8	13	11	13	6	2	1	-	-
Male.....	7	7	14	7	10	8	9	2	1	-	-	-
Female.....	1	2	3	1	3	3	4	4	1	1	-	-
White, both sexes.....	5	6	16	7	12	7	12	6	2	1	-	-
Male.....	5	5	13	6	9	5	9	2	1	-	-	-
Female.....	-	1	3	1	3	2	3	4	1	1	-	-
Black, both sexes.....	3	3	1	1	1	4	1	-	-	-	-	-
Male.....	2	2	1	1	1	3	-	-	-	-	-	-
Female.....	1	1	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	95	83	94	114	110	132	91	59	24	8	3	-
Male.....	73	62	72	74	73	82	48	35	12	3	-	-
Female.....	22	21	22	40	37	50	43	24	12	5	3	-
White, both sexes.....	61	64	78	93	86	115	79	53	16	7	3	-
Male.....	53	48	58	60	54	69	39	30	9	2	-	-
Female.....	8	16	20	33	32	46	40	23	7	5	3	-
Black, both sexes.....	10	9	6	9	9	6	5	2	5	-	-	-
Male.....	6	7	6	6	8	4	5	1	2	-	-	-
Female.....	4	2	-	3	1	2	-	1	3	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	9	10	12	14	11	7	4	3	1	-	-
Male.....	14	6	8	8	10	9	4	4	1	1	-	-
Female.....	10	3	2	4	4	2	3	-	2	-	-	-

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

New Hampshire

All races, both sexes.....	5	2	3	6	4	1	3	3	1	1	-	-
Male.....	5	1	2	4	3	-	1	1	1	-	-	-
Female.....	-	1	1	2	1	1	2	2	-	1	-	-
White, both sexes.....	5	2	3	6	4	1	3	3	1	1	-	-
Male.....	5	1	2	4	3	-	1	1	1	-	-	-
Female.....	-	1	1	2	1	1	2	2	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	15	27	28	32	26	31	17	16	14	3	1	-
Male.....	12	23	21	26	18	17	7	7	4	2	-	-
Female.....	3	4	7	6	8	14	10	9	10	1	1	-
White, both sexes.....	9	25	25	26	20	24	16	15	11	3	1	-
Male.....	7	22	19	21	14	13	7	7	4	2	-	-
Female.....	2	3	6	5	6	11	9	8	7	1	1	-
Black, both sexes.....	5	2	3	6	5	5	1	1	2	-	-	-
Male.....	4	1	2	5	3	2	-	-	-	-	-	-
Female.....	1	1	1	1	2	3	1	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	2	-	-	1	-	-	-
Male.....	1	-	-	-	1	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

New Mexico

All races, both sexes.....	1	2	2	5	4	5	5	3	4	-	-	-
Male.....	-	2	-	3	2	2	3	-	2	-	-	-
Female.....	1	-	2	2	2	3	2	3	2	-	-	-
White, both sexes.....	-	2	2	5	4	4	5	3	2	-	-	-
Male.....	-	2	-	3	2	2	3	-	1	-	-	-
Female.....	-	-	2	2	2	2	2	3	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

New York

All races, both sexes.....	41	61	50	53	61	50	36	31	12	5	1	-
Male.....	38	45	35	39	41	24	16	16	3	4	-	-
Female.....	3	16	15	14	20	26	20	15	9	1	1	-
White, both sexes.....	27	42	37	42	48	40	28	29	11	5	1	-
Male.....	26	27	25	32	31	19	11	15	3	4	-	-
Female.....	1	15	12	10	17	21	17	14	8	1	1	-
Black, both sexes.....	11	15	12	8	13	6	5	2	1	-	-	-
Male.....	9	14	9	6	10	3	3	1	-	-	-	-
Female.....	2	1	3	2	3	3	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	4	1	3	-	4	3	-	-	-	-	-
Male.....	3	4	1	1	-	2	2	-	-	-	-	-
Female.....	-	-	-	2	-	2	1	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

Oregon

All races, both sexes.....	6	8	9	12	14	11	9	12	6	2	-	-
Male.....	5	8	6	6	8	6	5	4	4	-	-	-
Female.....	1	-	3	6	6	5	4	8	2	2	-	-
White, both sexes.....	6	8	9	11	14	10	9	11	6	2	-	-
Male.....	5	8	6	5	8	6	5	4	4	-	-	-
Female.....	1	-	3	6	6	4	4	7	2	2	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Pennsylvania

All races, both sexes.....	33	39	50	46	51	45	32	21	13	3	-	-
Male.....	27	33	40	34	38	31	17	11	2	1	-	-
Female.....	6	6	10	12	13	14	15	10	11	2	-	-
White, both sexes.....	24	33	43	39	44	41	27	20	11	3	-	-
Male.....	20	28	36	28	34	29	15	10	1	1	-	-
Female.....	4	5	7	11	10	12	12	10	10	2	-	-
Black, both sexes.....	7	6	7	6	6	4	5	1	2	-	-	-
Male.....	5	5	4	5	4	2	2	1	1	-	-	-
Female.....	2	1	3	1	2	2	3	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	1	-	-	-	-	-	-	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-













































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of tongue (C01-C02)												
Arkansas												
All races, both sexes.....	3	2	6	2	6	3	5	1	-	-	-	-
Male.....	2	2	4	2	3	2	4	-	-	-	-	-
Female.....	1	-	2	-	3	1	1	1	-	-	-	-
White, both sexes.....	2	1	6	1	6	3	5	1	-	-	-	-
Male.....	2	1	4	1	3	2	4	-	-	-	-	-
Female.....	-	-	2	-	3	1	1	1	-	-	-	-
Black, both sexes.....	1	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	29	19	19	32	22	37	24	14	7	3	2	-
Male.....	22	12	11	23	11	21	12	7	4	1	-	-
Female.....	7	7	8	9	11	16	12	7	3	2	2	-
White, both sexes.....	20	15	18	27	20	32	22	14	4	3	2	-
Male.....	17	10	10	20	10	17	11	7	3	1	-	-
Female.....	3	5	8	7	10	15	11	7	1	2	2	-
Black, both sexes.....	2	3	1	2	1	2	1	-	2	-	-	-
Male.....	1	2	1	2	1	2	1	-	1	-	-	-
Female.....	1	1	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	3	1	3	1	-	1	-	-	-
Male.....	4	-	-	1	-	2	-	-	-	-	-	-
Female.....	3	1	-	2	1	1	1	-	1	-	-	-

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of tongue (C01-C02)												
New Hampshire												
All races, both sexes.....	1	-	2	3	1	1	1	1	-	-	-	-
Male.....	1	-	1	2	-	-	1	-	-	-	-	-
Female.....	-	-	1	1	1	1	-	1	-	-	-	-
White, both sexes.....	1	-	2	3	1	1	1	1	-	-	-	-
Male.....	1	-	1	2	-	-	1	-	-	-	-	-
Female.....	-	-	1	1	1	1	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	3	9	11	7	8	10	6	3	4	-	-	-
Male.....	3	9	8	5	4	6	2	2	2	-	-	-
Female.....	-	-	3	2	4	4	4	1	2	-	-	-
White, both sexes.....	1	9	11	6	7	9	6	3	2	-	-	-
Male.....	1	9	8	5	4	5	2	2	2	-	-	-
Female.....	-	-	3	1	3	4	4	1	-	-	-	-
Black, both sexes.....	2	-	-	1	1	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of tongue (C01-C02)

New Mexico

All races, both sexes.....	-	-	-	-	-	3	1	-	-	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	3	1	-	-	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	11	19	12	6	14	13	7	8	3	1	-	-
Male.....	10	16	6	5	6	4	2	5	-	-	-	-
Female.....	1	3	6	1	8	9	5	3	3	1	-	-
White, both sexes.....	9	14	9	4	12	9	6	8	3	1	-	-
Male.....	9	11	5	3	6	3	2	5	-	-	-	-
Female.....	-	3	4	1	6	6	4	3	3	1	-	-
Black, both sexes.....	2	4	3	2	2	2	1	-	-	-	-	-
Male.....	1	4	1	2	-	1	-	-	-	-	-	-
Female.....	1	-	2	-	2	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	2	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of pharynx (C10-C13,C14.0)												
Arkansas												
All races, both sexes.....	36	-	-	-	-	-	-	-	-	-	-	3
Male.....	28	-	-	-	-	-	-	-	-	-	-	3
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	29	-	-	-	-	-	-	-	-	-	-	1
Male.....	22	-	-	-	-	-	-	-	-	-	-	1
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	2
Male.....	6	-	-	-	-	-	-	-	-	-	-	2
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	380	-	1	-	-	1	2	1	2	6	6	15
Male.....	268	-	1	-	-	1	1	-	2	6	4	11
Female.....	112	-	-	-	-	-	1	1	-	-	2	4
White, both sexes.....	272	-	1	-	-	-	-	-	2	4	1	9
Male.....	187	-	1	-	-	-	-	-	2	4	1	5
Female.....	85	-	-	-	-	-	-	-	-	-	-	4
Black, both sexes.....	34	-	-	-	-	-	1	-	-	1	1	2
Male.....	23	-	-	-	-	-	-	-	-	1	-	2
Female.....	11	-	-	-	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	72	-	-	-	-	1	1	1	-	1	4	4
Male.....	56	-	-	-	-	1	1	-	-	1	3	4
Female.....	16	-	-	-	-	-	-	1	-	-	1	-



















































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of pharynx (C10-C13,C14.0)

Arkansas

All races, both sexes.....	3	4	5	4	4	4	5	1	2	1	-	-
Male.....	3	3	4	3	4	4	3	-	1	-	-	-
Female.....	-	1	1	1	-	-	2	1	1	1	-	-
White, both sexes.....	2	3	5	4	4	2	4	1	2	1	-	-
Male.....	2	2	4	3	4	2	3	-	1	-	-	-
Female.....	-	1	1	1	-	-	1	1	1	1	-	-
Black, both sexes.....	1	1	-	-	-	2	1	-	-	-	-	-
Male.....	1	1	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	41	32	42	53	59	48	38	25	7	1	-	-
Male.....	28	23	35	33	43	35	24	17	4	-	-	-
Female.....	13	9	7	20	16	13	14	8	3	1	-	-
White, both sexes.....	18	21	32	42	41	43	32	21	4	1	-	-
Male.....	14	15	25	26	28	31	19	13	3	-	-	-
Female.....	4	6	7	16	13	12	13	8	1	1	-	-
Black, both sexes.....	8	3	3	5	4	2	2	-	2	-	-	-
Male.....	5	2	3	2	4	1	2	-	1	-	-	-
Female.....	3	1	-	3	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	7	7	6	13	3	4	4	1	-	-	-
Male.....	9	5	7	5	10	3	3	4	-	-	-	-
Female.....	6	2	-	1	3	-	1	-	1	-	-	-































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)

Iowa

All races, both sexes.....	41	-	-	-	-	-	-	-	1	-	1	1
Male.....	23	-	-	-	-	-	-	-	1	-	1	1
Female.....	18	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	41	-	-	-	-	-	-	-	1	-	1	1
Male.....	23	-	-	-	-	-	-	-	1	-	1	1
Female.....	18	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	26	-	-	-	-	-	-	-	-	1	-	2
Male.....	11	-	-	-	-	-	-	-	-	-	-	2
Female.....	15	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	24	-	-	-	-	-	-	-	-	-	-	2
Male.....	10	-	-	-	-	-	-	-	-	-	-	2
Female.....	14	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)

New Hampshire

All races, both sexes.....	9	-	-	-	-	-	-	-	-	-	1	1
Male.....	6	-	-	-	-	-	-	-	-	-	1	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	9	-	-	-	-	-	-	-	-	-	1	1
Male.....	6	-	-	-	-	-	-	-	-	-	1	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	77	-	-	-	-	-	-	-	1	-	2	7
Male.....	47	-	-	-	-	-	-	-	-	-	1	6
Female.....	30	-	-	-	-	-	-	-	1	-	1	1
White, both sexes.....	61	-	-	-	-	-	-	-	-	-	-	4
Male.....	37	-	-	-	-	-	-	-	-	-	-	4
Female.....	24	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	14	-	-	-	-	-	-	-	-	-	2	3
Male.....	9	-	-	-	-	-	-	-	-	-	1	2
Female.....	5	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)

Arkansas

All races, both sexes.....	2	2	6	2	3	4	3	4	-	-	-	-
Male.....	2	1	6	2	3	2	2	2	-	-	-	-
Female.....	-	1	-	-	-	2	1	2	-	-	-	-
White, both sexes.....	1	1	5	2	2	2	3	4	-	-	-	-
Male.....	1	1	5	2	2	1	2	2	-	-	-	-
Female.....	-	-	-	-	-	1	1	2	-	-	-	-
Black, both sexes.....	1	1	1	-	1	2	-	-	-	-	-	-
Male.....	1	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	25	31	33	27	27	45	28	20	9	4	1	-
Male.....	23	26	26	17	17	24	11	11	4	2	-	-
Female.....	2	5	7	10	10	21	17	9	5	2	1	-
White, both sexes.....	23	27	28	23	23	38	24	18	7	3	1	-
Male.....	22	22	23	13	14	19	8	10	3	1	-	-
Female.....	1	5	5	10	9	19	16	8	4	2	1	-
Black, both sexes.....	-	3	2	2	4	2	2	2	1	-	-	-
Male.....	-	3	2	2	3	1	2	1	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	3	2	-	5	2	-	1	1	-	-
Male.....	1	1	1	2	-	4	1	-	1	1	-	-
Female.....	1	-	2	-	-	1	1	-	-	-	-	-



























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)

New Mexico

All races, both sexes.....	1	1	1	3	2	1	2	1	2	-	-	-
Male.....	-	1	-	1	1	-	1	-	1	-	-	-
Female.....	1	-	1	2	1	1	1	1	1	-	-	-
White, both sexes.....	-	1	1	3	2	1	2	1	1	-	-	-
Male.....	-	1	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	1	2	1	1	1	1	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	11	14	15	17	18	15	16	12	5	3	1	-
Male.....	9	8	12	9	12	8	5	6	2	3	-	-
Female.....	2	6	3	8	6	7	11	6	3	-	1	-
White, both sexes.....	7	12	11	17	15	14	14	11	5	3	1	-
Male.....	6	6	9	9	9	7	5	5	2	3	-	-
Female.....	1	6	2	8	6	7	9	6	3	-	1	-
Black, both sexes.....	4	1	4	-	3	1	1	1	-	-	-	-
Male.....	3	1	3	-	3	1	-	1	-	-	-	-
Female.....	1	-	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)

Oregon

All races, both sexes.....	1	1	4	3	6	3	4	4	3	2	-	-
Male.....	1	1	3	1	3	2	3	1	2	-	-	-
Female.....	-	-	1	2	3	1	1	3	1	2	-	-
White, both sexes.....	1	1	4	3	6	2	4	3	3	2	-	-
Male.....	1	1	3	1	3	2	3	1	2	-	-	-
Female.....	-	-	1	2	3	-	1	2	1	2	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Pennsylvania

All races, both sexes.....	13	13	17	14	17	23	12	11	7	2	-	-
Male.....	11	8	14	11	11	15	4	4	-	-	-	-
Female.....	2	5	3	3	6	8	8	7	7	2	-	-
White, both sexes.....	12	11	14	13	14	20	11	10	6	2	-	-
Male.....	10	7	12	10	10	14	4	3	-	-	-	-
Female.....	2	4	2	3	4	6	7	7	6	2	-	-
Black, both sexes.....	1	2	3	1	2	3	1	1	1	-	-	-
Male.....	1	1	2	1	1	1	-	1	-	-	-	-
Female.....	-	1	1	-	1	2	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of digestive organs (C15-C26)

Alaska

All races, both sexes.....	187	-	-	-	1	-	1	-	3	1	7	11
Male.....	111	-	-	-	-	-	-	-	2	1	2	6
Female.....	76	-	-	-	1	-	1	-	1	-	5	5
White, both sexes.....	125	-	-	-	-	-	-	-	1	1	2	7
Male.....	75	-	-	-	-	-	-	-	1	1	1	5
Female.....	50	-	-	-	-	-	-	-	-	-	1	2
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	47	-	-	-	1	-	1	-	2	-	4	4
Male.....	26	-	-	-	-	-	-	-	1	-	1	1
Female.....	21	-	-	-	1	-	1	-	1	-	3	3
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	-	-	-	-	-	1	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	-

Arizona

All races, both sexes.....	2,276	-	1	-	-	1	-	2	11	8	25	82
Male.....	1,316	-	1	-	-	1	-	1	7	4	16	54
Female.....	960	-	-	-	-	-	-	1	4	4	9	28
White, both sexes.....	2,138	-	-	-	-	1	-	2	10	4	20	74
Male.....	1,249	-	-	-	-	1	-	1	6	4	14	49
Female.....	889	-	-	-	-	-	-	1	4	-	6	25
Black, both sexes.....	54	-	-	-	-	-	-	-	1	1	3	5
Male.....	26	-	-	-	-	-	-	-	1	-	2	2
Female.....	28	-	-	-	-	-	-	-	-	1	1	3
American Indian 1/, both sexes.....	59	-	1	-	-	-	-	-	-	2	1	3
Male.....	28	-	1	-	-	-	-	-	-	-	-	3
Female.....	31	-	-	-	-	-	-	-	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	25	-	-	-	-	-	-	-	-	1	1	-
Male.....	13	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of digestive organs (C15-C26)

Arkansas

All races, both sexes.....	1,353	-	-	-	-	-	2	3	10	11	18	52
Male.....	723	-	-	-	-	-	1	3	7	6	14	36
Female.....	630	-	-	-	-	-	1	-	3	5	4	16
White, both sexes.....	1,118	-	-	-	-	-	2	3	6	6	13	38
Male.....	609	-	-	-	-	-	1	3	4	4	11	27
Female.....	509	-	-	-	-	-	1	-	2	2	2	11
Black, both sexes.....	226	-	-	-	-	-	-	-	4	5	4	14
Male.....	109	-	-	-	-	-	-	-	3	2	3	9
Female.....	117	-	-	-	-	-	-	-	1	3	1	5
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	-

California

All races, both sexes.....	13,777	1	6	-	3	5	12	28	61	115	238	559
Male.....	7,479	1	5	-	1	3	7	23	44	67	145	358
Female.....	6,298	-	1	-	2	2	5	5	17	48	93	201
White, both sexes.....	10,992	1	4	-	1	4	6	19	38	84	171	408
Male.....	5,993	1	4	-	1	2	5	17	28	47	106	267
Female.....	4,999	-	-	-	-	2	1	2	10	37	65	141
Black, both sexes.....	1,116	-	1	-	-	-	1	1	7	5	34	69
Male.....	567	-	-	-	-	-	1	-	4	4	18	42
Female.....	549	-	1	-	-	-	-	1	3	1	16	27
American Indian 1/, both sexes.....	67	-	-	-	-	-	-	1	-	2	2	4
Male.....	40	-	-	-	-	-	-	-	-	1	2	3
Female.....	27	-	-	-	-	-	-	1	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	1,602	-	1	-	2	1	5	7	16	24	31	78
Male.....	879	-	1	-	-	1	1	6	12	15	19	46
Female.....	723	-	-	-	2	-	4	1	4	9	12	32















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of digestive organs (C15-C26)

Maine

All races, both sexes.....	677	-	-	-	-	1	1	2	1	1	7	25
Male.....	367	-	-	-	-	-	1	1	1	-	3	19
Female.....	310	-	-	-	-	1	-	1	-	1	4	6
White, both sexes.....	673	-	-	-	-	1	1	2	1	1	7	23
Male.....	364	-	-	-	-	-	1	1	1	-	3	18
Female.....	309	-	-	-	-	1	-	1	-	1	4	5
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	2,443	-	-	-	-	1	-	3	6	19	37	88
Male.....	1,297	-	-	-	-	1	-	1	1	12	22	52
Female.....	1,146	-	-	-	-	-	-	2	5	7	15	36
White, both sexes.....	1,701	-	-	-	-	1	-	1	1	11	27	48
Male.....	921	-	-	-	-	1	-	-	-	7	17	31
Female.....	780	-	-	-	-	-	-	1	1	4	10	17
Black, both sexes.....	677	-	-	-	-	-	-	2	3	8	8	34
Male.....	345	-	-	-	-	-	-	1	-	5	3	18
Female.....	332	-	-	-	-	-	-	1	3	3	5	16
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	62	-	-	-	-	-	-	-	2	-	2	6
Male.....	31	-	-	-	-	-	-	-	1	-	2	3
Female.....	31	-	-	-	-	-	-	-	1	-	-	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of digestive organs (C15-C26)

Massachusetts

All races, both sexes.....	3,323	-	-	-	1	1	-	4	11	17	44	104
Male.....	1,818	-	-	-	1	1	-	-	8	9	23	65
Female.....	1,505	-	-	-	-	-	-	4	3	8	21	39
White, both sexes.....	3,086	-	-	-	1	1	-	2	7	16	33	84
Male.....	1,697	-	-	-	1	1	-	-	4	9	18	53
Female.....	1,389	-	-	-	-	-	-	2	3	7	15	31
Black, both sexes.....	170	-	-	-	-	-	-	1	3	1	8	13
Male.....	85	-	-	-	-	-	-	-	3	-	4	6
Female.....	85	-	-	-	-	-	-	1	-	1	4	7
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	63	-	-	-	-	-	-	1	1	-	3	7
Male.....	33	-	-	-	-	-	-	-	1	-	1	6
Female.....	30	-	-	-	-	-	-	1	-	-	2	1

Michigan

All races, both sexes.....	4,668	-	-	-	2	-	4	7	14	39	70	170
Male.....	2,583	-	-	-	2	-	2	4	7	23	44	110
Female.....	2,085	-	-	-	-	-	2	3	7	16	26	60
White, both sexes.....	3,915	-	-	-	2	-	4	6	9	26	53	124
Male.....	2,174	-	-	-	2	-	2	4	5	15	34	84
Female.....	1,741	-	-	-	-	-	2	2	4	11	19	40
Black, both sexes.....	697	-	-	-	-	-	-	1	2	12	16	40
Male.....	375	-	-	-	-	-	-	-	1	7	9	22
Female.....	322	-	-	-	-	-	-	1	1	5	7	18
American Indian 1/, both sexes.....	20	-	-	-	-	-	-	-	1	-	-	5
Male.....	12	-	-	-	-	-	-	-	1	-	-	3
Female.....	8	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	36	-	-	-	-	-	-	-	2	1	1	1
Male.....	22	-	-	-	-	-	-	-	-	1	1	1
Female.....	14	-	-	-	-	-	-	-	2	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of digestive organs (C15-C26)

Missouri

All races, both sexes.....	2,776	-	-	-	-	-	-	3	8	16	40	90
Male.....	1,468	-	-	-	-	-	-	1	3	12	20	65
Female.....	1,308	-	-	-	-	-	-	2	5	4	20	25
White, both sexes.....	2,429	-	-	-	-	-	-	3	8	13	35	71
Male.....	1,283	-	-	-	-	-	-	1	3	12	19	49
Female.....	1,146	-	-	-	-	-	-	2	5	1	16	22
Black, both sexes.....	330	-	-	-	-	-	-	-	-	3	5	17
Male.....	176	-	-	-	-	-	-	-	-	-	1	14
Female.....	154	-	-	-	-	-	-	-	-	3	4	3
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	-	-	-	-	-	-	1
Male.....	6	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	-	-	-	-	-	-	-	-	-	-	-

Montana

All races, both sexes.....	385	-	-	-	1	1	1	-	1	3	9	7
Male.....	209	-	-	-	1	1	-	-	-	-	7	3
Female.....	176	-	-	-	-	-	1	-	1	3	2	4
White, both sexes.....	367	-	-	-	-	-	-	-	1	3	9	6
Male.....	202	-	-	-	-	-	-	-	-	-	7	3
Female.....	165	-	-	-	-	-	-	-	1	3	2	3
Black, both sexes.....	2	-	-	-	1	1	-	-	-	-	-	-
Male.....	2	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of digestive organs (C15-C26)

New Hampshire

All races, both sexes.....	612	-	-	-	-	-	-	-	1	1	9	14
Male.....	332	-	-	-	-	-	-	-	1	1	6	8
Female.....	280	-	-	-	-	-	-	-	-	-	3	6
White, both sexes.....	604	-	-	-	-	-	-	-	1	1	9	14
Male.....	328	-	-	-	-	-	-	-	1	1	6	8
Female.....	276	-	-	-	-	-	-	-	-	-	3	6
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	4,543	1	-	-	-	1	5	6	13	34	73	131
Male.....	2,392	-	-	-	-	1	3	1	6	21	42	87
Female.....	2,151	1	-	-	-	-	2	5	7	13	31	44
White, both sexes.....	3,869	1	-	-	-	1	3	5	9	27	53	100
Male.....	2,033	-	-	-	-	1	2	1	3	19	31	66
Female.....	1,836	1	-	-	-	-	1	4	6	8	22	34
Black, both sexes.....	569	-	-	-	-	-	1	-	3	6	16	25
Male.....	300	-	-	-	-	-	1	-	2	2	10	17
Female.....	269	-	-	-	-	-	-	-	1	4	6	8
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	102	-	-	-	-	-	1	1	1	1	4	6
Male.....	58	-	-	-	-	-	-	-	1	-	1	4
Female.....	44	-	-	-	-	-	1	1	-	1	3	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of digestive organs (C15-C26)

New Mexico

All races, both sexes.....	790	-	2	-	-	-	1	1	3	5	8	27
Male.....	455	-	2	-	-	-	-	-	1	4	6	17
Female.....	335	-	-	-	-	-	1	1	2	1	2	10
White, both sexes.....	725	-	1	-	-	-	1	1	2	4	8	24
Male.....	415	-	1	-	-	-	-	-	1	3	6	15
Female.....	310	-	-	-	-	-	1	1	1	1	2	9
Black, both sexes.....	18	-	-	-	-	-	-	-	-	-	-	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	43	-	1	-	-	-	-	-	1	1	-	2
Male.....	28	-	1	-	-	-	-	-	-	1	-	1
Female.....	15	-	-	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	9,446	1	-	-	1	1	5	15	37	69	135	281
Male.....	4,907	-	-	-	1	1	5	5	17	36	80	182
Female.....	4,539	1	-	-	-	-	-	10	20	33	55	99
White, both sexes.....	7,747	1	-	-	-	-	3	9	22	48	86	195
Male.....	4,007	-	-	-	-	-	3	3	12	24	48	122
Female.....	3,740	1	-	-	-	-	-	6	10	24	38	73
Black, both sexes.....	1,354	-	-	-	1	1	2	3	10	16	33	62
Male.....	689	-	-	-	1	1	2	1	3	10	21	41
Female.....	665	-	-	-	-	-	-	2	7	6	12	21
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	-	-	1
Male.....	11	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	332	-	-	-	-	-	-	3	5	5	16	23
Male.....	200	-	-	-	-	-	-	1	2	2	11	18
Female.....	132	-	-	-	-	-	-	2	3	3	5	5





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of digestive organs (C15-C26)

Oregon

All races, both sexes.....	1,646	-	1	-	-	2	3	1	8	7	20	49
Male.....	887	-	-	-	-	2	2	-	2	4	8	23
Female.....	759	-	1	-	-	-	1	1	6	3	12	26
White, both sexes.....	1,570	-	1	-	-	2	2	1	7	6	19	45
Male.....	839	-	-	-	-	2	1	-	1	4	8	20
Female.....	731	-	1	-	-	-	1	1	6	2	11	25
Black, both sexes.....	17	-	-	-	-	-	-	-	1	-	-	-
Male.....	14	-	-	-	-	-	-	-	1	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	1	-	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	7	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	44	-	-	-	-	-	1	-	-	-	1	3
Male.....	26	-	-	-	-	-	1	-	-	-	-	2
Female.....	18	-	-	-	-	-	-	-	-	-	1	1

Pennsylvania

All races, both sexes.....	7,213	-	-	1	-	-	4	8	18	31	84	215
Male.....	3,887	-	-	-	-	-	-	5	13	14	55	163
Female.....	3,326	-	-	1	-	-	4	3	5	17	29	52
White, both sexes.....	6,451	-	-	1	-	-	4	7	13	24	71	175
Male.....	3,493	-	-	-	-	-	-	4	12	11	48	136
Female.....	2,958	-	-	1	-	-	4	3	1	13	23	39
Black, both sexes.....	709	-	-	-	-	-	-	1	3	3	13	37
Male.....	364	-	-	-	-	-	-	1	1	1	7	26
Female.....	345	-	-	-	-	-	-	-	2	2	6	11
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	51	-	-	-	-	-	-	-	2	3	-	3
Male.....	28	-	-	-	-	-	-	-	-	1	-	1
Female.....	23	-	-	-	-	-	-	-	2	2	-	2







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of digestive organs (C15-C26)

Vermont

All races, both sexes.....	276	-	-	-	-	-	-	-	-	3	6	11
Male.....	159	-	-	-	-	-	-	-	-	1	6	9
Female.....	117	-	-	-	-	-	-	-	-	2	-	2
White, both sexes.....	273	-	-	-	-	-	-	-	-	3	5	11
Male.....	157	-	-	-	-	-	-	-	-	1	5	9
Female.....	116	-	-	-	-	-	-	-	-	2	-	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	3,173	-	-	-	-	1	3	6	7	28	68	104
Male.....	1,746	-	-	-	-	-	-	4	4	16	42	63
Female.....	1,427	-	-	-	-	1	3	2	3	12	26	41
White, both sexes.....	2,350	-	-	-	-	1	1	4	4	18	43	68
Male.....	1,280	-	-	-	-	-	-	3	2	11	26	42
Female.....	1,070	-	-	-	-	1	1	1	2	7	17	26
Black, both sexes.....	732	-	-	-	-	-	1	2	2	7	21	30
Male.....	411	-	-	-	-	-	-	1	1	3	14	19
Female.....	321	-	-	-	-	-	1	1	1	4	7	11
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	88	-	-	-	-	-	1	-	1	3	3	6
Male.....	53	-	-	-	-	-	-	-	1	2	1	2
Female.....	35	-	-	-	-	-	1	-	-	1	2	4





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

United States

All races, both sexes.....	7,627	9,903	12,155	14,430	17,974	20,643	19,230	13,313	6,468	1,743	214	1
Male.....	5,003	6,453	7,670	8,877	10,392	11,042	9,361	5,356	2,070	426	48	1
Female.....	2,624	3,450	4,485	5,553	7,582	9,601	9,869	7,957	4,398	1,317	166	-
White, both sexes.....	5,726	7,907	9,854	11,977	15,187	17,938	16,981	11,835	5,801	1,507	174	1
Male.....	3,795	5,237	6,273	7,454	8,915	9,691	8,365	4,792	1,855	360	42	1
Female.....	1,931	2,670	3,581	4,523	6,272	8,247	8,616	7,043	3,946	1,147	132	-
Black, both sexes.....	1,552	1,611	1,846	1,920	2,169	2,111	1,773	1,160	555	195	34	-
Male.....	1,001	989	1,112	1,092	1,176	1,024	742	410	162	53	3	-
Female.....	551	622	734	828	993	1,087	1,031	750	393	142	31	-
American Indian 1/, both sexes.....	55	50	70	76	80	74	47	26	18	4	1	-
Male.....	35	26	40	54	45	43	22	16	8	1	-	-
Female.....	20	24	30	22	35	31	25	10	10	3	1	-
Asian or Pacific Islander 2/, both sexes.....	294	335	385	457	538	520	429	292	94	37	5	-
Male.....	172	201	245	277	256	284	232	138	45	12	3	-
Female.....	122	134	140	180	282	236	197	154	49	25	2	-

Alabama

All races, both sexes.....	138	152	199	252	285	316	283	181	103	32	4	-
Male.....	87	102	121	155	166	167	125	83	29	11	1	-
Female.....	51	50	78	97	119	149	158	98	74	21	3	-
White, both sexes.....	71	110	138	190	210	225	219	145	80	21	3	-
Male.....	45	79	84	118	127	122	105	71	22	5	1	-
Female.....	26	31	54	72	83	103	114	74	58	16	2	-
Black, both sexes.....	65	41	57	61	73	89	62	36	23	10	1	-
Male.....	42	23	35	37	37	44	19	12	7	5	-	-
Female.....	23	18	22	24	36	45	43	24	16	5	1	-
American Indian 1/, both sexes.....	-	1	1	-	1	2	-	-	-	-	-	-
Male.....	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	3	1	1	-	2	-	-	1	-	-
Male.....	-	-	1	-	1	-	1	-	-	1	-	-
Female.....	2	-	2	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

Alaska

All races, both sexes.....	12	23	22	13	25	30	21	14	1	2	-	-
Male.....	9	17	14	9	14	17	11	7	1	1	-	-
Female.....	3	6	8	4	11	13	10	7	-	1	-	-
White, both sexes.....	9	18	15	6	18	21	14	10	1	2	-	-
Male.....	7	13	11	3	9	11	7	4	1	1	-	-
Female.....	2	5	4	3	9	10	7	6	-	1	-	-
Black, both sexes.....	-	-	2	-	1	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	2	4	6	5	7	5	3	-	-	-	-
Male.....	2	2	2	5	4	4	2	2	-	-	-	-
Female.....	1	-	2	1	1	3	3	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	1	1	1	1	2	1	-	-	-	-
Male.....	-	2	-	1	1	1	2	1	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	135	157	179	296	315	355	371	213	98	24	3	-
Male.....	90	107	121	196	185	191	197	98	38	9	-	-
Female.....	45	50	58	100	130	164	174	115	60	15	3	-
White, both sexes.....	126	144	169	271	298	342	353	206	94	21	3	-
Male.....	83	100	114	183	179	188	187	96	38	6	-	-
Female.....	43	44	55	88	119	154	166	110	56	15	3	-
Black, both sexes.....	2	6	5	11	4	3	6	3	3	1	-	-
Male.....	1	5	4	4	2	1	3	-	-	1	-	-
Female.....	1	1	1	7	2	2	3	3	3	-	-	-
American Indian 1/, both sexes.....	4	5	2	12	10	6	8	3	1	1	-	-
Male.....	3	-	1	8	3	2	5	1	-	1	-	-
Female.....	1	5	1	4	7	4	3	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	3	2	3	4	4	1	-	1	-	-
Male.....	3	2	2	1	1	-	2	1	-	1	-	-
Female.....	-	-	1	1	2	4	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

Arkansas

All races, both sexes.....	79	98	145	169	182	199	176	123	62	23	1	-
Male.....	43	62	86	96	107	109	90	45	11	7	-	-
Female.....	36	36	59	73	75	90	86	78	51	16	1	-
White, both sexes.....	58	77	118	142	154	176	156	101	52	16	-	-
Male.....	30	50	71	84	92	102	80	36	9	5	-	-
Female.....	28	27	47	58	62	74	76	65	43	11	-	-
Black, both sexes.....	19	19	27	24	28	23	19	22	10	7	1	-
Male.....	12	11	15	10	15	7	9	9	2	2	-	-
Female.....	7	8	12	14	13	16	10	13	8	5	1	-
American Indian 1/, both sexes.....	-	2	-	1	-	-	1	-	-	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	2	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-

California

All races, both sexes.....	827	1,022	1,269	1,486	1,791	2,095	2,019	1,345	670	200	25	-
Male.....	534	650	806	895	1,039	1,121	948	532	231	61	8	-
Female.....	293	372	463	591	752	974	1,071	813	439	139	17	-
White, both sexes.....	618	796	960	1,153	1,406	1,713	1,708	1,137	579	168	18	-
Male.....	414	512	617	702	842	919	806	451	196	50	6	-
Female.....	204	284	343	451	564	794	902	686	383	118	12	-
Black, both sexes.....	86	104	131	138	149	142	114	80	40	11	3	-
Male.....	54	63	79	71	83	68	47	20	9	4	-	-
Female.....	32	41	52	67	66	74	67	60	31	7	3	-
American Indian 1/, both sexes.....	10	3	11	9	7	7	4	2	4	1	-	-
Male.....	4	3	7	6	5	5	1	1	2	-	-	-
Female.....	6	-	4	3	2	2	3	1	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	113	119	167	186	229	233	193	126	47	20	4	-
Male.....	62	72	103	116	109	129	94	60	24	7	2	-
Female.....	51	47	64	70	120	104	99	66	23	13	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

Colorado

All races, both sexes.....	112	124	157	175	203	243	203	154	71	20	1	-
Male.....	73	78	101	114	117	125	94	66	21	6	-	-
Female.....	39	46	56	61	86	118	109	88	50	14	1	-
White, both sexes.....	103	115	150	162	192	225	194	151	70	20	1	-
Male.....	65	72	94	106	111	118	90	64	20	6	-	-
Female.....	38	43	56	56	81	107	104	87	50	14	1	-
Black, both sexes.....	6	6	5	11	7	8	4	3	1	-	-	-
Male.....	5	5	5	7	4	3	1	2	1	-	-	-
Female.....	1	1	-	4	3	5	3	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	2	1	4	9	5	-	-	-	-	-
Male.....	3	1	2	-	2	3	3	-	-	-	-	-
Female.....	-	2	-	1	2	6	2	-	-	-	-	-

Connecticut

All races, both sexes.....	75	98	157	163	229	276	298	188	103	19	4	-
Male.....	53	66	104	93	149	153	143	75	33	6	-	-
Female.....	22	32	53	70	80	123	155	113	70	13	4	-
White, both sexes.....	61	84	139	147	207	259	283	184	97	17	4	-
Male.....	46	58	92	85	132	144	140	74	30	6	-	-
Female.....	15	26	47	62	75	115	143	110	67	11	4	-
Black, both sexes.....	14	14	17	12	19	16	12	3	6	1	-	-
Male.....	7	8	11	8	14	8	1	1	3	-	-	-
Female.....	7	6	6	4	5	8	11	2	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	4	2	1	3	1	-	1	-	-
Male.....	-	-	1	-	2	1	2	-	-	-	-	-
Female.....	-	-	-	4	-	-	1	1	-	1	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

Florida

All races, both sexes.....	463	626	812	987	1,297	1,463	1,334	995	442	125	23	-
Male.....	307	413	524	613	759	809	678	430	164	37	5	-
Female.....	156	213	288	374	538	654	656	565	278	88	18	-
White, both sexes.....	352	514	692	858	1,150	1,324	1,237	915	412	114	19	-
Male.....	241	343	457	539	679	737	640	403	159	34	5	-
Female.....	111	171	235	319	471	587	597	512	253	80	14	-
Black, both sexes.....	103	103	110	121	130	132	96	76	29	11	4	-
Male.....	62	64	60	70	71	70	38	25	5	3	-	-
Female.....	41	39	50	51	59	62	58	51	24	8	4	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	9	10	8	16	7	-	4	1	-	-	-
Male.....	4	6	7	4	8	2	-	2	-	-	-	-
Female.....	4	3	3	4	8	5	-	2	1	-	-	-

Georgia

All races, both sexes.....	236	309	335	374	384	426	405	238	133	34	1	-
Male.....	142	197	207	226	206	224	180	89	43	11	-	-
Female.....	94	112	128	148	178	202	225	149	90	23	1	-
White, both sexes.....	130	203	212	256	272	323	307	168	94	28	-	-
Male.....	74	139	134	168	151	174	143	67	32	9	-	-
Female.....	56	64	78	88	121	149	164	101	62	19	-	-
Black, both sexes.....	101	100	113	108	108	100	94	68	39	6	1	-
Male.....	65	53	68	53	52	49	34	20	11	2	-	-
Female.....	36	47	45	55	56	51	60	48	28	4	1	-
American Indian 1/, both sexes.....	2	-	1	1	1	1	2	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	1	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	6	9	9	3	2	2	2	-	-	-	-
Male.....	3	5	4	5	3	1	2	2	-	-	-	-
Female.....	-	1	5	4	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

Hawaii

All races, both sexes.....	38	56	50	66	95	109	92	63	21	9	1	-
Male.....	25	30	42	40	47	66	53	35	10	1	-	-
Female.....	13	26	8	26	48	43	39	28	11	8	1	-
White, both sexes.....	18	17	10	13	10	26	18	11	4	5	1	-
Male.....	12	12	9	9	5	15	10	7	1	-	-	-
Female.....	6	5	1	4	5	11	8	4	3	5	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	39	40	53	85	83	74	52	17	4	-	-
Male.....	13	18	33	31	42	51	43	28	9	1	-	-
Female.....	7	21	7	22	43	32	31	24	8	3	-	-

Idaho

All races, both sexes.....	27	36	45	63	68	81	69	51	28	6	-	-
Male.....	20	18	26	45	41	47	32	23	13	1	-	-
Female.....	7	18	19	18	27	34	37	28	15	5	-	-
White, both sexes.....	26	35	43	63	65	79	67	50	27	6	-	-
Male.....	20	18	25	45	39	46	31	23	13	1	-	-
Female.....	6	17	18	18	26	33	36	27	14	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	1	2	-	3	2	-	-	-	-	-	-
Male.....	-	-	1	-	2	1	-	-	-	-	-	-
Female.....	-	1	1	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

Illinois

All races, both sexes.....	332	405	515	625	780	926	937	679	305	86	10	-
Male.....	208	268	327	392	452	513	473	296	102	25	-	-
Female.....	124	137	188	233	328	413	464	383	203	61	10	-
White, both sexes.....	230	306	399	489	636	790	793	611	275	70	7	-
Male.....	146	200	252	311	370	445	405	272	94	21	-	-
Female.....	84	106	147	178	266	345	388	339	181	49	7	-
Black, both sexes.....	90	83	100	121	129	119	127	55	29	14	3	-
Male.....	53	57	65	70	76	57	62	17	7	4	-	-
Female.....	37	26	35	51	53	62	65	38	22	10	3	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	15	16	14	15	17	17	13	1	2	-	-
Male.....	9	10	10	10	6	11	6	7	1	-	-	-
Female.....	3	5	6	4	9	6	11	6	-	2	-	-

Indiana

All races, both sexes.....	161	216	302	290	391	446	430	270	129	33	6	1
Male.....	112	149	189	186	221	256	208	108	40	3	2	1
Female.....	49	67	113	104	170	190	222	162	89	30	4	-
White, both sexes.....	141	198	265	259	357	408	395	253	120	30	5	1
Male.....	97	136	166	166	201	238	194	101	39	3	2	1
Female.....	44	62	99	93	156	170	201	152	81	27	3	-
Black, both sexes.....	19	18	36	30	34	37	33	17	9	3	1	-
Male.....	14	13	23	20	20	18	13	7	1	-	-	-
Female.....	5	5	13	10	14	19	20	10	8	3	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	1	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

Iowa

All races, both sexes.....	82	115	112	139	203	253	221	171	120	31	3	-
Male.....	56	69	70	86	123	131	121	59	40	3	2	-
Female.....	26	46	42	53	80	122	100	112	80	28	1	-
White, both sexes.....	79	114	109	132	200	251	219	169	119	31	3	-
Male.....	54	69	67	82	121	129	120	57	39	3	2	-
Female.....	25	45	42	50	79	122	99	112	80	28	1	-
Black, both sexes.....	3	1	3	4	1	2	2	2	-	-	-	-
Male.....	2	-	3	2	1	2	1	2	-	-	-	-
Female.....	1	1	-	2	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	2	-	-	-	1	-	-	-
Male.....	-	-	-	1	1	-	-	-	1	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	69	73	107	122	166	174	192	130	87	17	3	-
Male.....	44	48	73	72	105	97	90	50	21	4	2	-
Female.....	25	25	34	50	61	77	102	80	66	13	1	-
White, both sexes.....	59	66	97	114	153	162	182	125	85	16	3	-
Male.....	39	43	67	67	95	91	86	48	21	3	2	-
Female.....	20	23	30	47	58	71	96	77	64	13	1	-
Black, both sexes.....	6	6	8	6	10	8	7	5	2	1	-	-
Male.....	4	4	5	3	7	4	2	2	-	1	-	-
Female.....	2	2	3	3	3	4	5	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	2	2	1	-	-	-	-	-
Male.....	-	-	-	1	2	1	1	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	1	1	1	2	2	-	-	-	-	-
Male.....	1	1	1	1	1	1	1	-	-	-	-	-
Female.....	3	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

Kentucky

All races, both sexes.....	116	168	193	213	297	322	259	196	102	29	4	-
Male.....	71	116	125	138	163	178	138	67	39	8	1	-
Female.....	45	52	68	75	134	144	121	129	63	21	3	-
White, both sexes.....	102	152	177	194	272	299	242	183	98	27	3	-
Male.....	62	108	116	125	148	168	129	64	38	8	1	-
Female.....	40	44	61	69	124	131	113	119	60	19	2	-
Black, both sexes.....	13	15	15	19	23	23	16	11	4	2	1	-
Male.....	8	8	8	13	14	10	9	1	1	-	-	-
Female.....	5	7	7	6	9	13	7	10	3	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	1	-	1	1	-	-	-	-
Male.....	1	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	1	-	-	1	-	1	-	-	-	-	-

Louisiana

All races, both sexes.....	143	183	213	259	306	344	329	187	94	31	4	-
Male.....	90	131	130	162	174	181	168	75	31	10	1	-
Female.....	53	52	83	97	132	163	161	112	63	21	3	-
White, both sexes.....	87	121	120	179	206	245	241	137	62	20	3	-
Male.....	56	87	77	120	124	135	127	56	19	6	1	-
Female.....	31	34	43	59	82	110	114	81	43	14	2	-
Black, both sexes.....	54	61	91	79	98	98	86	49	32	10	1	-
Male.....	34	43	52	42	49	45	40	19	12	4	-	-
Female.....	20	18	39	37	49	53	46	30	20	6	1	-
American Indian 1/, both sexes.....	-	-	1	1	2	-	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	-	-	1	1	1	-	1	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	1	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

Maine

All races, both sexes.....	34	46	64	75	89	130	99	61	34	7	-	-
Male.....	22	31	35	49	52	72	45	27	9	-	-	-
Female.....	12	15	29	26	37	58	54	34	25	7	-	-
White, both sexes.....	34	46	64	74	89	130	99	60	34	7	-	-
Male.....	22	31	35	48	52	72	45	26	9	-	-	-
Female.....	12	15	29	26	37	58	54	34	25	7	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	179	201	219	274	327	388	333	223	112	31	2	-
Male.....	115	131	126	169	193	206	146	81	37	4	-	-
Female.....	64	70	93	105	134	182	187	142	75	27	2	-
White, both sexes.....	87	127	135	187	238	282	263	176	90	25	2	-
Male.....	58	90	79	119	143	152	123	63	34	4	-	-
Female.....	29	37	56	68	95	130	140	113	56	21	2	-
Black, both sexes.....	87	70	76	78	80	96	67	43	19	6	-	-
Male.....	54	39	45	47	45	50	21	16	1	-	-	-
Female.....	33	31	31	31	35	46	46	27	18	6	-	-
American Indian 1/, both sexes.....	-	1	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	2	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	3	6	9	9	10	3	4	3	-	-	-
Male.....	3	2	2	3	5	4	2	2	2	-	-	-
Female.....	2	1	4	6	4	6	1	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

Massachusetts

All races, both sexes.....	172	217	281	338	447	572	519	354	186	51	4	-
Male.....	115	143	177	210	278	293	258	163	55	17	2	-
Female.....	57	74	104	128	169	279	261	191	131	34	2	-
White, both sexes.....	149	200	254	312	415	541	498	341	179	49	4	-
Male.....	99	134	163	198	260	280	249	157	52	17	2	-
Female.....	50	66	91	114	155	261	249	184	127	32	2	-
Black, both sexes.....	20	12	18	16	25	22	16	8	6	1	-	-
Male.....	14	7	8	5	13	10	8	4	3	-	-	-
Female.....	6	5	10	11	12	12	8	4	3	1	-	-
American Indian 1/, both sexes.....	-	1	-	1	1	-	1	-	-	-	-	-
Male.....	-	1	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	4	9	9	6	9	4	5	1	1	-	-
Male.....	2	1	6	7	4	3	-	2	-	-	-	-
Female.....	1	3	3	2	2	6	4	3	1	1	-	-

Michigan

All races, both sexes.....	283	392	411	505	614	707	699	490	213	45	3	-
Male.....	189	269	260	317	364	370	345	199	64	14	-	-
Female.....	94	123	151	188	250	337	354	291	149	31	3	-
White, both sexes.....	202	297	346	432	517	617	611	433	196	37	3	-
Male.....	134	211	224	276	309	328	303	171	59	13	-	-
Female.....	68	86	122	156	208	289	308	262	137	24	3	-
Black, both sexes.....	75	86	61	66	91	88	82	54	15	8	-	-
Male.....	51	52	36	36	52	41	38	25	4	1	-	-
Female.....	24	34	25	30	39	47	44	29	11	7	-	-
American Indian 1/, both sexes.....	2	2	2	1	3	2	2	-	-	-	-	-
Male.....	2	1	-	1	2	1	1	-	-	-	-	-
Female.....	-	1	2	-	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	7	2	6	3	-	4	3	2	-	-	-
Male.....	2	5	-	4	1	-	3	3	1	-	-	-
Female.....	2	2	2	2	2	-	1	-	1	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

Nebraska

All races, both sexes.....	33	46	53	71	103	139	128	102	53	15	1	-
Male.....	18	34	35	38	56	85	76	52	17	4	1	-
Female.....	15	12	18	33	47	54	52	50	36	11	-	-
White, both sexes.....	31	40	51	70	98	135	124	102	53	15	1	-
Male.....	16	28	33	38	55	83	73	52	17	4	1	-
Female.....	15	12	18	32	43	52	51	50	36	11	-	-
Black, both sexes.....	2	4	2	1	4	3	3	-	-	-	-	-
Male.....	2	4	2	-	-	2	2	-	-	-	-	-
Female.....	-	-	-	1	4	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	49	85	105	127	144	170	111	58	23	9	-	-
Male.....	42	56	74	81	100	104	60	26	12	2	-	-
Female.....	7	29	31	46	44	66	51	32	11	7	-	-
White, both sexes.....	39	78	95	116	135	156	102	52	19	7	-	-
Male.....	36	52	71	77	97	98	57	23	10	2	-	-
Female.....	3	26	24	39	38	58	45	29	9	5	-	-
Black, both sexes.....	5	6	5	8	5	7	5	3	3	2	-	-
Male.....	3	4	3	3	3	3	2	2	2	-	-	-
Female.....	2	2	2	5	2	4	3	1	1	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	4	3	4	7	4	2	1	-	-	-
Male.....	3	-	-	1	-	3	1	1	-	-	-	-
Female.....	2	1	4	2	4	4	3	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

New Hampshire

All races, both sexes.....	34	53	58	72	84	81	84	68	39	11	3	-
Male.....	23	38	41	41	46	46	44	22	12	3	-	-
Female.....	11	15	17	31	38	35	40	46	27	8	3	-
White, both sexes.....	34	53	56	71	83	80	82	67	39	11	3	-
Male.....	23	38	40	40	45	45	44	22	12	3	-	-
Female.....	11	15	16	31	38	35	38	45	27	8	3	-
Black, both sexes.....	-	-	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	1	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	2	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	2	1	-	-	-	-

New Jersey

All races, both sexes.....	186	301	386	441	651	772	722	531	217	62	10	-
Male.....	116	195	227	269	383	395	348	202	79	16	1	-
Female.....	70	106	159	172	268	377	374	329	138	46	9	-
White, both sexes.....	143	242	289	366	557	683	647	479	193	61	10	-
Male.....	92	158	170	224	330	353	309	184	73	16	1	-
Female.....	51	84	119	142	227	330	338	295	120	45	9	-
Black, both sexes.....	38	45	80	64	83	84	58	48	18	-	-	-
Male.....	20	30	44	39	46	40	26	17	6	-	-	-
Female.....	18	15	36	25	37	44	32	31	12	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	14	16	11	11	5	17	4	5	1	-	-
Male.....	4	7	12	6	7	2	13	1	-	-	-	-
Female.....	-	7	4	5	4	3	4	3	5	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

New Mexico

All races, both sexes.....	66	75	75	100	108	113	101	62	39	2	2	-
Male.....	44	52	49	63	72	57	47	30	11	-	-	-
Female.....	22	23	26	37	36	56	54	32	28	2	2	-
White, both sexes.....	57	66	69	93	96	104	98	61	37	2	1	-
Male.....	39	47	45	57	64	52	46	29	10	-	-	-
Female.....	18	19	24	36	32	52	52	32	27	2	1	-
Black, both sexes.....	2	1	1	3	5	4	1	1	-	-	-	-
Male.....	2	-	-	2	3	1	-	1	-	-	-	-
Female.....	-	1	1	1	2	3	1	-	-	-	-	-
American Indian 1/, both sexes.....	6	7	5	4	6	5	2	-	2	-	1	-
Male.....	3	4	4	4	4	4	1	-	1	-	-	-
Female.....	3	3	1	-	2	1	1	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	536	689	835	993	1,273	1,471	1,424	1,044	481	134	21	-
Male.....	349	424	512	590	703	743	671	405	149	30	4	-
Female.....	187	265	323	403	570	728	753	639	332	104	17	-
White, both sexes.....	376	521	644	776	1,066	1,262	1,257	924	430	110	17	-
Male.....	257	328	395	461	601	634	599	362	135	20	3	-
Female.....	119	193	249	315	465	628	658	562	295	90	14	-
Black, both sexes.....	129	138	161	166	170	161	143	89	43	22	4	-
Male.....	73	78	97	92	84	82	55	28	11	8	1	-
Female.....	56	60	64	74	86	79	88	61	32	14	3	-
American Indian 1/, both sexes.....	1	1	-	3	-	5	1	1	-	-	-	-
Male.....	1	1	-	3	-	4	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	30	29	30	48	37	43	23	30	8	2	-	-
Male.....	18	17	20	34	18	23	17	14	3	2	-	-
Female.....	12	12	10	14	19	20	6	16	5	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

Ohio

All races, both sexes.....	316	393	509	624	795	987	813	605	260	57	2	-
Male.....	196	254	302	364	458	515	393	224	79	10	-	-
Female.....	120	139	207	260	337	472	420	381	181	47	2	-
White, both sexes.....	262	336	420	546	702	892	733	549	238	51	2	-
Male.....	160	220	241	319	414	470	354	197	76	9	-	-
Female.....	102	116	179	227	288	422	379	352	162	42	2	-
Black, both sexes.....	52	56	89	70	87	93	78	56	22	6	-	-
Male.....	34	33	61	39	40	43	38	27	3	1	-	-
Female.....	18	23	28	31	47	50	40	29	19	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	8	6	2	1	-	-	-	-	-
Male.....	2	1	-	6	4	2	1	-	-	-	-	-
Female.....	-	-	-	2	2	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	100	103	158	190	221	210	211	146	85	17	5	-
Male.....	66	63	102	117	122	122	114	65	32	5	-	-
Female.....	34	40	56	73	99	88	97	81	53	12	5	-
White, both sexes.....	84	89	139	172	192	185	193	139	81	14	3	-
Male.....	53	55	89	107	110	107	107	61	31	4	-	-
Female.....	31	34	50	65	82	78	86	78	50	10	3	-
Black, both sexes.....	7	8	7	8	12	15	11	5	2	1	2	-
Male.....	5	5	5	3	5	9	4	2	-	1	-	-
Female.....	2	3	2	5	7	6	7	3	2	-	2	-
American Indian 1/, both sexes.....	8	6	10	8	15	7	6	2	2	2	-	-
Male.....	7	3	8	7	7	5	3	2	1	-	-	-
Female.....	1	3	2	1	8	2	3	-	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	2	2	3	1	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	2	2	2	2	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

Oregon

All races, both sexes.....	89	121	161	187	231	253	229	171	88	23	2	-
Male.....	63	83	109	108	122	135	128	69	27	2	-	-
Female.....	26	38	52	79	109	118	101	102	61	21	2	-
White, both sexes.....	80	111	156	179	217	244	220	168	88	22	2	-
Male.....	57	75	105	102	115	130	122	68	27	2	-	-
Female.....	23	36	51	77	102	114	98	100	61	20	2	-
Black, both sexes.....	6	1	-	1	3	2	1	1	-	1	-	-
Male.....	5	-	-	1	3	2	1	1	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	3	1	2	1	3	3	-	-	-	-	-	-
Male.....	1	1	1	1	1	2	-	-	-	-	-	-
Female.....	2	-	1	-	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	8	3	6	8	4	8	2	-	-	-	-
Male.....	-	7	3	4	3	1	5	-	-	-	-	-
Female.....	-	1	-	2	5	3	3	2	-	-	-	-

Pennsylvania

All races, both sexes.....	329	442	610	797	1,028	1,235	1,149	809	356	88	9	-
Male.....	219	294	379	500	567	673	541	326	121	16	1	-
Female.....	110	148	231	297	461	562	608	483	235	72	8	-
White, both sexes.....	268	356	520	699	924	1,129	1,069	760	339	86	6	-
Male.....	178	237	327	455	507	619	513	316	113	16	1	-
Female.....	90	119	193	244	417	510	556	444	226	70	5	-
Black, both sexes.....	54	82	84	91	98	98	78	47	15	2	3	-
Male.....	37	56	47	41	58	48	26	9	6	-	-	-
Female.....	17	26	37	50	40	50	52	38	9	2	3	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	3	6	7	6	8	2	2	2	-	-	-
Male.....	4	-	5	4	2	6	2	1	2	-	-	-
Female.....	3	3	1	3	4	2	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

Rhode Island

All races, both sexes.....	33	37	36	58	78	89	120	73	35	5	3	-
Male.....	23	21	26	26	49	43	51	27	10	3	2	-
Female.....	10	16	10	32	29	46	69	46	25	2	1	-
White, both sexes.....	29	33	32	57	75	85	115	73	34	5	3	-
Male.....	19	18	23	26	46	40	49	27	10	3	2	-
Female.....	10	15	9	31	29	45	66	46	24	2	1	-
Black, both sexes.....	3	3	3	1	1	3	3	-	1	-	-	-
Male.....	3	2	2	-	1	2	2	-	-	-	-	-
Female.....	-	1	1	1	-	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	2	-	2	-	-	-	-	-
Male.....	1	1	1	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-

South Carolina

All races, both sexes.....	119	180	218	215	253	275	251	159	73	19	1	-
Male.....	77	115	140	138	152	152	116	46	20	1	-	-
Female.....	42	65	78	77	101	123	135	113	53	18	1	-
White, both sexes.....	57	105	135	144	177	204	192	120	50	10	1	-
Male.....	41	68	89	89	110	118	92	32	12	-	-	-
Female.....	16	37	46	55	67	86	100	88	38	10	1	-
Black, both sexes.....	59	74	81	67	74	70	59	38	23	9	-	-
Male.....	34	47	50	47	41	34	24	14	8	1	-	-
Female.....	25	27	31	20	33	36	35	24	15	8	-	-
American Indian 1/, both sexes.....	-	-	1	2	-	-	-	1	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	1	2	2	1	-	-	-	-	-	-
Male.....	2	-	-	1	1	-	-	-	-	-	-	-
Female.....	1	1	1	1	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

South Dakota

All races, both sexes.....	20	27	30	37	61	63	44	42	38	5	-	-
Male.....	15	16	15	25	32	34	23	17	10	-	-	-
Female.....	5	11	15	12	29	29	21	25	28	5	-	-
White, both sexes.....	18	24	24	36	60	57	43	41	35	5	-	-
Male.....	14	14	14	25	32	32	23	16	8	-	-	-
Female.....	4	10	10	11	28	25	20	25	27	5	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	2	6	1	1	5	1	1	3	-	-	-
Male.....	1	1	1	-	-	2	-	1	2	-	-	-
Female.....	1	1	5	1	1	3	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	177	244	294	306	391	373	369	259	117	39	5	-
Male.....	117	155	201	183	231	204	155	89	35	9	1	-
Female.....	60	89	93	123	160	169	214	170	82	30	4	-
White, both sexes.....	127	202	248	261	323	325	311	217	94	28	3	-
Male.....	85	133	169	163	189	180	134	72	29	5	1	-
Female.....	42	69	79	98	134	145	177	145	65	23	2	-
Black, both sexes.....	46	41	43	44	65	47	55	42	23	11	2	-
Male.....	31	22	30	20	41	23	20	17	6	4	-	-
Female.....	15	19	13	24	24	24	35	25	17	7	2	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	3	1	3	1	2	-	-	-	-	-
Male.....	1	-	2	-	1	1	-	-	-	-	-	-
Female.....	3	-	1	1	2	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

Texas

All races, both sexes.....	560	703	814	962	1,061	1,217	1,086	671	335	106	13	-
Male.....	369	453	517	592	621	661	557	276	87	23	3	-
Female.....	191	250	297	370	440	556	529	395	248	83	10	-
White, both sexes.....	421	565	681	805	891	1,052	963	572	287	87	12	-
Male.....	268	366	443	491	534	575	504	234	72	20	3	-
Female.....	153	199	238	314	357	477	459	338	215	67	9	-
Black, both sexes.....	126	110	112	146	153	144	110	90	46	17	1	-
Male.....	95	71	59	95	81	76	45	39	14	3	-	-
Female.....	31	39	53	51	72	68	65	51	32	14	1	-
American Indian 1/, both sexes.....	1	2	2	1	2	-	-	2	-	-	-	-
Male.....	1	1	2	1	1	-	-	1	-	-	-	-
Female.....	-	1	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	26	19	10	15	21	13	7	2	2	-	-
Male.....	5	15	13	5	5	10	8	2	1	-	-	-
Female.....	7	11	6	5	10	11	5	5	1	2	-	-

Utah

All races, both sexes.....	34	42	61	57	69	96	78	61	29	4	1	-
Male.....	24	27	37	34	34	47	33	25	12	2	-	-
Female.....	10	15	24	23	35	49	45	36	17	2	1	-
White, both sexes.....	32	39	57	54	67	94	75	57	29	4	1	-
Male.....	23	24	34	33	33	46	30	23	12	2	-	-
Female.....	9	15	23	21	34	48	45	34	17	2	1	-
Black, both sexes.....	-	-	1	-	-	1	1	2	-	-	-	-
Male.....	-	-	1	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	1	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	1	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	2	2	1	1	2	1	-	-	-	-
Male.....	-	3	2	1	1	-	2	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

Vermont

All races, both sexes.....	13	23	27	33	50	37	31	20	17	5	-	-
Male.....	9	13	18	19	35	20	17	8	4	-	-	-
Female.....	4	10	9	14	15	17	14	12	13	5	-	-
White, both sexes.....	13	23	26	33	50	36	31	20	17	5	-	-
Male.....	9	13	18	19	35	19	17	8	4	-	-	-
Female.....	4	10	8	14	15	17	14	12	13	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	195	269	323	375	417	462	444	286	147	33	5	-
Male.....	136	175	207	240	228	240	227	104	49	9	2	-
Female.....	59	94	116	135	189	222	217	182	98	24	3	-
White, both sexes.....	130	190	239	259	304	354	355	233	120	25	2	-
Male.....	88	125	147	166	172	185	182	87	37	7	-	-
Female.....	42	65	92	93	132	169	173	146	83	18	2	-
Black, both sexes.....	59	67	78	101	99	100	81	47	27	7	3	-
Male.....	46	41	56	62	50	49	38	15	12	2	2	-
Female.....	13	26	22	39	49	51	43	32	15	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	12	6	15	14	7	7	6	-	1	-	-
Male.....	2	9	4	12	6	5	7	2	-	-	-	-
Female.....	4	3	2	3	8	2	-	4	-	1	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

Wisconsin

All races, both sexes.....	145	174	183	270	376	418	415	307	167	38	5	-
Male.....	109	105	114	183	217	238	194	129	47	7	1	-
Female.....	36	69	69	87	159	180	221	178	120	31	4	-
White, both sexes.....	123	158	167	254	349	404	404	298	163	37	5	-
Male.....	95	98	101	170	207	233	189	126	45	6	1	-
Female.....	28	60	66	84	142	171	215	172	118	31	4	-
Black, both sexes.....	16	13	12	11	18	12	8	7	2	1	-	-
Male.....	10	6	10	9	6	5	4	2	1	1	-	-
Female.....	6	7	2	2	12	7	4	5	1	-	-	-
American Indian 1/, both sexes.....	3	1	3	2	4	1	-	1	1	-	-	-
Male.....	3	-	2	2	3	-	-	1	-	-	-	-
Female.....	-	1	1	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	1	3	5	1	3	1	1	-	-	-
Male.....	1	1	1	2	1	-	1	-	1	-	-	-
Female.....	2	1	-	1	4	1	2	1	-	-	-	-

Wyoming

All races, both sexes.....	15	13	27	30	33	39	34	24	14	4	-	-
Male.....	10	9	20	20	16	23	16	7	4	2	-	-
Female.....	5	4	7	10	17	16	18	17	10	2	-	-
White, both sexes.....	15	13	27	28	32	36	33	23	13	4	-	-
Male.....	10	9	20	18	16	21	15	7	3	2	-	-
Female.....	5	4	7	10	16	15	18	16	10	2	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	3	-	-	1	-	-	-
Male.....	-	-	-	1	-	2	-	-	1	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of esophagus (C15)												
New Mexico												
All races, both sexes.....	84	-	-	-	-	-	1	-	-	-	1	2
Male.....	67	-	-	-	-	-	-	-	-	-	1	2
Female.....	17	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	82	-	-	-	-	-	1	-	-	-	1	2
Male.....	67	-	-	-	-	-	-	-	-	-	1	2
Female.....	15	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	895	-	-	-	-	-	-	-	2	9	13	27
Male.....	639	-	-	-	-	-	-	-	2	8	11	17
Female.....	256	-	-	-	-	-	-	-	-	1	2	10
White, both sexes.....	745	-	-	-	-	-	-	-	2	7	8	20
Male.....	540	-	-	-	-	-	-	-	2	7	7	11
Female.....	205	-	-	-	-	-	-	-	-	-	1	9
Black, both sexes.....	131	-	-	-	-	-	-	-	-	1	5	6
Male.....	83	-	-	-	-	-	-	-	-	1	4	5
Female.....	48	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	-	-	-	-	-	1	-	1
Male.....	15	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	-	-	-	1	-	-























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of esophagus (C15)

Arkansas

All races, both sexes.....	6	13	10	17	11	15	13	4	2	1	-	-
Male.....	6	10	10	13	9	8	10	1	-	1	-	-
Female.....	-	3	-	4	2	7	3	3	2	-	-	-
White, both sexes.....	3	12	9	13	10	12	12	3	2	1	-	-
Male.....	3	10	9	11	8	8	9	1	-	1	-	-
Female.....	-	2	-	2	2	4	3	2	2	-	-	-
Black, both sexes.....	3	1	1	4	1	3	1	1	-	-	-	-
Male.....	3	-	1	2	1	-	1	-	-	-	-	-
Female.....	-	1	-	2	-	3	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	80	104	118	136	151	188	135	78	22	6	-	-
Male.....	68	86	96	104	112	140	88	47	13	2	-	-
Female.....	12	18	22	32	39	48	47	31	9	4	-	-
White, both sexes.....	66	82	98	110	133	166	118	74	20	5	-	-
Male.....	56	68	81	79	101	125	81	44	12	1	-	-
Female.....	10	14	17	31	32	41	37	30	8	4	-	-
Black, both sexes.....	9	11	12	14	9	12	7	2	-	-	-	-
Male.....	8	9	9	13	4	8	1	2	-	-	-	-
Female.....	1	2	3	1	5	4	6	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	11	7	11	9	9	10	2	2	1	-	-
Male.....	4	9	6	11	7	6	6	1	1	1	-	-
Female.....	1	2	1	-	2	3	4	1	1	-	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of esophagus (C15)

Massachusetts

All races, both sexes.....	27	36	43	52	63	68	56	30	18	2	-	-
Male.....	24	34	40	45	50	47	41	20	11	-	-	-
Female.....	3	2	3	7	13	21	15	10	7	2	-	-
White, both sexes.....	24	33	40	52	61	64	55	29	16	2	-	-
Male.....	23	31	38	45	49	44	40	19	10	-	-	-
Female.....	1	2	2	7	12	20	15	10	6	2	-	-
Black, both sexes.....	3	2	2	-	2	3	1	-	2	-	-	-
Male.....	1	2	1	-	1	3	1	-	1	-	-	-
Female.....	2	-	1	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	1	-	1	-	-	-	-
Male.....	-	1	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Michigan

All races, both sexes.....	25	58	68	71	83	82	59	38	14	1	-	-
Male.....	21	50	52	57	67	65	46	26	6	-	-	-
Female.....	4	8	16	14	16	17	13	12	8	1	-	-
White, both sexes.....	21	49	56	63	75	76	54	33	13	1	-	-
Male.....	17	45	43	52	61	60	41	21	6	-	-	-
Female.....	4	4	13	11	14	16	13	12	7	1	-	-
Black, both sexes.....	4	8	12	7	8	6	5	5	-	-	-	-
Male.....	4	4	9	4	6	5	5	5	-	-	-	-
Female.....	-	4	3	3	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	-	-	-	1	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of esophagus (C15)

New Hampshire

All races, both sexes.....	7	12	14	15	10	9	10	7	5	-	-	-
Male.....	5	12	13	12	9	8	8	3	3	-	-	-
Female.....	2	-	1	3	1	1	2	4	2	-	-	-
White, both sexes.....	7	12	13	15	10	9	10	7	5	-	-	-
Male.....	5	12	12	12	9	8	8	3	3	-	-	-
Female.....	2	-	1	3	1	1	2	4	2	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	22	43	46	48	63	54	39	23	11	4	-	-
Male.....	19	34	39	34	48	39	28	13	7	3	-	-
Female.....	3	9	7	14	15	15	11	10	4	1	-	-
White, both sexes.....	18	37	31	39	56	48	34	21	10	4	-	-
Male.....	16	30	26	29	41	35	24	12	7	3	-	-
Female.....	2	7	5	10	15	13	10	9	3	1	-	-
Black, both sexes.....	3	6	14	8	6	6	4	2	1	-	-	-
Male.....	2	4	12	4	6	4	4	1	-	-	-	-
Female.....	1	2	2	4	-	2	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	1	-	1	-	-	-	-	-
Male.....	1	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of esophagus (C15)

New Mexico

All races, both sexes.....	8	7	7	14	14	10	10	8	2	-	-	-
Male.....	8	7	5	14	11	7	6	5	1	-	-	-
Female.....	-	-	2	-	3	3	4	3	1	-	-	-
White, both sexes.....	8	7	7	14	13	9	10	8	2	-	-	-
Male.....	8	7	5	14	11	7	6	5	1	-	-	-
Female.....	-	-	2	-	2	2	4	3	1	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	66	91	89	127	131	130	99	79	22	9	1	-
Male.....	57	73	70	102	91	95	66	32	15	-	-	-
Female.....	9	18	19	25	40	35	33	47	7	9	1	-
White, both sexes.....	50	71	74	91	115	114	89	73	22	8	1	-
Male.....	47	59	60	72	83	86	63	28	15	-	-	-
Female.....	3	12	14	19	32	28	26	45	7	8	1	-
Black, both sexes.....	13	20	14	28	16	12	10	5	-	1	-	-
Male.....	7	14	9	22	8	7	3	3	-	-	-	-
Female.....	6	6	5	6	8	5	7	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	8	-	3	-	1	-	-	-	-
Male.....	3	-	1	8	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of stomach (C16)												
Arkansas												
All races, both sexes.....	113	-	-	-	-	-	-	-	1	3	1	6
Male.....	64	-	-	-	-	-	-	-	1	1	1	4
Female.....	49	-	-	-	-	-	-	-	-	2	-	2
White, both sexes.....	81	-	-	-	-	-	-	-	1	1	-	4
Male.....	50	-	-	-	-	-	-	-	1	1	-	2
Female.....	31	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes.....	32	-	-	-	-	-	-	-	-	2	1	2
Male.....	14	-	-	-	-	-	-	-	-	-	1	2
Female.....	18	-	-	-	-	-	-	-	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,538	-	-	-	1	1	1	5	19	31	53	70
Male.....	904	-	-	-	1	-	-	3	13	17	27	43
Female.....	634	-	-	-	-	1	1	2	6	14	26	27
White, both sexes.....	1,107	-	-	-	1	1	-	4	13	18	34	58
Male.....	663	-	-	-	1	-	-	3	10	10	17	37
Female.....	444	-	-	-	-	1	-	1	3	8	17	21
Black, both sexes.....	137	-	-	-	-	-	-	-	-	1	7	3
Male.....	78	-	-	-	-	-	-	-	-	1	4	2
Female.....	59	-	-	-	-	-	-	-	-	-	3	1
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	286	-	-	-	-	-	1	1	6	12	11	9
Male.....	160	-	-	-	-	-	-	-	3	6	5	4
Female.....	126	-	-	-	-	-	1	1	3	6	6	5

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of stomach (C16)

New Hampshire

All races, both sexes.....	43	-	-	-	-	-	-	-	-	1	1	1
Male.....	30	-	-	-	-	-	-	-	-	1	1	-
Female.....	13	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	43	-	-	-	-	-	-	-	-	1	1	1
Male.....	30	-	-	-	-	-	-	-	-	1	1	-
Female.....	13	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	452	-	-	-	-	-	1	1	4	3	12	14
Male.....	271	-	-	-	-	-	1	-	2	2	5	8
Female.....	181	-	-	-	-	-	-	1	2	1	7	6
White, both sexes.....	365	-	-	-	-	-	1	-	4	2	7	10
Male.....	219	-	-	-	-	-	1	-	2	2	2	5
Female.....	146	-	-	-	-	-	-	-	2	-	5	5
Black, both sexes.....	67	-	-	-	-	-	-	-	-	-	4	1
Male.....	40	-	-	-	-	-	-	-	-	-	3	-
Female.....	27	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	-	-	1	-	1	1	3
Male.....	12	-	-	-	-	-	-	-	-	-	-	3
Female.....	8	-	-	-	-	-	-	1	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of stomach (C16)												
New Mexico												
All races, both sexes.....	87	-	-	-	-	-	-	-	1	1	2	4
Male.....	58	-	-	-	-	-	-	-	-	1	1	2
Female.....	29	-	-	-	-	-	-	-	1	-	1	2
White, both sexes.....	74	-	-	-	-	-	-	-	-	1	2	3
Male.....	47	-	-	-	-	-	-	-	-	1	1	1
Female.....	27	-	-	-	-	-	-	-	-	-	1	2
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	1	-	-	1
Male.....	9	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	1,002	-	-	-	-	-	-	3	6	13	21	34
Male.....	556	-	-	-	-	-	-	-	1	4	11	22
Female.....	446	-	-	-	-	-	-	3	5	9	10	12
White, both sexes.....	736	-	-	-	-	-	-	2	2	10	13	19
Male.....	405	-	-	-	-	-	-	-	-	3	5	11
Female.....	331	-	-	-	-	-	-	2	2	7	8	8
Black, both sexes.....	181	-	-	-	-	-	-	1	3	2	7	8
Male.....	99	-	-	-	-	-	-	-	1	1	6	6
Female.....	82	-	-	-	-	-	-	1	2	1	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	84	-	-	-	-	-	-	-	1	1	1	7
Male.....	52	-	-	-	-	-	-	-	-	-	-	5
Female.....	32	-	-	-	-	-	-	-	1	1	1	2





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of stomach (C16)

Oregon

All races, both sexes.....	122	-	-	-	-	-	-	-	1	1	2	6
Male.....	68	-	-	-	-	-	-	-	-	-	-	4
Female.....	54	-	-	-	-	-	-	-	1	1	2	2
White, both sexes.....	109	-	-	-	-	-	-	-	1	1	2	5
Male.....	63	-	-	-	-	-	-	-	-	-	-	3
Female.....	46	-	-	-	-	-	-	-	1	1	2	2
Black, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	642	-	-	-	-	-	-	2	2	4	10	16
Male.....	355	-	-	-	-	-	-	2	1	2	5	12
Female.....	287	-	-	-	-	-	-	1	1	2	5	4
White, both sexes.....	541	-	-	-	-	-	-	2	1	2	7	13
Male.....	299	-	-	-	-	-	-	2	1	1	5	10
Female.....	242	-	-	-	-	-	-	-	-	1	2	3
Black, both sexes.....	90	-	-	-	-	-	-	-	-	-	3	2
Male.....	50	-	-	-	-	-	-	-	-	-	-	2
Female.....	40	-	-	-	-	-	-	-	-	-	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	-	-	-	1	2	-	1
Male.....	6	-	-	-	-	-	-	-	-	1	-	-
Female.....	5	-	-	-	-	-	-	-	1	1	-	1







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of stomach (C16)

Vermont

All races, both sexes.....	26	-	-	-	-	-	-	-	-	1	2	1
Male.....	18	-	-	-	-	-	-	-	-	1	2	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	25	-	-	-	-	-	-	-	-	1	1	1
Male.....	17	-	-	-	-	-	-	-	-	1	1	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	289	-	-	-	-	-	2	1	2	5	11	9
Male.....	173	-	-	-	-	-	-	-	1	1	8	4
Female.....	116	-	-	-	-	-	2	1	1	4	3	5
White, both sexes.....	189	-	-	-	-	-	1	1	1	2	7	4
Male.....	111	-	-	-	-	-	-	-	1	1	5	3
Female.....	78	-	-	-	-	-	1	1	-	1	2	1
Black, both sexes.....	87	-	-	-	-	-	-	-	1	3	2	3
Male.....	55	-	-	-	-	-	-	-	-	-	2	1
Female.....	32	-	-	-	-	-	-	-	1	3	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	-	1	-	-	-	2	2
Male.....	7	-	-	-	-	-	-	-	-	-	1	-
Female.....	6	-	-	-	-	-	1	-	-	-	1	2







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of stomach (C16)

Alaska

All races, both sexes.....	1	1	-	1	6	2	1	1	-	1	-	-
Male.....	1	1	-	1	6	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	1	-	1	-	-
White, both sexes.....	-	1	-	1	2	1	-	-	-	1	-	-
Male.....	-	1	-	1	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	3	1	1	1	-	-	-	-
Male.....	1	-	-	-	3	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	12	8	13	21	19	41	30	13	5	3	-	-
Male.....	8	7	8	15	10	26	15	6	3	2	-	-
Female.....	4	1	5	6	9	15	15	7	2	1	-	-
White, both sexes.....	11	8	13	16	16	35	29	12	5	2	-	-
Male.....	7	7	8	10	10	24	14	6	3	1	-	-
Female.....	4	1	5	6	6	11	15	6	2	1	-	-
Black, both sexes.....	-	-	-	1	-	1	-	-	-	1	-	-
Male.....	-	-	-	1	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	4	1	4	1	1	-	-	-	-
Male.....	1	-	-	4	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	3	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of stomach (C16)

Arkansas

All races, both sexes.....	6	9	13	13	17	19	9	12	2	2	-	-
Male.....	5	6	7	6	13	11	5	4	-	-	-	-
Female.....	1	3	6	7	4	8	4	8	2	2	-	-
White, both sexes.....	3	6	10	12	10	14	8	10	1	1	-	-
Male.....	2	5	6	6	9	10	5	3	-	-	-	-
Female.....	1	1	4	6	1	4	3	7	1	1	-	-
Black, both sexes.....	3	3	3	1	7	5	1	2	1	1	-	-
Male.....	3	1	1	-	4	1	-	1	-	-	-	-
Female.....	-	2	2	1	3	4	1	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	117	108	117	159	203	207	192	156	70	25	3	-
Male.....	68	75	86	107	120	115	112	72	29	15	1	-
Female.....	49	33	31	52	83	92	80	84	41	10	2	-
White, both sexes.....	82	79	81	120	149	148	147	107	52	12	1	-
Male.....	49	56	60	81	93	81	89	49	19	7	1	-
Female.....	33	23	21	39	56	67	58	58	33	5	-	-
Black, both sexes.....	9	13	12	15	20	17	10	14	9	5	2	-
Male.....	5	10	10	12	11	10	6	2	2	3	-	-
Female.....	4	3	2	3	9	7	4	12	7	2	2	-
American Indian 1/, both sexes.....	1	-	-	1	1	2	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	1	-	-	1	1	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	16	24	23	33	40	35	34	8	8	-	-
Male.....	14	9	16	14	16	24	17	20	7	5	-	-
Female.....	11	7	8	9	17	16	18	14	1	3	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of stomach (C16)

Colorado

All races, both sexes.....	10	10	14	13	15	20	15	15	8	2	-	-
Male.....	7	4	9	8	10	13	11	8	3	1	-	-
Female.....	3	6	5	5	5	7	4	7	5	1	-	-
White, both sexes.....	10	8	13	11	13	19	13	13	8	2	-	-
Male.....	7	3	8	6	8	13	10	6	3	1	-	-
Female.....	3	5	5	5	5	6	3	7	5	1	-	-
Black, both sexes.....	-	2	-	2	1	1	1	2	-	-	-	-
Male.....	-	1	-	2	1	-	-	2	-	-	-	-
Female.....	-	1	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	8	8	10	14	25	23	35	17	10	2	-	-
Male.....	6	4	7	9	16	13	13	5	4	1	-	-
Female.....	2	4	3	5	9	10	22	12	6	1	-	-
White, both sexes.....	6	8	8	12	22	19	34	15	9	2	-	-
Male.....	6	4	5	8	14	11	13	4	4	1	-	-
Female.....	-	4	3	4	8	8	21	11	5	1	-	-
Black, both sexes.....	2	-	2	1	3	4	1	1	1	-	-	-
Male.....	-	-	2	1	2	2	-	1	-	-	-	-
Female.....	2	-	-	-	1	2	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of stomach (C16)

Florida

All races, both sexes.....	46	47	72	81	112	112	120	116	42	6	1	-
Male.....	25	30	44	54	75	71	54	56	19	1	-	-
Female.....	21	17	28	27	37	41	66	60	23	5	1	-
White, both sexes.....	31	33	61	62	92	86	106	102	34	5	1	-
Male.....	17	24	38	41	64	54	49	49	19	1	-	-
Female.....	14	9	23	21	28	32	57	53	15	4	1	-
Black, both sexes.....	13	13	10	19	16	25	14	14	8	1	-	-
Male.....	7	5	5	13	9	17	5	7	-	-	-	-
Female.....	6	8	5	6	7	8	9	7	8	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	-	4	1	-	-	-	-	-	-
Male.....	1	1	1	-	2	-	-	-	-	-	-	-
Female.....	1	-	-	-	2	1	-	-	-	-	-	-

Georgia

All races, both sexes.....	23	28	30	32	24	40	28	26	13	1	-	-
Male.....	17	19	15	24	17	28	13	7	3	-	-	-
Female.....	6	9	15	8	7	12	15	19	10	1	-	-
White, both sexes.....	10	15	15	19	14	25	21	12	10	1	-	-
Male.....	8	11	7	16	10	19	10	3	1	-	-	-
Female.....	2	4	8	3	4	6	11	9	9	1	-	-
Black, both sexes.....	13	11	13	9	9	14	7	13	3	-	-	-
Male.....	9	7	7	7	6	9	3	3	2	-	-	-
Female.....	4	4	6	2	3	5	4	10	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	4	1	1	-	1	-	-	-	-
Male.....	-	1	1	1	1	-	-	1	-	-	-	-
Female.....	-	1	1	3	-	1	-	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of stomach (C16)

Kentucky

All races, both sexes.....	7	10	16	13	16	21	21	16	11	5	-	-
Male.....	6	7	13	7	9	10	12	5	3	1	-	-
Female.....	1	3	3	6	7	11	9	11	8	4	-	-
White, both sexes.....	6	7	15	11	14	20	20	14	10	3	-	-
Male.....	5	5	12	6	7	10	12	5	3	1	-	-
Female.....	1	2	3	5	7	10	8	9	7	2	-	-
Black, both sexes.....	1	2	1	2	2	1	1	2	1	2	-	-
Male.....	1	2	1	1	2	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	2	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	10	15	22	15	25	33	35	18	13	5	2	-
Male.....	3	13	15	12	17	18	21	10	3	2	1	-
Female.....	7	2	7	3	8	15	14	8	10	3	1	-
White, both sexes.....	3	6	12	8	10	16	17	7	6	2	1	-
Male.....	1	4	7	7	9	7	10	3	2	-	1	-
Female.....	2	2	5	1	1	9	7	4	4	2	-	-
Black, both sexes.....	5	8	10	7	14	17	17	10	7	3	1	-
Male.....	2	8	8	5	7	11	10	7	1	2	-	-
Female.....	3	-	2	2	7	6	7	3	6	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of stomach (C16)

Maine

All races, both sexes.....	2	3	4	3	8	8	12	6	3	-	-	-
Male.....	-	2	2	-	4	4	7	4	1	-	-	-
Female.....	2	1	2	3	4	4	5	2	2	-	-	-
White, both sexes.....	2	3	4	3	8	8	12	6	3	-	-	-
Male.....	-	2	2	-	4	4	7	4	1	-	-	-
Female.....	2	1	2	3	4	4	5	2	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	21	15	18	12	27	36	30	14	16	3	-	-
Male.....	12	9	10	8	23	21	16	5	5	-	-	-
Female.....	9	6	8	4	4	15	14	9	11	3	-	-
White, both sexes.....	10	9	10	9	18	22	18	11	11	1	-	-
Male.....	6	6	6	6	15	12	8	3	5	-	-	-
Female.....	4	3	4	3	3	10	10	8	6	1	-	-
Black, both sexes.....	10	5	6	3	8	14	11	3	4	2	-	-
Male.....	6	2	3	2	8	9	7	2	-	-	-	-
Female.....	4	3	3	1	-	5	4	1	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	-	1	-	1	-	1	-	-	-
Male.....	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	1	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of stomach (C16)

Nebraska

All races, both sexes.....	2	7	3	4	8	10	10	6	3	1	-	-
Male.....	-	5	1	1	4	9	4	1	2	-	-	-
Female.....	2	2	2	3	4	1	6	5	1	1	-	-
White, both sexes.....	2	6	3	4	8	10	9	6	3	1	-	-
Male.....	-	4	1	1	4	9	4	1	2	-	-	-
Female.....	2	2	2	3	4	1	5	5	1	1	-	-
Black, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	3	6	10	10	8	13	13	5	2	-	-	-
Male.....	3	3	8	5	5	10	6	4	1	-	-	-
Female.....	-	3	2	5	3	3	7	1	1	-	-	-
White, both sexes.....	2	4	10	9	8	11	11	4	1	-	-	-
Male.....	2	2	8	5	5	9	5	3	1	-	-	-
Female.....	-	2	2	4	3	2	6	1	-	-	-	-
Black, both sexes.....	1	1	-	1	-	1	1	-	1	-	-	-
Male.....	1	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of stomach (C16)

New Hampshire

All races, both sexes.....	4	6	3	7	3	1	8	5	2	1	-	-
Male.....	3	6	3	4	3	-	6	1	1	1	-	-
Female.....	1	-	-	3	-	1	2	4	1	-	-	-
White, both sexes.....	4	6	3	7	3	1	8	5	2	1	-	-
Male.....	3	6	3	4	3	-	6	1	1	1	-	-
Female.....	1	-	-	3	-	1	2	4	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	22	32	32	46	58	77	77	52	17	3	1	-
Male.....	12	25	21	34	37	42	47	23	11	1	-	-
Female.....	10	7	11	12	21	35	30	29	6	2	1	-
White, both sexes.....	18	27	22	35	45	64	63	48	15	3	1	-
Male.....	9	22	16	26	28	32	40	23	10	1	-	-
Female.....	9	5	6	9	17	32	23	25	5	2	1	-
Black, both sexes.....	4	2	8	10	12	12	10	3	1	-	-	-
Male.....	3	2	3	8	8	9	3	-	1	-	-	-
Female.....	1	-	5	2	4	3	7	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	2	1	1	1	4	1	1	-	-	-
Male.....	-	1	2	-	1	1	4	-	-	-	-	-
Female.....	-	2	-	1	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of stomach (C16)

New Mexico

All races, both sexes.....	5	9	8	10	13	8	11	11	4	-	-	-
Male.....	4	8	6	5	9	7	5	7	3	-	-	-
Female.....	1	1	2	5	4	1	6	4	1	-	-	-
White, both sexes.....	4	7	8	9	10	6	10	11	3	-	-	-
Male.....	3	6	6	4	6	5	5	7	2	-	-	-
Female.....	1	1	2	5	4	1	5	4	1	-	-	-
Black, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	-	1	1	2	-	-	1	-	-	-
Male.....	1	2	-	1	1	2	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	64	70	90	82	129	156	147	114	57	14	2	-
Male.....	32	44	64	56	76	88	84	46	23	4	1	-
Female.....	32	26	26	26	53	68	63	68	34	10	1	-
White, both sexes.....	35	48	60	54	100	123	120	94	43	11	2	-
Male.....	15	30	39	38	60	73	68	41	18	3	1	-
Female.....	20	18	21	16	40	50	52	53	25	8	1	-
Black, both sexes.....	22	12	24	18	21	22	18	10	10	3	-	-
Male.....	15	7	20	8	11	9	10	1	3	1	-	-
Female.....	7	5	4	10	10	13	8	9	7	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	10	6	10	8	10	9	10	4	-	-	-
Male.....	2	7	5	10	5	6	6	4	2	-	-	-
Female.....	5	3	1	-	3	4	3	6	2	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of stomach (C16)

Oregon

All races, both sexes.....	8	7	15	12	24	18	12	8	7	1	-	-
Male.....	5	6	10	9	14	8	7	1	4	-	-	-
Female.....	3	1	5	3	10	10	5	7	3	1	-	-
White, both sexes.....	6	7	15	12	21	14	11	7	7	-	-	-
Male.....	5	6	10	9	12	7	6	1	4	-	-	-
Female.....	1	1	5	3	9	7	5	6	3	-	-	-
Black, both sexes.....	1	-	-	-	1	1	1	-	-	1	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	3	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	3	-	1	-	-	-	-

Pennsylvania

All races, both sexes.....	27	31	52	61	96	109	114	73	40	5	-	-
Male.....	19	20	37	39	55	61	58	28	15	1	-	-
Female.....	8	11	15	22	41	48	56	45	25	4	-	-
White, both sexes.....	21	24	39	48	83	88	103	68	37	5	-	-
Male.....	16	16	27	33	44	50	52	27	14	1	-	-
Female.....	5	8	12	15	39	38	51	41	23	4	-	-
Black, both sexes.....	4	7	12	13	12	19	11	5	2	-	-	-
Male.....	2	4	9	6	10	10	6	1	-	-	-	-
Female.....	2	3	3	7	2	9	5	4	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	1	2	-	-	1	-	-	-
Male.....	1	-	1	-	1	1	-	-	1	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of stomach (C16)

Rhode Island

All races, both sexes.....	1	2	2	3	7	9	19	7	6	-	-	-
Male.....	1	1	2	2	6	5	9	5	3	-	-	-
Female.....	-	1	-	1	1	4	10	2	3	-	-	-
White, both sexes.....	1	2	2	3	6	9	18	7	6	-	-	-
Male.....	1	1	2	2	5	5	9	5	3	-	-	-
Female.....	-	1	-	1	1	4	9	2	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

South Carolina

All races, both sexes.....	11	24	18	15	29	23	21	16	12	2	-	-
Male.....	7	17	13	12	20	17	11	9	3	-	-	-
Female.....	4	7	5	3	9	6	10	7	9	2	-	-
White, both sexes.....	6	11	13	8	18	13	11	6	7	-	-	-
Male.....	4	8	9	5	13	11	6	2	2	-	-	-
Female.....	2	3	4	3	5	2	5	4	5	-	-	-
Black, both sexes.....	3	12	5	7	11	9	10	10	5	2	-	-
Male.....	2	9	4	7	7	6	5	7	1	-	-	-
Female.....	1	3	1	-	4	3	5	3	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of stomach (C16)

South Dakota

All races, both sexes.....	-	1	5	1	5	2	2	3	1	1	-	-
Male.....	-	1	4	1	3	1	2	2	1	-	-	-
Female.....	-	-	1	-	2	1	-	1	-	1	-	-
White, both sexes.....	-	1	3	1	5	2	2	3	1	1	-	-
Male.....	-	1	3	1	3	1	2	2	1	-	-	-
Female.....	-	-	-	-	2	1	-	1	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	13	18	20	21	32	37	26	24	8	3	2	-
Male.....	9	13	13	16	21	19	9	9	2	-	1	-
Female.....	4	5	7	5	11	18	17	15	6	3	1	-
White, both sexes.....	10	15	18	20	27	32	21	17	4	3	1	-
Male.....	8	11	11	15	18	17	8	4	2	-	1	-
Female.....	2	4	7	5	9	15	13	13	2	3	-	-
Black, both sexes.....	3	3	2	1	4	5	4	7	4	-	1	-
Male.....	1	2	2	1	3	2	1	5	-	-	-	-
Female.....	2	1	-	-	1	3	3	2	4	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of stomach (C16)

Texas

All races, both sexes.....	63	65	92	94	99	118	89	70	34	9	-	-
Male.....	45	36	58	59	72	70	48	40	12	2	-	-
Female.....	18	29	34	35	27	48	41	30	22	7	-	-
White, both sexes.....	53	57	73	75	82	99	75	56	27	7	-	-
Male.....	36	31	51	46	61	59	40	30	8	2	-	-
Female.....	17	26	22	29	21	40	35	26	19	5	-	-
Black, both sexes.....	10	5	17	17	15	18	10	12	6	2	-	-
Male.....	9	3	5	12	11	11	6	9	3	-	-	-
Female.....	1	2	12	5	4	7	4	3	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	2	2	2	1	4	2	1	-	-	-
Male.....	-	2	2	1	-	-	2	1	1	-	-	-
Female.....	-	1	-	1	2	1	2	1	-	-	-	-

Utah

All races, both sexes.....	2	8	5	5	7	4	11	4	3	-	-	-
Male.....	1	6	3	1	5	1	4	3	-	-	-	-
Female.....	1	2	2	4	2	3	7	1	3	-	-	-
White, both sexes.....	1	7	5	4	6	3	10	3	3	-	-	-
Male.....	-	5	3	1	4	1	3	2	-	-	-	-
Female.....	1	2	2	3	2	2	7	1	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-







































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of small intestine (C17)

New Mexico

All races, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	81	-	-	-	-	-	-	1	2	1	1	3
Male.....	40	-	-	-	-	-	-	-	-	1	-	1
Female.....	41	-	-	-	-	-	-	1	2	-	1	2
White, both sexes.....	66	-	-	-	-	-	-	-	1	1	-	3
Male.....	34	-	-	-	-	-	-	-	-	1	-	1
Female.....	32	-	-	-	-	-	-	-	1	-	-	2
Black, both sexes.....	11	-	-	-	-	-	-	-	1	-	1	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	1	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	-























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of small intestine (C17)												
Arkansas												
All races, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	5	10	10	9	17	8	24	13	8	1	-	-
Male.....	3	6	8	5	9	4	11	7	4	-	-	-
Female.....	2	4	2	4	8	4	13	6	4	1	-	-
White, both sexes.....	3	9	8	9	13	8	19	12	8	1	-	-
Male.....	2	6	6	5	5	4	9	7	4	-	-	-
Female.....	1	3	2	4	8	4	10	5	4	1	-	-
Black, both sexes.....	2	1	1	-	2	-	1	1	-	-	-	-
Male.....	1	-	1	-	2	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	-	4	-	-	-	-	-
Male.....	-	-	1	-	2	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-



























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of small intestine (C17)

New Mexico

All races, both sexes.....	1	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	3	8	5	14	6	16	15	4	1	1	-	-
Male.....	2	4	3	10	2	9	6	1	-	1	-	-
Female.....	1	4	2	4	4	7	9	3	1	-	-	-
White, both sexes.....	1	6	5	11	5	14	13	4	1	1	-	-
Male.....	1	3	3	7	2	8	6	1	-	1	-	-
Female.....	-	3	2	4	3	6	7	3	1	-	-	-
Black, both sexes.....	2	1	-	2	-	2	2	-	-	-	-	-
Male.....	1	1	-	2	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of colon, rectum and anus (C18-C21)

Arkansas

All races, both sexes.....	631	-	-	-	-	-	-	3	6	4	8	20
Male.....	323	-	-	-	-	-	-	3	3	3	5	14
Female.....	308	-	-	-	-	-	-	-	3	1	3	6
White, both sexes.....	522	-	-	-	-	-	-	3	4	2	4	16
Male.....	273	-	-	-	-	-	-	3	2	1	3	12
Female.....	249	-	-	-	-	-	-	-	2	1	1	4
Black, both sexes.....	106	-	-	-	-	-	-	-	2	2	3	4
Male.....	49	-	-	-	-	-	-	-	1	2	2	2
Female.....	57	-	-	-	-	-	-	-	1	-	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-

California

All races, both sexes.....	5,353	-	-	-	-	2	8	10	24	48	84	201
Male.....	2,689	-	-	-	-	1	6	8	18	26	48	104
Female.....	2,664	-	-	-	-	1	2	2	6	22	36	97
White, both sexes.....	4,413	-	-	-	-	2	6	8	17	41	61	144
Male.....	2,239	-	-	-	-	1	5	7	13	22	36	79
Female.....	2,174	-	-	-	-	1	1	1	4	19	25	65
Black, both sexes.....	444	-	-	-	-	-	-	1	2	2	13	34
Male.....	198	-	-	-	-	-	-	-	1	1	6	17
Female.....	246	-	-	-	-	-	-	1	1	1	7	17
American Indian 1/, both sexes.....	24	-	-	-	-	-	-	-	-	-	1	2
Male.....	14	-	-	-	-	-	-	-	-	-	1	1
Female.....	10	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	472	-	-	-	-	-	2	1	5	5	9	21
Male.....	238	-	-	-	-	-	1	1	4	3	5	7
Female.....	234	-	-	-	-	-	1	-	1	2	4	14















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of colon, rectum and anus (C18-C21)												
Maine												
All races, both sexes.....	285	-	-	-	-	1	-	-	-	1	4	8
Male.....	134	-	-	-	-	-	-	-	-	-	2	5
Female.....	151	-	-	-	-	1	-	-	-	1	2	3
White, both sexes.....	285	-	-	-	-	1	-	-	-	1	4	8
Male.....	134	-	-	-	-	-	-	-	-	-	2	5
Female.....	151	-	-	-	-	1	-	-	-	1	2	3
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	1,021	-	-	-	-	-	-	1	4	12	14	35
Male.....	499	-	-	-	-	-	-	-	1	8	6	21
Female.....	522	-	-	-	-	-	-	1	3	4	8	14
White, both sexes.....	712	-	-	-	-	-	-	-	-	6	13	22
Male.....	363	-	-	-	-	-	-	-	-	5	6	15
Female.....	349	-	-	-	-	-	-	-	-	1	7	7
Black, both sexes.....	293	-	-	-	-	-	-	1	2	6	1	12
Male.....	131	-	-	-	-	-	-	-	-	3	-	5
Female.....	162	-	-	-	-	-	-	1	2	3	1	7
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	-	-	-	-	-	-	2	-	-	1
Male.....	5	-	-	-	-	-	-	-	1	-	-	1
Female.....	10	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of colon, rectum and anus (C18-C21)

Massachusetts

All races, both sexes.....	1,335	-	-	-	1	1	-	2	2	7	18	42
Male.....	657	-	-	-	1	1	-	-	1	4	10	22
Female.....	678	-	-	-	-	-	-	2	1	3	8	20
White, both sexes.....	1,258	-	-	-	1	1	-	1	2	7	16	37
Male.....	628	-	-	-	1	1	-	-	1	4	9	22
Female.....	630	-	-	-	-	-	-	1	1	3	7	15
Black, both sexes.....	60	-	-	-	-	-	-	1	-	-	1	4
Male.....	23	-	-	-	-	-	-	-	-	-	1	-
Female.....	37	-	-	-	-	-	-	1	-	-	-	4
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	-	-	-	-	-	1	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	-	1	1

Michigan

All races, both sexes.....	1,908	-	-	-	1	-	2	3	6	19	31	46
Male.....	945	-	-	-	1	-	1	2	2	10	18	26
Female.....	963	-	-	-	-	-	1	1	4	9	13	20
White, both sexes.....	1,614	-	-	-	1	-	2	2	5	11	19	35
Male.....	800	-	-	-	1	-	1	2	2	6	11	20
Female.....	814	-	-	-	-	-	1	-	3	5	8	15
Black, both sexes.....	276	-	-	-	-	-	-	1	-	8	11	10
Male.....	136	-	-	-	-	-	-	-	-	4	6	6
Female.....	140	-	-	-	-	-	-	1	-	4	5	4
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	1	-	1	-
Male.....	5	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of colon, rectum and anus (C18-C21)

Missouri

All races, both sexes.....	1,225	-	-	-	-	-	-	3	5	3	20	24
Male.....	592	-	-	-	-	-	-	1	3	1	8	17
Female.....	633	-	-	-	-	-	-	2	2	2	12	7
White, both sexes.....	1,097	-	-	-	-	-	-	3	5	1	18	20
Male.....	532	-	-	-	-	-	-	1	3	1	8	14
Female.....	565	-	-	-	-	-	-	2	2	-	10	6
Black, both sexes.....	121	-	-	-	-	-	-	-	-	2	2	4
Male.....	57	-	-	-	-	-	-	-	-	-	-	3
Female.....	64	-	-	-	-	-	-	-	-	2	2	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-

Montana

All races, both sexes.....	163	-	-	-	-	-	1	-	1	3	3	1
Male.....	77	-	-	-	-	-	-	-	-	-	3	1
Female.....	86	-	-	-	-	-	1	-	1	3	-	-
White, both sexes.....	157	-	-	-	-	-	-	-	1	3	3	1
Male.....	75	-	-	-	-	-	-	-	-	-	3	1
Female.....	82	-	-	-	-	-	-	-	1	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of colon, rectum and anus (C18-C21)

New Mexico

All races, both sexes.....	293	-	-	-	-	-	-	-	1	2	4	8
Male.....	151	-	-	-	-	-	-	-	-	1	3	3
Female.....	142	-	-	-	-	-	-	-	1	1	1	5
White, both sexes.....	274	-	-	-	-	-	-	-	1	1	4	7
Male.....	143	-	-	-	-	-	-	-	-	-	3	3
Female.....	131	-	-	-	-	-	-	-	1	1	1	4
Black, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	-	-	1	-	1
Male.....	5	-	-	-	-	-	-	-	-	1	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	3,970	-	-	-	-	1	1	7	16	29	49	104
Male.....	1,910	-	-	-	-	1	1	4	8	12	24	57
Female.....	2,060	-	-	-	-	-	-	3	8	17	25	47
White, both sexes.....	3,319	-	-	-	-	-	-	4	12	21	33	82
Male.....	1,594	-	-	-	-	-	-	3	7	7	15	46
Female.....	1,725	-	-	-	-	-	-	1	5	14	18	36
Black, both sexes.....	564	-	-	-	-	1	1	1	3	8	12	18
Male.....	265	-	-	-	-	1	1	-	-	5	7	9
Female.....	299	-	-	-	-	-	-	1	3	3	5	9
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	81	-	-	-	-	-	-	2	1	-	4	4
Male.....	46	-	-	-	-	-	-	1	1	-	2	2
Female.....	35	-	-	-	-	-	-	1	-	-	2	2





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of colon, rectum and anus (C18-C21)

Oregon

All races, both sexes.....	688	-	-	-	-	1	1	1	4	4	5	19
Male.....	319	-	-	-	-	1	1	-	-	3	2	3
Female.....	369	-	-	-	-	-	-	1	4	1	3	16
White, both sexes.....	669	-	-	-	-	1	1	1	4	4	5	18
Male.....	310	-	-	-	-	1	1	-	-	3	2	3
Female.....	359	-	-	-	-	-	-	1	4	1	3	15
Black, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	1

Pennsylvania

All races, both sexes.....	3,110	-	-	1	-	-	1	4	6	11	29	80
Male.....	1,577	-	-	-	-	-	-	2	3	4	16	59
Female.....	1,533	-	-	1	-	-	1	2	3	7	13	21
White, both sexes.....	2,832	-	-	1	-	-	1	3	4	10	24	66
Male.....	1,445	-	-	-	-	-	-	1	3	4	12	50
Female.....	1,387	-	-	1	-	-	1	2	1	6	12	16
Black, both sexes.....	264	-	-	-	-	-	-	1	1	1	5	14
Male.....	125	-	-	-	-	-	-	1	-	-	4	9
Female.....	139	-	-	-	-	-	-	-	1	1	1	5
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	-	-	-	1	-	-	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	1	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of colon, rectum and anus (C18-C21)

Vermont

All races, both sexes.....	118	-	-	-	-	-	-	-	-	1	4	3
Male.....	58	-	-	-	-	-	-	-	-	-	4	3
Female.....	60	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	117	-	-	-	-	-	-	-	-	1	4	3
Male.....	57	-	-	-	-	-	-	-	-	-	4	3
Female.....	60	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	1,359	-	-	-	-	-	-	2	3	11	30	44
Male.....	697	-	-	-	-	-	-	2	2	7	15	22
Female.....	662	-	-	-	-	-	-	-	1	4	15	22
White, both sexes.....	1,015	-	-	-	-	-	-	1	1	8	21	27
Male.....	518	-	-	-	-	-	-	1	-	6	10	13
Female.....	497	-	-	-	-	-	-	-	1	2	11	14
Black, both sexes.....	317	-	-	-	-	-	-	1	1	2	9	16
Male.....	167	-	-	-	-	-	-	1	1	1	5	9
Female.....	150	-	-	-	-	-	-	-	-	1	4	7
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	-	-	-	-	-	-	-	1	1	-	1
Male.....	11	-	-	-	-	-	-	-	1	-	-	-
Female.....	14	-	-	-	-	-	-	-	-	1	-	1





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of colon, rectum and anus (C18-C21)

United States

All races, both sexes.....	2,718	3,631	4,673	5,775	7,159	8,720	8,611	6,590	3,547	1,024	135	1
Male.....	1,544	2,117	2,714	3,393	3,953	4,433	4,038	2,565	1,112	245	27	1
Female.....	1,174	1,514	1,959	2,382	3,206	4,287	4,573	4,025	2,435	779	108	-
White, both sexes.....	2,060	2,898	3,836	4,853	6,057	7,625	7,705	5,911	3,212	914	114	1
Male.....	1,195	1,730	2,245	2,891	3,407	3,911	3,641	2,326	1,002	215	23	1
Female.....	865	1,168	1,591	1,962	2,650	3,714	4,064	3,585	2,210	699	91	-
Black, both sexes.....	551	622	707	774	942	909	779	563	291	93	18	-
Male.....	300	329	396	417	477	427	328	184	90	28	2	-
Female.....	251	293	311	357	465	482	451	379	201	65	16	-
American Indian 1/, both sexes.....	15	13	25	24	25	33	18	13	9	2	-	-
Male.....	6	7	13	17	13	17	7	10	5	-	-	-
Female.....	9	6	12	7	12	16	11	3	4	2	-	-
Asian or Pacific Islander 2/, both sexes.....	92	98	105	124	135	153	109	103	35	15	3	-
Male.....	43	51	60	68	56	78	62	45	15	2	2	-
Female.....	49	47	45	56	79	75	47	58	20	13	1	-

Alabama

All races, both sexes.....	49	68	75	91	119	128	131	91	51	19	2	-
Male.....	27	40	41	48	70	64	48	42	15	9	-	-
Female.....	22	28	34	43	49	64	83	49	36	10	2	-
White, both sexes.....	25	48	61	70	88	95	99	70	44	12	2	-
Male.....	13	31	34	35	54	53	40	34	13	4	-	-
Female.....	12	17	27	35	34	42	59	36	31	8	2	-
Black, both sexes.....	24	20	13	21	30	33	30	21	7	7	-	-
Male.....	14	9	6	13	15	11	7	8	2	5	-	-
Female.....	10	11	7	8	15	22	23	13	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	2	-	-	-	-	-
Male.....	-	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of colon, rectum and anus (C18-C21)

Arkansas

All races, both sexes.....	32	39	77	72	81	75	92	69	38	14	1	-
Male.....	15	27	43	42	43	43	45	24	8	5	-	-
Female.....	17	12	34	30	38	32	47	45	30	9	1	-
White, both sexes.....	26	30	62	60	73	65	78	57	33	9	-	-
Male.....	14	20	34	38	39	40	38	19	7	3	-	-
Female.....	12	10	28	22	34	25	40	38	26	6	-	-
Black, both sexes.....	5	9	15	12	8	10	13	12	5	5	1	-
Male.....	1	7	9	4	4	3	6	5	1	2	-	-
Female.....	4	2	6	8	4	7	7	7	4	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	272	339	434	565	634	787	850	624	342	114	15	-
Male.....	158	185	252	337	373	402	384	239	111	31	6	-
Female.....	114	154	182	228	261	385	466	385	231	83	9	-
White, both sexes.....	206	257	332	450	519	664	752	540	302	101	11	-
Male.....	127	148	199	274	315	340	336	206	97	30	4	-
Female.....	79	109	133	176	204	324	416	334	205	71	7	-
Black, both sexes.....	26	41	53	57	55	53	43	40	19	4	1	-
Male.....	13	18	30	27	29	22	18	12	4	-	-	-
Female.....	13	23	23	30	26	31	25	28	15	4	1	-
American Indian 1/, both sexes.....	4	-	3	2	3	4	2	-	2	1	-	-
Male.....	1	-	2	2	2	4	-	-	1	-	-	-
Female.....	3	-	1	-	1	-	2	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	36	41	46	56	57	66	53	44	19	8	3	-
Male.....	17	19	21	34	27	36	30	21	9	1	2	-
Female.....	19	22	25	22	30	30	23	23	10	7	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of colon, rectum and anus (C18-C21)

Colorado

All races, both sexes.....	38	51	57	76	64	109	88	75	33	13	1	-
Male.....	16	28	32	43	40	51	33	30	8	5	-	-
Female.....	22	23	25	33	24	58	55	45	25	8	1	-
White, both sexes.....	36	48	56	69	64	100	86	74	32	13	1	-
Male.....	14	25	31	39	40	47	32	30	7	5	-	-
Female.....	22	23	25	30	24	53	54	44	25	8	1	-
Black, both sexes.....	1	2	1	7	-	5	2	1	1	-	-	-
Male.....	1	2	1	4	-	3	1	-	1	-	-	-
Female.....	-	-	-	3	-	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	4	-	-	-	-	-	-
Male.....	1	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	3	-	-	-	-	-	-

Connecticut

All races, both sexes.....	22	33	56	65	79	110	132	88	54	13	3	-
Male.....	14	20	30	32	48	60	63	34	20	4	-	-
Female.....	8	13	26	33	31	50	69	54	34	9	3	-
White, both sexes.....	20	27	50	59	75	105	127	87	49	12	3	-
Male.....	14	17	27	28	46	58	62	34	17	4	-	-
Female.....	6	10	23	31	29	47	65	53	32	8	3	-
Black, both sexes.....	2	6	6	5	4	5	4	1	5	1	-	-
Male.....	-	3	3	4	2	2	1	-	3	-	-	-
Female.....	2	3	3	1	2	3	3	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of colon, rectum and anus (C18-C21)

Kentucky

All races, both sexes.....	55	62	88	101	135	148	120	109	56	20	2	-
Male.....	28	42	46	58	69	84	60	35	23	7	-	-
Female.....	27	20	42	43	66	64	60	74	33	13	2	-
White, both sexes.....	48	59	83	91	123	138	110	99	54	20	1	-
Male.....	25	42	44	52	63	80	56	33	22	7	-	-
Female.....	23	17	39	39	60	58	54	66	32	13	1	-
Black, both sexes.....	7	3	5	10	12	10	9	9	2	-	1	-
Male.....	3	-	2	6	6	4	4	1	1	-	-	-
Female.....	4	3	3	4	6	6	5	8	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Louisiana

All races, both sexes.....	59	77	79	104	130	147	148	104	52	18	2	-
Male.....	39	48	46	59	71	73	69	38	20	6	-	-
Female.....	20	29	33	45	59	74	79	66	32	12	2	-
White, both sexes.....	36	58	46	73	84	100	106	81	37	14	2	-
Male.....	25	37	29	42	49	54	53	32	11	5	-	-
Female.....	11	21	17	31	35	46	53	49	26	9	2	-
Black, both sexes.....	23	19	32	30	45	46	42	23	15	3	-	-
Male.....	14	11	16	17	22	18	16	6	9	1	-	-
Female.....	9	8	16	13	23	28	26	17	6	2	-	-
American Indian 1/, both sexes.....	-	-	1	1	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of colon, rectum and anus (C18-C21)

Maine

All races, both sexes.....	13	11	32	28	34	52	47	31	20	3	-	-
Male.....	9	6	14	16	22	25	18	15	2	-	-	-
Female.....	4	5	18	12	12	27	29	16	18	3	-	-
White, both sexes.....	13	11	32	28	34	52	47	31	20	3	-	-
Male.....	9	6	14	16	22	25	18	15	2	-	-	-
Female.....	4	5	18	12	12	27	29	16	18	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	58	69	84	117	136	163	159	98	52	18	1	-
Male.....	37	38	49	70	71	79	65	39	14	1	-	-
Female.....	21	31	35	47	65	84	94	59	38	17	1	-
White, both sexes.....	25	36	57	76	99	118	126	79	39	15	1	-
Male.....	18	23	34	45	55	57	57	33	14	1	-	-
Female.....	7	13	23	31	44	61	69	46	25	14	1	-
Black, both sexes.....	32	33	25	39	36	41	32	17	13	3	-	-
Male.....	18	15	14	24	16	22	8	6	-	-	-	-
Female.....	14	18	11	15	20	19	24	11	13	3	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	1	4	1	2	-	-	-	-
Male.....	1	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	4	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of colon, rectum and anus (C18-C21)

Massachusetts

All races, both sexes.....	53	81	98	132	150	232	219	164	97	32	4	-
Male.....	26	50	54	73	83	112	107	71	26	14	2	-
Female.....	27	31	44	59	67	120	112	93	71	18	2	-
White, both sexes.....	46	72	89	121	143	221	214	158	95	30	4	-
Male.....	23	46	52	68	79	110	102	69	25	14	2	-
Female.....	23	26	37	53	64	111	112	89	70	16	2	-
Black, both sexes.....	7	7	7	7	6	9	4	4	2	1	-	-
Male.....	3	3	1	3	3	2	4	2	1	-	-	-
Female.....	4	4	6	4	3	7	-	2	1	1	-	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	3	1	2	-	2	-	1	-	-
Male.....	-	-	1	2	1	-	-	-	-	-	-	-
Female.....	-	1	1	1	-	2	-	2	-	1	-	-

Michigan

All races, both sexes.....	88	132	134	205	217	313	327	240	120	21	3	-
Male.....	54	80	80	126	108	149	157	90	36	5	-	-
Female.....	34	52	54	79	109	164	170	150	84	16	3	-
White, both sexes.....	64	97	114	180	181	271	288	212	110	19	3	-
Male.....	38	61	69	111	93	131	137	79	33	5	-	-
Female.....	26	36	45	69	88	140	151	133	77	14	3	-
Black, both sexes.....	23	32	18	24	32	40	38	27	10	2	-	-
Male.....	15	18	11	14	13	17	19	10	3	-	-	-
Female.....	8	14	7	10	19	23	19	17	7	2	-	-
American Indian 1/, both sexes.....	-	1	2	1	2	2	1	-	-	-	-	-
Male.....	-	-	-	1	1	1	1	-	-	-	-	-
Female.....	-	1	2	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	-	2	-	-	1	-	-	-	-
Male.....	1	1	-	-	1	-	-	1	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of colon, rectum and anus (C18-C21)

Nebraska

All races, both sexes.....	16	16	22	34	41	60	54	64	28	9	-	-
Male.....	8	10	14	13	23	36	33	29	10	3	-	-
Female.....	8	6	8	21	18	24	21	35	18	6	-	-
White, both sexes.....	15	15	21	34	39	56	53	64	28	9	-	-
Male.....	7	9	13	13	23	34	32	29	10	3	-	-
Female.....	8	6	8	21	16	22	21	35	18	6	-	-
Black, both sexes.....	1	1	1	-	2	3	1	-	-	-	-	-
Male.....	1	1	1	-	-	2	1	-	-	-	-	-
Female.....	-	-	-	-	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	22	31	37	38	67	76	57	31	14	7	-	-
Male.....	16	20	25	21	51	41	31	13	8	2	-	-
Female.....	6	11	12	17	16	35	26	18	6	5	-	-
White, both sexes.....	16	30	35	33	63	72	51	28	12	5	-	-
Male.....	14	20	25	19	49	41	29	12	7	2	-	-
Female.....	2	10	10	14	14	31	22	16	5	3	-	-
Black, both sexes.....	2	1	-	4	3	2	4	2	1	2	-	-
Male.....	-	-	-	2	2	-	1	1	1	-	-	-
Female.....	2	1	-	2	1	2	3	1	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	2	1	1	2	2	1	1	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	2	1	1	2	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of colon, rectum and anus (C18-C21)

New Hampshire

All races, both sexes.....	12	17	16	26	45	37	37	34	17	9	3	-
Male.....	8	7	11	14	23	17	19	11	3	2	-	-
Female.....	4	10	5	12	22	20	18	23	14	7	3	-
White, both sexes.....	12	17	16	26	45	37	36	33	17	9	3	-
Male.....	8	7	11	14	23	17	19	11	3	2	-	-
Female.....	4	10	5	12	22	20	17	22	14	7	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

New Jersey

All races, both sexes.....	72	119	162	184	265	334	327	285	128	44	6	-
Male.....	37	64	85	109	140	157	154	98	47	9	1	-
Female.....	35	55	77	75	125	177	173	187	81	35	5	-
White, both sexes.....	54	96	125	151	217	294	301	259	114	43	6	-
Male.....	30	51	67	93	118	142	142	88	44	9	1	-
Female.....	24	45	58	58	99	152	159	171	70	34	5	-
Black, both sexes.....	16	18	33	28	43	38	22	25	11	-	-	-
Male.....	6	11	15	14	20	15	9	10	3	-	-	-
Female.....	10	7	18	14	23	23	13	15	8	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	5	3	5	5	2	4	1	2	1	-	-
Male.....	1	2	2	2	2	-	3	-	-	-	-	-
Female.....	-	3	1	3	3	2	1	1	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of colon, rectum and anus (C18-C21)

New Mexico

All races, both sexes.....	19	29	27	36	37	60	37	17	16	-	-	-
Male.....	6	16	19	20	24	31	16	8	4	-	-	-
Female.....	13	13	8	16	13	29	21	9	12	-	-	-
White, both sexes.....	17	25	24	35	33	57	37	17	16	-	-	-
Male.....	6	15	17	19	23	29	16	8	4	-	-	-
Female.....	11	10	7	16	10	28	21	9	12	-	-	-
Black, both sexes.....	-	1	1	1	3	-	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	1	1	-	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	2	-	1	3	-	-	-	-	-	-
Male.....	-	-	2	-	-	2	-	-	-	-	-	-
Female.....	1	2	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	198	250	343	388	504	614	637	492	256	66	15	-
Male.....	113	142	189	212	278	289	291	187	81	18	3	-
Female.....	85	108	154	176	226	325	346	305	175	48	12	-
White, both sexes.....	140	184	272	307	417	535	572	445	231	53	11	-
Male.....	89	110	150	172	231	244	262	171	74	11	2	-
Female.....	51	74	122	135	186	291	310	274	157	42	9	-
Black, both sexes.....	48	61	62	65	81	69	59	38	21	12	4	-
Male.....	19	29	32	29	45	40	24	11	6	6	1	-
Female.....	29	32	30	36	36	29	35	27	15	6	3	-
American Indian 1/, both sexes.....	-	1	-	2	-	1	1	1	-	-	-	-
Male.....	-	1	-	2	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	4	9	14	6	9	5	8	4	1	-	-
Male.....	5	2	7	9	2	4	5	4	1	1	-	-
Female.....	5	2	2	5	4	5	-	4	3	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of colon, rectum and anus (C18-C21)

Ohio

All races, both sexes.....	121	133	202	270	345	462	423	321	160	30	1	-
Male.....	73	74	103	148	183	224	195	104	46	2	-	-
Female.....	48	59	99	122	162	238	228	217	114	28	1	-
White, both sexes.....	100	109	178	233	307	417	383	289	144	27	1	-
Male.....	62	60	88	131	166	205	176	92	44	2	-	-
Female.....	38	49	90	102	141	212	207	197	100	25	1	-
Black, both sexes.....	20	24	24	37	35	45	40	32	16	3	-	-
Male.....	10	14	15	17	15	19	19	12	2	-	-	-
Female.....	10	10	9	20	20	26	21	20	14	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	3	-	-	-	-	-	-	-
Male.....	1	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	42	55	69	79	84	105	90	79	45	9	4	-
Male.....	28	34	40	41	43	57	53	30	18	1	-	-
Female.....	14	21	29	38	41	48	37	49	27	8	4	-
White, both sexes.....	36	48	58	75	74	93	83	76	43	8	2	-
Male.....	23	29	32	39	39	51	50	28	18	1	-	-
Female.....	13	19	26	36	35	42	33	48	25	7	2	-
Black, both sexes.....	2	5	5	3	6	8	3	1	2	-	2	-
Male.....	1	4	4	1	3	5	2	-	-	-	-	-
Female.....	1	1	1	2	3	3	1	1	2	-	2	-
American Indian 1/, both sexes.....	3	2	5	1	3	2	3	2	-	1	-	-
Male.....	3	1	4	1	1	-	1	2	-	-	-	-
Female.....	-	1	1	-	2	2	2	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	1	2	1	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of colon, rectum and anus (C18-C21)

Oregon

All races, both sexes.....	29	40	56	81	82	98	110	91	50	15	1	-
Male.....	16	24	37	44	35	48	55	34	14	2	-	-
Female.....	13	16	19	37	47	50	55	57	36	13	1	-
White, both sexes.....	27	38	54	79	79	96	106	90	50	15	1	-
Male.....	15	23	36	43	34	46	53	34	14	2	-	-
Female.....	12	15	18	36	45	50	53	56	36	13	1	-
Black, both sexes.....	1	1	-	1	1	1	-	-	-	-	-	-
Male.....	1	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	1	-	4	1	-	-	-	-
Male.....	-	1	1	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	1	1	-	2	1	-	-	-	-

Pennsylvania

All races, both sexes.....	112	140	242	307	427	557	508	429	197	54	5	-
Male.....	69	92	137	188	224	301	230	176	65	11	-	-
Female.....	43	48	105	119	203	256	278	253	132	43	5	-
White, both sexes.....	99	111	203	275	381	523	477	408	189	54	3	-
Male.....	60	73	116	176	202	283	221	172	61	11	-	-
Female.....	39	38	87	99	179	240	256	236	128	43	3	-
Black, both sexes.....	13	26	35	31	43	32	31	21	8	-	2	-
Male.....	9	19	18	11	21	16	9	4	4	-	-	-
Female.....	4	7	17	20	22	16	22	17	4	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	4	1	3	2	-	-	-	-	-	-
Male.....	-	-	3	1	1	2	-	-	-	-	-	-
Female.....	-	3	1	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of colon, rectum and anus (C18-C21)

Rhode Island

All races, both sexes.....	9	17	7	25	33	31	52	37	16	3	1	-
Male.....	6	9	4	10	17	15	25	13	5	3	1	-
Female.....	3	8	3	15	16	16	27	24	11	-	-	-
White, both sexes.....	9	16	7	25	33	29	49	37	15	3	1	-
Male.....	6	8	4	10	17	14	23	13	5	3	1	-
Female.....	3	8	3	15	16	15	26	24	10	-	-	-
Black, both sexes.....	-	-	-	-	-	1	3	-	1	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	43	65	89	86	109	108	119	77	36	10	1	-
Male.....	25	36	56	54	57	53	47	21	9	1	-	-
Female.....	18	29	33	32	52	55	72	56	27	9	1	-
White, both sexes.....	21	36	54	60	71	80	102	61	27	5	1	-
Male.....	15	20	34	36	37	40	43	18	6	-	-	-
Female.....	6	16	20	24	34	40	59	43	21	5	1	-
Black, both sexes.....	22	29	35	25	37	28	17	15	9	5	-	-
Male.....	10	16	22	17	20	13	4	3	3	1	-	-
Female.....	12	13	13	8	17	15	13	12	6	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of colon, rectum and anus (C18-C21)

Vermont

All races, both sexes.....	4	12	9	16	17	15	14	11	9	3	-	-
Male.....	3	6	5	10	10	4	7	5	1	-	-	-
Female.....	1	6	4	6	7	11	7	6	8	3	-	-
White, both sexes.....	4	12	9	16	17	14	14	11	9	3	-	-
Male.....	3	6	5	10	10	3	7	5	1	-	-	-
Female.....	1	6	4	6	7	11	7	6	8	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	72	99	137	147	177	178	219	146	74	17	3	-
Male.....	38	60	90	87	91	90	111	53	23	5	1	-
Female.....	34	39	47	60	86	88	108	93	51	12	2	-
White, both sexes.....	46	77	99	104	126	127	177	125	61	14	1	-
Male.....	25	49	65	60	66	64	90	47	17	5	-	-
Female.....	21	28	34	44	60	63	87	78	44	9	1	-
Black, both sexes.....	23	21	36	38	46	47	40	20	13	2	2	-
Male.....	13	10	23	24	24	23	20	6	6	-	1	-
Female.....	10	11	13	14	22	24	20	14	7	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	2	5	5	3	1	1	-	1	-	-
Male.....	-	1	2	3	1	2	1	-	-	-	-	-
Female.....	3	-	-	2	4	1	-	1	-	1	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Colon (C18)												
Arkansas												
All races, both sexes.....	551	-	-	-	-	-	-	3	4	4	7	17
Male.....	281	-	-	-	-	-	-	3	3	3	4	12
Female.....	270	-	-	-	-	-	-	-	1	1	3	5
White, both sexes.....	447	-	-	-	-	-	-	3	2	2	3	13
Male.....	234	-	-	-	-	-	-	3	2	1	2	10
Female.....	213	-	-	-	-	-	-	-	-	1	1	3
Black, both sexes.....	101	-	-	-	-	-	-	-	2	2	3	4
Male.....	46	-	-	-	-	-	-	-	1	2	2	2
Female.....	55	-	-	-	-	-	-	-	1	-	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-
California												
All races, both sexes.....	4,437	-	-	-	-	2	6	10	19	40	61	141
Male.....	2,195	-	-	-	-	1	5	8	13	22	33	75
Female.....	2,242	-	-	-	-	1	1	2	6	18	28	66
White, both sexes.....	3,666	-	-	-	-	2	4	8	13	34	43	98
Male.....	1,836	-	-	-	-	1	4	7	9	18	25	57
Female.....	1,830	-	-	-	-	1	-	1	4	16	18	41
Black, both sexes.....	368	-	-	-	-	-	-	1	2	2	9	28
Male.....	157	-	-	-	-	-	-	-	1	1	3	13
Female.....	211	-	-	-	-	-	-	1	1	1	6	15
American Indian 1/, both sexes.....	19	-	-	-	-	-	-	-	-	-	1	1
Male.....	11	-	-	-	-	-	-	-	-	-	1	1
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	384	-	-	-	-	-	2	1	4	4	8	14
Male.....	191	-	-	-	-	-	1	1	3	3	4	4
Female.....	193	-	-	-	-	-	1	-	1	1	4	10

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Colon (C18)												
Massachusetts												
All races, both sexes.....	1,109	-	-	-	-	1	-	1	2	6	9	34
Male.....	541	-	-	-	-	1	-	-	1	3	6	18
Female.....	568	-	-	-	-	-	-	1	1	3	3	16
White, both sexes.....	1,051	-	-	-	-	1	-	1	2	6	7	29
Male.....	521	-	-	-	-	1	-	-	1	3	5	18
Female.....	530	-	-	-	-	-	-	1	1	3	2	11
Black, both sexes.....	43	-	-	-	-	-	-	-	-	-	1	4
Male.....	15	-	-	-	-	-	-	-	-	-	1	-
Female.....	28	-	-	-	-	-	-	-	-	-	-	4
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	-	-	-	-	1	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	1	1
Michigan												
All races, both sexes.....	1,609	-	-	-	1	-	2	2	3	16	21	33
Male.....	775	-	-	-	1	-	1	2	1	7	12	18
Female.....	834	-	-	-	-	-	1	-	2	9	9	15
White, both sexes.....	1,360	-	-	-	1	-	2	2	2	10	11	25
Male.....	662	-	-	-	1	-	1	2	1	5	6	14
Female.....	698	-	-	-	-	-	1	-	1	5	5	11
Black, both sexes.....	236	-	-	-	-	-	-	-	-	6	10	8
Male.....	108	-	-	-	-	-	-	-	-	2	6	4
Female.....	128	-	-	-	-	-	-	-	-	4	4	4
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Colon (C18)

Missouri

All races, both sexes.....	1,038	-	-	-	-	-	-	2	5	3	17	20
Male.....	493	-	-	-	-	-	-	1	3	1	7	14
Female.....	545	-	-	-	-	-	-	1	2	2	10	6
White, both sexes.....	923	-	-	-	-	-	-	2	5	1	15	18
Male.....	441	-	-	-	-	-	-	1	3	1	7	13
Female.....	482	-	-	-	-	-	-	1	2	-	8	5
Black, both sexes.....	109	-	-	-	-	-	-	-	-	2	2	2
Male.....	50	-	-	-	-	-	-	-	-	-	-	1
Female.....	59	-	-	-	-	-	-	-	-	2	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-

Montana

All races, both sexes.....	137	-	-	-	-	-	1	-	1	2	3	-
Male.....	62	-	-	-	-	-	-	-	-	-	3	-
Female.....	75	-	-	-	-	-	1	-	1	2	-	-
White, both sexes.....	132	-	-	-	-	-	-	-	1	2	3	-
Male.....	61	-	-	-	-	-	-	-	-	-	3	-
Female.....	71	-	-	-	-	-	-	-	1	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Colon (C18)												
New Mexico												
All races, both sexes.....	231	-	-	-	-	-	-	-	1	1	4	7
Male.....	111	-	-	-	-	-	-	-	-	1	3	2
Female.....	120	-	-	-	-	-	-	-	1	-	1	5
White, both sexes.....	215	-	-	-	-	-	-	-	1	-	4	6
Male.....	105	-	-	-	-	-	-	-	-	-	3	2
Female.....	110	-	-	-	-	-	-	-	1	-	1	4
Black, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	1	-	1
Male.....	4	-	-	-	-	-	-	-	-	1	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	3,358	-	-	-	-	1	1	7	11	25	37	82
Male.....	1,580	-	-	-	-	1	1	4	7	8	17	45
Female.....	1,778	-	-	-	-	-	-	3	4	17	20	37
White, both sexes.....	2,808	-	-	-	-	-	-	4	9	19	26	63
Male.....	1,325	-	-	-	-	-	-	3	6	5	12	36
Female.....	1,483	-	-	-	-	-	-	1	3	14	14	27
Black, both sexes.....	477	-	-	-	-	1	1	1	1	6	8	15
Male.....	213	-	-	-	-	1	1	-	-	3	4	7
Female.....	264	-	-	-	-	-	-	1	1	3	4	8
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	70	-	-	-	-	-	-	2	1	-	3	4
Male.....	39	-	-	-	-	-	-	1	1	-	1	2
Female.....	31	-	-	-	-	-	-	1	-	-	2	2



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Colon (C18)

United States

All races, both sexes.....	2,131	2,830	3,768	4,817	6,019	7,438	7,455	5,711	3,104	893	113	1
Male.....	1,196	1,626	2,137	2,816	3,271	3,758	3,465	2,209	969	211	22	1
Female.....	935	1,204	1,631	2,001	2,748	3,680	3,990	3,502	2,135	682	91	-
White, both sexes.....	1,596	2,236	3,068	4,027	5,071	6,496	6,656	5,108	2,804	799	96	1
Male.....	917	1,317	1,749	2,386	2,809	3,314	3,108	2,006	875	185	20	1
Female.....	679	919	1,319	1,641	2,262	3,182	3,548	3,102	1,929	614	76	-
Black, both sexes.....	449	508	601	668	823	794	692	500	260	79	16	-
Male.....	241	262	334	362	407	368	299	157	76	24	2	-
Female.....	208	246	267	306	416	426	393	343	184	55	14	-
American Indian 1/, both sexes.....	13	12	20	19	19	24	16	13	9	2	-	-
Male.....	6	7	10	13	10	12	6	10	5	-	-	-
Female.....	7	5	10	6	9	12	10	3	4	2	-	-
Asian or Pacific Islander 2/, both sexes.....	73	74	79	103	106	124	91	90	31	13	1	-
Male.....	32	40	44	55	45	64	52	36	13	2	-	-
Female.....	41	34	35	48	61	60	39	54	18	11	1	-

Alabama

All races, both sexes.....	38	61	62	70	99	108	106	81	48	16	1	-
Male.....	21	36	31	31	57	54	39	38	14	7	-	-
Female.....	17	25	31	39	42	54	67	43	34	9	1	-
White, both sexes.....	19	42	48	55	75	78	79	63	41	10	1	-
Male.....	11	27	24	24	45	44	31	32	12	3	-	-
Female.....	8	15	24	31	30	34	48	31	29	7	1	-
Black, both sexes.....	19	19	13	15	24	30	25	18	7	6	-	-
Male.....	10	9	6	7	12	10	7	6	2	4	-	-
Female.....	9	10	7	8	12	20	18	12	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	2	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Colon (C18)

Arkansas

All races, both sexes.....	28	33	62	60	68	68	84	65	34	13	1	-
Male.....	13	22	35	37	36	37	41	23	7	5	-	-
Female.....	15	11	27	23	32	31	43	42	27	8	1	-
White, both sexes.....	23	24	47	48	60	59	70	55	30	8	-	-
Male.....	12	15	26	33	32	35	34	19	7	3	-	-
Female.....	11	9	21	15	28	24	36	36	23	5	-	-
Black, both sexes.....	4	9	15	12	8	9	13	10	4	5	1	-
Male.....	1	7	9	4	4	2	6	4	-	2	-	-
Female.....	3	2	6	8	4	7	7	6	4	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	210	257	334	485	515	680	737	536	295	98	11	-
Male.....	119	137	184	285	298	347	335	208	95	26	4	-
Female.....	91	120	150	200	217	333	402	328	200	72	7	-
White, both sexes.....	159	193	260	384	420	573	656	461	260	88	10	-
Male.....	97	108	149	231	249	293	296	180	83	25	4	-
Female.....	62	85	111	153	171	280	360	281	177	63	6	-
Black, both sexes.....	19	31	41	52	47	46	38	34	16	2	-	-
Male.....	7	13	22	24	24	20	16	10	3	-	-	-
Female.....	12	18	19	28	23	26	22	24	13	2	-	-
American Indian 1/, both sexes.....	3	-	2	1	3	3	2	-	2	1	-	-
Male.....	1	-	1	1	2	3	-	-	1	-	-	-
Female.....	2	-	1	-	1	-	2	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	29	33	31	48	45	58	41	41	17	7	1	-
Male.....	14	16	12	29	23	31	23	18	8	1	-	-
Female.....	15	17	19	19	22	27	18	23	9	6	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Colon (C18)

Colorado

All races, both sexes.....	25	38	40	61	54	88	75	61	25	11	1	-
Male.....	10	23	21	34	34	38	28	26	5	5	-	-
Female.....	15	15	19	27	20	50	47	35	20	6	1	-
White, both sexes.....	23	35	40	57	54	79	73	60	25	11	1	-
Male.....	8	20	21	31	34	34	27	26	5	5	-	-
Female.....	15	15	19	26	20	45	46	34	20	6	1	-
Black, both sexes.....	1	2	-	4	-	5	2	1	-	-	-	-
Male.....	1	2	-	3	-	3	1	-	-	-	-	-
Female.....	-	-	-	1	-	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	4	-	-	-	-	-	-
Male.....	1	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	3	-	-	-	-	-	-

Connecticut

All races, both sexes.....	16	22	44	45	52	86	113	72	48	9	3	-
Male.....	10	14	24	22	26	46	52	30	19	3	-	-
Female.....	6	8	20	23	26	40	61	42	29	6	3	-
White, both sexes.....	15	18	39	41	50	81	109	71	43	8	3	-
Male.....	10	12	22	20	26	44	51	30	16	3	-	-
Female.....	5	6	17	21	24	37	58	41	27	5	3	-
Black, both sexes.....	1	4	5	3	2	5	3	1	5	1	-	-
Male.....	-	2	2	2	-	2	1	-	3	-	-	-
Female.....	1	2	3	1	2	3	2	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Colon (C18)

Kentucky

All races, both sexes.....	44	52	76	86	120	121	99	100	51	18	2	-
Male.....	20	35	41	46	61	68	50	31	20	6	-	-
Female.....	24	17	35	40	59	53	49	69	31	12	2	-
White, both sexes.....	39	49	71	78	109	114	91	91	49	18	1	-
Male.....	19	35	39	42	55	65	47	29	19	6	-	-
Female.....	20	14	32	36	54	49	44	62	30	12	1	-
Black, both sexes.....	5	3	5	8	11	7	7	8	2	-	1	-
Male.....	1	-	2	4	6	3	3	1	1	-	-	-
Female.....	4	3	3	4	5	4	4	7	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Louisiana

All races, both sexes.....	43	62	57	94	114	124	130	91	48	17	2	-
Male.....	29	38	32	53	66	65	60	33	19	6	-	-
Female.....	14	24	25	41	48	59	70	58	29	11	2	-
White, both sexes.....	27	45	32	66	77	84	91	71	34	14	2	-
Male.....	19	29	18	38	47	49	45	29	10	5	-	-
Female.....	8	16	14	28	30	35	46	42	24	9	2	-
Black, both sexes.....	16	17	24	27	36	39	39	20	14	2	-	-
Male.....	10	9	13	15	19	15	15	4	9	1	-	-
Female.....	6	8	11	12	17	24	24	16	5	1	-	-
American Indian 1/, both sexes.....	-	-	1	1	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Colon (C18)

Maine

All races, both sexes.....	8	9	29	22	27	45	42	25	17	3	-	-
Male.....	6	5	12	13	16	23	16	10	2	-	-	-
Female.....	2	4	17	9	11	22	26	15	15	3	-	-
White, both sexes.....	8	9	29	22	27	45	42	25	17	3	-	-
Male.....	6	5	12	13	16	23	16	10	2	-	-	-
Female.....	2	4	17	9	11	22	26	15	15	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	45	52	73	98	114	137	135	83	49	16	1	-
Male.....	30	29	40	59	57	68	55	34	12	1	-	-
Female.....	15	23	33	39	57	69	80	49	37	15	1	-
White, both sexes.....	20	25	48	63	81	99	109	65	36	13	1	-
Male.....	14	16	26	36	43	50	48	29	12	1	-	-
Female.....	6	9	22	27	38	49	61	36	24	12	1	-
Black, both sexes.....	24	27	23	33	33	34	26	16	13	3	-	-
Male.....	15	13	13	22	14	18	7	5	-	-	-	-
Female.....	9	14	10	11	19	16	19	11	13	3	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	-	4	-	2	-	-	-	-
Male.....	1	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	4	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Colon (C18)

Massachusetts

All races, both sexes.....	39	65	81	104	129	194	189	142	82	28	3	-
Male.....	19	40	44	59	72	94	88	62	19	13	2	-
Female.....	20	25	37	45	57	100	101	80	63	15	1	-
White, both sexes.....	35	59	73	96	123	185	186	137	81	27	3	-
Male.....	17	37	42	56	69	92	85	61	19	13	2	-
Female.....	18	22	31	40	54	93	101	76	62	14	1	-
Black, both sexes.....	4	4	6	5	5	7	2	3	1	1	-	-
Male.....	2	2	1	2	2	2	2	1	-	-	-	-
Female.....	2	2	5	3	3	5	-	2	1	1	-	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	1	2	-	2	-	-	-	-
Male.....	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	1	1	1	-	2	-	2	-	-	-	-

Michigan

All races, both sexes.....	69	108	111	163	175	278	284	214	107	19	3	-
Male.....	43	62	65	101	82	130	134	78	33	5	-	-
Female.....	26	46	46	62	93	148	150	136	74	14	3	-
White, both sexes.....	49	80	92	142	147	239	251	190	97	17	3	-
Male.....	30	48	55	88	74	114	118	70	30	5	-	-
Female.....	19	32	37	54	73	125	133	120	67	12	3	-
Black, both sexes.....	19	26	17	20	25	37	32	24	10	2	-	-
Male.....	12	14	10	12	7	15	15	8	3	-	-	-
Female.....	7	12	7	8	18	22	17	16	7	2	-	-
American Indian 1/, both sexes.....	-	1	2	1	1	2	1	-	-	-	-	-
Male.....	-	-	-	1	-	1	1	-	-	-	-	-
Female.....	-	1	2	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	2	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Colon (C18)

Nebraska

All races, both sexes.....	15	11	20	28	35	49	50	54	27	9	-	-
Male.....	8	8	13	10	21	30	32	26	10	3	-	-
Female.....	7	3	7	18	14	19	18	28	17	6	-	-
White, both sexes.....	14	10	19	28	35	46	49	54	27	9	-	-
Male.....	7	7	12	10	21	29	31	26	10	3	-	-
Female.....	7	3	7	18	14	17	18	28	17	6	-	-
Black, both sexes.....	1	1	1	-	-	2	1	-	-	-	-	-
Male.....	1	1	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	18	23	30	36	54	66	47	27	13	5	-	-
Male.....	13	14	19	19	42	33	26	12	7	1	-	-
Female.....	5	9	11	17	12	33	21	15	6	4	-	-
White, both sexes.....	13	22	28	31	50	62	41	24	11	3	-	-
Male.....	11	14	19	17	40	33	24	11	6	1	-	-
Female.....	2	8	9	14	10	29	17	13	5	2	-	-
Black, both sexes.....	2	1	-	4	3	2	4	2	1	2	-	-
Male.....	-	-	-	2	2	-	1	1	1	-	-	-
Female.....	2	1	-	2	1	2	3	1	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	2	1	1	2	2	1	1	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	2	1	1	2	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Colon (C18)

New Hampshire

All races, both sexes.....	6	16	10	21	38	30	33	27	14	6	2	-
Male.....	4	7	7	12	20	14	17	10	3	1	-	-
Female.....	2	9	3	9	18	16	16	17	11	5	2	-
White, both sexes.....	6	16	10	21	38	30	32	27	14	6	2	-
Male.....	4	7	7	12	20	14	17	10	3	1	-	-
Female.....	2	9	3	9	18	16	15	17	11	5	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

New Jersey

All races, both sexes.....	59	87	132	158	221	285	283	253	113	40	5	-
Male.....	27	48	69	93	113	133	134	88	42	8	1	-
Female.....	32	39	63	65	108	152	149	165	71	32	4	-
White, both sexes.....	43	71	101	127	181	250	259	232	100	39	5	-
Male.....	21	39	55	77	94	122	123	80	39	8	1	-
Female.....	22	32	46	50	87	128	136	152	61	31	4	-
Black, both sexes.....	14	15	27	26	36	33	21	20	11	-	-	-
Male.....	5	8	11	14	17	11	9	8	3	-	-	-
Female.....	9	7	16	12	19	22	12	12	8	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	5	4	2	3	1	1	1	-	-
Male.....	1	1	2	2	2	-	2	-	-	-	-	-
Female.....	-	-	1	3	2	2	1	1	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Colon (C18)

New Mexico

All races, both sexes.....	14	21	20	31	27	49	28	16	12	-	-	-
Male.....	4	13	13	17	14	24	10	7	3	-	-	-
Female.....	10	8	7	14	13	25	18	9	9	-	-	-
White, both sexes.....	12	19	17	30	23	47	28	16	12	-	-	-
Male.....	4	13	11	16	13	23	10	7	3	-	-	-
Female.....	8	6	6	14	10	24	18	9	9	-	-	-
Black, both sexes.....	-	1	1	1	3	-	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	1	1	-	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	2	-	1	2	-	-	-	-	-	-
Male.....	-	-	2	-	-	1	-	-	-	-	-	-
Female.....	1	1	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	158	193	288	324	425	525	542	444	224	58	13	-
Male.....	89	103	155	178	231	248	241	162	72	16	2	-
Female.....	69	90	133	146	194	277	301	282	152	42	11	-
White, both sexes.....	111	139	230	256	347	460	488	401	200	46	9	-
Male.....	74	80	122	144	193	211	214	148	66	10	1	-
Female.....	37	59	108	112	154	249	274	253	134	36	8	-
Black, both sexes.....	40	49	50	56	73	57	49	35	20	11	4	-
Male.....	13	20	26	26	37	32	22	10	5	5	1	-
Female.....	27	29	24	30	36	25	27	25	15	6	3	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	1	-	-	-	-
Male.....	-	1	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	4	8	12	5	7	5	7	4	1	-	-
Male.....	2	2	7	8	1	4	5	3	1	1	-	-
Female.....	5	2	1	4	4	3	-	4	3	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Colon (C18)

Ohio

All races, both sexes.....	100	101	170	226	290	384	363	273	136	26	1	-
Male.....	58	61	81	121	159	184	161	87	40	2	-	-
Female.....	42	40	89	105	131	200	202	186	96	24	1	-
White, both sexes.....	80	82	150	192	259	347	327	246	122	25	1	-
Male.....	48	48	68	106	145	169	144	77	38	2	-	-
Female.....	32	34	82	86	114	178	183	169	84	23	1	-
Black, both sexes.....	19	19	20	34	28	37	36	27	14	1	-	-
Male.....	9	13	13	15	12	15	17	10	2	-	-	-
Female.....	10	6	7	19	16	22	19	17	12	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	3	-	-	-	-	-	-	-
Male.....	1	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	34	45	54	66	71	91	79	72	42	8	2	-
Male.....	25	27	33	35	38	50	46	28	18	1	-	-
Female.....	9	18	21	31	33	41	33	44	24	7	2	-
White, both sexes.....	28	40	48	62	63	80	72	69	41	7	1	-
Male.....	20	23	28	33	34	44	43	26	18	1	-	-
Female.....	8	17	20	29	29	36	29	43	23	6	1	-
Black, both sexes.....	2	3	2	3	5	8	3	1	1	-	1	-
Male.....	1	3	2	1	3	5	2	-	-	-	-	-
Female.....	1	-	-	2	2	3	1	1	1	-	1	-
American Indian 1/, both sexes.....	3	2	3	1	2	1	3	2	-	1	-	-
Male.....	3	1	3	1	1	-	1	2	-	-	-	-
Female.....	-	1	-	-	1	1	2	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	1	2	1	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Colon (C18)

Oregon

All races, both sexes.....	20	31	46	64	67	87	85	75	42	13	1	-
Male.....	9	18	28	36	28	44	37	27	11	2	-	-
Female.....	11	13	18	28	39	43	48	48	31	11	1	-
White, both sexes.....	18	29	44	62	65	85	81	74	42	13	1	-
Male.....	8	17	27	35	27	42	35	27	11	2	-	-
Female.....	10	12	17	27	38	43	46	47	31	11	1	-
Black, both sexes.....	1	1	-	1	1	1	-	-	-	-	-	-
Male.....	1	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	1	-	4	1	-	-	-	-
Male.....	-	1	1	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	1	1	-	2	1	-	-	-	-

Pennsylvania

All races, both sexes.....	91	109	202	260	377	476	445	371	168	44	4	-
Male.....	55	70	111	159	195	256	195	155	57	10	-	-
Female.....	36	39	91	101	182	220	250	216	111	34	4	-
White, both sexes.....	79	86	169	234	335	444	415	352	161	44	2	-
Male.....	46	55	93	150	174	239	186	152	53	10	-	-
Female.....	33	31	76	84	161	205	229	200	108	34	2	-
Black, both sexes.....	12	21	31	25	40	30	30	19	7	-	2	-
Male.....	9	15	16	8	20	15	9	3	4	-	-	-
Female.....	3	6	15	17	20	15	21	16	3	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	1	2	2	-	-	-	-	-	-
Male.....	-	-	2	1	1	2	-	-	-	-	-	-
Female.....	-	2	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Colon (C18)

Rhode Island

All races, both sexes.....	7	13	5	20	25	25	45	33	16	2	1	-
Male.....	4	7	2	9	12	11	22	11	5	2	1	-
Female.....	3	6	3	11	13	14	23	22	11	-	-	-
White, both sexes.....	7	12	5	20	25	24	42	33	15	2	1	-
Male.....	4	6	2	9	12	11	20	11	5	2	1	-
Female.....	3	6	3	11	13	13	22	22	10	-	-	-
Black, both sexes.....	-	-	-	-	-	1	3	-	1	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	38	59	75	68	97	91	106	65	32	10	1	-
Male.....	22	33	45	45	49	45	43	18	7	1	-	-
Female.....	16	26	30	23	48	46	63	47	25	9	1	-
White, both sexes.....	18	33	42	45	64	66	92	51	25	5	1	-
Male.....	13	18	24	28	32	33	39	16	5	-	-	-
Female.....	5	15	18	17	32	33	53	35	20	5	1	-
Black, both sexes.....	20	26	33	22	32	25	14	13	7	5	-	-
Male.....	9	15	21	16	17	12	4	2	2	1	-	-
Female.....	11	11	12	6	15	13	10	11	5	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Colon (C18)

Vermont

All races, both sexes.....	3	9	6	15	11	14	11	7	9	3	-	-
Male.....	3	4	2	9	6	3	6	3	1	-	-	-
Female.....	-	5	4	6	5	11	5	4	8	3	-	-
White, both sexes.....	3	9	6	15	11	14	11	7	9	3	-	-
Male.....	3	4	2	9	6	3	6	3	1	-	-	-
Female.....	-	5	4	6	5	11	5	4	8	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	52	82	110	118	141	145	196	123	58	17	3	-
Male.....	27	50	70	69	66	70	99	39	19	5	1	-
Female.....	25	32	40	49	75	75	97	84	39	12	2	-
White, both sexes.....	33	65	79	88	101	107	159	106	47	14	1	-
Male.....	18	41	50	51	49	53	81	36	14	5	-	-
Female.....	15	24	29	37	52	54	78	70	33	9	1	-
Black, both sexes.....	16	17	30	27	35	35	35	16	11	2	2	-
Male.....	9	9	19	17	16	15	17	3	5	-	1	-
Female.....	7	8	11	10	19	20	18	13	6	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	3	5	2	1	1	-	1	-	-
Male.....	-	-	1	1	1	1	1	-	-	-	-	-
Female.....	3	-	-	2	4	1	-	1	-	1	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Rectosigmoid junction and rectum (C19-C20)												
Arkansas												
All races, both sexes.....	72	-	-	-	-	-	-	-	-	-	-	3
Male.....	41	-	-	-	-	-	-	-	-	-	-	2
Female.....	31	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	67	-	-	-	-	-	-	-	-	-	-	3
Male.....	38	-	-	-	-	-	-	-	-	-	-	2
Female.....	29	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	846	-	-	-	-	-	2	-	4	8	19	53
Male.....	468	-	-	-	-	-	1	-	4	4	13	27
Female.....	378	-	-	-	-	-	1	-	-	4	6	26
White, both sexes.....	685	-	-	-	-	-	2	-	3	7	14	40
Male.....	380	-	-	-	-	-	1	-	3	4	9	20
Female.....	305	-	-	-	-	-	1	-	-	3	5	20
Black, both sexes.....	72	-	-	-	-	-	-	-	-	-	4	6
Male.....	38	-	-	-	-	-	-	-	-	-	3	4
Female.....	34	-	-	-	-	-	-	-	-	-	1	2
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	85	-	-	-	-	-	-	-	1	1	1	7
Male.....	47	-	-	-	-	-	-	-	1	-	1	3
Female.....	38	-	-	-	-	-	-	-	-	1	-	4















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Rectosigmoid junction and rectum (C19-C20)												
Maine												
All races, both sexes.....	46	-	-	-	-	-	-	-	-	1	1	2
Male.....	25	-	-	-	-	-	-	-	-	-	-	1
Female.....	21	-	-	-	-	-	-	-	-	1	1	1
White, both sexes.....	46	-	-	-	-	-	-	-	-	1	1	2
Male.....	25	-	-	-	-	-	-	-	-	-	-	1
Female.....	21	-	-	-	-	-	-	-	-	1	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	158	-	-	-	-	-	-	1	2	3	4	7
Male.....	82	-	-	-	-	-	-	-	1	1	1	5
Female.....	76	-	-	-	-	-	-	1	1	2	3	2
White, both sexes.....	114	-	-	-	-	-	-	-	-	2	3	6
Male.....	64	-	-	-	-	-	-	-	-	1	1	4
Female.....	50	-	-	-	-	-	-	-	-	1	2	2
Black, both sexes.....	41	-	-	-	-	-	-	1	-	1	1	1
Male.....	17	-	-	-	-	-	-	-	-	-	-	1
Female.....	24	-	-	-	-	-	-	1	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	2	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Rectosigmoid junction and rectum (C19-C20)

Oregon

All races, both sexes.....	120	-	-	-	-	-	-	1	-	2	2	3
Male.....	68	-	-	-	-	-	-	-	-	2	-	-
Female.....	52	-	-	-	-	-	-	1	-	-	2	3
White, both sexes.....	119	-	-	-	-	-	-	1	-	2	2	3
Male.....	68	-	-	-	-	-	-	-	-	2	-	-
Female.....	51	-	-	-	-	-	-	1	-	-	2	3
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	439	-	-	-	-	-	-	-	2	2	10	11
Male.....	240	-	-	-	-	-	-	-	1	2	5	7
Female.....	199	-	-	-	-	-	-	-	1	-	5	4
White, both sexes.....	408	-	-	-	-	-	-	-	1	2	9	9
Male.....	227	-	-	-	-	-	-	-	1	2	4	7
Female.....	181	-	-	-	-	-	-	-	-	-	5	2
Black, both sexes.....	26	-	-	-	-	-	-	-	-	-	1	2
Male.....	12	-	-	-	-	-	-	-	-	-	1	-
Female.....	14	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	1	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Rectosigmoid junction and rectum (C19-C20)

Vermont

All races, both sexes.....	23	-	-	-	-	-	-	-	-	-	1	-
Male.....	15	-	-	-	-	-	-	-	-	-	1	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	22	-	-	-	-	-	-	-	-	-	1	-
Male.....	14	-	-	-	-	-	-	-	-	-	1	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	226	-	-	-	-	-	-	1	-	3	7	8
Male.....	141	-	-	-	-	-	-	1	-	2	4	7
Female.....	85	-	-	-	-	-	-	-	-	1	3	1
White, both sexes.....	159	-	-	-	-	-	-	-	-	2	6	6
Male.....	98	-	-	-	-	-	-	-	-	2	4	6
Female.....	61	-	-	-	-	-	-	-	-	-	2	-
Black, both sexes.....	61	-	-	-	-	-	-	1	-	-	1	2
Male.....	38	-	-	-	-	-	-	1	-	-	-	1
Female.....	23	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	-	1	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Rectosigmoid junction and rectum (C19-C20)

Arkansas

All races, both sexes.....	4	6	12	11	13	7	8	4	3	1	-	-
Male.....	2	5	8	5	7	6	4	1	1	-	-	-
Female.....	2	1	4	6	6	1	4	3	2	1	-	-
White, both sexes.....	3	6	12	11	13	6	8	2	2	1	-	-
Male.....	2	5	8	5	7	5	4	-	-	-	-	-
Female.....	1	1	4	6	6	1	4	2	2	1	-	-
Black, both sexes.....	1	-	-	-	-	1	-	2	1	-	-	-
Male.....	-	-	-	-	-	1	-	1	1	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	56	73	92	75	114	99	106	81	44	16	4	-
Male.....	35	42	65	49	74	53	48	30	16	5	2	-
Female.....	21	31	27	26	40	46	58	51	28	11	2	-
White, both sexes.....	42	55	66	61	95	84	89	73	40	13	1	-
Male.....	27	34	47	40	65	46	39	26	14	5	-	-
Female.....	15	21	19	21	30	38	50	47	26	8	1	-
Black, both sexes.....	6	10	12	5	8	6	5	5	2	2	1	-
Male.....	5	5	8	3	5	1	2	1	1	-	-	-
Female.....	1	5	4	2	3	5	3	4	1	2	1	-
American Indian 1/, both sexes.....	1	-	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	1	1	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	8	13	8	11	8	12	3	2	1	2	-
Male.....	3	3	9	5	4	5	7	3	1	-	2	-
Female.....	4	5	4	3	7	3	5	-	1	1	-	-















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Rectosigmoid junction and rectum (C19-C20)

Maine

All races, both sexes.....	4	2	3	6	7	7	5	6	2	-	-	-
Male.....	3	1	2	3	6	2	2	5	-	-	-	-
Female.....	1	1	1	3	1	5	3	1	2	-	-	-
White, both sexes.....	4	2	3	6	7	7	5	6	2	-	-	-
Male.....	3	1	2	3	6	2	2	5	-	-	-	-
Female.....	1	1	1	3	1	5	3	1	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	11	16	11	17	21	25	21	14	3	2	-	-
Male.....	6	9	9	9	13	11	10	5	2	-	-	-
Female.....	5	7	2	8	8	14	11	9	1	2	-	-
White, both sexes.....	3	11	9	11	17	18	16	13	3	2	-	-
Male.....	3	7	8	7	11	7	9	4	2	-	-	-
Female.....	-	4	1	4	6	11	7	9	1	2	-	-
Black, both sexes.....	8	5	2	6	3	7	5	1	-	-	-	-
Male.....	3	2	1	2	2	4	1	1	-	-	-	-
Female.....	5	3	1	4	1	3	4	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Rectosigmoid junction and rectum (C19-C20)

New Hampshire

All races, both sexes.....	6	1	6	5	7	7	4	7	2	2	1	-
Male.....	4	-	4	2	3	3	2	1	-	1	-	-
Female.....	2	1	2	3	4	4	2	6	2	1	1	-
White, both sexes.....	6	1	6	5	7	7	4	6	2	2	1	-
Male.....	4	-	4	2	3	3	2	1	-	1	-	-
Female.....	2	1	2	3	4	4	2	5	2	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

New Jersey

All races, both sexes.....	11	31	29	24	44	43	41	32	15	3	1	-
Male.....	10	16	16	14	27	23	19	10	5	1	-	-
Female.....	1	15	13	10	17	20	22	22	10	2	1	-
White, both sexes.....	10	24	23	22	36	39	39	27	14	3	1	-
Male.....	9	12	12	14	24	19	18	8	5	1	-	-
Female.....	1	12	11	8	12	20	21	19	9	2	1	-
Black, both sexes.....	1	3	6	2	7	4	1	5	-	-	-	-
Male.....	1	3	4	-	3	4	-	2	-	-	-	-
Female.....	-	-	2	2	4	-	1	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	-	-	1	-	1	-	1	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	3	-	-	1	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Rectosigmoid junction and rectum (C19-C20)

New Mexico

All races, both sexes.....	3	7	7	4	9	11	9	1	4	-	-	-
Male.....	2	3	6	2	9	7	6	1	1	-	-	-
Female.....	1	4	1	2	-	4	3	-	3	-	-	-
White, both sexes.....	3	5	7	4	9	10	9	1	4	-	-	-
Male.....	2	2	6	2	9	6	6	1	1	-	-	-
Female.....	1	3	1	2	-	4	3	-	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	38	52	49	58	74	83	90	47	31	8	2	-
Male.....	24	38	32	32	46	41	48	25	9	2	1	-
Female.....	14	14	17	26	28	42	42	22	22	6	1	-
White, both sexes.....	28	41	38	45	66	69	80	43	30	7	2	-
Male.....	15	29	26	26	38	33	46	23	8	1	1	-
Female.....	13	12	12	19	28	36	34	20	22	6	1	-
Black, both sexes.....	7	11	10	9	7	12	9	3	1	1	-	-
Male.....	6	9	6	3	7	8	2	1	1	1	-	-
Female.....	1	2	4	6	-	4	7	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	-	1	-	-	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	2	1	2	-	1	-	-	-	-
Male.....	3	-	-	1	1	-	-	1	-	-	-	-
Female.....	-	-	1	1	-	2	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Rectosigmoid junction and rectum (C19-C20)

Oregon

All races, both sexes.....	8	7	10	15	14	10	25	14	7	2	-	-
Male.....	6	5	9	8	7	3	18	7	3	-	-	-
Female.....	2	2	1	7	7	7	7	7	4	2	-	-
White, both sexes.....	8	7	10	15	13	10	25	14	7	2	-	-
Male.....	6	5	9	8	7	3	18	7	3	-	-	-
Female.....	2	2	1	7	6	7	7	7	4	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	18	30	37	46	49	79	62	55	28	9	1	-
Male.....	13	22	24	28	29	45	35	20	8	1	-	-
Female.....	5	8	13	18	20	34	27	35	20	8	1	-
White, both sexes.....	17	25	31	41	45	77	61	53	27	9	1	-
Male.....	13	18	21	26	28	44	35	19	8	1	-	-
Female.....	4	7	10	15	17	33	26	34	19	8	1	-
Black, both sexes.....	1	4	4	5	3	2	1	2	1	-	-	-
Male.....	-	4	2	2	1	1	-	1	-	-	-	-
Female.....	1	-	2	3	2	1	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	1	-	-	-	-	-	-	-





































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Anus and anal canal (C21)

Arkansas

All races, both sexes.....	-	-	3	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	3	1	-	-	-	-	1	-	-	-
White, both sexes.....	-	-	3	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	3	1	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	9	8	5	5	8	7	7	3	-	-	-
Male.....	4	6	3	3	1	2	1	1	-	-	-	-
Female.....	2	3	5	2	4	6	6	6	3	-	-	-
White, both sexes.....	5	9	6	5	4	7	7	6	2	-	-	-
Male.....	3	6	3	3	1	1	1	-	-	-	-	-
Female.....	2	3	3	2	3	6	6	6	2	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	1	1	-	-	-
Male.....	1	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	-	1	-	-	-	-	-	-	-















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Anus and anal canal (C21)

Maine

All races, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	2	1	-	2	1	1	3	1	-	-	-	-
Male.....	1	-	-	2	1	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	1	3	1	-	-	-	-
White, both sexes.....	2	-	-	2	1	1	1	1	-	-	-	-
Male.....	1	-	-	2	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	1	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-



































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of liver and intrahepatic bile ducts (C22)

Arkansas

All races, both sexes.....	149	-	-	-	-	-	-	-	1	1	2	9
Male.....	85	-	-	-	-	-	-	-	1	-	2	8
Female.....	64	-	-	-	-	-	-	-	-	1	-	1
White, both sexes.....	131	-	-	-	-	-	-	-	-	1	2	7
Male.....	74	-	-	-	-	-	-	-	-	-	2	6
Female.....	57	-	-	-	-	-	-	-	-	1	-	1
Black, both sexes.....	16	-	-	-	-	-	-	-	1	-	-	2
Male.....	10	-	-	-	-	-	-	-	1	-	-	2
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2,010	1	6	-	2	1	2	6	12	16	46	124
Male.....	1,304	1	5	-	-	1	-	6	9	11	32	100
Female.....	706	-	1	-	2	-	2	-	3	5	14	24
White, both sexes.....	1,385	1	4	-	-	-	-	1	5	10	32	69
Male.....	902	1	4	-	-	-	-	1	3	5	20	56
Female.....	483	-	-	-	-	-	-	-	2	5	12	13
Black, both sexes.....	159	-	1	-	-	-	-	-	3	-	6	18
Male.....	103	-	-	-	-	-	-	-	2	-	4	14
Female.....	56	-	1	-	-	-	-	-	1	-	2	4
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	-	1	-	1
Male.....	14	-	-	-	-	-	-	-	-	1	-	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	449	-	1	-	2	1	2	5	4	5	8	36
Male.....	285	-	1	-	-	1	-	5	4	5	8	29
Female.....	164	-	-	-	2	-	2	-	-	-	-	7

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of liver and intrahepatic bile ducts (C22)

Massachusetts

All races, both sexes.....	317	-	-	-	-	-	-	1	3	-	4	13
Male.....	212	-	-	-	-	-	-	-	3	-	4	13
Female.....	105	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	263	-	-	-	-	-	-	1	-	-	1	7
Male.....	174	-	-	-	-	-	-	-	-	-	1	7
Female.....	89	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	27	-	-	-	-	-	-	-	2	-	2	2
Male.....	20	-	-	-	-	-	-	-	2	-	2	2
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	-	-	-	-	-	-	-	1	-	1	4
Male.....	18	-	-	-	-	-	-	-	1	-	1	4
Female.....	9	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	496	-	-	-	1	-	1	1	4	3	5	35
Male.....	320	-	-	-	1	-	1	-	3	2	3	26
Female.....	176	-	-	-	-	-	-	1	1	1	2	9
White, both sexes.....	389	-	-	-	1	-	1	1	2	2	5	23
Male.....	245	-	-	-	1	-	1	-	2	1	3	18
Female.....	144	-	-	-	-	-	-	1	-	1	2	5
Black, both sexes.....	86	-	-	-	-	-	-	-	-	1	-	10
Male.....	62	-	-	-	-	-	-	-	-	1	-	6
Female.....	24	-	-	-	-	-	-	-	-	-	-	4
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	1	-	-	2
Male.....	5	-	-	-	-	-	-	-	1	-	-	2
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	-	-	-	-	-	-	1	-	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	1	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of liver and intrahepatic bile ducts (C22)

New Hampshire

All races, both sexes.....	52	-	-	-	-	-	-	-	-	-	1	3
Male.....	34	-	-	-	-	-	-	-	-	-	1	3
Female.....	18	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	49	-	-	-	-	-	-	-	-	-	1	3
Male.....	33	-	-	-	-	-	-	-	-	-	1	3
Female.....	16	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	464	1	-	-	-	-	2	2	2	2	9	21
Male.....	299	-	-	-	-	-	1	-	1	2	6	16
Female.....	165	1	-	-	-	-	1	2	1	-	3	5
White, both sexes.....	380	1	-	-	-	-	-	2	1	-	7	17
Male.....	236	-	-	-	-	-	-	-	-	-	6	14
Female.....	144	1	-	-	-	-	-	2	1	-	1	3
Black, both sexes.....	59	-	-	-	-	-	1	-	-	2	2	3
Male.....	46	-	-	-	-	-	1	-	-	2	-	2
Female.....	13	-	-	-	-	-	-	-	-	-	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	-	-	-	-	-	1	-	1	-	-	1
Male.....	17	-	-	-	-	-	-	-	1	-	-	-
Female.....	8	-	-	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of liver and intrahepatic bile ducts (C22)

New Mexico

All races, both sexes.....	114	-	2	-	-	-	-	-	-	2	-	10
Male.....	71	-	2	-	-	-	-	-	-	2	-	9
Female.....	43	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	104	-	1	-	-	-	-	-	-	2	-	9
Male.....	63	-	1	-	-	-	-	-	-	2	-	8
Female.....	41	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	1	-	-	-	-	-	-	-	-	-
Male.....	4	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	963	1	-	-	-	-	1	2	7	9	17	53
Male.....	619	-	-	-	-	-	1	1	4	6	14	46
Female.....	344	1	-	-	-	-	-	1	3	3	3	7
White, both sexes.....	724	1	-	-	-	-	1	1	2	3	6	25
Male.....	454	-	-	-	-	-	1	-	1	2	6	22
Female.....	270	1	-	-	-	-	-	1	1	1	-	3
Black, both sexes.....	156	-	-	-	-	-	-	1	3	4	4	19
Male.....	106	-	-	-	-	-	-	1	2	2	2	15
Female.....	50	-	-	-	-	-	-	-	1	2	2	4
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	81	-	-	-	-	-	-	-	2	2	7	9
Male.....	57	-	-	-	-	-	-	-	1	2	6	9
Female.....	24	-	-	-	-	-	-	-	1	-	1	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of liver and intrahepatic bile ducts (C22)

Oregon

All races, both sexes.....	172	-	1	-	-	1	2	-	-	-	5	12
Male.....	112	-	-	-	-	1	1	-	-	-	1	9
Female.....	60	-	1	-	-	-	1	-	-	-	4	3
White, both sexes.....	149	-	1	-	-	1	1	-	-	-	4	10
Male.....	94	-	-	-	-	1	-	-	-	-	1	7
Female.....	55	-	1	-	-	-	1	-	-	-	3	3
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	-	-	-	-	1	-	-	-	1	1
Male.....	12	-	-	-	-	-	1	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	1	-

Pennsylvania

All races, both sexes.....	734	-	-	-	-	-	3	-	5	3	12	39
Male.....	468	-	-	-	-	-	-	-	4	1	10	32
Female.....	266	-	-	-	-	-	3	-	1	2	2	7
White, both sexes.....	616	-	-	-	-	-	3	-	4	2	9	28
Male.....	393	-	-	-	-	-	-	-	4	1	8	23
Female.....	223	-	-	-	-	-	3	-	-	1	1	5
Black, both sexes.....	101	-	-	-	-	-	-	-	1	-	3	9
Male.....	65	-	-	-	-	-	-	-	-	-	2	8
Female.....	36	-	-	-	-	-	-	-	1	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	-	-	-	-	-	-	-	-	1	-	2
Male.....	10	-	-	-	-	-	-	-	-	-	-	1
Female.....	7	-	-	-	-	-	-	-	-	1	-	1















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

Alaska

All races, both sexes.....	4	3	3	2	4	5	2	2	-	1	-	-
Male.....	3	2	3	1	2	4	1	1	-	1	-	-
Female.....	1	1	-	1	2	1	1	1	-	-	-	-
White, both sexes.....	3	1	3	1	4	2	1	1	-	1	-	-
Male.....	2	1	3	-	2	2	-	-	-	1	-	-
Female.....	1	-	-	1	2	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	3	-	1	-	-	-	-
Male.....	1	-	-	-	-	2	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	1	-	-	1	-	-	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	25	26	35	36	23	38	33	16	7	5	-	-
Male.....	22	17	25	30	11	24	20	9	3	3	-	-
Female.....	3	9	10	6	12	14	13	7	4	2	-	-
White, both sexes.....	22	22	32	34	20	35	30	15	7	4	-	-
Male.....	20	15	23	29	10	23	18	8	3	2	-	-
Female.....	2	7	9	5	10	12	12	7	4	2	-	-
Black, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	2	2	1	2	1	2	-	-	-	-	-
Male.....	2	-	1	-	1	1	1	-	-	-	-	-
Female.....	1	2	1	1	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	-	2	1	1	-	1	-	-
Male.....	-	1	1	1	-	-	1	1	-	1	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

Arkansas

All races, both sexes.....	11	8	17	22	21	24	20	10	3	-	-	-
Male.....	7	5	10	12	14	10	11	4	1	-	-	-
Female.....	4	3	7	10	7	14	9	6	2	-	-	-
White, both sexes.....	9	7	13	20	17	24	20	9	2	-	-	-
Male.....	6	4	8	11	12	10	11	4	-	-	-	-
Female.....	3	3	5	9	5	14	9	5	2	-	-	-
Black, both sexes.....	1	1	4	1	4	-	-	1	1	-	-	-
Male.....	-	1	2	1	2	-	-	-	1	-	-	-
Female.....	1	-	2	-	2	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

California

All races, both sexes.....	180	198	220	228	285	264	232	125	52	9	1	-
Male.....	140	152	165	145	183	159	112	53	26	4	-	-
Female.....	40	46	55	83	102	105	120	72	26	5	1	-
White, both sexes.....	131	149	153	150	176	184	175	97	42	5	1	-
Male.....	105	111	117	92	122	112	89	41	20	3	-	-
Female.....	26	38	36	58	54	72	86	56	22	2	1	-
Black, both sexes.....	18	20	18	15	24	10	16	6	3	1	-	-
Male.....	14	14	12	6	17	8	7	2	2	1	-	-
Female.....	4	6	6	9	7	2	9	4	1	-	-	-
American Indian 1/, both sexes.....	4	2	4	1	3	-	-	1	-	-	-	-
Male.....	3	2	3	1	3	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	27	45	62	82	70	41	21	7	3	-	-
Male.....	18	25	33	46	41	39	16	10	4	-	-	-
Female.....	9	2	12	16	41	31	25	11	3	3	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of liver and intrahepatic bile ducts (C22)

Illinois

All races, both sexes.....	58	48	52	71	82	92	87	58	18	7	-	-
Male.....	46	34	39	48	56	59	45	26	10	1	-	-
Female.....	12	14	13	23	26	33	42	32	8	6	-	-
White, both sexes.....	40	36	41	55	65	80	71	53	16	4	-	-
Male.....	30	24	32	38	46	51	37	26	8	1	-	-
Female.....	10	12	9	17	19	29	34	27	8	3	-	-
Black, both sexes.....	15	7	5	12	14	10	8	5	1	3	-	-
Male.....	13	6	3	8	9	6	5	-	1	-	-	-
Female.....	2	1	2	4	5	4	3	5	-	3	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	4	6	4	3	2	8	-	1	-	-	-
Male.....	3	3	4	2	1	2	3	-	1	-	-	-
Female.....	-	1	2	2	2	-	5	-	-	-	-	-

Indiana

All races, both sexes.....	34	23	27	32	40	34	37	15	7	1	1	-
Male.....	23	14	15	19	19	24	19	10	3	-	-	-
Female.....	11	9	12	13	21	10	18	5	4	1	1	-
White, both sexes.....	28	19	19	30	36	30	35	15	5	1	-	-
Male.....	19	11	11	17	17	23	18	10	2	-	-	-
Female.....	9	8	8	13	19	7	17	5	3	1	-	-
Black, both sexes.....	6	4	8	2	4	3	1	-	2	-	1	-
Male.....	4	3	4	2	2	1	-	-	1	-	-	-
Female.....	2	1	4	-	2	2	1	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

Maine

All races, both sexes.....	2	5	1	7	10	10	4	2	1	1	-	-
Male.....	2	5	-	7	6	6	2	1	-	-	-	-
Female.....	-	-	1	-	4	4	2	1	1	1	-	-
White, both sexes.....	2	5	1	7	10	10	4	2	1	1	-	-
Male.....	2	5	-	7	6	6	2	1	-	-	-	-
Female.....	-	-	1	-	4	4	2	1	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	39	26	23	36	23	46	12	21	10	1	-	-
Male.....	29	21	14	25	14	30	6	11	7	1	-	-
Female.....	10	5	9	11	9	16	6	10	3	-	-	-
White, both sexes.....	15	13	11	24	13	29	10	15	8	1	-	-
Male.....	11	13	6	20	7	19	5	7	5	1	-	-
Female.....	4	-	5	4	6	10	5	8	3	-	-	-
Black, both sexes.....	21	11	10	8	9	12	2	5	-	-	-	-
Male.....	16	7	8	5	6	7	1	3	-	-	-	-
Female.....	5	4	2	3	3	5	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	1	4	1	5	-	1	2	-	-	-
Male.....	2	1	-	-	1	4	-	1	2	-	-	-
Female.....	1	-	1	4	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

Massachusetts

All races, both sexes.....	25	21	40	39	45	53	42	21	8	2	-	-
Male.....	21	13	30	25	32	32	23	13	2	1	-	-
Female.....	4	8	10	14	13	21	19	8	6	1	-	-
White, both sexes.....	21	20	33	34	37	44	37	19	7	2	-	-
Male.....	17	13	24	22	26	27	22	12	2	1	-	-
Female.....	4	7	9	12	11	17	15	7	5	1	-	-
Black, both sexes.....	2	-	3	1	6	4	3	2	-	-	-	-
Male.....	2	-	3	-	4	3	1	1	-	-	-	-
Female.....	-	-	-	1	2	1	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	4	4	2	5	2	-	1	-	-	-
Male.....	2	-	3	3	2	2	-	-	-	-	-	-
Female.....	-	1	1	1	-	3	2	-	1	-	-	-

Michigan

All races, both sexes.....	57	51	41	44	72	67	59	45	6	4	-	-
Male.....	48	32	25	27	50	39	35	22	3	3	-	-
Female.....	9	19	16	17	22	28	24	23	3	1	-	-
White, both sexes.....	31	35	33	37	59	60	51	40	5	3	-	-
Male.....	24	22	22	23	40	34	31	19	2	2	-	-
Female.....	7	13	11	14	19	26	20	21	3	1	-	-
Black, both sexes.....	23	14	6	4	12	7	3	4	1	1	-	-
Male.....	21	8	3	3	10	5	1	2	1	1	-	-
Female.....	2	6	3	1	2	2	2	2	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	3	1	-	4	1	-	-	-	-
Male.....	1	2	-	1	-	-	3	1	-	-	-	-
Female.....	-	-	2	2	1	-	1	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

Nebraska

All races, both sexes.....	4	6	4	8	10	11	9	2	4	1	-	-
Male.....	4	5	3	6	7	6	7	-	2	-	-	-
Female.....	-	1	1	2	3	5	2	2	2	1	-	-
White, both sexes.....	3	2	4	7	10	11	8	2	4	1	-	-
Male.....	3	1	3	6	7	6	6	-	2	-	-	-
Female.....	-	1	1	1	3	5	2	2	2	1	-	-
Black, both sexes.....	1	2	-	1	-	-	1	-	-	-	-	-
Male.....	1	2	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	8	8	14	17	17	15	11	6	-	-	-	-
Male.....	8	5	11	14	11	12	9	3	-	-	-	-
Female.....	-	3	3	3	6	3	2	3	-	-	-	-
White, both sexes.....	6	8	11	15	14	14	11	5	-	-	-	-
Male.....	6	5	9	13	10	11	9	3	-	-	-	-
Female.....	-	3	2	2	4	3	2	2	-	-	-	-
Black, both sexes.....	1	-	2	-	1	1	-	-	-	-	-	-
Male.....	1	-	2	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	2	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of liver and intrahepatic bile ducts (C22)

New Hampshire

All races, both sexes.....	2	6	4	7	6	10	6	3	4	-	-	-
Male.....	2	5	2	3	4	9	2	1	2	-	-	-
Female.....	-	1	2	4	2	1	4	2	2	-	-	-
White, both sexes.....	2	6	3	7	5	10	5	3	4	-	-	-
Male.....	2	5	2	3	3	9	2	1	2	-	-	-
Female.....	-	1	1	4	2	1	3	2	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-

New Jersey

All races, both sexes.....	32	33	37	42	78	72	62	51	13	4	1	-
Male.....	25	27	28	28	56	47	33	24	4	1	-	-
Female.....	7	6	9	14	22	25	29	27	9	3	1	-
White, both sexes.....	22	23	24	33	66	67	57	45	10	4	1	-
Male.....	17	18	17	20	46	43	31	20	3	1	-	-
Female.....	5	5	7	13	20	24	26	25	7	3	1	-
Black, both sexes.....	8	6	7	7	8	5	3	6	1	-	-	-
Male.....	6	6	5	7	7	4	1	4	1	-	-	-
Female.....	2	-	2	-	1	1	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	6	2	4	-	2	-	2	-	-	-
Male.....	2	3	6	1	3	-	1	-	-	-	-	-
Female.....	-	1	-	1	1	-	1	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

New Mexico

All races, both sexes.....	18	14	9	14	14	10	12	6	1	1	1	-
Male.....	16	10	6	6	8	4	6	2	-	-	-	-
Female.....	2	4	3	8	6	6	6	4	1	1	1	-
White, both sexes.....	15	13	8	13	14	9	12	6	1	1	-	-
Male.....	13	9	6	5	8	3	6	2	-	-	-	-
Female.....	2	4	2	8	6	6	6	4	1	1	-	-
Black, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	1	-	-	-	-	-	-	1	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	82	88	95	110	127	157	105	75	19	13	2	-
Male.....	69	67	70	68	76	90	64	38	3	2	-	-
Female.....	13	21	25	42	51	67	41	37	16	11	2	-
White, both sexes.....	51	62	63	87	106	134	88	63	18	11	2	-
Male.....	41	48	48	54	62	78	54	33	3	1	-	-
Female.....	10	14	15	33	44	56	34	30	15	10	2	-
Black, both sexes.....	23	17	24	14	12	11	11	10	1	2	-	-
Male.....	20	14	17	9	8	5	6	4	-	1	-	-
Female.....	3	3	7	5	4	6	5	6	1	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	9	8	9	9	11	6	2	-	-	-	-
Male.....	7	5	5	5	6	6	4	1	-	-	-	-
Female.....	-	4	3	4	3	5	2	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

Ohio

All races, both sexes.....	43	42	47	64	60	94	57	43	18	5	-	-
Male.....	35	32	31	42	42	55	31	22	5	4	-	-
Female.....	8	10	16	22	18	39	26	21	13	1	-	-
White, both sexes.....	31	36	30	52	54	85	53	40	17	4	-	-
Male.....	23	28	18	33	39	49	29	19	5	3	-	-
Female.....	8	8	12	19	15	36	24	21	12	1	-	-
Black, both sexes.....	11	5	17	8	5	8	3	3	1	1	-	-
Male.....	11	3	13	7	3	5	1	3	-	1	-	-
Female.....	-	2	4	1	2	3	2	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	4	1	1	1	-	-	-	-	-
Male.....	1	1	-	2	-	1	1	-	-	-	-	-
Female.....	-	-	-	2	1	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	18	9	16	21	20	18	24	13	5	1	-	-
Male.....	11	5	11	14	12	12	14	8	2	1	-	-
Female.....	7	4	5	7	8	6	10	5	3	-	-	-
White, both sexes.....	14	7	12	19	16	16	23	12	5	1	-	-
Male.....	8	5	8	12	10	11	13	8	2	1	-	-
Female.....	6	2	4	7	6	5	10	4	3	-	-	-
Black, both sexes.....	1	1	1	-	-	1	1	1	-	-	-	-
Male.....	1	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	3	1	2	2	3	-	-	-	-	-	-	-
Male.....	2	-	2	2	2	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of liver and intrahepatic bile ducts (C22)

Oregon

All races, both sexes.....	24	19	22	14	23	20	18	6	5	-	-	-
Male.....	20	14	17	8	10	11	12	5	3	-	-	-
Female.....	4	5	5	6	13	9	6	1	2	-	-	-
White, both sexes.....	23	14	19	10	19	20	17	5	5	-	-	-
Male.....	19	9	14	5	8	11	12	4	3	-	-	-
Female.....	4	5	5	5	11	9	5	1	2	-	-	-
Black, both sexes.....	1	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	1	-	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	2	4	2	-	1	-	-	-	-	-
Male.....	-	4	2	3	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	-	-	-	-	-

Pennsylvania

All races, both sexes.....	54	63	67	84	106	118	99	53	23	5	-	-
Male.....	47	48	43	57	72	71	48	28	7	-	-	-
Female.....	7	15	24	27	34	47	51	25	16	5	-	-
White, both sexes.....	34	47	53	70	93	106	92	49	21	5	-	-
Male.....	31	37	35	52	62	63	46	25	6	-	-	-
Female.....	3	10	18	18	31	43	46	24	15	5	-	-
Black, both sexes.....	18	16	14	10	11	10	6	2	1	-	-	-
Male.....	14	11	8	3	10	6	1	2	-	-	-	-
Female.....	4	5	6	7	1	4	5	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	4	2	2	1	2	1	-	-	-
Male.....	2	-	-	2	-	2	1	1	1	-	-	-
Female.....	-	-	-	2	2	-	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

South Dakota

All races, both sexes.....	3	2	1	6	9	5	1	3	-	-	-	-
Male.....	3	2	1	2	5	5	1	-	-	-	-	-
Female.....	-	-	-	4	4	-	-	3	-	-	-	-
White, both sexes.....	3	1	1	6	9	5	1	3	-	-	-	-
Male.....	3	1	1	2	5	5	1	-	-	-	-	-
Female.....	-	-	-	4	4	-	-	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	35	37	33	35	39	24	34	23	7	4	-	-
Male.....	27	28	19	21	23	13	16	8	4	1	-	-
Female.....	8	9	14	14	16	11	18	15	3	3	-	-
White, both sexes.....	25	34	26	27	35	23	30	18	6	1	-	-
Male.....	19	27	15	18	20	13	14	7	3	-	-	-
Female.....	6	7	11	9	15	10	16	11	3	1	-	-
Black, both sexes.....	7	2	5	7	3	1	4	5	1	3	-	-
Male.....	7	1	3	3	3	-	2	1	1	1	-	-
Female.....	-	1	2	4	-	1	2	4	-	2	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	2	1	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	1	1	-	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

Vermont

All races, both sexes.....	2	2	2	1	7	6	2	1	1	-	-	-
Male.....	1	2	2	1	6	3	2	-	-	-	-	-
Female.....	1	-	-	-	1	3	-	1	1	-	-	-
White, both sexes.....	2	2	2	1	7	6	2	1	1	-	-	-
Male.....	1	2	2	1	6	3	2	-	-	-	-	-
Female.....	1	-	-	-	1	3	-	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	36	45	28	32	48	36	34	16	8	2	1	-
Male.....	32	36	21	24	23	21	18	5	5	1	1	-
Female.....	4	9	7	8	25	15	16	11	3	1	-	-
White, both sexes.....	28	23	21	18	37	31	26	11	5	1	-	-
Male.....	24	17	15	14	20	18	13	4	3	-	-	-
Female.....	4	6	6	4	17	13	13	7	2	1	-	-
Black, both sexes.....	7	16	4	9	6	4	5	4	3	1	1	-
Male.....	7	14	4	5	1	2	2	1	2	1	1	-
Female.....	-	2	-	4	5	2	3	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	6	3	5	5	1	3	1	-	-	-	-
Male.....	1	5	2	5	2	1	3	-	-	-	-	-
Female.....	-	1	1	-	3	-	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of liver and intrahepatic bile ducts (C22)

Wisconsin

All races, both sexes.....	25	26	20	29	39	38	33	23	10	3	-	-
Male.....	23	19	16	20	26	22	19	11	1	2	-	-
Female.....	2	7	4	9	13	16	14	12	9	1	-	-
White, both sexes.....	21	23	19	27	31	38	32	23	10	3	-	-
Male.....	20	16	15	18	24	22	18	11	1	2	-	-
Female.....	1	7	4	9	7	16	14	12	9	1	-	-
Black, both sexes.....	2	3	-	1	4	-	1	-	-	-	-	-
Male.....	1	3	-	1	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	3	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	4	-	-	-	-	-	-	-
Male.....	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	3	-	-	-	-	-	-	-

Wyoming

All races, both sexes.....	6	2	2	3	3	3	-	3	-	-	-	-
Male.....	4	2	2	2	1	3	-	1	-	-	-	-
Female.....	2	-	-	1	2	-	-	2	-	-	-	-
White, both sexes.....	6	2	2	2	3	1	-	2	-	-	-	-
Male.....	4	2	2	1	1	1	-	1	-	-	-	-
Female.....	2	-	-	1	2	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Liver (C22.0,C22.2-C22.9)

Arkansas

All races, both sexes.....	132	-	-	-	-	-	-	-	-	-	1	8
Male.....	78	-	-	-	-	-	-	-	-	-	1	7
Female.....	54	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	115	-	-	-	-	-	-	-	-	-	1	6
Male.....	68	-	-	-	-	-	-	-	-	-	1	5
Female.....	47	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	15	-	-	-	-	-	-	-	-	-	-	2
Male.....	9	-	-	-	-	-	-	-	-	-	-	2
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,611	1	6	-	2	1	2	5	7	10	40	107
Male.....	1,092	1	5	-	-	1	-	5	6	9	32	91
Female.....	519	-	1	-	2	-	2	-	1	1	8	16
White, both sexes.....	1,077	1	4	-	-	-	-	-	1	4	26	61
Male.....	741	1	4	-	-	-	-	-	1	3	20	53
Female.....	336	-	-	-	-	-	-	-	-	1	6	8
Black, both sexes.....	130	-	1	-	-	-	-	-	3	-	6	12
Male.....	87	-	-	-	-	-	-	-	2	-	4	10
Female.....	43	-	1	-	-	-	-	-	1	-	2	2
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	-	1	-	1
Male.....	10	-	-	-	-	-	-	-	-	1	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	392	-	1	-	2	1	2	5	3	5	8	33
Male.....	254	-	1	-	-	1	-	5	3	5	8	27
Female.....	138	-	-	-	2	-	2	-	-	-	-	6

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Liver (C22.0,C22.2-C22.9)

Massachusetts

All races, both sexes.....	242	-	-	-	-	-	-	1	3	-	4	12
Male.....	176	-	-	-	-	-	-	-	3	-	4	12
Female.....	66	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	195	-	-	-	-	-	-	1	-	-	1	6
Male.....	141	-	-	-	-	-	-	-	-	-	1	6
Female.....	54	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	24	-	-	-	-	-	-	-	2	-	2	2
Male.....	19	-	-	-	-	-	-	-	2	-	2	2
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	-	-	-	-	-	-	-	1	-	1	4
Male.....	16	-	-	-	-	-	-	-	1	-	1	4
Female.....	7	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	392	-	-	-	1	-	1	-	3	3	2	32
Male.....	267	-	-	-	1	-	1	-	2	2	2	26
Female.....	125	-	-	-	-	-	-	-	1	1	-	6
White, both sexes.....	294	-	-	-	1	-	1	-	1	2	2	21
Male.....	198	-	-	-	1	-	1	-	1	1	2	18
Female.....	96	-	-	-	-	-	-	-	-	1	-	3
Black, both sexes.....	80	-	-	-	-	-	-	-	-	1	-	9
Male.....	58	-	-	-	-	-	-	-	-	1	-	6
Female.....	22	-	-	-	-	-	-	-	-	-	-	3
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	2
Male.....	5	-	-	-	-	-	-	-	1	-	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	-	-	-	1	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	1	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Liver (C22.0,C22.2-C22.9)												
New Hampshire												
All races, both sexes.....	30	-	-	-	-	-	-	-	-	-	1	3
Male.....	22	-	-	-	-	-	-	-	-	-	1	3
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	29	-	-	-	-	-	-	-	-	-	1	3
Male.....	22	-	-	-	-	-	-	-	-	-	1	3
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	354	1	-	-	-	-	2	2	1	2	7	18
Male.....	247	-	-	-	-	-	1	-	1	2	4	16
Female.....	107	1	-	-	-	-	1	2	-	-	3	2
White, both sexes.....	281	1	-	-	-	-	-	2	-	-	5	15
Male.....	189	-	-	-	-	-	-	-	-	-	4	14
Female.....	92	1	-	-	-	-	-	2	-	-	1	1
Black, both sexes.....	53	-	-	-	-	-	1	-	-	2	2	3
Male.....	43	-	-	-	-	-	1	-	-	2	-	2
Female.....	10	-	-	-	-	-	-	-	-	-	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	-	1	-	1	-	-	-
Male.....	15	-	-	-	-	-	-	-	1	-	-	-
Female.....	5	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Liver (C22.0,C22.2-C22.9)

New Mexico

All races, both sexes.....	92	-	2	-	-	-	-	-	-	2	-	10
Male.....	61	-	2	-	-	-	-	-	-	2	-	9
Female.....	31	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	86	-	1	-	-	-	-	-	-	2	-	9
Male.....	56	-	1	-	-	-	-	-	-	2	-	8
Female.....	30	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	765	1	-	-	-	-	1	2	6	8	13	47
Male.....	528	-	-	-	-	-	1	1	4	5	12	42
Female.....	237	1	-	-	-	-	-	1	2	3	1	5
White, both sexes.....	557	1	-	-	-	-	1	1	1	2	5	20
Male.....	373	-	-	-	-	-	1	-	1	1	5	18
Female.....	184	1	-	-	-	-	-	1	-	1	-	2
Black, both sexes.....	137	-	-	-	-	-	-	1	3	4	2	18
Male.....	100	-	-	-	-	-	-	1	2	2	2	15
Female.....	37	-	-	-	-	-	-	-	1	2	-	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	69	-	-	-	-	-	-	-	2	2	6	9
Male.....	53	-	-	-	-	-	-	-	1	2	5	9
Female.....	16	-	-	-	-	-	-	-	1	-	1	-





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Liver (C22.0,C22.2-C22.9)

Alaska

All races, both sexes.....	4	3	2	1	2	5	1	2	-	1	-	-
Male.....	3	2	2	1	1	4	1	1	-	1	-	-
Female.....	1	1	-	-	1	1	-	1	-	-	-	-
White, both sexes.....	3	1	2	-	2	2	-	1	-	1	-	-
Male.....	2	1	2	-	1	2	-	-	-	1	-	-
Female.....	1	-	-	-	1	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	3	-	1	-	-	-	-
Male.....	1	-	-	-	-	2	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	1	-	-	1	-	-	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	24	21	30	32	20	31	23	13	6	5	-	-
Male.....	22	12	22	27	9	21	15	7	3	3	-	-
Female.....	2	9	8	5	11	10	8	6	3	2	-	-
White, both sexes.....	22	17	27	30	18	30	20	12	6	4	-	-
Male.....	20	10	20	26	8	21	13	6	3	2	-	-
Female.....	2	7	7	4	10	9	7	6	3	2	-	-
Black, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	2	2	1	1	-	2	-	-	-	-	-
Male.....	2	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	2	1	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	-	1	1	1	-	1	-	-
Male.....	-	1	1	1	-	-	1	1	-	1	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Liver (C22.0,C22.2-C22.9)

Arkansas

All races, both sexes.....	9	8	16	19	20	21	18	9	3	-	-	-
Male.....	6	5	10	10	14	10	10	4	1	-	-	-
Female.....	3	3	6	9	6	11	8	5	2	-	-	-
White, both sexes.....	7	7	12	17	16	21	18	8	2	-	-	-
Male.....	5	4	8	9	12	10	10	4	-	-	-	-
Female.....	2	3	4	8	4	11	8	4	2	-	-	-
Black, both sexes.....	1	1	4	1	4	-	-	1	1	-	-	-
Male.....	-	1	2	1	2	-	-	-	1	-	-	-
Female.....	1	-	2	-	2	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

California

All races, both sexes.....	154	168	178	184	225	204	182	96	32	6	1	-
Male.....	126	137	137	121	141	128	93	37	18	4	-	-
Female.....	28	31	41	63	84	76	89	59	14	2	1	-
White, both sexes.....	113	122	121	120	132	135	137	71	25	3	1	-
Male.....	95	98	97	75	90	88	74	26	13	3	-	-
Female.....	18	24	24	45	42	47	63	45	12	-	1	-
Black, both sexes.....	13	18	16	12	20	8	13	5	2	1	-	-
Male.....	11	13	11	5	14	7	5	2	2	1	-	-
Female.....	2	5	5	7	6	1	8	3	-	-	-	-
American Indian 1/, both sexes.....	4	2	2	1	1	-	-	-	-	-	-	-
Male.....	3	2	1	1	1	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	26	39	51	72	61	32	20	5	2	-	-
Male.....	17	24	28	40	36	33	14	9	3	-	-	-
Female.....	7	2	11	11	36	28	18	11	2	2	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Liver (C22.0,C22.2-C22.9)

Massachusetts

All races, both sexes.....	22	16	28	29	37	37	33	14	4	2	-	-
Male.....	20	11	26	20	26	24	21	7	1	1	-	-
Female.....	2	5	2	9	11	13	12	7	3	1	-	-
White, both sexes.....	18	16	22	25	30	30	29	12	3	2	-	-
Male.....	16	11	21	18	21	19	20	6	1	1	-	-
Female.....	2	5	1	7	9	11	9	6	2	1	-	-
Black, both sexes.....	2	-	3	1	5	3	2	2	-	-	-	-
Male.....	2	-	3	-	3	3	1	1	-	-	-	-
Female.....	-	-	-	1	2	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	3	3	2	4	2	-	1	-	-	-
Male.....	2	-	2	2	2	2	-	-	-	-	-	-
Female.....	-	-	1	1	-	2	2	-	1	-	-	-

Michigan

All races, both sexes.....	49	39	29	37	60	50	46	32	5	3	-	-
Male.....	43	23	16	23	45	34	29	15	3	2	-	-
Female.....	6	16	13	14	15	16	17	17	2	1	-	-
White, both sexes.....	25	24	21	30	48	44	40	28	4	2	-	-
Male.....	21	14	13	19	36	29	26	13	2	1	-	-
Female.....	4	10	8	11	12	15	14	15	2	1	-	-
Black, both sexes.....	21	13	6	4	11	6	3	4	1	1	-	-
Male.....	19	7	3	3	9	5	1	2	1	1	-	-
Female.....	2	6	3	1	2	1	2	2	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	3	1	-	3	-	-	-	-	-
Male.....	1	2	-	1	-	-	2	-	-	-	-	-
Female.....	-	-	2	2	1	-	1	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Liver (C22.0,C22.2-C22.9)

Nebraska

All races, both sexes.....	3	6	2	7	9	8	7	1	2	1	-	-
Male.....	3	5	1	5	6	5	5	-	1	-	-	-
Female.....	-	1	1	2	3	3	2	1	1	1	-	-
White, both sexes.....	2	2	2	6	9	8	7	1	2	1	-	-
Male.....	2	1	1	5	6	5	5	-	1	-	-	-
Female.....	-	1	1	1	3	3	2	1	1	1	-	-
Black, both sexes.....	1	2	-	1	-	-	-	-	-	-	-	-
Male.....	1	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	8	5	11	14	13	11	8	6	-	-	-	-
Male.....	8	4	8	12	8	10	6	3	-	-	-	-
Female.....	-	1	3	2	5	1	2	3	-	-	-	-
White, both sexes.....	6	5	9	13	11	10	8	5	-	-	-	-
Male.....	6	4	7	11	8	9	6	3	-	-	-	-
Female.....	-	1	2	2	3	1	2	2	-	-	-	-
Black, both sexes.....	1	-	1	-	-	1	-	-	-	-	-	-
Male.....	1	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	2	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Liver (C22.0,C22.2-C22.9)

New Hampshire

All races, both sexes.....	1	2	2	2	4	5	4	2	4	-	-	-
Male.....	1	1	2	2	2	5	2	1	2	-	-	-
Female.....	-	1	-	-	2	-	2	1	2	-	-	-
White, both sexes.....	1	2	2	2	4	5	3	2	4	-	-	-
Male.....	1	1	2	2	2	5	2	1	2	-	-	-
Female.....	-	1	-	-	2	-	1	1	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

New Jersey

All races, both sexes.....	27	24	29	31	61	55	42	36	12	3	1	-
Male.....	24	22	23	22	48	36	25	19	4	-	-	-
Female.....	3	2	6	9	13	19	17	17	8	3	1	-
White, both sexes.....	19	16	18	24	50	50	38	30	9	3	1	-
Male.....	16	14	13	16	39	32	23	15	3	-	-	-
Female.....	3	2	5	8	11	18	15	15	6	3	1	-
Black, both sexes.....	6	6	6	5	7	5	3	6	1	-	-	-
Male.....	6	6	5	5	6	4	1	4	1	-	-	-
Female.....	-	-	1	-	1	1	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	5	2	4	-	1	-	2	-	-	-
Male.....	2	2	5	1	3	-	1	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Liver (C22.0,C22.2-C22.9)

New Mexico

All races, both sexes.....	16	9	7	12	10	8	10	5	-	-	1	-
Male.....	15	8	6	4	5	4	5	1	-	-	-	-
Female.....	1	1	1	8	5	4	5	4	-	-	1	-
White, both sexes.....	14	9	7	12	10	7	10	5	-	-	-	-
Male.....	13	8	6	4	5	3	5	1	-	-	-	-
Female.....	1	1	1	8	5	4	5	4	-	-	-	-
Black, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	75	73	79	88	98	119	77	55	15	7	1	-
Male.....	68	60	63	56	64	72	48	29	2	1	-	-
Female.....	7	13	16	32	34	47	29	26	13	6	1	-
White, both sexes.....	44	53	52	70	79	98	63	46	14	6	1	-
Male.....	40	43	42	45	51	61	39	24	2	-	-	-
Female.....	4	10	10	25	28	37	24	22	12	6	1	-
Black, both sexes.....	23	15	21	12	11	9	9	7	1	1	-	-
Male.....	20	13	16	7	8	4	5	4	-	1	-	-
Female.....	3	2	5	5	3	5	4	3	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	5	6	6	8	11	5	2	-	-	-	-
Male.....	7	4	5	4	5	6	4	1	-	-	-	-
Female.....	-	1	1	2	3	5	1	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Liver (C22.0,C22.2-C22.9)

Ohio

All races, both sexes.....	36	22	32	45	40	71	44	27	13	5	-	-
Male.....	31	18	26	33	30	43	23	15	4	4	-	-
Female.....	5	4	6	12	10	28	21	12	9	1	-	-
White, both sexes.....	24	20	17	34	35	64	40	25	13	4	-	-
Male.....	19	17	14	24	28	39	21	13	4	3	-	-
Female.....	5	3	3	10	7	25	19	12	9	1	-	-
Black, both sexes.....	11	2	15	8	4	6	3	2	-	1	-	-
Male.....	11	1	12	7	2	3	1	2	-	1	-	-
Female.....	-	1	3	1	2	3	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	3	1	1	1	-	-	-	-	-
Male.....	1	-	-	2	-	1	1	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	16	7	12	17	18	15	19	10	4	1	-	-
Male.....	11	4	9	11	11	11	12	5	2	1	-	-
Female.....	5	3	3	6	7	4	7	5	2	-	-	-
White, both sexes.....	12	5	8	15	15	13	18	9	4	1	-	-
Male.....	8	4	6	9	10	10	11	5	2	1	-	-
Female.....	4	1	2	6	5	3	7	4	2	-	-	-
Black, both sexes.....	1	1	1	-	-	1	1	1	-	-	-	-
Male.....	1	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	3	1	2	2	2	-	-	-	-	-	-	-
Male.....	2	-	2	2	1	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Liver (C22.0,C22.2-C22.9)

Oregon

All races, both sexes.....	19	16	13	11	18	11	9	5	5	-	-	-
Male.....	15	13	11	6	9	4	6	4	3	-	-	-
Female.....	4	3	2	5	9	7	3	1	2	-	-	-
White, both sexes.....	18	11	11	7	14	11	8	4	5	-	-	-
Male.....	14	8	9	3	7	4	6	3	3	-	-	-
Female.....	4	3	2	4	7	7	2	1	2	-	-	-
Black, both sexes.....	1	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	2	4	2	-	1	-	-	-	-	-
Male.....	-	4	2	3	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	-	-	-	-	-

Pennsylvania

All races, both sexes.....	48	47	50	63	82	83	67	37	15	4	-	-
Male.....	42	36	38	45	58	55	36	22	4	-	-	-
Female.....	6	11	12	18	24	28	31	15	11	4	-	-
White, both sexes.....	30	33	38	52	70	74	61	35	13	4	-	-
Male.....	27	27	30	42	49	49	34	21	3	-	-	-
Female.....	3	6	8	10	21	25	27	14	10	4	-	-
Black, both sexes.....	16	14	12	8	10	8	5	1	1	-	-	-
Male.....	13	9	8	2	9	5	1	1	-	-	-	-
Female.....	3	5	4	6	1	3	4	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	3	2	1	1	1	1	-	-	-
Male.....	2	-	-	1	-	1	1	-	1	-	-	-
Female.....	-	-	-	2	2	-	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Liver (C22.0,C22.2-C22.9)

South Dakota

All races, both sexes.....	2	2	-	5	4	4	-	1	-	-	-	-
Male.....	2	2	-	1	3	4	-	-	-	-	-	-
Female.....	-	-	-	4	1	-	-	1	-	-	-	-
White, both sexes.....	2	1	-	5	4	4	-	1	-	-	-	-
Male.....	2	1	-	1	3	4	-	-	-	-	-	-
Female.....	-	-	-	4	1	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	32	26	23	24	33	19	27	18	4	4	-	-
Male.....	27	20	16	14	20	10	13	6	2	1	-	-
Female.....	5	6	7	10	13	9	14	12	2	3	-	-
White, both sexes.....	22	23	18	18	29	18	23	13	3	1	-	-
Male.....	19	19	12	12	17	10	11	5	1	-	-	-
Female.....	3	4	6	6	12	8	12	8	2	1	-	-
Black, both sexes.....	7	2	3	5	3	1	4	5	1	3	-	-
Male.....	7	1	3	2	3	-	2	1	1	1	-	-
Female.....	-	1	-	3	-	1	2	4	-	2	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	2	1	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	1	1	-	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Liver (C22.0,C22.2-C22.9)

Vermont

All races, both sexes.....	1	2	1	1	5	3	-	-	1	-	-	-
Male.....	1	2	1	1	4	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	2	-	-	1	-	-	-
White, both sexes.....	1	2	1	1	5	3	-	-	1	-	-	-
Male.....	1	2	1	1	4	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	2	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	30	35	20	27	36	29	23	11	6	1	-	-
Male.....	29	28	16	22	18	18	15	3	4	-	-	-
Female.....	1	7	4	5	18	11	8	8	2	1	-	-
White, both sexes.....	23	14	13	15	26	25	15	9	3	1	-	-
Male.....	22	10	10	12	15	15	10	3	2	-	-	-
Female.....	1	4	3	3	11	10	5	6	1	1	-	-
Black, both sexes.....	6	15	4	7	6	3	5	1	3	-	-	-
Male.....	6	13	4	5	1	2	2	-	2	-	-	-
Female.....	-	2	-	2	5	1	3	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	6	3	5	4	1	3	1	-	-	-	-
Male.....	1	5	2	5	2	1	3	-	-	-	-	-
Female.....	-	1	1	-	2	-	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Liver (C22.0,C22.2-C22.9)

Wisconsin

All races, both sexes.....	21	19	15	23	29	29	18	17	5	3	-	-
Male.....	19	16	11	17	19	18	13	10	-	2	-	-
Female.....	2	3	4	6	10	11	5	7	5	1	-	-
White, both sexes.....	17	17	14	21	24	29	17	17	5	3	-	-
Male.....	16	14	10	15	18	18	12	10	-	2	-	-
Female.....	1	3	4	6	6	11	5	7	5	1	-	-
Black, both sexes.....	2	2	-	1	2	-	1	-	-	-	-	-
Male.....	1	2	-	1	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	3	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	3	-	-	-	-	-	-	-

Wyoming

All races, both sexes.....	4	2	2	2	1	2	-	3	-	-	-	-
Male.....	4	2	2	1	1	2	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	2	-	-	-	-
White, both sexes.....	4	2	2	2	1	-	-	2	-	-	-	-
Male.....	4	2	2	1	1	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-







































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intrahepatic bile duct carcinoma (C22.1)

Oregon

All races, both sexes.....	45	-	-	-	-	-	-	-	-	-	-	1
Male.....	30	-	-	-	-	-	-	-	-	-	-	1
Female.....	15	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	44	-	-	-	-	-	-	-	-	-	-	1
Male.....	29	-	-	-	-	-	-	-	-	-	-	1
Female.....	15	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	193	-	-	-	-	-	-	-	4	1	3	9
Male.....	94	-	-	-	-	-	-	-	3	-	2	4
Female.....	99	-	-	-	-	-	-	-	1	1	1	5
White, both sexes.....	174	-	-	-	-	-	-	-	3	-	3	8
Male.....	84	-	-	-	-	-	-	-	3	-	2	4
Female.....	90	-	-	-	-	-	-	-	-	-	1	4
Black, both sexes.....	15	-	-	-	-	-	-	-	1	-	-	1
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Intrahepatic bile duct carcinoma (C22.1)

Alaska

All races, both sexes.....	-	-	1	1	2	-	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	-	-	-	-	-
White, both sexes.....	-	-	1	1	2	-	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	1	5	5	4	3	7	10	3	1	-	-	-
Male.....	-	5	3	3	2	3	5	2	-	-	-	-
Female.....	1	-	2	1	1	4	5	1	1	-	-	-
White, both sexes.....	-	5	5	4	2	5	10	3	1	-	-	-
Male.....	-	5	3	3	2	5	5	2	-	-	-	-
Female.....	-	-	2	1	-	3	5	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intrahepatic bile duct carcinoma (C22.1)												
Arkansas												
All races, both sexes.....	2	-	1	3	1	3	2	1	-	-	-	-
Male.....	1	-	-	2	-	-	1	-	-	-	-	-
Female.....	1	-	1	1	1	3	1	1	-	-	-	-
White, both sexes.....	2	-	1	3	1	3	2	1	-	-	-	-
Male.....	1	-	-	2	-	-	1	-	-	-	-	-
Female.....	1	-	1	1	1	3	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	26	30	42	44	60	60	50	29	20	3	-	-
Male.....	14	15	28	24	42	31	19	16	8	-	-	-
Female.....	12	15	14	20	18	29	31	13	12	3	-	-
White, both sexes.....	18	27	32	30	44	49	38	26	17	2	-	-
Male.....	10	13	20	17	32	24	15	15	7	-	-	-
Female.....	8	14	12	13	12	25	23	11	10	2	-	-
Black, both sexes.....	5	2	2	3	4	2	3	1	1	-	-	-
Male.....	3	1	1	1	3	1	2	-	-	-	-	-
Female.....	2	1	1	2	1	1	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	2	-	-	1	-	-	-	-
Male.....	-	-	2	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	6	11	10	9	9	1	2	1	-	-
Male.....	1	1	5	6	5	6	2	1	1	-	-	-
Female.....	2	-	1	5	5	3	7	-	1	1	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intrahepatic bile duct carcinoma (C22.1)

Illinois

All races, both sexes.....	11	9	12	18	17	25	23	19	1	-	-	-
Male.....	4	1	7	11	9	13	8	9	-	-	-	-
Female.....	7	8	5	7	8	12	15	10	1	-	-	-
White, both sexes.....	11	8	9	15	14	25	23	16	1	-	-	-
Male.....	4	1	6	9	8	13	8	9	-	-	-	-
Female.....	7	7	3	6	6	12	15	7	1	-	-	-
Black, both sexes.....	-	-	1	1	2	-	-	3	-	-	-	-
Male.....	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	2	1	1	-	-	-	-	-	-	-

Indiana

All races, both sexes.....	10	4	7	13	13	13	10	3	1	-	-	-
Male.....	4	3	2	6	6	10	3	1	-	-	-	-
Female.....	6	1	5	7	7	3	7	2	1	-	-	-
White, both sexes.....	10	4	4	12	11	12	10	3	1	-	-	-
Male.....	4	3	1	5	5	10	3	1	-	-	-	-
Female.....	6	1	3	7	6	2	7	2	1	-	-	-
Black, both sexes.....	-	-	3	1	2	-	-	-	-	-	-	-
Male.....	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	2	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intrahepatic bile duct carcinoma (C22.1)

Maine

All races, both sexes.....	-	1	1	4	2	-	1	1	-	-	-	-
Male.....	-	1	-	4	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	1	1	-	-	-	-
White, both sexes.....	-	1	1	4	2	-	1	1	-	-	-	-
Male.....	-	1	-	4	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	7	2	7	11	4	13	5	11	3	-	-	-
Male.....	3	1	2	6	3	6	2	5	2	-	-	-
Female.....	4	1	5	5	1	7	3	6	1	-	-	-
White, both sexes.....	4	-	3	8	2	11	3	9	3	-	-	-
Male.....	2	-	1	6	1	5	1	4	2	-	-	-
Female.....	2	-	2	2	1	6	2	5	1	-	-	-
Black, both sexes.....	3	2	2	3	2	1	2	2	-	-	-	-
Male.....	1	1	1	-	2	1	1	1	-	-	-	-
Female.....	2	1	1	3	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Intrahepatic bile duct carcinoma (C22.1)

New Hampshire

All races, both sexes.....	1	4	2	5	2	5	2	1	-	-	-	-
Male.....	1	4	-	1	2	4	-	-	-	-	-	-
Female.....	-	-	2	4	-	1	2	1	-	-	-	-
White, both sexes.....	1	4	1	5	1	5	2	1	-	-	-	-
Male.....	1	4	-	1	1	4	-	-	-	-	-	-
Female.....	-	-	1	4	-	1	2	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	5	9	8	11	17	17	20	15	1	1	-	-
Male.....	1	5	5	6	8	11	8	5	-	1	-	-
Female.....	4	4	3	5	9	6	12	10	1	-	-	-
White, both sexes.....	3	7	6	9	16	17	19	15	1	1	-	-
Male.....	1	4	4	4	7	11	8	5	-	1	-	-
Female.....	2	3	2	5	9	6	11	10	1	-	-	-
Black, both sexes.....	2	-	1	2	1	-	-	-	-	-	-	-
Male.....	-	-	-	2	1	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	-	-	-	1	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Intrahepatic bile duct carcinoma (C22.1)

New Mexico

All races, both sexes.....	2	5	2	2	4	2	2	1	1	1	-	-
Male.....	1	2	-	2	3	-	1	1	-	-	-	-
Female.....	1	3	2	-	1	2	1	-	1	1	-	-
White, both sexes.....	1	4	1	1	4	2	2	1	1	1	-	-
Male.....	-	1	-	1	3	-	1	1	-	-	-	-
Female.....	1	3	1	-	1	2	1	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	1	-	-	-	-	-	-	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	7	15	16	22	29	38	28	20	4	6	1	-
Male.....	1	7	7	12	12	18	16	9	1	1	-	-
Female.....	6	8	9	10	17	20	12	11	3	5	1	-
White, both sexes.....	7	9	11	17	27	36	25	17	4	5	1	-
Male.....	1	5	6	9	11	17	15	9	1	1	-	-
Female.....	6	4	5	8	16	19	10	8	3	4	1	-
Black, both sexes.....	-	2	3	2	1	2	2	3	-	1	-	-
Male.....	-	1	1	2	-	1	1	-	-	-	-	-
Female.....	-	1	2	-	1	1	1	3	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	2	3	1	-	1	-	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	3	2	2	-	-	1	-	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intrahepatic bile duct carcinoma (C22.1)

Vermont

All races, both sexes.....	1	-	1	-	2	3	2	1	-	-	-	-
Male.....	-	-	1	-	2	2	2	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	1	-	-	-	-
White, both sexes.....	1	-	1	-	2	3	2	1	-	-	-	-
Male.....	-	-	1	-	2	2	2	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	6	10	8	5	12	7	11	5	2	1	1	-
Male.....	3	8	5	2	5	3	3	2	1	1	1	-
Female.....	3	2	3	3	7	4	8	3	1	-	-	-
White, both sexes.....	5	9	8	3	11	6	11	2	2	-	-	-
Male.....	2	7	5	2	5	3	3	1	1	-	-	-
Female.....	3	2	3	1	6	3	8	1	1	-	-	-
Black, both sexes.....	1	1	-	2	-	1	-	3	-	1	1	-
Male.....	1	1	-	-	-	-	-	1	-	1	1	-
Female.....	-	-	-	2	-	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-





































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of gallbladder and extrahepatic bile ducts (C23-C24)

New Mexico

All races, both sexes.....	27	-	-	-	-	-	-	-	1	-	-	-
Male.....	12	-	-	-	-	-	-	-	1	-	-	-
Female.....	15	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	20	-	-	-	-	-	-	-	1	-	-	-
Male.....	9	-	-	-	-	-	-	-	1	-	-	-
Female.....	11	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	262	-	-	-	-	-	1	-	1	-	3	4
Male.....	96	-	-	-	-	-	1	-	-	-	3	2
Female.....	166	-	-	-	-	-	-	-	1	-	-	2
White, both sexes.....	223	-	-	-	-	-	1	-	-	-	2	1
Male.....	84	-	-	-	-	-	1	-	-	-	2	-
Female.....	139	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	34	-	-	-	-	-	-	-	-	-	1	3
Male.....	10	-	-	-	-	-	-	-	-	-	1	2
Female.....	24	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of gallbladder and extrahepatic bile ducts (C23-C24)

Alaska

All races, both sexes.....	-	2	-	-	1	1	-	-	-	-	-	-
Male.....	-	2	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	1	-	3	8	12	9	9	9	3	-	1	-
Male.....	-	-	1	6	8	4	3	4	-	-	-	-
Female.....	1	-	2	2	4	5	6	5	3	-	1	-
White, both sexes.....	1	-	3	6	10	8	7	9	3	-	1	-
Male.....	-	-	1	6	8	4	3	4	-	-	-	-
Female.....	1	-	2	-	2	4	4	5	3	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	2	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	2	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of gallbladder and extrahepatic bile ducts (C23-C24)

Arkansas

All races, both sexes.....	-	2	4	3	5	4	3	3	-	2	-	-
Male.....	-	1	1	2	1	3	2	-	-	-	-	-
Female.....	-	1	3	1	4	1	1	3	-	2	-	-
White, both sexes.....	-	2	3	3	5	4	3	3	-	2	-	-
Male.....	-	1	1	2	1	3	2	-	-	-	-	-
Female.....	-	1	2	1	4	1	1	3	-	2	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	15	23	42	38	36	69	74	46	30	5	1	-
Male.....	5	8	21	16	14	22	25	20	8	-	-	-
Female.....	10	15	21	22	22	47	49	26	22	5	1	-
White, both sexes.....	11	17	29	30	29	60	58	40	26	5	1	-
Male.....	5	6	13	16	12	20	16	17	8	-	-	-
Female.....	6	11	16	14	17	40	42	23	18	5	1	-
Black, both sexes.....	1	2	1	2	2	3	4	1	1	-	-	-
Male.....	-	1	-	-	-	1	3	-	-	-	-	-
Female.....	1	1	1	2	2	2	1	1	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	12	5	5	6	12	5	2	-	-	-
Male.....	-	1	8	-	2	1	6	3	-	-	-	-
Female.....	2	3	4	5	3	5	6	2	2	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of gallbladder and extrahepatic bile ducts (C23-C24)

Iowa

All races, both sexes.....	1	4	7	5	9	8	12	8	2	1	-	-
Male.....	1	3	3	2	4	5	6	2	-	1	-	-
Female.....	-	1	4	3	5	3	6	6	2	-	-	-
White, both sexes.....	-	4	7	5	9	8	12	8	2	1	-	-
Male.....	-	3	3	2	4	5	6	2	-	1	-	-
Female.....	-	1	4	3	5	3	6	6	2	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	2	2	1	1	3	11	3	6	4	-	-	-
Male.....	1	1	-	-	1	2	1	3	-	-	-	-
Female.....	1	1	1	1	2	9	2	3	4	-	-	-
White, both sexes.....	2	2	1	1	3	10	3	6	4	-	-	-
Male.....	1	1	-	-	1	2	1	3	-	-	-	-
Female.....	1	1	1	1	2	8	2	3	4	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of gallbladder and extrahepatic bile ducts (C23-C24)

Maine

All races, both sexes.....	-	1	1	1	2	5	2	3	1	1	-	-
Male.....	-	-	1	-	1	3	-	1	-	-	-	-
Female.....	-	1	-	1	1	2	2	2	1	1	-	-
White, both sexes.....	-	1	1	1	2	5	2	2	1	1	-	-
Male.....	-	-	1	-	1	3	-	-	-	-	-	-
Female.....	-	1	-	1	1	2	2	2	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	3	4	6	4	9	7	8	4	1	1	-	-
Male.....	2	1	-	3	6	3	-	1	-	-	-	-
Female.....	1	3	6	1	3	4	8	3	1	1	-	-
White, both sexes.....	2	3	6	3	7	5	5	1	1	1	-	-
Male.....	2	-	-	3	5	3	-	-	-	-	-	-
Female.....	-	3	6	-	2	2	5	1	1	1	-	-
Black, both sexes.....	1	1	-	1	-	2	3	3	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	1	-	2	3	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of gallbladder and extrahepatic bile ducts (C23-C24)

Nebraska

All races, both sexes.....	1	-	1	2	3	5	13	1	1	-	-	-
Male.....	-	-	1	1	1	3	6	1	-	-	-	-
Female.....	1	-	-	1	2	2	7	-	1	-	-	-
White, both sexes.....	1	-	1	2	3	5	13	1	1	-	-	-
Male.....	-	-	1	1	1	3	6	1	-	-	-	-
Female.....	1	-	-	1	2	2	7	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	-	1	1	1	1	8	4	-	-	1	-	-
Male.....	-	-	-	-	1	3	2	-	-	-	-	-
Female.....	-	1	1	1	-	5	2	-	-	1	-	-
White, both sexes.....	-	1	1	1	1	5	4	-	-	1	-	-
Male.....	-	-	-	-	1	2	2	-	-	-	-	-
Female.....	-	1	1	1	-	3	2	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	3	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of gallbladder and extrahepatic bile ducts (C23-C24)

New Hampshire

All races, both sexes.....	-	2	2	1	1	1	1	2	1	1	-	-
Male.....	-	-	1	1	-	1	1	1	-	-	-	-
Female.....	-	2	1	-	1	-	-	1	1	1	-	-
White, both sexes.....	-	2	2	1	1	1	1	2	1	1	-	-
Male.....	-	-	1	1	-	1	1	1	-	-	-	-
Female.....	-	2	1	-	1	-	-	1	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	2	7	9	9	13	21	29	19	6	3	1	-
Male.....	1	4	5	1	5	11	10	6	-	2	-	-
Female.....	1	3	4	8	8	10	19	13	6	1	1	-
White, both sexes.....	1	4	8	9	12	20	25	15	6	3	1	-
Male.....	1	2	4	1	5	10	8	6	-	2	-	-
Female.....	-	2	4	8	7	10	17	9	6	1	1	-
Black, both sexes.....	1	3	1	-	1	-	2	3	-	-	-	-
Male.....	-	2	1	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	-	2	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	2	1	-	-	-	-
Male.....	-	-	-	-	-	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of gallbladder and extrahepatic bile ducts (C23-C24)

New Mexico

All races, both sexes.....	2	1	3	2	5	3	6	2	2	-	-	-
Male.....	-	-	2	2	4	1	2	-	-	-	-	-
Female.....	2	1	1	-	1	2	4	2	2	-	-	-
White, both sexes.....	1	-	3	1	3	2	6	2	1	-	-	-
Male.....	-	-	2	1	2	1	2	-	-	-	-	-
Female.....	1	-	1	-	1	1	4	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	1	2	-	-	-	1	-	-	-
Male.....	-	-	-	1	2	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	16	15	12	25	29	54	42	45	14	1	-	-
Male.....	8	4	4	12	9	21	14	11	7	-	-	-
Female.....	8	11	8	13	20	33	28	34	7	1	-	-
White, both sexes.....	12	14	9	21	25	45	38	42	12	1	-	-
Male.....	5	4	3	12	9	17	13	11	7	-	-	-
Female.....	7	10	6	9	16	28	25	31	5	1	-	-
Black, both sexes.....	4	1	3	3	4	6	4	3	2	-	-	-
Male.....	3	-	1	-	-	2	1	-	-	-	-	-
Female.....	1	1	2	3	4	4	3	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	3	-	-	-	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of gallbladder and extrahepatic bile ducts (C23-C24)

South Dakota

All races, both sexes.....	-	1	2	-	-	3	-	-	1	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	2	-	-	2	-	-	1	-	-	-
White, both sexes.....	-	-	1	-	-	3	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	2	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	4	5	7	7	9	13	7	9	4	-	1	-
Male.....	1	1	2	5	4	6	2	2	2	-	-	-
Female.....	3	4	5	2	5	7	5	7	2	-	1	-
White, both sexes.....	4	5	6	4	9	10	5	9	2	-	1	-
Male.....	1	1	2	4	4	4	1	2	1	-	-	-
Female.....	3	4	4	-	5	6	4	7	1	-	1	-
Black, both sexes.....	-	-	1	3	-	3	-	-	2	-	-	-
Male.....	-	-	-	1	-	2	-	-	1	-	-	-
Female.....	-	-	1	2	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of pancreas (C25)												
Alaska												
All races, both sexes.....	41	-	-	-	-	-	-	-	-	-	-	4
Male.....	26	-	-	-	-	-	-	-	-	-	-	4
Female.....	15	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	29	-	-	-	-	-	-	-	-	-	-	3
Male.....	17	-	-	-	-	-	-	-	-	-	-	3
Female.....	12	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	485	-	-	-	-	-	-	-	-	2	2	17
Male.....	245	-	-	-	-	-	-	-	-	1	1	11
Female.....	240	-	-	-	-	-	-	-	-	1	1	6
White, both sexes.....	455	-	-	-	-	-	-	-	-	1	2	15
Male.....	232	-	-	-	-	-	-	-	-	1	1	10
Female.....	223	-	-	-	-	-	-	-	-	-	1	5
Black, both sexes.....	12	-	-	-	-	-	-	-	-	-	-	2
Male.....	5	-	-	-	-	-	-	-	-	-	-	1
Female.....	7	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	-	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of pancreas (C25)												
Arkansas												
All races, both sexes.....	304	-	-	-	-	-	1	-	2	2	2	3
Male.....	150	-	-	-	-	-	-	-	2	2	2	2
Female.....	154	-	-	-	-	-	1	-	-	-	-	1
White, both sexes.....	253	-	-	-	-	-	1	-	1	2	2	1
Male.....	122	-	-	-	-	-	-	-	1	2	2	1
Female.....	131	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	47	-	-	-	-	-	-	-	1	-	-	2
Male.....	25	-	-	-	-	-	-	-	1	-	-	1
Female.....	22	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	3,158	-	-	-	-	-	1	5	6	13	28	99
Male.....	1,491	-	-	-	-	-	1	4	4	8	19	61
Female.....	1,667	-	-	-	-	-	-	1	2	5	9	38
White, both sexes.....	2,638	-	-	-	-	-	-	4	3	10	24	81
Male.....	1,260	-	-	-	-	-	-	4	2	7	16	51
Female.....	1,378	-	-	-	-	-	-	-	1	3	8	30
Black, both sexes.....	251	-	-	-	-	-	1	-	2	-	3	8
Male.....	110	-	-	-	-	-	1	-	1	-	2	5
Female.....	141	-	-	-	-	-	-	-	1	-	1	3
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	1	-	1	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	258	-	-	-	-	-	-	-	1	2	1	10
Male.....	115	-	-	-	-	-	-	-	1	1	1	5
Female.....	143	-	-	-	-	-	-	-	-	1	-	5



























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of pancreas (C25)												
New Mexico												
All races, both sexes.....	170	-	-	-	-	-	-	1	-	-	1	3
Male.....	87	-	-	-	-	-	-	-	-	-	1	1
Female.....	83	-	-	-	-	-	-	1	-	-	-	2
White, both sexes.....	158	-	-	-	-	-	-	1	-	-	1	3
Male.....	78	-	-	-	-	-	-	-	-	-	1	1
Female.....	80	-	-	-	-	-	-	1	-	-	-	2
Black, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	2,186	-	-	-	1	-	2	2	3	8	31	54
Male.....	1,012	-	-	-	1	-	2	-	2	5	17	36
Female.....	1,174	-	-	-	-	-	-	2	1	3	14	18
White, both sexes.....	1,863	-	-	-	-	-	1	2	3	6	24	44
Male.....	869	-	-	-	-	-	1	-	2	4	13	31
Female.....	994	-	-	-	-	-	-	2	1	2	11	13
Black, both sexes.....	266	-	-	-	1	-	1	-	-	1	3	8
Male.....	116	-	-	-	1	-	1	-	-	1	1	4
Female.....	150	-	-	-	-	-	-	-	-	-	2	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	56	-	-	-	-	-	-	-	-	1	4	2
Male.....	26	-	-	-	-	-	-	-	-	-	3	1
Female.....	30	-	-	-	-	-	-	-	-	1	1	1





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of pancreas (C25)

Alaska

All races, both sexes.....	2	2	10	4	3	6	7	3	-	-	-	-
Male.....	2	1	5	2	1	3	6	2	-	-	-	-
Female.....	-	1	5	2	2	3	1	1	-	-	-	-
White, both sexes.....	2	2	7	2	2	3	6	2	-	-	-	-
Male.....	2	1	3	1	1	-	5	1	-	-	-	-
Female.....	-	1	4	1	1	3	1	1	-	-	-	-
Black, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	2	1	1	-	-	-	-	-	-
Male.....	-	-	1	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	1	1	1	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	29	31	39	62	77	64	90	51	18	3	-	-
Male.....	17	20	23	36	35	29	41	22	8	1	-	-
Female.....	12	11	16	26	42	35	49	29	10	2	-	-
White, both sexes.....	26	29	37	57	73	62	85	49	17	2	-	-
Male.....	14	19	21	35	34	29	38	22	8	-	-	-
Female.....	12	10	16	22	39	33	47	27	9	2	-	-
Black, both sexes.....	1	1	1	2	1	1	1	2	-	-	-	-
Male.....	1	1	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	2	1	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	2	2	1	3	-	1	1	-	-
Male.....	-	-	-	1	-	-	2	-	-	1	-	-
Female.....	-	1	-	1	2	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	1	1	-	1	-	-	-	-	-
Male.....	2	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
Arkansas												
All races, both sexes.....	24	26	23	40	43	57	37	25	15	4	-	-
Male.....	10	13	14	20	24	31	15	12	2	1	-	-
Female.....	14	13	9	20	19	26	22	13	13	3	-	-
White, both sexes.....	17	19	20	33	36	52	33	19	14	3	-	-
Male.....	5	10	12	15	21	28	13	9	2	1	-	-
Female.....	12	9	8	18	15	24	20	10	12	2	-	-
Black, both sexes.....	7	5	3	5	7	5	4	6	1	1	-	-
Male.....	5	2	2	3	3	3	2	3	-	-	-	-
Female.....	2	3	1	2	4	2	2	3	1	1	-	-
American Indian 1/, both sexes.....	-	2	-	1	-	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	155	235	319	338	454	543	499	285	137	37	4	-
Male.....	90	133	173	171	221	263	207	91	36	9	-	-
Female.....	65	102	146	167	233	280	292	194	101	28	4	-
White, both sexes.....	118	200	251	273	377	460	427	249	121	37	3	-
Male.....	69	114	136	146	187	225	177	84	33	9	-	-
Female.....	49	86	115	127	190	235	250	165	88	28	3	-
Black, both sexes.....	20	14	33	34	37	43	32	16	8	-	-	-
Male.....	12	9	17	12	20	16	12	2	1	-	-	-
Female.....	8	5	16	22	17	27	20	14	7	-	-	-
American Indian 1/, both sexes.....	-	1	3	3	-	-	2	-	-	-	-	-
Male.....	-	1	2	2	-	-	1	-	-	-	-	-
Female.....	-	-	1	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	20	32	28	40	40	38	20	8	-	1	-
Male.....	9	9	18	11	14	22	17	5	2	-	-	-
Female.....	8	11	14	17	26	18	21	15	6	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of pancreas (C25)

Colorado

All races, both sexes.....	18	31	37	45	67	42	53	26	16	4	-	-
Male.....	11	19	24	31	28	16	23	7	6	-	-	-
Female.....	7	12	13	14	39	26	30	19	10	4	-	-
White, both sexes.....	18	30	35	45	64	40	51	26	16	4	-	-
Male.....	11	18	22	31	27	16	23	7	6	-	-	-
Female.....	7	12	13	14	37	24	28	19	10	4	-	-
Black, both sexes.....	-	1	1	-	1	1	1	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	1	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-

Connecticut

All races, both sexes.....	17	22	43	39	64	76	76	44	23	2	-	-
Male.....	9	14	24	21	43	36	37	18	5	-	-	-
Female.....	8	8	19	18	21	40	39	26	18	2	-	-
White, both sexes.....	12	20	38	36	55	74	70	44	23	1	-	-
Male.....	5	14	22	20	36	36	37	18	5	-	-	-
Female.....	7	6	16	16	19	38	33	26	18	1	-	-
Black, both sexes.....	5	2	5	2	8	2	6	-	-	-	-	-
Male.....	4	-	2	1	6	-	-	-	-	-	-	-
Female.....	1	2	3	1	2	2	6	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	1	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of pancreas (C25)

Hawaii

All races, both sexes.....	7	26	12	14	21	22	20	11	2	4	-	-
Male.....	2	12	10	8	10	9	12	5	2	1	-	-
Female.....	5	14	2	6	11	13	8	6	-	3	-	-
White, both sexes.....	3	7	3	3	-	8	6	2	1	2	-	-
Male.....	1	5	2	2	-	5	3	2	1	-	-	-
Female.....	2	2	1	1	-	3	3	-	-	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	19	9	11	21	14	14	9	1	2	-	-
Male.....	1	7	8	6	10	4	9	3	1	1	-	-
Female.....	3	12	1	5	11	10	5	6	-	1	-	-

Idaho

All races, both sexes.....	5	10	10	15	16	19	24	14	3	2	-	-
Male.....	5	4	7	10	6	9	13	2	1	-	-	-
Female.....	-	6	3	5	10	10	11	12	2	2	-	-
White, both sexes.....	5	10	9	15	16	19	23	13	3	2	-	-
Male.....	5	4	6	10	6	9	13	2	1	-	-	-
Female.....	-	6	3	5	10	10	10	11	2	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of pancreas (C25)

Illinois

All races, both sexes.....	78	87	110	147	190	220	241	127	50	12	1	-
Male.....	51	54	67	73	89	109	116	41	10	3	-	-
Female.....	27	33	43	74	101	111	125	86	40	9	1	-
White, both sexes.....	53	70	91	120	160	192	209	113	46	11	1	-
Male.....	34	43	53	58	74	96	103	37	8	3	-	-
Female.....	19	27	38	62	86	96	106	76	38	8	1	-
Black, both sexes.....	23	12	16	25	26	23	28	13	4	1	-	-
Male.....	15	8	13	14	13	9	12	3	2	-	-	-
Female.....	8	4	3	11	13	14	16	10	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	5	3	2	4	5	4	1	-	-	-	-
Male.....	2	3	1	1	2	4	1	1	-	-	-	-
Female.....	-	2	2	1	2	1	3	-	-	-	-	-

Indiana

All races, both sexes.....	35	57	78	63	104	116	109	67	28	7	1	-
Male.....	25	39	48	37	53	57	50	16	6	1	-	-
Female.....	10	18	30	26	51	59	59	51	22	6	1	-
White, both sexes.....	35	54	66	53	92	110	100	64	26	7	1	-
Male.....	25	37	41	32	49	56	48	15	6	1	-	-
Female.....	10	17	25	21	43	54	52	49	20	6	1	-
Black, both sexes.....	-	3	12	9	12	6	8	3	2	-	-	-
Male.....	-	2	7	5	4	1	2	1	-	-	-	-
Female.....	-	1	5	4	8	5	6	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of pancreas (C25)

Iowa

All races, both sexes.....	17	25	26	30	52	68	49	31	24	4	-	-
Male.....	8	13	18	16	24	25	28	8	8	-	-	-
Female.....	9	12	8	14	28	43	21	23	16	4	-	-
White, both sexes.....	17	25	26	27	52	68	48	30	24	4	-	-
Male.....	8	13	18	15	24	25	28	7	8	-	-	-
Female.....	9	12	8	12	28	43	20	23	16	4	-	-
Black, both sexes.....	-	-	-	2	-	-	1	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	19	17	29	31	50	54	49	29	19	3	-	-
Male.....	11	10	15	16	33	24	21	8	4	1	-	-
Female.....	8	7	14	15	17	30	28	21	15	2	-	-
White, both sexes.....	17	17	25	29	45	49	44	27	18	3	-	-
Male.....	10	10	14	15	29	23	19	8	4	1	-	-
Female.....	7	7	11	14	16	26	25	19	14	2	-	-
Black, both sexes.....	1	-	3	2	4	4	3	2	1	-	-	-
Male.....	1	-	1	1	3	1	1	-	-	-	-	-
Female.....	-	-	2	1	1	3	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of pancreas (C25)

Maine

All races, both sexes.....	10	14	17	21	22	37	21	13	5	1	-	-
Male.....	5	6	10	13	9	19	11	5	3	-	-	-
Female.....	5	8	7	8	13	18	10	8	2	1	-	-
White, both sexes.....	10	14	17	20	22	37	21	13	5	1	-	-
Male.....	5	6	10	12	9	19	11	5	3	-	-	-
Female.....	5	8	7	8	13	18	10	8	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	31	50	58	82	84	86	101	67	21	7	1	-
Male.....	16	33	28	43	46	36	46	18	7	1	-	-
Female.....	15	17	30	39	38	50	55	49	14	6	1	-
White, both sexes.....	17	37	32	57	63	67	86	54	19	6	1	-
Male.....	9	26	17	30	35	31	42	14	6	1	-	-
Female.....	8	11	15	27	28	36	44	40	13	5	1	-
Black, both sexes.....	14	12	24	23	18	18	14	12	2	1	-	-
Male.....	7	7	11	12	9	5	3	3	1	-	-	-
Female.....	7	5	13	11	9	13	11	9	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	3	1	1	1	-	-	-	-
Male.....	-	-	-	1	2	-	1	1	-	-	-	-
Female.....	-	1	2	1	1	1	-	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of pancreas (C25)

Nebraska

All races, both sexes.....	5	10	15	9	28	33	25	19	10	3	1	-
Male.....	2	7	8	6	11	14	14	12	3	-	1	-
Female.....	3	3	7	3	17	19	11	7	7	3	-	-
White, both sexes.....	5	10	14	9	26	33	25	19	10	3	1	-
Male.....	2	7	7	6	11	14	14	12	3	-	1	-
Female.....	3	3	7	3	15	19	11	7	7	3	-	-
Black, both sexes.....	-	-	1	-	2	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	9	20	30	37	36	42	21	11	6	1	-	-
Male.....	8	13	18	22	20	25	8	4	3	-	-	-
Female.....	1	7	12	15	16	17	13	7	3	1	-	-
White, both sexes.....	8	18	25	35	34	39	20	10	5	1	-	-
Male.....	7	11	17	22	20	23	8	3	2	-	-	-
Female.....	1	7	8	13	14	16	12	7	3	1	-	-
Black, both sexes.....	1	2	3	2	1	2	-	1	1	-	-	-
Male.....	1	2	1	-	-	1	-	1	1	-	-	-
Female.....	-	-	2	2	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of pancreas (C25)

New Hampshire

All races, both sexes.....	9	10	16	16	18	22	19	13	10	-	-	-
Male.....	5	8	8	7	6	11	6	4	3	-	-	-
Female.....	4	2	8	9	12	11	13	9	7	-	-	-
White, both sexes.....	9	10	16	15	18	21	19	13	10	-	-	-
Male.....	5	8	8	6	6	10	6	4	3	-	-	-
Female.....	4	2	8	9	12	11	13	9	7	-	-	-
Black, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	30	63	93	107	165	197	172	95	39	4	-	-
Male.....	17	38	46	59	92	92	68	35	10	-	-	-
Female.....	13	25	47	48	73	105	104	60	29	4	-	-
White, both sexes.....	24	51	74	94	152	174	151	86	35	4	-	-
Male.....	14	32	38	51	87	85	56	32	9	-	-	-
Female.....	10	19	36	43	65	89	95	54	26	4	-	-
Black, both sexes.....	6	10	16	11	13	22	17	8	4	-	-	-
Male.....	3	5	7	6	5	7	9	2	1	-	-	-
Female.....	3	5	9	5	8	15	8	6	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	3	2	-	1	4	1	-	-	-	-
Male.....	-	1	1	2	-	-	3	1	-	-	-	-
Female.....	-	1	2	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of pancreas (C25)

New Mexico

All races, both sexes.....	12	15	19	21	22	22	24	17	12	1	-	-
Male.....	9	11	9	14	14	7	11	7	3	-	-	-
Female.....	3	4	10	7	8	15	13	10	9	1	-	-
White, both sexes.....	11	14	17	19	20	21	22	16	12	1	-	-
Male.....	8	10	7	13	12	7	10	6	3	-	-	-
Female.....	3	4	10	6	8	14	12	10	9	1	-	-
Black, both sexes.....	-	-	-	2	1	1	-	1	-	-	-	-
Male.....	-	-	-	1	1	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	2	-	1	-	2	-	-	-	-	-
Male.....	1	1	2	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	105	165	194	238	330	331	364	228	102	27	1	-
Male.....	67	90	107	128	165	142	142	85	19	4	-	-
Female.....	38	75	87	110	165	189	222	143	83	23	1	-
White, both sexes.....	86	134	155	198	284	287	324	197	94	23	1	-
Male.....	58	74	88	104	149	121	130	73	18	3	-	-
Female.....	28	60	67	94	135	166	194	124	76	20	1	-
Black, both sexes.....	17	26	33	34	33	38	38	22	8	3	-	-
Male.....	8	13	17	22	11	17	11	8	1	-	-	-
Female.....	9	13	16	12	22	21	27	14	7	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	5	6	6	13	5	2	9	-	1	-	-
Male.....	1	3	2	2	5	3	1	4	-	1	-	-
Female.....	1	2	4	4	8	2	1	5	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
Oregon												
All races, both sexes.....	13	25	42	49	58	72	52	42	13	1	-	-
Male.....	10	16	26	26	32	33	34	18	3	-	-	-
Female.....	3	9	16	23	26	39	18	24	10	1	-	-
White, both sexes.....	12	22	42	48	55	71	49	42	13	1	-	-
Male.....	9	14	26	25	30	33	31	18	3	-	-	-
Female.....	3	8	16	23	25	38	18	24	10	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	-	-	2	-	3	-	-	-	-	-
Male.....	-	2	-	-	1	-	3	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	81	109	149	198	234	269	284	154	64	15	2	-
Male.....	44	64	85	108	105	114	128	53	17	2	1	-
Female.....	37	45	64	90	129	155	156	101	47	13	1	-
White, both sexes.....	66	91	135	177	212	244	261	146	60	14	2	-
Male.....	35	52	79	98	97	106	121	52	15	2	1	-
Female.....	31	39	56	79	115	138	140	94	45	12	1	-
Black, both sexes.....	14	18	14	19	22	23	22	8	4	1	-	-
Male.....	9	12	6	9	8	7	6	1	2	-	-	-
Female.....	5	6	8	10	14	16	16	7	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	2	-	2	1	-	-	-	-	-
Male.....	-	-	-	1	-	1	1	-	-	-	-	-
Female.....	1	-	-	1	-	1	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of pancreas (C25)

Texas

All races, both sexes.....	121	149	186	230	249	259	266	155	65	19	3	-
Male.....	69	98	124	120	128	125	124	49	14	6	1	-
Female.....	52	51	62	110	121	134	142	106	51	13	2	-
White, both sexes.....	85	123	155	196	221	219	243	131	55	15	2	-
Male.....	46	80	102	107	114	106	116	43	11	4	1	-
Female.....	39	43	53	89	107	113	127	88	44	11	1	-
Black, both sexes.....	30	22	25	32	27	35	21	23	9	4	1	-
Male.....	20	15	18	12	14	17	7	6	3	2	-	-
Female.....	10	7	7	20	13	18	14	17	6	2	1	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	4	5	2	1	5	2	1	1	-	-	-
Male.....	2	3	3	1	-	2	1	-	-	-	-	-
Female.....	3	1	2	1	1	3	1	1	1	-	-	-

Utah

All races, both sexes.....	10	6	20	16	20	31	17	15	6	-	-	-
Male.....	7	5	11	10	9	16	6	8	3	-	-	-
Female.....	3	1	9	6	11	15	11	7	3	-	-	-
White, both sexes.....	9	6	20	16	19	31	17	14	6	-	-	-
Male.....	7	5	11	10	9	16	6	8	3	-	-	-
Female.....	2	1	9	6	10	15	11	6	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of pancreas (C25)

Vermont

All races, both sexes.....	4	5	5	8	12	10	6	4	1	1	-	-
Male.....	3	2	2	2	9	8	3	1	-	-	-	-
Female.....	1	3	3	6	3	2	3	3	1	1	-	-
White, both sexes.....	4	5	5	8	12	10	6	4	1	1	-	-
Male.....	3	2	2	2	9	8	3	1	-	-	-	-
Female.....	1	3	3	6	3	2	3	3	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	38	67	88	99	97	139	96	72	37	10	-	-
Male.....	29	37	48	56	54	63	39	24	6	2	-	-
Female.....	9	30	40	43	43	76	57	48	31	8	-	-
White, both sexes.....	24	49	73	65	68	108	80	60	32	7	-	-
Male.....	19	28	40	37	40	48	33	21	5	1	-	-
Female.....	5	21	33	28	28	60	47	39	27	6	-	-
Black, both sexes.....	12	17	14	32	26	28	15	9	5	3	-	-
Male.....	9	8	8	17	12	13	5	2	1	1	-	-
Female.....	3	9	6	15	14	15	10	7	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	2	3	3	1	3	-	-	-	-
Male.....	1	1	-	2	2	2	1	1	-	-	-	-
Female.....	1	-	1	-	1	1	-	2	-	-	-	-





























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other and ill-defined digestive organs (C26)

Arkansas

All races, both sexes.....	-	1	1	2	4	4	1	-	2	-	-	-
Male.....	-	-	1	1	3	2	1	-	-	-	-	-
Female.....	-	1	-	1	1	2	-	-	2	-	-	-
White, both sexes.....	-	1	1	1	3	4	1	-	-	-	-	-
Male.....	-	-	1	1	2	2	1	-	-	-	-	-
Female.....	-	1	-	-	1	2	-	-	-	-	-	-
Black, both sexes.....	-	-	-	1	1	-	-	-	2	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3	5	9	13	11	29	13	18	9	3	1	-
Male.....	2	5	5	10	7	16	9	3	4	-	1	-
Female.....	1	-	4	3	4	13	4	15	5	3	-	-
White, both sexes.....	1	3	8	11	10	23	12	18	8	2	1	-
Male.....	1	3	5	9	7	12	9	3	3	-	1	-
Female.....	-	-	3	2	3	11	3	15	5	2	-	-
Black, both sexes.....	1	2	1	1	-	4	1	-	-	1	-	-
Male.....	1	2	-	1	-	3	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	2	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	1	-	-	1	1	1	-	-	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other and ill-defined digestive organs (C26)

Kentucky

All races, both sexes.....	1	2	-	2	3	3	-	2	-	1	-	-
Male.....	-	1	-	2	2	1	-	1	-	-	-	-
Female.....	1	1	-	-	1	2	-	1	-	1	-	-
White, both sexes.....	1	1	-	2	3	3	-	2	-	1	-	-
Male.....	-	1	-	2	2	1	-	1	-	-	-	-
Female.....	1	-	-	-	1	2	-	1	-	1	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	1	2	1	4	-	4	5	3	1	-	-	-
Male.....	1	1	1	2	-	3	2	-	1	-	-	-
Female.....	-	1	-	2	-	1	3	3	-	-	-	-
White, both sexes.....	1	1	-	4	-	2	2	3	-	-	-	-
Male.....	1	1	-	2	-	1	1	-	-	-	-	-
Female.....	-	-	-	2	-	1	1	3	-	-	-	-
Black, both sexes.....	-	1	1	-	-	2	2	-	1	-	-	-
Male.....	-	-	1	-	-	2	1	-	1	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other and ill-defined digestive organs (C26)

New Mexico

All races, both sexes.....	1	-	-	3	3	-	1	1	2	-	1	-
Male.....	1	-	-	2	2	-	1	1	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	2	-	1	-
White, both sexes.....	1	-	-	2	3	-	1	1	2	-	1	-
Male.....	1	-	-	1	2	-	1	1	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	2	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	2	2	7	9	17	13	15	7	10	3	-	-
Male.....	1	-	5	2	6	9	4	5	1	1	-	-
Female.....	1	2	2	7	11	4	11	2	9	2	-	-
White, both sexes.....	1	2	6	7	14	10	13	6	9	2	-	-
Male.....	1	-	4	2	5	7	3	4	-	1	-	-
Female.....	-	2	2	5	9	3	10	2	9	1	-	-
Black, both sexes.....	-	-	1	2	3	1	1	1	1	1	-	-
Male.....	-	-	1	-	1	1	-	1	1	-	-	-
Female.....	-	-	-	2	2	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Arkansas

All races, both sexes.....	2,067	-	-	-	-	-	-	1	2	4	20	81
Male.....	1,272	-	-	-	-	-	-	1	1	3	9	60
Female.....	795	-	-	-	-	-	-	-	1	1	11	21
White, both sexes.....	1,837	-	-	-	-	-	-	-	2	4	17	58
Male.....	1,097	-	-	-	-	-	-	-	1	3	6	39
Female.....	740	-	-	-	-	-	-	-	1	1	11	19
Black, both sexes.....	222	-	-	-	-	-	-	1	-	-	3	22
Male.....	170	-	-	-	-	-	-	1	-	-	3	21
Female.....	52	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	14,092	-	1	-	1	2	4	5	15	52	122	325
Male.....	7,582	-	-	-	1	1	3	3	9	23	70	174
Female.....	6,510	-	1	-	-	1	1	2	6	29	52	151
White, both sexes.....	11,821	-	1	-	-	1	3	5	10	34	92	227
Male.....	6,227	-	-	-	-	-	2	3	5	14	51	122
Female.....	5,594	-	1	-	-	1	1	2	5	20	41	105
Black, both sexes.....	1,098	-	-	-	1	-	-	-	2	7	13	55
Male.....	661	-	-	-	1	-	-	-	2	3	9	33
Female.....	437	-	-	-	-	-	-	-	-	4	4	22
American Indian 1/, both sexes.....	63	-	-	-	-	-	-	-	-	-	-	4
Male.....	30	-	-	-	-	-	-	-	-	-	-	1
Female.....	33	-	-	-	-	-	-	-	-	-	-	3
Asian or Pacific Islander 2/, both sexes.....	1,110	-	-	-	-	1	1	-	3	11	17	39
Male.....	664	-	-	-	-	1	1	-	2	6	10	18
Female.....	446	-	-	-	-	-	-	-	1	5	7	21













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Kentucky

All races, both sexes.....	3,408	-	-	-	-	1	1	-	1	14	50	106
Male.....	2,071	-	-	-	-	1	1	-	-	11	33	65
Female.....	1,337	-	-	-	-	-	-	-	1	3	17	41
White, both sexes.....	3,200	-	-	-	-	1	1	-	1	13	45	88
Male.....	1,949	-	-	-	-	1	1	-	-	10	30	58
Female.....	1,251	-	-	-	-	-	-	-	1	3	15	30
Black, both sexes.....	202	-	-	-	-	-	-	-	-	-	4	18
Male.....	118	-	-	-	-	-	-	-	-	-	2	7
Female.....	84	-	-	-	-	-	-	-	-	-	2	11
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	2,956	-	-	-	-	-	-	1	2	15	54	101
Male.....	1,785	-	-	-	-	-	-	-	-	7	30	59
Female.....	1,171	-	-	-	-	-	-	1	2	8	24	42
White, both sexes.....	2,146	-	-	-	-	-	-	1	2	10	33	61
Male.....	1,257	-	-	-	-	-	-	-	-	5	16	37
Female.....	889	-	-	-	-	-	-	1	2	5	17	24
Black, both sexes.....	795	-	-	-	-	-	-	-	-	4	21	40
Male.....	519	-	-	-	-	-	-	-	-	2	14	22
Female.....	276	-	-	-	-	-	-	-	-	2	7	18
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	-	-	-	-	1	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Maine

All races, both sexes.....	973	-	-	-	-	-	-	-	-	5	13	29
Male.....	538	-	-	-	-	-	-	-	-	3	6	16
Female.....	435	-	-	-	-	-	-	-	-	2	7	13
White, both sexes.....	963	-	-	-	-	-	-	-	-	5	13	29
Male.....	531	-	-	-	-	-	-	-	-	3	6	16
Female.....	432	-	-	-	-	-	-	-	-	2	7	13
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	3,121	-	-	-	-	-	-	-	3	11	43	93
Male.....	1,745	-	-	-	-	-	-	-	3	5	25	48
Female.....	1,376	-	-	-	-	-	-	-	-	6	18	45
White, both sexes.....	2,312	-	-	-	-	-	-	-	1	6	17	47
Male.....	1,268	-	-	-	-	-	-	-	1	3	10	23
Female.....	1,044	-	-	-	-	-	-	-	-	3	7	24
Black, both sexes.....	760	-	-	-	-	-	-	-	2	3	24	43
Male.....	448	-	-	-	-	-	-	-	2	1	14	23
Female.....	312	-	-	-	-	-	-	-	-	2	10	20
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	44	-	-	-	-	-	-	-	-	2	2	3
Male.....	25	-	-	-	-	-	-	-	-	1	1	2
Female.....	19	-	-	-	-	-	-	-	-	1	1	1







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Nebraska

All races, both sexes.....	903	-	-	-	-	-	-	-	1	3	10	29
Male.....	529	-	-	-	-	-	-	-	1	1	4	21
Female.....	374	-	-	-	-	-	-	-	-	2	6	8
White, both sexes.....	842	-	-	-	-	-	-	-	1	3	9	24
Male.....	485	-	-	-	-	-	-	-	1	1	4	17
Female.....	357	-	-	-	-	-	-	-	-	2	5	7
Black, both sexes.....	51	-	-	-	-	-	-	-	-	-	1	3
Male.....	36	-	-	-	-	-	-	-	-	-	-	3
Female.....	15	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1

Nevada

All races, both sexes.....	1,346	-	-	-	-	-	-	1	1	1	12	32
Male.....	749	-	-	-	-	-	-	-	-	1	7	18
Female.....	597	-	-	-	-	-	-	1	1	-	5	14
White, both sexes.....	1,251	-	-	-	-	-	-	-	1	1	8	27
Male.....	690	-	-	-	-	-	-	-	-	1	5	17
Female.....	561	-	-	-	-	-	-	-	1	-	3	10
Black, both sexes.....	62	-	-	-	-	-	-	-	-	-	1	4
Male.....	37	-	-	-	-	-	-	-	-	-	-	1
Female.....	25	-	-	-	-	-	-	-	-	-	1	3
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	-	-	-	-	-	-	1	-	-	3	1
Male.....	16	-	-	-	-	-	-	-	-	-	2	-
Female.....	9	-	-	-	-	-	-	1	-	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

New Hampshire

All races, both sexes.....	696	-	-	-	-	-	-	-	-	2	17	22
Male.....	395	-	-	-	-	-	-	-	-	1	11	12
Female.....	301	-	-	-	-	-	-	-	-	1	6	10
White, both sexes.....	690	-	-	-	-	-	-	-	-	2	15	22
Male.....	391	-	-	-	-	-	-	-	-	1	9	12
Female.....	299	-	-	-	-	-	-	-	-	1	6	10
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	4,802	-	-	-	-	-	3	2	4	22	64	135
Male.....	2,619	-	-	-	-	-	1	-	3	11	39	59
Female.....	2,183	-	-	-	-	-	2	2	1	11	25	76
White, both sexes.....	4,153	-	-	-	-	-	3	1	4	13	53	109
Male.....	2,245	-	-	-	-	-	1	-	3	8	33	51
Female.....	1,908	-	-	-	-	-	2	1	1	5	20	58
Black, both sexes.....	578	-	-	-	-	-	-	1	-	7	9	24
Male.....	337	-	-	-	-	-	-	-	-	2	5	8
Female.....	241	-	-	-	-	-	-	1	-	5	4	16
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	68	-	-	-	-	-	-	-	-	2	1	2
Male.....	36	-	-	-	-	-	-	-	-	1	1	-
Female.....	32	-	-	-	-	-	-	-	-	1	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

New Mexico

All races, both sexes.....	749	-	-	-	-	-	-	-	-	2	3	13
Male.....	436	-	-	-	-	-	-	-	-	-	1	3
Female.....	313	-	-	-	-	-	-	-	-	2	2	10
White, both sexes.....	723	-	-	-	-	-	-	-	-	2	3	12
Male.....	417	-	-	-	-	-	-	-	-	-	1	2
Female.....	306	-	-	-	-	-	-	-	-	2	2	10
Black, both sexes.....	15	-	-	-	-	-	-	-	-	-	-	-
Male.....	10	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	1
Male.....	7	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	9,773	-	-	-	-	1	-	2	13	40	148	302
Male.....	5,330	-	-	-	-	-	-	2	5	23	79	170
Female.....	4,443	-	-	-	-	1	-	-	8	17	69	132
White, both sexes.....	8,381	-	-	-	-	1	-	2	11	29	106	228
Male.....	4,513	-	-	-	-	-	-	2	4	18	61	126
Female.....	3,868	-	-	-	-	1	-	-	7	11	45	102
Black, both sexes.....	1,174	-	-	-	-	-	-	-	2	7	34	70
Male.....	664	-	-	-	-	-	-	-	1	3	12	41
Female.....	510	-	-	-	-	-	-	-	1	4	22	29
American Indian 1/, both sexes.....	21	-	-	-	-	-	-	-	-	-	-	-
Male.....	13	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	197	-	-	-	-	-	-	-	-	4	8	4
Male.....	140	-	-	-	-	-	-	-	-	2	6	3
Female.....	57	-	-	-	-	-	-	-	-	2	2	1













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Vermont

All races, both sexes.....	332	-	-	-	-	-	-	-	1	-	6	14
Male.....	183	-	-	-	-	-	-	-	-	-	4	7
Female.....	149	-	-	-	-	-	-	-	1	-	2	7
White, both sexes.....	332	-	-	-	-	-	-	-	1	-	6	14
Male.....	183	-	-	-	-	-	-	-	-	-	4	7
Female.....	149	-	-	-	-	-	-	-	1	-	2	7
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	4,139	-	1	-	-	2	2	3	2	18	74	130
Male.....	2,406	-	1	-	-	1	2	1	1	10	41	78
Female.....	1,733	-	-	-	-	1	-	2	1	8	33	52
White, both sexes.....	3,327	-	1	-	-	2	1	1	1	11	54	88
Male.....	1,922	-	1	-	-	1	1	-	-	6	31	51
Female.....	1,405	-	-	-	-	1	-	1	1	5	23	37
Black, both sexes.....	765	-	-	-	-	-	1	1	1	5	19	39
Male.....	457	-	-	-	-	-	1	1	1	3	9	26
Female.....	308	-	-	-	-	-	-	-	-	2	10	13
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	46	-	-	-	-	-	-	1	-	2	1	3
Male.....	26	-	-	-	-	-	-	-	-	1	1	1
Female.....	20	-	-	-	-	-	-	1	-	1	-	2





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

United States

All races, both sexes.....	8,081	13,401	18,685	23,076	27,652	28,662	21,095	10,364	3,427	642	79	3
Male.....	4,922	8,127	11,104	13,740	16,221	16,406	11,503	5,292	1,542	267	27	2
Female.....	3,159	5,274	7,581	9,336	11,431	12,256	9,592	5,072	1,885	375	52	1
White, both sexes.....	6,451	11,247	16,085	20,090	24,567	25,792	19,173	9,493	3,117	570	69	3
Male.....	3,875	6,703	9,420	11,847	14,341	14,657	10,388	4,832	1,393	233	26	2
Female.....	2,576	4,544	6,665	8,243	10,226	11,135	8,785	4,661	1,724	337	43	1
Black, both sexes.....	1,423	1,916	2,287	2,559	2,593	2,359	1,541	689	247	60	9	-
Male.....	928	1,281	1,484	1,629	1,592	1,424	897	362	120	26	1	-
Female.....	495	635	803	930	1,001	935	644	327	127	34	8	-
American Indian 1/, both sexes.....	44	67	69	95	99	77	58	20	8	1	-	-
Male.....	24	42	45	48	52	42	29	9	2	1	-	-
Female.....	20	25	24	47	47	35	29	11	6	-	-	-
Asian or Pacific Islander 2/, both sexes.....	163	171	244	332	393	434	323	162	55	11	1	-
Male.....	95	101	155	216	236	283	189	89	27	7	-	-
Female.....	68	70	89	116	157	151	134	73	28	4	1	-

Alabama

All races, both sexes.....	181	277	415	513	554	502	343	158	59	20	1	-
Male.....	132	190	267	330	342	321	203	95	25	8	-	-
Female.....	49	87	148	183	212	181	140	63	34	12	1	-
White, both sexes.....	126	218	332	431	474	426	297	139	48	15	1	-
Male.....	90	142	206	273	290	274	174	79	20	7	-	-
Female.....	36	76	126	158	184	152	123	60	28	8	1	-
Black, both sexes.....	54	58	83	81	79	74	46	19	11	5	-	-
Male.....	41	47	61	57	52	47	29	16	5	1	-	-
Female.....	13	11	22	24	27	27	17	3	6	4	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	2	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Alaska

All races, both sexes.....	12	27	32	23	37	46	18	7	2	1	-	-
Male.....	10	21	15	14	26	31	11	4	1	-	-	-
Female.....	2	6	17	9	11	15	7	3	1	1	-	-
White, both sexes.....	11	19	27	20	23	37	14	6	1	1	-	-
Male.....	9	15	15	12	17	29	8	3	1	-	-	-
Female.....	2	4	12	8	6	8	6	3	-	1	-	-
Black, both sexes.....	-	-	-	-	3	1	-	-	-	-	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	8	5	3	11	7	4	1	1	-	-	-
Male.....	1	6	-	2	7	2	3	1	-	-	-	-
Female.....	-	2	5	1	4	5	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Arizona

All races, both sexes.....	112	209	339	408	503	502	353	202	45	9	1	-
Male.....	62	113	189	246	303	293	185	117	23	4	-	-
Female.....	50	96	150	162	200	209	168	85	22	5	1	-
White, both sexes.....	105	204	320	392	491	485	344	197	42	9	1	-
Male.....	56	111	177	238	293	287	179	113	20	4	-	-
Female.....	49	93	143	154	198	198	165	84	22	5	1	-
Black, both sexes.....	2	3	15	11	10	8	6	3	3	-	-	-
Male.....	2	1	8	6	8	3	4	2	3	-	-	-
Female.....	-	2	7	5	2	5	2	1	-	-	-	-
American Indian 1/, both sexes.....	3	1	3	3	1	4	3	1	-	-	-	-
Male.....	2	-	3	1	1	2	1	1	-	-	-	-
Female.....	1	1	-	2	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	2	1	5	-	1	-	-	-	-
Male.....	2	1	1	1	1	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	4	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Arkansas

All races, both sexes.....	105	187	243	312	355	351	234	131	33	7	1	-
Male.....	74	121	152	195	206	220	140	70	17	3	-	-
Female.....	31	66	91	117	149	131	94	61	16	4	1	-
White, both sexes.....	84	155	220	277	326	321	214	122	30	6	1	-
Male.....	60	95	133	167	184	200	127	65	15	2	-	-
Female.....	24	60	87	110	142	121	87	57	15	4	1	-
Black, both sexes.....	20	31	22	35	28	29	18	9	3	1	-	-
Male.....	14	25	18	28	21	20	11	5	2	1	-	-
Female.....	6	6	4	7	7	9	7	4	1	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	1	1	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	663	1,023	1,466	1,877	2,349	2,545	2,092	1,093	378	68	11	-
Male.....	395	573	824	1,058	1,254	1,382	1,100	512	166	31	3	-
Female.....	268	450	642	819	1,095	1,163	992	581	212	37	8	-
White, both sexes.....	509	813	1,207	1,574	2,007	2,176	1,798	957	341	56	10	-
Male.....	302	452	657	852	1,049	1,162	938	443	149	23	3	-
Female.....	207	361	550	722	958	1,014	860	514	192	33	7	-
Black, both sexes.....	77	120	154	159	156	170	115	57	7	5	-	-
Male.....	51	73	99	103	94	99	63	26	3	2	-	-
Female.....	26	47	55	56	62	71	52	31	4	3	-	-
American Indian 1/, both sexes.....	9	6	3	14	15	6	6	-	-	-	-	-
Male.....	5	3	1	7	6	4	3	-	-	-	-	-
Female.....	4	3	2	7	9	2	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	68	84	102	130	171	193	173	79	30	7	1	-
Male.....	37	45	67	96	105	117	96	43	14	6	-	-
Female.....	31	39	35	34	66	76	77	36	16	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Colorado

All races, both sexes.....	68	113	183	238	276	308	200	116	32	5	-	-
Male.....	35	69	111	128	166	176	108	57	19	-	-	-
Female.....	33	44	72	110	110	132	92	59	13	5	-	-
White, both sexes.....	67	106	173	222	252	287	194	116	31	5	-	-
Male.....	34	65	106	121	153	164	105	57	18	-	-	-
Female.....	33	41	67	101	99	123	89	59	13	5	-	-
Black, both sexes.....	1	5	7	11	17	13	4	-	1	-	-	-
Male.....	1	3	4	5	11	8	2	-	1	-	-	-
Female.....	-	2	3	6	6	5	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	2	1	1	1	-	-	-	-	-
Male.....	-	1	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	3	6	7	1	-	-	-	-	-
Male.....	-	-	1	-	2	4	1	-	-	-	-	-
Female.....	-	1	1	3	4	3	-	-	-	-	-	-

Connecticut

All races, both sexes.....	77	166	226	240	326	339	268	173	54	11	1	-
Male.....	41	97	122	129	183	175	134	81	31	5	-	-
Female.....	36	69	104	111	143	164	134	92	23	6	1	-
White, both sexes.....	64	152	199	225	307	328	264	170	52	10	1	-
Male.....	36	87	108	121	172	167	131	81	30	4	-	-
Female.....	28	65	91	104	135	161	133	89	22	6	1	-
Black, both sexes.....	13	13	27	15	17	11	4	3	-	1	-	-
Male.....	5	9	14	8	11	8	3	-	-	1	-	-
Female.....	8	4	13	7	6	3	1	3	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	2	-	-	-	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Florida

All races, both sexes.....	543	931	1,309	1,676	2,126	2,250	1,697	872	322	57	3	-
Male.....	323	592	767	1,020	1,262	1,262	912	452	159	25	-	-
Female.....	220	339	542	656	864	988	785	420	163	32	3	-
White, both sexes.....	468	816	1,196	1,510	1,961	2,151	1,616	849	306	57	3	-
Male.....	273	513	684	902	1,167	1,200	860	441	148	25	-	-
Female.....	195	303	512	608	794	951	756	408	158	32	3	-
Black, both sexes.....	71	110	108	157	151	93	75	22	15	-	-	-
Male.....	48	75	80	111	85	59	49	11	10	-	-	-
Female.....	23	35	28	46	66	34	26	11	5	-	-	-
American Indian 1/, both sexes.....	-	2	1	1	3	3	-	-	-	-	-	-
Male.....	-	2	1	1	2	2	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	4	8	11	3	6	1	1	-	-	-
Male.....	2	2	2	6	8	1	3	-	1	-	-	-
Female.....	2	1	2	2	3	2	3	1	-	-	-	-

Georgia

All races, both sexes.....	266	442	593	687	694	690	433	248	63	11	2	-
Male.....	169	266	372	413	412	408	241	130	29	2	1	-
Female.....	97	176	221	274	282	282	192	118	34	9	1	-
White, both sexes.....	182	328	463	556	567	566	361	200	49	10	2	-
Male.....	109	186	286	336	332	331	192	100	22	2	1	-
Female.....	73	142	177	220	235	235	169	100	27	8	1	-
Black, both sexes.....	83	111	126	128	122	122	70	44	14	1	-	-
Male.....	60	79	82	75	77	76	47	27	7	-	-	-
Female.....	23	32	44	53	45	46	23	17	7	1	-	-
American Indian 1/, both sexes.....	-	1	2	-	1	-	-	1	-	-	-	-
Male.....	-	-	2	-	1	-	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	3	4	2	2	3	-	-	-	-
Male.....	-	1	2	2	2	1	2	2	-	-	-	-
Female.....	1	1	-	1	2	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Hawaii

All races, both sexes.....	31	45	54	69	93	93	79	36	8	2	-	-
Male.....	17	23	37	43	53	67	44	19	6	1	-	-
Female.....	14	22	17	26	40	26	35	17	2	1	-	-
White, both sexes.....	10	22	18	23	29	25	30	8	-	-	-	-
Male.....	8	10	13	15	15	16	16	3	-	-	-	-
Female.....	2	12	5	8	14	9	14	5	-	-	-	-
Black, both sexes.....	-	2	-	-	-	1	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	21	36	46	64	67	48	28	8	2	-	-
Male.....	9	12	24	28	38	51	28	16	6	1	-	-
Female.....	12	9	12	18	26	16	20	12	2	1	-	-

Idaho

All races, both sexes.....	28	46	77	70	114	114	84	39	18	3	-	-
Male.....	14	21	35	41	55	65	51	23	8	2	-	-
Female.....	14	25	42	29	59	49	33	16	10	1	-	-
White, both sexes.....	28	45	75	68	112	113	83	39	18	3	-	-
Male.....	14	21	33	41	54	65	50	23	8	2	-	-
Female.....	14	24	42	27	58	48	33	16	10	1	-	-
Black, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	2	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Illinois

All races, both sexes.....	343	528	832	1,021	1,233	1,259	892	446	151	35	2	-
Male.....	213	326	495	590	712	708	478	211	60	11	-	-
Female.....	130	202	337	431	521	551	414	235	91	24	2	-
White, both sexes.....	259	405	682	836	1,067	1,107	798	407	140	31	1	-
Male.....	163	245	396	470	618	622	426	194	55	11	-	-
Female.....	96	160	286	366	449	485	372	213	85	20	1	-
Black, both sexes.....	82	119	140	169	154	140	89	36	10	4	1	-
Male.....	48	79	91	108	85	76	49	16	4	-	-	-
Female.....	34	40	49	61	69	64	40	20	6	4	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	10	15	12	11	5	3	1	-	-	-
Male.....	2	2	8	12	9	9	3	1	1	-	-	-
Female.....	-	2	2	3	3	2	2	2	-	-	-	-

Indiana

All races, both sexes.....	200	388	479	618	737	754	494	206	72	7	2	-
Male.....	112	237	270	373	437	435	284	103	29	1	1	-
Female.....	88	151	209	245	300	319	210	103	43	6	1	-
White, both sexes.....	178	354	440	571	669	708	461	197	68	6	2	-
Male.....	99	219	243	349	389	406	265	102	28	-	1	-
Female.....	79	135	197	222	280	302	196	95	40	6	1	-
Black, both sexes.....	21	34	39	46	64	45	32	9	3	1	-	-
Male.....	13	18	27	24	46	29	18	1	1	1	-	-
Female.....	8	16	12	22	18	16	14	8	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	1	-	-	-	-	-
Male.....	-	-	-	-	2	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	2	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	2	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Iowa

All races, both sexes.....	68	132	188	271	313	325	250	144	42	6	3	-
Male.....	39	84	111	171	199	197	137	78	16	1	-	-
Female.....	29	48	77	100	114	128	113	66	26	5	3	-
White, both sexes.....	64	125	185	266	310	321	243	144	42	6	3	-
Male.....	37	77	109	166	197	196	132	78	16	1	-	-
Female.....	27	48	76	100	113	125	111	66	26	5	3	-
Black, both sexes.....	4	5	3	4	2	4	5	-	-	-	-	-
Male.....	2	5	2	4	1	1	3	-	-	-	-	-
Female.....	2	-	1	-	1	3	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	-	1	-	-	-	-	-
Male.....	-	1	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	88	109	172	197	271	294	213	102	38	11	-	-
Male.....	50	71	96	134	158	179	121	56	19	6	-	-
Female.....	38	38	76	63	113	115	92	46	19	5	-	-
White, both sexes.....	86	104	160	186	257	282	201	100	38	11	-	-
Male.....	48	69	87	128	151	174	115	55	19	6	-	-
Female.....	38	35	73	58	106	108	86	45	19	5	-	-
Black, both sexes.....	2	5	8	9	10	11	9	1	-	-	-	-
Male.....	2	2	7	5	6	5	4	-	-	-	-	-
Female.....	-	3	1	4	4	6	5	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	1	-	2	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	1	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	3	1	1	1	-	-	-	-
Male.....	-	-	1	1	1	-	1	1	-	-	-	-
Female.....	-	-	1	-	2	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Kentucky

All races, both sexes.....	165	307	482	570	601	514	368	159	61	7	1	-
Male.....	104	199	287	361	372	289	228	83	35	2	-	-
Female.....	61	108	195	209	229	225	140	76	26	5	1	-
White, both sexes.....	146	287	454	540	573	488	345	153	57	7	1	-
Male.....	91	184	269	339	356	278	215	80	35	2	-	-
Female.....	55	103	185	201	217	210	130	73	22	5	1	-
Black, both sexes.....	18	19	28	29	27	26	23	6	4	-	-	-
Male.....	13	14	18	21	16	11	13	3	-	-	-	-
Female.....	5	5	10	8	11	15	10	3	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	1	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	185	289	349	407	488	521	308	165	61	7	2	1
Male.....	123	196	216	255	287	314	168	98	28	2	1	1
Female.....	62	93	133	152	201	207	140	67	33	5	1	-
White, both sexes.....	104	184	241	301	366	419	243	128	46	4	2	1
Male.....	69	120	150	180	210	247	127	74	18	2	1	1
Female.....	35	64	91	121	156	172	116	54	28	2	1	-
Black, both sexes.....	80	104	105	105	121	98	64	37	14	2	-	-
Male.....	53	75	66	74	76	64	40	24	9	-	-	-
Female.....	27	29	39	31	45	34	24	13	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	1	1	3	1	-	1	1	-	-
Male.....	1	1	-	1	1	2	1	-	1	-	-	-
Female.....	-	-	3	-	-	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Maine

All races, both sexes.....	38	80	112	131	167	176	125	66	22	8	1	-
Male.....	25	46	64	79	98	88	62	32	11	7	1	-
Female.....	13	34	48	52	69	88	63	34	11	1	-	-
White, both sexes.....	38	77	111	130	166	173	124	66	22	8	1	-
Male.....	25	43	63	79	97	86	62	32	11	7	1	-
Female.....	13	34	48	51	69	87	62	34	11	1	-	-
Black, both sexes.....	-	1	1	-	1	1	-	-	-	-	-	-
Male.....	-	1	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	-	2	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Maryland

All races, both sexes.....	160	293	343	426	529	548	392	196	67	17	-	-
Male.....	96	173	195	258	311	310	189	92	35	5	-	-
Female.....	64	120	148	168	218	238	203	104	32	12	-	-
White, both sexes.....	98	205	240	302	408	427	333	154	60	14	-	-
Male.....	61	114	128	178	239	245	162	71	30	3	-	-
Female.....	37	91	112	124	169	182	171	83	30	11	-	-
Black, both sexes.....	58	85	99	116	112	114	54	40	7	3	-	-
Male.....	33	57	63	76	69	61	23	19	5	2	-	-
Female.....	25	28	36	40	43	53	31	21	2	1	-	-
American Indian 1/, both sexes.....	1	-	1	-	2	1	-	-	-	-	-	-
Male.....	-	-	1	-	2	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	3	8	7	6	5	2	-	-	-	-
Male.....	2	2	3	4	1	3	4	2	-	-	-	-
Female.....	1	1	-	4	6	3	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Massachusetts

All races, both sexes.....	194	281	372	491	677	655	571	286	96	23	1	-
Male.....	115	167	196	282	372	329	280	125	31	6	-	-
Female.....	79	114	176	209	305	326	291	161	65	17	1	-
White, both sexes.....	179	262	354	454	643	621	552	277	95	22	1	-
Male.....	103	156	186	257	354	310	268	121	30	6	-	-
Female.....	76	106	168	197	289	311	284	156	65	16	1	-
Black, both sexes.....	8	16	12	30	26	19	13	6	1	1	-	-
Male.....	6	8	6	20	11	9	7	2	1	-	-	-
Female.....	2	8	6	10	15	10	6	4	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	2	1	-	1	-	-	-	-	-
Male.....	1	-	-	2	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	3	6	5	7	15	5	3	-	-	-	-
Male.....	5	3	4	3	6	10	5	2	-	-	-	-
Female.....	1	-	2	2	1	5	-	1	-	-	-	-

Michigan

All races, both sexes.....	310	466	669	816	1,040	1,072	777	335	90	11	3	-
Male.....	178	264	405	455	599	608	421	172	40	7	2	-
Female.....	132	202	264	361	441	464	356	163	50	4	1	-
White, both sexes.....	249	379	566	694	906	949	689	297	82	11	2	-
Male.....	141	209	345	386	521	535	371	153	36	7	2	-
Female.....	108	170	221	308	385	414	318	144	46	4	-	-
Black, both sexes.....	57	81	100	111	118	116	85	33	8	-	1	-
Male.....	35	54	60	66	73	69	48	18	4	-	-	-
Female.....	22	27	40	45	45	47	37	15	4	-	1	-
American Indian 1/, both sexes.....	2	3	2	7	13	3	2	3	-	-	-	-
Male.....	-	-	-	2	4	2	1	-	-	-	-	-
Female.....	2	3	2	5	9	1	1	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	1	4	3	4	1	2	-	-	-	-
Male.....	2	1	-	1	1	2	1	1	-	-	-	-
Female.....	-	2	1	3	2	2	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Minnesota

All races, both sexes.....	105	162	269	306	385	429	323	174	54	14	2	-
Male.....	54	84	151	178	222	247	189	93	26	6	1	-
Female.....	51	78	118	128	163	182	134	81	28	8	1	-
White, both sexes.....	99	155	256	297	372	409	320	173	53	14	2	-
Male.....	52	82	140	170	216	232	189	93	26	6	1	-
Female.....	47	73	116	127	156	177	131	80	27	8	1	-
Black, both sexes.....	3	4	7	6	5	8	2	1	-	-	-	-
Male.....	-	1	5	5	3	6	-	-	-	-	-	-
Female.....	3	3	2	1	2	2	2	1	-	-	-	-
American Indian 1/, both sexes.....	1	1	6	3	6	6	1	-	-	-	-	-
Male.....	1	-	6	3	1	4	-	-	-	-	-	-
Female.....	-	1	-	-	5	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	-	-	2	6	-	-	1	-	-	-
Male.....	1	1	-	-	2	5	-	-	-	-	-	-
Female.....	1	1	-	-	-	1	-	-	1	-	-	-

Mississippi

All races, both sexes.....	105	189	270	295	299	310	234	90	40	8	1	-
Male.....	74	131	174	207	189	205	140	50	19	3	-	-
Female.....	31	58	96	88	110	105	94	40	21	5	1	-
White, both sexes.....	63	133	201	227	223	249	188	68	24	6	-	-
Male.....	43	88	121	159	139	158	113	35	12	3	-	-
Female.....	20	45	80	68	84	91	75	33	12	3	-	-
Black, both sexes.....	42	54	69	68	76	60	46	22	16	2	1	-
Male.....	31	42	53	48	50	47	27	15	7	-	-	-
Female.....	11	12	16	20	26	13	19	7	9	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Missouri

All races, both sexes.....	201	312	489	621	658	660	455	211	71	21	-	1
Male.....	125	185	294	378	402	399	249	106	34	10	-	1
Female.....	76	127	195	243	256	261	206	105	37	11	-	-
White, both sexes.....	169	278	440	569	590	614	417	196	64	19	-	1
Male.....	106	162	267	344	366	372	229	100	31	9	-	1
Female.....	63	116	173	225	224	242	188	96	33	10	-	-
Black, both sexes.....	31	34	47	49	63	45	36	15	7	2	-	-
Male.....	19	23	27	32	34	26	20	6	3	1	-	-
Female.....	12	11	20	17	29	19	16	9	4	1	-	-
American Indian 1/, both sexes.....	1	-	-	1	3	1	1	-	-	-	-	-
Male.....	-	-	-	-	2	1	-	-	-	-	-	-
Female.....	1	-	-	1	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	2	2	-	1	-	-	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	2	-	2	-	1	-	-	-	-	-

Montana

All races, both sexes.....	20	42	55	72	106	108	70	48	16	1	-	-
Male.....	13	23	37	40	58	57	40	25	7	1	-	-
Female.....	7	19	18	32	48	51	30	23	9	-	-	-
White, both sexes.....	20	38	52	69	104	106	67	44	16	1	-	-
Male.....	13	20	35	40	57	56	39	24	7	1	-	-
Female.....	7	18	17	29	47	50	28	20	9	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	4	3	3	2	1	2	4	-	-	-	-
Male.....	-	3	2	-	1	1	1	1	-	-	-	-
Female.....	-	1	1	3	1	-	1	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Nebraska

All races, both sexes.....	43	57	95	131	151	173	114	66	23	7	-	-
Male.....	29	36	56	71	91	107	64	34	10	4	-	-
Female.....	14	21	39	60	60	66	50	32	13	3	-	-
White, both sexes.....	38	53	88	122	142	162	111	60	22	7	-	-
Male.....	25	33	50	64	85	98	62	32	9	4	-	-
Female.....	13	20	38	58	57	64	49	28	13	3	-	-
Black, both sexes.....	4	3	7	6	8	10	3	6	-	-	-	-
Male.....	3	2	6	4	5	9	2	2	-	-	-	-
Female.....	1	1	1	2	3	1	1	4	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	1	-	-	1	-	-	-
Male.....	1	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	1	-	-	-	-	-	-	-
Male.....	-	1	-	2	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	68	127	179	206	232	239	179	57	9	3	-	-
Male.....	36	70	102	122	140	132	87	26	5	3	-	-
Female.....	32	57	77	84	92	107	92	31	4	-	-	-
White, both sexes.....	57	117	165	191	219	226	172	55	9	3	-	-
Male.....	29	65	91	111	131	122	85	25	5	3	-	-
Female.....	28	52	74	80	88	104	87	30	4	-	-	-
Black, both sexes.....	7	8	13	6	10	6	6	1	-	-	-	-
Male.....	4	4	10	5	6	5	2	-	-	-	-	-
Female.....	3	4	3	1	4	1	4	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	3	1	2	-	-	-	-	-	-
Male.....	1	-	1	2	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	-	6	2	5	1	1	-	-	-	-
Male.....	2	1	-	4	2	4	-	1	-	-	-	-
Female.....	1	1	-	2	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

New Hampshire

All races, both sexes.....	41	64	72	101	115	121	65	55	15	6	-	-
Male.....	26	42	42	64	60	66	34	32	1	4	-	-
Female.....	15	22	30	37	55	55	31	23	14	2	-	-
White, both sexes.....	40	64	72	100	113	121	65	55	15	6	-	-
Male.....	25	42	42	64	59	66	34	32	1	4	-	-
Female.....	15	22	30	36	54	55	31	23	14	2	-	-
Black, both sexes.....	1	-	-	1	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	217	365	515	600	805	895	683	355	116	15	6	-
Male.....	125	202	306	328	457	494	372	165	50	5	2	-
Female.....	92	163	209	272	348	401	311	190	66	10	4	-
White, both sexes.....	171	293	422	499	695	804	632	329	105	14	6	-
Male.....	100	162	251	265	391	437	340	149	47	5	2	-
Female.....	71	131	171	234	304	367	292	180	58	9	4	-
Black, both sexes.....	39	67	84	94	101	80	41	21	9	1	-	-
Male.....	20	37	50	59	63	50	26	14	3	-	-	-
Female.....	19	30	34	35	38	30	15	7	6	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	4	9	7	8	11	10	5	2	-	-	-
Male.....	5	3	5	4	2	7	6	2	-	-	-	-
Female.....	2	1	4	3	6	4	4	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

New Mexico

All races, both sexes.....	33	47	90	107	137	127	112	55	18	4	1	-
Male.....	13	23	57	75	85	73	64	31	10	1	-	-
Female.....	20	24	33	32	52	54	48	24	8	3	1	-
White, both sexes.....	31	46	89	102	134	122	109	52	16	4	1	-
Male.....	12	23	57	71	82	70	61	28	9	1	-	-
Female.....	19	23	32	31	52	52	48	24	7	3	1	-
Black, both sexes.....	2	1	-	1	3	3	2	1	2	-	-	-
Male.....	1	-	-	1	3	1	2	1	1	-	-	-
Female.....	1	1	-	-	-	2	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	3	-	2	1	1	-	-	-	-
Male.....	-	-	-	2	-	2	1	1	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	475	808	1,116	1,305	1,616	1,712	1,283	659	239	46	8	-
Male.....	267	460	651	729	912	954	648	307	95	24	4	-
Female.....	208	348	465	576	704	758	635	352	144	22	4	-
White, both sexes.....	356	667	925	1,085	1,421	1,513	1,170	604	214	42	7	-
Male.....	194	367	534	605	791	828	587	284	86	22	4	-
Female.....	162	300	391	480	630	685	583	320	128	20	3	-
Black, both sexes.....	103	130	160	187	166	157	90	41	22	4	1	-
Male.....	59	83	99	104	100	93	45	15	7	2	-	-
Female.....	44	47	61	83	66	64	45	26	15	2	1	-
American Indian 1/, both sexes.....	5	3	6	1	-	2	3	1	-	-	-	-
Male.....	4	3	3	1	-	-	1	1	-	-	-	-
Female.....	1	-	3	-	-	2	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	8	25	32	29	40	20	13	3	-	-	-
Male.....	10	7	15	19	21	33	15	7	2	-	-	-
Female.....	1	1	10	13	8	7	5	6	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Ohio

All races, both sexes.....	387	636	885	1,094	1,324	1,355	947	470	133	23	5	-
Male.....	232	391	556	664	784	774	525	255	55	10	1	-
Female.....	155	245	329	430	540	581	422	215	78	13	4	-
White, both sexes.....	329	553	759	970	1,191	1,238	862	429	124	20	5	-
Male.....	199	335	477	586	698	707	481	233	53	8	1	-
Female.....	130	218	282	384	493	531	381	196	71	12	4	-
Black, both sexes.....	56	82	125	120	129	114	83	39	9	2	-	-
Male.....	33	55	78	76	84	65	43	21	2	2	-	-
Female.....	23	27	47	44	45	49	40	18	7	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	4	3	2	2	2	-	1	-	-
Male.....	-	1	1	2	2	1	1	1	-	-	-	-
Female.....	2	-	-	2	1	1	1	1	-	1	-	-

Oklahoma

All races, both sexes.....	126	216	308	345	410	417	285	115	43	4	-	-
Male.....	75	145	181	206	240	243	176	59	26	1	-	-
Female.....	51	71	127	139	170	174	109	56	17	3	-	-
White, both sexes.....	113	187	276	314	368	382	258	104	39	3	-	-
Male.....	65	125	161	189	217	226	161	55	24	1	-	-
Female.....	48	62	115	125	151	156	97	49	15	2	-	-
Black, both sexes.....	7	16	14	20	24	24	16	5	4	1	-	-
Male.....	7	11	6	12	13	11	8	2	2	-	-	-
Female.....	-	5	8	8	11	13	8	3	2	1	-	-
American Indian 1/, both sexes.....	6	13	17	9	18	10	11	5	-	-	-	-
Male.....	3	9	13	3	10	6	7	2	-	-	-	-
Female.....	3	4	4	6	8	4	4	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	-	1	-	1	-	-	-	-
Male.....	-	-	1	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Oregon

All races, both sexes.....	83	181	223	296	341	396	301	166	47	9	2	-
Male.....	45	106	121	159	196	203	159	86	21	3	2	-
Female.....	38	75	102	137	145	193	142	80	26	6	-	-
White, both sexes.....	79	175	215	284	334	385	294	163	45	8	2	-
Male.....	43	102	117	153	193	199	155	84	21	2	2	-
Female.....	36	73	98	131	141	186	139	79	24	6	-	-
Black, both sexes.....	2	3	5	6	2	5	3	2	-	-	-	-
Male.....	2	3	2	4	1	3	-	2	-	-	-	-
Female.....	-	-	3	2	1	2	3	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	1	2	1	3	1	-	2	1	-	-
Male.....	-	1	1	-	-	-	1	-	-	1	-	-
Female.....	1	1	-	2	1	3	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	4	4	3	3	1	-	-	-	-
Male.....	-	-	1	2	2	1	3	-	-	-	-	-
Female.....	1	1	1	2	2	2	-	1	-	-	-	-

Pennsylvania

All races, both sexes.....	347	617	825	1,048	1,425	1,569	1,215	564	181	31	-	1
Male.....	220	375	508	632	820	931	681	294	78	8	-	-
Female.....	127	242	317	416	605	638	534	270	103	23	-	1
White, both sexes.....	287	543	723	939	1,297	1,441	1,129	532	176	31	-	1
Male.....	179	333	449	572	753	840	634	277	74	8	-	-
Female.....	108	210	274	367	544	601	495	255	102	23	-	1
Black, both sexes.....	55	72	101	104	118	125	83	32	4	-	-	-
Male.....	37	41	59	58	62	89	46	17	3	-	-	-
Female.....	18	31	42	46	56	36	37	15	1	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	2	-	-	-	-	-	-	-
Male.....	1	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	1	5	8	3	3	-	1	-	-	-
Male.....	3	-	-	2	4	2	1	-	1	-	-	-
Female.....	1	1	1	3	4	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Rhode Island

All races, both sexes.....	38	48	70	87	95	120	94	45	18	2	-	-
Male.....	22	27	39	41	66	72	48	22	11	-	-	-
Female.....	16	21	31	46	29	48	46	23	7	2	-	-
White, both sexes.....	35	47	68	85	91	115	91	44	18	2	-	-
Male.....	21	27	37	41	62	69	47	22	11	-	-	-
Female.....	14	20	31	44	29	46	44	22	7	2	-	-
Black, both sexes.....	2	1	1	-	4	5	2	1	-	-	-	-
Male.....	-	-	1	-	4	3	1	-	-	-	-	-
Female.....	2	1	-	-	-	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

South Carolina

All races, both sexes.....	154	291	357	454	445	414	276	138	32	5	3	-
Male.....	101	179	247	296	291	238	155	71	15	2	1	-
Female.....	53	112	110	158	154	176	121	67	17	3	2	-
White, both sexes.....	95	211	269	350	367	339	215	104	24	2	2	-
Male.....	63	128	178	223	236	189	117	52	13	-	1	-
Female.....	32	83	91	127	131	150	98	52	11	2	1	-
Black, both sexes.....	59	80	86	101	77	73	61	34	8	3	1	-
Male.....	38	51	67	71	55	48	38	19	2	2	-	-
Female.....	21	29	19	30	22	25	23	15	6	1	1	-
American Indian 1/, both sexes.....	-	-	1	1	1	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	-	1	-	-	-	-	-	-
Male.....	-	-	1	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

South Dakota

All races, both sexes.....	18	24	25	68	65	96	75	30	9	1	-	-
Male.....	10	15	13	41	46	64	43	16	5	1	-	-
Female.....	8	9	12	27	19	32	32	14	4	-	-	-
White, both sexes.....	17	24	23	64	65	93	69	30	9	1	-	-
Male.....	9	15	11	38	46	61	41	16	5	1	-	-
Female.....	8	9	12	26	19	32	28	14	4	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	2	4	-	3	6	-	-	-	-	-
Male.....	1	-	2	3	-	3	2	-	-	-	-	-
Female.....	-	-	-	1	-	-	4	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	265	395	538	645	672	664	504	200	74	9	2	-
Male.....	174	261	341	383	414	401	295	111	33	5	2	-
Female.....	91	134	197	262	258	263	209	89	41	4	-	-
White, both sexes.....	207	338	478	577	603	594	449	181	63	8	2	-
Male.....	129	221	302	341	368	362	261	101	30	4	2	-
Female.....	78	117	176	236	235	232	188	80	33	4	-	-
Black, both sexes.....	57	57	60	68	69	68	54	19	11	1	-	-
Male.....	44	40	39	42	46	38	34	10	3	1	-	-
Female.....	13	17	21	26	23	30	20	9	8	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	2	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Texas

All races, both sexes.....	512	838	1,201	1,522	1,724	1,716	1,261	544	208	30	5	-
Male.....	335	500	725	947	1,075	997	716	291	82	17	3	-
Female.....	177	338	476	575	649	719	545	253	126	13	2	-
White, both sexes.....	407	691	1,022	1,317	1,509	1,539	1,142	509	181	21	2	-
Male.....	263	409	602	820	939	882	641	272	70	13	2	-
Female.....	144	282	420	497	570	657	501	237	111	8	-	-
Black, both sexes.....	100	138	170	190	198	164	108	31	24	9	3	-
Male.....	69	85	117	119	124	107	71	19	12	4	1	-
Female.....	31	53	53	71	74	57	37	12	12	5	2	-
American Indian 1/, both sexes.....	1	1	1	3	2	1	1	-	-	-	-	-
Male.....	-	1	1	3	2	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	8	8	12	15	12	10	4	3	-	-	-
Male.....	3	5	5	5	10	8	4	-	-	-	-	-
Female.....	1	3	3	7	5	4	6	4	3	-	-	-

Utah

All races, both sexes.....	23	40	42	56	87	66	50	28	11	-	1	-
Male.....	18	24	25	39	60	38	23	17	7	-	-	-
Female.....	5	16	17	17	27	28	27	11	4	-	1	-
White, both sexes.....	23	38	40	53	85	64	47	28	11	-	1	-
Male.....	18	22	25	38	59	37	22	17	7	-	-	-
Female.....	5	16	15	15	26	27	25	11	4	-	1	-
Black, both sexes.....	-	2	-	2	-	1	-	-	-	-	-	-
Male.....	-	2	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	1	1	2	-	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	2	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Vermont

All races, both sexes.....	16	30	35	46	64	63	41	13	2	1	-	-
Male.....	9	20	16	23	42	30	25	6	-	1	-	-
Female.....	7	10	19	23	22	33	16	7	2	-	-	-
White, both sexes.....	16	30	35	46	64	63	41	13	2	1	-	-
Male.....	9	20	16	23	42	30	25	6	-	1	-	-
Female.....	7	10	19	23	22	33	16	7	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	251	354	488	587	644	717	538	238	76	13	1	-
Male.....	154	230	308	360	375	405	288	109	36	6	-	-
Female.....	97	124	180	227	269	312	250	129	40	7	1	-
White, both sexes.....	172	272	394	472	525	592	461	206	63	10	1	-
Male.....	103	174	246	291	311	335	247	94	26	4	-	-
Female.....	69	98	148	181	214	257	214	112	37	6	1	-
Black, both sexes.....	73	76	91	108	115	116	74	30	13	3	-	-
Male.....	49	52	59	65	62	64	39	14	10	2	-	-
Female.....	24	24	32	43	53	52	35	16	3	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	6	2	7	4	9	3	2	-	-	-	-
Male.....	2	4	2	4	2	6	2	1	-	-	-	-
Female.....	4	2	-	3	2	3	1	1	-	-	-	-





























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of nasal cavity, middle ear and accessory sinuses (C30-C31)

Arkansas

All races, both sexes.....	-	2	-	2	2	1	-	-	1	-	-	-
Male.....	-	2	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	2	1	-	-	-	1	-	-	-
White, both sexes.....	-	-	-	2	2	1	-	-	1	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	2	1	-	-	-	1	-	-	-
Black, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	8	6	6	1	3	9	4	1	2	-	-	-
Male.....	5	4	4	1	2	4	1	-	-	-	-	-
Female.....	3	2	2	-	1	5	3	1	2	-	-	-
White, both sexes.....	6	5	6	-	3	7	3	1	2	-	-	-
Male.....	4	3	4	-	2	2	1	-	-	-	-	-
Female.....	2	2	2	-	1	5	2	1	2	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	-	1	1	-	-	-	-	-
Male.....	1	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-







































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of larynx (C32)

Arkansas

All races, both sexes.....	6	4	6	4	1	4	3	4	-	-	-	-
Male.....	6	3	5	2	1	3	3	3	-	-	-	-
Female.....	-	1	1	2	-	1	-	1	-	-	-	-
White, both sexes.....	4	2	5	4	1	4	2	4	-	-	-	-
Male.....	4	2	4	2	1	3	2	3	-	-	-	-
Female.....	-	-	1	2	-	1	-	1	-	-	-	-
Black, both sexes.....	2	2	1	-	-	-	1	-	-	-	-	-
Male.....	2	1	1	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	19	32	50	57	49	33	43	22	9	1	-	-
Male.....	16	22	44	45	34	24	36	19	6	1	-	-
Female.....	3	10	6	12	15	9	7	3	3	-	-	-
White, both sexes.....	14	25	35	45	40	30	36	19	8	-	-	-
Male.....	11	15	31	34	27	22	31	16	5	-	-	-
Female.....	3	10	4	11	13	8	5	3	3	-	-	-
Black, both sexes.....	4	7	15	10	6	2	6	3	-	1	-	-
Male.....	4	7	13	9	5	2	5	3	-	1	-	-
Female.....	-	-	2	1	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	3	1	1	-	1	-	-	-
Male.....	-	-	-	2	2	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-



















































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of trachea, bronchus and lung (C33-C34)												
Arkansas												
All races, both sexes.....	2,019	-	-	-	-	-	-	-	2	4	20	79
Male.....	1,239	-	-	-	-	-	-	-	1	3	9	60
Female.....	780	-	-	-	-	-	-	-	1	1	11	19
White, both sexes.....	1,799	-	-	-	-	-	-	-	2	4	17	57
Male.....	1,072	-	-	-	-	-	-	-	1	3	6	39
Female.....	727	-	-	-	-	-	-	-	1	1	11	18
Black, both sexes.....	213	-	-	-	-	-	-	-	-	-	3	22
Male.....	162	-	-	-	-	-	-	-	-	-	3	21
Female.....	51	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	13,648	-	1	-	1	1	2	3	14	50	113	312
Male.....	7,264	-	-	-	1	-	1	1	8	23	64	164
Female.....	6,384	-	1	-	-	1	1	2	6	27	49	148
White, both sexes.....	11,464	-	1	-	-	1	2	3	9	32	86	217
Male.....	5,980	-	-	-	-	-	1	1	4	14	47	114
Female.....	5,484	-	1	-	-	1	1	2	5	18	39	103
Black, both sexes.....	1,032	-	-	-	1	-	-	-	2	7	10	52
Male.....	603	-	-	-	1	-	-	-	2	3	7	31
Female.....	429	-	-	-	-	-	-	-	-	4	3	21
American Indian 1/, both sexes.....	62	-	-	-	-	-	-	-	-	-	-	4
Male.....	29	-	-	-	-	-	-	-	-	-	-	1
Female.....	33	-	-	-	-	-	-	-	-	-	-	3
Asian or Pacific Islander 2/, both sexes.....	1,090	-	-	-	-	-	-	-	3	11	17	39
Male.....	652	-	-	-	-	-	-	-	2	6	10	18
Female.....	438	-	-	-	-	-	-	-	1	5	7	21













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of trachea, bronchus and lung (C33-C34)												
Kentucky												
All races, both sexes.....	3,335	-	-	-	-	1	-	-	1	13	49	105
Male.....	2,011	-	-	-	-	1	-	-	-	10	32	64
Female.....	1,324	-	-	-	-	-	-	-	1	3	17	41
White, both sexes.....	3,130	-	-	-	-	1	-	-	1	12	44	87
Male.....	1,892	-	-	-	-	1	-	-	-	9	29	57
Female.....	1,238	-	-	-	-	-	-	-	1	3	15	30
Black, both sexes.....	199	-	-	-	-	-	-	-	-	-	4	18
Male.....	115	-	-	-	-	-	-	-	-	-	2	7
Female.....	84	-	-	-	-	-	-	-	-	-	2	11
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	2,858	-	-	-	-	-	-	1	2	15	52	92
Male.....	1,713	-	-	-	-	-	-	-	-	7	28	53
Female.....	1,145	-	-	-	-	-	-	1	2	8	24	39
White, both sexes.....	2,087	-	-	-	-	-	-	1	2	10	33	55
Male.....	1,218	-	-	-	-	-	-	-	-	5	16	32
Female.....	869	-	-	-	-	-	-	1	2	5	17	23
Black, both sexes.....	757	-	-	-	-	-	-	-	-	4	19	37
Male.....	487	-	-	-	-	-	-	-	-	2	12	21
Female.....	270	-	-	-	-	-	-	-	-	2	7	16
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	-	-	-	-	1	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of trachea, bronchus and lung (C33-C34)

Maine

All races, both sexes.....	952	-	-	-	-	-	-	-	-	5	13	27
Male.....	524	-	-	-	-	-	-	-	-	3	6	14
Female.....	428	-	-	-	-	-	-	-	-	2	7	13
White, both sexes.....	942	-	-	-	-	-	-	-	-	5	13	27
Male.....	517	-	-	-	-	-	-	-	-	3	6	14
Female.....	425	-	-	-	-	-	-	-	-	2	7	13
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	3,016	-	-	-	-	-	-	-	3	11	40	89
Male.....	1,663	-	-	-	-	-	-	-	3	5	23	46
Female.....	1,353	-	-	-	-	-	-	-	-	6	17	43
White, both sexes.....	2,240	-	-	-	-	-	-	-	1	6	15	43
Male.....	1,213	-	-	-	-	-	-	-	1	3	9	21
Female.....	1,027	-	-	-	-	-	-	-	-	3	6	22
Black, both sexes.....	727	-	-	-	-	-	-	-	2	3	23	43
Male.....	421	-	-	-	-	-	-	-	2	1	13	23
Female.....	306	-	-	-	-	-	-	-	-	2	10	20
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	44	-	-	-	-	-	-	-	-	2	2	3
Male.....	25	-	-	-	-	-	-	-	-	1	1	2
Female.....	19	-	-	-	-	-	-	-	-	1	1	1







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of trachea, bronchus and lung (C33-C34)

Nebraska

All races, both sexes.....	877	-	-	-	-	-	-	-	-	3	10	29
Male.....	512	-	-	-	-	-	-	-	-	1	4	21
Female.....	365	-	-	-	-	-	-	-	-	2	6	8
White, both sexes.....	817	-	-	-	-	-	-	-	-	3	9	24
Male.....	469	-	-	-	-	-	-	-	-	1	4	17
Female.....	348	-	-	-	-	-	-	-	-	2	5	7
Black, both sexes.....	51	-	-	-	-	-	-	-	-	-	1	3
Male.....	36	-	-	-	-	-	-	-	-	-	-	3
Female.....	15	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1

Nevada

All races, both sexes.....	1,324	-	-	-	-	-	-	1	1	1	11	31
Male.....	730	-	-	-	-	-	-	-	-	1	7	17
Female.....	594	-	-	-	-	-	-	1	1	-	4	14
White, both sexes.....	1,230	-	-	-	-	-	-	-	1	1	7	26
Male.....	672	-	-	-	-	-	-	-	-	1	5	16
Female.....	558	-	-	-	-	-	-	-	1	-	2	10
Black, both sexes.....	62	-	-	-	-	-	-	-	-	-	1	4
Male.....	37	-	-	-	-	-	-	-	-	-	-	1
Female.....	25	-	-	-	-	-	-	-	-	-	1	3
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	-	-	-	-	-	-	1	-	-	3	1
Male.....	15	-	-	-	-	-	-	-	-	-	2	-
Female.....	9	-	-	-	-	-	-	1	-	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of trachea, bronchus and lung (C33-C34)												
New Hampshire												
All races, both sexes.....	679	-	-	-	-	-	-	-	-	2	17	22
Male.....	382	-	-	-	-	-	-	-	-	1	11	12
Female.....	297	-	-	-	-	-	-	-	-	1	6	10
White, both sexes.....	673	-	-	-	-	-	-	-	-	2	15	22
Male.....	378	-	-	-	-	-	-	-	-	1	9	12
Female.....	295	-	-	-	-	-	-	-	-	1	6	10
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	4,650	-	-	-	-	-	2	2	3	21	54	129
Male.....	2,497	-	-	-	-	-	-	-	2	10	32	55
Female.....	2,153	-	-	-	-	-	2	2	1	11	22	74
White, both sexes.....	4,039	-	-	-	-	-	2	1	3	12	45	105
Male.....	2,152	-	-	-	-	-	-	-	2	7	27	48
Female.....	1,887	-	-	-	-	-	2	1	1	5	18	57
Black, both sexes.....	543	-	-	-	-	-	-	1	-	7	8	22
Male.....	310	-	-	-	-	-	-	-	-	2	4	7
Female.....	233	-	-	-	-	-	-	1	-	5	4	15
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	66	-	-	-	-	-	-	-	-	2	1	2
Male.....	34	-	-	-	-	-	-	-	-	1	1	-
Female.....	32	-	-	-	-	-	-	-	-	1	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of trachea, bronchus and lung (C33-C34)												
New Mexico												
All races, both sexes.....	726	-	-	-	-	-	-	-	-	2	3	13
Male.....	415	-	-	-	-	-	-	-	-	-	1	3
Female.....	311	-	-	-	-	-	-	-	-	2	2	10
White, both sexes.....	701	-	-	-	-	-	-	-	-	2	3	12
Male.....	397	-	-	-	-	-	-	-	-	-	1	2
Female.....	304	-	-	-	-	-	-	-	-	2	2	10
Black, both sexes.....	14	-	-	-	-	-	-	-	-	-	-	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	1
Male.....	7	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	9,458	-	-	-	-	1	-	-	13	38	140	291
Male.....	5,096	-	-	-	-	-	-	-	5	21	73	160
Female.....	4,362	-	-	-	-	1	-	-	8	17	67	131
White, both sexes.....	8,135	-	-	-	-	1	-	-	11	29	100	220
Male.....	4,333	-	-	-	-	-	-	-	4	18	56	118
Female.....	3,802	-	-	-	-	1	-	-	7	11	44	102
Black, both sexes.....	1,111	-	-	-	-	-	-	-	2	6	32	67
Male.....	615	-	-	-	-	-	-	-	1	2	11	39
Female.....	496	-	-	-	-	-	-	-	1	4	21	28
American Indian 1/, both sexes.....	21	-	-	-	-	-	-	-	-	-	-	-
Male.....	13	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	191	-	-	-	-	-	-	-	-	3	8	4
Male.....	135	-	-	-	-	-	-	-	-	1	6	3
Female.....	56	-	-	-	-	-	-	-	-	2	2	1













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of trachea, bronchus and lung (C33-C34)

Vermont

All races, both sexes.....	320	-	-	-	-	-	-	-	1	-	6	13
Male.....	172	-	-	-	-	-	-	-	-	-	4	6
Female.....	148	-	-	-	-	-	-	-	1	-	2	7
White, both sexes.....	320	-	-	-	-	-	-	-	1	-	6	13
Male.....	172	-	-	-	-	-	-	-	-	-	4	6
Female.....	148	-	-	-	-	-	-	-	1	-	2	7
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	4,026	-	1	-	-	1	2	3	2	18	73	128
Male.....	2,315	-	1	-	-	1	2	1	1	10	40	77
Female.....	1,711	-	-	-	-	-	-	2	1	8	33	51
White, both sexes.....	3,247	-	1	-	-	1	1	1	1	11	53	88
Male.....	1,858	-	1	-	-	1	1	-	-	6	30	51
Female.....	1,389	-	-	-	-	-	-	1	1	5	23	37
Black, both sexes.....	733	-	-	-	-	-	1	1	1	5	19	37
Male.....	431	-	-	-	-	-	1	1	1	3	9	25
Female.....	302	-	-	-	-	-	-	-	-	2	10	12
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	46	-	-	-	-	-	-	1	-	2	1	3
Male.....	26	-	-	-	-	-	-	-	-	1	1	1
Female.....	20	-	-	-	-	-	-	1	-	1	-	2





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

United States

All races, both sexes.....	7,757	12,920	18,036	22,414	26,972	28,031	20,588	10,076	3,319	617	76	2
Male.....	4,654	7,758	10,589	13,218	15,717	15,934	11,130	5,099	1,485	255	26	2
Female.....	3,103	5,162	7,447	9,196	11,255	12,097	9,458	4,977	1,834	362	50	-
White, both sexes.....	6,215	10,870	15,565	19,553	24,005	25,257	18,731	9,234	3,023	549	66	2
Male.....	3,682	6,420	9,006	11,435	13,929	14,262	10,068	4,660	1,344	224	25	2
Female.....	2,533	4,450	6,559	8,118	10,076	10,995	8,663	4,574	1,679	325	41	-
Black, both sexes.....	1,340	1,814	2,165	2,446	2,486	2,275	1,486	662	235	57	9	-
Male.....	858	1,197	1,389	1,528	1,507	1,355	851	343	114	24	1	-
Female.....	482	617	776	918	979	920	635	319	121	33	8	-
American Indian 1/, both sexes.....	41	67	67	94	97	74	56	19	8	1	-	-
Male.....	21	42	43	47	52	39	28	8	2	1	-	-
Female.....	20	25	24	47	45	35	28	11	6	-	-	-
Asian or Pacific Islander 2/, both sexes.....	161	169	239	321	384	425	315	161	53	10	1	-
Male.....	93	99	151	208	229	278	183	88	25	6	-	-
Female.....	68	70	88	113	155	147	132	73	28	4	1	-

Alabama

All races, both sexes.....	175	270	406	502	543	486	335	154	58	20	1	-
Male.....	127	183	260	322	333	307	197	93	24	8	-	-
Female.....	48	87	146	180	210	179	138	61	34	12	1	-
White, both sexes.....	123	212	326	425	465	416	290	135	48	15	1	-
Male.....	87	136	202	270	283	264	169	77	20	7	-	-
Female.....	36	76	124	155	182	152	121	58	28	8	1	-
Black, both sexes.....	51	57	80	76	77	68	45	19	10	5	-	-
Male.....	39	46	58	52	50	43	28	16	4	1	-	-
Female.....	12	11	22	24	27	25	17	3	6	4	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	2	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of trachea, bronchus and lung (C33-C34)

Alaska

All races, both sexes.....	12	27	31	23	37	46	18	7	2	1	-	-
Male.....	10	21	14	14	26	31	11	4	1	-	-	-
Female.....	2	6	17	9	11	15	7	3	1	1	-	-
White, both sexes.....	11	19	26	20	23	37	14	6	1	1	-	-
Male.....	9	15	14	12	17	29	8	3	1	-	-	-
Female.....	2	4	12	8	6	8	6	3	-	1	-	-
Black, both sexes.....	-	-	-	-	3	1	-	-	-	-	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	8	5	3	11	7	4	1	1	-	-	-
Male.....	1	6	-	2	7	2	3	1	-	-	-	-
Female.....	-	2	5	1	4	5	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Arizona

All races, both sexes.....	109	206	332	391	495	491	346	199	45	9	1	-
Male.....	60	111	183	232	298	285	179	114	23	4	-	-
Female.....	49	95	149	159	197	206	167	85	22	5	1	-
White, both sexes.....	103	202	313	377	484	475	338	194	42	9	1	-
Male.....	55	109	171	226	289	280	174	110	20	4	-	-
Female.....	48	93	142	151	195	195	164	84	22	5	1	-
Black, both sexes.....	1	2	15	10	9	7	5	3	3	-	-	-
Male.....	1	1	8	5	7	2	3	2	3	-	-	-
Female.....	-	1	7	5	2	5	2	1	-	-	-	-
American Indian 1/, both sexes.....	3	1	3	3	1	4	3	1	-	-	-	-
Male.....	2	-	3	1	1	2	1	-	-	-	-	-
Female.....	1	1	-	2	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	1	1	5	-	1	-	-	-	-
Male.....	2	1	1	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	4	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Arkansas												
All races, both sexes.....	98	181	237	306	350	345	230	127	32	7	1	-
Male.....	67	116	147	193	204	215	137	67	17	3	-	-
Female.....	31	65	90	113	146	130	93	60	15	4	1	-
White, both sexes.....	79	153	215	271	321	315	211	118	29	6	1	-
Male.....	55	93	129	165	182	195	125	62	15	2	-	-
Female.....	24	60	86	106	139	120	86	56	14	4	1	-
Black, both sexes.....	18	27	21	35	28	29	17	9	3	1	-	-
Male.....	12	22	17	28	21	20	10	5	2	1	-	-
Female.....	6	5	4	7	7	9	7	4	1	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	1	1	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	632	982	1,402	1,816	2,289	2,492	2,033	1,063	364	67	11	-
Male.....	370	545	772	1,011	1,214	1,349	1,057	491	160	30	3	-
Female.....	262	437	630	805	1,075	1,143	976	572	204	37	8	-
White, both sexes.....	485	781	1,160	1,526	1,957	2,132	1,748	930	328	56	10	-
Male.....	283	433	620	817	1,016	1,134	901	425	144	23	3	-
Female.....	202	348	540	709	941	998	847	505	184	33	7	-
Black, both sexes.....	72	112	138	149	150	166	108	54	7	4	-	-
Male.....	47	65	85	94	89	95	57	23	3	1	-	-
Female.....	25	47	53	55	61	71	51	31	4	3	-	-
American Indian 1/, both sexes.....	8	6	3	14	15	6	6	-	-	-	-	-
Male.....	4	3	1	7	6	4	3	-	-	-	-	-
Female.....	4	3	2	7	9	2	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	67	83	101	127	167	188	171	79	29	7	1	-
Male.....	36	44	66	93	103	116	96	43	13	6	-	-
Female.....	31	39	35	34	64	72	75	36	16	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of trachea, bronchus and lung (C33-C34)

Colorado

All races, both sexes.....	66	110	176	234	269	300	193	112	29	5	-	-
Male.....	34	66	106	126	161	171	103	53	17	-	-	-
Female.....	32	44	70	108	108	129	90	59	12	5	-	-
White, both sexes.....	65	103	166	218	246	279	187	112	28	5	-	-
Male.....	33	62	101	119	148	159	100	53	16	-	-	-
Female.....	32	41	65	99	98	120	87	59	12	5	-	-
Black, both sexes.....	1	5	7	11	16	13	4	-	1	-	-	-
Male.....	1	3	4	5	11	8	2	-	1	-	-	-
Female.....	-	2	3	6	5	5	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	2	1	1	1	-	-	-	-	-
Male.....	-	1	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	3	6	7	1	-	-	-	-	-
Male.....	-	-	1	-	2	4	1	-	-	-	-	-
Female.....	-	1	1	3	4	3	-	-	-	-	-	-

Connecticut

All races, both sexes.....	72	158	219	232	319	333	264	168	52	11	1	-
Male.....	38	90	118	121	177	170	130	77	29	5	-	-
Female.....	34	68	101	111	142	163	134	91	23	6	1	-
White, both sexes.....	59	145	192	217	300	323	260	165	50	10	1	-
Male.....	33	80	104	113	166	163	127	77	28	4	-	-
Female.....	26	65	88	104	134	160	133	88	22	6	1	-
Black, both sexes.....	13	12	27	15	17	10	4	3	-	1	-	-
Male.....	5	9	14	8	11	7	3	-	-	1	-	-
Female.....	8	3	13	7	6	3	1	3	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	2	-	-	-	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of trachea, bronchus and lung (C33-C34)

Florida

All races, both sexes.....	516	896	1,261	1,623	2,068	2,197	1,651	850	309	55	3	-
Male.....	300	567	729	979	1,214	1,218	875	434	149	24	-	-
Female.....	216	329	532	644	854	979	776	416	160	31	3	-
White, both sexes.....	446	788	1,157	1,467	1,910	2,102	1,572	828	294	55	3	-
Male.....	255	493	654	870	1,126	1,159	825	424	139	24	-	-
Female.....	191	295	503	597	784	943	747	404	155	31	3	-
Black, both sexes.....	66	103	99	147	145	89	73	21	15	-	-	-
Male.....	43	70	72	102	79	56	47	10	10	-	-	-
Female.....	23	33	27	45	66	33	26	11	5	-	-	-
American Indian 1/, both sexes.....	-	2	1	1	3	3	-	-	-	-	-	-
Male.....	-	2	1	1	2	2	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	4	8	10	3	6	1	-	-	-	-
Male.....	2	2	2	6	7	1	3	-	-	-	-	-
Female.....	2	1	2	2	3	2	3	1	-	-	-	-

Georgia

All races, both sexes.....	250	429	582	667	677	677	425	240	60	11	2	-
Male.....	158	255	363	400	403	399	236	122	28	2	1	-
Female.....	92	174	219	267	274	278	189	118	32	9	1	-
White, both sexes.....	176	318	457	540	552	556	355	195	47	10	2	-
Male.....	105	178	280	326	325	324	188	95	22	2	1	-
Female.....	71	140	177	214	227	232	167	100	25	8	1	-
Black, both sexes.....	73	108	121	124	120	119	68	42	13	1	-	-
Male.....	53	76	79	72	75	74	46	25	6	-	-	-
Female.....	20	32	42	52	45	45	22	17	7	1	-	-
American Indian 1/, both sexes.....	-	1	2	-	1	-	-	1	-	-	-	-
Male.....	-	-	2	-	1	-	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	3	4	2	2	2	-	-	-	-
Male.....	-	1	2	2	2	1	2	1	-	-	-	-
Female.....	1	1	-	1	2	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Hawaii

All races, both sexes.....	30	43	52	66	89	89	76	36	8	1	-	-
Male.....	16	21	36	41	49	64	42	19	6	-	-	-
Female.....	14	22	16	25	40	25	34	17	2	1	-	-
White, both sexes.....	9	21	17	22	28	23	29	8	-	-	-	-
Male.....	7	9	12	14	14	15	16	3	-	-	-	-
Female.....	2	12	5	8	14	8	13	5	-	-	-	-
Black, both sexes.....	-	1	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	21	35	44	61	65	46	28	8	1	-	-
Male.....	9	12	24	27	35	49	26	16	6	-	-	-
Female.....	12	9	11	17	26	16	20	12	2	1	-	-

Idaho

All races, both sexes.....	26	45	76	70	112	111	79	35	17	3	-	-
Male.....	13	21	35	41	55	62	48	19	7	2	-	-
Female.....	13	24	41	29	57	49	31	16	10	1	-	-
White, both sexes.....	26	44	74	68	110	110	78	35	17	3	-	-
Male.....	13	21	33	41	54	62	47	19	7	2	-	-
Female.....	13	23	41	27	56	48	31	16	10	1	-	-
Black, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	2	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Illinois

All races, both sexes.....	329	503	807	993	1,194	1,232	866	436	146	32	2	-
Male.....	201	307	476	569	685	687	461	209	58	9	-	-
Female.....	128	196	331	424	509	545	405	227	88	23	2	-
White, both sexes.....	248	388	662	813	1,037	1,082	779	400	136	28	1	-
Male.....	152	233	379	453	598	603	415	193	53	9	-	-
Female.....	96	155	283	360	439	479	364	207	83	19	1	-
Black, both sexes.....	79	111	135	166	145	138	84	33	9	4	1	-
Male.....	47	72	89	105	78	74	45	15	4	-	-	-
Female.....	32	39	46	61	67	64	39	18	5	4	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	10	13	12	11	3	3	1	-	-	-
Male.....	2	2	8	11	9	9	1	1	1	-	-	-
Female.....	-	2	2	2	3	2	2	2	-	-	-	-

Indiana

All races, both sexes.....	196	377	469	610	727	742	476	201	71	7	2	-
Male.....	108	227	262	369	427	427	268	100	29	1	1	-
Female.....	88	150	207	241	300	315	208	101	42	6	1	-
White, both sexes.....	175	345	432	563	660	696	445	192	67	6	2	-
Male.....	96	211	237	345	380	398	251	99	28	-	1	-
Female.....	79	134	195	218	280	298	194	93	39	6	1	-
Black, both sexes.....	20	32	37	46	63	45	30	9	3	1	-	-
Male.....	12	16	25	24	45	29	16	1	1	1	-	-
Female.....	8	16	12	22	18	16	14	8	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	1	-	-	-	-	-
Male.....	-	-	-	-	2	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	2	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	2	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of trachea, bronchus and lung (C33-C34)

Iowa

All races, both sexes.....	68	127	182	260	300	315	246	139	41	5	3	-
Male.....	39	79	107	161	188	189	135	76	15	1	-	-
Female.....	29	48	75	99	112	126	111	63	26	4	3	-
White, both sexes.....	64	121	180	256	297	311	239	139	41	5	3	-
Male.....	37	73	105	157	186	188	130	76	15	1	-	-
Female.....	27	48	75	99	111	123	109	63	26	4	3	-
Black, both sexes.....	4	4	2	3	2	4	5	-	-	-	-	-
Male.....	2	4	2	3	1	1	3	-	-	-	-	-
Female.....	2	-	-	-	1	3	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	-	1	-	-	-	-	-
Male.....	-	1	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	87	106	166	191	264	285	208	100	36	11	-	-
Male.....	49	69	92	128	151	170	118	54	17	6	-	-
Female.....	38	37	74	63	113	115	90	46	19	5	-	-
White, both sexes.....	85	102	155	181	251	274	196	98	36	11	-	-
Male.....	47	67	84	123	145	166	112	53	17	6	-	-
Female.....	38	35	71	58	106	108	84	45	19	5	-	-
Black, both sexes.....	2	4	7	8	9	10	9	1	-	-	-	-
Male.....	2	2	6	4	5	4	4	-	-	-	-	-
Female.....	-	2	1	4	4	6	5	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	1	-	2	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	1	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	3	1	1	1	-	-	-	-
Male.....	-	-	1	1	1	-	1	1	-	-	-	-
Female.....	-	-	1	-	2	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Kentucky

All races, both sexes.....	162	301	470	558	590	499	363	158	57	7	1	-
Male.....	102	193	278	351	364	277	223	82	32	2	-	-
Female.....	60	108	192	207	226	222	140	76	25	5	1	-
White, both sexes.....	144	281	443	528	562	473	341	152	53	7	1	-
Male.....	90	178	261	329	348	266	211	79	32	2	-	-
Female.....	54	103	182	199	214	207	130	73	21	5	1	-
Black, both sexes.....	17	19	27	29	27	26	22	6	4	-	-	-
Male.....	12	14	17	21	16	11	12	3	-	-	-	-
Female.....	5	5	10	8	11	15	10	3	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	1	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	181	274	339	395	471	505	301	161	59	7	2	1
Male.....	121	183	208	249	276	300	161	97	26	2	1	1
Female.....	60	91	131	146	195	205	140	64	33	5	1	-
White, both sexes.....	102	180	236	290	351	411	238	126	45	4	2	1
Male.....	69	117	146	175	200	241	122	74	17	2	1	1
Female.....	33	63	90	115	151	170	116	52	28	2	1	-
Black, both sexes.....	78	93	100	104	119	91	62	35	13	2	-	-
Male.....	51	65	62	73	75	57	38	23	8	-	-	-
Female.....	27	28	38	31	44	34	24	12	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	1	1	3	1	-	1	1	-	-
Male.....	1	1	-	1	1	2	1	-	1	-	-	-
Female.....	-	-	3	-	-	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of trachea, bronchus and lung (C33-C34)

Maine

All races, both sexes.....	36	80	110	129	164	173	121	64	22	7	1	-
Male.....	23	46	62	78	96	86	60	32	11	6	1	-
Female.....	13	34	48	51	68	87	61	32	11	1	-	-
White, both sexes.....	36	77	109	128	163	170	120	64	22	7	1	-
Male.....	23	43	61	78	95	84	60	32	11	6	1	-
Female.....	13	34	48	50	68	86	60	32	11	1	-	-
Black, both sexes.....	-	1	1	-	1	1	-	-	-	-	-	-
Male.....	-	1	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	-	2	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Maryland

All races, both sexes.....	154	283	324	416	511	533	380	191	65	16	-	-
Male.....	91	167	182	250	296	296	178	87	34	5	-	-
Female.....	63	116	142	166	215	237	202	104	31	11	-	-
White, both sexes.....	95	199	227	298	396	417	322	150	58	13	-	-
Male.....	59	111	119	174	229	236	152	67	29	3	-	-
Female.....	36	88	108	124	167	181	170	83	29	10	-	-
Black, both sexes.....	55	81	93	110	106	109	53	39	7	3	-	-
Male.....	30	54	59	72	64	56	22	18	5	2	-	-
Female.....	25	27	34	38	42	53	31	21	2	1	-	-
American Indian 1/, both sexes.....	1	-	1	-	2	1	-	-	-	-	-	-
Male.....	-	-	1	-	2	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	3	8	7	6	5	2	-	-	-	-
Male.....	2	2	3	4	1	3	4	2	-	-	-	-
Female.....	1	1	-	4	6	3	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Massachusetts

All races, both sexes.....	188	271	363	476	656	641	556	277	94	21	1	-
Male.....	109	157	190	268	356	318	273	121	31	6	-	-
Female.....	79	114	173	208	300	323	283	156	63	15	1	-
White, both sexes.....	174	254	347	439	624	608	538	268	93	21	1	-
Male.....	98	148	181	243	339	300	261	117	30	6	-	-
Female.....	76	106	166	196	285	308	277	151	63	15	1	-
Black, both sexes.....	7	14	11	30	24	18	12	6	1	-	-	-
Male.....	5	6	6	20	10	8	7	2	1	-	-	-
Female.....	2	8	5	10	14	10	5	4	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	2	1	-	1	-	-	-	-	-
Male.....	1	-	-	2	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	3	5	5	7	15	5	3	-	-	-	-
Male.....	5	3	3	3	6	10	5	2	-	-	-	-
Female.....	1	-	2	2	1	5	-	1	-	-	-	-

Michigan

All races, both sexes.....	295	447	647	798	1,009	1,055	753	323	85	10	3	-
Male.....	167	249	385	440	582	597	399	167	35	6	2	-
Female.....	128	198	262	358	427	458	354	156	50	4	1	-
White, both sexes.....	239	364	549	677	883	935	670	285	77	10	2	-
Male.....	133	197	330	372	510	525	354	148	31	6	2	-
Female.....	106	167	219	305	373	410	316	137	46	4	-	-
Black, both sexes.....	52	77	95	110	111	113	80	33	8	-	1	-
Male.....	32	51	55	65	67	68	43	18	4	-	-	-
Female.....	20	26	40	45	44	45	37	15	4	-	1	-
American Indian 1/, both sexes.....	2	3	2	7	12	3	2	3	-	-	-	-
Male.....	-	-	-	2	4	2	1	-	-	-	-	-
Female.....	2	3	2	5	8	1	1	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	1	4	3	4	1	2	-	-	-	-
Male.....	2	1	-	1	1	2	1	1	-	-	-	-
Female.....	-	2	1	3	2	2	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Minnesota

All races, both sexes.....	101	156	264	303	377	424	315	170	53	13	1	-
Male.....	52	80	147	177	216	243	183	90	26	5	-	-
Female.....	49	76	117	126	161	181	132	80	27	8	1	-
White, both sexes.....	96	149	251	294	365	405	312	169	52	13	1	-
Male.....	50	78	136	169	211	229	183	90	26	5	-	-
Female.....	46	71	115	125	154	176	129	79	26	8	1	-
Black, both sexes.....	2	4	7	6	5	8	2	1	-	-	-	-
Male.....	-	1	5	5	3	6	-	-	-	-	-	-
Female.....	2	3	2	1	2	2	2	1	-	-	-	-
American Indian 1/, both sexes.....	1	1	6	3	6	5	1	-	-	-	-	-
Male.....	1	-	6	3	1	3	-	-	-	-	-	-
Female.....	-	1	-	-	5	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	-	-	1	6	-	-	1	-	-	-
Male.....	1	1	-	-	1	5	-	-	-	-	-	-
Female.....	1	1	-	-	-	1	-	-	1	-	-	-

Mississippi

All races, both sexes.....	104	182	264	281	294	303	232	85	38	8	1	-
Male.....	73	127	168	195	186	198	139	46	18	3	-	-
Female.....	31	55	96	86	108	105	93	39	20	5	1	-
White, both sexes.....	63	128	196	216	219	244	186	63	23	6	-	-
Male.....	43	85	116	150	137	153	112	31	11	3	-	-
Female.....	20	43	80	66	82	91	74	32	12	3	-	-
Black, both sexes.....	41	52	68	65	75	58	46	22	15	2	1	-
Male.....	30	41	52	45	49	45	27	15	7	-	-	-
Female.....	11	11	16	20	26	13	19	7	8	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Missouri

All races, both sexes.....	196	300	469	601	645	649	445	209	68	20	-	1
Male.....	121	180	277	361	392	391	241	105	33	10	-	1
Female.....	75	120	192	240	253	258	204	104	35	10	-	-
White, both sexes.....	165	268	421	550	582	604	408	195	61	18	-	1
Male.....	103	157	251	328	360	365	222	100	30	9	-	1
Female.....	62	111	170	222	222	239	186	95	31	9	-	-
Black, both sexes.....	30	32	46	48	59	44	35	14	7	2	-	-
Male.....	18	23	26	31	30	25	19	5	3	1	-	-
Female.....	12	9	20	17	29	19	16	9	4	1	-	-
American Indian 1/, both sexes.....	1	-	-	1	2	1	1	-	-	-	-	-
Male.....	-	-	-	-	2	1	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	2	2	-	1	-	-	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	2	-	2	-	1	-	-	-	-	-

Montana

All races, both sexes.....	20	41	52	69	101	106	70	48	15	1	-	-
Male.....	13	22	34	39	55	56	40	25	6	1	-	-
Female.....	7	19	18	30	46	50	30	23	9	-	-	-
White, both sexes.....	20	37	49	66	99	104	67	44	15	1	-	-
Male.....	13	19	32	39	54	55	39	24	6	1	-	-
Female.....	7	18	17	27	45	49	28	20	9	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	4	3	3	2	1	2	4	-	-	-	-
Male.....	-	3	2	-	1	1	1	1	-	-	-	-
Female.....	-	1	1	3	1	-	1	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Nebraska

All races, both sexes.....	40	53	93	127	148	169	111	64	23	7	-	-
Male.....	26	33	56	69	89	104	61	34	10	4	-	-
Female.....	14	20	37	58	59	65	50	30	13	3	-	-
White, both sexes.....	36	49	86	118	139	158	108	58	22	7	-	-
Male.....	23	30	50	62	83	95	59	32	9	4	-	-
Female.....	13	19	36	56	56	63	49	26	13	3	-	-
Black, both sexes.....	4	3	7	6	8	10	3	6	-	-	-	-
Male.....	3	2	6	4	5	9	2	2	-	-	-	-
Female.....	1	1	1	2	3	1	1	4	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	1	-	-	-	-	-	-	-
Male.....	-	1	-	2	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	64	123	173	205	232	237	178	55	9	3	-	-
Male.....	33	66	97	121	140	130	86	24	5	3	-	-
Female.....	31	57	76	84	92	107	92	31	4	-	-	-
White, both sexes.....	53	113	159	190	219	225	171	53	9	3	-	-
Male.....	26	61	86	110	131	121	84	23	5	3	-	-
Female.....	27	52	73	80	88	104	87	30	4	-	-	-
Black, both sexes.....	7	8	13	6	10	6	6	1	-	-	-	-
Male.....	4	4	10	5	6	5	2	-	-	-	-	-
Female.....	3	4	3	1	4	1	4	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	3	1	2	-	-	-	-	-	-
Male.....	1	-	1	2	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	-	6	2	4	1	1	-	-	-	-
Male.....	2	1	-	4	2	3	-	1	-	-	-	-
Female.....	1	1	-	2	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

New Hampshire

All races, both sexes.....	40	63	68	99	112	118	62	55	15	6	-	-
Male.....	25	41	39	62	59	64	31	32	1	4	-	-
Female.....	15	22	29	37	53	54	31	23	14	2	-	-
White, both sexes.....	39	63	68	98	110	118	62	55	15	6	-	-
Male.....	24	41	39	62	58	64	31	32	1	4	-	-
Female.....	15	22	29	36	52	54	31	23	14	2	-	-
Black, both sexes.....	1	-	-	1	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	204	345	495	579	787	885	668	342	114	15	5	-
Male.....	113	184	291	311	443	486	359	154	50	5	2	-
Female.....	91	161	204	268	344	399	309	188	64	10	3	-
White, both sexes.....	161	278	411	484	682	794	620	318	104	14	5	-
Male.....	91	148	243	252	382	429	330	139	47	5	2	-
Female.....	70	130	168	232	300	365	290	179	57	9	3	-
Black, both sexes.....	37	62	75	88	96	80	39	19	8	1	-	-
Male.....	18	33	43	55	58	50	24	13	3	-	-	-
Female.....	19	29	32	33	38	30	15	6	5	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	4	9	7	8	11	9	5	2	-	-	-
Male.....	4	3	5	4	2	7	5	2	-	-	-	-
Female.....	2	1	4	3	6	4	4	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

New Mexico

All races, both sexes.....	32	45	87	102	134	125	108	52	18	4	1	-
Male.....	12	22	54	70	82	71	61	28	10	1	-	-
Female.....	20	23	33	32	52	54	47	24	8	3	1	-
White, both sexes.....	31	44	86	97	131	120	105	49	16	4	1	-
Male.....	12	22	54	66	79	68	58	25	9	1	-	-
Female.....	19	22	32	31	52	52	47	24	7	3	1	-
Black, both sexes.....	1	1	-	1	3	3	2	1	2	-	-	-
Male.....	-	-	-	1	3	1	2	1	1	-	-	-
Female.....	1	1	-	-	-	2	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	3	-	2	1	1	-	-	-	-
Male.....	-	-	-	2	-	2	1	1	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	459	779	1,065	1,249	1,578	1,673	1,251	639	228	46	8	-
Male.....	256	438	612	686	880	927	624	296	90	24	4	-
Female.....	203	341	453	563	698	746	627	343	138	22	4	-
White, both sexes.....	347	643	888	1,042	1,394	1,480	1,142	585	204	42	7	-
Male.....	189	349	506	572	768	806	566	274	81	22	4	-
Female.....	158	294	382	470	626	674	576	311	123	20	3	-
Black, both sexes.....	96	126	147	175	155	152	87	40	21	4	1	-
Male.....	53	80	89	94	91	89	43	14	7	2	-	-
Female.....	43	46	58	81	64	63	44	26	14	2	1	-
American Indian 1/, both sexes.....	5	3	6	1	-	2	3	1	-	-	-	-
Male.....	4	3	3	1	-	-	1	1	-	-	-	-
Female.....	1	-	3	-	-	2	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	7	24	31	29	39	19	13	3	-	-	-
Male.....	10	6	14	19	21	32	14	7	2	-	-	-
Female.....	1	1	10	12	8	7	5	6	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Ohio

All races, both sexes.....	376	614	847	1,064	1,294	1,333	928	454	132	22	5	-
Male.....	222	374	524	637	765	757	512	245	55	9	1	-
Female.....	154	240	323	427	529	576	416	209	77	13	4	-
White, both sexes.....	321	532	729	943	1,166	1,216	845	416	123	19	5	-
Male.....	192	319	452	562	682	690	469	224	53	7	1	-
Female.....	129	213	277	381	484	526	376	192	70	12	4	-
Black, both sexes.....	53	81	118	117	124	114	81	36	9	2	-	-
Male.....	30	54	72	73	81	65	42	20	2	2	-	-
Female.....	23	27	46	44	43	49	39	16	7	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	4	3	2	2	2	-	1	-	-
Male.....	-	1	-	2	2	1	1	1	-	-	-	-
Female.....	2	-	-	2	1	1	1	1	-	1	-	-

Oklahoma

All races, both sexes.....	123	213	300	339	404	408	277	113	40	4	-	-
Male.....	72	143	175	202	234	240	170	57	25	1	-	-
Female.....	51	70	125	137	170	168	107	56	15	3	-	-
White, both sexes.....	110	184	268	309	363	375	252	102	36	3	-	-
Male.....	62	123	155	186	212	224	156	53	23	1	-	-
Female.....	48	61	113	123	151	151	96	49	13	2	-	-
Black, both sexes.....	7	16	14	19	23	22	16	5	4	1	-	-
Male.....	7	11	6	11	12	10	8	2	2	-	-	-
Female.....	-	5	8	8	11	12	8	3	2	1	-	-
American Indian 1/, both sexes.....	6	13	17	9	18	10	9	5	-	-	-	-
Male.....	3	9	13	3	10	6	6	2	-	-	-	-
Female.....	3	4	4	6	8	4	3	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	-	1	-	1	-	-	-	-
Male.....	-	-	1	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Oregon

All races, both sexes.....	82	176	217	290	333	389	293	162	47	8	2	-
Male.....	45	103	116	153	188	199	153	83	21	3	2	-
Female.....	37	73	101	137	145	190	140	79	26	5	-	-
White, both sexes.....	78	170	209	278	326	378	286	159	45	7	2	-
Male.....	43	99	112	147	185	195	149	81	21	2	2	-
Female.....	35	71	97	131	141	183	137	78	24	5	-	-
Black, both sexes.....	2	3	5	6	2	5	3	2	-	-	-	-
Male.....	2	3	2	4	1	3	-	2	-	-	-	-
Female.....	-	-	3	2	1	2	3	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	1	2	1	3	1	-	2	1	-	-
Male.....	-	1	1	-	-	-	1	-	-	1	-	-
Female.....	1	1	-	2	1	3	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	4	4	3	3	1	-	-	-	-
Male.....	-	-	1	2	2	1	3	-	-	-	-	-
Female.....	1	1	1	2	2	2	-	1	-	-	-	-

Pennsylvania

All races, both sexes.....	327	595	795	1,019	1,394	1,525	1,188	547	178	29	-	-
Male.....	202	358	481	607	799	900	664	282	77	8	-	-
Female.....	125	237	314	412	595	625	524	265	101	21	-	-
White, both sexes.....	270	526	697	916	1,270	1,403	1,103	516	174	29	-	-
Male.....	164	319	426	552	734	813	618	265	74	8	-	-
Female.....	106	207	271	364	536	590	485	251	100	21	-	-
Black, both sexes.....	52	67	97	98	114	119	82	31	3	-	-	-
Male.....	34	38	55	53	60	85	45	17	2	-	-	-
Female.....	18	29	42	45	54	34	37	14	1	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	2	-	-	-	-	-	-	-
Male.....	1	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	1	5	8	3	3	-	1	-	-	-
Male.....	3	-	-	2	4	2	1	-	1	-	-	-
Female.....	1	1	1	3	4	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Rhode Island

All races, both sexes.....	38	48	67	86	94	117	93	45	18	2	-	-
Male.....	22	27	38	40	65	70	48	22	11	-	-	-
Female.....	16	21	29	46	29	47	45	23	7	2	-	-
White, both sexes.....	35	47	65	84	90	112	90	44	18	2	-	-
Male.....	21	27	36	40	61	67	47	22	11	-	-	-
Female.....	14	20	29	44	29	45	43	22	7	2	-	-
Black, both sexes.....	2	1	1	-	4	5	2	1	-	-	-	-
Male.....	-	-	1	-	4	3	1	-	-	-	-	-
Female.....	2	1	-	-	-	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

South Carolina

All races, both sexes.....	147	281	347	435	432	400	270	136	30	5	3	-
Male.....	97	171	237	278	281	225	151	70	14	2	1	-
Female.....	50	110	110	157	151	175	119	66	16	3	2	-
White, both sexes.....	91	204	261	341	359	332	213	102	23	2	2	-
Male.....	61	123	170	215	230	182	116	51	12	-	1	-
Female.....	30	81	91	126	129	150	97	51	11	2	1	-
Black, both sexes.....	56	77	85	92	72	66	57	34	7	3	1	-
Male.....	36	48	66	62	51	42	35	19	2	2	-	-
Female.....	20	29	19	30	21	24	22	15	5	1	1	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of trachea, bronchus and lung (C33-C34)

South Dakota

All races, both sexes.....	17	23	23	66	62	91	74	28	9	1	-	-
Male.....	9	14	12	40	44	60	42	15	5	1	-	-
Female.....	8	9	11	26	18	31	32	13	4	-	-	-
White, both sexes.....	17	23	21	62	62	88	68	28	9	1	-	-
Male.....	9	14	10	37	44	57	40	15	5	1	-	-
Female.....	8	9	11	25	18	31	28	13	4	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	4	-	3	6	-	-	-	-	-
Male.....	-	-	2	3	-	3	2	-	-	-	-	-
Female.....	-	-	-	1	-	-	4	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	254	376	518	622	651	656	499	194	70	8	2	-
Male.....	165	242	324	364	398	396	293	107	31	4	2	-
Female.....	89	134	194	258	253	260	206	87	39	4	-	-
White, both sexes.....	198	322	464	559	585	586	446	175	60	7	2	-
Male.....	122	205	290	327	355	357	260	97	29	3	2	-
Female.....	76	117	174	232	230	229	186	78	31	4	-	-
Black, both sexes.....	55	54	54	63	66	68	52	19	10	1	-	-
Male.....	42	37	34	37	43	38	33	10	2	1	-	-
Female.....	13	17	20	26	23	30	19	9	8	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	2	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Texas

All races, both sexes.....	487	805	1,161	1,485	1,680	1,670	1,230	529	202	27	5	-
Male.....	311	478	695	918	1,038	962	695	281	80	15	3	-
Female.....	176	327	466	567	642	708	535	248	122	12	2	-
White, both sexes.....	388	662	989	1,288	1,478	1,500	1,115	494	175	19	2	-
Male.....	245	391	576	798	912	853	623	262	68	12	2	-
Female.....	143	271	413	490	566	647	492	232	107	7	-	-
Black, both sexes.....	94	134	163	182	185	157	104	31	24	8	3	-
Male.....	63	81	113	112	114	101	68	19	12	3	1	-
Female.....	31	53	50	70	71	56	36	12	12	5	2	-
American Indian 1/, both sexes.....	1	1	1	3	2	1	1	-	-	-	-	-
Male.....	-	1	1	3	2	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	8	8	12	15	12	10	4	3	-	-	-
Male.....	3	5	5	5	10	8	4	-	-	-	-	-
Female.....	1	3	3	7	5	4	6	4	3	-	-	-

Utah

All races, both sexes.....	22	36	41	53	84	65	50	28	11	-	1	-
Male.....	17	24	25	36	57	37	23	17	7	-	-	-
Female.....	5	12	16	17	27	28	27	11	4	-	1	-
White, both sexes.....	22	34	39	50	82	63	47	28	11	-	1	-
Male.....	17	22	25	35	56	36	22	17	7	-	-	-
Female.....	5	12	14	15	26	27	25	11	4	-	1	-
Black, both sexes.....	-	2	-	2	-	1	-	-	-	-	-	-
Male.....	-	2	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	1	1	2	-	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	2	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of trachea, bronchus and lung (C33-C34)

Vermont

All races, both sexes.....	14	29	34	45	61	62	39	13	2	1	-	-
Male.....	7	19	15	22	39	29	24	6	-	1	-	-
Female.....	7	10	19	23	22	33	15	7	2	-	-	-
White, both sexes.....	14	29	34	45	61	62	39	13	2	1	-	-
Male.....	7	19	15	22	39	29	24	6	-	1	-	-
Female.....	7	10	19	23	22	33	15	7	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	243	343	465	571	629	696	530	233	74	13	1	-
Male.....	148	220	290	346	365	388	280	104	35	6	-	-
Female.....	95	123	175	225	264	308	250	129	39	7	1	-
White, both sexes.....	166	265	379	461	513	577	454	202	62	10	1	-
Male.....	99	168	235	282	301	323	240	90	26	4	-	-
Female.....	67	97	144	179	212	254	214	112	36	6	1	-
Black, both sexes.....	71	72	84	103	112	110	73	29	12	3	-	-
Male.....	47	48	53	60	62	59	38	13	9	2	-	-
Female.....	24	24	31	43	50	51	35	16	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	6	2	7	4	9	3	2	-	-	-	-
Male.....	2	4	2	4	2	6	2	1	-	-	-	-
Female.....	4	2	-	3	2	3	1	1	-	-	-	-





























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of thymus, heart, mediastinum and pleura (C37-C38)

Arkansas

All races, both sexes.....	1	-	-	-	2	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	1	-	-	-	-	-
White, both sexes.....	1	-	-	-	2	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4	3	8	2	7	11	11	7	3	-	-	-
Male.....	4	2	4	1	3	5	5	2	-	-	-	-
Female.....	-	1	4	1	4	6	6	5	3	-	-	-
White, both sexes.....	4	2	6	2	6	7	11	7	3	-	-	-
Male.....	4	1	2	1	3	4	5	2	-	-	-	-
Female.....	-	1	4	1	3	3	6	5	3	-	-	-
Black, both sexes.....	-	1	1	-	-	1	-	-	-	-	-	-
Male.....	-	1	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	3	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	3	-	-	-	-	-	-



























































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of bone and articular cartilage (C40-C41)

Arkansas

All races, both sexes.....	20	-	-	-	-	1	3	-	-	-	-	3
Male.....	6	-	-	-	-	-	2	-	-	-	-	1
Female.....	14	-	-	-	-	1	1	-	-	-	-	2
White, both sexes.....	18	-	-	-	-	-	3	-	-	-	-	3
Male.....	5	-	-	-	-	-	2	-	-	-	-	1
Female.....	13	-	-	-	-	-	1	-	-	-	-	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

California

All races, both sexes.....	150	-	1	3	11	15	13	10	11	7	7	4
Male.....	86	-	-	2	4	11	8	7	8	6	5	1
Female.....	64	-	1	1	7	4	5	3	3	1	2	3
White, both sexes.....	129	-	1	3	9	12	10	8	10	4	6	4
Male.....	75	-	-	2	3	9	6	6	7	4	5	1
Female.....	54	-	1	1	6	3	4	2	3	-	1	3
Black, both sexes.....	8	-	-	-	1	-	1	1	-	2	1	-
Male.....	3	-	-	-	-	-	1	1	-	1	-	-
Female.....	5	-	-	-	1	-	-	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	1	3	2	1	1	1	-	-
Male.....	8	-	-	-	1	2	1	-	1	1	-	-
Female.....	5	-	-	-	-	1	1	1	-	-	-	-



























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of bone and articular cartilage (C40-C41)

New Mexico

All races, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	82	-	-	1	3	7	4	4	2	5	4	6
Male.....	46	-	-	1	3	7	3	1	1	4	3	3
Female.....	36	-	-	-	-	-	1	3	1	1	1	3
White, both sexes.....	70	-	-	-	3	6	2	3	2	5	3	4
Male.....	39	-	-	-	3	6	2	-	1	4	2	1
Female.....	31	-	-	-	-	-	-	3	1	1	1	3
Black, both sexes.....	10	-	-	1	-	1	1	1	-	-	1	1
Male.....	6	-	-	1	-	1	1	1	-	-	1	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of bone and articular cartilage (C40-C41)

Arkansas

All races, both sexes.....	2	-	1	3	-	1	2	3	1	-	-	-
Male.....	1	-	1	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	3	-	1	1	3	1	-	-	-
White, both sexes.....	2	-	-	3	-	1	2	3	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	3	-	1	1	3	1	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4	5	5	4	9	12	17	8	2	2	-	-
Male.....	1	1	2	2	6	6	10	4	1	1	-	-
Female.....	3	4	3	2	3	6	7	4	1	1	-	-
White, both sexes.....	4	3	3	4	9	11	16	8	2	2	-	-
Male.....	1	1	1	2	6	6	9	4	1	1	-	-
Female.....	3	2	2	2	3	5	7	4	1	1	-	-
Black, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	1	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-





































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of bone and articular cartilage (C40-C41)

South Dakota

All races, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	2	2	1	1	1	3	3	2	2	1	-	-
Male.....	1	2	1	1	-	-	2	-	-	-	-	-
Female.....	1	-	-	-	1	3	1	2	2	1	-	-
White, both sexes.....	2	2	-	1	-	3	3	2	2	1	-	-
Male.....	1	2	-	1	-	-	2	-	-	-	-	-
Female.....	1	-	-	-	-	3	1	2	2	1	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Melanoma and other malignant neoplasms of skin (C43-C44)

Arkansas

All races, both sexes.....	93	-	-	-	-	-	-	2	1	1	8	6
Male.....	51	-	-	-	-	-	-	1	-	1	6	2
Female.....	42	-	-	-	-	-	-	1	1	-	2	4
White, both sexes.....	91	-	-	-	-	-	-	2	1	1	8	6
Male.....	51	-	-	-	-	-	-	1	-	1	6	2
Female.....	40	-	-	-	-	-	-	1	1	-	2	4
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,097	-	-	-	-	2	5	6	17	23	43	63
Male.....	748	-	-	-	-	1	3	3	12	11	24	41
Female.....	349	-	-	-	-	1	2	3	5	12	19	22
White, both sexes.....	1,057	-	-	-	-	2	5	5	14	22	42	59
Male.....	722	-	-	-	-	1	3	3	10	10	24	38
Female.....	335	-	-	-	-	1	2	2	4	12	18	21
Black, both sexes.....	20	-	-	-	-	-	-	-	1	1	1	2
Male.....	14	-	-	-	-	-	-	-	1	1	-	2
Female.....	6	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	-	-	-	-	-	1	2	-	-	2
Male.....	11	-	-	-	-	-	-	-	1	-	-	1
Female.....	5	-	-	-	-	-	-	1	1	-	-	1



















































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Melanoma and other malignant neoplasms of skin (C43-C44)

Arkansas

All races, both sexes.....	5	8	8	8	9	14	9	10	2	1	1	-
Male.....	4	4	5	6	5	7	5	5	-	-	-	-
Female.....	1	4	3	2	4	7	4	5	2	1	1	-
White, both sexes.....	5	7	8	8	9	14	9	9	2	1	1	-
Male.....	4	4	5	6	5	7	5	5	-	-	-	-
Female.....	1	3	3	2	4	7	4	4	2	1	1	-
Black, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	86	98	105	83	133	131	130	124	40	6	2	-
Male.....	60	68	77	57	97	91	85	88	27	2	1	-
Female.....	26	30	28	26	36	40	45	36	13	4	1	-
White, both sexes.....	80	95	100	81	130	125	128	122	39	6	2	-
Male.....	56	66	73	55	96	88	83	86	27	2	1	-
Female.....	24	29	27	26	34	37	45	36	12	4	1	-
Black, both sexes.....	2	1	4	1	2	3	1	-	1	-	-	-
Male.....	2	-	4	1	-	2	1	-	-	-	-	-
Female.....	-	1	-	-	2	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	-	1	-	2	1	2	-	-	-	-
Male.....	2	2	-	1	-	1	1	2	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Melanoma and other malignant neoplasms of skin (C43-C44)

Illinois

All races, both sexes.....	37	41	21	31	32	64	43	37	18	8	1	-
Male.....	29	31	13	23	21	44	29	17	9	2	-	-
Female.....	8	10	8	8	11	20	14	20	9	6	1	-
White, both sexes.....	36	39	20	31	32	61	42	35	18	8	1	-
Male.....	28	30	13	23	21	43	29	17	9	2	-	-
Female.....	8	9	7	8	11	18	13	18	9	6	1	-
Black, both sexes.....	1	1	1	-	-	3	1	2	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	1	-	-	2	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Indiana

All races, both sexes.....	23	24	15	21	17	36	34	11	8	4	1	1
Male.....	15	18	10	16	13	25	21	5	3	1	-	-
Female.....	8	6	5	5	4	11	13	6	5	3	1	1
White, both sexes.....	23	24	14	21	17	35	34	11	7	4	1	1
Male.....	15	18	10	16	13	25	21	5	3	1	-	-
Female.....	8	6	4	5	4	10	13	6	4	3	1	1
Black, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Melanoma and other malignant neoplasms of skin (C43-C44)

Maine

All races, both sexes.....	6	4	4	3	4	7	4	1	2	2	-	-
Male.....	3	4	3	1	2	5	2	1	1	1	-	-
Female.....	3	-	1	2	2	2	2	-	1	1	-	-
White, both sexes.....	6	4	4	3	4	7	4	1	2	2	-	-
Male.....	3	4	3	1	2	5	2	1	1	1	-	-
Female.....	3	-	1	2	2	2	2	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	11	17	13	17	25	25	24	13	6	1	-	-
Male.....	8	13	7	9	16	14	14	9	2	-	-	-
Female.....	3	4	6	8	9	11	10	4	4	1	-	-
White, both sexes.....	9	16	12	15	21	24	23	13	6	1	-	-
Male.....	7	12	7	8	15	14	13	9	2	-	-	-
Female.....	2	4	5	7	6	10	10	4	4	1	-	-
Black, both sexes.....	1	1	-	2	3	1	1	-	-	-	-	-
Male.....	1	1	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	1	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	-	-	-	-



































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant melanoma of skin (C43)												
Arkansas												
All races, both sexes.....	76	-	-	-	-	-	-	2	1	1	6	6
Male.....	44	-	-	-	-	-	-	1	-	1	5	2
Female.....	32	-	-	-	-	-	-	1	1	-	1	4
White, both sexes.....	74	-	-	-	-	-	-	2	1	1	6	6
Male.....	44	-	-	-	-	-	-	1	-	1	5	2
Female.....	30	-	-	-	-	-	-	1	1	-	1	4
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	856	-	-	-	-	2	5	5	15	22	38	53
Male.....	573	-	-	-	-	1	3	2	11	10	21	32
Female.....	283	-	-	-	-	1	2	3	4	12	17	21
White, both sexes.....	838	-	-	-	-	2	5	4	14	22	37	50
Male.....	564	-	-	-	-	1	3	2	10	10	21	30
Female.....	274	-	-	-	-	1	2	2	4	12	16	20
Black, both sexes.....	7	-	-	-	-	-	-	-	1	-	1	1
Male.....	4	-	-	-	-	-	-	-	1	-	-	1
Female.....	3	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	1	-	-	-	2
Male.....	5	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	-	1	-	-	-	1





























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant melanoma of skin (C43)

Illinois

All races, both sexes.....	31	32	17	24	24	48	29	19	10	4	1	-
Male.....	23	23	10	18	14	33	18	10	5	-	-	-
Female.....	8	9	7	6	10	15	11	9	5	4	1	-
White, both sexes.....	31	30	16	24	24	45	29	19	10	4	1	-
Male.....	23	22	10	18	14	32	18	10	5	-	-	-
Female.....	8	8	6	6	10	13	11	9	5	4	1	-
Black, both sexes.....	-	1	1	-	-	3	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	1	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Indiana

All races, both sexes.....	20	16	12	15	12	31	26	7	5	1	-	-
Male.....	13	13	9	11	9	22	17	3	2	-	-	-
Female.....	7	3	3	4	3	9	9	4	3	1	-	-
White, both sexes.....	20	16	11	15	12	30	26	7	4	1	-	-
Male.....	13	13	9	11	9	22	17	3	2	-	-	-
Female.....	7	3	2	4	3	8	9	4	2	1	-	-
Black, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-









































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other malignant neoplasms of skin (C44)

Arkansas

All races, both sexes.....	17	-	-	-	-	-	-	-	-	-	2	-
Male.....	7	-	-	-	-	-	-	-	-	-	1	-
Female.....	10	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	17	-	-	-	-	-	-	-	-	-	2	-
Male.....	7	-	-	-	-	-	-	-	-	-	1	-
Female.....	10	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	241	-	-	-	-	-	-	1	2	1	5	10
Male.....	175	-	-	-	-	-	-	1	1	1	3	9
Female.....	66	-	-	-	-	-	-	-	1	-	2	1
White, both sexes.....	219	-	-	-	-	-	-	1	-	-	5	9
Male.....	158	-	-	-	-	-	-	1	-	-	3	8
Female.....	61	-	-	-	-	-	-	-	-	-	2	1
Black, both sexes.....	13	-	-	-	-	-	-	-	-	1	-	1
Male.....	10	-	-	-	-	-	-	-	-	1	-	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	2	-	-	-
Male.....	6	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-



















































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of skin (C44)

Arkansas

All races, both sexes.....	-	2	-	2	-	4	1	3	1	1	1	-
Male.....	-	1	-	1	-	2	-	2	-	-	-	-
Female.....	-	1	-	1	-	2	1	1	1	1	1	-
White, both sexes.....	-	2	-	2	-	4	1	3	1	1	1	-
Male.....	-	1	-	1	-	2	-	2	-	-	-	-
Female.....	-	1	-	1	-	2	1	1	1	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	14	16	22	16	28	30	37	39	17	2	1	-
Male.....	12	12	20	13	21	19	25	26	10	2	-	-
Female.....	2	4	2	3	7	11	12	13	7	-	1	-
White, both sexes.....	11	14	19	15	27	25	36	38	16	2	1	-
Male.....	9	11	17	12	20	16	24	25	10	2	-	-
Female.....	2	3	2	3	7	9	12	13	6	-	1	-
Black, both sexes.....	2	1	3	-	-	3	1	-	1	-	-	-
Male.....	2	-	3	-	-	2	1	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	-	2	-	1	-	-	-	-
Male.....	1	1	-	1	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of skin (C44)

Maine

All races, both sexes.....	2	2	-	1	1	-	1	1	-	1	-	-
Male.....	2	2	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	1	-	-
White, both sexes.....	2	2	-	1	1	-	1	1	-	1	-	-
Male.....	2	2	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	-	1	4	6	10	3	7	6	1	1	-	-
Male.....	-	1	1	4	7	2	4	4	-	-	-	-
Female.....	-	-	3	2	3	1	3	2	1	1	-	-
White, both sexes.....	-	1	4	5	7	3	7	6	1	1	-	-
Male.....	-	1	1	3	6	2	4	4	-	-	-	-
Female.....	-	-	3	2	1	1	3	2	1	1	-	-
Black, both sexes.....	-	-	-	1	2	-	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-



















































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of mesothelial and soft tissue (C45-C49)

Maine

All races, both sexes.....	60	-	-	1	-	-	-	1	-	-	1	2
Male.....	37	-	-	-	-	-	-	-	-	-	1	1
Female.....	23	-	-	1	-	-	-	1	-	-	-	1
White, both sexes.....	60	-	-	1	-	-	-	1	-	-	1	2
Male.....	37	-	-	-	-	-	-	-	-	-	1	1
Female.....	23	-	-	1	-	-	-	1	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	124	-	-	-	1	1	-	-	2	3	2	6
Male.....	72	-	-	-	-	1	-	-	1	2	-	2
Female.....	52	-	-	-	1	-	-	-	1	1	2	4
White, both sexes.....	96	-	-	-	1	-	-	-	1	3	1	3
Male.....	54	-	-	-	-	-	-	-	1	2	-	1
Female.....	42	-	-	-	1	-	-	-	-	1	1	2
Black, both sexes.....	23	-	-	-	-	1	-	-	-	-	1	3
Male.....	14	-	-	-	-	1	-	-	-	-	-	1
Female.....	9	-	-	-	-	-	-	-	-	-	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	1	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of mesothelial and soft tissue (C45-C49)

New Mexico

All races, both sexes.....	36	-	-	-	-	3	-	-	-	3	1	-
Male.....	22	-	-	-	-	1	-	-	-	1	1	-
Female.....	14	-	-	-	-	2	-	-	-	2	-	-
White, both sexes.....	34	-	-	-	-	3	-	-	-	3	1	-
Male.....	20	-	-	-	-	1	-	-	-	1	1	-
Female.....	14	-	-	-	-	2	-	-	-	2	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	439	-	1	2	2	3	3	7	7	7	7	18
Male.....	231	-	1	1	-	1	2	4	4	4	5	9
Female.....	208	-	-	1	2	2	1	3	3	3	2	9
White, both sexes.....	387	-	1	1	2	3	2	5	5	5	6	14
Male.....	199	-	1	-	-	1	1	3	3	3	4	7
Female.....	188	-	-	1	2	2	1	2	2	2	2	7
Black, both sexes.....	43	-	-	1	-	-	1	1	2	2	1	4
Male.....	27	-	-	1	-	-	1	1	1	1	1	2
Female.....	16	-	-	-	-	-	-	-	1	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	-	1	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	1	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of mesothelial and soft tissue (C45-C49)

Vermont

All races, both sexes.....	18	-	-	-	-	-	1	-	-	-	1	-
Male.....	9	-	-	-	-	-	1	-	-	-	1	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	18	-	-	-	-	-	1	-	-	-	1	-
Male.....	9	-	-	-	-	-	1	-	-	-	1	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	170	-	-	-	-	2	-	2	6	6	6	10
Male.....	94	-	-	-	-	-	-	2	2	3	4	6
Female.....	76	-	-	-	-	2	-	-	4	3	2	4
White, both sexes.....	148	-	-	-	-	1	-	2	3	5	3	10
Male.....	84	-	-	-	-	-	-	2	1	3	3	6
Female.....	64	-	-	-	-	1	-	-	2	2	-	4
Black, both sexes.....	17	-	-	-	-	1	-	-	3	-	2	-
Male.....	8	-	-	-	-	-	-	-	1	-	1	-
Female.....	9	-	-	-	-	1	-	-	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	-	1	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	1	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of mesothelial and soft tissue (C45-C49)

Arkansas

All races, both sexes.....	5	4	1	4	8	11	9	3	-	-	-	-
Male.....	2	2	1	2	5	7	4	2	-	-	-	-
Female.....	3	2	-	2	3	4	5	1	-	-	-	-
White, both sexes.....	5	3	1	4	8	8	8	3	-	-	-	-
Male.....	2	1	1	2	5	5	4	2	-	-	-	-
Female.....	3	2	-	2	3	3	4	1	-	-	-	-
Black, both sexes.....	-	1	-	-	-	3	1	-	-	-	-	-
Male.....	-	1	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	44	56	77	79	90	98	92	57	10	2	1	-
Male.....	22	30	40	49	60	61	58	34	3	1	1	-
Female.....	22	26	37	30	30	37	34	23	7	1	-	-
White, both sexes.....	34	46	68	68	86	86	87	56	10	2	-	-
Male.....	16	28	36	41	59	52	55	34	3	1	-	-
Female.....	18	18	32	27	27	34	32	22	7	1	-	-
Black, both sexes.....	8	4	4	2	4	7	3	1	-	-	-	-
Male.....	5	2	1	1	1	6	2	-	-	-	-	-
Female.....	3	2	3	1	3	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	2	2	-	1	-	-	-	-	-	-
Male.....	-	-	1	2	-	1	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	5	3	7	-	4	2	-	-	-	1	-
Male.....	1	-	2	5	-	2	1	-	-	-	1	-
Female.....	1	5	1	2	-	2	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of mesothelial and soft tissue (C45-C49)

Colorado

All races, both sexes.....	4	9	8	14	14	10	8	5	4	-	-	-
Male.....	2	5	5	8	9	7	5	1	2	-	-	-
Female.....	2	4	3	6	5	3	3	4	2	-	-	-
White, both sexes.....	4	9	8	14	14	10	8	5	4	-	-	-
Male.....	2	5	5	8	9	7	5	1	2	-	-	-
Female.....	2	4	3	6	5	3	3	4	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	10	7	9	14	14	13	21	9	5	1	-	-
Male.....	5	2	4	10	13	12	10	6	4	-	-	-
Female.....	5	5	5	4	1	1	11	3	1	1	-	-
White, both sexes.....	7	7	9	14	14	12	20	9	5	1	-	-
Male.....	3	2	4	10	13	12	10	6	4	-	-	-
Female.....	4	5	5	4	1	-	10	3	1	1	-	-
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of mesothelial and soft tissue (C45-C49)

New Mexico

All races, both sexes.....	5	2	4	4	3	5	2	3	1	-	-	-
Male.....	2	2	4	4	2	3	2	-	-	-	-	-
Female.....	3	-	-	-	1	2	-	3	1	-	-	-
White, both sexes.....	5	2	4	4	2	4	2	3	1	-	-	-
Male.....	2	2	4	4	1	2	2	-	-	-	-	-
Female.....	3	-	-	-	1	2	-	3	1	-	-	-
Black, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	27	28	40	47	60	72	58	31	14	5	-	-
Male.....	18	11	17	29	29	42	33	13	7	1	-	-
Female.....	9	17	23	18	31	30	25	18	7	4	-	-
White, both sexes.....	21	23	33	38	56	70	55	29	13	5	-	-
Male.....	15	7	12	24	25	41	33	11	7	1	-	-
Female.....	6	16	21	14	31	29	22	18	6	4	-	-
Black, both sexes.....	4	5	6	8	3	-	2	2	1	-	-	-
Male.....	2	4	4	4	3	-	2	2	-	-	-	-
Female.....	2	1	2	4	-	-	2	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	1	1	2	1	-	-	-	-	-
Male.....	1	-	1	1	1	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	-	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of mesothelial and soft tissue (C45-C49)

Vermont

All races, both sexes.....	-	4	2	-	2	3	3	1	1	-	-	-
Male.....	-	1	-	-	-	3	2	-	1	-	-	-
Female.....	-	3	2	-	2	-	1	1	-	-	-	-
White, both sexes.....	-	4	2	-	2	3	3	1	1	-	-	-
Male.....	-	1	-	-	-	3	2	-	1	-	-	-
Female.....	-	3	2	-	2	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	5	14	16	15	23	29	22	12	2	-	-	-
Male.....	2	6	10	8	12	18	14	7	-	-	-	-
Female.....	3	8	6	7	11	11	8	5	2	-	-	-
White, both sexes.....	4	14	15	13	18	24	22	12	2	-	-	-
Male.....	2	6	9	7	9	15	14	7	-	-	-	-
Female.....	2	8	6	6	9	9	8	5	2	-	-	-
Black, both sexes.....	1	-	-	2	3	5	-	-	-	-	-	-
Male.....	-	-	-	1	2	3	-	-	-	-	-	-
Female.....	1	-	-	1	1	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
<b>Mesothelioma (C45)</b>												
<b>Maine</b>												
All races, both sexes.....	29	-	-	-	-	-	-	-	-	-	-	-
Male.....	25	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	29	-	-	-	-	-	-	-	-	-	-	-
Male.....	25	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
<b>Maryland</b>												
All races, both sexes.....	43	-	-	-	-	-	-	-	1	1	-	1
Male.....	35	-	-	-	-	-	-	-	-	1	-	1
Female.....	8	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	35	-	-	-	-	-	-	-	-	1	-	-
Male.....	29	-	-	-	-	-	-	-	-	1	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	1
Male.....	5	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-



























































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of other mesothelial and soft tissue (C47-C49)

New Mexico

All races, both sexes.....	27	-	-	-	-	3	-	-	-	3	1	-
Male.....	15	-	-	-	-	1	-	-	-	1	1	-
Female.....	12	-	-	-	-	2	-	-	-	2	-	-
White, both sexes.....	26	-	-	-	-	3	-	-	-	3	1	-
Male.....	14	-	-	-	-	1	-	-	-	1	1	-
Female.....	12	-	-	-	-	2	-	-	-	2	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	303	-	1	2	2	3	3	6	6	6	6	12
Male.....	125	-	1	1	-	1	2	3	3	4	5	4
Female.....	178	-	-	1	2	2	1	3	3	2	1	8
White, both sexes.....	257	-	1	1	2	3	2	5	5	4	5	9
Male.....	99	-	1	-	-	1	1	3	3	3	4	3
Female.....	158	-	-	1	2	2	1	2	2	1	1	6
Black, both sexes.....	37	-	-	1	-	-	1	-	1	2	1	3
Male.....	21	-	-	1	-	-	1	-	-	1	1	1
Female.....	16	-	-	-	-	-	-	-	1	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	-	1	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	1	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of other mesothelial and soft tissue (C47-C49)

Vermont

All races, both sexes.....	15	-	-	-	-	-	1	-	-	-	-	-
Male.....	7	-	-	-	-	-	1	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	15	-	-	-	-	-	1	-	-	-	-	-
Male.....	7	-	-	-	-	-	1	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	104	-	-	-	-	2	-	2	6	5	6	8
Male.....	41	-	-	-	-	-	-	2	2	2	4	4
Female.....	63	-	-	-	-	2	-	-	4	3	2	4
White, both sexes.....	87	-	-	-	-	1	-	2	3	4	3	8
Male.....	36	-	-	-	-	-	-	2	1	2	3	4
Female.....	51	-	-	-	-	1	-	-	2	2	-	4
Black, both sexes.....	13	-	-	-	-	1	-	-	3	-	2	-
Male.....	4	-	-	-	-	-	-	-	1	-	1	-
Female.....	9	-	-	-	-	1	-	-	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	1	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other mesothelial and soft tissue (C47-C49)

Arkansas

All races, both sexes.....	4	4	-	4	6	9	6	3	-	-	-	-
Male.....	1	2	-	2	3	5	2	2	-	-	-	-
Female.....	3	2	-	2	3	4	4	1	-	-	-	-
White, both sexes.....	4	3	-	4	6	6	5	3	-	-	-	-
Male.....	1	1	-	2	3	3	2	2	-	-	-	-
Female.....	3	2	-	2	3	3	3	1	-	-	-	-
Black, both sexes.....	-	1	-	-	-	3	1	-	-	-	-	-
Male.....	-	1	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	37	42	55	36	48	53	48	40	8	2	-	-
Male.....	17	18	22	12	23	23	25	17	1	1	-	-
Female.....	20	24	33	24	25	30	23	23	7	1	-	-
White, both sexes.....	30	32	48	31	44	45	45	39	8	2	-	-
Male.....	14	16	20	9	22	18	24	17	1	1	-	-
Female.....	16	16	28	22	22	27	21	22	7	1	-	-
Black, both sexes.....	5	4	3	2	4	4	1	1	-	-	-	-
Male.....	2	2	-	1	1	3	-	-	-	-	-	-
Female.....	3	2	3	1	3	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	2	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	5	2	3	-	3	2	-	-	-	-	-
Male.....	1	-	1	2	-	1	1	-	-	-	-	-
Female.....	1	5	1	1	-	2	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other mesothelial and soft tissue (C47-C49)

Colorado

All races, both sexes.....	1	6	5	7	6	9	5	4	4	-	-	-
Male.....	-	2	2	2	2	6	3	1	2	-	-	-
Female.....	1	4	3	5	4	3	2	3	2	-	-	-
White, both sexes.....	1	6	5	7	6	9	5	4	4	-	-	-
Male.....	-	2	2	2	2	6	3	1	2	-	-	-
Female.....	1	4	3	5	4	3	2	3	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	9	3	4	8	7	8	10	4	5	1	-	-
Male.....	4	1	-	6	6	7	1	3	4	-	-	-
Female.....	5	2	4	2	1	1	9	1	1	1	-	-
White, both sexes.....	6	3	4	8	7	7	9	4	5	1	-	-
Male.....	2	1	-	6	6	7	1	3	4	-	-	-
Female.....	4	2	4	2	1	-	8	1	1	1	-	-
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other mesothelial and soft tissue (C47-C49)

New Mexico

All races, both sexes.....	5	1	1	2	3	4	2	1	1	-	-	-
Male.....	2	1	1	2	2	2	2	-	-	-	-	-
Female.....	3	-	-	-	1	2	-	1	1	-	-	-
White, both sexes.....	5	1	1	2	2	4	2	1	1	-	-	-
Male.....	2	1	1	2	1	2	2	-	-	-	-	-
Female.....	3	-	-	-	1	2	-	1	1	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	23	23	31	29	38	44	32	21	12	3	-	-
Male.....	15	8	10	14	13	18	12	6	5	-	-	-
Female.....	8	15	21	15	25	26	20	15	7	3	-	-
White, both sexes.....	17	18	24	21	36	42	29	19	11	3	-	-
Male.....	12	4	5	10	11	17	12	4	5	-	-	-
Female.....	5	14	19	11	25	25	17	15	6	3	-	-
Black, both sexes.....	4	5	6	7	1	-	2	2	1	-	-	-
Male.....	2	4	4	3	1	-	-	2	-	-	-	-
Female.....	2	1	2	4	-	-	2	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	1	1	2	1	-	-	-	-	-
Male.....	1	-	1	1	1	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	-	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other mesothelial and soft tissue (C47-C49)

Vermont

All races, both sexes.....	-	4	2	-	2	3	2	1	-	-	-	-
Male.....	-	1	-	-	-	3	2	-	-	-	-	-
Female.....	-	3	2	-	2	-	-	1	-	-	-	-
White, both sexes.....	-	4	2	-	2	3	2	1	-	-	-	-
Male.....	-	1	-	-	-	3	2	-	-	-	-	-
Female.....	-	3	2	-	2	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	4	13	8	8	13	14	9	5	1	-	-	-
Male.....	1	5	4	4	4	6	3	-	-	-	-	-
Female.....	3	8	4	4	9	8	6	5	1	-	-	-
White, both sexes.....	3	13	8	7	9	11	9	5	1	-	-	-
Male.....	1	5	4	4	2	5	3	-	-	-	-	-
Female.....	2	8	4	3	7	6	6	5	1	-	-	-
Black, both sexes.....	1	-	-	1	2	3	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	1	1	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasm of breast (C50)

Alaska												
All races, both sexes.....	55	-	-	-	-	-	-	2	-	-	-	6
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	55	-	-	-	-	-	-	2	-	-	-	6
White, both sexes.....	41	-	-	-	-	-	-	-	-	-	-	4
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	41	-	-	-	-	-	-	-	-	-	-	4
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	2	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	2	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
Arizona												
All races, both sexes.....	679	-	-	-	-	-	-	-	4	11	32	36
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	675	-	-	-	-	-	-	-	4	11	32	36
White, both sexes.....	633	-	-	-	-	-	-	-	3	10	30	34
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	630	-	-	-	-	-	-	-	3	10	30	34
Black, both sexes.....	25	-	-	-	-	-	-	-	1	-	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	24	-	-	-	-	-	-	-	1	-	2	-
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	13	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	-	1	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasm of breast (C50)

Arkansas

All races, both sexes.....	393	-	-	-	-	-	-	-	2	6	11	35
Male.....	7	-	-	-	-	-	-	-	-	-	2	-
Female.....	386	-	-	-	-	-	-	-	2	6	9	35
White, both sexes.....	323	-	-	-	-	-	-	-	2	3	5	20
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	319	-	-	-	-	-	-	-	2	3	5	20
Black, both sexes.....	69	-	-	-	-	-	-	-	-	3	6	15
Male.....	2	-	-	-	-	-	-	-	-	-	2	-
Female.....	67	-	-	-	-	-	-	-	-	3	4	15
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4,218	-	-	-	-	1	2	7	40	104	219	335
Male.....	34	-	-	-	-	-	-	-	1	1	-	2
Female.....	4,184	-	-	-	-	1	2	7	39	103	219	333
White, both sexes.....	3,518	-	-	-	-	1	2	5	30	79	165	260
Male.....	29	-	-	-	-	-	-	-	1	1	-	1
Female.....	3,489	-	-	-	-	1	2	5	29	78	165	259
Black, both sexes.....	365	-	-	-	-	-	-	1	4	14	27	39
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	361	-	-	-	-	-	-	1	4	14	27	39
American Indian 1/, both sexes.....	22	-	-	-	-	-	-	-	-	2	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	22	-	-	-	-	-	-	-	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	313	-	-	-	-	-	-	1	6	9	26	36
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	312	-	-	-	-	-	-	1	6	9	26	35

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasm of breast (C50)

Colorado

All races, both sexes.....	509	-	-	-	-	-	-	2	2	11	24	40
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	506	-	-	-	-	-	2	2	11	24	40	
White, both sexes.....	490	-	-	-	-	-	-	2	2	11	22	39
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	487	-	-	-	-	-	2	2	11	22	39	
Black, both sexes.....	13	-	-	-	-	-	-	-	-	-	2	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	13	-	-	-	-	-	-	-	-	-	2	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	535	-	-	-	-	-	-	-	2	14	17	25
Male.....	10	-	-	-	-	-	-	-	-	-	-	-
Female.....	525	-	-	-	-	-	-	-	2	14	17	25
White, both sexes.....	484	-	-	-	-	-	-	-	2	10	15	21
Male.....	10	-	-	-	-	-	-	-	-	-	-	-
Female.....	474	-	-	-	-	-	-	-	2	10	15	21
Black, both sexes.....	46	-	-	-	-	-	-	-	-	3	2	4
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	46	-	-	-	-	-	-	-	-	3	2	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	1	-	-















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasm of breast (C50)

Massachusetts

All races, both sexes.....	1,001	-	-	-	-	-	-	1	7	16	39	65
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	995	-	-	-	-	-	-	1	7	16	39	65
White, both sexes.....	938	-	-	-	-	-	-	-	7	15	37	59
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	932	-	-	-	-	-	-	-	7	15	37	59
Black, both sexes.....	59	-	-	-	-	-	-	1	-	1	2	6
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	59	-	-	-	-	-	-	1	-	1	2	6
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	1,454	-	-	-	-	-	-	1	13	32	64	93
Male.....	15	-	-	-	-	-	-	-	-	-	-	-
Female.....	1,439	-	-	-	-	-	-	1	13	32	64	93
White, both sexes.....	1,213	-	-	-	-	-	-	-	9	21	48	74
Male.....	12	-	-	-	-	-	-	-	-	-	-	-
Female.....	1,201	-	-	-	-	-	-	-	9	21	48	74
Black, both sexes.....	224	-	-	-	-	-	-	1	4	10	15	16
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	221	-	-	-	-	-	-	1	4	10	15	16
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	-	-	-	1	1	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	1	1	2







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
<b>Malignant neoplasm of breast (C50)</b>												
<b>New Hampshire</b>												
All races, both sexes.....	182	-	-	-	-	-	-	-	-	7	10	12
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	180	-	-	-	-	-	-	-	-	7	10	12
White, both sexes.....	179	-	-	-	-	-	-	-	-	7	8	12
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	177	-	-	-	-	-	-	-	-	7	8	12
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
<b>New Jersey</b>												
All races, both sexes.....	1,521	-	-	-	-	-	2	-	8	27	63	76
Male.....	15	-	-	-	-	-	-	-	-	-	1	-
Female.....	1,506	-	-	-	-	-	2	-	8	27	62	76
White, both sexes.....	1,296	-	-	-	-	-	2	-	5	16	50	55
Male.....	13	-	-	-	-	-	-	-	-	-	1	-
Female.....	1,283	-	-	-	-	-	2	-	5	16	49	55
Black, both sexes.....	202	-	-	-	-	-	-	-	2	11	11	19
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	200	-	-	-	-	-	-	-	2	11	11	19
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	-	-	-	-	-	-	-	1	-	2	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	23	-	-	-	-	-	-	-	1	-	2	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
<b>Malignant neoplasm of breast (C50)</b>												
<b>New Mexico</b>												
All races, both sexes.....	229	-	-	-	-	-	-	-	1	9	10	8
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	228	-	-	-	-	-	-	-	1	9	10	8
White, both sexes.....	219	-	-	-	-	-	-	-	1	8	10	8
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	218	-	-	-	-	-	-	-	1	8	10	8
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
<b>New York</b>												
All races, both sexes.....	3,041	-	-	-	-	-	1	1	27	61	131	172
Male.....	26	-	-	-	-	-	-	-	-	-	-	-
Female.....	3,015	-	-	-	-	-	1	1	27	61	131	172
White, both sexes.....	2,495	-	-	-	-	-	1	1	19	38	88	114
Male.....	25	-	-	-	-	-	-	-	-	-	-	-
Female.....	2,470	-	-	-	-	-	1	1	19	38	88	114
Black, both sexes.....	480	-	-	-	-	-	-	-	6	20	36	51
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	479	-	-	-	-	-	-	-	6	20	36	51
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	61	-	-	-	-	-	-	-	1	3	7	7
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	61	-	-	-	-	-	-	-	1	3	7	7



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of breast (C50)												
Ohio												
All races, both sexes.....	1,947	-	-	-	-	-	1	1	13	47	69	123
Male.....	18	-	-	-	-	-	-	-	-	-	-	-
Female.....	1,929	-	-	-	-	-	1	1	13	47	69	123
White, both sexes.....	1,726	-	-	-	-	-	-	-	9	38	54	100
Male.....	17	-	-	-	-	-	-	-	-	-	-	-
Female.....	1,709	-	-	-	-	-	-	-	9	38	54	100
Black, both sexes.....	213	-	-	-	-	-	1	1	4	8	14	23
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	212	-	-	-	-	-	1	1	4	8	14	23
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	1	1	-
Oklahoma												
All races, both sexes.....	544	-	-	-	-	-	-	-	4	6	11	30
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	541	-	-	-	-	-	-	-	4	6	11	30
White, both sexes.....	488	-	-	-	-	-	-	-	3	4	10	25
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	486	-	-	-	-	-	-	-	3	4	10	25
Black, both sexes.....	34	-	-	-	-	-	-	-	-	-	-	4
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	34	-	-	-	-	-	-	-	-	-	-	4
American Indian 1/, both sexes.....	20	-	-	-	-	-	-	-	1	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	19	-	-	-	-	-	-	-	1	-	1	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	2	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
<b>Malignant neoplasm of breast (C50)</b>												
<b>Rhode Island</b>												
All races, both sexes.....	173	-	-	-	-	-	-	-	1	2	4	7
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	169	-	-	-	-	-	-	-	1	2	4	7
White, both sexes.....	167	-	-	-	-	-	-	-	1	2	4	6
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	164	-	-	-	-	-	-	-	1	2	4	6
Black, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
<b>South Carolina</b>												
All races, both sexes.....	591	-	-	-	-	-	-	1	6	15	34	47
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	588	-	-	-	-	-	-	1	6	15	34	47
White, both sexes.....	401	-	-	-	-	-	-	-	3	8	20	27
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	400	-	-	-	-	-	-	-	3	8	20	27
Black, both sexes.....	188	-	-	-	-	-	-	-	3	7	14	20
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	186	-	-	-	-	-	-	-	3	7	14	20
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of breast (C50)												
Texas												
All races, both sexes.....	2,571	-	-	-	-	-	1	4	24	58	129	218
Male.....	17	-	-	-	-	-	-	-	-	-	1	2
Female.....	2,554	-	-	-	-	-	1	4	24	58	128	216
White, both sexes.....	2,134	-	-	-	-	-	1	1	16	44	96	164
Male.....	14	-	-	-	-	-	-	-	-	-	-	2
Female.....	2,120	-	-	-	-	-	1	1	16	44	96	162
Black, both sexes.....	407	-	-	-	-	-	-	3	7	13	31	49
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	404	-	-	-	-	-	-	3	7	13	30	49
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	-	-	-	-	-	-	-	1	1	2	5
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	27	-	-	-	-	-	-	-	1	1	2	5
Utah												
All races, both sexes.....	225	-	-	-	-	-	-	-	5	4	9	12
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	222	-	-	-	-	-	-	-	5	4	9	12
White, both sexes.....	222	-	-	-	-	-	-	-	5	3	9	12
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	219	-	-	-	-	-	-	-	5	3	9	12
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of breast (C50)												
Vermont												
All races, both sexes.....	98	-	-	-	-	-	-	-	1	2	3	7
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	98	-	-	-	-	-	-	-	1	2	3	7
White, both sexes.....	98	-	-	-	-	-	-	-	1	2	3	7
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	98	-	-	-	-	-	-	-	1	2	3	7
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	1,095	-	-	-	-	-	2	2	12	31	60	66
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	1,087	-	-	-	-	-	2	2	12	31	60	65
White, both sexes.....	820	-	-	-	-	-	-	1	4	18	31	44
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	814	-	-	-	-	-	-	1	4	18	31	44
Black, both sexes.....	255	-	-	-	-	-	2	1	6	12	25	21
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	253	-	-	-	-	-	2	1	6	12	25	20
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	-	-	-	2	1	4	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	20	-	-	-	-	-	-	-	2	1	4	1







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

Alaska

All races, both sexes.....	8	10	8	4	6	5	5	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	10	8	4	6	5	5	1	-	-	-	-
White, both sexes.....	8	5	7	2	4	5	5	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	5	7	2	4	5	5	1	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	1	1	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	1	1	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	-	1	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	55	90	59	73	68	79	79	52	32	8	1	-
Male.....	-	1	1	-	-	-	-	1	1	-	-	-
Female.....	55	89	58	73	68	79	79	51	31	8	1	-
White, both sexes.....	47	85	55	71	67	68	76	50	29	7	1	-
Male.....	-	1	-	-	-	-	-	1	1	-	-	-
Female.....	47	84	55	71	67	68	76	49	28	7	1	-
Black, both sexes.....	5	1	2	1	1	6	3	1	1	1	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	5	1	1	1	1	6	3	1	1	1	-	-
American Indian 1/, both sexes.....	1	3	1	1	-	4	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	3	1	1	-	4	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	1	-	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

Arkansas

All races, both sexes.....	46	30	49	30	45	43	45	32	11	6	2	-
Male.....	2	-	1	-	-	1	1	-	-	-	-	-
Female.....	44	30	48	30	45	42	44	32	11	6	2	-
White, both sexes.....	40	26	43	24	39	36	40	31	8	4	2	-
Male.....	2	-	1	-	-	-	1	-	-	-	-	-
Female.....	38	26	42	24	39	36	39	31	8	4	2	-
Black, both sexes.....	6	4	6	6	6	6	5	1	3	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	4	6	6	6	6	5	1	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	401	447	390	409	429	458	443	310	176	39	8	-
Male.....	2	5	5	3	6	-	6	1	2	-	-	-
Female.....	399	442	385	406	423	458	437	309	174	39	8	-
White, both sexes.....	310	349	319	337	360	401	404	294	161	35	6	-
Male.....	2	4	5	3	4	-	5	1	2	-	-	-
Female.....	308	345	314	334	356	401	399	293	159	35	6	-
Black, both sexes.....	54	51	33	36	37	23	23	8	10	4	1	-
Male.....	-	1	-	-	2	-	1	-	-	-	-	-
Female.....	54	50	33	36	35	23	22	8	10	4	1	-
American Indian 1/, both sexes.....	2	3	1	2	1	6	2	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	3	1	2	1	6	2	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	44	37	34	31	28	14	7	4	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	35	44	37	34	31	28	14	7	4	-	1	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

Florida

All races, both sexes.....	196	257	252	265	262	349	293	235	118	45	6	-
Male.....	2	1	3	5	3	7	3	2	-	-	-	-
Female.....	194	256	249	260	259	342	290	233	118	45	6	-
White, both sexes.....	151	217	221	228	236	320	275	217	112	44	5	-
Male.....	1	1	3	5	3	7	3	2	-	-	-	-
Female.....	150	216	218	223	233	313	272	215	112	44	5	-
Black, both sexes.....	43	36	31	36	26	28	15	18	6	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	42	36	31	36	26	28	15	18	6	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	-	1	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	4	-	1	-	-	2	-	-	-	-	-

Georgia

All races, both sexes.....	120	136	105	94	99	88	124	77	57	12	4	-
Male.....	-	2	-	1	-	4	1	-	-	-	-	-
Female.....	120	134	105	93	99	84	123	77	57	12	4	-
White, both sexes.....	66	82	80	64	76	67	95	59	42	9	1	-
Male.....	-	1	-	-	-	2	1	-	-	-	-	-
Female.....	66	81	80	64	76	65	94	59	42	9	1	-
Black, both sexes.....	51	52	24	30	22	21	29	18	14	3	3	-
Male.....	-	1	-	1	-	2	-	-	-	-	-	-
Female.....	51	51	24	29	22	19	29	18	14	3	3	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	2	1	-	1	-	-	-	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

Illinois

All races, both sexes.....	161	162	188	177	191	217	234	174	86	32	5	-
Male.....	1	1	1	2	1	1	5	1	-	1	-	-
Female.....	160	161	187	175	190	216	229	173	86	31	5	-
White, both sexes.....	123	111	142	144	156	194	198	157	78	26	4	-
Male.....	-	1	1	1	1	1	4	1	-	1	-	-
Female.....	123	110	141	143	155	193	194	156	78	25	4	-
Black, both sexes.....	33	48	35	30	32	22	35	16	8	6	1	-
Male.....	1	-	-	1	-	-	1	-	-	-	-	-
Female.....	32	48	35	29	32	22	34	16	8	6	1	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	3	9	3	3	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	3	9	3	3	1	1	1	-	-	-	-

Indiana

All races, both sexes.....	93	82	81	99	98	116	109	105	44	12	2	-
Male.....	-	-	2	1	-	3	-	2	-	-	-	-
Female.....	93	82	79	98	98	113	109	103	44	12	2	-
White, both sexes.....	85	76	71	90	91	103	101	99	41	11	1	-
Male.....	-	-	2	1	-	2	-	2	-	-	-	-
Female.....	85	76	69	89	91	101	101	97	41	11	1	-
Black, both sexes.....	7	5	10	8	7	13	8	6	2	1	1	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	7	5	10	8	7	12	8	6	2	1	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

Iowa

All races, both sexes.....	27	32	44	42	55	50	49	60	28	20	3	-
Male.....	-	-	1	-	2	-	-	-	1	1	-	-
Female.....	27	32	43	42	53	50	49	60	27	19	3	-
White, both sexes.....	27	30	42	40	54	50	49	60	28	20	3	-
Male.....	-	-	1	-	2	-	-	-	1	1	-	-
Female.....	27	30	41	40	52	50	49	60	27	19	3	-
Black, both sexes.....	-	2	2	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	2	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	39	48	30	40	43	48	54	46	29	6	1	-
Male.....	-	1	-	-	-	-	1	-	1	-	-	-
Female.....	39	47	30	40	43	48	53	46	28	6	1	-
White, both sexes.....	35	46	28	35	40	45	54	43	28	6	1	-
Male.....	-	1	-	-	-	-	1	-	1	-	-	-
Female.....	35	45	28	35	40	45	53	43	27	6	1	-
Black, both sexes.....	2	2	2	5	3	3	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	2	2	5	3	3	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

Kentucky

All races, both sexes.....	55	56	67	55	74	76	66	37	31	7	2	-
Male.....	-	-	-	1	1	2	2	-	-	-	-	-
Female.....	55	56	67	54	73	74	64	37	31	7	2	-
White, both sexes.....	47	48	59	50	66	71	64	33	27	7	2	-
Male.....	-	-	-	1	1	2	2	-	-	-	-	-
Female.....	47	48	59	49	65	69	62	33	27	7	2	-
Black, both sexes.....	7	8	8	5	8	5	2	4	4	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	8	8	5	8	5	2	4	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	74	87	75	69	79	84	76	63	24	10	2	-
Male.....	2	1	2	-	1	-	-	2	1	-	-	-
Female.....	72	86	73	69	78	84	76	61	23	10	2	-
White, both sexes.....	41	53	48	46	54	58	54	41	18	7	-	-
Male.....	2	1	2	-	-	-	-	2	1	-	-	-
Female.....	39	52	46	46	54	58	54	39	17	7	-	-
Black, both sexes.....	33	33	27	21	25	25	22	21	6	3	2	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	33	33	27	21	24	25	22	21	6	3	2	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

Maine

All races, both sexes.....	21	21	28	19	25	27	30	12	14	5	1	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	21	21	28	19	24	26	29	12	14	5	1	-
White, both sexes.....	21	20	27	19	25	27	29	12	14	5	1	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	21	20	27	19	24	26	28	12	14	5	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	84	81	83	76	91	85	82	70	29	13	1	-
Male.....	1	-	2	1	1	1	3	2	-	-	-	-
Female.....	83	81	81	75	90	84	79	68	29	13	1	-
White, both sexes.....	41	49	48	57	65	65	69	59	24	9	1	-
Male.....	-	-	-	1	-	1	3	2	-	-	-	-
Female.....	41	49	48	56	65	64	66	57	24	9	1	-
Black, both sexes.....	40	31	33	17	24	19	13	11	5	3	-	-
Male.....	1	-	2	-	1	-	-	-	-	-	-	-
Female.....	39	31	31	17	23	19	13	11	5	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	2	2	2	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	2	2	2	1	-	-	-	1	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

Nebraska

All races, both sexes.....	17	27	24	25	17	25	34	26	13	8	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	17	27	24	25	17	23	34	26	13	8	-	-
White, both sexes.....	16	26	23	24	16	24	34	24	13	8	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	16	26	23	24	16	22	34	24	13	8	-	-
Black, both sexes.....	1	1	1	1	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	1	1	1	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	28	41	36	32	37	32	31	17	6	2	-	1
Male.....	2	-	-	1	-	-	-	-	-	-	-	-
Female.....	26	41	36	31	37	32	31	17	6	2	-	1
White, both sexes.....	25	38	32	28	30	29	30	15	5	2	-	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	-
Female.....	23	38	32	27	30	29	30	15	5	2	-	-
Black, both sexes.....	2	2	1	4	2	1	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	2	1	4	2	1	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	-	4	2	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	2	-	4	2	-	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

New Hampshire

All races, both sexes.....	11	21	14	22	23	16	21	12	8	4	1	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	11	21	14	22	23	16	20	11	8	4	1	-
White, both sexes.....	11	21	14	22	22	16	21	12	8	4	1	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	11	21	14	22	22	16	20	11	8	4	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	115	151	128	135	183	204	177	156	68	25	3	-
Male.....	-	2	1	1	7	1	1	-	1	-	-	-
Female.....	115	149	127	134	176	203	176	156	67	25	3	-
White, both sexes.....	95	112	103	116	154	183	169	143	66	24	3	-
Male.....	-	1	-	1	7	1	1	-	1	-	-	-
Female.....	95	111	103	115	147	182	168	143	65	24	3	-
Black, both sexes.....	14	36	23	16	26	20	8	13	2	1	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	14	35	22	16	26	20	8	13	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	3	2	3	3	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	3	2	3	3	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

New Mexico

All races, both sexes.....	18	21	31	18	24	35	19	20	11	4	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	18	20	31	18	24	35	19	20	11	4	-	-
White, both sexes.....	17	20	29	18	23	34	18	19	10	4	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	17	19	29	18	23	34	18	19	10	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	1	2	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	2	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

New York

All races, both sexes.....	235	277	324	268	338	374	332	265	165	57	13	-
Male.....	3	4	3	3	4	5	2	2	-	-	-	-
Female.....	232	273	321	265	334	369	330	263	165	57	13	-
White, both sexes.....	181	219	253	216	297	335	292	233	146	51	11	-
Male.....	3	4	3	3	3	5	2	2	-	-	-	-
Female.....	178	215	250	213	294	330	290	231	146	51	11	-
Black, both sexes.....	42	49	66	46	36	37	34	30	19	6	2	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	42	49	66	46	35	37	34	30	19	6	2	-
American Indian 1/, both sexes.....	-	1	-	-	2	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	2	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	8	5	6	3	2	5	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	8	5	6	3	2	5	2	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

Oregon

All races, both sexes.....	42	52	56	63	55	58	68	58	33	12	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	41	52	56	63	55	58	68	58	33	12	2	-
White, both sexes.....	39	51	54	60	54	57	66	58	31	12	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	38	51	54	60	54	57	66	58	31	12	2	-
Black, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	3	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	2	3	1	1	1	-	-	-	-	-

Pennsylvania

All races, both sexes.....	155	204	190	197	275	321	310	225	145	40	6	-
Male.....	1	-	2	5	1	2	4	6	2	-	-	-
Female.....	154	204	188	192	274	319	306	219	143	40	6	-
White, both sexes.....	127	178	169	173	243	304	291	212	132	37	6	-
Male.....	1	-	2	5	-	2	4	6	1	-	-	-
Female.....	126	178	167	168	243	302	287	206	131	37	6	-
Black, both sexes.....	25	24	20	23	32	17	18	13	12	3	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	25	24	20	23	31	17	18	13	11	3	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	1	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	2	1	-	-	-	1	-	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

South Dakota

All races, both sexes.....	11	17	9	7	10	13	12	9	9	5	2	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	11	15	9	7	10	13	12	9	9	5	2	-
White, both sexes.....	11	17	8	7	9	13	12	9	9	5	2	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	11	15	8	7	9	13	12	9	9	5	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	83	87	96	91	94	107	94	69	45	13	2	-
Male.....	-	-	1	1	-	2	-	2	-	-	-	-
Female.....	83	87	95	90	94	105	94	67	45	13	2	-
White, both sexes.....	66	67	83	77	83	92	81	59	36	10	1	-
Male.....	-	-	1	1	-	2	-	2	-	-	-	-
Female.....	66	67	82	76	83	90	81	57	36	10	1	-
Black, both sexes.....	16	19	13	12	11	15	13	9	9	3	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	16	19	13	12	11	15	13	9	9	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	2	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	2	-	-	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

Vermont

All races, both sexes.....	9	8	12	12	11	8	9	7	8	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	8	12	12	11	8	9	7	8	1	-	-
White, both sexes.....	9	8	12	12	11	8	9	7	8	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	8	12	12	11	8	9	7	8	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	104	131	105	96	111	117	122	66	52	15	3	-
Male.....	1	-	-	1	-	-	4	1	-	-	-	-
Female.....	103	131	105	95	111	117	118	65	52	15	3	-
White, both sexes.....	72	96	82	71	97	97	102	53	38	13	1	-
Male.....	-	-	-	1	-	-	4	1	-	-	-	-
Female.....	72	96	82	70	97	97	98	52	38	13	1	-
Black, both sexes.....	29	32	19	25	13	19	20	13	14	2	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	28	32	19	25	13	19	20	13	14	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	4	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	3	4	-	1	1	-	-	-	-	-	-



