

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All causes												
All origins, both sexes.....	2,448,288	28,025	4,965	2,898	4,056	13,595	19,973	18,250	23,050	34,055	55,406	78,173
Male.....	1,201,964	15,902	2,826	1,640	2,510	9,706	14,964	13,043	15,559	21,741	34,694	49,139
Female.....	1,246,324	12,123	2,139	1,258	1,546	3,889	5,009	5,207	7,491	12,314	20,712	29,034
Hispanic, both sexes.....	122,026	5,281	993	538	635	2,183	3,211	3,088	3,101	3,683	4,893	5,917
Male.....	68,119	2,940	569	314	392	1,659	2,585	2,421	2,321	2,587	3,300	4,010
Female.....	53,907	2,341	424	224	243	524	626	667	780	1,096	1,593	1,907
Mexican, both sexes.....	68,822	3,744	737	389	459	1,559	2,247	2,098	1,953	2,277	2,833	3,296
Male.....	39,730	2,070	414	238	286	1,209	1,837	1,668	1,481	1,634	1,963	2,244
Female.....	29,092	1,674	323	151	173	350	410	430	472	643	870	1,052
Puerto Rican, both sexes.....	15,969	482	74	47	50	165	241	287	381	515	783	1,010
Male.....	8,812	256	49	24	34	123	179	225	253	334	512	690
Female.....	7,157	226	25	23	16	42	62	62	128	181	271	320
Cuban, both sexes.....	11,994	48	9	4	7	37	47	57	64	110	182	264
Male.....	6,091	31	5	1	3	29	41	42	50	80	131	193
Female.....	5,903	17	4	3	4	8	6	15	14	30	51	71
Central and South American, both sexes.....	6,620	324	46	37	38	146	293	291	258	261	357	372
Male.....	3,572	188	14	19	24	109	232	217	203	183	222	232
Female.....	3,048	136	32	18	14	37	61	74	55	78	135	140
Other and Unknown Hispanic, both sexes.....	18,621	683	127	61	81	276	383	355	445	520	738	975
Male.....	9,914	395	87	32	45	189	296	269	334	356	472	651
Female.....	8,707	288	40	29	36	87	87	86	111	164	266	324
Non-Hispanic 1/, both sexes.....	2,319,476	22,475	3,956	2,349	3,412	11,357	16,687	15,087	19,868	30,220	50,283	71,939
Male.....	1,129,927	12,799	2,247	1,318	2,114	8,003	12,325	10,565	13,175	19,048	31,236	44,906
Female.....	1,189,549	9,676	1,709	1,031	1,298	3,354	4,362	4,522	6,693	11,172	19,047	27,033
Non-Hispanic white, both sexes.....	1,979,465	13,223	2,539	1,579	2,305	8,230	11,410	9,937	13,620	21,279	36,816	53,153
Male.....	956,194	7,591	1,423	893	1,426	5,661	8,361	6,942	9,155	13,718	23,405	33,819
Female.....	1,023,271	5,632	1,116	686	879	2,569	3,049	2,995	4,465	7,561	13,411	19,334
Non-Hispanic black, both sexes.....	287,968	8,159	1,169	628	902	2,530	4,491	4,447	5,348	7,746	11,815	16,498
Male.....	146,136	4,601	681	352	559	1,938	3,405	3,161	3,431	4,571	6,834	9,713
Female.....	141,832	3,558	488	276	343	592	1,086	1,286	1,917	3,175	4,981	6,785
Origin not stated 2/, both sexes.....	6,786	269	16	11	9	55	75	75	81	152	230	317
Male.....	3,918	163	10	8	4	44	54	57	63	106	158	223
Female.....	2,868	106	6	3	5	11	21	18	18	46	72	94

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Tuberculosis (A16-A19)

All origins, both sexes.....	711	-	1	-	2	3	7	8	10	11	24	54
Male.....	427	-	1	-	2	1	2	6	7	8	17	39
Female.....	284	-	-	-	-	2	5	2	3	3	7	15
Hispanic, both sexes.....	89	-	1	-	-	2	3	2	4	4	4	6
Male.....	60	-	1	-	-	1	2	2	2	4	3	5
Female.....	29	-	-	-	-	1	1	-	2	-	1	1
Mexican, both sexes.....	60	-	1	-	-	2	1	1	3	2	3	3
Male.....	39	-	1	-	-	1	1	1	2	2	2	3
Female.....	21	-	-	-	-	1	-	-	1	-	1	-
Puerto Rican, both sexes.....	8	-	-	-	-	-	-	-	1	-	-	1
Male.....	6	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	1	-	-	-
Cuban, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	7	-	-	-	-	-	1	-	-	1	1	2
Male.....	5	-	-	-	-	-	-	-	-	1	1	1
Female.....	2	-	-	-	-	-	1	-	-	-	-	1
Other and Unknown Hispanic, both sexes.....	13	-	-	-	-	-	1	1	-	1	-	-
Male.....	9	-	-	-	-	-	1	1	-	1	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	617	-	-	-	2	1	4	6	6	6	20	48
Male.....	364	-	-	-	2	-	-	4	5	4	14	34
Female.....	253	-	-	-	-	1	4	2	1	2	6	14
Non-Hispanic white, both sexes.....	347	-	-	-	2	-	1	2	-	-	3	16
Male.....	195	-	-	-	2	-	-	1	-	-	2	13
Female.....	152	-	-	-	-	-	1	1	-	-	1	3
Non-Hispanic black, both sexes.....	168	-	-	-	-	1	3	1	5	4	11	24
Male.....	111	-	-	-	-	-	-	1	4	3	8	17
Female.....	57	-	-	-	-	1	3	-	1	1	3	7
Origin not stated 2/, both sexes.....	5	-	-	-	-	-	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Respiratory tuberculosis (A16)												
All origins, both sexes.....	562	-	1	-	2	2	7	2	4	5	21	44
Male.....	344	-	1	-	2	1	2	2	4	3	14	32
Female.....	218	-	-	-	-	1	5	-	-	2	7	12
Hispanic, both sexes.....	77	-	1	-	-	2	3	2	2	3	4	4
Male.....	55	-	1	-	-	1	2	2	2	3	3	4
Female.....	22	-	-	-	-	1	1	-	-	-	1	-
Mexican, both sexes.....	54	-	1	-	-	2	1	1	2	2	3	2
Male.....	37	-	1	-	-	1	1	1	2	2	2	2
Female.....	17	-	-	-	-	1	-	-	-	-	1	-
Puerto Rican, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	1
Male.....	6	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	5	-	-	-	-	-	1	-	-	-	1	1
Male.....	4	-	-	-	-	-	-	-	-	-	1	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	10	-	-	-	-	-	1	1	-	1	-	-
Male.....	7	-	-	-	-	-	1	1	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	481	-	-	-	2	-	4	-	2	1	17	40
Male.....	287	-	-	-	2	-	-	-	2	-	11	28
Female.....	194	-	-	-	-	-	4	-	-	1	6	12
Non-Hispanic white, both sexes.....	270	-	-	-	2	-	1	-	-	-	2	14
Male.....	154	-	-	-	2	-	-	-	-	-	1	12
Female.....	116	-	-	-	-	-	1	-	-	-	1	2
Non-Hispanic black, both sexes.....	134	-	-	-	-	-	3	-	2	-	10	20
Male.....	90	-	-	-	-	-	-	-	2	-	7	13
Female.....	44	-	-	-	-	-	3	-	-	-	3	7
Origin not stated 2/, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Scarlet fever and erysipelas (A38,A46)

Table with 13 columns representing age groups and rows for various demographic categories including All origins, Hispanic, Mexican, Puerto Rican, Cuban, Central and South American, Other and Unknown Hispanic, Non-Hispanic white, Non-Hispanic black, and Origin not stated. Data values are mostly dashes or 1.

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Acute poliomyelitis (A80)

Table with 13 columns representing age groups and rows for various demographic categories including All origins, Hispanic, Mexican, Puerto Rican, Cuban, Central and South American, Other and Unknown Hispanic, Non-Hispanic white, and Non-Hispanic black, each split by sex.

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Human immunodeficiency virus (HIV) disease (B20-B24)												
All origins, both sexes.....	13,658	5	2	15	21	32	146	444	1,144	2,401	2,939	2,636
Male.....	10,119	2	2	7	12	15	80	272	766	1,710	2,174	2,013
Female.....	3,539	3	-	8	9	17	66	172	378	691	765	623
Hispanic, both sexes.....	1,890	-	1	1	1	7	24	75	169	311	416	368
Male.....	1,465	-	1	-	-	4	16	55	129	239	311	306
Female.....	425	-	-	1	1	3	8	20	40	72	105	62
Mexican, both sexes.....	642	-	-	1	-	3	13	39	77	138	127	88
Male.....	541	-	-	-	-	1	8	32	64	118	112	77
Female.....	101	-	-	1	-	2	5	7	13	20	15	11
Puerto Rican, both sexes.....	735	-	1	-	-	2	2	13	51	104	165	172
Male.....	515	-	1	-	-	1	1	5	32	71	105	139
Female.....	220	-	-	-	-	1	1	8	19	33	60	33
Cuban, both sexes.....	100	-	-	-	-	-	-	1	2	7	19	29
Male.....	90	-	-	-	-	-	-	1	2	6	18	26
Female.....	10	-	-	-	-	-	-	-	-	1	1	3
Central and South American, both sexes.....	116	-	-	-	-	-	1	12	16	21	30	18
Male.....	95	-	-	-	-	-	1	8	11	19	25	15
Female.....	21	-	-	-	-	-	-	4	5	2	5	3
Other and Unknown Hispanic, both sexes.....	297	-	-	-	1	2	8	10	23	41	75	61
Male.....	224	-	-	-	-	2	6	9	20	25	51	49
Female.....	73	-	-	-	1	-	2	1	3	16	24	12
Non-Hispanic 1/, both sexes.....	11,629	5	1	14	20	25	122	362	971	2,065	2,496	2,245
Male.....	8,550	2	1	7	12	11	64	212	634	1,454	1,845	1,687
Female.....	3,079	3	-	7	8	14	58	150	337	611	651	558
Non-Hispanic white, both sexes.....	4,126	1	-	1	2	5	23	63	312	732	971	828
Male.....	3,487	1	-	-	2	2	15	50	244	603	826	702
Female.....	639	-	-	1	-	3	8	13	68	129	145	126
Non-Hispanic black, both sexes.....	7,351	3	1	13	18	20	97	295	643	1,291	1,495	1,388
Male.....	4,947	1	1	7	10	9	48	160	377	817	997	962
Female.....	2,404	2	-	6	8	11	49	135	266	474	498	426
Origin not stated 2/, both sexes.....	139	-	-	-	-	-	-	7	4	25	27	23
Male.....	104	-	-	-	-	-	-	5	3	17	18	20
Female.....	35	-	-	-	-	-	-	2	1	8	9	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms (C00-C97)

All origins, both sexes.....	556,902	75	392	516	560	690	961	1,307	2,434	4,919	10,590	19,552
Male.....	287,990	34	227	293	298	438	541	664	1,140	2,070	4,755	9,727
Female.....	268,912	41	165	223	262	252	420	643	1,294	2,849	5,835	9,825
Hispanic, both sexes.....	24,070	13	98	111	106	124	164	208	314	513	842	1,316
Male.....	12,671	4	60	70	53	91	95	116	158	214	352	647
Female.....	11,399	9	38	41	53	33	69	92	156	299	490	669
Mexican, both sexes.....	12,970	7	74	86	84	81	113	136	202	322	466	748
Male.....	6,876	2	46	56	41	55	66	81	109	130	200	369
Female.....	6,094	5	28	30	43	26	47	55	93	192	266	379
Puerto Rican, both sexes.....	2,985	1	9	13	5	9	15	18	41	54	116	163
Male.....	1,609	-	5	8	5	8	9	9	14	23	47	90
Female.....	1,376	1	4	5	-	1	6	9	27	31	69	73
Cuban, both sexes.....	2,620	-	-	-	2	1	1	7	3	16	38	69
Male.....	1,495	-	-	-	-	1	1	3	1	6	23	36
Female.....	1,125	-	-	-	2	-	-	4	2	10	15	33
Central and South American, both sexes.....	1,580	2	5	5	4	13	15	24	25	47	94	102
Male.....	730	1	2	2	3	11	7	11	17	21	36	44
Female.....	850	1	3	3	1	2	8	13	8	26	58	58
Other and Unknown Hispanic, both sexes.....	3,915	3	10	7	11	20	20	23	43	74	128	234
Male.....	1,961	1	7	4	4	16	12	12	17	34	46	108
Female.....	1,954	2	3	3	7	4	8	11	26	40	82	126
Non-Hispanic 1/, both sexes.....	531,638	62	293	404	453	565	794	1,096	2,111	4,397	9,723	18,189
Male.....	274,651	30	166	222	245	346	444	546	974	1,853	4,390	9,057
Female.....	256,987	32	127	182	208	219	350	550	1,137	2,544	5,333	9,132
Non-Hispanic white, both sexes.....	457,127	51	221	315	322	442	597	808	1,546	3,308	7,415	13,917
Male.....	236,150	25	123	177	171	269	338	426	733	1,467	3,395	6,970
Female.....	220,977	26	98	138	151	173	259	382	813	1,841	4,020	6,947
Non-Hispanic black, both sexes.....	62,054	7	55	73	100	93	152	226	430	873	1,914	3,604
Male.....	32,131	4	30	40	56	56	85	89	174	288	824	1,767
Female.....	29,923	3	25	33	44	37	67	137	256	585	1,090	1,837
Origin not stated 2/, both sexes.....	1,194	-	1	1	1	1	3	3	9	9	25	47
Male.....	668	-	1	1	-	1	2	2	8	3	13	23
Female.....	526	-	-	-	1	-	1	1	1	6	12	24

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of stomach (C16)												
All origins, both sexes.....	12,110	-	-	-	1	5	14	34	93	178	302	493
Male.....	7,055	-	-	-	1	3	4	16	47	91	171	305
Female.....	5,055	-	-	-	-	2	10	18	46	87	131	188
Hispanic, both sexes.....	1,253	-	-	-	1	2	1	11	23	44	48	88
Male.....	708	-	-	-	1	1	1	5	12	23	23	51
Female.....	545	-	-	-	-	1	-	6	11	21	25	37
Mexican, both sexes.....	723	-	-	-	1	2	1	7	16	29	28	59
Male.....	429	-	-	-	1	1	1	3	9	16	13	30
Female.....	294	-	-	-	-	1	-	4	7	13	15	29
Puerto Rican, both sexes.....	123	-	-	-	-	-	-	-	1	-	3	3
Male.....	55	-	-	-	-	-	-	-	-	-	-	2
Female.....	68	-	-	-	-	-	-	-	1	-	3	1
Cuban, both sexes.....	62	-	-	-	-	-	-	-	-	1	2	3
Male.....	35	-	-	-	-	-	-	-	-	-	1	2
Female.....	27	-	-	-	-	-	-	-	-	1	1	1
Central and South American, both sexes.....	121	-	-	-	-	-	-	2	3	7	8	5
Male.....	62	-	-	-	-	-	-	-	3	4	4	5
Female.....	59	-	-	-	-	-	-	2	-	3	4	-
Other and Unknown Hispanic, both sexes.....	224	-	-	-	-	-	-	2	3	7	7	18
Male.....	127	-	-	-	-	-	-	2	-	3	5	12
Female.....	97	-	-	-	-	-	-	-	3	4	2	6
Non-Hispanic 1/, both sexes.....	10,827	-	-	-	-	3	13	22	69	134	254	404
Male.....	6,326	-	-	-	-	2	3	11	34	68	148	253
Female.....	4,501	-	-	-	-	1	10	11	35	66	106	151
Non-Hispanic white, both sexes.....	8,035	-	-	-	-	3	9	12	40	79	155	242
Male.....	4,718	-	-	-	-	2	3	7	21	48	92	155
Female.....	3,317	-	-	-	-	1	6	5	19	31	63	87
Non-Hispanic black, both sexes.....	2,017	-	-	-	-	-	1	6	16	34	67	114
Male.....	1,175	-	-	-	-	-	-	3	7	10	43	76
Female.....	842	-	-	-	-	-	1	3	9	24	24	38
Origin not stated 2/, both sexes.....	30	-	-	-	-	-	-	1	1	-	-	1
Male.....	21	-	-	-	-	-	-	-	1	-	-	1
Female.....	9	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of trachea, bronchus and lung (C33-C34)												
All origins, both sexes.....	158,086	-	2	-	2	7	18	29	125	520	1,958	4,617
Male.....	89,964	-	1	-	1	4	10	9	69	258	1,086	2,659
Female.....	68,122	-	1	-	1	3	8	20	56	262	872	1,958
Hispanic, both sexes.....	4,136	-	-	-	-	1	3	7	13	26	66	143
Male.....	2,640	-	-	-	-	1	2	1	6	14	38	77
Female.....	1,496	-	-	-	-	-	1	6	7	12	28	66
Mexican, both sexes.....	2,082	-	-	-	-	1	3	4	8	12	31	67
Male.....	1,318	-	-	-	-	1	2	-	5	7	16	38
Female.....	764	-	-	-	-	-	1	4	3	5	15	29
Puerto Rican, both sexes.....	574	-	-	-	-	-	-	2	1	2	15	29
Male.....	371	-	-	-	-	-	-	-	-	1	11	15
Female.....	203	-	-	-	-	-	-	2	1	1	4	14
Cuban, both sexes.....	567	-	-	-	-	-	-	1	-	2	2	10
Male.....	414	-	-	-	-	-	-	1	-	1	2	5
Female.....	153	-	-	-	-	-	-	-	-	1	-	5
Central and South American, both sexes.....	229	-	-	-	-	-	-	-	1	2	9	9
Male.....	127	-	-	-	-	-	-	-	1	-	6	5
Female.....	102	-	-	-	-	-	-	-	-	2	3	4
Other and Unknown Hispanic, both sexes.....	684	-	-	-	-	-	-	-	3	8	9	28
Male.....	410	-	-	-	-	-	-	-	-	5	3	14
Female.....	274	-	-	-	-	-	-	-	3	3	6	14
Non-Hispanic 1/, both sexes.....	153,616	-	2	-	2	6	15	22	110	493	1,885	4,461
Male.....	87,111	-	1	-	1	3	8	8	61	244	1,043	2,576
Female.....	66,505	-	1	-	1	3	7	14	49	249	842	1,885
Non-Hispanic white, both sexes.....	134,437	-	2	-	1	6	12	17	90	382	1,470	3,427
Male.....	75,468	-	1	-	-	3	6	7	48	189	797	1,965
Female.....	58,969	-	1	-	1	3	6	10	42	193	673	1,462
Non-Hispanic black, both sexes.....	16,252	-	-	-	1	-	3	2	16	81	360	922
Male.....	9,914	-	-	-	1	-	2	1	11	39	212	549
Female.....	6,338	-	-	-	-	1	1	1	5	42	148	373
Origin not stated 2/, both sexes.....	334	-	-	-	-	-	-	-	2	1	7	13
Male.....	213	-	-	-	-	-	-	-	2	-	5	6
Female.....	121	-	-	-	-	-	-	-	-	1	2	7

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of breast (C50)												
All origins, both sexes.....	42,000	-	-	-	-	1	15	55	352	912	1,804	2,734
Male.....	380	-	-	-	-	-	-	1	1	2	7	14
Female.....	41,620	-	-	-	-	1	15	54	351	910	1,797	2,720
Hispanic, both sexes.....	1,893	-	-	-	-	-	2	11	44	86	170	182
Male.....	9	-	-	-	-	-	-	-	-	-	-	1
Female.....	1,884	-	-	-	-	-	2	11	44	86	170	181
Mexican, both sexes.....	999	-	-	-	-	-	2	7	25	62	93	114
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	991	-	-	-	-	-	2	7	25	62	93	113
Puerto Rican, both sexes.....	235	-	-	-	-	-	-	2	13	9	22	15
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	234	-	-	-	-	-	-	2	13	9	22	15
Cuban, both sexes.....	189	-	-	-	-	-	-	1	-	2	5	8
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	189	-	-	-	-	-	-	1	-	2	5	8
Central and South American, both sexes.....	148	-	-	-	-	-	-	-	2	4	25	11
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	148	-	-	-	-	-	-	-	2	4	25	11
Other and Unknown Hispanic, both sexes.....	322	-	-	-	-	-	-	1	4	9	25	34
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	322	-	-	-	-	-	-	1	4	9	25	34
Non-Hispanic 1/, both sexes.....	40,003	-	-	-	-	1	13	44	307	824	1,629	2,549
Male.....	371	-	-	-	-	-	-	1	1	2	7	13
Female.....	39,632	-	-	-	-	1	13	43	306	822	1,622	2,536
Non-Hispanic white, both sexes.....	33,451	-	-	-	-	1	8	17	199	567	1,161	1,875
Male.....	317	-	-	-	-	-	-	-	1	1	3	8
Female.....	33,134	-	-	-	-	1	8	17	198	566	1,158	1,867
Non-Hispanic black, both sexes.....	5,677	-	-	-	-	-	5	23	94	226	406	588
Male.....	51	-	-	-	-	-	-	1	-	1	4	4
Female.....	5,626	-	-	-	-	-	5	22	94	225	402	584
Origin not stated 2/, both sexes.....	104	-	-	-	-	-	-	-	1	2	5	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	104	-	-	-	-	-	-	-	1	2	5	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

All origins, both sexes.....	12,901	18	104	175	161	119	117	165	240	411	668	857
Male.....	7,122	9	56	89	86	68	68	85	147	246	393	544
Female.....	5,779	9	48	86	75	51	49	80	93	165	275	313
Hispanic, both sexes.....	669	5	20	39	23	16	7	20	24	24	39	44
Male.....	368	2	10	21	15	9	6	10	16	15	23	30
Female.....	301	3	10	18	8	7	1	10	8	9	16	14
Mexican, both sexes.....	379	4	15	34	16	12	3	10	15	12	23	25
Male.....	206	2	8	19	12	7	2	3	10	9	13	16
Female.....	173	2	7	15	4	5	1	7	5	3	10	9
Puerto Rican, both sexes.....	74	-	2	2	1	2	1	2	3	3	5	2
Male.....	41	-	1	1	1	1	1	2	2	1	2	1
Female.....	33	1	1	1	-	1	-	-	1	2	3	1
Cuban, both sexes.....	59	-	-	-	1	-	-	2	-	-	-	5
Male.....	28	-	-	-	-	-	-	-	-	-	-	3
Female.....	31	-	-	-	1	-	-	2	-	-	-	2
Central and South American, both sexes.....	46	-	2	-	1	-	1	3	3	3	3	3
Male.....	25	-	-	-	1	-	1	2	2	2	2	2
Female.....	21	-	2	-	-	-	-	1	1	1	1	1
Other and Unknown Hispanic, both sexes.....	111	-	1	3	4	2	2	3	3	6	8	9
Male.....	68	-	1	1	1	1	2	3	2	3	6	8
Female.....	43	-	-	2	3	1	-	-	1	3	2	1
Non-Hispanic 1/, both sexes.....	12,213	13	84	136	137	103	110	145	216	384	628	813
Male.....	6,746	7	46	68	71	59	62	75	131	229	369	514
Female.....	5,467	6	38	68	66	44	48	70	85	155	259	299
Non-Hispanic white, both sexes.....	11,179	10	65	101	108	83	91	125	189	339	572	725
Male.....	6,178	6	38	49	54	46	51	65	116	200	333	466
Female.....	5,001	4	27	52	54	37	40	60	73	139	239	259
Non-Hispanic black, both sexes.....	799	2	17	27	21	17	17	18	15	35	47	68
Male.....	440	1	6	16	11	11	10	9	9	23	32	37
Female.....	359	1	11	11	10	6	7	9	6	12	15	31
Origin not stated 2/, both sexes.....	19	-	-	-	1	-	-	-	-	3	1	-
Male.....	8	-	-	-	-	-	-	-	-	2	1	-
Female.....	11	-	-	-	1	-	-	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All origins, both sexes.....	62,639	19	106	127	147	242	274	298	392	664	1,221	2,234
Male.....	31,845	12	66	80	72	161	168	181	246	377	669	1,274
Female.....	30,794	7	40	47	75	81	106	117	146	287	552	960
Hispanic, both sexes.....	3,085	2	21	24	27	49	45	51	59	86	107	155
Male.....	1,621	1	15	15	12	35	25	40	44	46	57	99
Female.....	1,464	1	6	9	15	14	20	11	15	40	50	56
Mexican, both sexes.....	1,750	1	18	16	23	31	32	38	40	54	54	95
Male.....	928	-	13	12	9	20	18	34	32	27	31	60
Female.....	822	1	5	4	14	11	14	4	8	27	23	35
Puerto Rican, both sexes.....	355	-	2	5	1	3	8	3	4	11	12	11
Male.....	191	-	1	2	1	3	5	1	3	6	6	9
Female.....	164	-	1	3	-	-	3	2	1	5	6	2
Cuban, both sexes.....	282	-	-	-	1	-	-	1	1	3	6	10
Male.....	154	-	-	-	-	-	-	1	1	2	4	8
Female.....	128	-	-	-	1	-	-	-	-	1	2	2
Central and South American, both sexes.....	224	-	-	2	-	4	2	4	8	8	15	16
Male.....	110	-	-	1	-	3	-	2	5	5	9	9
Female.....	114	-	-	1	-	1	2	2	3	3	6	7
Other and Unknown Hispanic, both sexes.....	474	1	1	1	2	11	3	5	6	10	20	23
Male.....	238	1	1	-	2	9	2	2	3	6	7	13
Female.....	236	-	-	1	-	2	1	3	3	4	13	10
Non-Hispanic 1/, both sexes.....	59,402	17	84	103	120	193	227	246	332	575	1,111	2,073
Male.....	30,140	11	50	65	60	126	142	140	201	330	610	1,170
Female.....	29,262	6	34	38	60	67	85	106	131	245	501	903
Non-Hispanic white, both sexes.....	51,534	13	58	82	83	154	174	185	239	451	836	1,586
Male.....	26,189	9	31	53	41	100	109	114	147	271	458	888
Female.....	25,345	4	27	29	42	54	65	71	92	180	378	698
Non-Hispanic black, both sexes.....	6,537	2	22	20	31	29	41	49	73	104	222	415
Male.....	3,274	2	15	11	16	19	26	21	39	47	124	239
Female.....	3,263	-	7	9	15	10	15	28	34	57	98	176
Origin not stated 2/, both sexes.....	152	-	1	-	-	-	2	1	1	3	3	6
Male.....	84	-	1	-	-	-	1	1	1	1	2	5
Female.....	68	-	-	-	-	-	1	-	-	2	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diabetes mellitus (E10-E14)

All origins, both sexes.....	74,219	3	8	10	21	46	114	227	430	715	1,334	2,245
Male.....	35,438	-	6	6	10	28	68	119	260	420	844	1,354
Female.....	38,781	3	2	4	11	18	46	108	170	295	490	891
Hispanic, both sexes.....	6,179	-	1	1	2	6	13	28	36	59	138	219
Male.....	2,976	-	1	-	1	4	7	14	19	37	84	127
Female.....	3,203	-	-	1	1	2	6	14	17	22	54	92
Mexican, both sexes.....	3,910	-	1	-	1	3	7	20	24	38	94	146
Male.....	1,877	-	1	-	-	2	3	10	14	24	56	80
Female.....	2,033	-	-	-	1	1	4	10	10	14	38	66
Puerto Rican, both sexes.....	839	-	-	-	-	-	2	2	7	8	26	27
Male.....	409	-	-	-	-	-	1	1	3	6	17	16
Female.....	430	-	-	-	-	-	1	1	4	2	9	11
Cuban, both sexes.....	456	-	-	-	-	-	-	1	-	3	2	13
Male.....	225	-	-	-	-	-	-	1	-	1	2	8
Female.....	231	-	-	-	-	-	-	-	-	2	-	5
Central and South American, both sexes.....	183	-	-	-	-	-	2	2	1	1	3	9
Male.....	88	-	-	-	-	-	2	-	1	-	2	5
Female.....	95	-	-	-	-	-	-	2	-	1	1	4
Other and Unknown Hispanic, both sexes.....	791	-	-	1	1	3	2	3	4	9	13	24
Male.....	377	-	-	-	1	2	1	2	1	6	7	18
Female.....	414	-	-	1	-	1	1	1	3	3	6	6
Non-Hispanic 1/, both sexes.....	67,862	3	7	9	18	39	99	199	393	655	1,192	2,020
Male.....	32,368	-	5	6	9	23	59	105	240	382	757	1,222
Female.....	35,494	3	2	3	9	16	40	94	153	273	435	798
Non-Hispanic white, both sexes.....	52,894	2	5	8	11	22	68	107	259	428	812	1,368
Male.....	25,940	-	4	5	7	13	41	49	163	258	536	868
Female.....	26,954	2	1	3	4	9	27	58	96	170	276	500
Non-Hispanic black, both sexes.....	12,787	1	2	1	6	16	29	85	123	208	339	578
Male.....	5,380	-	1	1	2	10	16	53	69	113	196	310
Female.....	7,407	1	1	-	4	6	13	32	54	95	143	268
Origin not stated 2/, both sexes.....	178	-	-	-	1	1	2	-	1	1	4	6
Male.....	94	-	-	-	-	1	2	-	1	1	3	5
Female.....	84	-	-	-	1	-	-	-	-	-	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Major cardiovascular diseases (I00-I78)

All origins, both sexes.....	902,443	555	234	134	213	519	928	1,352	2,737	5,375	11,555	19,091
Male.....	423,810	310	116	75	129	323	570	830	1,779	3,585	7,717	13,215
Female.....	478,633	245	118	59	84	196	358	522	958	1,790	3,838	5,876
Hispanic, both sexes.....	37,266	95	43	14	32	62	114	183	287	428	783	1,185
Male.....	19,066	54	26	8	19	41	82	119	196	308	556	839
Female.....	18,200	41	17	6	13	21	32	64	91	120	227	346
Mexican, both sexes.....	19,760	69	33	13	24	45	65	128	187	253	473	671
Male.....	10,578	40	17	7	15	31	46	80	125	181	347	480
Female.....	9,182	29	16	6	9	14	19	48	62	72	126	191
Puerto Rican, both sexes.....	5,066	5	3	-	2	6	10	14	34	73	104	190
Male.....	2,559	3	3	-	2	4	5	12	22	50	71	121
Female.....	2,507	2	-	-	-	2	5	2	12	23	33	69
Cuban, both sexes.....	4,984	1	-	-	-	-	3	3	5	21	43	56
Male.....	2,366	-	-	-	-	-	2	3	5	18	33	49
Female.....	2,618	1	-	-	-	-	1	-	-	3	10	7
Central and South American, both sexes.....	1,767	9	1	-	-	3	17	13	24	38	54	74
Male.....	872	5	1	-	-	2	15	8	18	25	33	53
Female.....	895	4	-	-	-	1	2	5	6	13	21	21
Other and Unknown Hispanic, both sexes.....	5,689	11	6	1	6	8	19	25	37	43	109	194
Male.....	2,691	6	5	1	2	4	14	16	26	34	72	136
Female.....	2,998	5	1	-	4	4	5	9	11	9	37	58
Non-Hispanic 1/, both sexes.....	862,744	456	190	119	181	453	812	1,163	2,439	4,927	10,720	17,827
Male.....	403,411	255	90	66	110	280	486	709	1,574	3,262	7,125	12,315
Female.....	459,333	201	100	53	71	173	326	454	865	1,665	3,595	5,512
Non-Hispanic white, both sexes.....	741,886	250	107	73	118	293	487	681	1,526	3,245	7,355	12,472
Male.....	345,832	133	43	39	76	180	296	427	1,019	2,245	5,137	9,022
Female.....	396,054	117	64	34	42	113	191	254	507	1,000	2,218	3,450
Non-Hispanic black, both sexes.....	103,027	168	70	39	56	138	290	429	802	1,487	3,002	4,796
Male.....	48,237	102	41	23	30	90	172	251	470	876	1,752	2,906
Female.....	54,790	66	29	16	26	48	118	178	332	611	1,250	1,890
Origin not stated 2/, both sexes.....	2,433	4	1	1	-	4	2	6	11	20	52	79
Male.....	1,333	1	-	1	-	2	2	2	9	15	36	61
Female.....	1,100	3	1	-	-	2	-	4	2	5	16	18

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of heart (I00-I09,I11,I13,I20-I51)												
All origins, both sexes.....	685,089	439	186	104	160	393	740	1,075	2,175	4,310	9,290	15,520
Male.....	336,095	247	89	56	99	249	469	677	1,452	2,977	6,486	11,164
Female.....	348,994	192	97	48	61	144	271	398	723	1,333	2,804	4,356
Hispanic, both sexes.....	28,298	75	35	9	22	46	89	134	213	327	552	865
Male.....	14,867	42	19	5	14	30	71	93	151	244	410	637
Female.....	13,431	33	16	4	8	16	18	41	62	83	142	228
Mexican, both sexes.....	14,635	57	27	8	16	33	52	97	138	183	332	480
Male.....	8,077	34	12	4	11	24	41	64	96	133	254	358
Female.....	6,558	23	15	4	5	9	11	33	42	50	78	122
Puerto Rican, both sexes.....	4,038	2	3	-	1	4	9	11	29	61	78	147
Male.....	2,062	-	3	-	1	2	5	9	19	45	56	96
Female.....	1,976	2	-	-	-	2	4	2	10	16	22	51
Cuban, both sexes.....	4,100	1	-	-	-	-	1	3	4	20	31	50
Male.....	1,972	-	-	-	-	-	1	3	4	17	24	45
Female.....	2,128	1	-	-	-	-	-	-	-	3	7	5
Central and South American, both sexes.....	1,278	7	-	-	-	2	13	8	16	28	32	43
Male.....	658	4	-	-	-	1	12	7	12	21	23	33
Female.....	620	3	-	-	-	1	1	1	4	7	9	10
Other and Unknown Hispanic, both sexes.....	4,247	8	5	1	5	7	14	15	26	35	79	145
Male.....	2,098	4	4	1	2	3	12	10	20	28	53	105
Female.....	2,149	4	1	-	3	4	2	5	6	7	26	40
Non-Hispanic 1/, both sexes.....	654,828	362	150	94	138	343	650	937	1,954	3,969	8,693	14,586
Male.....	320,095	205	70	50	85	217	397	583	1,295	2,723	6,042	10,473
Female.....	334,733	157	80	44	53	126	253	354	659	1,246	2,651	4,113
Non-Hispanic white, both sexes.....	565,808	200	83	56	90	218	387	549	1,239	2,722	6,172	10,546
Male.....	276,241	110	34	29	59	137	231	353	859	1,943	4,486	7,883
Female.....	289,567	90	49	27	31	81	156	196	380	779	1,686	2,663
Non-Hispanic black, both sexes.....	76,452	129	55	33	43	108	238	345	629	1,118	2,274	3,642
Male.....	36,962	79	31	18	24	72	153	202	370	682	1,384	2,280
Female.....	39,490	50	24	15	19	36	85	143	259	436	890	1,362
Origin not stated 2/, both sexes.....	1,963	2	1	1	-	4	1	4	8	14	45	69
Male.....	1,133	-	-	1	-	2	1	1	6	10	34	54
Female.....	830	2	1	-	-	2	-	3	2	4	11	15

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Hypertensive heart disease (I11)												
All origins, both sexes.....	28,345	-	1	-	-	9	44	90	215	409	897	1,446
Male.....	12,536	-	1	-	-	6	34	64	144	285	592	962
Female.....	15,809	-	-	-	-	3	10	26	71	124	305	484
Hispanic, both sexes.....	1,586	-	-	-	-	3	9	10	17	38	71	109
Male.....	876	-	-	-	-	2	8	8	14	33	58	79
Female.....	710	-	-	-	-	1	1	2	3	5	13	30
Mexican, both sexes.....	840	-	-	-	-	2	6	6	11	22	42	64
Male.....	484	-	-	-	-	1	6	4	9	19	35	45
Female.....	356	-	-	-	-	1	-	2	2	3	7	19
Puerto Rican, both sexes.....	240	-	-	-	-	-	1	-	2	9	13	17
Male.....	129	-	-	-	-	-	1	-	2	9	10	12
Female.....	111	-	-	-	-	-	-	-	-	-	3	5
Cuban, both sexes.....	165	-	-	-	-	-	-	1	1	1	3	4
Male.....	84	-	-	-	-	-	-	1	1	1	1	4
Female.....	81	-	-	-	-	-	-	-	-	-	2	-
Central and South American, both sexes.....	81	-	-	-	-	1	-	-	-	4	2	4
Male.....	41	-	-	-	-	1	-	-	-	2	1	3
Female.....	40	-	-	-	-	-	-	-	-	2	1	1
Other and Unknown Hispanic, both sexes.....	260	-	-	-	-	-	2	3	3	2	11	20
Male.....	138	-	-	-	-	-	1	3	2	2	11	15
Female.....	122	-	-	-	-	-	1	-	1	-	-	5
Non-Hispanic 1/, both sexes.....	26,632	-	1	-	-	6	35	79	198	367	822	1,323
Male.....	11,588	-	1	-	-	4	26	56	130	249	531	872
Female.....	15,044	-	-	-	-	2	9	23	68	118	291	451
Non-Hispanic white, both sexes.....	19,286	-	-	-	-	1	14	39	94	191	432	673
Male.....	8,056	-	-	-	-	-	11	33	68	144	319	491
Female.....	11,230	-	-	-	-	1	3	6	26	47	113	182
Non-Hispanic black, both sexes.....	6,759	-	1	-	-	5	20	39	95	168	371	618
Male.....	3,248	-	1	-	-	4	15	22	56	97	202	356
Female.....	3,511	-	-	-	-	1	5	17	39	71	169	262
Origin not stated 2/, both sexes.....	127	-	-	-	-	-	-	1	-	4	4	14
Male.....	72	-	-	-	-	-	-	-	-	3	3	11
Female.....	55	-	-	-	-	-	-	1	-	1	1	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Ischemic heart diseases (I20-I25)												
All origins, both sexes.....	480,028	22	12	12	12	32	128	274	808	2,152	5,395	9,989
Male.....	246,342	13	6	4	6	21	86	197	616	1,630	4,049	7,661
Female.....	233,686	9	6	8	6	11	42	77	192	522	1,346	2,328
Hispanic, both sexes.....	20,783	2	1	3	1	5	17	32	72	151	295	517
Male.....	11,054	1	1	2	1	5	15	26	57	115	226	395
Female.....	9,729	1	-	1	-	-	2	6	15	36	69	122
Mexican, both sexes.....	10,583	1	1	3	1	5	8	24	47	87	185	281
Male.....	5,950	1	1	2	1	5	7	19	35	66	146	219
Female.....	4,633	-	-	1	-	-	1	5	12	21	39	62
Puerto Rican, both sexes.....	3,047	-	-	-	-	-	1	4	8	23	33	87
Male.....	1,545	-	-	-	-	-	-	3	6	17	24	58
Female.....	1,502	-	-	-	-	-	1	1	2	6	9	29
Cuban, both sexes.....	3,243	-	-	-	-	-	1	1	1	15	17	34
Male.....	1,579	-	-	-	-	-	1	1	1	13	14	30
Female.....	1,664	-	-	-	-	-	-	-	-	2	3	4
Central and South American, both sexes.....	868	1	-	-	-	-	3	1	5	10	21	29
Male.....	458	-	-	-	-	-	3	1	5	9	16	23
Female.....	410	1	-	-	-	-	-	-	-	1	5	6
Other and Unknown Hispanic, both sexes.....	3,042	-	-	-	-	-	4	2	11	16	39	86
Male.....	1,522	-	-	-	-	-	4	2	10	10	26	65
Female.....	1,520	-	-	-	-	-	-	-	1	6	13	21
Non-Hispanic 1/, both sexes.....	457,794	20	11	9	11	27	110	241	733	1,996	5,074	9,431
Male.....	234,433	12	5	2	5	16	70	170	557	1,512	3,804	7,236
Female.....	223,361	8	6	7	6	11	40	71	176	484	1,270	2,195
Non-Hispanic white, both sexes.....	400,101	14	5	4	7	20	71	159	536	1,530	3,904	7,281
Male.....	205,310	8	2	-	4	12	45	116	411	1,190	3,004	5,746
Female.....	194,791	6	3	4	3	8	26	43	125	340	900	1,535
Non-Hispanic black, both sexes.....	48,617	4	5	4	4	7	34	64	165	396	1,011	1,865
Male.....	23,919	3	3	2	1	4	22	40	119	261	677	1,254
Female.....	24,698	1	2	2	3	3	12	24	46	135	334	611
Origin not stated 2/, both sexes.....	1,451	-	-	-	-	-	1	1	3	5	26	41
Male.....	855	-	-	-	-	-	1	1	2	3	19	30
Female.....	596	-	-	-	-	-	-	-	1	2	7	11

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Acute myocardial infarction (I21-I22)												
All origins, both sexes.....	170,564	9	6	6	6	17	56	105	308	881	2,213	4,092
Male.....	89,515	4	2	2	4	11	35	75	225	664	1,637	3,130
Female.....	81,049	5	4	4	2	6	21	30	83	217	576	962
Hispanic, both sexes.....	7,370	-	-	2	-	3	8	8	29	59	116	180
Male.....	3,903	-	-	1	-	3	7	7	20	42	85	134
Female.....	3,467	-	-	1	-	-	1	1	9	17	31	46
Mexican, both sexes.....	4,138	-	-	2	-	3	3	5	23	34	75	109
Male.....	2,315	-	-	1	-	3	2	5	16	24	60	82
Female.....	1,823	-	-	1	-	-	1	-	7	10	15	27
Puerto Rican, both sexes.....	950	-	-	-	-	-	-	2	3	12	13	30
Male.....	471	-	-	-	-	-	-	1	2	8	9	20
Female.....	479	-	-	-	-	-	-	1	1	4	4	10
Cuban, both sexes.....	1,106	-	-	-	-	-	1	1	1	4	6	11
Male.....	518	-	-	-	-	-	1	1	1	4	4	10
Female.....	588	-	-	-	-	-	-	-	-	-	2	1
Central and South American, both sexes.....	305	-	-	-	-	-	2	-	-	1	9	11
Male.....	150	-	-	-	-	-	2	-	-	1	5	8
Female.....	155	-	-	-	-	-	-	-	-	-	4	3
Other and Unknown Hispanic, both sexes.....	871	-	-	-	-	-	2	-	2	8	13	19
Male.....	449	-	-	-	-	-	2	-	1	5	7	14
Female.....	422	-	-	-	-	-	-	-	1	3	6	5
Non-Hispanic 1/, both sexes.....	162,813	9	6	4	6	14	48	97	278	821	2,088	3,901
Male.....	85,386	4	2	1	4	8	28	68	204	622	1,546	2,989
Female.....	77,427	5	4	3	2	6	20	29	74	199	542	912
Non-Hispanic white, both sexes.....	142,402	7	3	3	4	11	32	67	206	648	1,629	3,080
Male.....	75,157	3	1	-	3	7	19	51	150	508	1,240	2,435
Female.....	67,245	4	2	3	1	4	13	16	56	140	389	645
Non-Hispanic black, both sexes.....	17,268	1	2	1	2	3	15	24	63	159	414	722
Male.....	8,381	-	1	1	1	1	9	13	46	101	270	471
Female.....	8,887	1	1	-	1	2	6	11	17	58	144	251
Origin not stated 2/, both sexes.....	381	-	-	-	-	-	-	-	1	1	9	11
Male.....	226	-	-	-	-	-	-	-	1	-	6	7
Female.....	155	-	-	-	-	-	-	-	-	1	3	4

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other forms of chronic ischemic heart disease (I20,I25)												
All origins, both sexes.....	306,306	9	5	5	6	15	67	166	492	1,244	3,111	5,791
Male.....	155,206	7	3	2	2	10	46	120	386	946	2,359	4,456
Female.....	151,100	2	2	3	4	5	21	46	106	298	752	1,335
Hispanic, both sexes.....	13,366	2	1	1	1	2	8	23	43	92	178	334
Male.....	7,130	1	1	1	1	2	7	18	37	73	140	260
Female.....	6,236	1	-	-	-	-	1	5	6	19	38	74
Mexican, both sexes.....	6,422	1	1	1	1	2	5	18	24	53	109	169
Male.....	3,624	1	1	1	1	2	5	13	19	42	85	136
Female.....	2,798	-	-	-	-	-	-	5	5	11	24	33
Puerto Rican, both sexes.....	2,091	-	-	-	-	-	1	2	5	11	20	57
Male.....	1,071	-	-	-	-	-	-	2	4	9	15	38
Female.....	1,020	-	-	-	-	-	1	-	1	2	5	19
Cuban, both sexes.....	2,131	-	-	-	-	-	-	-	-	11	11	23
Male.....	1,060	-	-	-	-	-	-	-	-	9	10	20
Female.....	1,071	-	-	-	-	-	-	-	-	2	1	3
Central and South American, both sexes.....	559	1	-	-	-	-	-	1	5	9	12	18
Male.....	307	-	-	-	-	-	-	1	5	8	11	15
Female.....	252	1	-	-	-	-	-	-	-	1	1	3
Other and Unknown Hispanic, both sexes.....	2,163	-	-	-	-	-	2	2	9	8	26	67
Male.....	1,068	-	-	-	-	-	2	2	9	5	19	51
Female.....	1,095	-	-	-	-	-	-	-	-	3	7	16
Non-Hispanic 1/, both sexes.....	291,877	7	4	4	5	13	58	142	447	1,148	2,916	5,427
Male.....	147,452	6	2	1	1	8	38	101	348	870	2,206	4,173
Female.....	144,425	1	2	3	4	5	20	41	99	278	710	1,254
Non-Hispanic white, both sexes.....	255,086	5	2	-	3	9	36	91	326	862	2,227	4,131
Male.....	128,839	4	1	-	1	5	23	64	258	666	1,725	3,261
Female.....	126,247	1	1	-	2	4	13	27	68	196	502	870
Non-Hispanic black, both sexes.....	30,917	2	2	3	2	4	18	39	100	230	577	1,113
Male.....	15,284	2	1	1	-	3	12	27	72	156	395	762
Female.....	15,633	-	1	2	2	1	6	12	28	74	182	351
Origin not stated 2/, both sexes.....	1,063	-	-	-	-	-	1	1	2	4	17	30
Male.....	624	-	-	-	-	-	1	1	1	3	13	23
Female.....	439	-	-	-	-	-	-	-	1	1	4	7

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

All origins, both sexes.....	239,074	7	5	5	6	13	53	116	331	830	2,037	3,640
Male.....	119,164	5	3	2	2	9	35	80	245	631	1,517	2,741
Female.....	119,910	2	2	3	4	4	18	36	86	199	520	899
Hispanic, both sexes.....	10,071	2	1	1	1	2	5	18	27	62	115	179
Male.....	5,036	1	1	1	1	2	4	13	22	48	85	128
Female.....	5,035	1	-	-	-	-	1	5	5	14	30	51
Mexican, both sexes.....	4,687	1	1	1	1	2	4	15	15	34	68	93
Male.....	2,472	1	1	1	1	2	4	10	11	26	50	71
Female.....	2,215	-	-	-	-	-	-	5	4	8	18	22
Puerto Rican, both sexes.....	1,636	-	-	-	-	-	1	2	3	6	14	30
Male.....	776	-	-	-	-	-	-	2	2	5	10	17
Female.....	860	-	-	-	-	-	1	-	1	1	4	13
Cuban, both sexes.....	1,792	-	-	-	-	-	-	-	-	11	8	15
Male.....	876	-	-	-	-	-	-	-	-	9	7	12
Female.....	916	-	-	-	-	-	-	-	-	2	1	3
Central and South American, both sexes.....	427	1	-	-	-	-	-	1	3	7	10	9
Male.....	221	-	-	-	-	-	-	1	3	6	9	6
Female.....	206	1	-	-	-	-	-	-	-	1	1	3
Other and Unknown Hispanic, both sexes.....	1,529	-	-	-	-	-	-	-	6	4	15	32
Male.....	691	-	-	-	-	-	-	-	6	2	9	22
Female.....	838	-	-	-	-	-	-	-	-	2	6	10
Non-Hispanic 1/, both sexes.....	228,327	5	4	4	5	11	47	98	302	767	1,912	3,451
Male.....	113,775	4	2	1	1	7	30	67	222	583	1,426	2,607
Female.....	114,552	1	2	3	4	4	17	31	80	184	486	844
Non-Hispanic white, both sexes.....	202,818	4	2	-	3	7	29	62	219	569	1,473	2,689
Male.....	101,510	3	1	-	1	4	18	43	165	446	1,131	2,081
Female.....	101,308	1	1	-	2	3	11	19	54	123	342	608
Non-Hispanic black, both sexes.....	21,153	1	2	3	2	4	15	27	66	158	368	661
Male.....	9,853	1	1	1	-	3	10	17	43	105	243	444
Female.....	11,300	-	1	2	2	1	5	10	23	53	125	217
Origin not stated 2/, both sexes.....	676	-	-	-	-	-	1	-	2	1	10	10
Male.....	353	-	-	-	-	-	1	-	1	-	6	6
Female.....	323	-	-	-	-	-	-	-	1	1	4	4

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other heart diseases (I26-I51)												
All origins, both sexes.....	169,984	416	171	90	144	348	556	692	1,118	1,673	2,882	3,891
Male.....	74,738	233	81	50	91	219	341	404	677	1,017	1,784	2,439
Female.....	95,246	183	90	40	53	129	215	288	441	656	1,098	1,452
Hispanic, both sexes.....	5,612	72	33	6	20	38	60	88	121	137	174	222
Male.....	2,805	40	17	3	12	23	45	56	79	95	122	153
Female.....	2,807	32	16	3	8	15	15	32	42	42	52	69
Mexican, both sexes.....	3,017	55	25	5	15	26	37	67	78	74	100	123
Male.....	1,568	32	10	2	10	18	27	41	52	48	72	89
Female.....	1,449	23	15	3	5	8	10	26	26	26	28	34
Puerto Rican, both sexes.....	715	2	3	-	-	4	7	7	19	29	30	41
Male.....	367	-	3	-	-	2	4	6	11	19	22	24
Female.....	348	2	-	-	-	2	3	1	8	10	8	17
Cuban, both sexes.....	670	1	-	-	-	-	-	-	2	4	9	12
Male.....	299	-	-	-	-	-	-	-	2	3	8	11
Female.....	371	1	-	-	-	-	-	-	-	1	1	1
Central and South American, both sexes.....	313	6	-	-	-	1	8	5	11	14	9	10
Male.....	152	4	-	-	-	-	7	4	7	10	6	7
Female.....	161	2	-	-	-	1	1	1	4	4	3	3
Other and Unknown Hispanic, both sexes.....	897	8	5	1	5	7	8	9	11	16	26	36
Male.....	419	4	4	1	2	3	7	5	7	15	14	22
Female.....	478	4	1	-	3	4	1	4	4	1	12	14
Non-Hispanic 1/, both sexes.....	163,998	342	137	83	124	306	496	602	992	1,532	2,693	3,655
Male.....	71,731	193	64	46	79	194	296	348	594	919	1,650	2,273
Female.....	92,267	149	73	37	45	112	200	254	398	613	1,043	1,382
Non-Hispanic white, both sexes.....	141,413	186	77	50	82	197	298	342	599	970	1,798	2,513
Male.....	61,119	102	32	27	55	125	173	199	377	591	1,146	1,608
Female.....	80,294	84	45	23	27	72	125	143	222	379	652	905
Non-Hispanic black, both sexes.....	19,861	125	49	29	37	94	179	236	350	514	832	1,067
Male.....	9,275	76	27	16	22	62	113	136	186	300	467	619
Female.....	10,586	49	22	13	15	32	66	100	164	214	365	448
Origin not stated 2/, both sexes.....	374	2	1	1	-	4	-	2	5	4	15	14
Male.....	202	-	-	1	-	2	-	-	4	3	12	13
Female.....	172	2	1	-	-	2	-	2	1	1	3	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
All origins, both sexes.....	868	33	22	14	14	21	34	23	25	32	54	63
Male.....	449	15	8	4	8	14	20	13	16	21	31	41
Female.....	419	18	14	10	6	7	14	10	9	11	23	22
Hispanic, both sexes.....	57	5	5	1	3	2	5	3	3	3	2	6
Male.....	33	3	1	1	1	2	2	1	3	3	-	5
Female.....	24	2	4	-	2	-	3	2	-	-	2	1
Mexican, both sexes.....	39	4	5	-	1	1	4	3	1	3	1	3
Male.....	22	3	1	-	-	1	1	1	1	3	-	3
Female.....	17	1	4	-	1	-	3	2	-	-	1	-
Puerto Rican, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	1	1
Cuban, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	11	1	-	1	2	1	1	-	1	-	-	1
Male.....	8	-	-	1	1	1	1	-	1	-	-	1
Female.....	3	1	-	-	1	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	806	28	17	13	11	19	29	19	22	29	52	57
Male.....	414	12	7	3	7	12	18	12	13	18	31	36
Female.....	392	16	10	10	4	7	11	7	9	11	21	21
Non-Hispanic white, both sexes.....	616	10	8	8	5	15	16	7	11	14	36	40
Male.....	324	6	3	1	4	11	10	4	5	10	23	26
Female.....	292	4	5	7	1	4	6	3	6	4	13	14
Non-Hispanic black, both sexes.....	168	14	9	4	5	3	12	12	10	14	16	16
Male.....	81	4	4	2	3	1	8	8	7	8	8	9
Female.....	87	10	5	2	2	2	4	4	3	6	8	7
Origin not stated 2/, both sexes.....	5	-	-	-	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)												
All origins, both sexes.....	110,423	344	144	71	122	306	489	623	1,009	1,507	2,535	3,381
Male.....	51,180	189	70	42	79	192	304	364	609	924	1,569	2,115
Female.....	59,243	155	74	29	43	114	185	259	400	583	966	1,266
Hispanic, both sexes.....	3,869	59	28	5	15	32	52	79	110	128	156	185
Male.....	2,016	31	16	2	10	18	41	51	70	89	108	128
Female.....	1,853	28	12	3	5	14	11	28	40	39	48	57
Mexican, both sexes.....	2,001	44	20	5	12	23	32	60	74	69	91	102
Male.....	1,082	24	9	2	9	16	25	37	48	44	65	73
Female.....	919	20	11	3	3	7	7	23	26	25	26	29
Puerto Rican, both sexes.....	523	2	3	-	-	3	6	6	17	27	25	34
Male.....	277	-	3	-	-	1	4	5	10	18	18	20
Female.....	246	2	-	-	-	2	2	1	7	9	7	14
Cuban, both sexes.....	509	1	-	-	-	-	-	-	1	4	8	11
Male.....	232	-	-	-	-	-	-	-	1	3	7	10
Female.....	277	1	-	-	-	-	-	-	-	1	1	1
Central and South American, both sexes.....	247	5	-	-	-	1	7	4	10	13	9	10
Male.....	129	3	-	-	-	-	6	4	6	10	6	7
Female.....	118	2	-	-	-	1	1	-	4	3	3	3
Other and Unknown Hispanic, both sexes.....	589	7	5	-	3	5	7	9	8	15	23	28
Male.....	296	4	4	-	1	1	6	5	5	14	12	18
Female.....	293	3	1	-	2	4	1	4	3	1	11	10
Non-Hispanic 1/, both sexes.....	106,297	283	115	65	107	270	437	543	894	1,376	2,364	3,183
Male.....	49,021	158	54	39	69	172	263	313	535	833	1,449	1,975
Female.....	57,276	125	61	26	38	98	174	230	359	543	915	1,208
Non-Hispanic white, both sexes.....	90,097	163	65	39	74	175	261	307	546	880	1,605	2,218
Male.....	41,056	88	27	24	49	112	151	177	348	541	1,019	1,415
Female.....	49,041	75	38	15	25	63	110	130	198	339	586	803
Non-Hispanic black, both sexes.....	14,177	96	40	23	29	81	158	214	308	451	702	899
Male.....	6,943	59	23	12	18	53	102	124	159	265	398	522
Female.....	7,234	37	17	11	11	28	56	90	149	186	304	377
Origin not stated 2/, both sexes.....	257	2	1	1	-	4	-	1	5	3	15	13
Male.....	143	-	-	1	-	2	-	-	4	2	12	12
Female.....	114	2	1	-	-	2	-	1	1	1	3	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Cerebrovascular diseases (I60-I69)												
All origins, both sexes.....	157,689	101	46	29	40	88	133	188	395	761	1,699	2,577
Male.....	61,426	57	25	19	22	51	65	101	213	411	872	1,389
Female.....	96,263	44	21	10	18	37	68	87	182	350	827	1,188
Hispanic, both sexes.....	6,658	17	8	5	9	9	19	35	54	80	187	251
Male.....	3,070	11	7	3	5	7	8	18	33	48	114	156
Female.....	3,588	6	1	2	4	2	11	17	21	32	73	95
Mexican, both sexes.....	3,920	9	6	5	7	7	10	23	37	53	118	158
Male.....	1,884	5	5	3	4	5	4	11	22	34	77	100
Female.....	2,036	4	1	2	3	2	6	12	15	19	41	58
Puerto Rican, both sexes.....	716	3	-	-	1	1	1	3	4	9	18	28
Male.....	353	3	-	-	1	1	-	3	2	4	8	18
Female.....	363	-	-	-	-	-	1	-	2	5	10	10
Cuban, both sexes.....	624	-	-	-	-	-	-	-	1	1	9	4
Male.....	270	-	-	-	-	-	-	-	1	1	7	3
Female.....	354	-	-	-	-	-	-	-	-	-	2	1
Central and South American, both sexes.....	373	2	1	-	-	1	4	3	5	10	19	26
Male.....	162	1	1	-	-	1	3	1	4	4	10	17
Female.....	211	1	-	-	-	-	1	2	1	6	9	9
Other and Unknown Hispanic, both sexes.....	1,025	3	1	-	1	-	4	6	7	7	23	35
Male.....	401	2	1	-	-	-	1	3	4	5	12	18
Female.....	624	1	-	-	1	-	3	3	3	2	11	17
Non-Hispanic 1/, both sexes.....	150,719	82	38	24	31	79	113	151	340	676	1,506	2,318
Male.....	58,226	45	18	16	17	44	56	82	179	359	756	1,228
Female.....	92,493	37	20	8	14	35	57	69	161	317	750	1,090
Non-Hispanic white, both sexes.....	127,969	46	23	16	21	54	70	90	208	375	864	1,364
Male.....	48,549	22	8	10	13	29	43	48	111	195	442	747
Female.....	79,420	24	15	6	8	25	27	42	97	180	422	617
Non-Hispanic black, both sexes.....	18,649	31	14	6	10	21	37	53	114	248	538	820
Male.....	7,798	19	9	5	4	13	12	32	54	129	256	415
Female.....	10,851	12	5	1	6	8	25	21	60	119	282	405
Origin not stated 2/, both sexes.....	312	2	-	-	-	-	1	2	1	5	6	8
Male.....	130	1	-	-	-	-	1	1	1	4	2	5
Female.....	182	1	-	-	-	-	-	1	-	1	4	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

All origins, both sexes.....	25,520	279	86	25	35	59	77	80	130	188	307	573
Male.....	12,391	163	49	16	22	31	45	49	66	97	154	301
Female.....	13,129	116	37	9	13	28	32	31	64	91	153	272
Hispanic, both sexes.....	1,374	57	14	8	8	6	10	10	17	20	32	44
Male.....	686	29	8	5	4	2	7	5	7	14	19	25
Female.....	688	28	6	3	4	4	3	5	10	6	13	19
Mexican, both sexes.....	764	40	10	3	7	4	3	8	12	10	17	26
Male.....	392	20	6	1	4	2	2	5	4	8	11	13
Female.....	372	20	4	2	3	2	1	3	8	2	6	13
Puerto Rican, both sexes.....	177	4	1	2	1	1	2	1	1	3	5	9
Male.....	86	2	-	2	-	-	2	-	-	2	3	6
Female.....	91	2	1	-	1	1	-	1	1	1	2	3
Cuban, both sexes.....	131	2	1	1	-	-	-	-	1	1	-	1
Male.....	46	1	1	-	-	-	-	-	1	1	-	1
Female.....	85	1	-	1	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	73	3	-	1	-	1	3	-	-	1	3	4
Male.....	37	1	-	1	-	-	2	-	-	1	2	2
Female.....	36	2	-	-	-	1	1	-	-	-	1	2
Other and Unknown Hispanic, both sexes.....	229	8	2	1	-	-	2	1	3	5	7	4
Male.....	125	5	1	1	-	-	1	-	2	2	3	3
Female.....	104	3	1	-	-	-	1	1	1	3	4	1
Non-Hispanic 1/, both sexes.....	24,094	221	72	17	26	53	67	70	110	168	275	529
Male.....	11,675	133	41	11	18	29	38	44	57	83	135	276
Female.....	12,419	88	31	6	8	24	29	26	53	85	140	253
Non-Hispanic white, both sexes.....	21,311	113	39	13	17	34	39	46	74	109	175	359
Male.....	10,314	64	20	10	10	15	22	29	41	56	93	200
Female.....	10,997	49	19	3	7	19	17	17	33	53	82	159
Non-Hispanic black, both sexes.....	2,207	97	27	2	5	15	26	21	33	51	88	148
Male.....	1,083	60	18	1	5	12	15	13	14	25	34	67
Female.....	1,124	37	9	1	-	3	11	8	19	26	54	81
Origin not stated 2/, both sexes.....	52	1	-	-	1	-	-	-	3	-	-	-
Male.....	30	1	-	-	-	-	-	-	2	-	-	-
Female.....	22	-	-	-	1	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Chronic liver disease and cirrhosis (K70,K73-K74)												
All origins, both sexes.....	27,503	2	-	-	-	3	13	78	280	882	2,138	3,457
Male.....	17,912	2	-	-	-	1	7	54	198	574	1,459	2,510
Female.....	9,591	-	-	-	-	2	6	24	82	308	679	947
Hispanic, both sexes.....	3,382	1	-	-	-	1	1	13	87	156	313	464
Male.....	2,387	1	-	-	-	1	1	12	67	133	247	389
Female.....	995	-	-	-	-	-	-	1	20	23	66	75
Mexican, both sexes.....	2,208	1	-	-	-	-	1	11	61	114	219	318
Male.....	1,572	1	-	-	-	-	1	10	49	99	174	270
Female.....	636	-	-	-	-	-	-	1	12	15	45	48
Puerto Rican, both sexes.....	410	-	-	-	-	-	-	-	3	6	32	50
Male.....	280	-	-	-	-	-	-	-	-	4	28	39
Female.....	130	-	-	-	-	-	-	-	3	2	4	11
Cuban, both sexes.....	151	-	-	-	-	-	-	-	2	2	4	5
Male.....	101	-	-	-	-	-	-	-	2	1	2	5
Female.....	50	-	-	-	-	-	-	-	-	1	2	-
Central and South American, both sexes.....	119	-	-	-	-	1	-	1	3	9	13	11
Male.....	83	-	-	-	-	1	-	1	3	9	11	9
Female.....	36	-	-	-	-	-	-	-	-	-	2	2
Other and Unknown Hispanic, both sexes.....	494	-	-	-	-	-	-	1	18	25	45	80
Male.....	351	-	-	-	-	-	-	1	13	20	32	66
Female.....	143	-	-	-	-	-	-	-	5	5	13	14
Non-Hispanic 1/, both sexes.....	24,030	1	-	-	-	2	12	65	192	725	1,816	2,979
Male.....	15,452	1	-	-	-	-	6	42	130	441	1,205	2,108
Female.....	8,578	-	-	-	-	2	6	23	62	284	611	871
Non-Hispanic white, both sexes.....	20,602	-	-	-	-	1	6	40	146	573	1,495	2,444
Male.....	13,254	-	-	-	-	-	3	26	100	354	1,012	1,756
Female.....	7,348	-	-	-	-	1	3	14	46	219	483	688
Non-Hispanic black, both sexes.....	2,582	1	-	-	-	-	3	18	23	101	222	390
Male.....	1,696	1	-	-	-	-	2	11	14	58	130	261
Female.....	886	-	-	-	-	1	7	7	9	43	92	129
Origin not stated 2/, both sexes.....	91	-	-	-	-	-	-	-	1	1	9	14
Male.....	73	-	-	-	-	-	-	-	1	-	7	13
Female.....	18	-	-	-	-	-	-	-	-	1	2	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Alcoholic liver disease (K70)												
All origins, both sexes.....	12,360	-	-	-	-	1	5	49	194	612	1,359	2,050
Male.....	9,104	-	-	-	-	-	3	39	143	402	915	1,524
Female.....	3,256	-	-	-	-	1	2	10	51	210	444	526
Hispanic, both sexes.....	1,712	-	-	-	-	-	1	10	57	120	212	287
Male.....	1,425	-	-	-	-	-	1	9	44	106	167	253
Female.....	287	-	-	-	-	-	-	1	13	14	45	34
Mexican, both sexes.....	1,154	-	-	-	-	-	1	8	42	88	152	208
Male.....	963	-	-	-	-	-	1	7	34	79	120	186
Female.....	191	-	-	-	-	-	-	1	8	9	32	22
Puerto Rican, both sexes.....	173	-	-	-	-	-	-	-	-	3	18	23
Male.....	145	-	-	-	-	-	-	-	-	2	16	19
Female.....	28	-	-	-	-	-	-	-	-	1	2	4
Cuban, both sexes.....	46	-	-	-	-	-	-	-	-	2	1	1
Male.....	39	-	-	-	-	-	-	-	-	1	-	1
Female.....	7	-	-	-	-	-	-	-	-	1	1	-
Central and South American, both sexes.....	44	-	-	-	-	-	-	1	1	6	7	6
Male.....	40	-	-	-	-	-	-	1	1	6	6	5
Female.....	4	-	-	-	-	-	-	-	-	-	1	1
Other and Unknown Hispanic, both sexes.....	295	-	-	-	-	-	-	1	14	21	34	49
Male.....	238	-	-	-	-	-	-	1	9	18	25	42
Female.....	57	-	-	-	-	-	-	-	5	3	9	7
Non-Hispanic 1/, both sexes.....	10,599	-	-	-	-	1	4	39	137	491	1,142	1,754
Male.....	7,638	-	-	-	-	-	2	30	99	296	745	1,263
Female.....	2,961	-	-	-	-	1	2	9	38	195	397	491
Non-Hispanic white, both sexes.....	8,902	-	-	-	-	-	3	27	104	379	946	1,456
Male.....	6,467	-	-	-	-	-	1	22	74	234	624	1,050
Female.....	2,435	-	-	-	-	-	2	5	30	145	322	406
Non-Hispanic black, both sexes.....	1,206	-	-	-	-	-	-	6	13	67	120	196
Male.....	850	-	-	-	-	-	-	4	10	37	73	145
Female.....	356	-	-	-	-	-	-	2	3	30	47	51
Origin not stated 2/, both sexes.....	49	-	-	-	-	-	-	-	-	1	5	9
Male.....	41	-	-	-	-	-	-	-	-	-	3	8
Female.....	8	-	-	-	-	-	-	-	-	1	2	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

All origins, both sexes.....	42,453	181	14	7	15	29	66	103	179	270	526	835
Male.....	20,481	106	7	3	6	19	40	53	94	148	311	482
Female.....	21,972	75	7	4	9	10	26	50	85	122	215	353
Hispanic, both sexes.....	2,170	35	1	1	3	8	11	15	15	25	51	70
Male.....	1,069	19	-	-	1	6	7	8	8	14	35	39
Female.....	1,101	16	1	1	2	2	4	7	7	11	16	31
Mexican, both sexes.....	1,294	25	-	-	2	5	6	9	11	20	29	42
Male.....	632	14	-	-	1	5	3	5	5	10	20	23
Female.....	662	11	-	-	1	-	3	4	6	10	9	19
Puerto Rican, both sexes.....	304	2	-	1	-	1	1	3	-	2	14	13
Male.....	162	1	-	-	-	-	-	2	-	1	9	8
Female.....	142	1	-	1	-	1	1	1	-	1	5	5
Cuban, both sexes.....	180	-	-	-	-	-	-	-	-	-	-	2
Male.....	90	-	-	-	-	-	-	-	-	-	-	1
Female.....	90	-	-	-	-	-	-	-	-	-	-	1
Central and South American, both sexes.....	114	4	1	-	-	1	2	1	2	1	4	3
Male.....	57	2	-	-	-	1	2	1	2	1	3	1
Female.....	57	2	1	-	-	-	-	-	-	-	1	2
Other and Unknown Hispanic, both sexes.....	278	4	-	-	1	1	2	2	2	2	4	10
Male.....	128	2	-	-	-	-	2	-	1	2	3	6
Female.....	150	2	-	-	1	1	-	2	1	-	1	4
Non-Hispanic 1/, both sexes.....	40,172	143	13	6	12	21	55	88	164	244	473	764
Male.....	19,358	87	7	3	5	13	33	45	86	134	275	442
Female.....	20,814	56	6	3	7	8	22	43	78	110	198	322
Non-Hispanic white, both sexes.....	31,497	80	9	5	6	10	28	48	80	113	227	402
Male.....	15,323	52	5	2	4	8	16	25	39	60	145	241
Female.....	16,174	28	4	3	2	2	12	23	41	53	82	161
Non-Hispanic black, both sexes.....	7,804	60	3	1	6	11	23	37	81	124	231	332
Male.....	3,614	32	1	1	1	5	15	18	46	71	120	181
Female.....	4,190	28	2	-	5	6	8	19	35	53	111	151
Origin not stated 2/, both sexes.....	111	3	-	-	-	-	-	-	-	1	2	1
Male.....	54	-	-	-	-	-	-	-	-	-	1	1
Female.....	57	3	-	-	-	-	-	-	-	1	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Renal failure (N17-N19)												
All origins, both sexes.....	41,737	170	11	6	15	25	57	95	171	261	510	813
Male.....	20,135	98	5	3	6	17	32	49	92	142	301	465
Female.....	21,602	72	6	3	9	8	25	46	79	119	209	348
Hispanic, both sexes.....	2,121	33	1	-	3	6	9	14	14	25	49	67
Male.....	1,044	18	-	-	1	5	5	7	8	14	34	36
Female.....	1,077	15	1	-	2	1	4	7	6	11	15	31
Mexican, both sexes.....	1,270	24	-	-	2	4	6	9	10	20	28	41
Male.....	620	14	-	-	1	4	3	5	5	10	20	22
Female.....	650	10	-	-	1	-	3	4	5	10	8	19
Puerto Rican, both sexes.....	294	2	-	-	-	1	1	2	-	2	13	13
Male.....	157	1	-	-	-	-	-	1	-	1	8	8
Female.....	137	1	-	-	-	1	1	1	-	1	5	5
Cuban, both sexes.....	177	-	-	-	-	-	-	-	-	-	-	2
Male.....	90	-	-	-	-	-	-	-	-	-	-	1
Female.....	87	-	-	-	-	-	-	-	-	-	-	1
Central and South American, both sexes.....	112	3	1	-	-	1	1	1	2	1	4	3
Male.....	55	1	-	-	-	1	1	1	2	1	3	1
Female.....	57	2	1	-	-	-	-	-	-	-	1	2
Other and Unknown Hispanic, both sexes.....	268	4	-	-	1	-	1	2	2	2	4	8
Male.....	122	2	-	-	-	-	1	-	1	2	3	4
Female.....	146	2	-	-	1	-	-	2	1	-	1	4
Non-Hispanic 1/, both sexes.....	39,506	134	10	6	12	19	48	81	157	235	460	745
Male.....	19,038	80	5	3	5	12	27	42	84	128	267	428
Female.....	20,468	54	5	3	7	7	21	39	73	107	193	317
Non-Hispanic white, both sexes.....	30,973	73	7	5	6	10	26	44	77	104	219	387
Male.....	15,080	47	4	2	4	8	15	24	38	54	139	231
Female.....	15,893	26	3	3	2	2	11	20	39	50	80	156
Non-Hispanic black, both sexes.....	7,704	59	3	1	6	9	20	35	78	124	226	328
Male.....	3,559	31	1	1	1	4	12	17	45	71	118	177
Female.....	4,145	28	2	-	5	5	8	18	33	53	108	151
Origin not stated 2/, both sexes.....	110	3	-	-	-	-	-	-	-	1	1	1
Male.....	53	-	-	-	-	-	-	-	-	-	-	1
Female.....	57	3	-	-	-	-	-	-	-	1	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Pregnancy, childbirth and the puerperium (000-099)

All origins, both sexes.....	545	1	27	89	110	119	106	60	19
Male.....
Female.....	545	1	27	89	110	119	106	60	19
Hispanic, both sexes.....	104	-	8	16	31	15	17	11	4
Male.....
Female.....	104	-	8	16	31	15	17	11	4
Mexican, both sexes.....	79	-	6	13	21	11	15	10	2
Male.....
Female.....	79	-	6	13	21	11	15	10	2
Puerto Rican, both sexes.....	7	-	-	-	3	-	1	1	2
Male.....
Female.....	7	-	-	-	3	-	1	1	2
Cuban, both sexes.....	1	-	-	-	-	1	-	-	-
Male.....
Female.....	1	-	-	-	-	1	-	-	-
Central and South American, both sexes.....	7	-	1	1	4	1	-	-	-
Male.....
Female.....	7	-	1	1	4	1	-	-	-
Other and Unknown Hispanic, both sexes.....	10	-	1	2	3	2	1	-	-
Male.....
Female.....	10	-	1	2	3	2	1	-	-
Non-Hispanic 1/, both sexes.....	437	1	19	70	79	103	89	49	15
Male.....
Female.....	437	1	19	70	79	103	89	49	15
Non-Hispanic white, both sexes.....	213	-	7	34	43	44	39	27	10
Male.....
Female.....	213	-	7	34	43	44	39	27	10
Non-Hispanic black, both sexes.....	190	1	12	30	32	50	40	18	5
Male.....
Female.....	190	1	12	30	32	50	40	18	5
Origin not stated 2/, both sexes.....	4	-	-	3	-	1	-	-	-
Male.....
Female.....	4	-	-	3	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other complications of pregnancy, childbirth and the puerperium (O10-O99)

All origins, both sexes.....	505	1	21	84	102	108	100	57	18
Male.....
Female.....	505	1	21	84	102	108	100	57	18
Hispanic, both sexes.....	96	-	8	15	27	13	16	11	4
Male.....
Female.....	96	-	8	15	27	13	16	11	4
Mexican, both sexes.....	73	-	6	12	18	10	14	10	2
Male.....
Female.....	73	-	6	12	18	10	14	10	2
Puerto Rican, both sexes.....	6	-	-	-	2	-	1	1	2
Male.....
Female.....	6	-	-	-	2	-	1	1	2
Cuban, both sexes.....	1	-	-	-	-	1	-	-	-
Male.....
Female.....	1	-	-	-	-	1	-	-	-
Central and South American, both sexes.....	7	-	1	1	4	1	-	-	-
Male.....
Female.....	7	-	1	1	4	1	-	-	-
Other and Unknown Hispanic, both sexes.....	9	-	1	2	3	1	1	-	-
Male.....
Female.....	9	-	1	2	3	1	1	-	-
Non-Hispanic 1/, both sexes.....	405	1	13	66	75	94	84	46	14
Male.....
Female.....	405	1	13	66	75	94	84	46	14
Non-Hispanic white, both sexes.....	202	-	6	33	39	42	37	26	10
Male.....
Female.....	202	-	6	33	39	42	37	26	10
Non-Hispanic black, both sexes.....	172	1	7	27	32	45	38	16	4
Male.....
Female.....	172	1	7	27	32	45	38	16	4
Origin not stated 2/, both sexes.....	4	-	-	3	-	1	-	-	-
Male.....
Female.....	4	-	-	3	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All origins, both sexes.....	10,518	5,621	541	180	206	223	228	198	228	242	322	324
Male.....	5,460	3,020	275	94	104	144	128	119	114	129	175	177
Female.....	5,058	2,601	266	86	102	79	100	79	114	113	147	147
Hispanic, both sexes.....	1,787	1,324	122	31	34	27	30	35	23	16	28	18
Male.....	937	693	62	15	13	17	13	22	15	10	15	11
Female.....	850	631	60	16	21	10	17	13	8	6	13	7
Mexican, both sexes.....	1,346	1,022	96	19	30	16	22	23	17	10	20	7
Male.....	717	544	49	9	12	12	10	14	11	7	10	5
Female.....	629	478	47	10	18	4	12	9	6	3	10	2
Puerto Rican, both sexes.....	121	79	10	3	1	3	4	3	1	1	3	5
Male.....	56	33	6	-	-	2	3	2	-	1	1	2
Female.....	65	46	4	3	1	1	1	1	1	-	2	3
Cuban, both sexes.....	28	9	-	2	-	1	1	-	2	-	1	1
Male.....	18	7	-	1	-	1	-	-	2	-	1	-
Female.....	10	2	-	1	-	-	1	-	-	-	-	1
Central and South American, both sexes.....	93	70	3	3	-	1	-	5	1	3	2	-
Male.....	46	35	-	2	-	-	-	4	-	1	2	-
Female.....	47	35	3	1	-	1	-	1	1	2	-	-
Other and Unknown Hispanic, both sexes.....	199	144	13	4	3	6	3	4	2	2	2	5
Male.....	100	74	7	3	1	2	-	2	2	1	1	4
Female.....	99	70	6	1	2	4	3	2	-	1	1	1
Non-Hispanic 1/, both sexes.....	8,687	4,269	418	147	170	195	198	162	205	226	290	305
Male.....	4,500	2,312	213	77	90	126	115	97	99	119	157	166
Female.....	4,187	1,957	205	70	80	69	83	65	106	107	133	139
Non-Hispanic white, both sexes.....	6,594	2,977	272	98	124	143	142	123	162	183	247	245
Male.....	3,353	1,596	136	50	67	92	83	73	79	98	135	127
Female.....	3,241	1,381	136	48	57	51	59	50	83	85	112	118
Non-Hispanic black, both sexes.....	1,671	1,015	118	36	37	40	52	33	42	34	35	51
Male.....	905	558	62	20	18	27	28	19	19	15	17	32
Female.....	766	457	56	16	19	13	24	14	23	19	18	19
Origin not stated 2/, both sexes.....	44	28	1	2	2	1	-	1	-	-	4	1
Male.....	23	15	-	2	1	1	-	-	-	-	3	-
Female.....	21	13	1	-	1	-	-	1	-	-	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All origins, both sexes.....	31,444	3,318	256	75	103	300	537	617	710	1,037	1,345	1,578
Male.....	14,583	1,974	143	30	62	197	366	434	473	685	841	1,011
Female.....	16,861	1,344	113	45	41	103	171	183	237	352	504	567
Hispanic, both sexes.....	1,623	492	30	11	9	44	54	90	80	94	87	75
Male.....	998	309	16	6	6	27	38	73	62	72	63	63
Female.....	625	183	14	5	3	17	16	17	18	22	24	12
Mexican, both sexes.....	936	337	21	7	3	28	37	59	44	49	48	30
Male.....	592	214	10	4	3	16	27	46	35	41	36	25
Female.....	344	123	11	3	-	12	10	13	9	8	12	5
Puerto Rican, both sexes.....	271	59	4	-	3	8	8	13	12	13	18	23
Male.....	160	33	3	-	1	7	5	12	10	8	13	21
Female.....	111	26	1	-	2	1	3	1	2	5	5	2
Cuban, both sexes.....	68	2	-	-	-	-	1	2	3	6	4	6
Male.....	38	2	-	-	-	-	1	1	1	5	3	3
Female.....	30	-	-	-	-	-	-	1	2	1	1	3
Central and South American, both sexes.....	127	24	1	4	1	3	2	13	12	16	6	7
Male.....	80	12	1	2	-	1	1	12	9	11	5	6
Female.....	47	12	-	2	1	2	1	1	3	5	1	1
Other and Unknown Hispanic, both sexes.....	221	70	4	-	2	5	6	3	9	10	11	9
Male.....	128	48	2	-	2	3	4	2	7	7	6	8
Female.....	93	22	2	-	-	2	2	1	2	3	5	1
Non-Hispanic 1/, both sexes.....	29,617	2,805	226	64	93	253	478	524	627	933	1,248	1,492
Male.....	13,448	1,650	127	24	56	169	326	359	408	605	770	939
Female.....	16,169	1,155	99	40	37	84	152	165	219	328	478	553
Non-Hispanic white, both sexes.....	24,452	1,665	136	47	52	200	362	374	469	708	953	1,109
Male.....	10,752	1,025	75	21	30	136	253	256	314	460	590	706
Female.....	13,700	640	61	26	22	64	109	118	155	248	363	403
Non-Hispanic black, both sexes.....	4,628	1,022	80	13	36	46	104	130	137	198	278	349
Male.....	2,404	554	44	2	23	28	64	92	81	124	166	211
Female.....	2,224	468	36	11	13	18	40	38	56	74	112	138
Origin not stated 2/, both sexes.....	204	21	-	-	1	3	5	3	3	10	10	11
Male.....	137	15	-	-	-	1	2	2	3	8	8	9
Female.....	67	6	-	-	1	2	3	1	-	2	2	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)												
All origins, both sexes.....	201,676	1,190	635	408	519	830	1,193	1,413	1,917	3,099	5,308	7,248
Male.....	81,907	711	342	234	307	489	700	802	1,083	1,765	3,167	4,320
Female.....	119,769	479	293	174	212	341	493	611	834	1,334	2,141	2,928
Hispanic, both sexes.....	9,218	235	140	69	90	136	151	196	256	353	476	548
Male.....	4,571	144	75	37	50	75	90	127	168	212	307	357
Female.....	4,647	91	65	32	40	61	61	69	88	141	169	191
Mexican, both sexes.....	5,241	171	109	45	66	101	97	117	157	219	281	313
Male.....	2,677	107	52	27	40	62	62	70	105	139	186	206
Female.....	2,564	64	57	18	26	39	35	47	52	80	95	107
Puerto Rican, both sexes.....	1,227	17	10	6	7	11	13	29	37	61	70	89
Male.....	642	11	8	2	3	6	6	23	23	30	46	59
Female.....	585	6	2	4	4	5	7	6	14	31	24	30
Cuban, both sexes.....	817	2	-	-	2	1	4	3	9	9	17	18
Male.....	348	1	-	-	1	-	3	2	7	4	11	11
Female.....	469	1	-	-	1	1	1	1	2	5	6	7
Central and South American, both sexes.....	431	14	4	5	7	7	17	18	20	16	25	32
Male.....	174	10	-	3	1	2	8	9	10	10	12	19
Female.....	257	4	4	2	6	5	9	9	10	6	13	13
Other and Unknown Hispanic, both sexes.....	1,502	31	17	13	8	16	20	29	33	48	83	96
Male.....	730	15	15	5	5	5	11	23	23	29	52	62
Female.....	772	16	2	8	3	11	9	6	10	19	31	34
Non-Hispanic 1/, both sexes.....	191,961	946	493	337	428	688	1,039	1,210	1,655	2,731	4,813	6,669
Male.....	77,081	561	266	196	256	409	607	668	912	1,543	2,850	3,946
Female.....	114,880	385	227	141	172	279	432	542	743	1,188	1,963	2,723
Non-Hispanic white, both sexes.....	165,261	565	324	241	290	497	748	809	1,101	1,873	3,531	4,969
Male.....	65,306	357	168	150	169	314	474	480	639	1,104	2,176	3,041
Female.....	99,955	208	156	91	121	183	274	329	462	769	1,355	1,928
Non-Hispanic black, both sexes.....	22,997	333	133	69	113	155	246	349	464	763	1,117	1,521
Male.....	10,019	183	78	29	70	75	107	163	223	382	570	800
Female.....	12,978	150	55	40	43	80	139	186	241	381	547	721
Origin not stated 2/, both sexes.....	497	9	2	2	1	6	3	7	6	15	19	31
Male.....	255	6	1	1	1	5	3	7	3	10	10	17
Female.....	242	3	1	1	-	1	-	-	3	5	9	14

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

All origins, both sexes.....	109,277	945	1,717	1,096	1,522	6,755	8,517	6,284	6,257	7,495	9,271	8,865
Male.....	70,532	539	1,048	650	1,012	4,706	6,585	4,826	4,708	5,390	6,613	6,325
Female.....	38,745	406	669	446	510	2,049	1,932	1,458	1,549	2,105	2,658	2,540
Hispanic, both sexes.....	10,418	131	325	218	213	1,005	1,361	1,208	959	948	929	735
Male.....	7,899	77	200	138	151	756	1,149	1,022	805	763	725	585
Female.....	2,519	54	125	80	62	249	212	186	154	185	204	150
Mexican, both sexes.....	6,795	85	243	169	153	723	981	867	616	620	575	434
Male.....	5,276	45	154	111	109	557	834	740	524	502	456	348
Female.....	1,519	40	89	58	44	166	147	127	92	118	119	86
Puerto Rican, both sexes.....	908	17	18	15	13	63	76	75	106	100	104	97
Male.....	651	11	13	8	10	44	57	65	82	78	76	73
Female.....	257	6	5	7	3	19	19	10	24	22	28	24
Cuban, both sexes.....	401	-	8	1	2	25	20	22	21	25	20	29
Male.....	274	-	4	-	2	19	19	18	17	22	12	25
Female.....	127	-	4	1	-	6	1	4	4	3	8	4
Central and South American, both sexes.....	814	11	20	9	15	78	137	132	80	62	80	51
Male.....	625	9	6	5	13	60	118	109	70	54	62	42
Female.....	189	2	14	4	2	18	19	23	10	8	18	9
Other and Unknown Hispanic, both sexes.....	1,500	18	36	24	30	116	147	112	136	141	150	124
Male.....	1,073	12	23	14	17	76	121	90	112	107	119	97
Female.....	427	6	13	10	13	40	26	22	24	34	31	27
Non-Hispanic 1/, both sexes.....	98,406	812	1,386	875	1,308	5,732	7,134	5,051	5,275	6,512	8,301	8,082
Male.....	62,290	460	844	509	860	3,936	5,419	3,785	3,885	4,600	5,854	5,707
Female.....	36,116	352	542	366	448	1,796	1,715	1,266	1,390	1,912	2,447	2,375
Non-Hispanic white, both sexes.....	82,815	496	985	592	943	4,774	5,864	4,020	4,218	5,259	6,847	6,593
Male.....	51,888	283	610	338	616	3,251	4,447	3,026	3,112	3,703	4,871	4,643
Female.....	30,927	213	375	254	327	1,523	1,417	994	1,106	1,556	1,976	1,950
Non-Hispanic black, both sexes.....	12,154	283	333	233	284	656	934	777	825	997	1,198	1,247
Male.....	8,237	158	197	141	189	482	723	583	614	725	814	896
Female.....	3,917	125	136	92	95	174	211	194	211	272	384	351
Origin not stated 2/, both sexes.....	453	2	6	3	1	18	22	25	23	35	41	48
Male.....	343	2	4	3	1	14	17	19	18	27	34	33
Female.....	110	-	2	-	-	4	5	6	5	8	7	15

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
All origins, both sexes.....	48,071	148	649	694	1,071	5,471	5,961	3,855	3,425	3,579	4,015	3,656
Male.....	33,291	81	366	401	683	3,653	4,518	2,915	2,596	2,585	2,912	2,667
Female.....	14,780	67	283	293	388	1,818	1,443	940	829	994	1,103	989
Hispanic, both sexes.....	6,045	39	139	147	161	817	1,017	821	591	505	468	330
Male.....	4,574	25	77	95	114	592	845	685	490	390	350	251
Female.....	1,471	14	62	52	47	225	172	136	101	115	118	79
Mexican, both sexes.....	4,233	28	113	121	115	596	746	612	409	359	319	213
Male.....	3,254	19	64	80	82	442	622	516	341	274	241	162
Female.....	979	9	49	41	33	154	124	96	68	85	78	51
Puerto Rican, both sexes.....	354	3	4	8	10	49	55	31	37	34	26	28
Male.....	249	1	2	4	8	33	40	26	27	26	19	17
Female.....	105	2	2	4	2	16	15	5	10	8	7	11
Cuban, both sexes.....	219	-	1	-	-	23	18	19	15	16	13	16
Male.....	160	-	1	-	-	17	17	15	12	14	7	15
Female.....	59	-	-	-	-	6	1	4	3	2	6	1
Central and South American, both sexes.....	556	3	6	5	14	60	100	98	62	42	57	31
Male.....	421	3	-	2	13	43	84	79	53	36	45	23
Female.....	135	-	6	3	1	17	16	19	9	6	12	8
Other and Unknown Hispanic, both sexes.....	683	5	15	13	22	89	98	61	68	54	53	42
Male.....	490	2	10	9	11	57	82	49	57	40	38	34
Female.....	193	3	5	4	11	32	16	12	11	14	15	8
Non-Hispanic 1/, both sexes.....	41,856	109	505	545	909	4,642	4,928	3,022	2,824	3,061	3,536	3,313
Male.....	28,591	56	286	304	568	3,052	3,661	2,221	2,099	2,184	2,553	2,408
Female.....	13,265	53	219	241	341	1,590	1,267	801	725	877	983	905
Non-Hispanic white, both sexes.....	34,220	73	352	392	703	3,880	3,946	2,314	2,166	2,414	2,862	2,708
Male.....	23,332	39	208	211	437	2,526	2,913	1,703	1,616	1,715	2,081	1,968
Female.....	10,888	34	144	181	266	1,354	1,033	611	550	699	781	740
Non-Hispanic black, both sexes.....	5,684	28	125	117	159	512	709	532	507	502	538	472
Male.....	4,053	12	63	73	100	365	552	400	386	376	379	355
Female.....	1,631	16	62	44	59	147	157	132	121	126	159	117
Origin not stated 2/, both sexes.....	170	-	5	2	1	12	16	12	10	13	11	13
Male.....	126	-	3	2	1	9	12	9	7	11	9	8
Female.....	44	-	2	-	-	3	4	3	3	2	2	5

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
All origins, both sexes.....	44,757	145	621	646	996	5,269	5,703	3,644	3,189	3,289	3,672	3,286
Male.....	30,655	80	353	373	636	3,500	4,306	2,753	2,403	2,350	2,634	2,366
Female.....	14,102	65	268	273	360	1,769	1,397	891	786	939	1,038	920
Hispanic, both sexes.....	5,753	39	134	141	154	799	983	772	560	475	436	307
Male.....	4,340	25	73	91	107	578	819	646	463	364	321	232
Female.....	1,413	14	61	50	47	221	164	126	97	111	115	75
Mexican, both sexes.....	4,046	28	109	117	110	585	723	574	388	344	299	198
Male.....	3,097	19	61	78	77	432	604	484	324	260	222	149
Female.....	949	9	48	39	33	153	119	90	64	84	77	49
Puerto Rican, both sexes.....	342	3	4	8	10	48	54	31	35	30	24	28
Male.....	240	1	2	4	8	32	39	26	25	23	18	17
Female.....	102	2	2	4	2	16	15	5	10	7	6	11
Cuban, both sexes.....	201	-	-	-	-	22	16	17	14	14	11	14
Male.....	147	-	-	-	-	16	15	15	11	12	6	14
Female.....	54	-	-	-	-	6	1	2	3	2	5	-
Central and South American, both sexes.....	526	3	6	4	12	58	93	93	59	38	54	31
Male.....	400	3	-	1	11	42	80	75	50	33	42	23
Female.....	126	-	6	3	1	16	13	18	9	5	12	8
Other and Unknown Hispanic, both sexes.....	638	5	15	12	22	86	97	57	64	49	48	36
Male.....	456	2	10	8	11	56	81	46	53	36	33	29
Female.....	182	3	5	4	11	30	16	11	11	13	15	7
Non-Hispanic 1/, both sexes.....	38,849	106	482	503	841	4,460	4,705	2,861	2,619	2,803	3,228	2,966
Male.....	26,202	55	277	280	528	2,915	3,476	2,099	1,933	1,977	2,306	2,126
Female.....	12,647	51	205	223	313	1,545	1,229	762	686	826	922	840
Non-Hispanic white, both sexes.....	31,662	70	333	361	644	3,731	3,764	2,180	2,002	2,195	2,597	2,423
Male.....	21,309	38	200	196	406	2,414	2,763	1,601	1,484	1,541	1,867	1,737
Female.....	10,353	32	133	165	238	1,317	1,001	579	518	654	730	686
Non-Hispanic black, both sexes.....	5,349	28	121	110	151	488	680	511	480	471	503	424
Male.....	3,771	12	62	67	92	346	525	384	363	349	353	315
Female.....	1,578	16	59	43	59	142	155	127	117	122	150	109
Origin not stated 2/, both sexes.....	155	-	5	2	1	10	15	11	10	11	8	13
Male.....	113	-	3	2	1	7	11	8	7	9	7	8
Female.....	42	-	2	-	-	3	4	3	3	2	1	5

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Nontransport accidents (W00-X59,Y86)												
All origins, both sexes.....	61,206	797	1,068	402	451	1,284	2,556	2,429	2,832	3,916	5,256	5,209
Male.....	37,241	458	682	249	329	1,053	2,067	1,911	2,112	2,805	3,701	3,658
Female.....	23,965	339	386	153	122	231	489	518	720	1,111	1,555	1,551
Hispanic, both sexes.....	4,373	92	186	71	52	188	344	387	368	443	461	405
Male.....	3,325	52	123	43	37	164	304	337	315	373	375	334
Female.....	1,048	40	63	28	15	24	40	50	53	70	86	71
Mexican, both sexes.....	2,562	57	130	48	38	127	235	255	207	261	256	221
Male.....	2,022	26	90	31	27	115	212	224	183	228	215	186
Female.....	540	31	40	17	11	12	23	31	24	33	41	35
Puerto Rican, both sexes.....	554	14	14	7	3	14	21	44	69	66	78	69
Male.....	402	10	11	4	2	11	17	39	55	52	57	56
Female.....	152	4	3	3	1	3	4	5	14	14	21	13
Cuban, both sexes.....	182	-	7	1	2	2	2	3	6	9	7	13
Male.....	114	-	3	-	2	2	2	3	5	8	5	10
Female.....	68	-	4	1	-	-	-	-	1	1	2	3
Central and South American, both sexes.....	258	8	14	4	1	18	37	34	18	20	23	20
Male.....	204	6	6	3	-	17	34	30	17	18	17	19
Female.....	54	2	8	1	1	1	3	4	1	2	6	1
Other and Unknown Hispanic, both sexes.....	817	13	21	11	8	27	49	51	68	87	97	82
Male.....	583	10	13	5	6	19	39	41	55	67	81	63
Female.....	234	3	8	6	2	8	10	10	13	20	16	19
Non-Hispanic 1/, both sexes.....	56,550	703	881	330	399	1,090	2,206	2,029	2,451	3,451	4,765	4,769
Male.....	33,699	404	558	205	292	884	1,758	1,564	1,786	2,416	3,301	3,299
Female.....	22,851	299	323	125	107	206	448	465	665	1,035	1,464	1,470
Non-Hispanic white, both sexes.....	48,595	423	633	200	240	894	1,918	1,706	2,052	2,845	3,985	3,885
Male.....	28,556	244	402	127	179	725	1,534	1,323	1,496	1,988	2,790	2,675
Female.....	20,039	179	231	73	61	169	384	383	556	857	1,195	1,210
Non-Hispanic black, both sexes.....	6,470	255	208	116	125	144	225	245	318	495	660	775
Male.....	4,184	146	134	68	89	117	171	183	228	349	435	541
Female.....	2,286	109	74	48	36	27	54	62	90	146	225	234
Origin not stated 2/, both sexes.....	283	2	1	1	-	6	6	13	13	22	30	35
Male.....	217	2	1	1	-	5	5	10	11	16	25	25
Female.....	66	-	-	-	-	1	1	3	2	6	5	10

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidental exposure to smoke, fire and flames (X00-X09)

All origins, both sexes.....	3,369	30	224	137	78	75	124	118	134	167	228	270
Male.....	1,948	8	131	72	40	43	78	70	84	115	142	181
Female.....	1,421	22	93	65	38	32	46	48	50	52	86	89
Hispanic, both sexes.....	203	4	27	18	8	8	7	12	13	13	11	13
Male.....	128	2	11	9	3	5	4	8	10	9	8	11
Female.....	75	2	16	9	5	3	3	4	3	4	3	2
Mexican, both sexes.....	119	2	18	12	5	4	6	7	8	8	3	8
Male.....	72	1	5	6	1	2	4	4	7	6	2	7
Female.....	47	1	13	6	4	2	2	3	1	2	1	1
Puerto Rican, both sexes.....	34	-	4	4	1	1	1	1	4	2	4	2
Male.....	23	-	4	2	1	-	-	1	2	1	4	1
Female.....	11	-	-	2	-	1	1	-	2	1	-	1
Cuban, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	14	2	1	-	1	-	-	2	-	1	2	1
Male.....	9	1	-	-	-	-	-	2	-	1	-	1
Female.....	5	1	1	-	1	-	-	-	-	-	2	-
Other and Unknown Hispanic, both sexes.....	33	-	4	2	1	3	-	2	1	2	2	1
Male.....	21	-	2	1	1	3	-	1	1	1	2	1
Female.....	12	-	2	1	-	-	-	1	-	1	-	-
Non-Hispanic 1/, both sexes.....	3,147	26	197	119	70	67	116	106	121	150	217	257
Male.....	1,809	6	120	63	37	38	73	62	74	106	134	170
Female.....	1,338	20	77	56	33	29	43	44	47	44	83	87
Non-Hispanic white, both sexes.....	2,313	18	118	56	33	46	95	76	94	122	170	194
Male.....	1,344	5	74	30	16	29	62	44	58	87	110	127
Female.....	969	13	44	26	17	17	33	32	36	35	60	67
Non-Hispanic black, both sexes.....	767	7	75	60	34	19	19	25	22	26	40	61
Male.....	430	1	42	31	19	8	10	16	12	18	21	41
Female.....	337	6	33	29	15	11	9	9	10	8	19	20
Origin not stated 2/, both sexes.....	19	-	-	-	-	-	1	-	-	4	-	-
Male.....	11	-	-	-	-	-	1	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	4	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidental poisoning and exposure to noxious substances (X40-X49)

All origins, both sexes.....	19,457	20	49	18	43	520	1,479	1,517	1,918	2,674	3,556	3,351
Male.....	13,176	9	27	4	27	398	1,164	1,145	1,369	1,804	2,362	2,230
Female.....	6,281	11	22	14	16	122	315	372	549	870	1,194	1,121
Hispanic, both sexes.....	1,802	4	13	1	4	68	151	196	225	307	303	259
Male.....	1,428	2	5	-	3	55	124	161	186	251	232	206
Female.....	374	2	8	1	1	13	27	35	39	56	71	53
Mexican, both sexes.....	992	3	11	1	4	38	102	112	111	167	159	137
Male.....	802	2	5	-	3	31	86	93	93	139	124	112
Female.....	190	1	6	1	1	7	16	19	18	28	35	25
Puerto Rican, both sexes.....	335	-	-	-	-	9	12	39	58	58	61	50
Male.....	258	-	-	-	-	8	9	34	47	47	42	40
Female.....	77	-	-	-	-	1	3	5	11	11	19	10
Cuban, both sexes.....	37	-	-	-	-	1	-	3	2	7	5	9
Male.....	29	-	-	-	-	1	-	3	2	6	3	6
Female.....	8	-	-	-	-	-	-	-	-	1	2	3
Central and South American, both sexes.....	62	1	2	-	-	5	12	8	5	9	7	4
Male.....	47	-	-	-	-	5	9	6	5	8	4	3
Female.....	15	1	2	-	-	-	3	2	-	1	3	1
Other and Unknown Hispanic, both sexes.....	376	-	-	-	-	15	25	34	49	66	71	59
Male.....	292	-	-	-	-	10	20	25	39	51	59	45
Female.....	84	-	-	-	-	5	5	9	10	15	12	14
Non-Hispanic 1/, both sexes.....	17,537	16	36	17	39	450	1,326	1,311	1,683	2,353	3,237	3,069
Male.....	11,655	7	22	4	24	342	1,039	976	1,175	1,541	2,118	2,009
Female.....	5,882	9	14	13	15	108	287	335	508	812	1,119	1,060
Non-Hispanic white, both sexes.....	14,829	8	19	11	20	420	1,239	1,168	1,443	1,964	2,744	2,538
Male.....	9,855	6	11	3	14	323	969	878	1,014	1,288	1,810	1,654
Female.....	4,974	2	8	6	6	97	270	290	429	676	934	884
Non-Hispanic black, both sexes.....	2,354	7	15	4	13	17	69	103	200	330	440	490
Male.....	1,579	1	9	-	7	10	54	70	134	219	278	323
Female.....	775	6	6	4	6	7	15	33	66	111	162	167
Origin not stated 2/, both sexes.....	118	-	-	-	-	2	2	10	10	14	16	23
Male.....	93	-	-	-	-	1	1	8	8	12	12	15
Female.....	25	-	-	-	-	1	1	2	2	2	4	8

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)												
All origins, both sexes.....	17,115	675	278	94	121	224	421	390	423	546	785	821
Male.....	9,919	398	177	63	97	191	353	327	358	432	629	640
Female.....	7,196	277	101	31	24	33	68	63	65	114	156	181
Hispanic, both sexes.....	999	71	53	21	8	39	76	80	70	59	69	63
Male.....	749	40	32	13	8	34	74	74	64	54	60	54
Female.....	250	31	21	8	-	5	2	6	6	5	9	9
Mexican, both sexes.....	642	43	38	15	7	28	46	60	51	43	49	39
Male.....	496	18	27	11	7	26	45	55	49	42	44	34
Female.....	146	25	11	4	-	2	1	5	2	1	5	5
Puerto Rican, both sexes.....	85	12	-	1	-	3	5	2	6	3	5	10
Male.....	55	8	-	1	-	2	5	2	5	2	3	8
Female.....	30	4	-	-	-	1	-	-	1	1	2	2
Cuban, both sexes.....	50	-	2	-	-	1	2	-	-	1	-	1
Male.....	32	-	1	-	-	1	2	-	-	1	-	1
Female.....	18	-	1	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	71	5	6	-	-	4	14	10	9	1	3	5
Male.....	60	5	2	-	-	4	14	9	8	1	3	5
Female.....	11	-	4	-	-	-	-	1	1	-	-	-
Other and Unknown Hispanic, both sexes.....	151	11	7	5	1	3	9	8	4	11	12	8
Male.....	106	9	2	1	1	1	8	8	2	8	10	6
Female.....	45	2	5	4	-	2	1	-	2	3	2	2
Non-Hispanic 1/, both sexes.....	16,055	602	225	73	113	184	342	308	351	486	709	753
Male.....	9,122	356	145	50	89	156	276	252	292	377	562	581
Female.....	6,933	246	80	23	24	28	66	56	59	109	147	172
Non-Hispanic white, both sexes.....	13,791	356	158	54	89	150	274	244	287	389	580	599
Male.....	7,709	211	104	37	71	127	231	206	238	300	467	463
Female.....	6,082	145	54	17	18	23	43	38	49	89	113	136
Non-Hispanic black, both sexes.....	1,858	226	52	16	15	22	57	51	44	78	107	122
Male.....	1,147	134	36	10	12	19	37	37	37	62	76	95
Female.....	711	92	16	6	3	3	20	14	7	16	31	27
Origin not stated 2/, both sexes.....	61	2	-	-	-	1	3	2	2	1	7	5
Male.....	48	2	-	-	-	1	3	1	2	1	7	5
Female.....	13	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)												
All origins, both sexes.....	31,484	6	244	1,487	2,501	2,276	2,789	2,958	3,644	3,485
Male.....	25,203	6	188	1,222	2,159	1,901	2,255	2,347	2,791	2,616
Female.....	6,281	-	56	265	342	375	534	611	853	869
Hispanic, both sexes.....	2,007	-	43	192	299	251	248	203	199	161
Male.....	1,711	-	31	155	266	220	214	173	168	130
Female.....	296	-	12	37	33	31	34	30	31	31
Mexican, both sexes.....	1,181	-	22	140	207	169	147	122	122	67
Male.....	1,019	-	17	116	189	151	127	102	103	54
Female.....	162	-	5	24	18	18	20	20	19	13
Puerto Rican, both sexes.....	219	-	6	10	24	21	24	21	28	32
Male.....	195	-	3	9	21	18	23	20	25	29
Female.....	24	-	3	1	3	3	1	1	3	3
Cuban, both sexes.....	132	-	1	1	7	8	8	10	12	8
Male.....	112	-	-	1	7	6	7	9	9	6
Female.....	20	-	1	-	-	2	1	1	3	2
Central and South American, both sexes.....	129	-	8	11	23	16	14	10	9	12
Male.....	104	-	6	8	19	14	13	8	8	9
Female.....	25	-	2	3	4	2	1	2	1	3
Other and Unknown Hispanic, both sexes.....	346	-	6	30	38	37	55	40	28	42
Male.....	281	-	5	21	30	31	44	34	23	32
Female.....	65	-	1	9	8	6	11	6	5	10
Non-Hispanic 1/, both sexes.....	29,367	6	200	1,292	2,191	2,019	2,535	2,741	3,430	3,309
Male.....	23,406	6	156	1,065	1,885	1,677	2,035	2,162	2,613	2,475
Female.....	5,961	-	44	227	306	342	500	579	817	834
Non-Hispanic white, both sexes.....	26,434	5	146	1,088	1,744	1,647	2,164	2,416	3,147	3,082
Male.....	21,085	5	117	896	1,516	1,363	1,736	1,898	2,398	2,309
Female.....	5,349	-	29	192	228	284	428	518	749	773
Non-Hispanic black, both sexes.....	1,918	1	42	119	319	249	249	209	200	140
Male.....	1,566	1	33	105	272	220	204	171	153	108
Female.....	352	-	9	14	47	29	45	38	47	32
Origin not stated 2/, both sexes.....	110	-	1	3	11	6	6	14	15	15
Male.....	86	-	1	2	8	4	6	12	10	11
Female.....	24	-	-	1	3	2	-	2	5	4

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
All origins, both sexes.....	16,907	1	73	736	1,339	1,114	1,267	1,280	1,647	1,705
Male.....	14,827	1	62	659	1,220	990	1,109	1,092	1,378	1,419
Female.....	2,080	-	11	77	119	124	158	188	269	286
Hispanic, both sexes.....	835	-	9	83	145	121	87	76	69	67
Male.....	774	-	7	73	137	113	81	68	65	58
Female.....	61	-	2	10	8	8	6	8	4	9
Mexican, both sexes.....	518	-	5	63	101	85	53	46	45	32
Male.....	482	-	4	56	96	80	50	41	42	28
Female.....	36	-	1	7	5	5	3	5	3	4
Puerto Rican, both sexes.....	68	-	2	4	9	5	9	8	9	7
Male.....	65	-	1	3	8	5	9	8	9	7
Female.....	3	-	1	1	1	-	-	-	-	-
Cuban, both sexes.....	58	-	-	1	2	5	2	3	3	4
Male.....	54	-	-	1	2	3	1	3	3	3
Female.....	4	-	-	-	-	2	1	-	-	1
Central and South American, both sexes.....	46	-	1	4	14	8	5	2	2	5
Male.....	42	-	1	4	13	8	5	1	2	4
Female.....	4	-	-	-	1	-	-	1	-	1
Other and Unknown Hispanic, both sexes.....	145	-	1	11	19	18	18	17	10	19
Male.....	131	-	1	9	18	17	16	15	9	16
Female.....	14	-	-	2	1	1	2	2	1	3
Non-Hispanic 1/, both sexes.....	16,035	1	64	652	1,191	992	1,179	1,201	1,571	1,633
Male.....	14,025	1	55	585	1,082	876	1,027	1,021	1,309	1,358
Female.....	2,010	-	9	67	109	116	152	180	262	275
Non-Hispanic white, both sexes.....	14,737	1	55	556	947	806	1,007	1,088	1,476	1,556
Male.....	12,865	1	48	497	864	702	871	915	1,230	1,291
Female.....	1,872	-	7	59	83	104	136	173	246	265
Non-Hispanic black, both sexes.....	993	-	7	65	199	147	132	80	70	50
Male.....	892	-	5	62	181	141	119	74	57	46
Female.....	101	-	2	3	18	6	13	6	13	4
Origin not stated 2/, both sexes.....	37	-	-	1	3	1	1	3	7	5
Male.....	28	-	-	1	1	1	1	3	4	3
Female.....	9	-	-	-	2	-	-	-	3	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)

All origins, both sexes.....	14,577	5	171	751	1,162	1,162	1,522	1,678	1,997	1,780
Male.....	10,376	5	126	563	939	911	1,146	1,255	1,413	1,197
Female.....	4,201	-	45	188	223	251	376	423	584	583
Hispanic, both sexes.....	1,172	-	34	109	154	130	161	127	130	94
Male.....	937	-	24	82	129	107	133	105	103	72
Female.....	235	-	10	27	25	23	28	22	27	22
Mexican, both sexes.....	663	-	17	77	106	84	94	76	77	35
Male.....	537	-	13	60	93	71	77	61	61	26
Female.....	126	-	4	17	13	13	17	15	16	9
Puerto Rican, both sexes.....	151	-	4	6	15	16	15	13	19	25
Male.....	130	-	2	6	13	13	14	12	16	22
Female.....	21	-	2	-	2	3	1	1	3	3
Cuban, both sexes.....	74	-	1	-	5	3	6	7	9	4
Male.....	58	-	-	-	5	3	6	6	6	3
Female.....	16	-	1	-	-	-	-	1	3	1
Central and South American, both sexes.....	83	-	7	7	9	8	9	8	7	7
Male.....	62	-	5	4	6	6	8	7	6	5
Female.....	21	-	2	3	3	2	1	1	1	2
Other and Unknown Hispanic, both sexes.....	201	-	5	19	19	19	37	23	18	23
Male.....	150	-	4	12	12	14	28	19	14	16
Female.....	51	-	1	7	7	5	9	4	4	7
Non-Hispanic 1/, both sexes.....	13,332	5	136	640	1,000	1,027	1,356	1,540	1,859	1,676
Male.....	9,381	5	101	480	803	801	1,008	1,141	1,304	1,117
Female.....	3,951	-	35	160	197	226	348	399	555	559
Non-Hispanic white, both sexes.....	11,697	4	91	532	797	841	1,157	1,328	1,671	1,526
Male.....	8,220	4	69	399	652	661	865	983	1,168	1,018
Female.....	3,477	-	22	133	145	180	292	345	503	508
Non-Hispanic black, both sexes.....	925	1	35	54	120	102	117	129	130	90
Male.....	674	1	28	43	91	79	85	97	96	62
Female.....	251	-	7	11	29	23	32	32	34	28
Origin not stated 2/, both sexes.....	73	-	1	2	8	5	5	11	8	10
Male.....	58	-	1	1	7	3	5	9	6	8
Female.....	15	-	-	1	1	2	-	2	2	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)

All origins, both sexes.....	17,732	341	376	122	202	1,938	3,430	2,566	1,950	1,636	1,474	1,219
Male.....	13,882	205	202	70	145	1,677	2,947	2,191	1,550	1,224	1,084	893
Female.....	3,850	136	174	52	57	261	483	375	400	412	390	326
Hispanic, both sexes.....	3,355	60	82	16	37	471	815	592	379	296	206	158
Male.....	2,809	35	36	7	29	423	716	527	325	245	156	123
Female.....	546	25	46	9	8	48	99	65	54	51	50	35
Mexican, both sexes.....	2,306	40	55	9	24	346	592	407	258	201	134	96
Male.....	1,974	23	21	5	19	311	524	368	226	175	107	78
Female.....	332	17	34	4	5	35	68	39	32	26	27	18
Puerto Rican, both sexes.....	315	6	8	3	5	43	65	65	28	23	20	17
Male.....	247	3	5	2	4	37	56	58	18	19	13	10
Female.....	68	3	3	1	1	6	9	7	10	4	7	7
Cuban, both sexes.....	74	-	-	-	-	8	8	8	4	8	12	7
Male.....	56	-	-	-	-	7	7	7	3	5	9	5
Female.....	18	-	-	-	-	1	1	1	1	3	3	2
Central and South American, both sexes.....	244	5	2	2	2	21	61	36	42	23	18	15
Male.....	191	4	-	-	1	19	50	30	36	14	12	11
Female.....	53	1	2	2	1	2	11	6	6	9	6	4
Other and Unknown Hispanic, both sexes.....	416	9	17	2	6	53	89	76	47	41	22	23
Male.....	341	5	10	-	5	49	79	64	42	32	15	19
Female.....	75	4	7	2	1	4	10	12	5	9	7	4
Non-Hispanic 1/, both sexes.....	14,245	278	293	106	165	1,451	2,594	1,960	1,560	1,326	1,262	1,052
Male.....	10,969	168	166	63	116	1,239	2,216	1,651	1,217	971	923	762
Female.....	3,276	110	127	43	49	212	378	309	343	355	339	290
Non-Hispanic white, both sexes.....	5,367	156	123	45	64	331	576	459	494	555	592	543
Male.....	3,550	94	61	27	45	242	423	312	336	355	392	362
Female.....	1,817	62	62	18	19	89	153	147	158	200	200	181
Non-Hispanic black, both sexes.....	8,276	106	155	54	93	1,052	1,903	1,443	1,000	715	620	460
Male.....	6,980	60	96	33	65	946	1,696	1,292	836	580	498	363
Female.....	1,296	46	59	21	28	106	207	151	164	135	122	97
Origin not stated 2/, both sexes.....	132	3	1	-	-	16	21	14	11	14	6	9
Male.....	104	2	-	-	-	15	15	13	8	8	5	8
Female.....	28	1	1	-	-	1	6	1	3	6	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)												
All origins, both sexes.....	11,920	8	40	48	139	1,587	2,823	2,070	1,470	1,066	875	683
Male.....	10,126	7	20	27	107	1,436	2,541	1,867	1,258	860	675	534
Female.....	1,794	1	20	21	32	151	282	203	212	206	200	149
Hispanic, both sexes.....	2,316	1	9	6	25	386	658	453	277	193	120	94
Male.....	2,069	1	5	2	20	355	602	421	252	164	95	80
Female.....	247	-	4	4	5	31	56	32	25	29	25	14
Mexican, both sexes.....	1,680	1	8	4	16	296	486	320	202	140	84	62
Male.....	1,518	1	5	2	13	272	449	297	185	121	68	55
Female.....	162	-	3	2	3	24	37	23	17	19	16	7
Puerto Rican, both sexes.....	178	-	-	-	2	28	46	49	19	11	8	7
Male.....	155	-	-	-	2	25	41	46	16	10	7	4
Female.....	23	-	-	-	-	3	5	3	3	1	1	3
Cuban, both sexes.....	42	-	-	-	-	7	7	6	3	4	7	2
Male.....	39	-	-	-	-	6	7	6	3	3	7	2
Female.....	3	-	-	-	-	1	-	-	-	1	-	-
Central and South American, both sexes.....	151	-	1	2	1	13	47	23	24	14	9	9
Male.....	120	-	-	-	-	12	38	20	20	11	5	7
Female.....	31	-	1	2	1	1	9	3	4	3	4	2
Other and Unknown Hispanic, both sexes.....	265	-	-	-	6	42	72	55	29	24	12	14
Male.....	237	-	-	-	5	40	67	52	28	19	8	12
Female.....	28	-	-	-	1	2	5	3	1	5	4	2
Non-Hispanic 1/, both sexes.....	9,536	7	31	42	114	1,190	2,149	1,607	1,185	866	750	587
Male.....	7,997	6	15	25	87	1,071	1,925	1,436	1,000	692	575	452
Female.....	1,539	1	16	17	27	119	224	171	185	174	175	135
Non-Hispanic white, both sexes.....	2,883	1	11	16	35	221	389	297	316	324	325	294
Male.....	2,068	-	3	8	29	177	312	228	228	220	225	201
Female.....	815	1	8	8	6	44	77	69	88	104	100	93
Non-Hispanic black, both sexes.....	6,319	6	19	23	72	921	1,685	1,271	829	512	397	268
Male.....	5,666	6	11	15	52	858	1,546	1,176	738	451	329	233
Female.....	653	-	8	8	20	63	139	95	91	61	68	35
Origin not stated 2/, both sexes.....	68	-	-	-	-	11	16	10	8	7	5	2
Male.....	60	-	-	-	-	10	14	10	6	4	5	2
Female.....	8	-	-	-	-	1	2	-	2	3	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)												
All origins, both sexes.....	5,812	333	336	74	63	351	607	496	480	570	599	536
Male.....	3,756	198	182	43	38	241	406	324	292	364	409	359
Female.....	2,056	135	154	31	25	110	201	172	188	206	190	177
Hispanic, both sexes.....	1,039	59	73	10	12	85	157	139	102	103	86	64
Male.....	740	34	31	5	9	68	114	106	73	81	61	43
Female.....	299	25	42	5	3	17	43	33	29	22	25	21
Mexican, both sexes.....	626	39	47	5	8	50	106	87	56	61	50	34
Male.....	456	22	16	3	6	39	75	71	41	54	39	23
Female.....	170	17	31	2	2	11	31	16	15	7	11	11
Puerto Rican, both sexes.....	137	6	8	3	3	15	19	16	9	12	12	10
Male.....	92	3	5	2	2	12	15	12	2	9	6	6
Female.....	45	3	3	1	1	3	4	4	7	3	6	4
Cuban, both sexes.....	32	-	-	-	-	1	1	2	1	4	5	5
Male.....	17	-	-	-	-	1	-	1	-	2	2	3
Female.....	15	-	-	-	-	-	1	1	1	2	3	2
Central and South American, both sexes.....	93	5	1	-	1	8	14	13	18	9	9	6
Male.....	71	4	-	-	1	7	12	10	16	3	7	4
Female.....	22	1	1	-	-	1	2	3	2	6	2	2
Other and Unknown Hispanic, both sexes.....	151	9	17	2	-	11	17	21	18	17	10	9
Male.....	104	5	10	-	-	9	12	12	14	13	7	7
Female.....	47	4	7	2	-	2	5	9	4	4	3	2
Non-Hispanic 1/, both sexes.....	4,709	271	262	64	51	261	445	353	375	460	512	465
Male.....	2,972	162	151	38	29	168	291	215	217	279	348	310
Female.....	1,737	109	111	26	22	93	154	138	158	181	164	155
Non-Hispanic white, both sexes.....	2,484	155	112	29	29	110	187	162	178	231	267	249
Male.....	1,482	94	58	19	16	65	111	84	108	135	167	161
Female.....	1,002	61	54	10	13	45	76	78	70	96	100	88
Non-Hispanic black, both sexes.....	1,957	100	136	31	21	131	218	172	171	203	223	192
Male.....	1,314	54	85	18	13	88	150	116	98	129	169	130
Female.....	643	46	51	13	8	43	68	56	73	74	54	62
Origin not stated 2/, both sexes.....	64	3	1	-	-	5	5	4	3	7	1	7
Male.....	44	2	-	-	-	5	1	3	2	4	-	6
Female.....	20	1	1	-	-	-	4	1	1	3	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

All origins, both sexes.....	5,072	75	31	16	39	169	394	351	484	686	895	777
Male.....	3,295	50	17	9	32	124	288	249	331	450	563	493
Female.....	1,777	25	14	7	7	45	106	102	153	236	332	284
Hispanic, both sexes.....	339	6	6	4	9	15	36	35	50	42	38	40
Male.....	258	1	4	2	7	10	26	29	40	31	34	30
Female.....	81	5	2	2	2	5	10	6	10	11	4	10
Mexican, both sexes.....	172	5	4	3	8	11	20	16	22	23	18	13
Male.....	130	1	4	2	6	8	13	14	16	16	16	11
Female.....	42	4	-	1	2	3	7	2	6	7	2	2
Puerto Rican, both sexes.....	90	-	-	-	1	1	6	8	15	14	13	16
Male.....	69	-	-	-	1	-	5	7	12	10	12	12
Female.....	21	-	-	-	-	1	1	1	3	4	1	4
Cuban, both sexes.....	5	-	-	-	-	-	-	1	-	-	1	1
Male.....	4	-	-	-	-	-	-	-	-	-	1	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Central and South American, both sexes.....	27	1	1	-	-	1	5	7	1	1	1	3
Male.....	20	-	-	-	-	1	3	4	7	1	1	2
Female.....	7	1	1	-	-	-	2	1	-	-	-	1
Other and Unknown Hispanic, both sexes.....	45	-	1	1	-	2	5	5	6	4	5	7
Male.....	35	-	-	-	-	1	5	4	5	4	4	4
Female.....	10	-	1	1	-	1	-	1	1	-	1	3
Non-Hispanic 1/, both sexes.....	4,701	68	25	12	30	154	358	315	433	640	851	733
Male.....	3,016	48	13	7	25	114	262	219	291	416	526	462
Female.....	1,685	20	12	5	5	40	96	96	142	224	325	271
Non-Hispanic white, both sexes.....	3,898	45	15	3	21	135	304	266	369	533	714	610
Male.....	2,441	28	7	1	19	98	218	181	241	347	433	374
Female.....	1,457	17	8	2	2	37	86	85	128	186	281	236
Non-Hispanic black, both sexes.....	675	21	9	7	7	16	34	36	57	91	122	115
Male.....	487	19	5	4	4	13	29	30	44	58	83	83
Female.....	188	2	4	3	3	3	5	6	13	33	39	32
Origin not stated 2/, both sexes.....	32	1	-	-	-	-	-	1	1	4	6	4
Male.....	21	1	-	-	-	-	-	1	-	3	3	1
Female.....	11	-	-	-	-	-	-	-	1	1	3	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

All origins, both sexes.....	4,840	75	30	15	28	138	356	330	467	665	873	758
Male.....	3,109	50	16	8	21	95	257	231	316	438	549	482
Female.....	1,731	25	14	7	7	43	99	99	151	227	324	276
Hispanic, both sexes.....	308	6	6	4	6	9	29	31	48	40	35	37
Male.....	232	1	4	2	4	6	21	25	38	29	31	28
Female.....	76	5	2	2	2	3	8	6	10	11	4	9
Mexican, both sexes.....	151	5	4	3	5	6	16	13	20	22	16	12
Male.....	112	1	4	2	3	4	10	11	14	15	14	11
Female.....	39	4	-	1	2	2	6	2	6	7	2	1
Puerto Rican, both sexes.....	86	-	-	-	1	-	6	8	15	14	12	14
Male.....	66	-	-	-	1	-	5	7	12	10	11	10
Female.....	20	-	-	-	-	-	1	1	3	4	1	4
Cuban, both sexes.....	4	-	-	-	-	-	-	1	-	-	1	1
Male.....	3	-	-	-	-	-	-	-	-	-	1	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Central and South American, both sexes.....	26	1	1	-	-	1	4	5	7	1	1	3
Male.....	20	-	-	-	-	1	3	4	7	1	1	2
Female.....	6	1	1	-	-	-	1	1	-	-	-	1
Other and Unknown Hispanic, both sexes.....	41	-	1	1	-	2	3	4	6	3	5	7
Male.....	31	-	-	-	-	1	3	3	5	3	4	4
Female.....	10	-	1	1	-	1	-	1	1	-	1	3
Non-Hispanic 1/, both sexes.....	4,500	68	24	11	22	129	327	298	418	621	832	717
Male.....	2,856	48	12	6	17	89	236	205	278	406	515	453
Female.....	1,644	20	12	5	5	40	91	93	140	215	317	264
Non-Hispanic white, both sexes.....	3,746	45	15	3	17	118	287	256	358	517	697	595
Male.....	2,323	28	7	1	15	81	204	173	232	339	424	365
Female.....	1,423	17	8	2	2	37	83	83	126	178	273	230
Non-Hispanic black, both sexes.....	640	21	8	6	4	9	24	32	54	89	121	114
Male.....	455	19	4	3	1	6	20	26	41	57	82	83
Female.....	185	2	4	3	3	3	4	6	13	32	39	31
Origin not stated 2/, both sexes.....	32	1	-	-	-	-	-	1	1	4	6	4
Male.....	21	1	-	-	-	-	-	1	-	3	3	1
Female.....	11	-	-	-	-	-	-	-	1	1	3	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K86.0,R78.0,X45,X65,Y15) 3/

All origins, both sexes.....	20,687	-	-	-	5	49	75	167	429	1,144	2,428	3,472
Male.....	15,630	-	-	-	3	37	64	139	333	799	1,735	2,627
Female.....	5,057	-	-	-	2	12	11	28	96	345	693	845
Hispanic, both sexes.....	2,422	-	-	-	1	17	22	38	95	195	298	396
Male.....	2,048	-	-	-	-	13	21	35	78	169	241	344
Female.....	374	-	-	-	1	4	1	3	17	26	57	52
Mexican, both sexes.....	1,556	-	-	-	1	12	14	23	62	134	204	272
Male.....	1,319	-	-	-	-	11	14	22	53	118	163	242
Female.....	237	-	-	-	1	1	-	1	9	16	41	30
Puerto Rican, both sexes.....	260	-	-	-	-	-	-	1	5	8	26	34
Male.....	221	-	-	-	-	-	-	1	3	5	23	28
Female.....	39	-	-	-	-	-	-	-	2	3	3	6
Cuban, both sexes.....	66	-	-	-	-	-	-	-	-	2	3	5
Male.....	58	-	-	-	-	-	-	-	-	1	1	5
Female.....	8	-	-	-	-	-	-	-	-	1	2	-
Central and South American, both sexes.....	93	-	-	-	-	2	5	6	5	16	12	10
Male.....	82	-	-	-	-	1	5	4	4	16	11	8
Female.....	11	-	-	-	-	1	-	2	1	-	1	2
Other and Unknown Hispanic, both sexes.....	447	-	-	-	-	3	3	8	23	35	53	75
Male.....	368	-	-	-	-	1	2	8	18	29	43	61
Female.....	79	-	-	-	-	2	1	-	5	6	10	14
Non-Hispanic 1/, both sexes.....	18,160	-	-	-	4	31	53	127	333	946	2,120	3,062
Male.....	13,490	-	-	-	3	23	43	102	254	628	1,486	2,271
Female.....	4,670	-	-	-	1	8	10	25	79	318	634	791
Non-Hispanic white, both sexes.....	14,977	-	-	-	3	20	37	93	254	734	1,731	2,517
Male.....	11,133	-	-	-	3	18	30	76	191	492	1,226	1,864
Female.....	3,844	-	-	-	-	2	7	17	63	242	505	653
Non-Hispanic black, both sexes.....	2,367	-	-	-	1	2	5	24	36	135	253	390
Male.....	1,787	-	-	-	-	2	3	19	29	87	171	298
Female.....	580	-	-	-	1	-	2	5	7	48	82	92
Origin not stated 2/, both sexes.....	105	-	-	-	-	1	-	2	1	3	10	14
Male.....	92	-	-	-	-	1	-	2	1	2	8	12
Female.....	13	-	-	-	-	-	-	-	-	1	2	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 3/

All origins, both sexes.....	28,723	25	35	9	32	669	1,950	2,086	2,759	3,918	5,240	4,946
Male.....	18,426	17	21	2	18	477	1,478	1,508	1,853	2,549	3,324	3,131
Female.....	10,297	8	14	7	14	192	472	578	906	1,369	1,916	1,815
Hispanic, both sexes.....	2,358	4	5	1	6	68	175	227	306	380	409	356
Male.....	1,800	3	3	-	1	51	143	184	237	297	309	267
Female.....	558	1	2	1	5	17	32	43	69	83	100	89
Mexican, both sexes.....	1,281	4	5	1	4	39	111	118	151	218	222	179
Male.....	992	3	3	-	1	29	92	95	116	171	167	140
Female.....	289	1	2	1	3	10	19	23	35	47	55	39
Puerto Rican, both sexes.....	487	-	-	-	1	9	21	52	82	74	86	81
Male.....	370	-	-	-	-	7	16	45	65	59	62	61
Female.....	117	-	-	-	1	2	5	7	17	15	24	20
Cuban, both sexes.....	61	-	-	-	1	1	1	4	6	7	8	14
Male.....	46	-	-	-	-	1	1	3	6	7	6	10
Female.....	15	-	-	-	1	-	-	1	-	-	2	4
Central and South American, both sexes.....	76	-	-	-	-	7	13	12	9	6	9	8
Male.....	58	-	-	-	-	6	10	10	9	5	6	5
Female.....	18	-	-	-	-	1	3	2	-	1	3	3
Other and Unknown Hispanic, both sexes.....	453	-	-	-	-	12	29	41	58	75	84	74
Male.....	334	-	-	-	-	8	24	31	41	55	68	51
Female.....	119	-	-	-	-	4	5	10	17	20	16	23
Non-Hispanic 1/, both sexes.....	26,199	21	30	8	26	599	1,772	1,846	2,441	3,515	4,806	4,559
Male.....	16,497	14	18	2	17	425	1,333	1,315	1,606	2,232	2,999	2,845
Female.....	9,702	7	12	6	9	174	439	531	835	1,283	1,807	1,714
Non-Hispanic white, both sexes.....	22,245	12	17	6	19	562	1,646	1,638	2,101	2,944	4,050	3,766
Male.....	13,959	11	11	2	14	406	1,245	1,186	1,392	1,878	2,536	2,330
Female.....	8,286	1	6	4	5	156	401	452	709	1,066	1,514	1,436
Non-Hispanic black, both sexes.....	3,466	9	13	2	6	23	89	148	283	501	680	737
Male.....	2,256	3	7	-	3	10	67	94	176	318	418	478
Female.....	1,210	6	6	2	3	13	22	54	107	183	262	259
Origin not stated 2/, both sexes.....	166	-	-	-	-	2	3	13	12	23	25	31
Male.....	129	-	-	-	-	1	2	9	10	20	16	19
Female.....	37	-	-	-	-	1	1	4	2	3	9	12

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/

All origins, both sexes.....	30,136	8	48	63	261	2,469	4,377	3,336	2,852	2,476	2,642	2,475
Male.....	26,124	7	28	40	216	2,231	3,955	2,999	2,473	2,065	2,157	2,025
Female.....	4,012	1	20	23	45	238	422	337	379	411	485	450
Hispanic, both sexes.....	3,319	1	9	10	42	498	848	599	386	278	200	166
Male.....	2,998	1	5	4	34	454	780	559	355	240	171	142
Female.....	321	-	4	6	8	44	68	40	31	38	29	24
Mexican, both sexes.....	2,319	1	8	7	27	382	620	422	271	193	139	96
Male.....	2,114	1	5	4	22	350	576	394	251	168	120	84
Female.....	205	-	3	3	5	32	44	28	20	25	19	12
Puerto Rican, both sexes.....	253	-	-	-	4	33	56	55	28	20	18	16
Male.....	226	-	-	-	3	28	50	52	25	19	17	13
Female.....	27	-	-	-	1	5	6	3	3	1	1	3
Cuban, both sexes.....	102	-	-	1	-	8	9	11	5	7	10	6
Male.....	94	-	-	-	-	7	9	9	4	6	10	5
Female.....	8	-	-	1	-	1	-	2	1	1	-	1
Central and South American, both sexes.....	206	-	1	2	2	20	63	34	29	16	11	15
Male.....	169	-	-	-	1	18	52	31	25	12	7	12
Female.....	37	-	1	2	1	2	11	3	4	4	4	3
Other and Unknown Hispanic, both sexes.....	439	-	-	-	9	55	100	77	53	42	22	33
Male.....	395	-	-	-	8	51	93	73	50	35	17	28
Female.....	44	-	-	-	1	4	7	4	3	7	5	5
Non-Hispanic 1/, both sexes.....	26,710	7	39	53	219	1,959	3,509	2,726	2,457	2,187	2,430	2,302
Male.....	23,036	6	23	36	182	1,766	3,159	2,429	2,111	1,817	1,977	1,878
Female.....	3,674	1	16	17	37	193	350	297	346	370	453	424
Non-Hispanic white, both sexes.....	18,457	1	15	23	118	856	1,433	1,167	1,385	1,512	1,892	1,918
Male.....	15,670	-	7	15	104	747	1,262	988	1,153	1,222	1,532	1,547
Female.....	2,787	1	8	8	14	109	171	179	232	290	360	371
Non-Hispanic black, both sexes.....	7,566	6	23	27	89	1,021	1,947	1,473	987	607	481	326
Male.....	6,794	6	15	19	67	954	1,785	1,370	883	537	398	286
Female.....	772	-	8	8	22	67	162	103	104	70	83	40
Origin not stated 2/, both sexes.....	107	-	-	-	-	12	20	11	9	11	12	7
Male.....	90	-	-	-	-	11	16	11	7	8	9	5
Female.....	17	-	-	-	-	1	4	-	2	3	3	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All causes

All origins, both sexes.....	98,608	119,339	143,180	174,817	238,680	325,185	377,839	346,847	231,403	90,271	19,331	342
Male.....	61,543	72,188	84,273	100,315	131,106	167,354	174,978	135,177	70,162	19,872	3,001	271
Female.....	37,065	47,151	58,907	74,502	107,574	157,831	202,861	211,670	161,241	70,399	16,330	71
Hispanic, both sexes.....	6,599	7,177	7,736	9,230	11,366	13,406	12,813	9,960	6,835	2,703	631	47
Male.....	4,326	4,463	4,659	5,235	6,230	6,788	6,116	3,926	2,276	804	159	39
Female.....	2,273	2,714	3,077	3,995	5,136	6,618	6,697	6,034	4,559	1,899	472	8
Mexican, both sexes.....	3,769	4,028	4,299	5,154	6,290	7,356	6,716	4,831	3,164	1,275	318	30
Male.....	2,453	2,492	2,554	2,935	3,446	3,766	3,341	2,029	1,133	423	86	28
Female.....	1,316	1,536	1,745	2,219	2,844	3,590	3,375	2,802	2,031	852	232	2
Puerto Rican, both sexes.....	1,099	1,203	1,207	1,451	1,516	1,642	1,494	1,199	757	285	79	2
Male.....	725	771	718	830	803	804	679	440	267	80	16	-
Female.....	374	432	489	621	713	838	815	759	490	205	63	2
Cuban, both sexes.....	365	452	619	860	1,268	1,794	1,943	1,843	1,385	547	89	-
Male.....	267	301	419	518	766	975	936	727	421	136	19	-
Female.....	98	151	200	342	502	819	1,007	1,116	964	411	70	-
Central and South American, both sexes.....	363	402	412	443	563	608	562	420	291	107	25	1
Male.....	224	224	233	239	297	260	225	133	66	24	4	-
Female.....	139	178	179	204	266	348	337	287	225	83	21	1
Other and Unknown Hispanic, both sexes.....	1,003	1,092	1,199	1,322	1,729	2,006	2,098	1,667	1,238	489	120	14
Male.....	657	675	735	713	918	983	935	597	389	141	34	11
Female.....	346	417	464	609	811	1,023	1,163	1,070	849	348	86	3
Non-Hispanic 1/, both sexes.....	91,594	111,711	134,954	165,087	226,691	311,065	364,244	336,218	224,096	87,370	18,666	147
Male.....	56,922	67,414	79,282	94,743	124,497	160,166	168,474	130,988	67,726	19,027	2,834	118
Female.....	34,672	44,297	55,672	70,344	102,194	150,899	195,770	205,230	156,370	68,343	15,832	29
Non-Hispanic white, both sexes.....	68,679	88,382	109,216	136,254	193,316	273,142	327,421	307,581	205,431	79,709	16,122	121
Male.....	43,287	53,763	64,620	78,944	107,168	141,742	152,032	120,507	62,124	17,126	2,391	96
Female.....	25,392	34,619	44,596	57,310	86,148	131,400	175,389	187,074	143,307	62,583	13,731	25
Non-Hispanic black, both sexes.....	20,086	20,251	22,099	24,501	28,082	31,540	30,230	23,345	15,434	6,458	2,189	20
Male.....	11,995	11,905	12,563	13,395	14,562	15,124	13,173	8,119	4,264	1,433	340	17
Female.....	8,091	8,346	9,536	11,106	13,520	16,416	17,057	15,226	11,170	5,025	1,849	3
Origin not stated 2/, both sexes.....	415	451	490	500	623	714	782	669	472	198	34	148
Male.....	295	311	332	337	379	400	388	263	160	41	8	114
Female.....	120	140	158	163	244	314	394	406	312	157	26	34

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Certain other intestinal infections (A04,A07-A09)

All origins, both sexes.....	43	70	106	161	283	524	668	647	383	120	17	-
Male.....	21	35	47	68	117	213	265	198	86	23	2	-
Female.....	22	35	59	93	166	311	403	449	297	97	15	-
Hispanic, both sexes.....	2	1	9	7	9	18	13	18	8	2	-	-
Male.....	2	1	6	5	2	9	4	7	5	1	-	-
Female.....	-	-	3	2	7	9	9	11	3	1	-	-
Mexican, both sexes.....	1	-	6	3	4	12	6	10	3	2	-	-
Male.....	-	-	3	2	1	5	1	2	2	1	-	-
Female.....	-	-	3	1	3	7	5	8	1	1	-	-
Puerto Rican, both sexes.....	1	-	1	-	3	2	1	2	1	-	-	-
Male.....	1	-	1	-	-	2	1	1	1	-	-	-
Female.....	-	-	-	-	3	-	-	1	-	-	-	-
Cuban, both sexes.....	-	-	-	2	2	1	2	4	2	-	-	-
Male.....	-	-	-	1	1	1	-	4	1	-	-	-
Female.....	-	-	-	1	1	-	2	-	1	-	-	-
Central and South American, both sexes.....	-	-	1	2	-	-	1	1	-	-	-	-
Male.....	-	-	1	2	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	1	1	-	-	3	3	1	2	-	-	-
Male.....	-	1	1	-	-	1	1	-	1	-	-	-
Female.....	-	-	-	-	-	2	2	1	1	-	-	-
Non-Hispanic 1/, both sexes.....	40	68	96	154	274	505	655	629	374	118	17	-
Male.....	19	34	41	63	115	204	261	191	80	22	2	-
Female.....	21	34	55	91	159	301	394	438	294	96	15	-
Non-Hispanic white, both sexes.....	29	60	80	140	257	459	629	601	354	110	16	-
Male.....	15	27	34	59	107	191	251	182	79	20	2	-
Female.....	14	33	46	81	150	268	378	419	275	90	14	-
Non-Hispanic black, both sexes.....	8	7	14	13	12	40	24	26	18	7	1	-
Male.....	3	6	6	4	5	13	10	8	1	2	-	-
Female.....	5	1	8	9	7	27	14	18	17	5	1	-
Origin not stated 2/, both sexes.....	1	1	1	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	1	1	-	-	1	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Tuberculosis (A16-A19)

All origins, both sexes.....	51	63	39	48	66	106	111	70	33	4	-	-
Male.....	40	46	25	28	44	61	55	32	11	2	-	-
Female.....	11	17	14	20	22	45	56	38	22	2	-	-
Hispanic, both sexes.....	7	10	3	4	11	11	9	6	2	-	-	-
Male.....	6	7	2	1	10	6	5	3	-	-	-	-
Female.....	1	3	1	3	1	5	4	3	2	-	-	-
Mexican, both sexes.....	5	6	2	3	8	7	7	4	2	-	-	-
Male.....	4	4	1	1	7	3	4	2	-	-	-	-
Female.....	1	2	1	2	1	4	3	2	2	-	-	-
Puerto Rican, both sexes.....	-	1	-	-	2	1	2	-	-	-	-	-
Male.....	-	1	-	-	2	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	2	2	1	1	-	2	-	2	-	-	-	-
Male.....	2	1	1	-	-	1	-	1	-	-	-	-
Female.....	-	1	-	1	-	1	-	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	44	51	36	43	55	95	102	64	30	4	-	-
Male.....	34	37	23	26	34	55	50	29	11	2	-	-
Female.....	10	14	13	17	21	40	52	35	19	2	-	-
Non-Hispanic white, both sexes.....	16	29	18	18	42	58	72	45	22	3	-	-
Male.....	13	22	12	10	24	30	36	21	7	2	-	-
Female.....	3	7	6	8	18	28	36	24	15	1	-	-
Non-Hispanic black, both sexes.....	23	19	10	14	6	16	17	10	4	-	-	-
Male.....	18	14	5	10	5	12	8	4	2	-	-	-
Female.....	5	5	5	4	1	4	9	6	2	-	-	-
Origin not stated 2/, both sexes.....	-	2	-	1	-	-	-	-	1	-	-	-
Male.....	-	2	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Respiratory tuberculosis (A16)												
All origins, both sexes.....	42	52	29	36	52	89	88	55	28	3	-	-
Male.....	32	38	19	23	38	52	45	26	9	1	-	-
Female.....	10	14	10	13	14	37	43	29	19	2	-	-
Hispanic, both sexes.....	6	10	1	3	11	11	8	5	1	-	-	-
Male.....	5	7	-	1	10	6	5	3	-	-	-	-
Female.....	1	3	1	2	1	5	3	2	1	-	-	-
Mexican, both sexes.....	5	6	1	2	8	7	6	4	1	-	-	-
Male.....	4	4	-	1	7	3	4	2	-	-	-	-
Female.....	1	2	1	1	1	4	2	2	1	-	-	-
Puerto Rican, both sexes.....	-	1	-	-	2	1	2	-	-	-	-	-
Male.....	-	1	-	-	2	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	1	2	-	1	-	2	-	1	-	-	-	-
Male.....	1	1	-	-	-	1	-	1	-	-	-	-
Female.....	-	1	-	1	-	1	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	36	40	28	33	41	78	80	50	26	3	-	-
Male.....	27	29	19	22	28	46	40	23	9	1	-	-
Female.....	9	11	9	11	13	32	40	27	17	2	-	-
Non-Hispanic white, both sexes.....	11	21	16	13	30	48	58	34	18	2	-	-
Male.....	8	16	12	9	19	24	29	16	5	1	-	-
Female.....	3	5	4	4	11	24	29	18	13	1	-	-
Non-Hispanic black, both sexes.....	21	16	7	11	6	12	14	8	4	-	-	-
Male.....	16	12	4	8	5	10	7	4	2	-	-	-
Female.....	5	4	3	3	1	2	7	4	2	-	-	-
Origin not stated 2/, both sexes.....	-	2	-	-	-	-	-	-	1	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Septicemia (A40-A41)												
All origins, both sexes.....	1,241	1,631	2,020	2,459	3,511	5,096	5,836	5,178	3,064	1,112	189	3
Male.....	657	864	1,023	1,299	1,724	2,377	2,517	1,920	894	247	28	2
Female.....	584	767	997	1,160	1,787	2,719	3,319	3,258	2,170	865	161	1
Hispanic, both sexes.....	74	90	100	130	140	199	198	143	108	38	4	2
Male.....	46	53	42	70	67	93	82	60	32	12	-	1
Female.....	28	37	58	60	73	106	116	83	76	26	4	1
Mexican, both sexes.....	34	49	60	82	78	109	97	62	54	12	3	1
Male.....	21	30	21	47	35	56	43	25	18	5	-	1
Female.....	13	19	39	35	43	53	54	37	36	7	3	-
Puerto Rican, both sexes.....	17	22	15	26	31	32	28	25	14	5	-	1
Male.....	13	10	7	9	18	13	10	14	7	3	-	-
Female.....	4	12	8	17	13	19	18	11	7	2	-	1
Cuban, both sexes.....	4	4	6	5	13	28	30	25	19	12	-	-
Male.....	3	1	4	4	5	13	13	10	4	2	-	-
Female.....	1	3	2	1	8	15	17	15	15	10	-	-
Central and South American, both sexes.....	9	2	5	10	5	12	19	9	2	3	1	-
Male.....	2	1	3	5	3	3	9	1	-	1	-	-
Female.....	7	1	2	5	2	9	10	8	2	2	1	-
Other and Unknown Hispanic, both sexes.....	10	13	14	7	13	18	24	22	19	6	-	-
Male.....	7	11	7	5	6	8	7	10	3	1	-	-
Female.....	3	2	7	2	7	10	17	12	16	5	-	-
Non-Hispanic 1/, both sexes.....	1,164	1,534	1,911	2,322	3,358	4,890	5,622	5,024	2,946	1,073	185	1
Male.....	609	808	976	1,225	1,651	2,279	2,429	1,855	861	235	28	1
Female.....	555	726	935	1,097	1,707	2,611	3,193	3,169	2,085	838	157	-
Non-Hispanic white, both sexes.....	751	1,088	1,383	1,688	2,627	4,019	4,784	4,302	2,516	890	132	-
Male.....	400	562	718	895	1,312	1,886	2,086	1,599	735	195	21	-
Female.....	351	526	665	793	1,315	2,133	2,698	2,703	1,781	695	111	-
Non-Hispanic black, both sexes.....	376	396	485	575	657	778	758	654	384	170	49	1
Male.....	195	226	236	301	300	348	315	229	112	36	7	1
Female.....	181	170	249	274	357	430	443	425	272	134	42	-
Origin not stated 2/, both sexes.....	3	7	9	7	13	7	16	11	10	1	-	-
Male.....	2	3	5	4	6	5	6	5	1	-	-	-
Female.....	1	4	4	3	7	2	10	6	9	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Measles (B05)

Table with 13 columns: Cause of death, Hispanic origin, race for non-Hispanic population, and sex; and 12 age groups (50-54 years to 100 years and over, plus Age not stated). Rows include categories like All origins, both sexes; Hispanic, both sexes; Mexican, both sexes; Puerto Rican, both sexes; Cuban, both sexes; Central and South American, both sexes; Other and Unknown Hispanic, both sexes; Non-Hispanic 1/, both sexes; Non-Hispanic white, both sexes; Non-Hispanic black, both sexes; and Origin not stated 2/, both sexes. All cells contain dashes.

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral hepatitis (B15-B19)

All origins, both sexes.....	1,206	709	376	330	368	323	220	87	24	4	-	-
Male.....	903	506	223	169	183	147	102	30	8	2	-	-
Female.....	303	203	153	161	185	176	118	57	16	2	-	-
Hispanic, both sexes.....	142	93	58	59	47	39	20	7	2	-	-	-
Male.....	110	67	36	28	14	14	6	2	1	-	-	-
Female.....	32	26	22	31	33	25	14	5	1	-	-	-
Mexican, both sexes.....	66	54	28	27	21	17	11	3	-	-	-	-
Male.....	48	39	15	11	8	4	4	1	-	-	-	-
Female.....	18	15	13	16	13	13	7	2	-	-	-	-
Puerto Rican, both sexes.....	51	23	15	12	11	5	1	-	-	-	-	-
Male.....	40	17	10	6	4	-	-	-	-	-	-	-
Female.....	11	6	5	6	7	5	1	-	-	-	-	-
Cuban, both sexes.....	4	4	4	8	8	9	3	2	1	-	-	-
Male.....	2	2	2	4	1	5	1	-	1	-	-	-
Female.....	2	2	2	4	7	4	2	2	-	-	-	-
Central and South American, both sexes.....	4	-	2	6	2	2	2	-	1	-	-	-
Male.....	3	-	1	4	-	1	1	-	-	-	-	-
Female.....	1	-	1	2	2	1	1	-	1	-	-	-
Other and Unknown Hispanic, both sexes.....	17	12	9	6	5	6	3	2	-	-	-	-
Male.....	17	9	8	3	1	4	-	1	-	-	-	-
Female.....	-	3	1	3	4	2	3	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	1,059	614	317	269	318	284	200	80	22	4	-	-
Male.....	788	438	187	139	167	133	96	28	7	2	-	-
Female.....	271	176	130	130	151	151	104	52	15	2	-	-
Non-Hispanic white, both sexes.....	813	423	219	185	242	225	165	67	19	3	-	-
Male.....	613	310	135	101	131	103	83	25	6	2	-	-
Female.....	200	113	84	84	111	122	82	42	13	1	-	-
Non-Hispanic black, both sexes.....	216	147	74	48	41	36	21	8	2	1	-	-
Male.....	158	106	39	22	19	16	5	3	1	-	-	-
Female.....	58	41	35	26	22	20	16	5	1	1	-	-
Origin not stated 2/, both sexes.....	5	2	1	2	3	-	-	-	-	-	-	-
Male.....	5	1	-	2	2	-	-	-	-	-	-	-
Female.....	-	1	1	-	1	-	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)

All origins, both sexes.....	659	590	546	577	767	913	802	594	335	113	20	-
Male.....	441	376	313	316	395	430	386	232	123	24	4	-
Female.....	218	214	233	261	372	483	416	362	212	89	16	-
Hispanic, both sexes.....	98	57	59	57	46	60	38	19	5	1	-	-
Male.....	76	44	32	37	16	27	16	9	1	1	-	-
Female.....	22	13	27	20	30	33	22	10	4	-	-	-
Mexican, both sexes.....	71	45	38	36	32	28	19	11	-	-	-	-
Male.....	57	34	19	23	12	14	7	7	-	-	-	-
Female.....	14	11	19	13	20	14	12	4	-	-	-	-
Puerto Rican, both sexes.....	12	4	7	9	5	7	5	1	-	-	-	-
Male.....	10	4	4	5	1	5	-	-	-	-	-	-
Female.....	2	-	3	4	4	2	5	1	-	-	-	-
Cuban, both sexes.....	3	-	1	3	1	7	3	2	-	-	-	-
Male.....	2	-	1	1	-	3	3	-	-	-	-	-
Female.....	1	-	-	2	1	4	-	2	-	-	-	-
Central and South American, both sexes.....	1	1	4	2	-	7	1	-	3	-	-	-
Male.....	1	-	2	2	-	2	-	-	-	-	-	-
Female.....	-	1	2	-	-	5	1	-	3	-	-	-
Other and Unknown Hispanic, both sexes.....	11	7	9	7	8	11	10	5	2	1	-	-
Male.....	6	6	6	6	3	3	6	2	1	1	-	-
Female.....	5	1	3	1	5	8	4	3	1	-	-	-
Non-Hispanic 1/, both sexes.....	559	531	487	518	717	851	763	575	330	112	20	-
Male.....	363	332	281	277	377	401	370	223	122	23	4	-
Female.....	196	199	206	241	340	450	393	352	208	89	16	-
Non-Hispanic white, both sexes.....	425	412	382	434	622	720	679	524	305	107	19	-
Male.....	277	259	219	232	322	346	329	203	114	23	4	-
Female.....	148	153	163	202	300	374	350	321	191	84	15	-
Non-Hispanic black, both sexes.....	110	93	72	54	62	95	62	38	24	4	1	-
Male.....	68	54	43	34	39	36	30	14	8	-	-	-
Female.....	42	39	29	20	23	59	32	24	16	4	1	-
Origin not stated 2/, both sexes.....	2	2	-	2	4	2	1	-	-	-	-	-
Male.....	2	-	-	2	2	2	-	-	-	-	-	-
Female.....	-	2	-	-	2	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

All origins, both sexes.....	30,291	42,315	53,377	63,141	78,107	89,086	78,531	50,789	22,660	5,827	770	12
Male.....	15,815	22,671	29,256	35,048	42,745	47,516	39,866	23,531	9,124	2,006	217	8
Female.....	14,476	19,644	24,121	28,093	35,362	41,570	38,665	27,258	13,536	3,821	553	4
Hispanic, both sexes.....	1,765	2,152	2,330	2,789	3,140	3,248	2,453	1,450	728	181	24	1
Male.....	903	1,134	1,308	1,568	1,779	1,751	1,284	656	342	75	11	-
Female.....	862	1,018	1,022	1,221	1,361	1,497	1,169	794	386	106	13	1
Mexican, both sexes.....	968	1,150	1,197	1,488	1,679	1,725	1,305	699	336	91	13	-
Male.....	478	598	658	837	960	938	698	351	158	38	7	-
Female.....	490	552	539	651	719	787	607	348	178	53	6	-
Puerto Rican, both sexes.....	263	336	330	401	343	328	273	152	86	23	5	1
Male.....	146	196	194	231	189	178	140	60	46	10	1	-
Female.....	117	140	136	170	154	150	133	92	40	13	4	1
Cuban, both sexes.....	111	177	256	298	417	473	345	238	138	26	4	-
Male.....	68	111	157	189	251	268	193	111	63	11	2	-
Female.....	43	66	99	109	166	205	152	127	75	15	2	-
Central and South American, both sexes.....	131	155	154	171	177	196	116	95	38	11	-	-
Male.....	63	62	82	92	92	89	44	33	14	4	-	-
Female.....	68	93	72	79	85	107	72	62	24	7	-	-
Other and Unknown Hispanic, both sexes.....	292	334	393	431	524	526	414	266	130	30	2	-
Male.....	148	167	217	219	287	278	209	101	61	12	1	-
Female.....	144	167	176	212	237	248	205	165	69	18	1	-
Non-Hispanic 1/, both sexes.....	28,432	40,041	50,932	60,213	74,801	85,672	75,934	49,236	21,894	5,640	745	11
Male.....	14,852	21,472	27,881	33,391	40,869	45,673	38,506	22,829	8,763	1,928	206	8
Female.....	13,580	18,569	23,051	26,822	33,932	39,999	37,428	26,407	13,131	3,712	539	3
Non-Hispanic white, both sexes.....	22,251	32,981	42,752	51,177	65,021	75,855	68,157	44,609	19,783	4,977	612	10
Male.....	11,631	17,674	23,352	28,381	35,638	40,432	34,536	20,704	7,872	1,660	168	8
Female.....	10,620	15,307	19,400	22,796	29,383	35,423	33,621	23,905	11,911	3,317	444	2
Non-Hispanic black, both sexes.....	5,198	5,990	6,913	7,577	8,089	8,071	6,411	3,814	1,789	560	115	-
Male.....	2,766	3,287	3,848	4,208	4,385	4,289	3,251	1,710	731	216	27	-
Female.....	2,432	2,703	3,065	3,369	3,704	3,782	3,160	2,104	1,058	344	88	-
Origin not stated 2/, both sexes.....	94	122	115	139	166	166	144	103	38	6	1	-
Male.....	60	65	67	89	97	92	76	46	19	3	-	-
Female.....	34	57	48	50	69	74	68	57	19	3	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

All origins, both sexes.....	686	867	959	950	924	955	737	543	242	78	16	1
Male.....	575	694	729	678	626	589	410	255	108	20	6	1
Female.....	111	173	230	272	298	366	327	288	134	58	10	-
Hispanic, both sexes.....	25	38	37	46	34	38	25	16	9	1	3	-
Male.....	23	33	31	35	21	28	15	8	5	-	1	-
Female.....	2	5	6	11	13	10	10	8	4	1	2	-
Mexican, both sexes.....	12	17	23	21	20	18	18	5	4	-	2	-
Male.....	12	14	20	15	13	12	12	4	3	-	1	-
Female.....	-	3	3	6	7	6	6	1	1	-	1	-
Puerto Rican, both sexes.....	8	7	4	7	5	6	2	2	3	-	-	-
Male.....	6	6	3	6	4	5	1	2	1	-	-	-
Female.....	2	1	1	1	1	1	1	-	2	-	-	-
Cuban, both sexes.....	2	7	2	3	1	10	1	5	-	1	1	-
Male.....	2	7	-	3	1	8	-	1	-	-	-	-
Female.....	-	-	2	-	-	2	1	4	-	1	1	-
Central and South American, both sexes.....	2	3	5	2	2	2	-	2	-	-	-	-
Male.....	2	2	5	1	1	1	-	-	-	-	-	-
Female.....	-	1	-	1	1	1	-	2	-	-	-	-
Other and Unknown Hispanic, both sexes.....	1	4	3	13	6	2	4	2	2	-	-	-
Male.....	1	4	3	10	2	2	2	1	1	-	-	-
Female.....	-	-	-	3	4	-	2	1	1	-	-	-
Non-Hispanic 1/, both sexes.....	659	825	918	904	887	916	711	525	231	77	13	1
Male.....	550	657	694	643	603	560	395	247	102	20	5	1
Female.....	109	168	224	261	284	356	316	278	129	57	8	-
Non-Hispanic white, both sexes.....	477	664	721	736	747	793	626	487	205	72	13	1
Male.....	409	525	530	519	495	477	342	226	91	19	5	1
Female.....	68	139	191	217	252	316	284	261	114	53	8	-
Non-Hispanic black, both sexes.....	138	139	170	147	114	87	63	29	20	3	-	-
Male.....	111	116	144	111	90	58	41	15	9	-	-	-
Female.....	27	23	26	36	24	29	22	14	11	3	-	-
Origin not stated 2/, both sexes.....	2	4	4	-	3	1	1	2	2	-	-	-
Male.....	2	4	4	-	2	1	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	1	2	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of esophagus (C15)												
All origins, both sexes.....	881	1,389	1,551	1,714	1,905	1,895	1,497	806	306	63	5	-
Male.....	757	1,175	1,308	1,385	1,466	1,415	1,049	476	156	22	-	-
Female.....	124	214	243	329	439	480	448	330	150	41	5	-
Hispanic, both sexes.....	30	57	48	59	63	50	42	21	7	3	-	-
Male.....	26	44	35	47	46	41	33	9	3	1	-	-
Female.....	4	13	13	12	17	9	9	12	4	2	-	-
Mexican, both sexes.....	14	25	19	19	29	26	20	7	2	2	-	-
Male.....	11	20	15	16	22	20	14	2	1	1	-	-
Female.....	3	5	4	3	7	6	6	5	1	1	-	-
Puerto Rican, both sexes.....	6	16	18	20	12	8	8	5	3	1	-	-
Male.....	6	13	12	16	8	6	6	2	2	-	-	-
Female.....	-	3	6	4	4	2	2	3	1	1	-	-
Cuban, both sexes.....	3	6	3	8	6	5	6	1	2	-	-	-
Male.....	3	5	3	6	3	5	6	1	-	-	-	-
Female.....	-	1	-	2	3	-	-	-	2	-	-	-
Central and South American, both sexes.....	-	4	3	2	5	3	3	3	-	-	-	-
Male.....	-	3	2	2	4	2	2	2	-	-	-	-
Female.....	-	1	1	-	1	1	1	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	7	6	5	10	11	8	5	5	-	-	-	-
Male.....	6	3	3	7	9	8	5	2	-	-	-	-
Female.....	1	3	2	3	2	-	-	3	-	-	-	-
Non-Hispanic 1/, both sexes.....	848	1,324	1,502	1,653	1,838	1,842	1,455	783	298	60	5	-
Male.....	728	1,124	1,272	1,336	1,417	1,373	1,016	466	152	21	-	-
Female.....	120	200	230	317	421	469	439	317	146	39	5	-
Non-Hispanic white, both sexes.....	655	1,083	1,231	1,367	1,625	1,658	1,313	729	278	52	5	-
Male.....	577	941	1,063	1,112	1,271	1,251	939	437	143	16	-	-
Female.....	78	142	168	255	354	407	374	292	135	36	5	-
Non-Hispanic black, both sexes.....	177	219	244	249	186	157	116	49	16	7	-	-
Male.....	136	164	187	189	124	103	59	25	7	4	-	-
Female.....	41	55	57	60	62	54	57	24	9	3	-	-
Origin not stated 2/, both sexes.....	3	8	1	2	4	3	-	2	1	-	-	-
Male.....	3	7	1	2	3	1	-	1	1	-	-	-
Female.....	-	1	-	-	1	2	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of stomach (C16)												
All origins, both sexes.....	717	830	1,044	1,211	1,582	1,805	1,744	1,263	619	161	14	-
Male.....	462	574	708	810	1,016	1,061	919	574	238	51	4	-
Female.....	255	256	336	401	566	744	825	689	381	110	10	-
Hispanic, both sexes.....	105	113	126	135	156	170	109	75	38	8	-	-
Male.....	57	67	73	77	103	102	64	30	17	1	-	-
Female.....	48	46	53	58	53	68	45	45	21	7	-	-
Mexican, both sexes.....	61	67	64	82	88	89	63	42	19	5	-	-
Male.....	39	41	40	47	60	60	39	19	9	1	-	-
Female.....	22	26	24	35	28	29	24	23	10	4	-	-
Puerto Rican, both sexes.....	9	15	16	15	11	23	13	10	3	1	-	-
Male.....	3	9	7	9	2	12	8	2	1	-	-	-
Female.....	6	6	9	6	9	11	5	8	2	1	-	-
Cuban, both sexes.....	1	2	11	4	12	10	8	5	3	-	-	-
Male.....	1	1	6	2	9	6	5	1	1	-	-	-
Female.....	-	1	5	2	3	4	3	4	2	-	-	-
Central and South American, both sexes.....	15	12	13	11	17	14	4	5	4	1	-	-
Male.....	5	5	7	7	12	4	3	2	1	-	-	-
Female.....	10	7	6	4	5	10	1	3	3	1	-	-
Other and Unknown Hispanic, both sexes.....	19	17	22	23	28	34	21	13	9	1	-	-
Male.....	9	11	13	12	20	20	9	6	5	-	-	-
Female.....	10	6	9	11	8	14	12	7	4	1	-	-
Non-Hispanic 1/, both sexes.....	610	715	915	1,072	1,424	1,630	1,630	1,186	579	153	14	-
Male.....	403	506	632	730	911	957	851	543	220	50	4	-
Female.....	207	209	283	342	513	673	779	643	359	103	10	-
Non-Hispanic white, both sexes.....	395	510	662	788	1,073	1,248	1,292	952	461	106	8	-
Male.....	266	369	456	533	691	740	684	429	183	35	4	-
Female.....	129	141	206	255	382	508	608	523	278	71	4	-
Non-Hispanic black, both sexes.....	157	151	196	210	248	285	243	155	93	35	6	-
Male.....	107	105	134	146	164	164	115	71	21	9	-	-
Female.....	50	46	62	64	84	121	128	84	72	26	6	-
Origin not stated 2/, both sexes.....	2	2	3	4	2	5	5	2	2	-	-	-
Male.....	2	1	3	3	2	2	4	1	1	-	-	-
Female.....	-	1	-	1	-	3	1	1	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of colon, rectum and anus (C18-C21)												
All origins, both sexes.....	2,718	3,631	4,673	5,775	7,159	8,720	8,611	6,590	3,547	1,024	135	1
Male.....	1,544	2,117	2,714	3,393	3,953	4,433	4,038	2,565	1,112	245	27	1
Female.....	1,174	1,514	1,959	2,382	3,206	4,287	4,573	4,025	2,435	779	108	-
Hispanic, both sexes.....	182	250	243	286	321	330	282	161	93	24	1	-
Male.....	111	144	151	167	184	168	146	64	37	11	-	-
Female.....	71	106	92	119	137	162	136	97	56	13	1	-
Mexican, both sexes.....	102	134	120	143	149	150	150	80	37	10	-	-
Male.....	58	82	82	90	92	79	77	39	18	3	-	-
Female.....	44	52	38	53	57	71	73	41	19	7	-	-
Puerto Rican, both sexes.....	28	35	36	47	54	36	31	15	11	4	1	-
Male.....	20	23	18	22	31	18	16	6	6	2	-	-
Female.....	8	12	18	25	23	18	15	9	5	2	1	-
Cuban, both sexes.....	9	21	32	30	49	61	46	33	22	7	-	-
Male.....	7	11	18	23	23	30	30	11	4	4	-	-
Female.....	2	10	14	7	26	31	16	22	18	3	-	-
Central and South American, both sexes.....	14	19	11	19	16	17	15	7	1	1	-	-
Male.....	11	4	7	12	10	7	5	1	-	1	-	-
Female.....	3	15	4	7	6	10	10	6	1	-	-	-
Other and Unknown Hispanic, both sexes.....	29	41	44	47	53	66	40	26	22	2	-	-
Male.....	15	24	26	20	28	34	18	7	9	1	-	-
Female.....	14	17	18	27	25	32	22	19	13	1	-	-
Non-Hispanic 1/, both sexes.....	2,526	3,375	4,418	5,475	6,829	8,377	8,310	6,414	3,447	998	133	1
Male.....	1,425	1,968	2,557	3,218	3,763	4,256	3,882	2,493	1,073	234	27	1
Female.....	1,101	1,407	1,861	2,257	3,066	4,121	4,428	3,921	2,374	764	106	-
Non-Hispanic white, both sexes.....	1,875	2,650	3,591	4,562	5,735	7,283	7,417	5,743	3,115	891	113	1
Male.....	1,082	1,588	2,092	2,719	3,223	3,734	3,489	2,256	964	204	23	1
Female.....	793	1,062	1,499	1,843	2,512	3,549	3,928	3,487	2,151	687	90	-
Non-Hispanic black, both sexes.....	545	615	698	765	937	908	772	555	289	90	17	-
Male.....	295	323	393	414	473	427	325	182	90	28	2	-
Female.....	250	292	305	351	464	481	447	373	199	62	15	-
Origin not stated 2/, both sexes.....	10	6	12	14	9	13	19	15	7	2	1	-
Male.....	8	5	6	8	6	9	10	8	2	-	-	-
Female.....	2	1	6	6	3	4	9	7	5	2	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Malignant neoplasms of liver and intrahepatic bile ducts (C22)

All origins, both sexes.....	1,408	1,348	1,417	1,612	2,018	2,208	1,741	1,056	396	113	11	-
Male.....	1,136	999	996	1,054	1,276	1,354	947	495	154	36	2	-
Female.....	272	349	421	558	742	854	794	561	242	77	9	-
Hispanic, both sexes.....	176	175	162	205	192	193	126	63	25	9	3	-
Male.....	149	123	118	119	126	114	58	24	9	2	1	-
Female.....	27	52	44	86	66	79	68	39	16	7	2	-
Mexican, both sexes.....	103	107	105	125	110	115	81	26	17	6	-	-
Male.....	87	72	76	78	73	68	40	12	7	2	-	-
Female.....	16	35	29	47	37	47	41	14	10	4	-	-
Puerto Rican, both sexes.....	28	32	23	29	17	20	9	6	2	1	2	-
Male.....	25	25	19	18	13	11	3	2	1	-	-	-
Female.....	3	7	4	11	4	9	6	4	1	1	2	-
Cuban, both sexes.....	4	10	5	9	27	16	10	15	3	1	1	-
Male.....	4	9	4	4	17	8	4	5	-	-	1	-
Female.....	-	1	1	5	10	8	6	10	3	1	-	-
Central and South American, both sexes.....	2	4	5	11	14	16	3	6	-	-	-	-
Male.....	2	3	4	5	7	11	1	1	-	-	-	-
Female.....	-	1	1	6	7	5	2	5	-	-	-	-
Other and Unknown Hispanic, both sexes.....	39	22	24	31	24	26	23	10	3	1	-	-
Male.....	31	14	15	14	16	16	10	4	1	-	-	-
Female.....	8	8	9	17	8	10	13	6	2	1	-	-
Non-Hispanic 1/, both sexes.....	1,227	1,169	1,249	1,398	1,824	2,013	1,613	992	370	104	8	-
Male.....	982	874	873	930	1,148	1,240	888	471	144	34	1	-
Female.....	245	295	376	468	676	773	725	521	226	70	7	-
Non-Hispanic white, both sexes.....	824	837	904	1,065	1,441	1,687	1,384	860	323	81	4	-
Male.....	651	631	639	721	933	1,051	774	412	122	26	-	-
Female.....	173	206	265	344	508	636	610	448	201	55	4	-
Non-Hispanic black, both sexes.....	303	229	215	175	210	175	129	90	30	18	3	-
Male.....	250	169	147	106	128	94	61	38	14	7	1	-
Female.....	53	60	68	69	82	81	68	52	16	11	2	-
Origin not stated 2/, both sexes.....	5	4	6	9	2	2	2	1	1	-	-	-
Male.....	5	2	5	5	2	-	1	-	1	-	-	-
Female.....	-	2	1	4	-	2	1	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of pancreas (C25)												
All origins, both sexes.....	1,649	2,327	2,993	3,550	4,554	5,038	4,670	2,897	1,264	293	32	-
Male.....	992	1,391	1,715	1,924	2,327	2,358	2,044	992	327	55	8	-
Female.....	657	936	1,278	1,626	2,227	2,680	2,626	1,905	937	238	24	-
Hispanic, both sexes.....	93	140	160	199	230	221	165	94	49	10	1	-
Male.....	56	88	88	102	115	105	70	32	12	2	-	-
Female.....	37	52	72	97	115	116	95	62	37	8	1	-
Mexican, both sexes.....	59	79	91	114	134	126	82	41	22	4	1	-
Male.....	32	48	49	56	70	58	35	12	4	1	-	-
Female.....	27	31	42	58	64	68	47	29	18	3	1	-
Puerto Rican, both sexes.....	6	27	19	28	15	16	27	12	4	2	-	-
Male.....	3	18	9	14	9	10	13	4	-	-	-	-
Female.....	3	9	10	14	6	6	14	8	4	2	-	-
Cuban, both sexes.....	9	5	11	21	37	34	19	18	10	-	-	-
Male.....	5	3	7	11	19	17	3	7	6	-	-	-
Female.....	4	2	4	10	18	17	16	11	4	-	-	-
Central and South American, both sexes.....	5	13	9	14	7	14	10	6	3	1	-	-
Male.....	3	8	4	10	3	6	3	3	1	-	-	-
Female.....	2	5	5	4	4	8	7	3	2	1	-	-
Other and Unknown Hispanic, both sexes.....	14	16	30	22	37	31	27	17	10	3	-	-
Male.....	13	11	19	11	14	14	16	6	1	1	-	-
Female.....	1	5	11	11	23	17	11	11	9	2	-	-
Non-Hispanic 1/, both sexes.....	1,553	2,182	2,822	3,348	4,317	4,808	4,494	2,796	1,215	282	31	-
Male.....	935	1,300	1,621	1,821	2,207	2,247	1,969	957	315	52	8	-
Female.....	618	882	1,201	1,527	2,110	2,561	2,525	1,839	900	230	23	-
Non-Hispanic white, both sexes.....	1,194	1,784	2,313	2,814	3,689	4,226	3,980	2,488	1,104	249	24	-
Male.....	728	1,080	1,354	1,576	1,914	2,007	1,770	863	289	45	8	-
Female.....	466	704	959	1,238	1,775	2,219	2,210	1,625	815	204	16	-
Non-Hispanic black, both sexes.....	310	323	420	447	511	484	419	249	97	29	6	-
Male.....	183	185	218	203	245	192	151	73	22	5	-	-
Female.....	127	138	202	244	266	292	268	176	75	24	6	-
Origin not stated 2/, both sexes.....	3	5	11	3	7	9	11	7	-	1	-	-
Male.....	1	3	6	1	5	6	5	3	-	1	-	-
Female.....	2	2	5	2	2	3	6	4	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of larynx (C32)												
All origins, both sexes.....	263	404	552	568	568	490	401	225	70	13	-	1
Male.....	225	324	453	464	435	391	317	164	47	10	-	-
Female.....	38	80	99	104	133	99	84	61	23	3	-	1
Hispanic, both sexes.....	12	20	24	25	19	20	18	11	3	1	-	-
Male.....	11	20	23	23	18	17	14	10	3	1	-	-
Female.....	1	-	1	2	1	3	4	1	-	-	-	-
Mexican, both sexes.....	7	8	10	10	10	14	10	7	1	1	-	-
Male.....	7	8	10	8	10	12	7	6	1	1	-	-
Female.....	-	-	-	2	-	2	3	1	-	-	-	-
Puerto Rican, both sexes.....	5	4	6	6	1	4	2	1	2	-	-	-
Male.....	4	4	6	6	1	4	2	1	2	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	-	2	3	5	3	1	4	1	-	-	-	-
Male.....	-	2	2	5	3	1	3	1	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Central and South American, both sexes.....	-	1	1	1	-	-	-	-	-	-	-	-
Male.....	-	1	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	5	4	3	5	1	2	2	-	-	-	-
Male.....	-	5	4	3	4	-	2	2	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	249	383	525	540	546	468	379	214	67	12	-	1
Male.....	212	303	427	438	415	372	299	154	44	9	-	-
Female.....	37	80	98	102	131	96	80	60	23	3	-	1
Non-Hispanic white, both sexes.....	169	291	406	433	445	398	324	188	54	8	-	1
Male.....	142	226	333	341	335	312	252	134	36	6	-	-
Female.....	27	65	73	92	110	86	72	54	18	2	-	1
Non-Hispanic black, both sexes.....	76	91	115	99	94	65	49	24	11	3	-	-
Male.....	66	76	91	90	76	56	42	18	6	2	-	-
Female.....	10	15	24	9	18	9	7	6	5	1	-	-
Origin not stated 2/, both sexes.....	2	1	3	3	3	2	4	-	-	-	-	-
Male.....	2	1	3	3	2	2	4	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of trachea, bronchus and lung (C33-C34)												
All origins, both sexes.....	7,757	12,920	18,036	22,414	26,972	28,031	20,588	10,076	3,319	617	76	2
Male.....	4,654	7,758	10,589	13,218	15,717	15,934	11,130	5,099	1,485	255	26	2
Female.....	3,103	5,162	7,447	9,196	11,255	12,097	9,458	4,977	1,834	362	50	-
Hispanic, both sexes.....	247	331	464	605	688	703	474	246	91	24	4	-
Male.....	163	233	316	423	454	448	275	123	49	14	3	-
Female.....	84	98	148	182	234	255	199	123	42	10	1	-
Mexican, both sexes.....	115	149	211	292	361	382	250	136	45	11	4	-
Male.....	75	97	133	207	238	235	149	77	27	8	3	-
Female.....	40	52	78	85	123	147	101	59	18	3	1	-
Puerto Rican, both sexes.....	45	66	66	100	83	70	56	28	7	4	-	-
Male.....	32	47	48	67	53	41	36	15	4	1	-	-
Female.....	13	19	18	33	30	29	20	13	3	3	-	-
Cuban, both sexes.....	33	44	77	73	90	116	72	29	18	-	-	-
Male.....	25	40	58	57	70	88	43	14	10	-	-	-
Female.....	8	4	19	16	20	28	29	15	8	-	-	-
Central and South American, both sexes.....	19	22	27	29	32	34	18	15	8	4	-	-
Male.....	13	16	18	22	17	15	5	6	1	2	-	-
Female.....	6	6	9	7	15	19	13	9	7	2	-	-
Other and Unknown Hispanic, both sexes.....	35	50	83	111	122	101	78	38	13	5	-	-
Male.....	18	33	59	70	76	69	42	11	7	3	-	-
Female.....	17	17	24	41	46	32	36	27	6	2	-	-
Non-Hispanic 1/, both sexes.....	7,490	12,556	17,545	21,753	26,224	27,272	20,080	9,813	3,221	592	72	2
Male.....	4,476	7,505	10,257	12,752	15,221	15,451	10,835	4,969	1,434	241	23	2
Female.....	3,014	5,051	7,288	9,001	11,003	11,821	9,245	4,844	1,787	351	49	-
Non-Hispanic white, both sexes.....	5,964	10,520	15,093	18,919	23,285	24,520	18,232	8,978	2,930	525	62	2
Male.....	3,515	6,177	8,684	10,988	13,452	13,795	9,778	4,532	1,296	211	22	2
Female.....	2,449	4,343	6,409	7,931	9,833	10,725	8,454	4,446	1,634	314	40	-
Non-Hispanic black, both sexes.....	1,328	1,804	2,151	2,428	2,464	2,259	1,480	656	232	56	9	-
Male.....	850	1,189	1,381	1,516	1,493	1,343	849	341	113	23	1	-
Female.....	478	615	770	912	971	916	631	315	119	33	8	-
Origin not stated 2/, both sexes.....	20	33	27	56	60	56	34	17	7	1	-	-
Male.....	15	20	16	43	42	35	20	7	2	-	-	-
Female.....	5	13	11	13	18	21	14	10	5	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant melanoma of skin (C43)												
All origins, both sexes.....	638	778	769	710	883	1,033	842	500	243	78	10	-
Male.....	425	528	514	471	579	692	511	291	110	32	3	-
Female.....	213	250	255	239	304	341	331	209	133	46	7	-
Hispanic, both sexes.....	20	16	13	16	21	11	14	5	4	2	-	-
Male.....	15	9	7	10	11	5	10	2	4	1	-	-
Female.....	5	7	6	6	10	6	4	3	-	1	-	-
Mexican, both sexes.....	10	8	6	8	15	4	7	1	2	1	-	-
Male.....	9	5	2	5	8	2	6	-	2	1	-	-
Female.....	1	3	4	3	7	2	1	1	-	-	-	-
Puerto Rican, both sexes.....	4	3	2	1	1	-	2	-	-	-	-	-
Male.....	2	2	2	1	-	-	1	-	-	-	-	-
Female.....	2	1	-	-	1	-	1	-	-	-	-	-
Cuban, both sexes.....	2	1	2	5	-	2	1	3	2	1	-	-
Male.....	1	1	1	3	-	1	1	1	2	-	-	-
Female.....	1	-	1	2	-	1	-	2	-	1	-	-
Central and South American, both sexes.....	-	2	1	-	1	-	2	-	-	-	-	-
Male.....	-	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	2	-	-	-	-	1	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	4	2	2	2	4	5	2	1	-	-	-	-
Male.....	3	1	1	1	2	2	1	1	-	-	-	-
Female.....	1	1	1	1	2	3	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	616	758	755	694	861	1,021	825	492	239	76	10	-
Male.....	408	518	507	461	567	687	498	287	106	31	3	-
Female.....	208	240	248	233	294	334	327	205	133	45	7	-
Non-Hispanic white, both sexes.....	601	740	739	678	848	993	812	482	232	75	9	-
Male.....	400	509	498	451	565	674	491	284	103	31	3	-
Female.....	201	231	241	227	283	319	321	198	129	44	6	-
Non-Hispanic black, both sexes.....	8	12	11	16	10	20	8	7	5	-	1	-
Male.....	4	6	6	10	2	7	3	-	2	-	-	-
Female.....	4	6	5	6	8	13	5	7	3	-	1	-
Origin not stated 2/, both sexes.....	2	4	1	-	1	1	3	3	-	-	-	-
Male.....	2	1	-	-	1	-	3	2	-	-	-	-
Female.....	-	3	1	-	-	1	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of breast (C50)												
All origins, both sexes.....	3,631	4,206	4,061	3,887	4,451	4,916	4,728	3,530	1,965	630	120	2
Male.....	34	30	41	42	47	46	58	35	17	4	-	1
Female.....	3,597	4,176	4,020	3,845	4,404	4,870	4,670	3,495	1,948	626	120	1
Hispanic, both sexes.....	220	241	187	188	143	169	100	95	41	12	2	-
Male.....	1	2	-	-	2	-	-	1	2	-	-	-
Female.....	219	239	187	188	141	169	100	94	39	12	2	-
Mexican, both sexes.....	123	126	92	97	65	77	48	39	21	6	2	-
Male.....	1	2	-	-	1	-	-	1	2	-	-	-
Female.....	122	124	92	97	64	77	48	38	19	6	2	-
Puerto Rican, both sexes.....	30	37	23	27	17	11	13	12	3	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	30	37	23	27	16	11	13	12	3	1	-	-
Cuban, both sexes.....	14	21	22	23	19	36	14	16	6	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	14	21	22	23	19	36	14	16	6	2	-	-
Central and South American, both sexes.....	18	18	15	19	11	13	5	6	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	18	18	15	19	11	13	5	6	1	-	-	-
Other and Unknown Hispanic, both sexes.....	35	39	35	22	31	32	20	22	10	3	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	35	39	35	22	31	32	20	22	10	3	-	-
Non-Hispanic 1/, both sexes.....	3,401	3,949	3,864	3,693	4,294	4,733	4,612	3,428	1,924	618	118	2
Male.....	33	28	41	42	45	46	58	34	15	4	-	1
Female.....	3,368	3,921	3,823	3,651	4,249	4,687	4,554	3,394	1,909	614	118	1
Non-Hispanic white, both sexes.....	2,600	3,161	3,193	3,097	3,727	4,198	4,158	3,099	1,739	556	94	1
Male.....	29	22	35	36	38	42	53	30	14	4	-	1
Female.....	2,571	3,139	3,158	3,061	3,689	4,156	4,105	3,069	1,725	552	94	-
Non-Hispanic black, both sexes.....	670	678	560	513	488	466	411	298	169	59	23	-
Male.....	4	6	6	6	7	3	4	4	1	-	-	-
Female.....	666	672	554	507	481	463	407	294	168	59	23	-
Origin not stated 2/, both sexes.....	10	16	10	6	14	14	16	7	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	16	10	6	14	14	16	7	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of cervix uteri (C53)												
All origins, both sexes.....	450	445	348	308	256	274	278	166	78	22	4	-
Male.....
Female.....	450	445	348	308	256	274	278	166	78	22	4	-
Hispanic, both sexes.....	55	42	23	21	22	22	20	8	4	1	-	-
Male.....
Female.....	55	42	23	21	22	22	20	8	4	1	-	-
Mexican, both sexes.....	38	29	11	11	16	16	8	5	3	-	-	-
Male.....
Female.....	38	29	11	11	16	16	8	5	3	-	-	-
Puerto Rican, both sexes.....	5	5	3	4	1	3	3	-	1	-	-	-
Male.....
Female.....	5	5	3	4	1	3	3	-	1	-	-	-
Cuban, both sexes.....	1	1	1	-	1	1	2	1	-	1	-	-
Male.....
Female.....	1	1	1	-	1	1	2	1	-	1	-	-
Central and South American, both sexes.....	3	3	3	2	2	-	4	1	-	-	-	-
Male.....
Female.....	3	3	3	2	2	-	4	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	8	4	5	4	2	2	3	1	-	-	-	-
Male.....
Female.....	8	4	5	4	2	2	3	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	394	403	324	286	233	252	258	158	74	21	4	-
Male.....
Female.....	394	403	324	286	233	252	258	158	74	21	4	-
Non-Hispanic white, both sexes.....	286	308	241	210	161	166	204	124	50	19	4	-
Male.....
Female.....	286	308	241	210	161	166	204	124	50	19	4	-
Non-Hispanic black, both sexes.....	82	80	72	67	58	66	45	29	19	2	-	-
Male.....
Female.....	82	80	72	67	58	66	45	29	19	2	-	-
Origin not stated 2/, both sexes.....	1	-	1	1	1	-	-	-	-	-	-	-
Male.....
Female.....	1	-	1	1	1	-	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)

All origins, both sexes.....	363	557	744	878	973	1,025	926	668	316	76	17	-
Male.....
Female.....	363	557	744	878	973	1,025	926	668	316	76	17	-
Hispanic, both sexes.....	28	30	31	43	42	35	28	21	14	4	1	-
Male.....
Female.....	28	30	31	43	42	35	28	21	14	4	1	-
Mexican, both sexes.....	17	14	17	23	19	16	13	7	6	4	1	-
Male.....
Female.....	17	14	17	23	19	16	13	7	6	4	1	-
Puerto Rican, both sexes.....	2	2	-	5	3	4	4	3	3	-	-	-
Male.....
Female.....	2	2	-	5	3	4	4	3	3	-	-	-
Cuban, both sexes.....	1	4	4	9	8	8	7	2	2	-	-	-
Male.....
Female.....	1	4	4	9	8	8	7	2	2	-	-	-
Central and South American, both sexes.....	2	5	3	1	1	3	-	2	1	-	-	-
Male.....
Female.....	2	5	3	1	1	3	-	2	1	-	-	-
Other and Unknown Hispanic, both sexes.....	6	5	7	5	11	4	4	7	2	-	-	-
Male.....
Female.....	6	5	7	5	11	4	4	7	2	-	-	-
Non-Hispanic 1/, both sexes.....	334	526	711	832	929	984	897	647	302	72	16	-
Male.....
Female.....	334	526	711	832	929	984	897	647	302	72	16	-
Non-Hispanic white, both sexes.....	267	426	529	619	747	823	761	577	273	68	11	-
Male.....
Female.....	267	426	529	619	747	823	761	577	273	68	11	-
Non-Hispanic black, both sexes.....	54	81	164	189	168	146	123	65	28	4	5	-
Male.....
Female.....	54	81	164	189	168	146	123	65	28	4	5	-
Origin not stated 2/, both sexes.....	1	1	2	3	2	6	1	-	-	-	-	-
Male.....
Female.....	1	1	2	3	2	6	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of ovary (C56)												
All origins, both sexes.....	997	1,315	1,576	1,687	1,882	2,193	2,001	1,207	490	102	11	-
Male.....
Female.....	997	1,315	1,576	1,687	1,882	2,193	2,001	1,207	490	102	11	-
Hispanic, both sexes.....	53	70	64	74	81	83	58	35	16	4	-	-
Male.....
Female.....	53	70	64	74	81	83	58	35	16	4	-	-
Mexican, both sexes.....	27	36	40	37	46	40	29	21	9	-	-	-
Male.....
Female.....	27	36	40	37	46	40	29	21	9	-	-	-
Puerto Rican, both sexes.....	11	3	4	6	7	7	8	3	1	1	-	-
Male.....
Female.....	11	3	4	6	7	7	8	3	1	1	-	-
Cuban, both sexes.....	-	5	3	6	6	13	6	2	3	-	-	-
Male.....
Female.....	-	5	3	6	6	13	6	2	3	-	-	-
Central and South American, both sexes.....	3	4	4	5	5	5	2	2	2	-	-	-
Male.....
Female.....	3	4	4	5	5	5	2	2	2	-	-	-
Other and Unknown Hispanic, both sexes.....	12	22	13	20	17	18	13	7	1	3	-	-
Male.....
Female.....	12	22	13	20	17	18	13	7	1	3	-	-
Non-Hispanic 1/, both sexes.....	942	1,239	1,510	1,609	1,797	2,110	1,940	1,172	473	98	11	-
Male.....
Female.....	942	1,239	1,510	1,609	1,797	2,110	1,940	1,172	473	98	11	-
Non-Hispanic white, both sexes.....	799	1,099	1,333	1,425	1,599	1,922	1,798	1,071	440	89	8	-
Male.....
Female.....	799	1,099	1,333	1,425	1,599	1,922	1,798	1,071	440	89	8	-
Non-Hispanic black, both sexes.....	109	106	130	143	154	154	113	82	31	9	3	-
Male.....
Female.....	109	106	130	143	154	154	113	82	31	9	3	-
Origin not stated 2/, both sexes.....	2	6	2	4	4	-	3	-	1	-	-	-
Male.....
Female.....	2	6	2	4	4	-	3	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of kidney and renal pelvis (C64-C65)												
All origins, both sexes.....	763	1,121	1,377	1,409	1,681	1,849	1,626	1,033	420	107	7	-
Male.....	535	798	989	916	1,059	1,114	922	486	175	40	2	-
Female.....	228	323	388	493	622	735	704	547	245	67	5	-
Hispanic, both sexes.....	45	76	94	88	110	96	55	29	21	2	-	-
Male.....	26	48	61	58	63	57	27	16	8	1	-	-
Female.....	19	28	33	30	47	39	28	13	13	1	-	-
Mexican, both sexes.....	27	53	65	61	70	62	37	15	14	1	-	-
Male.....	13	36	41	40	36	35	16	9	5	1	-	-
Female.....	14	17	24	21	34	27	21	6	9	-	-	-
Puerto Rican, both sexes.....	2	4	9	8	4	7	5	2	2	-	-	-
Male.....	2	1	7	6	3	4	3	-	-	-	-	-
Female.....	-	3	2	2	1	3	2	2	2	-	-	-
Cuban, both sexes.....	3	3	8	6	14	8	7	4	1	-	-	-
Male.....	1	2	5	5	10	8	5	1	1	-	-	-
Female.....	2	1	3	1	4	-	2	3	-	-	-	-
Central and South American, both sexes.....	5	3	1	2	6	6	-	2	-	-	-	-
Male.....	3	2	1	1	5	4	-	1	-	-	-	-
Female.....	2	1	-	1	1	2	-	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	8	13	11	11	16	13	6	6	4	1	-	-
Male.....	7	7	7	6	9	6	3	5	2	-	-	-
Female.....	1	6	4	5	7	7	3	1	2	1	-	-
Non-Hispanic 1/, both sexes.....	716	1,043	1,282	1,319	1,565	1,751	1,569	1,003	396	105	7	-
Male.....	508	748	927	856	992	1,055	893	470	165	39	2	-
Female.....	208	295	355	463	573	696	676	533	231	66	5	-
Non-Hispanic white, both sexes.....	614	890	1,114	1,164	1,406	1,589	1,442	927	356	96	5	-
Male.....	436	654	809	761	889	958	829	440	151	35	1	-
Female.....	178	236	305	403	517	631	613	487	205	61	4	-
Non-Hispanic black, both sexes.....	88	129	132	126	120	129	103	70	36	7	2	-
Male.....	63	81	88	77	77	76	53	26	13	2	1	-
Female.....	25	48	44	49	43	53	50	44	23	5	1	-
Origin not stated 2/, both sexes.....	2	2	1	2	6	2	2	1	3	-	-	-
Male.....	1	2	1	2	4	2	2	-	2	-	-	-
Female.....	1	-	-	-	2	-	-	1	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of bladder (C67)												
All origins, both sexes.....	341	554	837	1,148	1,588	2,239	2,440	1,850	888	278	36	-
Male.....	252	419	630	865	1,133	1,603	1,651	1,157	508	131	11	-
Female.....	89	135	207	283	455	636	789	693	380	147	25	-
Hispanic, both sexes.....	19	24	30	43	53	65	68	42	30	9	-	-
Male.....	10	17	23	37	34	40	47	23	24	3	-	-
Female.....	9	7	7	6	19	25	21	19	6	6	-	-
Mexican, both sexes.....	8	13	13	20	23	30	27	22	14	5	-	-
Male.....	3	11	8	17	11	17	18	15	11	-	-	-
Female.....	5	2	5	3	12	13	9	7	3	5	-	-
Puerto Rican, both sexes.....	6	4	8	4	7	8	8	2	2	-	-	-
Male.....	4	1	8	4	4	6	5	1	2	-	-	-
Female.....	2	3	-	-	3	2	3	1	-	-	-	-
Cuban, both sexes.....	2	4	4	8	12	15	17	7	8	1	-	-
Male.....	1	4	2	8	10	12	14	5	6	1	-	-
Female.....	1	-	2	-	2	3	3	2	2	-	-	-
Central and South American, both sexes.....	1	3	-	1	3	4	2	3	1	-	-	-
Male.....	1	1	-	1	3	2	1	1	1	-	-	-
Female.....	-	2	-	-	-	2	1	2	-	-	-	-
Other and Unknown Hispanic, both sexes.....	2	-	5	10	8	8	14	8	5	3	-	-
Male.....	1	-	5	7	6	3	9	1	4	2	-	-
Female.....	1	-	-	3	2	5	5	7	1	1	-	-
Non-Hispanic 1/, both sexes.....	321	529	807	1,105	1,532	2,170	2,364	1,804	858	269	36	-
Male.....	241	401	607	828	1,097	1,559	1,598	1,132	484	128	11	-
Female.....	80	128	200	277	435	611	766	672	374	141	25	-
Non-Hispanic white, both sexes.....	269	467	731	982	1,417	1,990	2,178	1,672	806	245	32	-
Male.....	211	360	561	743	1,034	1,453	1,499	1,074	461	119	9	-
Female.....	58	107	170	239	383	537	679	598	345	126	23	-
Non-Hispanic black, both sexes.....	47	50	59	109	95	155	160	114	42	22	3	-
Male.....	27	32	34	74	49	89	83	50	17	7	1	-
Female.....	20	18	25	35	46	66	77	64	25	15	2	-
Origin not stated 2/, both sexes.....	1	1	-	-	3	4	8	4	-	-	-	-
Male.....	1	1	-	-	2	4	6	2	-	-	-	-
Female.....	-	-	-	-	1	-	2	2	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
All origins, both sexes.....	1,105	1,337	1,361	1,349	1,487	1,449	1,061	513	173	28	3	-
Male.....	689	741	789	741	815	745	522	214	65	8	2	-
Female.....	416	596	572	608	672	704	539	299	108	20	1	-
Hispanic, both sexes.....	53	57	66	56	60	64	34	15	3	-	-	-
Male.....	31	28	34	31	33	25	18	9	2	-	-	-
Female.....	22	29	32	25	27	39	16	6	1	-	-	-
Mexican, both sexes.....	26	30	35	31	29	28	21	10	-	-	-	-
Male.....	15	16	16	16	14	11	9	8	-	-	-	-
Female.....	11	14	19	15	15	17	12	2	-	-	-	-
Puerto Rican, both sexes.....	8	5	9	5	8	11	3	1	-	-	-	-
Male.....	3	2	6	4	6	5	2	-	-	-	-	-
Female.....	5	3	3	1	2	6	1	1	-	-	-	-
Cuban, both sexes.....	4	2	9	6	10	12	4	3	1	-	-	-
Male.....	4	-	4	5	5	4	3	-	-	-	-	-
Female.....	-	2	5	1	5	8	1	3	1	-	-	-
Central and South American, both sexes.....	6	7	6	3	3	-	1	-	1	-	-	-
Male.....	2	3	5	1	1	-	-	-	1	-	-	-
Female.....	4	4	1	2	2	-	1	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	9	13	7	11	10	13	5	1	1	-	-	-
Male.....	7	7	3	5	7	5	4	1	1	-	-	-
Female.....	2	6	4	6	3	8	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	1,050	1,280	1,293	1,290	1,425	1,384	1,024	498	169	28	3	-
Male.....	657	713	755	708	781	720	503	205	63	8	2	-
Female.....	393	567	538	582	644	664	521	293	106	20	1	-
Non-Hispanic white, both sexes.....	953	1,168	1,205	1,190	1,330	1,305	971	463	161	22	3	-
Male.....	593	654	708	653	732	677	476	192	60	7	2	-
Female.....	360	514	497	537	598	628	495	271	101	15	1	-
Non-Hispanic black, both sexes.....	77	87	64	77	72	61	41	23	7	6	-	-
Male.....	51	47	34	46	36	35	19	4	2	1	-	-
Female.....	26	40	30	31	36	26	22	19	5	5	-	-
Origin not stated 2/, both sexes.....	2	-	2	3	2	1	3	-	1	-	-	-
Male.....	1	-	-	2	1	-	1	-	-	-	-	-
Female.....	1	-	2	1	1	1	2	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
All origins, both sexes.....	2,228	3,171	4,300	5,384	7,501	9,497	8,945	6,087	2,541	644	62	-
Male.....	1,347	1,929	2,628	3,255	4,295	5,068	4,456	2,722	943	202	16	-
Female.....	881	1,242	1,672	2,129	3,206	4,429	4,489	3,365	1,598	442	46	-
Hispanic, both sexes.....	164	208	217	263	313	362	273	156	81	11	2	-
Male.....	91	116	125	143	168	177	122	61	33	2	1	-
Female.....	73	92	92	120	145	185	151	95	48	9	1	-
Mexican, both sexes.....	95	113	98	146	174	189	140	61	29	5	1	-
Male.....	51	58	58	83	93	97	72	25	9	-	1	-
Female.....	44	55	40	63	81	92	68	36	20	5	-	-
Puerto Rican, both sexes.....	24	28	43	40	34	33	20	21	10	-	-	-
Male.....	14	18	22	19	15	13	6	9	6	-	-	-
Female.....	10	10	21	21	19	20	14	12	4	-	-	-
Cuban, both sexes.....	8	17	25	31	40	51	49	26	24	4	-	-
Male.....	6	9	20	18	23	24	20	11	13	2	-	-
Female.....	2	8	5	13	17	27	29	15	11	2	-	-
Central and South American, both sexes.....	17	13	17	23	16	24	17	13	7	1	-	-
Male.....	9	5	6	11	5	13	3	4	3	-	-	-
Female.....	8	8	11	12	11	11	14	9	4	1	-	-
Other and Unknown Hispanic, both sexes.....	20	37	34	23	49	65	47	35	11	1	1	-
Male.....	11	26	19	12	32	30	21	12	2	-	-	-
Female.....	9	11	15	11	17	35	26	23	9	1	1	-
Non-Hispanic 1/, both sexes.....	2,054	2,955	4,074	5,110	7,174	9,117	8,660	5,916	2,457	632	60	-
Male.....	1,249	1,807	2,497	3,106	4,123	4,880	4,328	2,653	908	199	15	-
Female.....	805	1,148	1,577	2,004	3,051	4,237	4,332	3,263	1,549	433	45	-
Non-Hispanic white, both sexes.....	1,629	2,501	3,495	4,433	6,346	8,269	7,984	5,530	2,284	575	51	-
Male.....	999	1,539	2,180	2,745	3,726	4,510	4,042	2,502	846	182	14	-
Female.....	630	962	1,315	1,688	2,620	3,759	3,942	3,028	1,438	393	37	-
Non-Hispanic black, both sexes.....	371	368	485	561	676	680	543	313	148	43	8	-
Male.....	221	226	265	296	317	296	225	117	49	11	-	-
Female.....	150	142	220	265	359	384	318	196	99	32	8	-
Origin not stated 2/, both sexes.....	10	8	9	11	14	18	12	15	3	1	-	-
Male.....	7	6	6	6	4	11	6	8	2	1	-	-
Female.....	3	2	3	5	10	7	6	7	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Hodgkin's disease (C81)

All origins, both sexes.....	83	98	100	83	133	153	124	75	34	3	-	-
Male.....	47	57	62	52	76	73	59	31	7	-	-	-
Female.....	36	41	38	31	57	80	65	44	27	3	-	-
Hispanic, both sexes.....	8	4	4	8	11	9	3	4	1	1	-	-
Male.....	5	2	3	4	7	6	2	1	-	-	-	-
Female.....	3	2	1	4	4	3	1	3	1	1	-	-
Mexican, both sexes.....	4	4	4	5	9	5	3	1	-	1	-	-
Male.....	2	2	3	3	6	4	2	1	-	-	-	-
Female.....	2	2	1	2	3	1	1	-	-	1	-	-
Puerto Rican, both sexes.....	2	-	-	-	2	2	-	1	-	-	-	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	1	-	1	-	-	-	-
Cuban, both sexes.....	-	-	-	1	-	-	-	1	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Central and South American, both sexes.....	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	2	-	-	-	-	2	-	1	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	74	94	96	75	122	144	120	71	33	2	-	-
Male.....	42	55	59	48	69	67	57	30	7	-	-	-
Female.....	32	39	37	27	53	77	63	41	26	2	-	-
Non-Hispanic white, both sexes.....	66	75	87	63	114	134	112	67	32	2	-	-
Male.....	36	43	53	39	62	61	54	27	7	-	-	-
Female.....	30	32	34	24	52	73	58	40	25	2	-	-
Non-Hispanic black, both sexes.....	8	15	6	11	6	6	2	-	-	-	-	-
Male.....	6	10	5	8	5	3	1	-	-	-	-	-
Female.....	2	5	1	3	1	3	1	-	-	-	-	-
Origin not stated 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Non-Hodgkin's lymphoma (C82-C85)												
All origins, both sexes.....	899	1,272	1,735	2,104	2,815	3,674	3,543	2,520	949	213	30	-
Male.....	558	773	1,075	1,260	1,569	1,882	1,681	1,065	345	78	9	-
Female.....	341	499	660	844	1,246	1,792	1,862	1,455	604	135	21	-
Hispanic, both sexes.....	56	94	82	105	128	142	117	67	32	4	2	-
Male.....	31	55	49	58	71	67	51	19	16	1	1	-
Female.....	25	39	33	47	57	75	66	48	16	3	1	-
Mexican, both sexes.....	33	53	31	59	76	78	59	29	9	1	1	-
Male.....	18	32	19	30	39	36	28	8	3	-	1	-
Female.....	15	21	12	29	37	42	31	21	6	1	-	-
Puerto Rican, both sexes.....	7	11	17	11	12	12	10	5	3	-	-	-
Male.....	4	6	7	8	7	6	4	1	2	-	-	-
Female.....	3	5	10	3	5	6	6	4	1	-	-	-
Cuban, both sexes.....	5	6	14	17	20	18	18	10	9	2	-	-
Male.....	4	3	11	9	13	7	8	5	6	1	-	-
Female.....	1	3	3	8	7	11	10	5	3	1	-	-
Central and South American, both sexes.....	6	9	10	9	3	9	6	6	4	1	-	-
Male.....	3	2	4	6	1	5	2	1	3	-	-	-
Female.....	3	7	6	3	2	4	4	5	1	1	-	-
Other and Unknown Hispanic, both sexes.....	5	15	10	9	17	25	24	17	7	-	1	-
Male.....	2	12	8	5	11	13	9	4	2	-	-	-
Female.....	3	3	2	4	6	12	15	13	5	-	1	-
Non-Hispanic 1/, both sexes.....	839	1,176	1,647	1,996	2,683	3,526	3,421	2,448	915	209	28	-
Male.....	525	716	1,023	1,200	1,497	1,812	1,628	1,044	328	77	8	-
Female.....	314	460	624	796	1,186	1,714	1,793	1,404	587	132	20	-
Non-Hispanic white, both sexes.....	694	1,044	1,456	1,800	2,442	3,289	3,244	2,351	870	187	27	-
Male.....	440	642	914	1,103	1,387	1,710	1,557	1,009	309	68	8	-
Female.....	254	402	542	697	1,055	1,579	1,687	1,342	561	119	19	-
Non-Hispanic black, both sexes.....	127	95	149	138	169	155	120	62	29	13	1	-
Male.....	74	55	83	70	73	62	46	18	11	4	-	-
Female.....	53	40	66	68	96	93	74	44	18	9	1	-
Origin not stated 2/, both sexes.....	4	2	6	3	4	6	5	5	2	-	-	-
Male.....	2	2	3	2	1	3	2	2	1	-	-	-
Female.....	2	-	3	1	3	3	3	3	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Leukemia (C91-C95)

All origins, both sexes.....	770	1,102	1,503	1,911	2,795	3,532	3,405	2,317	1,091	350	28	-
Male.....	454	683	910	1,215	1,715	2,054	1,826	1,102	416	91	6	-
Female.....	316	419	593	696	1,080	1,478	1,579	1,215	675	259	22	-
Hispanic, both sexes.....	62	57	75	81	89	115	96	49	38	4	-	-
Male.....	32	29	46	45	54	59	47	25	15	-	-	-
Female.....	30	28	29	36	35	56	49	24	23	4	-	-
Mexican, both sexes.....	37	24	33	42	48	53	44	15	17	2	-	-
Male.....	18	9	22	25	28	32	27	6	6	-	-	-
Female.....	19	15	11	17	20	21	17	9	11	2	-	-
Puerto Rican, both sexes.....	7	11	14	17	7	10	4	11	5	-	-	-
Male.....	3	9	9	5	4	2	1	6	3	-	-	-
Female.....	4	2	5	12	3	8	3	5	2	-	-	-
Cuban, both sexes.....	1	9	7	8	14	24	25	8	11	1	-	-
Male.....	-	4	5	7	9	13	11	3	6	-	-	-
Female.....	1	5	2	1	5	11	14	5	5	1	-	-
Central and South American, both sexes.....	9	4	5	6	4	5	9	4	2	-	-	-
Male.....	4	3	2	3	2	2	1	3	-	-	-	-
Female.....	5	1	3	3	2	3	8	1	2	-	-	-
Other and Unknown Hispanic, both sexes.....	8	9	16	8	16	23	14	11	3	1	-	-
Male.....	7	4	8	5	11	10	7	7	-	-	-	-
Female.....	1	5	8	3	5	13	7	4	3	1	-	-
Non-Hispanic 1/, both sexes.....	704	1,041	1,426	1,826	2,700	3,412	3,306	2,262	1,052	345	28	-
Male.....	418	651	862	1,167	1,658	1,992	1,776	1,073	400	90	6	-
Female.....	286	390	564	659	1,042	1,420	1,530	1,189	652	255	22	-
Non-Hispanic white, both sexes.....	572	904	1,247	1,620	2,434	3,149	3,072	2,125	980	324	23	-
Male.....	342	563	772	1,045	1,515	1,865	1,675	1,018	374	84	6	-
Female.....	230	341	475	575	919	1,284	1,397	1,107	606	240	17	-
Non-Hispanic black, both sexes.....	109	111	151	169	220	216	188	115	67	16	5	-
Male.....	66	75	75	99	119	108	79	46	23	5	-	-
Female.....	43	36	76	70	101	108	109	69	44	11	5	-
Origin not stated 2/, both sexes.....	4	4	2	4	6	5	3	6	1	1	-	-
Male.....	4	3	2	3	3	3	3	4	1	1	-	-
Female.....	-	1	-	1	3	2	-	2	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Multiple myeloma and immunoproliferative neoplasms (C88,C90)

All origins, both sexes.....	473	698	961	1,280	1,749	2,127	1,870	1,165	464	78	4	-
Male.....	287	415	580	725	929	1,052	889	520	174	33	1	-
Female.....	186	283	381	555	820	1,075	981	645	290	45	3	-
Hispanic, both sexes.....	38	53	56	69	85	96	57	36	10	2	-	-
Male.....	23	30	27	36	36	45	22	16	2	1	-	-
Female.....	15	23	29	33	49	51	35	20	8	1	-	-
Mexican, both sexes.....	21	32	30	40	41	53	34	16	3	1	-	-
Male.....	13	15	14	25	20	25	15	10	-	-	-	-
Female.....	8	17	16	15	21	28	19	6	3	1	-	-
Puerto Rican, both sexes.....	8	6	12	12	13	9	6	4	2	-	-	-
Male.....	6	3	6	6	3	4	1	2	1	-	-	-
Female.....	2	3	6	6	10	5	5	2	1	-	-	-
Cuban, both sexes.....	2	2	4	5	6	9	6	7	3	1	-	-
Male.....	2	2	4	1	1	4	1	3	1	1	-	-
Female.....	-	-	-	4	5	5	5	4	2	-	-	-
Central and South American, both sexes.....	2	-	2	6	9	10	2	3	1	-	-	-
Male.....	2	-	-	2	2	6	-	-	-	-	-	-
Female.....	-	-	2	4	7	4	2	3	1	-	-	-
Other and Unknown Hispanic, both sexes.....	5	13	8	6	16	15	9	6	1	-	-	-
Male.....	-	10	3	2	10	6	5	1	-	-	-	-
Female.....	5	3	5	4	6	9	4	5	1	-	-	-
Non-Hispanic 1/, both sexes.....	434	643	904	1,207	1,660	2,024	1,810	1,125	454	76	4	-
Male.....	263	384	552	688	893	1,002	866	502	172	32	1	-
Female.....	171	259	352	519	767	1,022	944	623	282	44	3	-
Non-Hispanic white, both sexes.....	294	477	704	945	1,347	1,686	1,554	978	399	62	1	-
Male.....	180	290	440	555	756	867	756	444	155	30	-	-
Female.....	114	187	264	390	591	819	798	534	244	32	1	-
Non-Hispanic black, both sexes.....	127	147	179	242	281	303	233	135	52	14	2	-
Male.....	75	86	102	119	120	123	99	53	15	2	-	-
Female.....	52	61	77	123	161	180	134	82	37	12	2	-
Origin not stated 2/, both sexes.....	1	2	1	4	4	7	3	4	-	-	-	-
Male.....	1	1	1	1	-	5	1	2	-	-	-	-
Female.....	-	1	-	3	4	2	2	2	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All origins, both sexes.....	3,377	4,446	5,374	6,299	7,978	9,798	9,082	6,421	3,159	847	129	5
Male.....	1,869	2,525	3,048	3,544	4,256	5,042	4,279	2,648	1,055	242	28	3
Female.....	1,508	1,921	2,326	2,755	3,722	4,756	4,803	3,773	2,104	605	101	2
Hispanic, both sexes.....	220	226	268	310	407	386	315	187	107	28	4	1
Male.....	115	124	150	169	216	194	138	74	42	8	2	-
Female.....	105	102	118	141	191	192	177	113	65	20	2	1
Mexican, both sexes.....	114	120	141	187	226	231	167	91	54	16	1	-
Male.....	55	66	72	98	124	120	70	39	22	5	1	-
Female.....	59	54	69	89	102	111	97	52	32	11	-	-
Puerto Rican, both sexes.....	33	38	35	32	43	37	36	20	15	4	1	1
Male.....	19	22	21	22	19	19	15	7	7	3	-	-
Female.....	14	16	14	10	24	18	21	13	8	1	1	1
Cuban, both sexes.....	15	18	24	35	49	40	30	28	16	4	1	-
Male.....	8	13	17	23	25	22	14	13	3	-	-	-
Female.....	7	5	7	12	24	18	16	15	13	4	1	-
Central and South American, both sexes.....	18	16	22	16	26	25	21	13	6	2	-	-
Male.....	11	6	13	8	13	8	11	3	3	-	-	-
Female.....	7	10	9	8	13	17	10	10	3	2	-	-
Other and Unknown Hispanic, both sexes.....	40	34	46	40	63	53	61	35	16	2	1	-
Male.....	22	17	27	18	35	25	28	12	7	-	1	-
Female.....	18	17	19	22	28	28	33	23	9	2	-	-
Non-Hispanic 1/, both sexes.....	3,143	4,200	5,089	5,974	7,555	9,396	8,754	6,215	3,047	819	125	4
Male.....	1,746	2,390	2,885	3,364	4,032	4,842	4,134	2,568	1,011	234	26	3
Female.....	1,397	1,810	2,204	2,610	3,523	4,554	4,620	3,647	2,036	585	99	1
Non-Hispanic white, both sexes.....	2,480	3,448	4,295	5,101	6,611	8,403	7,965	5,734	2,786	735	111	4
Male.....	1,393	1,965	2,454	2,889	3,551	4,367	3,802	2,388	927	207	22	3
Female.....	1,087	1,483	1,841	2,212	3,060	4,036	4,163	3,346	1,859	528	89	1
Non-Hispanic black, both sexes.....	563	642	674	728	770	811	647	402	217	66	9	-
Male.....	303	376	367	396	390	383	275	142	66	16	1	-
Female.....	260	266	307	332	380	428	372	260	151	50	8	-
Origin not stated 2/, both sexes.....	14	20	17	15	16	16	13	19	5	-	-	-
Male.....	8	11	13	11	8	6	7	6	2	-	-	-
Female.....	6	9	4	4	8	10	6	13	3	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All origins, both sexes.....	387	506	732	955	1,399	2,123	2,566	2,203	1,215	337	40	-
Male.....	218	279	406	524	810	1,114	1,265	955	411	94	10	-
Female.....	169	227	326	431	589	1,009	1,301	1,248	804	243	30	-
Hispanic, both sexes.....	19	27	37	49	57	88	97	55	30	8	-	-
Male.....	13	17	22	25	29	43	45	20	10	4	-	-
Female.....	6	10	15	24	28	45	52	35	20	4	-	-
Mexican, both sexes.....	10	13	20	24	28	42	44	31	17	5	-	-
Male.....	7	8	10	12	11	22	23	12	6	2	-	-
Female.....	3	5	10	12	17	20	21	19	11	3	-	-
Puerto Rican, both sexes.....	1	2	5	4	8	7	12	3	1	-	-	-
Male.....	-	2	3	2	2	4	8	1	-	-	-	-
Female.....	1	-	2	2	6	3	4	2	1	-	-	-
Cuban, both sexes.....	-	2	2	7	12	21	20	9	4	1	-	-
Male.....	-	1	1	3	10	9	5	3	-	-	-	-
Female.....	-	1	1	4	2	12	15	6	4	1	-	-
Central and South American, both sexes.....	2	4	3	3	4	3	2	2	1	-	-	-
Male.....	2	2	2	3	2	1	1	-	1	-	-	-
Female.....	-	2	1	-	2	2	1	2	-	-	-	-
Other and Unknown Hispanic, both sexes.....	6	6	7	11	5	15	19	10	7	2	-	-
Male.....	4	4	6	5	4	7	8	4	3	2	-	-
Female.....	2	2	1	6	1	8	11	6	4	-	-	-
Non-Hispanic 1/, both sexes.....	368	479	691	904	1,337	2,032	2,467	2,144	1,185	329	40	-
Male.....	205	262	383	498	777	1,068	1,218	933	401	90	10	-
Female.....	163	217	308	406	560	964	1,249	1,211	784	239	30	-
Non-Hispanic white, both sexes.....	299	397	598	770	1,200	1,870	2,277	2,006	1,098	303	30	-
Male.....	169	213	331	438	704	994	1,131	883	370	82	8	-
Female.....	130	184	267	332	496	876	1,146	1,123	728	221	22	-
Non-Hispanic black, both sexes.....	59	66	77	107	115	129	155	98	70	22	8	-
Male.....	29	39	43	50	64	57	70	34	23	6	1	-
Female.....	30	27	34	57	51	72	85	64	47	16	7	-
Origin not stated 2/, both sexes.....	-	-	4	2	5	3	2	4	-	-	-	-
Male.....	-	-	1	1	4	3	2	-	-	-	-	-
Female.....	-	-	3	1	1	-	-	2	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Anemias (D50-D64)												
All origins, both sexes.....	104	121	155	184	300	447	689	784	721	342	72	-
Male.....	48	67	89	104	147	203	274	270	196	75	8	-
Female.....	56	54	66	80	153	244	415	514	525	267	64	-
Hispanic, both sexes.....	5	12	6	12	13	18	30	23	22	9	2	-
Male.....	1	8	3	6	6	8	11	12	4	3	1	-
Female.....	4	4	3	6	7	10	19	11	18	6	1	-
Mexican, both sexes.....	3	5	5	5	6	9	19	16	7	7	1	-
Male.....	1	3	3	4	2	5	6	8	-	3	-	-
Female.....	2	2	2	1	4	4	13	8	7	4	1	-
Puerto Rican, both sexes.....	-	3	-	3	2	1	4	1	5	-	-	-
Male.....	-	2	-	1	1	1	2	1	2	-	-	-
Female.....	-	1	-	2	1	-	2	-	3	-	-	-
Cuban, both sexes.....	-	-	-	1	1	7	3	5	4	1	1	-
Male.....	-	-	-	-	-	2	2	3	1	-	1	-
Female.....	-	-	-	1	1	5	1	2	3	1	-	-
Central and South American, both sexes.....	1	-	-	-	1	-	2	-	1	1	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	1	1	-	-
Other and Unknown Hispanic, both sexes.....	1	4	1	3	3	1	2	1	5	-	-	-
Male.....	-	3	-	1	2	-	-	-	1	-	-	-
Female.....	1	1	1	2	1	1	2	1	4	-	-	-
Non-Hispanic 1/, both sexes.....	98	109	149	172	285	428	659	760	698	333	70	-
Male.....	46	59	86	98	141	195	263	258	192	72	7	-
Female.....	52	50	63	74	144	233	396	502	506	261	63	-
Non-Hispanic white, both sexes.....	40	44	91	124	224	361	578	694	616	297	63	-
Male.....	21	24	50	73	105	167	238	237	170	61	7	-
Female.....	19	20	41	51	119	194	340	457	446	236	56	-
Non-Hispanic black, both sexes.....	57	64	52	40	54	63	76	59	75	30	5	-
Male.....	25	35	32	22	33	28	25	19	19	9	-	-
Female.....	32	29	20	18	21	35	51	40	56	21	5	-
Origin not stated 2/, both sexes.....	1	-	-	-	2	1	-	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	1	-	1	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
All origins, both sexes.....	3,413	4,806	5,925	7,310	9,346	11,574	11,725	8,758	4,572	1,424	210	3
Male.....	1,987	2,715	3,329	3,929	4,758	5,547	5,132	3,260	1,318	306	39	3
Female.....	1,426	2,091	2,596	3,381	4,588	6,027	6,593	5,498	3,254	1,118	171	-
Hispanic, both sexes.....	374	492	629	719	892	945	798	471	267	83	5	1
Male.....	218	264	354	359	434	419	356	167	84	24	2	1
Female.....	156	228	275	360	458	526	442	304	183	59	3	-
Mexican, both sexes.....	228	313	419	457	582	610	501	274	141	47	3	1
Male.....	130	156	232	226	277	271	234	100	45	13	2	1
Female.....	98	157	187	231	305	339	267	174	96	34	1	-
Puerto Rican, both sexes.....	62	90	82	104	107	133	73	68	37	10	1	-
Male.....	34	54	43	56	50	63	34	15	13	3	-	-
Female.....	28	36	39	48	57	70	39	53	24	7	1	-
Cuban, both sexes.....	21	18	27	38	66	73	78	65	41	9	1	-
Male.....	16	9	15	20	37	38	33	27	14	4	-	-
Female.....	5	9	12	18	29	35	45	38	27	5	1	-
Central and South American, both sexes.....	13	12	23	21	25	22	26	13	6	4	-	-
Male.....	11	7	16	12	16	6	5	2	2	1	-	-
Female.....	2	5	7	9	9	16	21	11	4	3	-	-
Other and Unknown Hispanic, both sexes.....	50	59	78	99	112	107	120	51	42	13	-	-
Male.....	27	38	48	45	54	41	50	23	10	3	-	-
Female.....	23	21	30	54	58	66	70	28	32	10	-	-
Non-Hispanic 1/, both sexes.....	3,026	4,301	5,282	6,575	8,439	10,600	10,898	8,270	4,294	1,338	203	2
Male.....	1,764	2,442	2,966	3,560	4,316	5,112	4,763	3,086	1,230	282	37	2
Female.....	1,262	1,859	2,316	3,015	4,123	5,488	6,135	5,184	3,064	1,056	166	-
Non-Hispanic white, both sexes.....	2,044	3,064	3,809	4,843	6,473	8,535	9,066	7,035	3,654	1,124	155	2
Male.....	1,254	1,822	2,219	2,741	3,465	4,303	4,114	2,720	1,071	252	33	2
Female.....	790	1,242	1,590	2,102	3,008	4,232	4,952	4,315	2,583	872	122	-
Non-Hispanic black, both sexes.....	853	1,092	1,255	1,484	1,661	1,743	1,522	1,024	537	183	45	-
Male.....	431	545	624	691	701	667	521	285	119	22	3	-
Female.....	422	547	631	793	960	1,076	1,001	739	418	161	42	-
Origin not stated 2/, both sexes.....	13	13	14	16	15	29	29	17	11	3	2	-
Male.....	5	9	9	10	8	16	13	7	4	-	-	-
Female.....	8	4	5	6	7	13	16	10	7	3	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Nutritional deficiencies (E40-E64)

All origins, both sexes.....	61	77	91	125	215	428	564	727	570	301	74	-
Male.....	29	38	41	63	103	175	225	243	139	49	11	-
Female.....	32	39	50	62	112	253	339	484	431	252	63	-
Hispanic, both sexes.....	1	4	3	3	16	17	19	24	15	13	3	-
Male.....	1	4	2	2	8	6	7	10	4	3	1	-
Female.....	-	-	1	1	8	11	12	14	11	10	2	-
Mexican, both sexes.....	1	1	1	1	10	11	14	19	8	10	3	-
Male.....	1	1	1	1	5	4	5	8	1	3	1	-
Female.....	-	-	-	-	5	7	9	11	7	7	2	-
Puerto Rican, both sexes.....	-	2	2	1	3	2	1	-	3	2	-	-
Male.....	-	2	2	1	2	1	1	-	1	-	-	-
Female.....	-	-	-	-	1	1	-	-	2	2	-	-
Cuban, both sexes.....	-	-	-	-	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Central and South American, both sexes.....	-	-	-	1	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	1	-	-	2	2	3	4	4	1	-	-
Male.....	-	1	-	-	-	1	1	2	2	-	-	-
Female.....	-	-	-	-	2	1	2	2	2	1	-	-
Non-Hispanic 1/, both sexes.....	59	73	88	121	199	410	542	701	555	288	71	-
Male.....	27	34	39	60	95	169	216	233	135	46	10	-
Female.....	32	39	49	61	104	241	326	468	420	242	61	-
Non-Hispanic white, both sexes.....	37	56	66	97	160	351	460	621	483	245	52	-
Male.....	18	22	28	50	71	138	179	208	116	39	6	-
Female.....	19	34	38	47	89	213	281	413	367	206	46	-
Non-Hispanic black, both sexes.....	20	17	20	19	35	53	74	72	66	35	15	-
Male.....	9	12	10	9	22	30	32	22	16	5	3	-
Female.....	11	5	10	10	13	23	42	50	50	30	12	-
Origin not stated 2/, both sexes.....	1	-	-	1	-	1	3	2	-	-	-	-
Male.....	1	-	-	1	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	2	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malnutrition (E40-E46)												
All origins, both sexes.....	58	74	86	118	202	413	539	684	537	284	68	-
Male.....	28	37	38	59	96	166	213	222	130	46	10	-
Female.....	30	37	48	59	106	247	326	462	407	238	58	-
Hispanic, both sexes.....	1	4	3	3	16	14	16	21	14	12	3	-
Male.....	1	4	2	2	8	5	5	8	4	3	1	-
Female.....	-	-	1	1	8	9	11	13	10	9	2	-
Mexican, both sexes.....	1	1	1	1	10	9	13	16	7	9	3	-
Male.....	1	1	-	1	5	4	4	6	1	3	1	-
Female.....	-	-	1	-	5	5	9	10	6	6	2	-
Puerto Rican, both sexes.....	-	2	2	1	3	2	1	-	3	2	-	-
Male.....	-	2	2	1	2	1	1	-	1	-	-	-
Female.....	-	-	-	-	1	1	-	-	2	2	-	-
Cuban, both sexes.....	-	-	-	-	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Central and South American, both sexes.....	-	-	-	1	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	1	-	-	2	1	1	4	4	1	-	-
Male.....	-	1	-	-	-	-	-	2	2	-	-	-
Female.....	-	-	-	-	2	1	1	2	2	1	-	-
Non-Hispanic 1/, both sexes.....	56	70	83	114	186	398	520	662	523	272	65	-
Male.....	26	33	36	56	88	161	206	214	126	43	9	-
Female.....	30	37	47	58	98	237	314	448	397	229	56	-
Non-Hispanic white, both sexes.....	34	53	62	90	149	340	439	582	455	231	47	-
Male.....	17	21	26	46	65	131	170	189	108	37	6	-
Female.....	17	32	36	44	84	209	269	393	347	194	41	-
Non-Hispanic black, both sexes.....	20	17	19	19	33	52	73	72	62	33	15	-
Male.....	9	12	9	9	21	29	31	22	15	4	3	-
Female.....	11	5	10	10	12	23	42	50	47	29	12	-
Origin not stated 2/, both sexes.....	1	-	-	1	-	1	3	1	-	-	-	-
Male.....	1	-	-	1	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Other nutritional deficiencies (E50-E64)	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All origins, both sexes.....	3	3	5	7	13	15	25	43	33	17	6	-
Male.....	1	1	3	4	7	9	12	21	9	3	1	-
Female.....	2	2	2	3	6	6	13	22	24	14	5	-
Hispanic, both sexes.....	-	-	-	-	-	3	3	3	1	1	-	-
Male.....	-	-	-	-	-	1	2	2	-	-	-	-
Female.....	-	-	-	-	-	2	1	1	1	1	-	-
Mexican, both sexes.....	-	-	-	-	-	2	1	3	1	1	-	-
Male.....	-	-	-	-	-	-	1	2	-	-	-	-
Female.....	-	-	-	-	-	2	-	1	1	1	-	-
Puerto Rican, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	-	-	-	-	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	3	3	5	7	13	12	22	39	32	16	6	-
Male.....	1	1	3	4	7	8	10	19	9	3	1	-
Female.....	2	2	2	3	6	4	12	20	23	13	5	-
Non-Hispanic white, both sexes.....	3	3	4	7	11	11	21	39	28	14	5	-
Male.....	1	1	2	4	6	7	9	19	8	2	-	-
Female.....	2	2	2	3	5	4	12	20	20	12	5	-
Non-Hispanic black, both sexes.....	-	-	1	-	2	1	1	-	4	2	-	-
Male.....	-	-	1	-	1	1	1	-	1	1	-	-
Female.....	-	-	-	-	1	-	-	-	3	1	-	-
Origin not stated 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Parkinson's disease (G20-G21)												
All origins, both sexes.....	46	112	240	624	1,706	3,671	5,052	4,157	1,900	425	31	-
Male.....	23	65	154	402	1,115	2,300	2,891	2,210	846	143	14	-
Female.....	23	47	86	222	591	1,371	2,161	1,947	1,054	282	17	-
Hispanic, both sexes.....	1	7	8	25	71	112	146	92	44	14	-	-
Male.....	-	4	5	20	47	64	88	58	20	6	-	-
Female.....	1	3	3	5	24	48	58	34	24	8	-	-
Mexican, both sexes.....	-	4	5	15	34	58	78	43	14	5	-	-
Male.....	-	2	2	11	20	34	45	32	6	4	-	-
Female.....	-	2	3	4	14	24	33	11	8	1	-	-
Puerto Rican, both sexes.....	1	1	1	2	11	7	11	6	7	-	-	-
Male.....	-	1	1	2	8	4	7	5	4	-	-	-
Female.....	1	-	-	-	3	3	4	1	3	-	-	-
Cuban, both sexes.....	-	-	2	4	10	18	22	21	13	5	-	-
Male.....	-	-	2	4	8	9	14	13	6	-	-	-
Female.....	-	-	-	-	2	9	8	8	7	5	-	-
Central and South American, both sexes.....	-	-	-	1	5	6	6	3	1	-	-	-
Male.....	-	-	-	-	3	4	4	2	-	-	-	-
Female.....	-	-	-	1	2	2	2	1	1	-	-	-
Other and Unknown Hispanic, both sexes.....	-	2	-	3	11	23	29	19	9	4	-	-
Male.....	-	1	-	3	8	13	18	6	4	2	-	-
Female.....	-	1	-	-	3	10	11	13	5	2	-	-
Non-Hispanic 1/, both sexes.....	45	105	231	598	1,634	3,550	4,894	4,062	1,851	411	31	-
Male.....	23	61	148	381	1,067	2,230	2,795	2,151	824	137	14	-
Female.....	22	44	83	217	567	1,320	2,099	1,911	1,027	274	17	-
Non-Hispanic white, both sexes.....	36	91	201	540	1,521	3,352	4,668	3,869	1,775	391	26	-
Male.....	19	53	127	347	996	2,110	2,674	2,038	785	127	12	-
Female.....	17	38	74	193	525	1,242	1,994	1,831	990	264	14	-
Non-Hispanic black, both sexes.....	7	11	22	39	81	134	148	112	53	11	4	-
Male.....	3	7	14	22	51	81	77	62	25	5	1	-
Female.....	4	4	8	17	30	53	71	50	28	6	3	-
Origin not stated 2/, both sexes.....	-	-	1	1	1	9	12	3	5	-	-	-
Male.....	-	-	1	1	1	6	8	1	2	-	-	-
Female.....	-	-	-	-	-	3	4	2	3	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alzheimer's disease (G30)												
All origins, both sexes.....	57	152	402	979	2,857	7,348	13,809	17,368	13,774	5,704	975	-
Male.....	25	76	167	456	1,228	2,855	4,751	4,916	2,933	824	91	-
Female.....	32	76	235	523	1,629	4,493	9,058	12,452	10,841	4,880	884	-
Hispanic, both sexes.....	10	5	22	44	135	268	396	402	364	155	31	-
Male.....	4	3	8	18	57	114	150	123	102	48	4	-
Female.....	6	2	14	26	78	154	246	279	262	107	27	-
Mexican, both sexes.....	8	2	9	17	69	140	176	192	160	62	8	-
Male.....	4	1	4	6	30	55	65	58	53	24	1	-
Female.....	4	1	5	11	39	85	111	134	107	38	7	-
Puerto Rican, both sexes.....	2	2	10	14	16	26	55	46	30	13	7	-
Male.....	-	1	2	8	7	9	19	11	8	3	2	-
Female.....	2	1	8	6	9	17	36	35	22	10	5	-
Cuban, both sexes.....	-	1	2	8	22	66	83	83	96	49	6	-
Male.....	-	1	1	3	11	34	31	33	22	14	-	-
Female.....	-	-	1	5	11	32	52	50	74	35	6	-
Central and South American, both sexes.....	-	-	-	3	10	9	24	17	21	6	3	-
Male.....	-	-	-	1	2	6	10	3	5	1	1	-
Female.....	-	-	-	2	8	3	14	14	16	5	2	-
Other and Unknown Hispanic, both sexes.....	-	-	1	2	18	27	58	64	57	25	7	-
Male.....	-	-	1	-	7	10	25	18	14	6	-	-
Female.....	-	-	-	2	11	17	33	46	43	19	7	-
Non-Hispanic 1/, both sexes.....	47	146	379	932	2,715	7,069	13,390	16,934	13,389	5,533	943	-
Male.....	21	72	159	436	1,167	2,740	4,592	4,781	2,827	773	87	-
Female.....	26	74	220	496	1,548	4,329	8,798	12,153	10,562	4,760	856	-
Non-Hispanic white, both sexes.....	45	136	353	815	2,454	6,469	12,468	15,885	12,589	5,184	843	-
Male.....	20	68	144	385	1,058	2,523	4,273	4,510	2,651	708	77	-
Female.....	25	68	209	430	1,396	3,946	8,195	11,375	9,938	4,476	766	-
Non-Hispanic black, both sexes.....	2	8	21	100	226	535	812	900	694	304	89	-
Male.....	1	3	14	45	97	203	278	233	147	49	8	-
Female.....	1	5	7	55	129	332	534	667	547	255	81	-
Origin not stated 2/, both sexes.....	-	1	1	3	7	11	23	32	21	16	1	-
Male.....	-	1	-	2	4	1	9	12	4	3	-	-
Female.....	-	-	1	1	3	10	14	20	17	13	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Major cardiovascular diseases (I00-I78)

All origins, both sexes.....	27,188	35,465	44,032	55,941	81,279	121,274	158,084	160,879	117,184	47,760	10,626	38
Male.....	19,045	24,105	28,699	34,660	46,852	63,584	72,284	60,672	33,792	9,930	1,509	29
Female.....	8,143	11,360	15,333	21,281	34,427	57,690	85,800	100,207	83,392	37,830	9,117	9
Hispanic, both sexes.....	1,562	2,006	2,425	3,123	4,146	5,299	5,484	4,722	3,494	1,393	380	6
Male.....	1,125	1,363	1,565	1,873	2,351	2,703	2,533	1,778	1,057	379	86	5
Female.....	437	643	860	1,250	1,795	2,596	2,951	2,944	2,437	1,014	294	1
Mexican, both sexes.....	914	1,158	1,320	1,738	2,251	2,885	2,873	2,234	1,584	645	193	4
Male.....	653	795	857	1,045	1,280	1,503	1,404	886	540	193	49	4
Female.....	261	363	463	693	971	1,382	1,469	1,348	1,044	452	144	-
Puerto Rican, both sexes.....	221	314	411	520	620	711	657	587	394	149	41	-
Male.....	154	213	260	312	335	332	285	223	112	34	6	-
Female.....	67	101	151	208	285	379	372	364	282	115	35	-
Cuban, both sexes.....	105	123	204	294	472	716	911	940	739	292	56	-
Male.....	85	89	150	181	300	397	418	351	210	67	8	-
Female.....	20	34	54	113	172	319	493	589	529	225	48	-
Central and South American, both sexes.....	90	116	121	150	212	220	214	185	153	60	13	-
Male.....	64	80	67	85	123	94	86	65	34	14	-	-
Female.....	26	36	54	65	89	126	128	120	119	46	13	-
Other and Unknown Hispanic, both sexes.....	232	295	369	421	591	767	829	776	624	247	77	2
Male.....	169	186	231	250	313	377	340	253	161	71	23	1
Female.....	63	109	138	171	278	390	489	523	463	176	54	1
Non-Hispanic 1/, both sexes.....	25,523	33,303	41,420	52,638	76,862	115,670	152,234	155,846	113,451	46,262	10,227	21
Male.....	17,846	22,621	26,993	32,665	44,336	60,707	69,569	58,775	32,665	9,528	1,419	15
Female.....	7,677	10,682	14,427	19,973	32,526	54,963	82,665	97,071	80,786	36,734	8,808	6
Non-Hispanic white, both sexes.....	18,236	25,325	32,123	41,865	63,871	100,168	136,086	142,319	104,121	42,305	8,843	17
Male.....	13,279	17,721	21,540	26,670	37,584	53,459	62,795	54,176	30,141	8,642	1,197	11
Female.....	4,957	7,604	10,583	15,195	26,287	46,709	73,291	88,143	73,980	33,663	7,646	6
Non-Hispanic black, both sexes.....	6,553	7,059	8,115	9,269	11,113	13,078	13,285	11,026	7,680	3,369	1,201	2
Male.....	4,053	4,293	4,713	5,104	5,705	6,037	5,398	3,513	1,869	668	169	2
Female.....	2,500	2,766	3,402	4,165	5,408	7,041	7,887	7,513	5,811	2,701	1,032	-
Origin not stated 2/, both sexes.....	103	156	187	180	271	305	366	311	239	105	19	11
Male.....	74	121	141	122	165	174	182	119	70	23	4	9
Female.....	29	35	46	58	106	131	184	192	169	82	15	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of heart (I00-I09,I11,I13,I20-I51)												
All origins, both sexes.....	22,212	29,217	35,843	44,470	62,793	90,796	116,535	118,106	86,773	35,782	8,135	35
Male.....	16,140	20,538	23,984	28,270	37,298	49,241	55,405	46,400	25,955	7,662	1,210	27
Female.....	6,072	8,679	11,859	16,200	25,495	41,555	61,130	71,706	60,818	28,120	6,925	8
Hispanic, both sexes.....	1,170	1,541	1,913	2,410	3,225	3,966	4,111	3,522	2,686	1,067	314	6
Male.....	883	1,091	1,243	1,501	1,886	2,074	1,951	1,331	832	281	73	5
Female.....	287	450	670	909	1,339	1,892	2,160	2,191	1,854	786	241	1
Mexican, both sexes.....	676	877	1,016	1,306	1,697	2,111	2,102	1,598	1,182	486	157	4
Male.....	504	620	664	821	1,009	1,128	1,061	642	413	139	41	4
Female.....	172	257	352	485	688	983	1,041	956	769	347	116	-
Puerto Rican, both sexes.....	156	255	337	427	510	561	506	467	322	117	35	-
Male.....	114	179	214	260	280	266	222	173	86	27	5	-
Female.....	42	76	123	167	230	295	284	294	236	90	30	-
Cuban, both sexes.....	91	101	181	238	381	570	741	775	621	243	48	-
Male.....	76	76	133	147	245	321	340	294	186	53	7	-
Female.....	15	25	48	91	136	249	401	481	435	190	41	-
Central and South American, both sexes.....	69	85	95	112	159	154	163	128	113	39	12	-
Male.....	54	64	51	65	92	66	70	44	30	9	-	-
Female.....	15	21	44	47	67	88	93	84	83	30	12	-
Other and Unknown Hispanic, both sexes.....	178	223	284	327	478	570	599	554	448	182	62	2
Male.....	135	152	181	208	260	293	258	178	117	53	20	1
Female.....	43	71	103	119	218	277	341	376	331	129	42	1
Non-Hispanic 1/, both sexes.....	20,959	27,536	33,769	41,905	59,356	86,578	112,135	114,347	83,906	34,635	7,806	20
Male.....	15,192	19,333	22,624	26,666	35,277	47,021	53,300	44,969	25,064	7,362	1,133	14
Female.....	5,767	8,203	11,145	15,239	24,079	39,557	58,835	69,378	58,842	27,273	6,673	6
Non-Hispanic white, both sexes.....	15,436	21,427	26,664	33,729	49,750	75,414	100,621	104,708	77,242	31,761	6,778	16
Male.....	11,621	15,485	18,386	21,997	30,151	41,666	48,319	41,591	23,226	6,715	950	10
Female.....	3,815	5,942	8,278	11,732	19,599	33,748	52,302	63,117	54,016	25,046	5,828	6
Non-Hispanic black, both sexes.....	4,983	5,440	6,224	7,093	8,316	9,512	9,534	7,888	5,490	2,466	890	2
Male.....	3,163	3,382	3,658	3,999	4,378	4,503	3,985	2,587	1,374	497	139	2
Female.....	1,820	2,058	2,566	3,094	3,938	5,009	5,549	5,301	4,116	1,969	751	-
Origin not stated 2/, both sexes.....	83	140	161	155	212	252	289	237	181	80	15	9
Male.....	65	114	117	103	135	146	154	100	59	19	4	8
Female.....	18	26	44	52	77	106	135	137	122	61	11	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

All origins, both sexes.....	117	151	216	295	398	603	630	557	291	93	23	-
Male.....	39	62	84	105	136	199	185	160	62	10	2	-
Female.....	78	89	132	190	262	404	445	397	229	83	21	-
Hispanic, both sexes.....	11	10	11	23	17	23	20	13	3	-	-	-
Male.....	3	5	3	9	4	8	3	5	-	-	-	-
Female.....	8	5	8	14	13	15	17	8	3	-	-	-
Mexican, both sexes.....	8	4	9	15	13	13	12	5	2	-	-	-
Male.....	1	2	3	4	4	5	1	1	-	-	-	-
Female.....	7	2	6	11	9	8	11	4	2	-	-	-
Puerto Rican, both sexes.....	2	4	-	2	2	3	2	1	-	-	-	-
Male.....	2	2	-	2	-	1	2	1	-	-	-	-
Female.....	-	2	-	-	2	2	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	2	-	2	1	1	-	-	-	-
Male.....	-	-	-	1	-	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	-	-	-	-
Central and South American, both sexes.....	-	1	1	-	-	-	2	3	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	1	1	-	-	-	2	2	-	-	-	-
Other and Unknown Hispanic, both sexes.....	1	1	1	4	2	5	3	3	1	-	-	-
Male.....	-	1	-	2	-	1	-	1	-	-	-	-
Female.....	1	-	1	2	2	4	3	2	1	-	-	-
Non-Hispanic 1/, both sexes.....	106	140	204	272	381	580	610	543	287	93	22	-
Male.....	36	56	81	96	132	191	182	155	62	10	2	-
Female.....	70	84	123	176	249	389	428	388	225	83	20	-
Non-Hispanic white, both sexes.....	67	98	156	236	335	545	584	520	280	89	21	-
Male.....	24	37	61	82	121	185	179	149	60	10	2	-
Female.....	43	61	95	154	214	360	405	371	220	79	19	-
Non-Hispanic black, both sexes.....	31	34	38	30	36	23	17	16	4	3	1	-
Male.....	11	17	16	13	8	6	2	4	2	-	-	-
Female.....	20	17	22	17	28	17	15	12	2	3	1	-
Origin not stated 2/, both sexes.....	-	1	1	-	-	-	-	1	1	-	1	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	1	-	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart disease (I11)												
All origins, both sexes.....	1,784	1,852	1,799	1,892	2,153	2,945	3,620	3,976	3,285	1,590	338	-
Male.....	1,195	1,222	1,086	1,141	1,123	1,326	1,301	1,143	669	206	36	-
Female.....	589	630	713	751	1,030	1,619	2,319	2,833	2,616	1,384	302	-
Hispanic, both sexes.....	109	119	128	135	145	169	178	156	119	58	13	-
Male.....	79	84	84	79	88	85	81	52	32	9	1	-
Female.....	30	35	44	56	57	84	97	104	87	49	12	-
Mexican, both sexes.....	67	60	57	73	80	84	89	72	67	29	9	-
Male.....	50	40	40	44	46	47	44	27	20	6	1	-
Female.....	17	20	17	29	34	37	45	45	47	23	8	-
Puerto Rican, both sexes.....	12	18	26	23	19	30	25	20	15	9	1	-
Male.....	8	12	15	16	10	12	10	7	5	-	-	-
Female.....	4	6	11	7	9	18	15	13	10	9	1	-
Cuban, both sexes.....	10	10	16	13	20	15	21	27	14	8	1	-
Male.....	7	8	10	7	13	8	9	10	3	1	-	-
Female.....	3	2	6	6	7	7	12	17	11	7	1	-
Central and South American, both sexes.....	6	11	7	10	10	9	10	2	3	2	-	-
Male.....	5	9	1	4	6	4	3	-	1	1	-	-
Female.....	1	2	6	6	4	5	7	2	2	1	-	-
Other and Unknown Hispanic, both sexes.....	14	20	22	16	16	31	33	35	20	10	2	-
Male.....	9	15	18	8	13	14	15	8	3	1	-	-
Female.....	5	5	4	8	3	17	18	27	17	9	2	-
Non-Hispanic 1/, both sexes.....	1,667	1,720	1,658	1,746	1,995	2,770	3,429	3,808	3,156	1,527	325	-
Male.....	1,109	1,127	994	1,055	1,027	1,237	1,215	1,087	636	197	35	-
Female.....	558	593	664	691	968	1,533	2,214	2,721	2,520	1,330	290	-
Non-Hispanic white, both sexes.....	933	1,030	1,057	1,097	1,368	2,025	2,798	3,203	2,735	1,339	257	-
Male.....	681	718	665	682	707	915	993	906	527	167	29	-
Female.....	252	312	392	415	661	1,110	1,805	2,297	2,208	1,172	228	-
Non-Hispanic black, both sexes.....	703	651	559	594	576	665	568	528	365	169	64	-
Male.....	406	384	303	346	300	283	199	149	93	26	6	-
Female.....	297	267	256	248	276	382	369	379	272	143	58	-
Origin not stated 2/, both sexes.....	8	13	13	11	13	6	13	12	10	5	-	-
Male.....	7	11	8	7	8	4	5	4	1	-	-	-
Female.....	1	2	5	4	5	2	8	8	9	5	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart and renal disease (I13)												
All origins, both sexes.....	114	136	131	154	247	386	517	560	456	167	26	-
Male.....	67	86	73	75	114	174	208	207	128	45	6	-
Female.....	47	50	58	79	133	212	309	353	328	122	20	-
Hispanic, both sexes.....	4	8	11	10	23	22	16	25	18	6	-	-
Male.....	2	6	5	5	7	10	9	14	6	3	-	-
Female.....	2	2	6	5	16	12	7	11	12	3	-	-
Mexican, both sexes.....	4	6	5	4	17	16	13	12	13	2	-	-
Male.....	2	4	3	2	5	8	8	8	4	1	-	-
Female.....	2	2	2	2	12	8	5	4	9	1	-	-
Puerto Rican, both sexes.....	-	2	2	3	4	1	-	2	1	-	-	-
Male.....	-	2	1	2	1	-	-	1	1	-	-	-
Female.....	-	-	1	1	3	1	-	1	-	-	-	-
Cuban, both sexes.....	-	-	-	2	-	4	1	5	-	1	-	-
Male.....	-	-	-	-	-	1	1	3	-	-	-	-
Female.....	-	-	-	2	-	3	-	2	-	1	-	-
Central and South American, both sexes.....	-	-	-	-	-	-	1	1	1	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	2	-	-
Female.....	-	-	-	-	-	-	1	1	1	-	-	-
Other and Unknown Hispanic, both sexes.....	-	-	4	1	2	1	1	5	3	1	-	-
Male.....	-	-	1	1	1	1	-	2	1	-	-	-
Female.....	-	-	3	-	1	-	1	3	2	1	-	-
Non-Hispanic 1/, both sexes.....	110	128	119	144	224	363	500	535	436	161	26	-
Male.....	65	80	67	70	107	164	198	193	122	42	6	-
Female.....	45	48	52	74	117	199	302	342	314	119	20	-
Non-Hispanic white, both sexes.....	24	39	53	65	131	256	390	418	371	138	17	-
Male.....	16	24	33	38	68	125	163	147	109	36	2	-
Female.....	8	15	20	27	63	131	227	271	262	102	15	-
Non-Hispanic black, both sexes.....	82	84	64	71	83	97	94	99	54	21	7	-
Male.....	46	54	32	27	36	34	32	35	7	4	2	-
Female.....	36	30	32	44	47	63	62	64	47	17	5	-
Origin not stated 2/, both sexes.....	-	-	1	-	-	1	1	-	2	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	2	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
All origins, both sexes.....	15,372	20,907	26,470	32,648	46,232	66,062	83,308	81,998	58,794	23,939	5,433	29
Male.....	11,820	15,342	18,425	21,547	28,452	37,191	41,382	33,563	18,269	5,232	808	22
Female.....	3,552	5,565	8,045	11,101	17,780	28,871	41,926	48,435	40,525	18,707	4,625	7
Hispanic, both sexes.....	835	1,112	1,434	1,823	2,514	3,058	3,174	2,688	1,998	810	235	6
Male.....	671	825	955	1,176	1,504	1,638	1,530	1,028	609	212	57	5
Female.....	164	287	479	647	1,010	1,420	1,644	1,660	1,389	598	178	1
Mexican, both sexes.....	469	642	764	985	1,324	1,618	1,612	1,196	854	362	110	4
Male.....	380	480	507	647	799	879	830	488	300	102	32	4
Female.....	89	162	257	338	525	739	782	708	554	260	78	-
Puerto Rican, both sexes.....	122	183	241	321	416	455	413	378	245	87	30	-
Male.....	91	132	157	195	237	225	177	135	63	20	5	-
Female.....	31	51	84	126	179	230	236	243	182	67	25	-
Cuban, both sexes.....	67	73	140	188	295	459	601	609	502	199	41	-
Male.....	60	60	106	122	197	260	283	235	149	43	4	-
Female.....	7	13	34	66	98	199	318	374	353	156	37	-
Central and South American, both sexes.....	48	55	65	77	119	110	116	93	80	27	8	-
Male.....	39	44	41	47	71	46	55	34	21	3	-	-
Female.....	9	11	24	30	48	64	61	59	59	24	8	-
Other and Unknown Hispanic, both sexes.....	129	159	224	252	360	416	432	412	317	135	46	2
Male.....	101	109	144	165	200	228	185	136	76	44	16	1
Female.....	28	50	80	87	160	188	247	276	241	91	30	1
Non-Hispanic 1/, both sexes.....	14,482	19,689	24,916	30,702	43,554	62,794	79,917	79,135	56,671	23,070	5,185	16
Male.....	11,105	14,429	17,384	20,284	26,840	35,428	39,737	32,456	17,619	5,004	747	11
Female.....	3,377	5,260	7,532	10,418	16,714	27,366	40,180	46,679	39,052	18,066	4,438	5
Non-Hispanic white, both sexes.....	11,227	15,872	20,137	25,159	36,951	54,982	71,835	72,577	52,173	21,155	4,489	13
Male.....	8,864	11,948	14,415	17,041	23,175	31,555	36,097	30,108	16,370	4,564	627	8
Female.....	2,363	3,924	5,722	8,118	13,776	23,427	35,738	42,469	35,803	16,591	3,862	5
Non-Hispanic black, both sexes.....	2,861	3,329	4,110	4,728	5,632	6,598	6,609	5,286	3,680	1,622	602	1
Male.....	1,924	2,121	2,503	2,708	3,076	3,234	2,860	1,764	924	329	89	1
Female.....	937	1,208	1,607	2,020	2,556	3,364	3,749	3,522	2,756	1,293	513	-
Origin not stated 2/, both sexes.....	55	106	120	123	164	210	217	175	125	59	13	7
Male.....	44	88	86	87	108	125	115	79	41	16	4	6
Female.....	11	18	34	36	56	85	102	96	84	43	9	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
All origins, both sexes.....	6,328	8,769	10,998	13,108	17,815	24,265	28,843	27,055	17,795	6,527	1,357	5
Male.....	4,854	6,386	7,586	8,531	10,759	13,324	14,026	10,866	5,704	1,469	217	4
Female.....	1,474	2,383	3,412	4,577	7,056	10,941	14,817	16,189	12,091	5,058	1,140	1
Hispanic, both sexes.....	328	434	495	715	968	1,081	1,107	915	621	237	64	-
Male.....	260	310	325	447	569	549	518	352	200	58	16	-
Female.....	68	124	170	268	399	532	589	563	421	179	48	-
Mexican, both sexes.....	206	279	301	430	562	627	606	427	295	115	36	-
Male.....	163	194	195	277	338	325	298	180	109	30	13	-
Female.....	43	85	106	153	224	302	308	247	186	85	23	-
Puerto Rican, both sexes.....	37	59	72	105	148	139	126	108	64	23	9	-
Male.....	24	44	45	58	78	66	49	37	21	8	1	-
Female.....	13	15	27	47	70	73	77	71	43	15	8	-
Cuban, both sexes.....	22	23	53	70	108	148	207	217	162	62	10	-
Male.....	21	19	42	41	71	79	97	74	40	13	-	-
Female.....	1	4	11	29	37	69	110	143	122	49	10	-
Central and South American, both sexes.....	20	18	19	37	40	41	40	32	26	8	1	-
Male.....	16	13	10	23	20	16	16	11	8	1	-	-
Female.....	4	5	9	14	20	25	24	21	18	7	1	-
Other and Unknown Hispanic, both sexes.....	43	55	50	73	110	126	128	131	74	29	8	-
Male.....	36	40	33	48	62	63	58	50	22	6	2	-
Female.....	7	15	17	25	48	63	70	81	52	23	6	-
Non-Hispanic 1/, both sexes.....	5,985	8,311	10,477	12,357	16,802	23,127	27,679	26,091	17,141	6,276	1,292	3
Male.....	4,582	6,053	7,244	8,063	10,161	12,744	13,472	10,490	5,490	1,408	200	3
Female.....	1,403	2,258	3,233	4,294	6,641	10,383	14,207	15,601	11,651	4,868	1,092	-
Non-Hispanic white, both sexes.....	4,760	6,878	8,746	10,353	14,438	20,382	24,817	23,864	15,719	5,665	1,087	3
Male.....	3,751	5,157	6,195	6,944	8,884	11,406	12,201	9,702	5,065	1,272	160	3
Female.....	1,009	1,721	2,551	3,409	5,554	8,976	12,616	14,162	10,654	4,393	927	-
Non-Hispanic black, both sexes.....	1,068	1,242	1,457	1,702	2,012	2,335	2,336	1,806	1,188	536	180	-
Male.....	701	761	863	925	1,061	1,119	984	592	324	103	34	-
Female.....	367	481	594	777	951	1,216	1,352	1,214	864	433	146	-
Origin not stated 2/, both sexes.....	15	24	26	36	45	57	57	49	33	14	1	2
Male.....	12	23	17	21	29	31	36	24	14	3	1	1
Female.....	3	1	9	15	16	26	21	25	19	11	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other acute ischemic heart diseases (I24)												
All origins, both sexes.....	171	198	205	267	312	389	448	447	337	129	28	1
Male.....	122	137	141	173	188	220	194	159	93	21	9	1
Female.....	49	61	64	94	124	169	254	288	244	108	19	-
Hispanic, both sexes.....	2	2	4	3	7	8	4	5	3	2	-	1
Male.....	1	-	3	2	3	3	1	1	2	-	-	1
Female.....	1	2	1	1	4	5	3	4	1	2	-	-
Mexican, both sexes.....	-	1	3	-	4	3	3	2	-	1	-	1
Male.....	-	-	2	-	2	1	1	1	-	-	-	1
Female.....	-	1	1	-	2	2	2	1	-	1	-	-
Puerto Rican, both sexes.....	1	-	-	1	-	1	-	1	1	1	-	-
Male.....	1	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	1	-	-
Cuban, both sexes.....	-	-	-	-	-	1	1	2	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	1	2	1	-	-	-
Central and South American, both sexes.....	1	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	1	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	1	1	2	2	2	-	-	-	-	-	-
Male.....	-	-	1	1	1	2	-	-	-	-	-	-
Female.....	-	1	-	1	1	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	169	194	201	262	304	381	443	441	334	127	28	-
Male.....	121	135	138	170	184	217	192	158	91	21	9	-
Female.....	48	59	63	92	120	164	251	283	243	106	19	-
Non-Hispanic white, both sexes.....	130	147	157	210	253	324	392	400	304	122	25	-
Male.....	96	101	108	139	157	182	164	143	84	21	6	-
Female.....	34	46	49	71	96	142	228	257	220	101	19	-
Non-Hispanic black, both sexes.....	32	42	39	46	45	51	46	36	26	4	2	-
Male.....	22	32	26	29	24	31	26	14	7	-	2	-
Female.....	10	10	13	17	21	20	20	22	19	4	-	-
Origin not stated 2/, both sexes.....	-	2	-	2	1	-	1	1	-	-	-	-
Male.....	-	2	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Other forms of chronic ischemic heart disease (I20,I25)

All origins, both sexes.....	8,873	11,940	15,267	19,273	28,105	41,408	54,017	54,496	40,662	17,283	4,048	23
Male.....	6,844	8,819	10,698	12,843	17,505	23,647	27,162	22,538	12,472	3,742	582	17
Female.....	2,029	3,121	4,569	6,430	10,600	17,761	26,855	31,958	28,190	13,541	3,466	6
Hispanic, both sexes.....	505	676	935	1,105	1,539	1,969	2,063	1,768	1,374	571	171	5
Male.....	410	515	627	727	932	1,086	1,011	675	407	154	41	4
Female.....	95	161	308	378	607	883	1,052	1,093	967	417	130	1
Mexican, both sexes.....	263	362	460	555	758	988	1,003	767	559	246	74	3
Male.....	217	286	310	370	459	553	531	307	191	72	19	3
Female.....	46	76	150	185	299	435	472	460	368	174	55	-
Puerto Rican, both sexes.....	84	124	169	215	268	315	287	269	180	63	21	-
Male.....	66	88	112	136	159	159	128	98	41	12	4	-
Female.....	18	36	57	79	109	156	159	171	139	51	17	-
Cuban, both sexes.....	45	50	87	118	187	310	393	390	338	137	31	-
Male.....	39	41	64	81	126	181	186	161	108	30	4	-
Female.....	6	9	23	37	61	129	207	229	230	107	27	-
Central and South American, both sexes.....	27	37	46	40	78	68	76	61	54	19	7	-
Male.....	23	31	31	24	51	30	39	23	13	2	-	-
Female.....	4	6	15	16	27	38	37	38	41	17	7	-
Other and Unknown Hispanic, both sexes.....	86	103	173	177	248	288	304	281	243	106	38	2
Male.....	65	69	110	116	137	163	127	86	54	38	14	1
Female.....	21	34	63	61	111	125	177	195	189	68	24	1
Non-Hispanic 1/, both sexes.....	8,328	11,184	14,238	18,083	26,448	39,286	51,795	52,603	39,196	16,667	3,865	13
Male.....	6,402	8,241	10,002	12,051	16,495	22,467	26,073	21,808	12,038	3,575	538	8
Female.....	1,926	2,943	4,236	6,032	9,953	16,819	25,722	30,795	27,158	13,092	3,327	5
Non-Hispanic white, both sexes.....	6,337	8,847	11,234	14,596	22,260	34,276	46,626	48,313	36,150	15,368	3,377	10
Male.....	5,017	6,690	8,112	9,958	14,134	19,967	23,732	20,263	11,221	3,271	461	5
Female.....	1,320	2,157	3,122	4,638	8,126	14,309	22,894	28,050	24,929	12,097	2,916	5
Non-Hispanic black, both sexes.....	1,761	2,045	2,614	2,980	3,575	4,212	4,227	3,444	2,466	1,082	420	1
Male.....	1,201	1,328	1,614	1,754	1,991	2,084	1,850	1,158	593	226	53	1
Female.....	560	717	1,000	1,226	1,584	2,128	2,377	2,286	1,873	856	367	-
Origin not stated 2/, both sexes.....	40	80	94	85	118	153	159	125	92	45	12	5
Male.....	32	63	69	65	78	94	78	55	27	13	3	5
Female.....	8	17	25	20	40	59	81	70	65	32	9	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)												
All origins, both sexes.....	3,533	4,208	4,902	5,194	6,300	8,253	10,086	9,600	7,316	3,135	823	14
Male.....	2,837	3,203	3,491	3,490	3,932	4,543	4,790	3,759	2,106	700	112	12
Female.....	696	1,005	1,411	1,704	2,368	3,710	5,296	5,841	5,210	2,435	711	2
Hispanic, both sexes.....	219	269	345	318	382	417	381	328	237	85	39	3
Male.....	195	223	259	228	252	245	197	143	80	25	10	2
Female.....	24	46	86	90	130	172	184	185	157	60	29	1
Mexican, both sexes.....	108	150	172	162	200	223	224	161	121	41	23	1
Male.....	100	129	130	119	138	137	127	76	48	13	6	1
Female.....	8	21	42	43	62	86	97	85	73	28	17	-
Puerto Rican, both sexes.....	42	41	53	50	59	58	36	46	20	6	4	-
Male.....	38	34	44	37	33	34	18	23	1	-	1	-
Female.....	4	7	9	13	26	24	18	23	19	6	3	-
Cuban, both sexes.....	17	12	21	30	42	48	51	47	40	16	4	-
Male.....	15	9	17	22	28	28	18	21	11	3	1	-
Female.....	2	3	4	8	14	20	33	26	29	13	3	-
Central and South American, both sexes.....	9	17	17	11	19	12	8	9	10	2	3	-
Male.....	8	13	13	5	14	3	6	2	6	1	-	-
Female.....	1	4	4	6	5	9	2	7	4	1	3	-
Other and Unknown Hispanic, both sexes.....	43	49	82	65	62	76	62	65	46	20	5	2
Male.....	34	38	55	45	39	43	28	21	14	8	2	1
Female.....	9	11	27	20	23	33	34	44	32	12	3	1
Non-Hispanic 1/, both sexes.....	3,293	3,893	4,510	4,846	5,869	7,775	9,661	9,247	7,062	3,041	782	6
Male.....	2,627	2,945	3,191	3,238	3,645	4,258	4,570	3,603	2,019	670	102	5
Female.....	666	948	1,319	1,608	2,224	3,517	5,091	5,644	5,043	2,371	680	1
Non-Hispanic white, both sexes.....	2,428	2,964	3,309	3,644	4,593	6,367	8,339	8,219	6,354	2,745	667	4
Male.....	1,981	2,291	2,389	2,479	2,859	3,534	3,956	3,225	1,821	593	83	3
Female.....	447	673	920	1,165	1,734	2,833	4,383	4,994	4,533	2,152	584	1
Non-Hispanic black, both sexes.....	761	821	1,059	1,051	1,106	1,239	1,105	872	607	262	97	1
Male.....	563	565	702	647	680	648	510	316	156	67	13	1
Female.....	198	256	357	404	426	591	595	556	451	195	84	-
Origin not stated 2/, both sexes.....	21	46	47	30	49	61	44	25	17	9	2	5
Male.....	15	35	41	24	35	40	23	13	7	5	-	5
Female.....	6	11	6	6	14	21	21	12	10	4	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
 Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

All origins, both sexes.....	5,340	7,732	10,365	14,079	21,805	33,155	43,931	44,896	33,346	14,148	3,225	9
Male.....	4,007	5,616	7,207	9,353	13,573	19,104	22,372	18,779	10,366	3,042	470	5
Female.....	1,333	2,116	3,158	4,726	8,232	14,051	21,559	26,117	22,980	11,106	2,755	4
Hispanic, both sexes.....	286	407	590	787	1,157	1,552	1,682	1,440	1,137	486	132	2
Male.....	215	292	368	499	680	841	814	532	327	129	31	2
Female.....	71	115	222	288	477	711	868	908	810	357	101	-
Mexican, both sexes.....	155	212	288	393	558	765	779	606	438	205	51	2
Male.....	117	157	180	251	321	416	404	231	143	59	13	2
Female.....	38	55	108	142	237	349	375	375	295	146	38	-
Puerto Rican, both sexes.....	42	83	116	165	209	257	251	223	160	57	17	-
Male.....	28	54	68	99	126	125	110	75	40	12	3	-
Female.....	14	29	48	66	83	132	141	148	120	45	14	-
Cuban, both sexes.....	28	38	66	88	145	262	342	343	298	121	27	-
Male.....	24	32	47	59	98	153	168	140	97	27	3	-
Female.....	4	6	19	29	47	109	174	203	201	94	24	-
Central and South American, both sexes.....	18	20	29	29	59	56	68	52	44	17	4	-
Male.....	15	18	18	19	37	27	33	21	7	1	-	-
Female.....	3	2	11	10	22	29	35	31	37	16	4	-
Other and Unknown Hispanic, both sexes.....	43	54	91	112	186	212	242	216	197	86	33	-
Male.....	31	31	55	71	98	120	99	65	40	30	12	-
Female.....	12	23	36	41	88	92	143	151	157	56	21	-
Non-Hispanic 1/, both sexes.....	5,035	7,291	9,728	13,237	20,579	31,511	42,134	43,356	32,134	13,626	3,083	7
Male.....	3,775	5,296	6,811	8,813	12,850	18,209	21,503	18,205	10,019	2,905	436	3
Female.....	1,260	1,995	2,917	4,424	7,729	13,302	20,631	25,151	22,115	10,721	2,647	4
Non-Hispanic white, both sexes.....	3,909	5,883	7,925	10,952	17,667	27,909	38,287	40,094	29,796	12,623	2,710	6
Male.....	3,036	4,399	5,723	7,479	11,275	16,433	19,776	17,038	9,400	2,678	378	2
Female.....	873	1,484	2,202	3,473	6,392	11,476	18,511	23,056	20,396	9,945	2,332	4
Non-Hispanic black, both sexes.....	1,000	1,224	1,555	1,929	2,469	2,973	3,122	2,572	1,859	820	323	-
Male.....	638	763	912	1,107	1,311	1,436	1,340	842	437	159	40	-
Female.....	362	461	643	822	1,158	1,537	1,782	1,730	1,422	661	283	-
Origin not stated 2/, both sexes.....	19	34	47	55	69	92	115	100	75	36	10	-
Male.....	17	28	28	41	43	54	55	42	20	8	3	-
Female.....	2	6	19	14	26	38	60	58	55	28	7	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
All origins, both sexes.....	4,825	6,171	7,227	9,481	13,763	20,800	28,460	31,015	23,947	9,993	2,315	6
Male.....	3,019	3,826	4,316	5,402	7,473	10,351	12,329	11,327	6,827	2,169	358	5
Female.....	1,806	2,345	2,911	4,079	6,290	10,449	16,131	19,688	17,120	7,824	1,957	1
Hispanic, both sexes.....	211	292	329	419	526	694	723	640	548	193	66	-
Male.....	128	171	196	232	283	333	328	232	185	57	15	-
Female.....	83	121	133	187	243	361	395	408	363	136	51	-
Mexican, both sexes.....	128	165	181	229	263	380	376	313	246	93	38	-
Male.....	71	94	111	124	155	189	178	118	89	30	8	-
Female.....	57	71	70	105	108	191	198	195	157	63	30	-
Puerto Rican, both sexes.....	20	48	68	78	69	72	66	66	61	21	4	-
Male.....	13	31	41	45	32	28	33	29	17	7	-	-
Female.....	7	17	27	33	37	44	33	37	44	14	4	-
Cuban, both sexes.....	14	18	25	33	66	90	117	133	105	35	6	-
Male.....	9	8	17	17	35	51	47	45	34	9	3	-
Female.....	5	10	8	16	31	39	70	88	71	26	3	-
Central and South American, both sexes.....	15	18	22	25	30	35	34	29	29	8	4	-
Male.....	10	11	9	14	15	16	12	9	8	3	-	-
Female.....	5	7	13	11	15	19	22	20	21	5	4	-
Other and Unknown Hispanic, both sexes.....	34	43	33	54	98	117	130	99	107	36	14	-
Male.....	25	27	18	32	46	49	58	31	37	8	4	-
Female.....	9	16	15	22	52	68	72	68	70	28	10	-
Non-Hispanic 1/, both sexes.....	4,594	5,859	6,872	9,041	13,202	20,071	27,679	30,326	23,356	9,784	2,248	4
Male.....	2,877	3,641	4,098	5,161	7,171	10,001	11,968	11,078	6,625	2,109	343	3
Female.....	1,717	2,218	2,774	3,880	6,031	10,070	15,711	19,248	16,731	7,675	1,905	1
Non-Hispanic white, both sexes.....	3,185	4,388	5,261	7,172	10,965	17,606	25,014	27,990	21,683	9,040	1,994	3
Male.....	2,036	2,758	3,212	4,154	6,080	8,886	10,887	10,281	6,160	1,938	290	2
Female.....	1,149	1,630	2,049	3,018	4,885	8,720	14,127	17,709	15,523	7,102	1,704	1
Non-Hispanic black, both sexes.....	1,306	1,342	1,453	1,670	1,989	2,129	2,246	1,959	1,387	651	216	1
Male.....	776	806	804	905	958	946	892	635	348	138	42	1
Female.....	530	536	649	765	1,031	1,183	1,354	1,324	1,039	513	174	-
Origin not stated 2/, both sexes.....	20	20	26	21	35	35	58	49	43	16	1	2
Male.....	14	14	22	9	19	17	33	17	17	3	-	2
Female.....	6	6	4	12	16	18	25	32	26	13	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Diseases of pericardium and acute myocarditis (I30-I31,I40)

All origins, both sexes.....	48	59	45	80	71	70	83	45	27	5	-	-
Male.....	30	32	25	44	40	34	31	13	8	1	-	-
Female.....	18	27	20	36	31	36	52	32	19	4	-	-
Hispanic, both sexes.....	-	4	3	6	1	2	3	-	-	-	-	-
Male.....	-	1	3	5	1	1	-	-	-	-	-	-
Female.....	-	3	-	1	-	1	3	-	-	-	-	-
Mexican, both sexes.....	-	3	3	3	1	1	2	-	-	-	-	-
Male.....	-	1	3	2	1	1	-	-	-	-	-	-
Female.....	-	2	-	1	-	-	2	-	-	-	-	-
Puerto Rican, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Central and South American, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	-	-	2	-	-	1	-	-	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	45	55	42	74	70	68	80	44	27	5	-	-
Male.....	28	31	22	39	39	33	31	13	8	1	-	-
Female.....	17	24	20	35	31	35	49	31	19	4	-	-
Non-Hispanic white, both sexes.....	35	47	36	65	61	61	70	40	26	5	-	-
Male.....	23	25	20	36	35	30	30	13	8	1	-	-
Female.....	12	22	16	29	26	31	40	27	18	4	-	-
Non-Hispanic black, both sexes.....	7	7	5	7	9	5	8	4	1	-	-	-
Male.....	4	5	2	1	4	2	1	-	-	-	-	-
Female.....	3	2	3	6	5	3	7	4	1	-	-	-
Origin not stated 2/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Heart failure (I50)												
All origins, both sexes.....	623	1,007	1,462	2,302	3,836	6,697	10,439	12,844	11,082	5,071	1,222	-
Male.....	364	605	849	1,281	2,032	3,262	4,396	4,668	3,115	1,111	206	-
Female.....	259	402	613	1,021	1,804	3,435	6,043	8,176	7,967	3,960	1,016	-
Hispanic, both sexes.....	26	50	68	115	160	221	273	259	244	99	35	-
Male.....	10	31	46	56	85	113	129	85	86	25	7	-
Female.....	16	19	22	59	75	108	144	174	158	74	28	-
Mexican, both sexes.....	20	30	45	68	81	132	175	159	118	49	22	-
Male.....	7	17	30	36	49	67	90	52	48	14	3	-
Female.....	13	13	15	32	32	65	85	107	70	35	19	-
Puerto Rican, both sexes.....	3	6	13	19	32	23	14	19	27	8	3	-
Male.....	2	5	10	7	14	9	7	9	9	3	-	-
Female.....	1	1	3	12	18	14	7	10	18	5	3	-
Cuban, both sexes.....	2	3	-	9	15	15	25	31	37	16	1	-
Male.....	1	3	-	6	8	12	9	9	12	3	1	-
Female.....	1	-	-	3	7	3	16	22	25	13	-	-
Central and South American, both sexes.....	-	3	3	6	6	8	8	7	10	3	2	-
Male.....	-	1	1	2	3	3	1	3	2	1	-	-
Female.....	-	2	2	4	3	5	7	4	8	2	2	-
Other and Unknown Hispanic, both sexes.....	1	8	7	13	26	43	51	43	52	23	7	-
Male.....	-	5	5	5	11	22	22	12	15	4	3	-
Female.....	1	3	2	8	15	21	29	31	37	19	4	-
Non-Hispanic 1/, both sexes.....	597	956	1,389	2,180	3,663	6,470	10,144	12,566	10,813	4,961	1,187	-
Male.....	354	573	798	1,222	1,939	3,146	4,254	4,575	3,018	1,084	199	-
Female.....	243	383	591	958	1,724	3,324	5,890	7,991	7,795	3,877	988	-
Non-Hispanic white, both sexes.....	381	702	1,041	1,753	3,079	5,704	9,228	11,662	10,104	4,615	1,059	-
Male.....	230	427	606	1,000	1,672	2,829	3,896	4,267	2,844	1,006	167	-
Female.....	151	275	435	753	1,407	2,875	5,332	7,395	7,260	3,609	892	-
Non-Hispanic black, both sexes.....	204	239	324	392	529	671	795	786	612	306	107	-
Male.....	115	138	182	207	238	272	303	259	141	63	26	-
Female.....	89	101	142	185	291	399	492	527	471	243	81	-
Origin not stated 2/, both sexes.....	-	1	5	7	13	6	22	19	25	11	-	-
Male.....	-	1	5	3	8	3	13	8	11	2	-	-
Female.....	-	-	-	4	5	3	9	11	14	9	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

All origins, both sexes.....	4,060	5,010	5,606	6,997	9,726	13,861	17,792	18,022	12,806	4,914	1,092	6
Male.....	2,560	3,129	3,379	4,020	5,339	6,966	7,825	6,603	3,689	1,056	152	5
Female.....	1,500	1,881	2,227	2,977	4,387	6,895	9,967	11,419	9,117	3,858	940	1
Hispanic, both sexes.....	177	230	254	285	362	464	441	379	303	94	31	-
Male.....	114	134	146	162	197	217	198	146	98	32	8	-
Female.....	63	96	108	123	165	247	243	233	205	62	23	-
Mexican, both sexes.....	104	126	132	149	180	242	196	153	127	44	16	-
Male.....	63	72	78	79	105	120	87	65	40	16	5	-
Female.....	41	54	54	70	75	122	109	88	87	28	11	-
Puerto Rican, both sexes.....	16	41	54	56	37	49	52	47	34	13	1	-
Male.....	11	25	31	36	18	19	26	20	8	4	-	-
Female.....	5	16	23	20	19	30	26	27	26	9	1	-
Cuban, both sexes.....	12	15	25	24	51	74	90	101	68	19	5	-
Male.....	8	5	17	11	27	39	38	36	22	6	2	-
Female.....	4	10	8	13	24	35	52	65	46	13	3	-
Central and South American, both sexes.....	14	14	19	18	24	25	26	22	19	5	2	-
Male.....	9	10	8	11	12	12	11	6	6	2	-	-
Female.....	5	4	11	7	12	13	15	16	13	3	2	-
Other and Unknown Hispanic, both sexes.....	31	34	24	38	70	74	77	56	55	13	7	-
Male.....	23	22	12	25	35	27	36	19	22	4	1	-
Female.....	8	12	12	13	35	47	41	37	33	9	6	-
Non-Hispanic 1/, both sexes.....	3,867	4,761	5,331	6,698	9,342	13,368	17,315	17,614	12,485	4,815	1,060	4
Male.....	2,435	2,982	3,216	3,852	5,131	6,735	7,607	6,448	3,585	1,023	144	3
Female.....	1,432	1,779	2,115	2,846	4,211	6,633	9,708	11,166	8,900	3,792	916	1
Non-Hispanic white, both sexes.....	2,717	3,581	4,105	5,283	7,724	11,698	15,588	16,192	11,522	4,417	934	3
Male.....	1,747	2,271	2,536	3,079	4,323	5,950	6,890	5,960	3,294	930	123	2
Female.....	970	1,310	1,569	2,204	3,401	5,748	8,698	10,232	8,228	3,487	811	1
Non-Hispanic black, both sexes.....	1,063	1,069	1,098	1,255	1,430	1,434	1,433	1,165	774	345	109	1
Male.....	634	645	611	689	707	664	583	376	207	75	16	1
Female.....	429	424	487	566	723	770	850	789	567	270	93	-
Origin not stated 2/, both sexes.....	16	19	21	14	22	29	36	29	18	5	1	2
Male.....	11	13	17	6	11	14	20	9	6	1	-	2
Female.....	5	6	4	8	11	15	16	20	12	4	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Essential (primary) hypertension and hypertensive renal disease (I10,I12)

All origins, both sexes.....	631	785	970	1,272	1,832	2,864	3,785	3,949	3,233	1,348	374	-
Male.....	395	457	532	676	859	1,163	1,359	1,163	773	240	42	-
Female.....	236	328	438	596	973	1,701	2,426	2,786	2,460	1,108	332	-
Hispanic, both sexes.....	38	52	69	86	118	136	149	153	107	52	18	-
Male.....	27	26	47	34	50	55	61	44	25	14	4	-
Female.....	11	26	22	52	68	81	88	109	82	38	14	-
Mexican, both sexes.....	24	29	39	42	70	82	77	85	49	22	9	-
Male.....	16	17	27	15	30	40	34	28	9	6	1	-
Female.....	8	12	12	27	40	42	43	57	40	16	8	-
Puerto Rican, both sexes.....	4	13	13	14	19	19	19	15	19	4	3	-
Male.....	2	6	6	7	8	3	7	3	6	-	1	-
Female.....	2	7	7	7	11	16	12	12	13	4	2	-
Cuban, both sexes.....	2	-	3	9	9	10	19	23	17	10	2	-
Male.....	1	-	3	4	6	4	7	6	6	4	1	-
Female.....	1	-	-	5	3	6	12	17	11	6	1	-
Central and South American, both sexes.....	2	1	3	5	7	7	6	3	3	5	-	-
Male.....	2	1	2	1	2	2	3	2	-	-	-	-
Female.....	-	-	1	4	5	5	3	1	3	5	-	-
Other and Unknown Hispanic, both sexes.....	6	9	11	16	13	18	28	27	19	11	4	-
Male.....	6	2	9	7	4	6	10	5	4	4	1	-
Female.....	-	7	2	9	9	12	18	22	15	7	3	-
Non-Hispanic 1/, both sexes.....	591	732	896	1,181	1,702	2,722	3,628	3,791	3,122	1,292	355	-
Male.....	367	431	480	638	803	1,105	1,296	1,119	748	225	38	-
Female.....	224	301	416	543	899	1,617	2,332	2,672	2,374	1,067	317	-
Non-Hispanic white, both sexes.....	320	387	531	734	1,128	2,053	2,973	3,266	2,694	1,119	293	-
Male.....	199	245	282	421	555	857	1,059	954	639	189	29	-
Female.....	121	142	249	313	573	1,196	1,914	2,312	2,055	930	264	-
Non-Hispanic black, both sexes.....	258	323	341	405	513	594	568	446	366	154	57	-
Male.....	161	173	186	200	224	221	198	136	87	32	8	-
Female.....	97	150	155	205	289	373	370	310	279	122	49	-
Origin not stated 2/, both sexes.....	2	1	5	5	12	6	8	5	4	4	1	-
Male.....	1	-	5	4	6	3	2	-	-	1	-	-
Female.....	1	1	-	1	6	3	6	5	4	3	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Cerebrovascular diseases (I60-I69)

All origins, both sexes.....	3,550	4,392	5,554	7,765	12,943	21,917	30,930	32,139	22,367	8,493	1,580	2
Male.....	1,961	2,394	3,084	4,138	6,530	9,993	12,241	10,471	5,634	1,575	179	1
Female.....	1,589	1,998	2,470	3,627	6,413	11,924	18,689	21,668	16,733	6,918	1,401	1
Hispanic, both sexes.....	318	353	383	529	673	1,001	1,028	863	581	222	33	-
Male.....	189	203	228	280	337	454	425	319	155	65	5	-
Female.....	129	150	155	249	336	547	603	544	426	157	28	-
Mexican, both sexes.....	194	219	238	338	419	603	591	456	296	112	21	-
Male.....	118	133	145	180	203	278	252	176	91	34	4	-
Female.....	76	86	93	158	216	325	339	280	205	78	17	-
Puerto Rican, both sexes.....	56	40	52	61	68	101	113	86	45	24	2	-
Male.....	36	23	32	34	37	44	48	36	16	7	-	-
Female.....	20	17	20	27	31	57	65	50	29	17	2	-
Cuban, both sexes.....	11	19	15	38	69	104	123	116	83	28	3	-
Male.....	7	11	10	23	39	52	56	37	14	9	-	-
Female.....	4	8	5	15	30	52	67	79	69	19	3	-
Central and South American, both sexes.....	16	23	22	27	40	44	41	44	33	12	-	-
Male.....	6	10	13	16	24	17	13	14	3	4	-	-
Female.....	10	13	9	11	16	27	28	30	30	8	-	-
Other and Unknown Hispanic, both sexes.....	41	52	56	65	77	149	160	161	124	46	7	-
Male.....	22	26	28	27	34	63	56	56	31	11	1	-
Female.....	19	26	28	38	43	86	104	105	93	35	6	-
Non-Hispanic 1/, both sexes.....	3,218	4,025	5,154	7,220	12,238	20,888	29,854	31,220	21,742	8,255	1,546	1
Male.....	1,765	2,185	2,841	3,846	6,177	9,525	11,797	10,139	5,469	1,507	174	1
Female.....	1,453	1,840	2,313	3,374	6,061	11,363	18,057	21,081	16,273	6,748	1,372	-
Non-Hispanic white, both sexes.....	1,930	2,693	3,600	5,407	9,852	17,759	26,518	28,371	19,865	7,521	1,321	1
Male.....	1,066	1,433	1,994	2,936	5,011	8,161	10,538	9,261	4,988	1,339	153	1
Female.....	864	1,260	1,606	2,471	4,841	9,598	15,980	19,110	14,877	6,182	1,168	-
Non-Hispanic black, both sexes.....	1,129	1,132	1,317	1,483	1,928	2,530	2,646	2,273	1,525	598	196	-
Male.....	616	639	724	739	934	1,094	977	656	343	113	15	-
Female.....	513	493	593	744	994	1,436	1,669	1,617	1,182	485	181	-
Origin not stated 2/, both sexes.....	14	14	17	16	32	28	48	56	44	16	1	1
Male.....	7	6	15	12	16	14	19	13	10	3	-	-
Female.....	7	8	2	4	16	14	29	43	34	13	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Atherosclerosis (I70)

All origins, both sexes.....	120	171	295	436	775	1,482	2,355	2,946	2,582	1,375	385	1
Male.....	77	113	185	245	404	742	992	1,009	668	272	53	1
Female.....	43	58	110	191	371	740	1,363	1,937	1,914	1,103	332	-
Hispanic, both sexes.....	6	14	10	21	35	47	74	64	64	29	9	-
Male.....	3	9	8	11	22	31	32	23	23	13	3	-
Female.....	3	5	2	10	13	16	42	41	41	16	6	-
Mexican, both sexes.....	1	9	7	13	17	18	42	34	29	15	5	-
Male.....	1	5	7	9	9	12	21	14	13	9	2	-
Female.....	-	4	-	4	8	6	21	20	16	6	3	-
Puerto Rican, both sexes.....	4	3	1	6	7	6	4	5	5	2	-	-
Male.....	1	3	1	2	5	5	1	2	1	-	-	-
Female.....	3	-	-	4	2	1	3	3	4	2	-	-
Cuban, both sexes.....	-	-	1	-	3	7	6	8	9	5	1	-
Male.....	-	-	-	-	2	5	2	3	3	1	-	-
Female.....	-	-	1	-	1	2	4	5	6	4	1	-
Central and South American, both sexes.....	-	1	-	1	-	4	3	3	1	3	-	-
Male.....	-	1	-	-	-	2	-	1	1	1	-	-
Female.....	-	-	-	1	-	2	3	2	-	2	-	-
Other and Unknown Hispanic, both sexes.....	1	1	1	1	8	12	19	14	20	4	3	-
Male.....	1	-	-	-	6	7	8	3	5	2	1	-
Female.....	-	1	1	1	2	5	11	11	15	2	2	-
Non-Hispanic 1/, both sexes.....	113	156	284	414	738	1,427	2,269	2,874	2,510	1,344	374	-
Male.....	73	103	176	234	381	707	956	982	645	259	50	-
Female.....	40	53	108	180	357	720	1,313	1,892	1,865	1,085	324	-
Non-Hispanic white, both sexes.....	84	124	235	344	634	1,286	2,063	2,684	2,334	1,256	332	-
Male.....	56	83	147	196	324	630	865	917	602	244	45	-
Female.....	28	41	88	148	310	656	1,198	1,767	1,732	1,012	287	-
Non-Hispanic black, both sexes.....	27	30	42	61	91	120	176	153	148	78	34	-
Male.....	16	19	25	32	51	62	78	50	33	12	4	-
Female.....	11	11	17	29	40	58	98	103	115	66	30	-
Origin not stated 2/, both sexes.....	1	1	1	1	2	8	12	8	8	2	2	1
Male.....	1	1	1	-	1	4	4	4	-	-	-	1
Female.....	-	-	-	1	1	4	8	4	8	2	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of circulatory system (I71-I78)												
All origins, both sexes.....	675	900	1,370	1,998	2,936	4,215	4,479	3,739	2,229	762	152	-
Male.....	472	603	914	1,331	1,761	2,445	2,287	1,629	762	181	25	-
Female.....	203	297	456	667	1,175	1,770	2,192	2,110	1,467	581	127	-
Hispanic, both sexes.....	30	46	50	77	95	149	122	120	56	23	6	-
Male.....	23	34	39	47	56	89	64	61	22	6	1	-
Female.....	7	12	11	30	39	60	58	59	34	17	5	-
Mexican, both sexes.....	19	24	20	39	48	71	61	61	28	10	1	-
Male.....	14	20	14	20	29	45	36	26	14	5	1	-
Female.....	5	4	6	19	19	26	25	35	14	5	-	-
Puerto Rican, both sexes.....	1	3	8	12	16	24	15	14	3	2	1	-
Male.....	1	2	7	9	5	14	7	9	3	-	-	-
Female.....	-	1	1	3	11	10	8	5	-	2	1	-
Cuban, both sexes.....	1	3	4	9	10	25	22	18	9	6	2	-
Male.....	1	2	4	7	8	15	13	11	1	-	-	-
Female.....	-	1	-	2	2	10	9	7	8	6	2	-
Central and South American, both sexes.....	3	6	1	5	6	11	1	7	3	1	1	-
Male.....	2	4	1	3	5	7	-	4	-	-	-	-
Female.....	1	2	-	2	1	4	1	3	3	1	1	-
Other and Unknown Hispanic, both sexes.....	6	10	17	12	15	18	23	20	13	4	1	-
Male.....	5	6	13	8	9	8	8	11	4	1	-	-
Female.....	1	4	4	4	6	10	15	9	9	3	1	-
Non-Hispanic 1/, both sexes.....	642	854	1,317	1,918	2,828	4,055	4,348	3,614	2,171	736	146	-
Male.....	449	569	872	1,281	1,698	2,349	2,220	1,566	739	175	24	-
Female.....	193	285	445	637	1,130	1,706	2,128	2,048	1,432	561	122	-
Non-Hispanic white, both sexes.....	466	694	1,093	1,651	2,507	3,656	3,911	3,290	1,986	648	119	-
Male.....	337	475	731	1,120	1,543	2,145	2,014	1,453	686	155	20	-
Female.....	129	219	362	531	964	1,511	1,897	1,837	1,300	493	99	-
Non-Hispanic black, both sexes.....	156	134	191	227	265	322	361	266	151	73	24	-
Male.....	97	80	120	134	118	157	160	84	32	14	3	-
Female.....	59	54	71	93	147	165	201	182	119	59	21	-
Origin not stated 2/, both sexes.....	3	-	3	3	13	11	9	5	2	3	-	-
Male.....	-	-	3	3	7	7	3	2	1	-	-	-
Female.....	3	-	-	-	6	4	6	3	1	3	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Aortic aneurysm and dissection (I71)												
All origins, both sexes.....	452	590	887	1,317	1,954	2,726	2,745	2,059	965	245	29	-
Male.....	347	448	659	912	1,262	1,667	1,525	1,033	411	74	7	-
Female.....	105	142	228	405	692	1,059	1,220	1,026	554	171	22	-
Hispanic, both sexes.....	18	30	34	39	63	99	72	59	25	8	3	-
Male.....	15	24	27	26	42	61	39	37	11	4	-	-
Female.....	3	6	7	13	21	38	33	22	14	4	3	-
Mexican, both sexes.....	10	14	12	20	29	42	29	26	10	4	-	-
Male.....	8	12	8	11	20	27	16	13	7	3	-	-
Female.....	2	2	4	9	9	15	13	13	3	1	-	-
Puerto Rican, both sexes.....	-	1	5	4	11	19	13	4	1	-	-	-
Male.....	-	1	4	3	5	12	7	3	1	-	-	-
Female.....	-	-	1	1	6	7	6	1	-	-	-	-
Cuban, both sexes.....	1	3	2	6	9	14	14	11	5	-	2	-
Male.....	1	2	2	6	7	9	10	9	-	-	-	-
Female.....	-	1	-	-	2	5	4	2	5	-	2	-
Central and South American, both sexes.....	2	6	1	4	4	11	-	2	1	1	-	-
Male.....	1	4	1	2	4	7	-	1	-	-	-	-
Female.....	1	2	-	2	-	4	-	1	1	1	-	-
Other and Unknown Hispanic, both sexes.....	5	6	14	5	10	13	16	16	8	3	1	-
Male.....	5	5	12	4	6	6	6	11	3	1	-	-
Female.....	-	1	2	1	4	7	10	5	5	2	1	-
Non-Hispanic 1/, both sexes.....	432	560	851	1,276	1,883	2,619	2,667	1,997	938	237	26	-
Male.....	332	424	630	884	1,214	1,601	1,484	995	399	70	7	-
Female.....	100	136	221	392	669	1,018	1,183	1,002	539	167	19	-
Non-Hispanic white, both sexes.....	315	452	726	1,137	1,707	2,417	2,466	1,861	888	211	22	-
Male.....	252	355	542	801	1,125	1,497	1,380	940	376	63	6	-
Female.....	63	97	184	336	582	920	1,086	921	512	148	16	-
Non-Hispanic black, both sexes.....	101	90	106	111	131	151	141	99	36	22	2	-
Male.....	69	57	75	65	59	71	67	33	11	5	-	-
Female.....	32	33	31	46	72	80	74	66	25	17	2	-
Origin not stated 2/, both sexes.....	2	-	2	2	8	8	6	3	2	-	-	-
Male.....	-	-	2	2	6	5	2	1	1	-	-	-
Female.....	2	-	-	-	2	3	4	2	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Other diseases of arteries, arterioles and capillaries (I72-I78)

All origins, both sexes.....	223	310	483	681	982	1,489	1,734	1,680	1,264	517	123	-
Male.....	125	155	255	419	499	778	762	596	351	107	18	-
Female.....	98	155	228	262	483	711	972	1,084	913	410	105	-
Hispanic, both sexes.....	12	16	16	38	32	50	50	61	31	15	3	-
Male.....	8	10	12	21	14	28	25	24	11	2	1	-
Female.....	4	6	4	17	18	22	25	37	20	13	2	-
Mexican, both sexes.....	9	10	8	19	19	29	32	35	18	6	1	-
Male.....	6	8	6	9	9	18	20	13	7	2	1	-
Female.....	3	2	2	10	10	11	12	22	11	4	-	-
Puerto Rican, both sexes.....	1	2	3	8	5	5	2	10	2	2	1	-
Male.....	1	1	3	6	-	2	-	6	2	-	-	-
Female.....	-	1	-	2	5	3	2	4	-	2	1	-
Cuban, both sexes.....	-	-	2	3	1	11	8	7	4	6	-	-
Male.....	-	-	2	1	1	6	3	2	1	-	-	-
Female.....	-	-	-	2	-	5	5	5	3	6	-	-
Central and South American, both sexes.....	1	-	-	1	2	-	1	5	2	-	1	-
Male.....	1	-	-	1	1	-	-	3	-	-	-	-
Female.....	-	-	-	-	1	-	1	2	2	-	1	-
Other and Unknown Hispanic, both sexes.....	1	4	3	7	5	5	7	4	5	1	-	-
Male.....	-	1	1	4	3	2	2	-	1	-	-	-
Female.....	1	3	2	3	2	3	5	4	4	1	-	-
Non-Hispanic 1/, both sexes.....	210	294	466	642	945	1,436	1,681	1,617	1,233	499	120	-
Male.....	117	145	242	397	484	748	736	571	340	105	17	-
Female.....	93	149	224	245	461	688	945	1,046	893	394	103	-
Non-Hispanic white, both sexes.....	151	242	367	514	800	1,239	1,445	1,429	1,098	437	97	-
Male.....	85	120	189	319	418	648	634	513	310	92	14	-
Female.....	66	122	178	195	382	591	811	916	788	345	83	-
Non-Hispanic black, both sexes.....	55	44	85	116	134	171	220	167	115	51	22	-
Male.....	28	23	45	69	59	86	93	51	21	9	3	-
Female.....	27	21	40	47	75	85	127	116	94	42	19	-
Origin not stated 2/, both sexes.....	1	-	1	1	5	3	3	2	-	3	-	-
Male.....	-	-	1	1	1	2	1	1	-	-	-	-
Female.....	1	-	-	-	4	1	2	1	-	3	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other disorders of circulatory system (I80-I99)

All origins, both sexes.....	282	272	297	319	425	518	643	577	382	148	26	-
Male.....	165	166	154	160	188	214	223	163	82	27	4	-
Female.....	117	106	143	159	237	304	420	414	300	121	22	-
Hispanic, both sexes.....	23	17	12	19	13	24	17	13	12	6	3	-
Male.....	18	10	7	10	8	10	6	2	4	2	1	-
Female.....	5	7	5	9	5	14	11	11	8	4	2	-
Mexican, both sexes.....	14	11	5	14	7	13	7	4	5	1	1	-
Male.....	11	6	4	9	4	4	2	1	1	-	-	-
Female.....	3	5	1	5	3	9	5	3	4	1	1	-
Puerto Rican, both sexes.....	3	2	1	1	1	3	2	4	1	3	1	-
Male.....	2	2	-	-	-	3	1	1	-	1	1	-
Female.....	1	-	1	1	1	-	1	3	1	2	-	-
Cuban, both sexes.....	-	1	1	-	1	3	2	2	4	1	-	-
Male.....	-	-	-	-	1	2	1	-	2	-	-	-
Female.....	-	1	1	-	-	1	1	2	2	1	-	-
Central and South American, both sexes.....	3	1	-	1	1	1	2	2	-	-	1	-
Male.....	3	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	1	-	1	-	1	1	2	-	-	1	-
Other and Unknown Hispanic, both sexes.....	3	2	5	3	3	4	4	1	2	1	-	-
Male.....	2	2	3	1	2	1	1	-	1	1	-	-
Female.....	1	-	2	2	1	3	3	1	1	-	-	-
Non-Hispanic 1/, both sexes.....	259	254	283	299	410	492	625	563	370	142	23	-
Male.....	147	156	147	150	178	203	216	161	78	25	3	-
Female.....	112	98	136	149	232	289	409	402	292	117	20	-
Non-Hispanic white, both sexes.....	198	195	218	236	339	404	548	502	327	124	18	-
Male.....	109	130	106	116	150	167	182	141	69	21	2	-
Female.....	89	65	112	120	189	237	366	361	258	103	16	-
Non-Hispanic black, both sexes.....	55	57	61	58	66	80	69	51	41	16	5	-
Male.....	34	26	38	31	27	34	28	18	8	4	1	-
Female.....	21	31	23	27	39	46	41	33	33	12	4	-
Origin not stated 2/, both sexes.....	-	1	2	1	2	2	1	1	-	-	-	-
Male.....	-	-	-	-	2	1	1	-	-	-	-	-
Female.....	-	1	2	1	-	1	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Influenza and pneumonia (J10-J18)												
All origins, both sexes.....	1,222	1,292	1,838	2,588	4,243	7,698	11,744	13,653	11,200	5,172	1,372	2
Male.....	751	739	1,032	1,506	2,376	4,032	5,597	5,592	3,715	1,360	283	1
Female.....	471	553	806	1,082	1,867	3,666	6,147	8,061	7,485	3,812	1,089	1
Hispanic, both sexes.....	88	96	128	168	260	371	489	415	344	188	49	-
Male.....	62	53	62	95	140	184	248	171	128	57	19	-
Female.....	26	43	66	73	120	187	241	244	216	131	30	-
Mexican, both sexes.....	45	56	73	81	140	216	243	189	158	96	23	-
Male.....	33	28	34	45	83	111	133	85	60	35	11	-
Female.....	12	28	39	36	57	105	110	104	98	61	12	-
Puerto Rican, both sexes.....	20	19	20	36	50	53	76	64	36	15	7	-
Male.....	13	11	9	18	26	27	33	29	15	6	1	-
Female.....	7	8	11	18	24	26	43	35	21	9	6	-
Cuban, both sexes.....	5	1	8	16	22	29	58	71	64	34	7	-
Male.....	3	1	4	10	15	16	30	25	17	6	2	-
Female.....	2	-	4	6	7	13	28	46	47	28	5	-
Central and South American, both sexes.....	3	2	6	5	6	11	22	8	12	2	1	-
Male.....	2	-	5	2	5	8	12	4	1	-	1	-
Female.....	1	2	1	3	1	3	10	4	11	2	-	-
Other and Unknown Hispanic, both sexes.....	15	18	21	30	42	62	90	83	74	41	11	-
Male.....	11	13	10	20	11	22	40	28	35	10	4	-
Female.....	4	5	11	10	31	40	50	55	39	31	7	-
Non-Hispanic 1/, both sexes.....	1,127	1,189	1,694	2,403	3,970	7,310	11,234	13,217	10,828	4,971	1,321	2
Male.....	684	680	961	1,399	2,227	3,838	5,340	5,413	3,575	1,300	263	1
Female.....	443	509	733	1,004	1,743	3,472	5,894	7,804	7,253	3,671	1,058	1
Non-Hispanic white, both sexes.....	823	894	1,316	1,929	3,333	6,406	10,139	12,184	9,962	4,577	1,163	1
Male.....	501	503	716	1,109	1,857	3,348	4,793	4,993	3,257	1,168	221	-
Female.....	322	391	600	820	1,476	3,058	5,346	7,191	6,705	3,409	942	1
Non-Hispanic black, both sexes.....	266	247	318	391	524	712	802	750	635	278	113	1
Male.....	161	152	204	245	302	384	381	283	214	76	30	1
Female.....	105	95	114	146	222	328	421	467	421	202	83	-
Origin not stated 2/, both sexes.....	7	7	16	17	13	17	21	21	28	13	2	-
Male.....	5	6	9	12	9	10	9	8	12	3	1	-
Female.....	2	1	7	5	4	7	12	13	16	10	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Influenza (J10-J11)												
All origins, both sexes.....	32	47	38	72	111	200	257	341	303	128	31	-
Male.....	18	26	16	38	51	89	100	132	84	26	3	-
Female.....	14	21	22	34	60	111	157	209	219	102	28	-
Hispanic, both sexes.....	1	3	3	3	-	4	8	1	5	3	1	-
Male.....	-	1	1	3	-	1	6	1	1	2	-	-
Female.....	1	2	2	-	-	3	2	-	4	1	1	-
Mexican, both sexes.....	-	3	2	2	-	3	5	1	3	2	-	-
Male.....	-	1	1	2	-	1	4	1	-	1	-	-
Female.....	-	2	1	-	-	2	1	-	3	1	-	-
Puerto Rican, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Cuban, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	1	-	1	1	-	1	3	-	2	-	-	-
Male.....	-	-	-	1	-	-	2	-	1	-	-	-
Female.....	1	-	1	-	-	1	1	-	1	-	-	-
Non-Hispanic 1/, both sexes.....	31	44	34	69	111	196	247	340	298	125	30	-
Male.....	18	25	14	35	51	88	93	131	83	24	3	-
Female.....	13	19	20	34	60	108	154	209	215	101	27	-
Non-Hispanic white, both sexes.....	26	38	31	61	106	187	239	329	287	120	28	-
Male.....	16	21	12	32	49	84	91	128	82	22	3	-
Female.....	10	17	19	29	57	103	148	201	205	98	25	-
Non-Hispanic black, both sexes.....	5	5	2	6	4	5	7	8	8	3	1	-
Male.....	2	4	1	3	1	2	1	2	-	1	-	-
Female.....	3	1	1	3	3	3	6	6	8	2	1	-
Origin not stated 2/, both sexes.....	-	-	1	-	-	-	2	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
All origins, both sexes.....	1,190	1,245	1,800	2,516	4,132	7,498	11,487	13,312	10,897	5,044	1,341	2
Male.....	733	713	1,016	1,468	2,325	3,943	5,497	5,460	3,631	1,334	280	1
Female.....	457	532	784	1,048	1,807	3,555	5,990	7,852	7,266	3,710	1,061	1
Hispanic, both sexes.....	87	93	125	165	260	367	481	414	339	185	48	-
Male.....	62	52	61	92	140	183	242	170	127	55	19	-
Female.....	25	41	64	73	120	184	239	244	212	130	29	-
Mexican, both sexes.....	45	53	71	79	140	213	238	188	155	94	23	-
Male.....	33	27	33	43	83	110	129	84	60	34	11	-
Female.....	12	26	38	36	57	103	109	104	95	60	12	-
Puerto Rican, both sexes.....	20	19	20	36	50	53	76	64	36	15	6	-
Male.....	13	11	9	18	26	27	33	29	15	6	1	-
Female.....	7	8	11	18	24	26	43	35	21	9	5	-
Cuban, both sexes.....	5	1	8	16	22	29	58	71	64	33	7	-
Male.....	3	1	4	10	15	16	30	25	17	5	2	-
Female.....	2	-	4	6	7	13	28	46	47	28	5	-
Central and South American, both sexes.....	3	2	6	5	6	11	22	8	12	2	1	-
Male.....	2	-	5	2	5	8	12	4	1	-	1	-
Female.....	1	2	1	3	1	3	10	4	11	2	-	-
Other and Unknown Hispanic, both sexes.....	14	18	20	29	42	61	87	83	72	41	11	-
Male.....	11	13	10	19	11	22	38	28	34	10	4	-
Female.....	3	5	10	10	31	39	49	55	38	31	7	-
Non-Hispanic 1/, both sexes.....	1,096	1,145	1,660	2,334	3,859	7,114	10,987	12,877	10,530	4,846	1,291	2
Male.....	666	655	947	1,364	2,176	3,750	5,247	5,282	3,492	1,276	260	1
Female.....	430	490	713	970	1,683	3,364	5,740	7,595	7,038	3,570	1,031	1
Non-Hispanic white, both sexes.....	797	856	1,285	1,868	3,227	6,219	9,900	11,855	9,675	4,457	1,135	1
Male.....	485	482	704	1,077	1,808	3,264	4,702	4,865	3,175	1,146	218	-
Female.....	312	374	581	791	1,419	2,955	5,198	6,990	6,500	3,311	917	1
Non-Hispanic black, both sexes.....	261	242	316	385	520	707	795	742	627	275	112	1
Male.....	159	148	203	242	301	382	380	281	214	75	30	1
Female.....	102	94	113	143	219	325	415	461	413	200	82	-
Origin not stated 2/, both sexes.....	7	7	15	17	13	17	19	21	28	13	2	-
Male.....	5	6	8	12	9	10	8	8	12	3	1	-
Female.....	2	1	7	5	4	7	11	13	16	10	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic lower respiratory diseases (J40-J47)

All origins, both sexes.....	2,261	4,344	7,733	11,805	18,114	24,593	24,693	18,193	8,874	2,516	351	2
Male.....	1,145	2,252	3,991	6,001	9,332	12,266	11,697	8,055	3,547	812	98	2
Female.....	1,116	2,092	3,742	5,804	8,782	12,327	12,996	10,138	5,327	1,704	253	-
Hispanic, both sexes.....	73	114	152	252	399	515	580	491	277	103	17	-
Male.....	30	69	95	126	243	281	322	235	128	46	11	-
Female.....	43	45	57	126	156	234	258	256	149	57	6	-
Mexican, both sexes.....	27	44	63	120	215	257	251	243	141	55	10	-
Male.....	13	27	37	65	136	145	155	134	72	26	5	-
Female.....	14	17	26	55	79	112	96	109	69	29	5	-
Puerto Rican, both sexes.....	17	32	38	47	49	68	91	54	34	7	2	-
Male.....	6	19	24	24	30	36	42	23	15	3	2	-
Female.....	11	13	14	23	19	32	49	31	19	4	-	-
Cuban, both sexes.....	8	17	14	29	40	77	109	98	49	24	3	-
Male.....	2	13	11	14	26	41	58	38	19	9	2	-
Female.....	6	4	3	15	14	36	51	60	30	15	1	-
Central and South American, both sexes.....	5	-	11	8	15	13	22	19	6	-	-	-
Male.....	2	-	4	2	3	7	8	2	1	-	-	-
Female.....	3	-	7	6	12	6	14	17	5	-	-	-
Other and Unknown Hispanic, both sexes.....	16	21	26	48	80	100	107	77	47	17	2	-
Male.....	7	10	19	21	48	52	59	38	21	8	2	-
Female.....	9	11	7	27	32	48	48	39	26	9	-	-
Non-Hispanic 1/, both sexes.....	2,171	4,214	7,547	11,516	17,676	24,036	24,057	17,664	8,581	2,406	334	1
Male.....	1,106	2,175	3,875	5,853	9,067	11,961	11,343	7,806	3,413	763	87	1
Female.....	1,065	2,039	3,672	5,663	8,609	12,075	12,714	9,858	5,168	1,643	247	-
Non-Hispanic white, both sexes.....	1,773	3,650	6,815	10,564	16,338	22,460	22,717	16,739	8,091	2,236	295	1
Male.....	908	1,867	3,460	5,330	8,274	11,014	10,539	7,311	3,170	695	75	1
Female.....	865	1,783	3,355	5,234	8,064	11,446	12,178	9,428	4,921	1,541	220	-
Non-Hispanic black, both sexes.....	358	491	618	820	1,100	1,233	1,057	670	360	128	35	-
Male.....	174	269	346	452	641	710	630	346	168	45	12	-
Female.....	184	222	272	368	459	523	427	324	192	83	23	-
Origin not stated 2/, both sexes.....	17	16	34	37	39	42	56	38	16	7	-	1
Male.....	9	8	21	22	22	24	32	14	6	3	-	1
Female.....	8	8	13	15	17	18	24	24	10	4	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bronchitis, chronic and unspecified (J40-J42)												
All origins, both sexes.....	18	21	26	40	64	107	139	151	129	51	14	-
Male.....	10	12	14	17	29	59	54	51	35	13	2	-
Female.....	8	9	12	23	35	48	85	100	94	38	12	-
Hispanic, both sexes.....	-	-	1	-	3	3	6	7	3	4	-	-
Male.....	-	-	-	-	2	2	3	2	3	1	-	-
Female.....	-	-	1	-	1	1	3	5	-	3	-	-
Mexican, both sexes.....	-	-	-	-	2	1	5	4	2	3	-	-
Male.....	-	-	-	-	1	1	2	2	2	1	-	-
Female.....	-	-	-	-	1	-	3	2	-	2	-	-
Puerto Rican, both sexes.....	-	-	1	-	1	1	-	1	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	1	-	1	-	-
Cuban, both sexes.....	-	-	-	-	-	1	1	1	1	-	-	-
Male.....	-	-	-	-	-	1	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Central and South American, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	18	21	25	40	61	104	131	144	126	47	14	-
Male.....	10	12	14	17	27	57	50	49	32	12	2	-
Female.....	8	9	11	23	34	47	81	95	94	35	12	-
Non-Hispanic white, both sexes.....	13	14	23	38	54	97	117	132	118	42	13	-
Male.....	8	10	13	17	22	52	44	44	31	12	2	-
Female.....	5	4	10	21	32	45	73	88	87	30	11	-
Non-Hispanic black, both sexes.....	5	6	2	2	4	3	9	9	5	4	1	-
Male.....	2	2	1	-	2	3	4	3	-	-	-	-
Female.....	3	4	1	2	2	-	5	6	5	4	1	-
Origin not stated 2/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Emphysema (J43)												
All origins, both sexes.....	293	630	1,125	1,618	2,445	3,124	2,796	1,740	672	143	19	2
Male.....	174	339	593	827	1,314	1,608	1,387	792	300	48	5	2
Female.....	119	291	532	791	1,131	1,516	1,409	948	372	95	14	-
Hispanic, both sexes.....	4	12	18	24	49	54	74	41	19	4	3	-
Male.....	3	6	15	10	31	36	40	21	12	1	1	-
Female.....	1	6	3	14	18	18	34	20	7	3	2	-
Mexican, both sexes.....	-	6	6	9	29	22	26	20	12	3	2	-
Male.....	-	3	5	4	23	15	12	12	8	1	1	-
Female.....	-	3	1	5	6	7	14	8	4	2	1	-
Puerto Rican, both sexes.....	-	2	3	4	4	10	11	4	2	1	-	-
Male.....	-	1	3	2	1	8	4	-	2	-	-	-
Female.....	-	1	-	2	3	2	7	4	-	1	-	-
Cuban, both sexes.....	-	2	3	3	3	10	15	9	4	-	1	-
Male.....	-	2	3	2	3	7	11	6	1	-	-	-
Female.....	-	-	-	1	-	3	4	3	3	-	1	-
Central and South American, both sexes.....	-	-	2	1	2	3	2	-	-	-	-	-
Male.....	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	1	1	2	1	2	2	-	-	-	-
Other and Unknown Hispanic, both sexes.....	4	2	4	7	11	10	19	6	1	-	-	-
Male.....	3	-	3	2	4	5	12	3	1	-	-	-
Female.....	1	2	1	5	7	5	7	3	-	-	-	-
Non-Hispanic 1/, both sexes.....	286	617	1,099	1,590	2,392	3,063	2,718	1,698	652	139	16	1
Male.....	169	332	576	814	1,280	1,567	1,343	771	287	47	4	1
Female.....	117	285	523	776	1,112	1,496	1,375	927	365	92	12	-
Non-Hispanic white, both sexes.....	252	556	1,001	1,481	2,236	2,875	2,563	1,615	603	125	14	1
Male.....	144	293	515	753	1,182	1,440	1,250	720	252	41	3	1
Female.....	108	263	486	728	1,054	1,435	1,313	895	351	84	11	-
Non-Hispanic black, both sexes.....	28	57	85	97	123	146	120	57	36	11	1	-
Male.....	19	37	53	54	75	94	68	36	26	4	1	-
Female.....	9	20	32	43	48	52	52	21	10	7	-	-
Origin not stated 2/, both sexes.....	3	1	8	4	4	7	4	1	1	-	-	1
Male.....	2	1	2	3	3	5	4	-	1	-	-	1
Female.....	1	-	6	1	1	2	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Asthma (J45-J46)												
All origins, both sexes.....	315	299	263	262	270	364	388	335	236	75	25	-
Male.....	109	117	97	80	93	116	118	78	57	14	5	-
Female.....	206	182	166	182	177	248	270	257	179	61	20	-
Hispanic, both sexes.....	26	29	16	28	13	17	22	15	12	1	-	-
Male.....	11	16	6	7	6	4	11	4	2	-	-	-
Female.....	15	13	10	21	7	13	11	11	10	1	-	-
Mexican, both sexes.....	5	6	3	11	2	5	4	6	8	1	-	-
Male.....	4	4	-	2	-	1	3	2	1	-	-	-
Female.....	1	2	3	9	2	4	1	4	7	1	-	-
Puerto Rican, both sexes.....	11	15	10	10	7	4	8	2	2	-	-	-
Male.....	4	7	5	5	5	1	5	-	-	-	-	-
Female.....	7	8	5	5	2	3	3	2	2	-	-	-
Cuban, both sexes.....	2	3	-	5	3	4	4	5	-	-	-	-
Male.....	-	1	-	-	-	-	1	1	-	-	-	-
Female.....	2	2	-	5	3	4	3	4	-	-	-	-
Central and South American, both sexes.....	4	-	1	-	-	-	2	-	1	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	1	-	-	-	1	-	1	-	-	-
Other and Unknown Hispanic, both sexes.....	4	5	2	2	1	4	4	2	1	-	-	-
Male.....	1	4	1	-	1	2	1	1	1	-	-	-
Female.....	3	1	1	2	-	2	3	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	286	269	247	234	257	347	366	317	223	73	25	-
Male.....	97	101	91	73	87	112	107	74	55	13	5	-
Female.....	189	168	156	161	170	235	259	243	168	60	20	-
Non-Hispanic white, both sexes.....	152	167	167	166	182	275	306	285	199	69	22	-
Male.....	49	60	54	53	61	79	90	65	50	12	5	-
Female.....	103	107	113	113	121	196	216	220	149	57	17	-
Non-Hispanic black, both sexes.....	122	81	59	63	57	48	41	18	16	4	2	-
Male.....	44	27	25	20	18	20	11	3	3	1	-	-
Female.....	78	54	34	43	39	28	30	15	13	3	2	-
Origin not stated 2/, both sexes.....	3	1	-	-	-	-	-	3	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	1	-	-	-	-	-	3	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic lower respiratory diseases (J44,J47)												
All origins, both sexes.....	1,635	3,394	6,319	9,885	15,335	20,998	21,370	15,967	7,837	2,247	293	-
Male.....	852	1,784	3,287	5,077	7,896	10,483	10,138	7,134	3,155	737	86	-
Female.....	783	1,610	3,032	4,808	7,439	10,515	11,232	8,833	4,682	1,510	207	-
Hispanic, both sexes.....	43	73	117	200	334	441	478	428	243	94	14	-
Male.....	16	47	74	109	204	239	268	208	111	44	10	-
Female.....	27	26	43	91	130	202	210	220	132	50	4	-
Mexican, both sexes.....	22	32	54	100	182	229	216	213	119	48	8	-
Male.....	9	20	32	59	112	128	138	118	61	24	4	-
Female.....	13	12	22	41	70	101	78	95	58	24	4	-
Puerto Rican, both sexes.....	6	15	24	33	37	53	72	47	30	5	2	-
Male.....	2	11	16	17	23	27	33	23	13	3	2	-
Female.....	4	4	8	16	14	26	39	24	17	2	-	-
Cuban, both sexes.....	6	12	11	21	34	62	89	83	44	24	2	-
Male.....	2	10	8	12	23	33	45	31	17	9	2	-
Female.....	4	2	3	9	11	29	44	52	27	15	-	-
Central and South American, both sexes.....	1	-	8	7	13	11	17	17	5	-	-	-
Male.....	-	-	3	2	3	6	6	2	1	-	-	-
Female.....	1	-	5	5	10	5	11	15	4	-	-	-
Other and Unknown Hispanic, both sexes.....	8	14	20	39	68	86	84	68	45	17	2	-
Male.....	3	6	15	19	43	45	46	34	19	8	2	-
Female.....	5	8	5	20	25	41	38	34	26	9	-	-
Non-Hispanic 1/, both sexes.....	1,581	3,307	6,176	9,652	14,966	20,522	20,842	15,505	7,580	2,147	279	-
Male.....	830	1,730	3,194	4,949	7,673	10,225	9,843	6,912	3,039	691	76	-
Female.....	751	1,577	2,982	4,703	7,293	10,297	10,999	8,593	4,541	1,456	203	-
Non-Hispanic white, both sexes.....	1,356	2,913	5,624	8,879	13,866	19,213	19,731	14,707	7,171	2,000	246	-
Male.....	707	1,504	2,878	4,507	7,009	9,443	9,155	6,482	2,837	630	65	-
Female.....	649	1,409	2,746	4,372	6,857	9,770	10,576	8,225	4,334	1,370	181	-
Non-Hispanic black, both sexes.....	203	347	472	658	916	1,036	887	586	303	109	31	-
Male.....	109	203	267	378	546	593	547	304	139	40	11	-
Female.....	94	144	205	280	370	443	340	282	164	69	20	-
Origin not stated 2/, both sexes.....	11	14	26	33	35	35	50	34	14	6	-	-
Male.....	6	7	19	19	19	19	27	14	5	2	-	-
Female.....	5	7	7	14	16	16	23	20	9	4	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to solids and liquids (J69)												
All origins, both sexes.....	204	317	456	610	1,144	2,245	3,544	3,908	2,945	1,204	250	-
Male.....	129	196	275	388	681	1,285	1,896	1,861	1,223	407	67	-
Female.....	75	121	181	222	463	960	1,648	2,047	1,722	797	183	-
Hispanic, both sexes.....	7	20	15	29	51	63	83	89	73	46	10	-
Male.....	6	10	10	19	28	34	50	35	27	16	2	-
Female.....	1	10	5	10	23	29	33	54	46	30	8	-
Mexican, both sexes.....	4	11	11	18	27	33	45	40	31	19	6	-
Male.....	4	7	7	13	13	16	28	19	8	4	-	-
Female.....	-	4	4	5	14	17	17	21	23	15	6	-
Puerto Rican, both sexes.....	1	2	1	6	5	9	14	12	6	4	-	-
Male.....	1	-	1	3	3	4	6	3	4	3	-	-
Female.....	-	2	-	3	2	5	8	9	2	1	-	-
Cuban, both sexes.....	1	3	-	2	6	8	7	23	17	13	1	-
Male.....	-	1	-	2	4	6	7	5	5	4	1	-
Female.....	1	2	-	-	2	2	-	18	12	9	-	-
Central and South American, both sexes.....	-	-	-	1	5	4	7	6	5	1	2	-
Male.....	-	-	-	1	2	2	2	4	2	-	1	-
Female.....	-	-	-	-	3	2	5	2	3	1	1	-
Other and Unknown Hispanic, both sexes.....	1	4	3	2	8	9	10	8	14	9	1	-
Male.....	1	2	2	-	6	6	7	4	8	5	-	-
Female.....	-	2	1	2	2	3	3	4	6	4	1	-
Non-Hispanic 1/, both sexes.....	197	296	440	579	1,089	2,176	3,454	3,813	2,861	1,156	240	-
Male.....	123	185	264	368	650	1,247	1,842	1,824	1,190	391	65	-
Female.....	74	111	176	211	439	929	1,612	1,989	1,671	765	175	-
Non-Hispanic white, both sexes.....	167	247	332	467	930	1,900	3,078	3,496	2,616	1,055	207	-
Male.....	106	154	200	304	553	1,092	1,649	1,683	1,097	354	60	-
Female.....	61	93	132	163	377	808	1,429	1,813	1,519	701	147	-
Non-Hispanic black, both sexes.....	27	42	99	103	128	234	299	252	204	77	24	-
Male.....	15	27	59	58	79	130	146	102	70	26	4	-
Female.....	12	15	40	45	49	104	153	150	134	51	20	-
Origin not stated 2/, both sexes.....	-	1	1	2	4	6	7	6	11	2	-	-
Male.....	-	1	1	1	3	4	4	2	6	-	-	-
Female.....	-	-	-	1	1	2	3	4	5	2	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

All origins, both sexes.....	762	1,037	1,405	2,050	3,106	4,272	4,538	3,721	1,926	723	140	1
Male.....	403	573	794	1,174	1,675	2,226	2,169	1,531	633	187	33	-
Female.....	359	464	611	876	1,431	2,046	2,369	2,190	1,293	536	107	1
Hispanic, both sexes.....	50	91	94	126	185	194	179	124	63	38	4	-
Male.....	34	52	60	67	100	93	72	52	19	11	1	-
Female.....	16	39	34	59	85	101	107	72	44	27	3	-
Mexican, both sexes.....	35	46	58	75	99	113	91	59	30	16	2	-
Male.....	26	24	38	41	52	55	36	27	12	4	1	-
Female.....	9	22	20	34	47	58	55	32	18	12	1	-
Puerto Rican, both sexes.....	8	17	10	18	28	22	21	12	6	4	1	-
Male.....	3	12	7	9	13	7	9	4	3	2	-	-
Female.....	5	5	3	9	15	15	12	8	3	2	1	-
Cuban, both sexes.....	-	4	3	11	15	19	21	26	17	8	-	-
Male.....	-	4	2	3	5	7	7	9	1	3	-	-
Female.....	-	-	1	8	10	12	14	17	16	5	-	-
Central and South American, both sexes.....	4	6	6	5	10	7	12	4	1	2	-	-
Male.....	3	3	3	3	6	3	4	1	1	1	-	-
Female.....	1	3	3	2	4	4	8	3	-	1	-	-
Other and Unknown Hispanic, both sexes.....	3	18	17	17	33	33	34	23	9	8	1	-
Male.....	2	9	10	11	24	21	16	11	2	1	-	-
Female.....	1	9	7	6	9	12	18	12	7	7	1	-
Non-Hispanic 1/, both sexes.....	708	944	1,307	1,919	2,914	4,070	4,355	3,588	1,859	685	136	1
Male.....	366	520	730	1,103	1,571	2,128	2,094	1,477	613	176	32	-
Female.....	342	424	577	816	1,343	1,942	2,261	2,111	1,246	509	104	1
Non-Hispanic white, both sexes.....	537	754	1,104	1,671	2,614	3,681	4,078	3,373	1,732	629	119	1
Male.....	286	417	621	968	1,423	1,929	1,968	1,388	563	159	32	-
Female.....	251	337	483	703	1,191	1,752	2,110	1,985	1,169	470	87	1
Non-Hispanic black, both sexes.....	156	162	167	191	219	297	196	153	86	50	17	-
Male.....	71	89	94	102	115	151	88	66	29	14	-	-
Female.....	85	73	73	89	104	146	108	87	57	36	17	-
Origin not stated 2/, both sexes.....	4	2	4	5	7	8	4	9	4	-	-	-
Male.....	3	1	4	4	4	5	3	2	1	-	-	-
Female.....	1	1	-	1	3	3	1	7	3	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Peptic ulcer (K25-K28)

All origins, both sexes.....	159	183	200	228	359	545	734	685	391	138	30	-
Male.....	110	105	132	141	205	273	333	262	126	25	5	-
Female.....	49	78	68	87	154	272	401	423	265	113	25	-
Hispanic, both sexes.....	17	15	11	17	25	28	28	18	11	4	-	-
Male.....	11	8	8	13	17	15	15	5	1	1	-	-
Female.....	6	7	3	4	8	13	13	13	10	3	-	-
Mexican, both sexes.....	11	7	6	13	12	19	17	10	6	2	-	-
Male.....	7	4	4	11	9	12	11	2	-	1	-	-
Female.....	4	3	2	2	3	7	6	8	6	1	-	-
Puerto Rican, both sexes.....	1	-	2	-	7	1	-	3	2	-	-	-
Male.....	1	-	1	-	4	-	-	1	-	-	-	-
Female.....	-	-	1	-	3	1	-	2	2	-	-	-
Cuban, both sexes.....	3	1	-	2	4	3	5	1	3	2	-	-
Male.....	2	-	-	1	3	2	2	-	1	-	-	-
Female.....	1	1	-	1	1	1	3	1	2	2	-	-
Central and South American, both sexes.....	1	-	-	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	1	7	3	2	2	4	5	3	-	-	-	-
Male.....	1	4	3	1	1	1	2	2	-	-	-	-
Female.....	-	3	-	1	1	3	3	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	138	167	187	211	333	517	698	665	380	133	30	-
Male.....	95	96	123	128	187	258	316	255	125	24	5	-
Female.....	43	71	64	83	146	259	382	410	255	109	25	-
Non-Hispanic white, both sexes.....	97	134	153	180	292	448	619	611	354	122	24	-
Male.....	63	75	100	107	162	223	273	234	114	20	3	-
Female.....	34	59	53	73	130	225	346	377	240	102	21	-
Non-Hispanic black, both sexes.....	37	31	28	20	33	50	57	34	16	4	4	-
Male.....	29	21	20	15	21	25	32	13	5	1	-	-
Female.....	8	10	8	5	12	25	25	21	11	3	4	-
Origin not stated 2/, both sexes.....	4	1	2	-	1	-	8	2	-	1	-	-
Male.....	4	1	1	-	1	-	2	2	-	-	-	-
Female.....	-	-	1	-	-	-	6	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Hernia (K40-K46)

All origins, both sexes.....	60	76	85	101	136	203	259	296	202	56	9	-
Male.....	35	30	42	48	63	93	106	95	62	17	4	-
Female.....	25	46	43	53	73	110	153	201	140	39	5	-
Hispanic, both sexes.....	8	11	4	10	5	11	12	9	4	-	1	-
Male.....	5	4	1	4	3	2	5	4	2	-	-	-
Female.....	3	7	3	6	2	9	7	5	2	-	1	-
Mexican, both sexes.....	5	9	4	5	3	7	6	4	3	-	1	-
Male.....	3	4	1	1	1	1	1	2	1	-	-	-
Female.....	2	5	3	4	2	6	5	2	2	-	1	-
Puerto Rican, both sexes.....	1	1	-	3	-	1	1	-	-	-	-	-
Male.....	1	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	1	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	2	2	5	-	-	-	-
Male.....	-	-	-	-	-	1	2	2	-	-	-	-
Female.....	-	-	-	-	-	1	-	3	-	-	-	-
Central and South American, both sexes.....	-	1	-	1	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	2	-	-	1	1	1	3	-	-	-	-	-
Male.....	1	-	-	1	1	-	2	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	52	65	81	90	131	189	246	287	197	56	8	-
Male.....	30	26	41	43	60	89	101	91	60	17	4	-
Female.....	22	39	40	47	71	100	145	196	137	39	4	-
Non-Hispanic white, both sexes.....	40	49	67	77	115	172	217	267	179	55	6	-
Male.....	25	23	34	37	51	83	89	83	55	17	2	-
Female.....	15	26	33	40	64	89	128	184	124	38	4	-
Non-Hispanic black, both sexes.....	11	16	12	12	12	16	22	14	15	1	1	-
Male.....	5	3	7	6	7	5	9	6	4	-	1	-
Female.....	6	13	5	6	5	11	13	8	11	1	-	-
Origin not stated 2/, both sexes.....	-	-	-	1	-	3	1	-	1	-	-	-
Male.....	-	-	-	1	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic liver disease and cirrhosis (K70,K73-K74)

All origins, both sexes.....	4,009	3,476	2,952	2,729	2,677	2,314	1,544	712	204	29	1	3
Male.....	3,004	2,485	2,052	1,736	1,529	1,181	720	304	80	13	-	3
Female.....	1,005	991	900	993	1,148	1,133	824	408	124	16	1	-
Hispanic, both sexes.....	463	433	369	322	302	265	132	43	13	4	-	-
Male.....	379	331	285	184	148	131	55	14	8	1	-	-
Female.....	84	102	84	138	154	134	77	29	5	3	-	-
Mexican, both sexes.....	302	274	229	211	201	157	74	24	10	1	-	-
Male.....	244	206	181	126	92	73	31	8	7	-	-	-
Female.....	58	68	48	85	109	84	43	16	3	1	-	-
Puerto Rican, both sexes.....	66	63	56	54	31	28	16	3	1	1	-	-
Male.....	55	46	41	28	15	16	8	-	-	-	-	-
Female.....	11	17	15	26	16	12	8	3	1	1	-	-
Cuban, both sexes.....	14	13	22	17	20	27	15	8	1	1	-	-
Male.....	12	11	19	9	13	13	8	4	1	1	-	-
Female.....	2	2	3	8	7	14	7	4	-	-	-	-
Central and South American, both sexes.....	15	20	8	6	10	13	5	3	1	-	-	-
Male.....	14	15	5	3	6	5	1	-	-	-	-	-
Female.....	1	5	3	3	4	8	4	3	1	-	-	-
Other and Unknown Hispanic, both sexes.....	66	63	54	34	40	40	22	5	-	1	-	-
Male.....	54	53	39	18	22	24	7	2	-	-	-	-
Female.....	12	10	15	16	18	16	15	3	-	1	-	-
Non-Hispanic 1/, both sexes.....	3,529	3,030	2,566	2,399	2,372	2,045	1,409	669	191	25	1	2
Male.....	2,611	2,142	1,752	1,547	1,378	1,049	664	290	72	12	-	2
Female.....	918	888	814	852	994	996	745	379	119	13	1	-
Non-Hispanic white, both sexes.....	2,866	2,524	2,182	2,099	2,157	1,918	1,321	627	178	22	1	2
Male.....	2,138	1,788	1,497	1,364	1,263	986	617	272	66	10	-	2
Female.....	728	736	685	735	894	932	704	355	112	12	1	-
Non-Hispanic black, both sexes.....	546	409	291	239	162	79	56	31	9	2	-	-
Male.....	403	294	198	147	86	40	30	16	4	1	-	-
Female.....	143	115	93	92	76	39	26	15	5	1	-	-
Origin not stated 2/, both sexes.....	17	13	17	8	3	4	3	-	-	-	-	1
Male.....	14	12	15	5	3	1	1	-	-	-	-	1
Female.....	3	1	2	3	-	3	2	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic liver disease and cirrhosis (K73-K74)												
All origins, both sexes.....	1,771	1,639	1,542	1,654	1,964	1,823	1,306	645	185	29	1	1
Male.....	1,300	1,099	979	936	986	832	551	264	68	13	-	1
Female.....	471	540	563	718	978	991	755	381	117	16	1	-
Hispanic, both sexes.....	199	178	177	185	223	201	106	36	12	4	-	-
Male.....	145	116	120	86	89	81	36	10	7	1	-	-
Female.....	54	62	57	99	134	120	70	26	5	3	-	-
Mexican, both sexes.....	129	111	115	116	146	120	60	21	9	1	-	-
Male.....	92	71	81	56	53	46	21	6	6	-	-	-
Female.....	37	40	34	60	93	74	39	15	3	1	-	-
Puerto Rican, both sexes.....	33	31	28	36	26	17	14	3	1	1	-	-
Male.....	23	20	19	15	10	8	6	-	-	-	-	-
Female.....	10	11	9	21	16	9	8	3	1	1	-	-
Cuban, both sexes.....	7	5	9	12	17	25	14	5	1	1	-	-
Male.....	5	3	8	6	10	11	7	2	1	1	-	-
Female.....	2	2	1	6	7	14	7	3	-	-	-	-
Central and South American, both sexes.....	7	14	5	3	8	12	5	3	1	-	-	-
Male.....	6	10	2	1	4	4	1	-	-	-	-	-
Female.....	1	4	3	2	4	8	4	3	1	-	-	-
Other and Unknown Hispanic, both sexes.....	23	17	20	18	26	27	13	4	-	1	-	-
Male.....	19	12	10	8	12	12	1	2	-	-	-	-
Female.....	4	5	10	10	14	15	12	2	-	1	-	-
Non-Hispanic 1/, both sexes.....	1,565	1,455	1,358	1,465	1,740	1,619	1,197	609	173	25	1	-
Male.....	1,149	977	854	848	896	751	514	254	61	12	-	-
Female.....	416	478	504	617	844	868	683	355	112	13	1	-
Non-Hispanic white, both sexes.....	1,254	1,192	1,172	1,295	1,593	1,520	1,127	572	162	22	1	-
Male.....	926	796	736	758	830	707	483	239	56	10	-	-
Female.....	328	396	436	537	763	813	644	333	106	12	1	-
Non-Hispanic black, both sexes.....	277	220	140	134	110	61	41	27	8	2	-	-
Male.....	204	158	92	73	48	29	17	13	3	1	-	-
Female.....	73	62	48	61	62	32	24	14	5	1	-	-
Origin not stated 2/, both sexes.....	7	6	7	4	1	3	3	-	-	-	-	1
Male.....	6	6	5	2	1	-	1	-	-	-	-	1
Female.....	1	-	2	2	-	3	2	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Cholelithiasis and other disorders of gallbladder (K80-K82)

All origins, both sexes.....	80	77	105	193	296	440	614	498	371	133	25	-
Male.....	44	45	61	101	164	233	286	199	99	27	3	-
Female.....	36	32	44	92	132	207	328	299	272	106	22	-
Hispanic, both sexes.....	7	7	7	17	27	30	31	18	13	3	2	-
Male.....	7	4	3	11	13	15	21	6	4	-	1	-
Female.....	-	3	4	6	14	15	10	12	9	3	1	-
Mexican, both sexes.....	5	4	4	9	20	22	17	7	8	1	2	-
Male.....	5	3	2	6	11	12	11	4	4	-	1	-
Female.....	-	1	2	3	9	10	6	3	4	1	1	-
Puerto Rican, both sexes.....	-	2	1	2	1	2	1	3	2	-	-	-
Male.....	-	1	-	1	-	2	1	1	-	-	-	-
Female.....	-	1	1	1	1	-	-	2	2	-	-	-
Cuban, both sexes.....	-	-	-	1	2	1	1	2	2	-	-	-
Male.....	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	2	2	-	-	-
Central and South American, both sexes.....	-	-	-	-	1	-	2	1	-	1	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	1	-	-
Other and Unknown Hispanic, both sexes.....	2	1	2	5	3	5	10	5	1	1	-	-
Male.....	2	-	1	3	1	1	6	1	-	-	-	-
Female.....	-	1	1	2	2	4	4	4	1	1	-	-
Non-Hispanic 1/, both sexes.....	72	70	98	176	269	409	581	479	358	130	23	-
Male.....	36	41	58	90	151	218	265	193	95	27	2	-
Female.....	36	29	40	86	118	191	316	286	263	103	21	-
Non-Hispanic white, both sexes.....	45	52	76	137	240	359	519	436	322	118	20	-
Male.....	24	31	44	71	137	193	237	178	86	25	1	-
Female.....	21	21	32	66	103	166	282	258	236	93	19	-
Non-Hispanic black, both sexes.....	21	15	18	29	21	35	43	35	21	12	3	-
Male.....	10	8	10	15	8	18	19	11	6	2	1	-
Female.....	11	7	8	14	13	17	24	24	15	10	2	-
Origin not stated 2/, both sexes.....	1	-	-	-	-	1	2	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

All origins, both sexes.....	1,166	1,638	2,168	2,996	4,349	6,298	7,795	7,277	4,584	1,641	314	2
Male.....	711	936	1,129	1,565	2,220	3,188	3,861	3,232	1,795	492	81	2
Female.....	455	702	1,039	1,431	2,129	3,110	3,934	4,045	2,789	1,149	233	-
Hispanic, both sexes.....	104	146	172	225	259	320	258	248	136	56	10	1
Male.....	68	75	85	111	119	151	129	116	49	23	5	1
Female.....	36	71	87	114	140	169	129	132	87	33	5	-
Mexican, both sexes.....	66	92	112	147	146	190	145	143	69	30	4	1
Male.....	43	51	56	70	70	81	68	69	23	13	1	1
Female.....	23	41	56	77	76	109	77	74	46	17	3	-
Puerto Rican, both sexes.....	20	30	35	32	50	43	25	15	8	6	3	-
Male.....	13	13	17	21	27	24	14	5	3	2	2	-
Female.....	7	17	18	11	23	19	11	10	5	4	1	-
Cuban, both sexes.....	-	4	2	11	14	30	33	39	30	13	2	-
Male.....	-	3	2	5	2	22	20	19	11	4	1	-
Female.....	-	1	-	6	12	8	13	20	19	9	1	-
Central and South American, both sexes.....	7	5	5	9	11	23	15	11	8	1	-	-
Male.....	4	2	3	5	4	8	10	5	2	1	-	-
Female.....	3	3	2	4	7	15	5	6	6	-	-	-
Other and Unknown Hispanic, both sexes.....	11	15	18	26	38	34	40	40	21	6	1	-
Male.....	8	6	7	10	16	16	17	18	10	3	1	-
Female.....	3	9	11	16	22	18	23	22	11	3	-	-
Non-Hispanic 1/, both sexes.....	1,057	1,487	1,985	2,764	4,084	5,961	7,520	7,011	4,434	1,582	303	1
Male.....	640	857	1,038	1,448	2,098	3,029	3,724	3,109	1,740	468	76	1
Female.....	417	630	947	1,316	1,986	2,932	3,796	3,902	2,694	1,114	227	-
Non-Hispanic white, both sexes.....	575	907	1,290	1,886	3,005	4,813	6,366	6,147	3,881	1,372	247	-
Male.....	336	528	688	1,027	1,587	2,540	3,210	2,812	1,537	399	62	-
Female.....	239	379	602	859	1,418	2,273	3,156	3,335	2,344	973	185	-
Non-Hispanic black, both sexes.....	448	538	634	795	963	998	1,017	769	494	190	48	1
Male.....	286	306	321	381	472	417	445	252	171	58	13	1
Female.....	162	232	313	414	491	581	572	517	323	132	35	-
Origin not stated 2/, both sexes.....	5	5	11	7	6	17	17	18	14	3	1	-
Male.....	3	4	6	6	3	8	8	7	6	1	-	-
Female.....	2	1	5	1	3	9	9	11	8	2	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Renal failure (N17-N19)												
All origins, both sexes.....	1,131	1,611	2,130	2,939	4,267	6,198	7,672	7,184	4,541	1,621	307	2
Male.....	686	923	1,113	1,532	2,187	3,140	3,807	3,198	1,771	486	80	2
Female.....	445	688	1,017	1,407	2,080	3,058	3,865	3,986	2,770	1,135	227	-
Hispanic, both sexes.....	101	141	169	221	255	315	252	246	135	54	10	1
Male.....	65	72	85	109	118	149	125	115	49	23	5	1
Female.....	36	69	84	112	137	166	127	131	86	31	5	-
Mexican, both sexes.....	64	90	110	144	145	189	140	141	69	29	4	1
Male.....	41	50	56	68	69	81	65	68	23	13	1	1
Female.....	23	40	54	76	76	108	75	73	46	16	3	-
Puerto Rican, both sexes.....	20	28	35	32	48	40	25	15	8	6	3	-
Male.....	13	12	17	21	27	22	14	5	3	2	2	-
Female.....	7	16	18	11	21	18	11	10	5	4	1	-
Cuban, both sexes.....	-	4	2	11	14	29	33	39	29	12	2	-
Male.....	-	3	2	5	2	22	20	19	11	4	1	-
Female.....	-	1	-	6	12	7	13	20	18	8	1	-
Central and South American, both sexes.....	7	5	5	9	11	23	15	11	8	1	-	-
Male.....	4	2	3	5	4	8	10	5	2	1	-	-
Female.....	3	3	2	4	7	15	5	6	6	-	-	-
Other and Unknown Hispanic, both sexes.....	10	14	17	25	37	34	39	40	21	6	1	-
Male.....	7	5	7	10	16	16	16	18	10	3	1	-
Female.....	3	9	10	15	21	18	23	22	11	3	-	-
Non-Hispanic 1/, both sexes.....	1,025	1,465	1,950	2,711	4,006	5,866	7,403	6,920	4,392	1,564	296	1
Male.....	618	847	1,022	1,417	2,066	2,983	3,674	3,076	1,716	462	75	1
Female.....	407	618	928	1,294	1,940	2,883	3,729	3,844	2,676	1,102	221	-
Non-Hispanic white, both sexes.....	554	888	1,265	1,844	2,947	4,735	6,269	6,067	3,848	1,355	243	-
Male.....	321	519	678	1,003	1,563	2,505	3,170	2,783	1,518	393	61	-
Female.....	233	369	587	841	1,384	2,230	3,099	3,284	2,330	962	182	-
Non-Hispanic black, both sexes.....	439	536	627	786	950	985	1,004	765	486	190	46	1
Male.....	280	306	317	375	466	409	438	251	167	58	13	1
Female.....	159	230	310	411	484	576	566	514	319	132	33	-
Origin not stated 2/, both sexes.....	5	5	11	7	6	17	17	18	14	3	1	-
Male.....	3	4	6	6	3	8	8	7	6	1	-	-
Female.....	2	1	5	1	3	9	9	11	8	2	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Infections of kidney (N10-N12,N13.6,N15.1)

All origins, both sexes.....	30	34	28	56	49	95	152	141	91	40	6	-
Male.....	11	11	10	15	16	25	49	44	27	7	-	-
Female.....	19	23	18	41	33	70	103	97	64	33	6	-
Hispanic, both sexes.....	1	7	1	6	5	7	6	4	2	3	-	-
Male.....	-	1	-	1	-	3	1	1	2	1	-	-
Female.....	1	6	1	5	5	4	5	3	-	2	-	-
Mexican, both sexes.....	1	6	1	5	4	4	5	3	2	2	-	-
Male.....	-	1	-	1	-	1	1	-	2	1	-	-
Female.....	1	5	1	4	4	3	4	3	-	1	-	-
Puerto Rican, both sexes.....	-	-	-	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	-	-	-	-	2	1	1	-	1	-	-
Male.....	-	-	-	-	-	2	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
Non-Hispanic 1/, both sexes.....	29	27	27	50	44	87	146	137	89	37	6	-
Male.....	11	10	10	14	16	22	48	43	25	6	-	-
Female.....	18	17	17	36	28	65	98	94	64	31	6	-
Non-Hispanic white, both sexes.....	23	19	19	42	40	75	126	128	80	33	4	-
Male.....	9	8	6	12	15	19	39	43	23	6	-	-
Female.....	14	11	13	30	25	56	87	85	57	27	4	-
Non-Hispanic black, both sexes.....	5	7	7	6	4	9	15	8	8	2	2	-
Male.....	2	2	3	2	1	3	8	-	2	-	-	-
Female.....	3	5	4	4	3	6	7	8	6	2	2	-
Origin not stated 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Pregnancy with abortive outcome (000-007)

Table with 13 columns: Cause of death, Hispanic origin, race for non-Hispanic population, and sex; and 12 age groups (50-54 years to 100 years and over) plus Age not stated. Rows include categories like All origins, both sexes; Hispanic, both sexes; Mexican, both sexes; Puerto Rican, both sexes; Cuban, both sexes; Central and South American, both sexes; Other and Unknown Hispanic, both sexes; Non-Hispanic 1/, both sexes; Non-Hispanic white, both sexes; Non-Hispanic black, both sexes; and Origin not stated 2/, both sexes. Each row contains data points for each age group and sex.

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All origins, both sexes.....	343	376	290	223	190	224	240	170	100	40	9	-
Male.....	172	189	147	108	90	86	92	57	27	12	1	-
Female.....	171	187	143	115	100	138	148	113	73	28	8	-
Hispanic, both sexes.....	20	17	18	9	8	9	4	7	4	2	1	-
Male.....	11	11	8	4	6	4	2	5	-	-	-	-
Female.....	9	6	10	5	2	5	2	2	4	2	1	-
Mexican, both sexes.....	15	13	13	4	4	8	1	4	1	1	-	-
Male.....	8	7	5	2	3	4	1	4	-	-	-	-
Female.....	7	6	8	2	1	4	-	-	1	1	-	-
Puerto Rican, both sexes.....	1	1	2	1	2	-	-	1	-	-	-	-
Male.....	1	1	-	1	2	-	-	1	-	-	-	-
Female.....	-	-	2	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	1	1	2	2	1	1	2	1	-	-	-	-
Male.....	1	1	2	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	2	-	1	1	1	-	-	-	-
Central and South American, both sexes.....	1	1	-	1	-	-	1	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	-	-	-
Other and Unknown Hispanic, both sexes.....	2	1	1	1	1	-	-	1	2	1	1	-
Male.....	-	1	1	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	1	2	1	1	-
Non-Hispanic 1/, both sexes.....	323	357	272	214	181	215	236	163	95	38	8	-
Male.....	161	178	139	104	83	82	90	52	27	12	1	-
Female.....	162	179	133	110	98	133	146	111	68	26	7	-
Non-Hispanic white, both sexes.....	285	317	243	182	160	195	216	153	85	34	8	-
Male.....	144	158	121	88	70	74	77	50	24	10	1	-
Female.....	141	159	122	94	90	121	139	103	61	24	7	-
Non-Hispanic black, both sexes.....	28	34	26	24	16	15	15	8	8	4	-	-
Male.....	10	18	15	14	11	5	11	2	2	2	-	-
Female.....	18	16	11	10	5	10	4	6	6	2	-	-
Origin not stated 2/, both sexes.....	-	2	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	2	-	-	-	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All origins, both sexes.....	1,296	1,077	990	1,033	1,489	1,989	3,017	3,723	3,702	2,225	915	112
Male.....	829	682	612	618	813	967	1,193	1,148	919	385	118	83
Female.....	467	395	378	415	676	1,022	1,824	2,575	2,783	1,840	797	29
Hispanic, both sexes.....	66	42	31	36	39	58	60	83	79	39	13	11
Male.....	45	33	22	20	24	25	24	26	26	10	-	8
Female.....	21	9	9	16	15	33	36	57	53	29	13	3
Mexican, both sexes.....	29	19	14	18	20	32	28	41	40	20	8	4
Male.....	19	13	10	12	13	17	11	15	14	7	-	4
Female.....	10	6	4	6	7	15	17	26	26	13	8	-
Puerto Rican, both sexes.....	24	5	10	7	7	11	11	17	6	9	3	-
Male.....	17	5	6	2	2	3	5	6	-	1	-	-
Female.....	7	-	4	5	5	8	6	11	6	8	3	-
Cuban, both sexes.....	3	4	1	3	3	-	8	7	11	4	-	-
Male.....	3	3	1	3	2	-	4	1	5	-	-	-
Female.....	-	1	-	-	1	-	4	6	6	4	-	-
Central and South American, both sexes.....	5	9	3	3	2	3	5	2	4	-	1	1
Male.....	4	8	3	1	2	1	1	-	-	-	-	-
Female.....	1	1	-	2	-	2	4	2	4	-	1	1
Other and Unknown Hispanic, both sexes.....	5	5	3	5	7	12	8	16	18	6	1	6
Male.....	2	4	2	2	5	4	3	4	7	2	-	4
Female.....	3	1	1	3	2	8	5	12	11	4	1	2
Non-Hispanic 1/, both sexes.....	1,216	1,023	952	994	1,445	1,925	2,951	3,632	3,616	2,175	901	44
Male.....	772	640	585	595	784	938	1,164	1,116	893	373	117	38
Female.....	444	383	367	399	661	987	1,787	2,516	2,723	1,802	784	6
Non-Hispanic white, both sexes.....	913	806	756	807	1,206	1,694	2,673	3,353	3,319	2,016	799	35
Male.....	591	497	461	481	662	833	1,048	1,025	814	343	100	31
Female.....	322	309	295	326	544	861	1,625	2,328	2,505	1,673	699	4
Non-Hispanic black, both sexes.....	283	202	183	171	229	203	236	242	256	134	89	7
Male.....	172	130	117	105	118	90	93	80	69	22	14	5
Female.....	111	72	66	66	111	113	143	162	187	112	75	2
Origin not stated 2/, both sexes.....	14	12	7	3	5	6	6	8	7	11	1	57
Male.....	12	9	5	3	5	4	5	6	-	2	1	37
Female.....	2	3	2	-	-	2	1	2	7	9	-	20

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All origins, both sexes.....	8,635	8,940	9,794	11,160	15,315	22,635	30,320	32,746	24,949	10,915	2,490	17
Male.....	5,136	5,027	5,247	5,689	7,304	9,807	11,586	10,145	5,900	1,838	295	13
Female.....	3,499	3,913	4,547	5,471	8,011	12,828	18,734	22,601	19,049	9,077	2,195	4
Hispanic, both sexes.....	608	563	554	594	712	872	950	771	607	269	65	3
Male.....	377	347	293	300	331	377	410	244	170	66	12	2
Female.....	231	216	261	294	381	495	540	527	437	203	53	1
Mexican, both sexes.....	359	314	330	336	415	479	506	379	287	124	33	3
Male.....	213	191	157	169	195	219	227	125	80	37	6	2
Female.....	146	123	173	167	220	260	279	254	207	87	27	1
Puerto Rican, both sexes.....	102	102	91	93	89	102	90	97	73	31	7	-
Male.....	68	64	50	48	43	44	42	25	31	9	1	-
Female.....	34	38	41	45	46	58	48	72	42	22	6	-
Cuban, both sexes.....	21	28	26	54	69	129	135	127	110	45	8	-
Male.....	14	17	16	31	35	57	57	44	28	7	2	-
Female.....	7	11	10	23	34	72	78	83	82	38	6	-
Central and South American, both sexes.....	24	26	22	20	35	38	37	31	19	11	3	-
Male.....	12	15	9	9	14	10	11	7	1	1	1	-
Female.....	12	11	13	11	21	28	26	24	18	10	2	-
Other and Unknown Hispanic, both sexes.....	102	93	85	91	104	124	182	137	118	58	14	-
Male.....	70	60	61	43	44	47	73	43	30	12	2	-
Female.....	32	33	24	48	60	77	109	94	88	46	12	-
Non-Hispanic 1/, both sexes.....	7,993	8,351	9,207	10,534	14,575	21,714	29,330	31,917	24,288	10,618	2,418	7
Male.....	4,734	4,665	4,930	5,368	6,958	9,407	11,160	9,883	5,707	1,769	281	5
Female.....	3,259	3,686	4,277	5,166	7,617	12,307	18,170	22,034	18,581	8,849	2,137	2
Non-Hispanic white, both sexes.....	5,996	6,633	7,438	8,765	12,459	19,102	26,408	29,385	22,339	9,694	2,089	5
Male.....	3,608	3,740	4,002	4,465	5,951	8,270	10,004	9,111	5,261	1,589	230	3
Female.....	2,388	2,893	3,436	4,300	6,508	10,832	16,404	20,274	17,078	8,105	1,859	2
Non-Hispanic black, both sexes.....	1,787	1,509	1,539	1,528	1,807	2,227	2,455	2,130	1,663	795	292	2
Male.....	1,002	801	809	770	873	958	957	627	355	145	40	2
Female.....	785	708	730	758	934	1,269	1,498	1,503	1,308	650	252	-
Origin not stated 2/, both sexes.....	34	26	33	32	28	49	40	58	54	28	7	7
Male.....	25	15	24	21	15	23	16	18	23	3	2	6
Female.....	9	11	9	11	13	26	24	40	31	25	5	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

All origins, both sexes.....	6,972	5,186	3,984	3,711	4,370	5,875	7,233	6,839	4,352	1,620	335	76
Male.....	4,871	3,613	2,711	2,365	2,556	3,251	3,600	2,991	1,595	440	67	70
Female.....	2,101	1,573	1,273	1,346	1,814	2,624	3,633	3,848	2,757	1,180	268	6
Hispanic, both sexes.....	519	338	301	239	227	234	220	157	92	37	7	15
Male.....	381	246	203	153	136	146	121	77	37	11	2	15
Female.....	138	92	98	86	91	88	99	80	55	26	5	-
Mexican, both sexes.....	324	210	178	139	115	119	100	71	42	16	4	11
Male.....	243	156	125	90	73	78	63	32	17	7	1	11
Female.....	81	54	53	49	42	41	37	39	25	9	3	-
Puerto Rican, both sexes.....	52	30	26	29	20	27	17	18	2	2	1	-
Male.....	34	21	14	21	10	19	7	6	2	-	-	-
Female.....	18	9	12	8	10	8	10	12	-	2	1	-
Cuban, both sexes.....	30	20	16	23	24	31	35	25	17	7	-	-
Male.....	23	14	14	12	14	17	16	15	7	4	-	-
Female.....	7	6	2	11	10	14	19	10	10	3	-	-
Central and South American, both sexes.....	23	23	27	8	21	7	15	6	5	4	-	-
Male.....	15	14	17	5	9	3	9	4	1	-	-	-
Female.....	8	9	10	3	12	4	6	2	4	4	-	-
Other and Unknown Hispanic, both sexes.....	90	55	54	40	47	50	53	37	26	8	2	4
Male.....	66	41	33	25	30	29	26	20	10	-	1	4
Female.....	24	14	21	15	17	21	27	17	16	8	1	-
Non-Hispanic 1/, both sexes.....	6,406	4,821	3,664	3,454	4,126	5,624	6,996	6,663	4,252	1,581	328	23
Male.....	4,451	3,345	2,494	2,197	2,407	3,092	3,472	2,905	1,554	429	65	20
Female.....	1,955	1,476	1,170	1,257	1,719	2,532	3,524	3,758	2,698	1,152	263	3
Non-Hispanic white, both sexes.....	5,128	3,978	3,065	2,874	3,592	5,065	6,422	6,282	3,991	1,505	300	22
Male.....	3,576	2,752	2,089	1,833	2,119	2,784	3,173	2,735	1,445	405	58	19
Female.....	1,552	1,226	976	1,041	1,473	2,281	3,249	3,547	2,546	1,100	242	3
Non-Hispanic black, both sexes.....	1,042	683	469	451	399	393	405	276	189	59	20	1
Male.....	729	493	331	298	220	227	202	121	71	17	5	1
Female.....	313	190	138	153	179	166	203	155	118	42	15	-
Origin not stated 2/, both sexes.....	47	27	19	18	17	17	17	19	8	2	-	38
Male.....	39	22	14	15	13	13	7	9	4	-	-	35
Female.....	8	5	5	3	4	4	10	10	4	2	-	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Transport accidents (V01-V99,Y85)												
All origins, both sexes.....	3,098	2,507	1,934	1,578	1,632	1,782	1,595	994	350	55	2	20
Male.....	2,198	1,778	1,309	1,019	956	1,019	866	534	187	30	-	18
Female.....	900	729	625	559	676	763	729	460	163	25	2	2
Hispanic, both sexes.....	247	177	152	121	106	83	68	27	16	5	-	8
Male.....	176	119	93	78	64	50	42	15	11	4	-	8
Female.....	71	58	59	43	42	33	26	12	5	1	-	-
Mexican, both sexes.....	160	121	89	76	50	43	33	12	8	4	-	6
Male.....	114	84	58	52	33	26	23	6	5	4	-	6
Female.....	46	37	31	24	17	17	10	6	3	-	-	-
Puerto Rican, both sexes.....	13	10	12	11	6	10	4	2	1	-	-	-
Male.....	11	7	7	7	3	8	1	1	1	-	-	-
Female.....	2	3	5	4	3	2	3	1	-	-	-	-
Cuban, both sexes.....	21	6	12	13	13	16	11	2	4	-	-	-
Male.....	17	2	10	7	7	9	7	1	2	-	-	-
Female.....	4	4	2	6	6	7	4	1	2	-	-	-
Central and South American, both sexes.....	17	18	16	3	15	3	3	2	1	-	-	-
Male.....	10	10	7	2	7	1	1	1	1	-	-	-
Female.....	7	8	9	1	8	2	2	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	36	22	23	18	22	11	17	9	2	1	-	2
Male.....	24	16	11	10	14	6	10	6	2	-	-	2
Female.....	12	6	12	8	8	5	7	3	-	1	-	-
Non-Hispanic 1/, both sexes.....	2,837	2,318	1,772	1,449	1,517	1,696	1,521	962	334	50	2	4
Male.....	2,010	1,650	1,208	934	886	967	822	516	176	26	-	4
Female.....	827	668	564	515	631	729	699	446	158	24	2	-
Non-Hispanic white, both sexes.....	2,311	1,927	1,487	1,212	1,331	1,501	1,391	893	306	46	1	4
Male.....	1,652	1,381	1,030	790	794	856	750	478	157	23	-	4
Female.....	659	546	457	422	537	645	641	415	149	23	1	-
Non-Hispanic black, both sexes.....	390	295	206	174	129	133	84	48	22	2	-	-
Male.....	282	213	141	114	69	82	50	27	13	1	-	-
Female.....	108	82	65	60	60	51	34	21	9	1	-	-
Origin not stated 2/, both sexes.....	14	12	10	8	9	3	6	5	-	-	-	8
Male.....	12	9	8	7	6	2	2	3	-	-	-	6
Female.....	2	3	2	1	3	1	4	2	-	-	-	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
All origins, both sexes.....	2,788	2,232	1,726	1,444	1,523	1,680	1,530	961	343	53	1	16
Male.....	1,937	1,553	1,130	908	870	944	823	511	182	29	-	14
Female.....	851	679	596	536	653	736	707	450	161	24	1	2
Hispanic, both sexes.....	234	163	141	112	101	81	67	26	16	5	-	7
Male.....	165	110	86	72	62	48	41	15	11	4	-	7
Female.....	69	53	55	40	39	33	26	11	5	1	-	-
Mexican, both sexes.....	152	112	82	72	48	42	33	12	8	4	-	6
Male.....	107	79	53	48	31	25	23	6	5	4	-	6
Female.....	45	33	29	24	17	17	10	6	3	-	-	-
Puerto Rican, both sexes.....	12	10	12	11	5	10	4	2	1	-	-	-
Male.....	10	7	7	7	3	8	1	1	1	-	-	-
Female.....	2	3	5	4	2	2	3	1	-	-	-	-
Cuban, both sexes.....	20	5	11	13	12	16	10	2	4	-	-	-
Male.....	16	1	9	7	7	9	6	1	2	-	-	-
Female.....	4	4	2	6	5	7	4	1	2	-	-	-
Central and South American, both sexes.....	17	17	15	2	15	3	3	2	1	-	-	-
Male.....	10	10	7	2	7	1	1	1	1	-	-	-
Female.....	7	7	8	-	8	2	2	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	33	19	21	14	21	10	17	8	2	1	-	1
Male.....	22	13	10	8	14	5	10	6	2	-	-	1
Female.....	11	6	11	6	7	5	7	2	-	1	-	-
Non-Hispanic 1/, both sexes.....	2,541	2,059	1,577	1,325	1,413	1,596	1,457	930	327	48	1	1
Male.....	1,761	1,436	1,037	830	802	894	780	493	171	25	-	1
Female.....	780	623	540	495	611	702	677	437	156	23	1	-
Non-Hispanic white, both sexes.....	2,056	1,694	1,314	1,109	1,234	1,414	1,334	862	300	44	-	1
Male.....	1,439	1,190	877	704	715	791	714	456	153	22	-	1
Female.....	617	504	437	405	519	623	620	406	147	22	-	-
Non-Hispanic black, both sexes.....	360	274	189	160	125	124	79	48	21	2	-	-
Male.....	254	194	125	101	66	77	46	27	12	1	-	-
Female.....	106	80	64	59	59	47	33	21	9	1	-	-
Origin not stated 2/, both sexes.....	13	10	8	7	9	3	6	5	-	-	-	8
Male.....	11	7	7	6	6	2	2	3	-	-	-	6
Female.....	2	3	1	1	3	1	4	2	-	-	-	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Nontransport accidents (W00-X59,Y86)												
All origins, both sexes.....	3,874	2,679	2,050	2,133	2,738	4,093	5,638	5,845	4,002	1,565	333	56
Male.....	2,673	1,835	1,402	1,346	1,600	2,232	2,734	2,457	1,408	410	67	52
Female.....	1,201	844	648	787	1,138	1,861	2,904	3,388	2,594	1,155	266	4
Hispanic, both sexes.....	272	161	149	118	121	151	152	130	76	32	7	7
Male.....	205	127	110	75	72	96	79	62	26	7	2	7
Female.....	67	34	39	43	49	55	73	68	50	25	5	-
Mexican, both sexes.....	164	89	89	63	65	76	67	59	34	12	4	5
Male.....	129	72	67	38	40	52	40	26	12	3	1	5
Female.....	35	17	22	25	25	24	27	33	22	9	3	-
Puerto Rican, both sexes.....	39	20	14	18	14	17	13	16	1	2	1	-
Male.....	23	14	7	14	7	11	6	5	1	-	-	-
Female.....	16	6	7	4	7	6	7	11	-	2	1	-
Cuban, both sexes.....	9	14	4	10	11	15	24	23	13	7	-	-
Male.....	6	12	4	5	7	8	9	14	5	4	-	-
Female.....	3	2	-	5	4	7	15	9	8	3	-	-
Central and South American, both sexes.....	6	5	11	5	6	4	12	4	4	4	-	-
Male.....	5	4	10	3	2	2	8	3	-	-	-	-
Female.....	1	1	1	2	4	2	4	1	4	4	-	-
Other and Unknown Hispanic, both sexes.....	54	33	31	22	25	39	36	28	24	7	2	2
Male.....	42	25	22	15	16	23	16	14	8	-	1	2
Female.....	12	8	9	7	9	16	20	14	16	7	1	-
Non-Hispanic 1/, both sexes.....	3,569	2,503	1,892	2,005	2,609	3,928	5,475	5,701	3,918	1,531	326	19
Male.....	2,441	1,695	1,286	1,263	1,521	2,125	2,650	2,389	1,378	403	65	16
Female.....	1,128	808	606	742	1,088	1,803	2,825	3,312	2,540	1,128	261	3
Non-Hispanic white, both sexes.....	2,817	2,051	1,578	1,662	2,261	3,564	5,031	5,389	3,685	1,459	299	18
Male.....	1,924	1,371	1,059	1,043	1,325	1,928	2,423	2,257	1,288	382	58	15
Female.....	893	680	519	619	936	1,636	2,608	3,132	2,397	1,077	241	3
Non-Hispanic black, both sexes.....	652	388	263	277	270	260	321	228	167	57	20	1
Male.....	447	280	190	184	151	145	152	94	58	16	5	1
Female.....	205	108	73	93	119	115	169	134	109	41	15	-
Origin not stated 2/, both sexes.....	33	15	9	10	8	14	11	14	8	2	-	30
Male.....	27	13	6	8	7	11	5	6	4	-	-	29
Female.....	6	2	3	2	1	3	6	8	4	2	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Falls (W00-W19)

All origins, both sexes.....	535	579	641	787	1,261	2,136	3,113	3,220	2,221	806	157	1
Male.....	409	408	419	485	724	1,145	1,516	1,359	796	206	25	1
Female.....	126	171	222	302	537	991	1,597	1,861	1,425	600	132	-
Hispanic, both sexes.....	50	41	64	42	71	79	84	78	51	23	4	-
Male.....	40	30	44	25	39	51	43	38	15	5	1	-
Female.....	10	11	20	17	32	28	41	40	36	18	3	-
Mexican, both sexes.....	39	19	35	23	36	40	33	34	20	9	2	-
Male.....	33	16	25	13	22	28	19	15	9	2	1	-
Female.....	6	3	10	10	14	12	14	19	11	7	1	-
Puerto Rican, both sexes.....	3	7	7	7	7	8	5	8	1	1	1	-
Male.....	1	5	3	6	2	6	2	3	1	-	-	-
Female.....	2	2	4	1	5	2	3	5	-	1	1	-
Cuban, both sexes.....	1	1	1	1	8	9	14	15	11	5	-	-
Male.....	-	-	1	-	5	4	6	9	4	3	-	-
Female.....	1	1	-	1	3	5	8	6	7	2	-	-
Central and South American, both sexes.....	2	2	6	2	3	1	5	2	4	3	-	-
Male.....	1	2	5	1	-	1	4	1	-	-	-	-
Female.....	1	-	1	1	3	-	1	1	4	3	-	-
Other and Unknown Hispanic, both sexes.....	5	12	15	9	17	21	27	19	15	5	1	-
Male.....	5	7	10	5	10	12	12	10	1	-	-	-
Female.....	-	5	5	4	7	9	15	9	14	5	1	-
Non-Hispanic 1/, both sexes.....	484	535	574	743	1,187	2,051	3,022	3,136	2,165	781	153	-
Male.....	368	376	374	458	682	1,089	1,471	1,318	779	201	24	-
Female.....	116	159	200	285	505	962	1,551	1,818	1,386	580	129	-
Non-Hispanic white, both sexes.....	382	449	494	644	1,067	1,912	2,835	3,010	2,066	759	146	-
Male.....	287	317	321	390	618	1,019	1,376	1,265	741	195	24	-
Female.....	95	132	173	254	449	893	1,459	1,745	1,325	564	122	-
Non-Hispanic black, both sexes.....	75	68	63	71	79	76	109	74	58	14	4	-
Male.....	56	46	40	51	36	38	47	32	18	3	-	-
Female.....	19	22	23	20	43	38	62	42	40	11	4	-
Origin not stated 2/, both sexes.....	1	3	3	2	3	6	7	6	5	2	-	1
Male.....	1	2	1	2	3	5	2	3	2	-	-	1
Female.....	-	1	2	-	-	1	5	3	3	2	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Accidental exposure to smoke, fire and flames (X00-X09)												
All origins, both sexes.....	256	204	188	198	221	226	234	157	67	24	5	4
Male.....	148	138	116	113	131	124	104	72	27	8	-	3
Female.....	108	66	72	85	90	102	130	85	40	16	5	1
Hispanic, both sexes.....	19	7	7	7	5	10	5	7	1	1	-	-
Male.....	15	6	4	5	4	5	4	3	1	-	-	-
Female.....	4	1	3	2	1	5	1	4	-	-	-	-
Mexican, both sexes.....	10	5	3	3	4	6	2	4	-	1	-	-
Male.....	9	4	1	2	3	3	2	2	-	1	-	-
Female.....	1	1	2	1	1	3	-	2	-	-	-	-
Puerto Rican, both sexes.....	3	1	2	-	1	2	-	1	-	-	-	-
Male.....	2	1	1	-	1	2	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	1	-	-	-	-
Cuban, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	1	-	1	1	-	-	1	-	-	-	-	-
Male.....	1	-	1	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	5	1	-	3	-	2	2	1	1	-	-	-
Male.....	3	1	-	2	-	-	1	-	1	-	-	-
Female.....	2	-	-	1	-	2	1	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	234	195	180	189	215	214	229	149	66	23	5	2
Male.....	132	130	111	107	126	118	100	68	26	7	-	1
Female.....	102	65	69	82	89	96	129	81	40	16	5	1
Non-Hispanic white, both sexes.....	168	147	139	143	162	164	176	112	58	18	2	2
Male.....	100	95	88	81	97	85	74	54	22	5	-	1
Female.....	68	52	51	62	65	79	102	58	36	13	2	1
Non-Hispanic black, both sexes.....	61	45	34	42	48	50	49	35	8	4	3	-
Male.....	31	33	20	26	27	33	23	13	4	1	-	-
Female.....	30	12	14	16	21	17	26	22	4	3	3	-
Origin not stated 2/, both sexes.....	3	2	1	2	1	2	-	1	-	-	-	2
Male.....	1	2	1	1	1	1	-	1	-	-	-	2
Female.....	2	-	-	1	-	1	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)												
All origins, both sexes.....	770	750	670	794	966	1,475	2,064	2,302	1,644	720	167	15
Male.....	566	545	500	518	577	820	978	958	548	190	41	13
Female.....	204	205	170	276	389	655	1,086	1,344	1,096	530	126	2
Hispanic, both sexes.....	51	39	43	46	31	51	57	38	24	7	3	-
Male.....	36	31	32	28	21	35	30	17	10	1	1	-
Female.....	15	8	11	18	10	16	27	21	14	6	2	-
Mexican, both sexes.....	33	20	29	26	19	28	31	19	14	2	2	-
Male.....	23	16	22	16	12	20	18	8	3	-	-	-
Female.....	10	4	7	10	7	8	13	11	11	2	2	-
Puerto Rican, both sexes.....	4	7	3	5	3	4	6	6	-	-	-	-
Male.....	2	4	1	3	2	2	3	2	-	-	-	-
Female.....	2	3	2	2	1	2	3	4	-	-	-	-
Cuban, both sexes.....	3	7	1	7	3	4	9	5	2	2	-	-
Male.....	2	6	1	4	2	3	3	3	1	1	-	-
Female.....	1	1	-	3	1	1	6	2	1	1	-	-
Central and South American, both sexes.....	1	-	1	2	2	2	4	1	-	1	-	-
Male.....	1	-	1	1	2	-	3	1	-	-	-	-
Female.....	-	-	-	1	-	2	1	-	-	1	-	-
Other and Unknown Hispanic, both sexes.....	10	5	9	6	4	13	7	7	8	2	1	-
Male.....	8	5	7	4	3	10	3	3	6	-	1	-
Female.....	2	-	2	2	1	3	4	4	2	2	-	-
Non-Hispanic 1/, both sexes.....	718	709	626	745	933	1,419	2,003	2,257	1,617	713	164	5
Male.....	529	513	467	488	555	781	945	939	536	189	40	4
Female.....	189	196	159	257	378	638	1,058	1,318	1,081	524	124	1
Non-Hispanic white, both sexes.....	565	578	514	619	800	1,271	1,813	2,128	1,501	670	147	5
Male.....	423	421	378	416	475	700	849	882	496	177	33	4
Female.....	142	157	136	203	325	571	964	1,246	1,005	493	114	1
Non-Hispanic black, both sexes.....	133	106	95	107	111	115	152	105	93	38	13	-
Male.....	91	74	72	62	68	64	74	41	30	11	5	-
Female.....	42	32	23	45	43	51	78	64	63	27	8	-
Origin not stated 2/, both sexes.....	1	2	1	3	2	5	4	7	3	-	-	10
Male.....	1	1	1	2	1	4	3	2	2	-	-	9
Female.....	-	1	-	1	1	1	1	5	1	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)												
All origins, both sexes.....	2,996	2,314	1,529	1,167	1,168	1,159	956	558	205	34	1	7
Male.....	2,271	1,771	1,216	958	996	985	824	484	178	28	-	7
Female.....	725	543	313	209	172	174	132	74	27	6	1	-
Hispanic, both sexes.....	114	88	57	44	36	29	22	15	5	1	-	-
Male.....	90	78	51	38	33	26	21	13	3	1	-	-
Female.....	24	10	6	6	3	3	1	2	2	-	-	-
Mexican, both sexes.....	69	34	29	17	13	12	6	5	-	-	-	-
Male.....	54	32	25	16	13	9	6	5	-	-	-	-
Female.....	15	2	4	1	-	3	-	-	-	-	-	-
Puerto Rican, both sexes.....	12	17	8	5	4	3	3	1	-	-	-	-
Male.....	8	16	7	5	4	3	3	1	-	-	-	-
Female.....	4	1	1	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	8	13	8	12	13	7	7	6	3	-	-	-
Male.....	8	9	7	10	12	7	7	5	2	-	-	-
Female.....	-	4	1	2	1	-	-	1	1	-	-	-
Central and South American, both sexes.....	7	9	2	1	2	3	1	-	1	-	-	-
Male.....	7	6	2	-	-	3	1	-	-	-	-	-
Female.....	-	3	-	1	2	-	-	-	1	-	-	-
Other and Unknown Hispanic, both sexes.....	18	15	10	9	4	4	5	3	1	1	-	-
Male.....	13	15	10	7	4	4	4	2	1	1	-	-
Female.....	5	-	-	2	-	-	1	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	2,875	2,215	1,467	1,118	1,129	1,129	934	541	200	33	1	2
Male.....	2,176	1,683	1,161	917	961	958	803	469	175	27	-	2
Female.....	699	532	306	201	168	171	131	72	25	6	1	-
Non-Hispanic white, both sexes.....	2,692	2,085	1,377	1,043	1,067	1,079	901	518	199	31	1	2
Male.....	2,048	1,588	1,090	860	909	919	777	453	174	27	-	2
Female.....	644	497	287	183	158	160	124	65	25	4	1	-
Non-Hispanic black, both sexes.....	126	73	59	43	34	25	18	11	-	1	-	-
Male.....	91	54	48	32	27	23	16	8	-	-	-	-
Female.....	35	19	11	11	7	2	2	3	-	1	-	-
Origin not stated 2/, both sexes.....	7	11	5	5	3	1	-	2	-	-	-	5
Male.....	5	10	4	3	2	1	-	2	-	-	-	5
Female.....	2	1	1	2	1	-	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All origins, both sexes.....	1,574	1,329	988	833	867	886	709	399	136	24	-	-
Male.....	1,349	1,122	879	747	791	815	665	375	132	22	-	-
Female.....	225	207	109	86	76	71	44	24	4	2	-	-
Hispanic, both sexes.....	46	32	25	18	20	17	9	9	2	-	-	-
Male.....	44	30	25	18	20	16	9	8	2	-	-	-
Female.....	2	2	-	-	-	1	-	1	-	-	-	-
Mexican, both sexes.....	27	19	11	8	10	8	2	3	-	-	-	-
Male.....	26	18	11	8	10	7	2	3	-	-	-	-
Female.....	1	1	-	-	-	1	-	-	-	-	-	-
Puerto Rican, both sexes.....	6	1	1	1	4	2	-	-	-	-	-	-
Male.....	6	1	1	1	4	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	7	5	3	6	4	4	4	4	1	-	-	-
Male.....	7	5	3	6	4	4	4	4	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	2	1	1	-	-	-	1	-	-	-	-	-
Male.....	2	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	4	6	9	3	2	3	2	2	1	-	-	-
Male.....	3	6	9	3	2	3	2	1	1	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	1,525	1,293	961	812	845	869	700	388	134	24	-	-
Male.....	1,302	1,088	852	727	770	799	656	365	130	22	-	-
Female.....	223	205	109	85	75	70	44	23	4	2	-	-
Non-Hispanic white, both sexes.....	1,440	1,240	918	776	813	841	679	381	134	23	-	-
Male.....	1,230	1,045	812	697	741	773	638	358	130	22	-	-
Female.....	210	195	106	79	72	68	41	23	4	1	-	-
Non-Hispanic black, both sexes.....	67	39	36	32	24	22	16	6	-	1	-	-
Male.....	57	30	33	26	21	20	14	6	-	-	-	-
Female.....	10	9	3	6	3	2	2	-	-	1	-	-
Origin not stated 2/, both sexes.....	3	4	2	3	2	-	-	2	-	-	-	-
Male.....	3	4	2	2	1	-	-	2	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)

All origins, both sexes.....	798	490	296	227	205	187	130	77	22	5	-	41
Male.....	595	352	216	156	129	110	61	32	13	1	-	29
Female.....	203	138	80	71	76	77	69	45	9	4	-	12
Hispanic, both sexes.....	88	37	38	24	22	15	8	3	2	-	-	6
Male.....	71	25	34	20	17	8	5	-	2	-	-	5
Female.....	17	12	4	4	5	7	3	3	-	-	-	1
Mexican, both sexes.....	62	19	20	13	15	6	4	1	-	-	-	4
Male.....	51	14	20	11	12	3	3	-	-	-	-	3
Female.....	11	5	-	2	3	3	1	1	-	-	-	1
Puerto Rican, both sexes.....	11	5	6	6	1	1	1	1	-	-	-	-
Male.....	8	3	4	5	1	1	-	-	-	-	-	-
Female.....	3	2	2	1	-	1	1	-	-	-	-	-
Cuban, both sexes.....	3	4	3	2	2	4	-	1	-	-	-	-
Male.....	3	2	3	2	1	2	-	-	-	-	-	-
Female.....	-	2	-	-	1	2	-	1	-	-	-	-
Central and South American, both sexes.....	7	2	5	-	1	1	1	-	-	-	-	-
Male.....	5	2	5	-	1	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	5	7	4	3	3	3	2	-	2	-	-	2
Male.....	4	4	2	2	2	2	1	-	2	-	-	2
Female.....	1	3	2	1	1	1	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	705	447	258	201	180	170	121	73	19	5	-	19
Male.....	520	321	182	134	109	100	56	31	10	1	-	13
Female.....	185	126	76	67	71	70	65	42	9	4	-	6
Non-Hispanic white, both sexes.....	404	289	166	134	120	128	92	62	15	3	-	16
Male.....	283	189	114	83	70	74	41	27	8	1	-	11
Female.....	121	100	52	51	50	54	51	35	7	2	-	5
Non-Hispanic black, both sexes.....	271	139	79	54	51	37	26	10	4	2	-	2
Male.....	213	120	58	44	34	25	14	4	2	-	-	1
Female.....	58	19	21	10	17	12	12	6	2	2	-	1
Origin not stated 2/, both sexes.....	5	6	-	2	3	2	1	1	1	-	-	16
Male.....	4	6	-	2	3	2	-	1	1	-	-	11
Female.....	1	-	-	-	-	-	1	-	-	-	-	5

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)												
All origins, both sexes.....	371	240	152	144	127	132	97	60	17	4	-	23
Male.....	269	166	110	93	77	83	53	23	12	1	-	13
Female.....	102	74	42	51	50	49	44	37	5	3	-	10
Hispanic, both sexes.....	44	27	22	15	14	12	8	3	2	-	-	2
Male.....	39	16	21	12	12	6	5	-	2	-	-	2
Female.....	5	11	1	3	2	6	3	3	-	-	-	-
Mexican, both sexes.....	28	13	14	8	9	5	4	1	-	-	-	1
Male.....	25	9	14	6	7	2	3	-	-	-	-	1
Female.....	3	4	-	2	2	3	1	1	-	-	-	-
Puerto Rican, both sexes.....	5	5	4	6	1	1	1	1	-	-	-	-
Male.....	4	3	4	5	1	1	-	-	-	-	-	-
Female.....	1	2	-	1	-	-	1	1	-	-	-	-
Cuban, both sexes.....	3	3	1	-	1	4	-	1	-	-	-	-
Male.....	3	1	1	-	1	2	-	-	-	-	-	-
Female.....	-	2	-	-	-	2	-	1	-	-	-	-
Central and South American, both sexes.....	4	-	2	-	1	1	1	-	-	-	-	-
Male.....	3	-	2	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	4	6	1	1	2	1	2	-	2	-	-	1
Male.....	4	3	-	1	2	1	1	-	2	-	-	1
Female.....	-	3	1	-	-	-	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	322	210	130	127	110	119	88	56	14	4	-	10
Male.....	226	147	89	79	62	76	48	22	9	1	-	5
Female.....	96	63	41	48	48	43	40	34	5	3	-	5
Non-Hispanic white, both sexes.....	182	132	81	85	70	90	65	45	12	3	-	10
Male.....	118	83	54	48	37	56	36	18	8	1	-	5
Female.....	64	49	27	37	33	34	29	27	4	2	-	5
Non-Hispanic black, both sexes.....	124	69	43	31	32	27	20	10	2	1	-	-
Male.....	95	57	32	25	20	19	11	4	1	-	-	-
Female.....	29	12	11	6	12	8	9	6	1	1	-	-
Origin not stated 2/, both sexes.....	5	3	-	2	3	1	1	1	1	-	-	11
Male.....	4	3	-	2	3	1	-	1	1	-	-	6
Female.....	1	-	-	-	-	-	1	-	-	-	-	5

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Complications of medical and surgical care (Y40-Y84,Y88)

All origins, both sexes.....	128	178	202	214	320	398	396	307	152	58	13	1
Male.....	66	101	94	103	161	174	181	129	46	8	3	1
Female.....	62	77	108	111	159	224	215	178	106	50	10	-
Hispanic, both sexes.....	6	7	14	14	24	11	13	7	2	4	-	1
Male.....	3	4	5	6	11	6	4	4	-	-	-	1
Female.....	3	3	9	8	13	5	9	3	2	4	-	-
Mexican, both sexes.....	4	5	8	12	10	4	7	1	-	2	-	1
Male.....	2	3	3	5	1	4	3	1	-	-	-	1
Female.....	2	2	5	7	9	-	4	-	-	2	-	-
Puerto Rican, both sexes.....	2	1	1	-	-	1	2	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	1	-	-	1	2	-	1	1	-	-
Cuban, both sexes.....	-	-	1	1	3	-	1	3	-	-	-	-
Male.....	-	-	1	-	2	-	-	3	-	-	-	-
Female.....	-	-	-	1	1	-	1	-	-	-	-	-
Central and South American, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	1	4	1	10	6	3	2	1	1	-	-
Male.....	-	1	1	1	7	2	1	-	-	-	-	-
Female.....	-	-	3	-	3	4	2	2	1	1	-	-
Non-Hispanic 1/, both sexes.....	122	171	188	200	296	386	383	299	150	54	13	-
Male.....	63	97	89	97	150	167	177	125	46	8	3	-
Female.....	59	74	99	103	146	219	206	174	104	46	10	-
Non-Hispanic white, both sexes.....	84	126	150	164	246	324	347	261	134	50	11	-
Male.....	40	74	74	84	130	147	165	110	43	7	3	-
Female.....	44	52	76	80	116	177	182	151	91	43	8	-
Non-Hispanic black, both sexes.....	33	39	35	34	42	56	30	31	14	4	2	-
Male.....	21	20	15	13	14	17	10	10	3	1	-	-
Female.....	12	19	20	21	28	39	20	21	11	3	2	-
Origin not stated 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K86.0,R78.0,X45,X65,Y15) 3/

All origins, both sexes.....	3,591	2,891	2,277	1,641	1,130	770	413	149	38	7	-	11
Male.....	2,787	2,233	1,764	1,249	871	558	308	90	20	3	-	10
Female.....	804	658	513	392	259	212	105	59	18	4	-	1
Hispanic, both sexes.....	376	337	239	178	103	78	36	9	1	-	-	3
Male.....	329	294	206	136	83	62	29	5	1	-	-	2
Female.....	47	43	33	42	20	16	7	4	-	-	-	1
Mexican, both sexes.....	238	201	137	116	69	45	21	3	1	-	-	3
Male.....	206	172	119	90	53	34	17	2	1	-	-	2
Female.....	32	29	18	26	16	11	4	1	-	-	-	1
Puerto Rican, both sexes.....	45	51	37	25	9	13	4	2	-	-	-	-
Male.....	43	45	30	19	9	10	4	1	-	-	-	-
Female.....	2	6	7	6	-	3	-	1	-	-	-	-
Cuban, both sexes.....	11	11	14	8	5	3	1	3	-	-	-	-
Male.....	11	11	12	6	5	3	1	2	-	-	-	-
Female.....	-	-	2	2	-	-	-	1	-	-	-	-
Central and South American, both sexes.....	16	9	5	3	2	2	-	-	-	-	-	-
Male.....	15	8	5	2	2	1	-	-	-	-	-	-
Female.....	1	1	-	1	-	1	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	66	65	46	26	18	15	10	1	-	-	-	-
Male.....	54	58	40	19	14	14	7	-	-	-	-	-
Female.....	12	7	6	7	4	1	3	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	3,197	2,537	2,019	1,453	1,022	691	376	140	37	7	-	5
Male.....	2,443	1,924	1,539	1,105	784	495	278	85	19	3	-	5
Female.....	754	613	480	348	238	196	98	55	18	4	-	-
Non-Hispanic white, both sexes.....	2,588	2,105	1,641	1,238	886	624	335	127	34	6	-	4
Male.....	1,973	1,603	1,242	946	682	445	242	76	17	3	-	4
Female.....	615	502	399	292	204	179	93	51	17	3	-	-
Non-Hispanic black, both sexes.....	477	348	309	178	107	53	34	12	1	1	-	1
Male.....	379	259	248	131	83	38	29	9	1	-	-	1
Female.....	98	89	61	47	24	15	5	3	-	1	-	-
Origin not stated 2/, both sexes.....	18	17	19	10	5	1	1	-	-	-	-	3
Male.....	15	15	19	8	4	1	1	-	-	-	-	3
Female.....	3	2	-	2	1	-	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2003

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/

All origins, both sexes.....	2,075	1,637	1,167	945	967	963	768	420	144	25	-	18
Male.....	1,736	1,362	1,016	835	859	863	695	388	136	22	-	16
Female.....	339	275	151	110	108	100	73	32	8	3	-	2
Hispanic, both sexes.....	93	43	43	29	29	21	9	9	2	-	-	4
Male.....	78	40	40	28	26	19	9	8	2	-	-	3
Female.....	15	3	3	1	3	2	-	1	-	-	-	1
Mexican, both sexes.....	62	25	19	14	16	9	2	3	-	-	-	3
Male.....	53	23	19	14	15	8	2	3	-	-	-	2
Female.....	9	2	-	-	1	1	-	-	-	-	-	1
Puerto Rican, both sexes.....	12	1	3	1	4	2	-	-	-	-	-	-
Male.....	10	1	1	1	4	2	-	-	-	-	-	-
Female.....	2	-	2	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	7	6	5	8	6	4	4	4	1	-	-	-
Male.....	7	6	5	8	5	4	4	4	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Central and South American, both sexes.....	5	3	4	-	-	-	1	-	-	-	-	-
Male.....	4	2	4	-	-	-	1	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	7	8	12	6	3	6	2	2	1	-	-	1
Male.....	4	8	11	5	2	5	2	1	1	-	-	1
Female.....	3	-	1	1	1	1	-	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	1,979	1,587	1,122	913	936	941	759	409	142	25	-	9
Male.....	1,655	1,315	974	805	832	843	686	378	134	22	-	8
Female.....	324	272	148	108	104	98	73	31	8	3	-	1
Non-Hispanic white, both sexes.....	1,727	1,449	1,034	851	880	899	728	401	139	23	-	6
Male.....	1,450	1,201	900	754	787	810	661	370	132	22	-	6
Female.....	277	248	134	97	93	89	67	31	7	1	-	-
Non-Hispanic black, both sexes.....	218	113	73	56	47	33	25	7	3	2	-	2
Male.....	178	96	60	46	37	27	20	7	2	-	-	1
Female.....	40	17	13	10	10	6	5	-	1	2	-	1
Origin not stated 2/, both sexes.....	3	7	2	3	2	1	-	2	-	-	-	5
Male.....	3	7	2	2	1	1	-	2	-	-	-	5
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

- Quantity zero.

... Category not applicable.

1/ Includes races other than white and black.

2/ Includes deaths for which Hispanic origin was not reported on the death certificate.

3/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.