





















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disturbances of salivary secretion (K11.7)													
All races, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1	-
White, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomatitis and related lesions (K12)													
All races, both sexes.....	29	7	4	-	1	2	2	2	2	2	3	2	2
Male.....	18	3	2	-	1	1	1	2	1	1	3	1	2
Female.....	11	4	2	-	-	1	1	-	1	1	-	1	-
White, both sexes.....	23	6	4	-	-	2	2	1	2	1	2	2	1
Male.....	13	2	2	-	-	1	1	1	1	1	2	1	1
Female.....	10	4	2	-	-	1	1	-	1	-	-	1	-
Black, both sexes.....	5	1	-	-	1	-	-	1	-	-	1	-	1
Male.....	5	1	-	-	1	-	-	1	-	-	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of tongue, unspecified (K14.9)													
All races, both sexes.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Esophagitis (K20)													
All races, both sexes.....	181	8	24	21	14	13	11	14	17	12	12	20	15
Male.....	79	5	9	8	7	6	4	6	6	7	7	7	7
Female.....	102	3	15	13	7	7	7	8	11	5	5	13	8
White, both sexes.....	156	4	20	18	11	11	11	12	17	11	9	18	14
Male.....	67	3	8	6	5	6	4	6	6	6	5	6	6
Female.....	89	1	12	12	6	5	7	6	11	5	4	12	8
Black, both sexes.....	20	1	4	3	3	1	-	1	-	1	3	2	1
Male.....	11	1	1	2	2	-	-	-	-	1	2	1	1
Female.....	9	-	3	1	1	1	-	1	-	-	1	1	-
American Indian 1/, both sexes.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	1	-	1	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gastroesophageal reflux disease without esophagitis (K21.9)													
All races, both sexes.....	581	60	63	51	55	46	32	44	36	48	53	36	57
Male.....	233	24	25	25	21	19	10	14	20	16	25	14	20
Female.....	348	36	38	26	34	27	22	30	16	32	28	22	37
White, both sexes.....	518	54	56	43	46	42	31	37	33	42	44	36	54
Male.....	202	23	23	21	18	17	9	10	17	11	21	14	18
Female.....	316	31	33	22	28	25	22	27	16	31	23	22	36
Black, both sexes.....	52	5	7	8	7	4	1	4	2	6	5	-	3
Male.....	26	1	2	4	2	1	3	2	2	5	2	-	2
Female.....	26	4	5	4	5	2	-	1	-	1	3	-	1
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	2	1	-	2	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	3	-	-	-	-	-	-	2	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	-	2	-	-	1	-	-	2	-	-
Male.....	3	-	-	-	1	-	-	1	-	-	1	-	-
Female.....	3	1	-	-	1	-	-	-	-	-	1	-	-
Other diseases of esophagus (K22)													
All races, both sexes.....	1,126	114	122	91	93	83	95	91	81	83	84	95	94
Male.....	534	55	62	47	47	32	51	44	41	29	35	46	45
Female.....	592	59	60	44	46	51	44	47	40	54	49	49	49
White, both sexes.....	1,033	102	111	86	88	77	88	83	76	77	76	83	86
Male.....	482	49	55	43	43	30	46	40	39	28	30	39	40
Female.....	551	53	56	43	45	47	42	43	37	49	46	44	46
Black, both sexes.....	81	9	9	5	5	5	6	7	4	6	6	11	8
Male.....	44	4	6	4	4	2	4	3	2	1	3	6	5
Female.....	37	5	3	1	1	3	2	4	2	5	3	5	3
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	1	-	1	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	3	2	-	-	1	1	-	-	-	1	1	-
Male.....	6	2	1	-	-	-	1	-	-	-	1	1	-
Female.....	3	1	1	-	-	1	-	-	-	-	-	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Gastroesophageal laceration-hemorrhage syndrome (K22.6)</b>													
All races, both sexes.....	60	3	8	6	4	3	6	4	5	7	4	2	8
Male.....	34	2	6	4	1	-	4	3	3	3	2	2	4
Female.....	26	1	2	2	3	3	2	1	2	4	2	-	4
White, both sexes.....	52	2	5	6	4	3	6	3	5	7	3	1	7
Male.....	30	1	5	4	1	-	4	2	3	3	2	1	4
Female.....	22	1	-	2	3	3	2	1	2	4	1	-	3
Black, both sexes.....	6	1	1	-	-	-	-	1	-	-	1	1	1
Male.....	3	1	-	-	-	-	-	1	-	-	-	1	-
Female.....	3	-	1	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
<b>Other specified diseases of esophagus (K22.8)</b>													
All races, both sexes.....	127	15	17	13	12	13	9	9	4	4	10	9	12
Male.....	58	8	9	3	3	4	5	7	-	1	3	8	7
Female.....	69	7	8	10	9	9	4	2	4	3	7	1	5
White, both sexes.....	121	14	16	12	12	11	9	9	4	4	9	9	12
Male.....	55	8	8	2	3	4	5	7	-	1	2	8	7
Female.....	66	6	8	10	9	7	4	2	4	3	7	1	5
Black, both sexes.....	4	1	1	1	-	1	-	-	-	-	-	-	-
Male.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of esophagus, unspecified (K22.9)													
All races, both sexes.....	63	6	5	10	4	8	6	5	4	5	2	7	1
Male.....	36	4	4	6	3	2	4	4	2	1	-	5	1
Female.....	27	2	1	4	1	6	2	1	2	4	2	2	-
White, both sexes.....	56	5	5	9	4	8	6	3	4	5	2	5	-
Male.....	32	4	4	5	3	2	4	3	2	1	-	4	-
Female.....	24	1	1	4	1	6	2	-	2	4	2	1	-
Black, both sexes.....	6	-	-	1	-	-	-	2	-	-	-	2	1
Male.....	4	-	-	1	-	-	-	1	-	-	-	1	1
Female.....	2	-	-	-	-	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Gastric ulcer (K25)													
All races, both sexes.....	1,129	102	120	117	103	83	77	100	80	85	80	83	99
Male.....	493	46	56	45	42	36	28	40	31	37	40	43	49
Female.....	636	56	64	72	61	47	49	60	49	48	40	40	50
White, both sexes.....	952	96	100	97	87	62	67	87	64	75	68	67	82
Male.....	407	43	46	36	32	27	25	31	26	34	33	35	39
Female.....	545	53	54	61	55	35	42	56	38	41	35	32	43
Black, both sexes.....	139	4	14	16	13	16	9	9	13	9	11	11	14
Male.....	71	3	7	8	8	7	2	7	4	3	6	7	9
Female.....	68	1	7	8	5	9	7	2	9	6	5	4	5
American Indian 1/, both sexes.....	6	-	-	1	-	2	-	1	-	-	-	1	1
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	5	-	-	1	-	1	-	1	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	32	2	6	3	3	3	1	3	3	1	1	4	2
Male.....	14	-	3	1	2	1	1	2	1	-	1	1	1
Female.....	18	2	3	2	1	2	-	1	2	1	-	3	1



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gastric ulcer, Acute without haemorrhage or perforation (K25.3)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric ulcer, Chronic or unspecified with haemorrhage (K25.4)													
All races, both sexes.....	552	50	56	58	65	37	33	46	37	41	34	44	51
Male.....	265	29	28	22	31	21	11	19	17	16	14	27	30
Female.....	287	21	28	36	34	16	22	27	20	25	20	17	21
White, both sexes.....	468	47	47	47	57	27	31	42	30	33	31	35	41
Male.....	227	27	24	17	25	16	11	19	15	13	14	23	23
Female.....	241	20	23	30	32	11	20	23	15	20	17	12	18
Black, both sexes.....	61	3	6	7	6	7	2	2	5	7	3	5	8
Male.....	30	2	3	4	4	3	-	-	1	3	-	4	6
Female.....	31	1	3	3	2	4	2	2	4	4	3	1	2
American Indian 1/, both sexes.....	5	-	-	1	-	1	-	1	-	-	-	1	1
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	4	-	-	1	-	-	-	1	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	18	-	3	3	2	2	-	1	2	1	-	3	1
Male.....	7	-	1	1	2	1	-	-	1	-	-	-	1
Female.....	11	-	2	2	-	1	-	1	1	1	-	3	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Duodenal ulcer, Chronic or unspecified with haemorrhage (K26.4)													
All races, both sexes.....	526	50	50	37	62	54	37	34	33	39	46	30	54
Male.....	308	29	32	25	29	33	19	19	20	25	29	17	31
Female.....	218	21	18	12	33	21	18	15	13	14	17	13	23
White, both sexes.....	479	44	45	33	53	51	35	31	26	36	44	29	52
Male.....	278	26	29	22	25	31	18	17	15	22	27	16	30
Female.....	201	18	16	11	28	20	17	14	11	14	17	13	22
Black, both sexes.....	35	4	3	3	8	1	2	2	5	3	1	1	2
Male.....	22	3	1	3	4	-	1	1	3	3	1	1	1
Female.....	13	1	2	-	4	1	1	1	2	-	-	-	1
American Indian 1/, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	1	1	1	2	-	1	2	-	1	-	-
Male.....	7	-	1	-	-	2	-	1	2	-	1	-	-
Female.....	3	1	-	1	1	-	-	-	-	-	-	-	-
Duodenal ulcer, Chronic or unspecified with perforation (K26.5)													
All races, both sexes.....	568	67	56	53	37	41	46	49	49	32	41	44	53
Male.....	248	30	23	26	14	19	21	25	17	15	17	14	27
Female.....	320	37	33	27	23	22	25	24	32	17	24	30	26
White, both sexes.....	500	57	49	46	32	36	39	44	45	26	38	41	47
Male.....	208	26	16	21	12	15	17	23	15	11	15	14	23
Female.....	292	31	33	25	20	21	22	21	30	15	23	27	24
Black, both sexes.....	52	7	6	4	5	4	3	3	4	5	3	2	6
Male.....	32	4	6	3	2	3	1	1	2	4	2	-	4
Female.....	20	3	-	1	3	1	2	2	2	1	1	2	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	15	3	1	3	-	1	4	2	-	1	-	-	-
Male.....	8	-	1	2	-	1	3	1	-	-	-	-	-
Female.....	7	3	-	1	-	-	1	1	-	1	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Duodenal ulcer, Unspecified as acute or chronic, without haemorrhage or perforation (K26.9)													
All races, both sexes.....	114	10	16	8	9	8	5	11	11	12	8	9	7
Male.....	56	4	7	3	4	5	4	9	5	3	5	5	4
Female.....	58	6	9	5	5	3	1	2	6	9	5	4	3
White, both sexes.....	104	10	14	7	9	7	5	9	8	11	8	9	7
Male.....	51	4	6	2	4	4	4	7	5	3	3	5	4
Female.....	53	6	8	5	5	3	1	2	3	8	5	4	3
Black, both sexes.....	9	-	2	1	-	1	-	2	2	1	-	-	-
Male.....	5	-	1	1	-	1	-	2	-	-	-	-	-
Female.....	4	-	1	-	-	-	-	-	2	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Peptic ulcer, site unspecified (K27)													
All races, both sexes.....	1,242	143	115	138	88	95	93	97	83	88	90	93	119
Male.....	534	65	56	55	41	41	42	41	35	35	34	42	47
Female.....	708	78	59	83	47	54	51	56	48	53	56	51	72
White, both sexes.....	1,090	125	99	126	78	81	80	84	68	79	78	85	107
Male.....	461	52	47	52	37	32	36	33	31	30	30	39	42
Female.....	629	73	52	74	41	49	44	51	37	49	48	46	65
Black, both sexes.....	119	14	10	11	9	12	10	10	10	8	11	5	9
Male.....	56	11	3	3	4	8	5	6	3	5	3	2	3
Female.....	63	3	7	8	5	4	5	4	7	3	8	3	6
American Indian 1/, both sexes.....	3	-	-	-	1	-	-	-	-	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	30	4	6	1	-	2	3	3	5	-	1	3	2
Male.....	17	2	6	-	-	1	1	2	1	-	1	1	2
Female.....	13	2	-	1	-	1	2	1	4	-	-	2	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peptic ulcer, site unspecified, Acute without haemorrhage or perforation (K27.3)													
All races, both sexes.....	3	-	-	-	-	-	-	1	-	-	1	-	1
Male.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	3	-	-	-	-	-	-	1	-	-	1	-	1
Male.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Peptic ulcer, site unspecified, Chronic or unspecified with haemorrhage (K27.4)													
All races, both sexes.....	708	84	70	78	47	50	51	56	48	44	51	55	74
Male.....	327	39	38	28	22	27	29	26	20	18	18	30	32
Female.....	381	45	32	50	25	23	22	30	28	26	33	25	42
White, both sexes.....	618	75	60	73	41	41	45	46	38	39	42	51	67
Male.....	286	31	34	28	19	20	25	20	18	16	16	29	30
Female.....	332	44	26	45	22	21	20	26	20	23	26	22	37
Black, both sexes.....	70	7	8	4	6	8	3	7	6	4	9	2	6
Male.....	33	7	2	-	3	6	3	4	2	2	2	1	1
Female.....	37	-	6	4	3	2	-	3	4	2	7	1	5
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	2	2	1	-	1	3	3	4	-	-	2	1
Male.....	8	1	2	-	-	1	1	2	-	-	-	-	1
Female.....	11	1	-	1	-	-	2	1	4	-	-	2	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peptic ulcer, site unspecified, Chronic without haemorrhage or perforation (K27.7)													
All races, both sexes.....	3	-	-	-	-	-	-	-	-	1	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	1
White, both sexes.....	3	-	-	-	-	-	-	-	-	1	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Peptic ulcer, site unspecified, Unspecified as acute or chronic, without haemorrhage or perforation (K27.9)													
All races, both sexes.....	211	27	16	20	16	16	20	15	12	20	13	14	22
Male.....	80	15	6	6	8	6	6	4	4	9	6	3	7
Female.....	131	12	10	14	8	10	14	11	8	11	7	11	15
White, both sexes.....	182	22	13	19	13	13	18	14	10	20	10	11	19
Male.....	64	11	4	6	8	4	5	3	3	9	4	1	6
Female.....	118	11	9	13	5	9	13	11	7	11	6	10	13
Black, both sexes.....	20	4	1	1	2	2	2	1	1	-	2	2	2
Male.....	10	3	-	-	-	2	1	1	-	-	1	1	1
Female.....	10	1	1	1	2	-	1	-	1	-	1	1	1
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	7	1	2	-	-	1	-	-	1	-	1	1	-
Male.....	6	1	2	-	-	-	-	-	1	-	1	1	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Dyspepsia (K30)</b>													
All races, both sexes.....	5	1	1	-	1	-	1	-	-	-	-	1	-
Male.....	3	1	1	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	1	-	1	-	-	-	-	-	-
White, both sexes.....	4	1	1	-	1	-	1	-	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other diseases of stomach and duodenum (K31)</b>													
All races, both sexes.....	607	58	42	53	58	46	53	57	43	46	50	46	55
Male.....	262	21	17	22	27	22	27	22	16	17	23	20	28
Female.....	345	37	25	31	31	24	26	35	27	29	27	26	27
White, both sexes.....	521	49	35	45	53	36	45	51	38	38	39	43	49
Male.....	215	15	13	20	24	15	20	19	14	14	17	19	25
Female.....	306	34	22	25	29	21	25	32	24	24	22	24	24
Black, both sexes.....	83	9	7	8	5	10	7	6	5	8	11	3	4
Male.....	46	6	4	2	3	7	7	3	2	3	6	1	2
Female.....	37	3	3	6	2	3	-	3	3	5	5	2	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute dilatation of stomach (K31.0)													
All races, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Adult hypertrophic pyloric stenosis (K31.1)													
All races, both sexes.....	82	10	4	5	5	7	7	8	11	6	6	9	4
Male.....	36	5	-	4	3	1	3	3	4	2	3	5	3
Female.....	46	5	4	1	2	6	4	5	7	4	3	4	1
White, both sexes.....	70	7	4	3	5	6	6	7	11	5	4	8	4
Male.....	28	2	-	2	3	-	3	3	4	2	2	4	3
Female.....	42	5	4	1	2	6	3	4	7	3	2	4	1
Black, both sexes.....	11	3	-	2	-	1	-	1	-	1	2	1	-
Male.....	8	3	-	2	-	1	-	-	-	-	1	1	-
Female.....	3	-	-	-	-	-	-	1	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Acute appendicitis (K35)</b>													
All races, both sexes.....	381	36	27	30	29	41	25	27	30	27	41	29	39
Male.....	213	26	14	15	13	26	12	17	17	16	23	15	19
Female.....	168	10	13	15	16	15	13	10	13	11	18	14	20
White, both sexes.....	316	32	23	27	25	29	18	24	25	24	32	25	32
Male.....	173	23	12	13	11	17	9	14	13	13	20	13	15
Female.....	143	9	11	14	14	12	9	10	12	11	12	12	17
Black, both sexes.....	53	3	3	3	2	9	5	3	4	3	7	4	7
Male.....	36	3	2	2	1	8	2	3	4	3	2	2	4
Female.....	17	-	1	1	1	1	3	-	-	-	5	2	3
American Indian 1/, both sexes.....	4	1	-	-	1	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	1	-	1	2	2	-	-	-	2	-	-
Male.....	3	-	-	-	-	1	1	-	-	-	1	-	-
Female.....	5	-	1	-	1	1	1	-	-	-	1	-	-
<b>Acute appendicitis with generalized peritonitis (K35.0)</b>													
All races, both sexes.....	302	32	22	22	22	34	18	22	21	20	32	26	31
Male.....	165	23	11	10	11	20	9	14	11	12	16	14	14
Female.....	137	9	11	12	11	14	9	8	10	8	16	12	17
White, both sexes.....	247	28	18	21	20	24	12	20	16	17	24	22	25
Male.....	134	20	9	10	10	13	7	12	7	9	14	12	11
Female.....	113	8	9	11	10	11	5	8	9	8	10	10	14
Black, both sexes.....	45	3	3	1	1	7	5	2	4	3	6	4	6
Male.....	28	3	2	-	-	6	2	2	4	3	1	2	3
Female.....	17	-	1	1	1	1	3	-	-	-	5	2	3
American Indian 1/, both sexes.....	4	1	-	-	1	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	2	1	-	-	-	2	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Female.....	4	-	1	-	-	1	1	-	-	-	1	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other appendicitis (K36)													
All races, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified appendicitis (K37)													
All races, both sexes.....	61	8	8	3	2	4	3	9	6	6	4	4	4
Male.....	34	3	5	1	1	3	3	5	4	3	2	2	2
Female.....	27	5	3	2	1	1	-	4	2	3	2	2	2
White, both sexes.....	52	5	6	3	2	4	3	7	5	6	4	4	3
Male.....	31	2	4	1	1	3	3	4	4	3	2	2	2
Female.....	21	3	2	2	1	1	-	3	1	3	2	2	1
Black, both sexes.....	5	1	2	-	-	-	-	1	-	-	-	-	1
Male.....	3	1	1	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	2	-	-	-	-	-	1	-	-	-	-	-





























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified abdominal hernia (K46)													
All races, both sexes.....	473	51	39	48	34	34	41	41	39	36	41	36	33
Male.....	197	17	13	16	11	19	15	17	17	13	21	19	19
Female.....	276	34	26	32	23	15	26	24	22	23	20	17	14
White, both sexes.....	411	47	34	44	29	27	34	37	33	32	35	31	28
Male.....	171	16	12	16	8	14	13	16	13	12	18	16	17
Female.....	240	31	22	28	21	13	21	21	20	20	17	15	11
Black, both sexes.....	54	3	5	4	4	6	7	4	5	3	5	4	4
Male.....	23	1	1	-	2	5	2	1	3	1	3	2	2
Female.....	31	2	4	4	2	1	5	3	2	2	2	2	2
American Indian 1/, both sexes.....	4	-	-	-	-	1	-	-	-	-	1	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	1	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	1	-	-	-	1	1	-	-	-
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Unspecified abdominal hernia with obstruction, without gangrene (K46.0)													
All races, both sexes.....	293	29	30	28	22	21	25	24	27	19	23	20	25
Male.....	113	9	8	10	4	11	7	9	11	7	13	9	15
Female.....	180	20	22	18	18	10	18	15	16	12	10	11	10
White, both sexes.....	259	28	27	26	20	16	22	22	23	16	21	16	22
Male.....	99	9	7	10	4	8	7	9	8	6	11	6	14
Female.....	160	19	20	16	16	8	15	13	15	10	10	10	8
Black, both sexes.....	28	-	3	2	2	4	3	2	3	2	2	3	2
Male.....	12	-	1	-	-	3	-	-	2	1	2	2	1
Female.....	16	-	2	2	2	1	3	2	1	1	-	1	1
American Indian 1/, both sexes.....	3	-	-	-	-	1	-	-	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	-	-	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	1	-	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Crohn's disease, unspecified (K50.9)													
All races, both sexes.....	590	49	45	47	52	51	47	52	45	36	49	49	68
Male.....	238	25	17	25	20	17	15	18	23	15	22	15	26
Female.....	352	24	28	22	32	34	32	34	22	21	27	34	42
White, both sexes.....	544	47	40	45	51	49	44	46	41	35	41	44	61
Male.....	212	23	13	24	19	15	15	16	21	14	17	11	24
Female.....	332	24	27	21	32	34	29	30	20	21	24	33	37
Black, both sexes.....	42	1	5	2	1	1	3	6	4	-	8	4	7
Male.....	22	1	4	1	1	1	-	2	2	-	5	3	2
Female.....	20	-	1	1	-	-	3	4	2	-	3	1	5
American Indian 1/, both sexes.....	3	1	-	-	-	1	-	-	-	1	-	-	-
Male.....	3	1	-	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcerative colitis (K51)													
All races, both sexes.....	310	25	24	26	26	31	20	23	29	26	32	25	23
Male.....	142	13	14	13	13	9	7	9	12	15	14	14	9
Female.....	168	12	10	13	13	22	13	14	17	11	18	11	14
White, both sexes.....	290	24	20	25	25	30	20	19	26	25	31	23	22
Male.....	128	12	12	12	12	8	7	6	11	14	13	13	8
Female.....	162	12	8	13	13	22	13	13	15	11	18	10	14
Black, both sexes.....	18	1	4	1	1	1	-	4	2	1	1	1	1
Male.....	14	1	2	1	1	1	-	3	1	1	1	1	1
Female.....	4	-	2	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other ulcerative colitis (K51.8)													
All races, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcerative colitis, unspecified (K51.9)													
All races, both sexes.....	303	24	24	26	24	31	19	23	28	26	30	25	23
Male.....	138	13	14	13	11	9	6	9	12	15	13	14	9
Female.....	165	11	10	13	13	22	13	14	16	11	17	11	14
White, both sexes.....	283	23	20	25	23	30	19	19	25	25	29	23	22
Male.....	124	12	12	12	10	8	6	6	11	14	12	13	8
Female.....	159	11	8	13	13	22	13	13	14	11	17	10	14
Black, both sexes.....	18	1	4	1	1	1	-	4	2	1	1	1	1
Male.....	14	1	2	1	1	1	-	3	1	1	1	1	1
Female.....	4	-	2	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Noninfective gastroenteritis and colitis, unspecified (K52.9)													
All races, both sexes.....	1,703	150	151	161	135	133	151	110	134	128	150	133	167
Male.....	594	66	36	61	55	41	49	43	46	42	50	48	57
Female.....	1,109	84	115	100	80	92	102	67	88	86	100	85	110
White, both sexes.....	1,528	136	137	142	117	113	137	100	124	115	138	118	151
Male.....	514	56	34	51	49	35	44	37	41	36	43	42	46
Female.....	1,014	80	103	91	68	78	93	63	83	79	95	76	105
Black, both sexes.....	144	13	11	16	16	14	13	6	8	9	9	13	16
Male.....	67	10	1	9	6	4	4	4	5	3	4	6	11
Female.....	77	3	10	7	10	10	9	2	3	6	5	7	5
American Indian 1/, both sexes.....	8	-	1	1	-	2	1	1	-	-	2	-	-
Male.....	6	-	1	1	-	-	1	1	-	-	2	-	-
Female.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	1	2	2	2	4	-	3	2	4	1	2	-
Male.....	7	-	-	-	-	2	-	1	-	3	1	-	-
Female.....	16	1	2	2	2	2	-	2	2	1	-	2	-
Vascular disorders of intestine (K55)													
All races, both sexes.....	8,928	844	781	795	777	761	678	743	679	703	709	682	776
Male.....	3,085	302	253	281	282	258	225	274	234	224	242	244	266
Female.....	5,843	542	528	514	495	503	453	469	445	479	467	438	510
White, both sexes.....	7,821	755	680	689	690	662	592	651	617	615	618	584	668
Male.....	2,606	270	212	231	242	206	187	241	212	181	200	200	224
Female.....	5,215	485	468	458	448	456	405	410	405	434	418	384	444
Black, both sexes.....	920	73	89	82	72	81	64	80	57	74	74	87	87
Male.....	388	27	36	41	31	42	30	28	18	34	32	39	30
Female.....	532	46	53	41	41	39	34	52	39	40	42	48	57
American Indian 1/, both sexes.....	56	4	3	10	6	5	4	3	2	4	4	5	6
Male.....	18	1	1	3	4	2	-	1	3	2	-	-	1
Female.....	38	3	2	7	2	3	4	3	1	1	2	5	5
Asian or Pacific Islander 2/, both sexes.....	131	12	9	14	9	13	18	9	3	10	13	6	15
Male.....	73	4	4	6	5	8	8	5	3	6	8	5	11
Female.....	58	8	5	8	4	5	10	4	-	4	5	1	4





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Vascular disorder of intestine, unspecified (K55.9)													
All races, both sexes.....	5,915	567	528	539	511	496	442	484	439	473	480	439	517
Male.....	1,935	188	156	183	187	165	127	178	139	139	164	143	166
Female.....	3,980	379	372	356	324	331	315	306	300	334	316	296	351
White, both sexes.....	5,235	511	465	476	454	436	394	429	400	423	425	372	450
Male.....	1,665	175	131	157	161	137	108	155	128	116	140	115	142
Female.....	3,570	336	334	319	293	299	286	274	272	307	285	257	308
Black, both sexes.....	551	43	56	47	47	50	34	46	37	40	41	58	52
Male.....	212	9	22	22	22	22	14	19	10	15	17	24	16
Female.....	339	34	34	25	25	28	20	27	27	25	24	34	36
American Indian 1/, both sexes.....	37	4	1	7	4	1	2	2	2	2	3	4	5
Male.....	9	1	-	1	2	-	-	-	1	2	1	-	1
Female.....	28	3	1	6	2	1	2	2	1	-	2	4	4
Asian or Pacific Islander 2/, both sexes.....	92	9	6	9	6	9	12	7	-	8	11	5	10
Male.....	49	3	3	3	2	6	5	4	-	6	6	4	7
Female.....	43	6	3	6	4	3	7	3	-	2	5	1	3
Paralytic ileus and intestinal obstruction without hernia (K56)													
All races, both sexes.....	5,572	528	460	531	440	426	442	464	447	407	461	462	504
Male.....	2,024	189	180	198	173	154	150	150	166	144	175	178	167
Female.....	3,548	339	280	333	267	272	292	314	281	263	286	284	337
White, both sexes.....	4,834	466	393	463	382	372	371	395	393	353	408	401	437
Male.....	1,708	164	146	170	145	128	121	121	139	126	151	156	141
Female.....	3,126	302	247	293	237	244	250	274	254	227	257	245	296
Black, both sexes.....	667	54	59	60	54	42	63	64	52	49	48	58	64
Male.....	289	22	29	27	28	20	26	28	26	14	22	22	25
Female.....	378	32	30	33	26	22	37	36	26	35	26	36	39
American Indian 1/, both sexes.....	23	3	4	5	2	2	1	-	-	2	2	2	-
Male.....	3	-	2	-	-	-	-	-	-	1	-	-	-
Female.....	20	3	2	5	2	2	1	-	-	1	2	2	-
Asian or Pacific Islander 2/, both sexes.....	48	5	4	3	2	10	7	5	2	3	3	1	3
Male.....	24	3	3	1	-	6	3	1	1	3	2	-	1
Female.....	24	2	1	2	2	4	4	4	1	-	1	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Paralytic ileus (K56.0)</b>													
All races, both sexes.....	59	8	6	5	5	5	4	7	4	3	5	4	3
Male.....	27	3	2	2	2	4	2	4	2	3	1	2	-
Female.....	32	5	4	3	3	1	2	3	2	-	4	2	3
White, both sexes.....	54	6	5	5	5	5	4	7	3	2	5	4	3
Male.....	23	2	1	2	2	4	2	4	1	2	1	2	-
Female.....	31	4	4	3	3	1	2	3	2	-	4	2	3
Black, both sexes.....	4	2	1	-	-	-	-	-	1	-	-	-	-
Male.....	3	1	1	-	-	-	-	-	1	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Intussusception (K56.1)</b>													
All races, both sexes.....	28	2	4	2	4	2	-	3	2	-	2	4	3
Male.....	9	1	1	-	2	1	-	1	-	-	1	1	1
Female.....	19	1	3	2	2	1	-	2	2	-	1	3	2
White, both sexes.....	23	2	3	2	2	2	-	2	2	-	2	3	3
Male.....	8	1	1	-	1	1	-	1	-	-	1	1	1
Female.....	15	1	2	2	1	1	-	1	2	-	1	2	2
Black, both sexes.....	4	-	1	-	2	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	1	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other impaction of intestine (K56.4)													
All races, both sexes.....	134	11	11	16	11	7	9	13	14	11	6	13	12
Male.....	46	4	6	3	3	-	5	5	6	2	1	5	6
Female.....	88	7	5	13	8	7	4	8	8	9	5	8	6
White, both sexes.....	114	9	9	13	9	5	7	10	12	11	6	12	11
Male.....	38	3	4	3	2	-	5	3	5	2	1	5	5
Female.....	76	6	5	10	7	5	2	7	7	9	5	7	6
Black, both sexes.....	18	-	2	3	2	2	2	3	2	-	-	1	1
Male.....	7	-	2	-	1	-	-	2	1	-	-	-	1
Female.....	11	-	-	3	1	2	2	1	1	-	-	1	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal adhesions [bands] with obstruction (K56.5)													
All races, both sexes.....	347	28	34	31	24	22	25	35	33	31	33	25	26
Male.....	121	13	12	10	9	8	8	11	11	13	14	5	7
Female.....	226	15	22	21	15	14	17	24	22	18	19	20	19
White, both sexes.....	287	27	29	26	23	17	21	25	26	27	25	18	23
Male.....	98	13	9	9	9	7	5	6	9	11	10	3	7
Female.....	189	14	20	17	14	10	16	19	17	16	15	15	16
Black, both sexes.....	55	1	3	5	1	4	4	10	6	3	8	7	3
Male.....	21	-	2	1	-	1	3	5	2	1	4	2	-
Female.....	34	1	1	4	1	3	1	5	4	2	4	5	3
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	-	-	1	-	-	1	1	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	1	-	-	1	-	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diverticular disease of small intestine without perforation or abscess (K57.1)													
All races, both sexes.....	12	2	2	-	1	1	1	2	1	1	1	-	-
Male.....	4	2	-	-	1	1	-	-	-	-	-	-	-
Female.....	8	-	2	-	-	-	1	2	1	1	1	-	-
White, both sexes.....	11	2	2	-	1	-	1	2	1	1	1	-	-
Male.....	3	2	-	-	1	-	-	-	-	-	-	-	-
Female.....	8	-	2	-	-	-	1	2	1	1	1	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Diverticular disease of large intestine with perforation and abscess (K57.2)													
All races, both sexes.....	324	41	20	29	34	22	27	20	25	31	25	24	26
Male.....	120	15	5	11	12	11	16	5	11	9	6	7	12
Female.....	204	26	15	18	22	11	11	15	14	22	19	17	14
White, both sexes.....	289	34	19	27	31	21	26	18	21	26	22	21	23
Male.....	108	12	5	11	10	11	15	5	10	7	5	6	11
Female.....	181	22	14	16	21	10	11	13	11	19	17	15	12
Black, both sexes.....	28	7	-	2	3	1	1	1	4	3	3	1	2
Male.....	10	3	-	-	2	-	1	-	1	2	1	-	-
Female.....	18	4	-	2	1	1	-	1	3	1	2	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	-	-	1	-	2	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	1	-	-	-	-	1	-	2	-	1	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diverticular disease of intestine, part unspecified, with perforation and abscess (K57.8)													
All races, both sexes.....	1,298	130	105	124	95	98	104	120	105	89	104	108	116
Male.....	399	50	33	36	38	30	21	33	34	23	39	31	31
Female.....	899	80	72	88	57	68	83	87	71	66	65	77	85
White, both sexes.....	1,206	122	100	117	83	95	100	113	98	83	88	98	109
Male.....	368	47	31	35	34	30	19	31	30	21	34	27	29
Female.....	838	75	69	82	49	65	81	82	68	62	54	71	80
Black, both sexes.....	76	7	5	7	10	3	3	7	5	4	14	5	6
Male.....	25	2	2	1	4	-	1	2	3	2	3	3	2
Female.....	51	5	3	6	6	3	2	5	2	2	11	2	4
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	1	4	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	3	-
Asian or Pacific Islander 2/, both sexes.....	11	1	-	-	2	-	1	-	2	2	1	1	1
Male.....	4	1	-	-	-	-	1	-	1	-	1	-	-
Female.....	7	-	-	-	2	-	-	-	1	2	-	1	1
Diverticular disease of intestine, part unspecified, without perforation or abscess (K57.9)													
All races, both sexes.....	1,569	160	138	135	123	109	128	120	135	106	135	123	157
Male.....	489	57	50	36	34	23	43	34	54	37	45	33	43
Female.....	1,080	103	88	99	89	86	85	86	81	69	90	90	114
White, both sexes.....	1,426	139	128	123	110	98	119	114	124	97	119	113	142
Male.....	438	49	47	32	30	19	39	32	46	35	39	31	39
Female.....	988	90	81	91	80	79	80	82	78	62	80	82	103
Black, both sexes.....	122	18	7	9	11	11	8	5	9	6	16	9	13
Male.....	41	7	2	2	3	4	3	1	6	2	6	1	4
Female.....	81	11	5	7	8	7	5	4	3	4	10	8	9
American Indian 1/, both sexes.....	4	-	2	-	-	-	-	-	-	1	-	1	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	3	1	3	2	-	1	1	2	2	-	-	2
Male.....	8	1	-	2	1	-	1	1	2	-	-	-	-
Female.....	9	2	1	1	1	-	-	-	-	2	-	-	2

























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of anus and rectum, unspecified (K62.9)													
All races, both sexes.....	55	7	6	4	6	4	5	5	4	2	5	3	4
Male.....	21	2	3	-	1	3	2	3	3	1	1	1	1
Female.....	34	5	3	4	5	1	3	2	1	1	4	2	3
White, both sexes.....	51	6	4	4	6	4	5	5	4	2	4	3	4
Male.....	20	2	2	-	1	3	2	3	3	1	1	1	1
Female.....	31	4	2	4	5	1	3	2	1	1	3	2	3
Black, both sexes.....	4	1	2	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	1	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of intestine (K63)													
All races, both sexes.....	2,458	233	201	198	212	241	187	174	197	208	202	197	208
Male.....	934	90	69	84	83	100	69	63	63	92	70	81	70
Female.....	1,524	143	132	114	129	141	118	111	134	116	132	116	138
White, both sexes.....	2,167	208	181	173	184	217	164	151	176	179	172	175	187
Male.....	801	81	62	73	69	87	60	53	55	78	54	69	60
Female.....	1,366	127	119	100	115	130	104	98	121	101	118	106	127
Black, both sexes.....	235	17	17	19	23	20	19	19	16	29	20	20	16
Male.....	110	7	7	8	12	12	7	7	6	14	11	12	7
Female.....	125	10	10	11	11	8	12	12	10	15	9	8	9
American Indian 1/, both sexes.....	25	5	1	2	3	1	2	1	3	-	4	1	2
Male.....	7	1	-	1	2	-	-	-	1	-	1	-	1
Female.....	18	4	1	1	1	1	2	1	2	-	3	1	1
Asian or Pacific Islander 2/, both sexes.....	31	3	2	4	2	3	2	3	2	-	6	1	3
Male.....	16	1	-	2	-	1	2	3	1	-	4	-	2
Female.....	15	2	2	2	2	2	-	-	1	-	2	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Abscess of intestine (K63.0)</b>													
All races, both sexes.....	33	5	3	-	1	3	3	4	3	2	-	8	1
Male.....	16	3	-	-	1	2	1	1	1	1	-	5	1
Female.....	17	2	3	-	-	1	2	3	2	1	-	3	-
White, both sexes.....	28	5	3	-	1	2	2	3	3	2	-	6	1
Male.....	12	3	-	-	1	1	-	-	1	1	-	4	1
Female.....	16	2	3	-	-	1	2	3	2	1	-	2	-
Black, both sexes.....	5	-	-	-	-	1	1	1	-	-	-	2	-
Male.....	4	-	-	-	-	1	1	1	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Perforation of intestine (nontraumatic) (K63.1)</b>													
All races, both sexes.....	1,720	156	134	132	152	167	122	114	140	153	154	147	149
Male.....	641	60	48	52	58	61	46	40	45	68	55	59	49
Female.....	1,079	96	86	80	94	106	76	74	95	85	99	88	100
White, both sexes.....	1,527	141	122	116	134	154	109	99	123	134	131	130	134
Male.....	558	54	44	46	50	55	42	34	39	60	44	48	42
Female.....	969	87	78	70	84	99	67	65	84	74	87	82	92
Black, both sexes.....	151	9	10	13	14	10	11	12	14	19	14	15	10
Male.....	67	4	4	5	6	5	3	4	6	8	7	11	4
Female.....	84	5	6	8	8	5	8	8	8	11	7	4	6
American Indian 1/, both sexes.....	20	4	1	1	3	-	1	1	2	-	4	1	2
Male.....	5	1	-	-	2	-	-	-	-	-	1	-	1
Female.....	15	3	1	1	1	-	1	1	2	-	3	1	1
Asian or Pacific Islander 2/, both sexes.....	22	2	1	2	1	3	1	2	1	-	5	1	3
Male.....	11	1	-	1	-	1	1	2	-	-	3	-	2
Female.....	11	1	1	1	1	2	-	-	1	-	2	1	1









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other peritonitis (K65.8)													
All races, both sexes.....	32	-	7	4	3	3	4	1	3	1	1	2	3
Male.....	12	-	2	2	1	1	-	1	2	1	-	2	-
Female.....	20	-	5	2	2	2	4	-	1	-	1	-	3
White, both sexes.....	28	-	7	3	3	2	3	1	2	1	1	2	3
Male.....	9	-	2	1	1	-	-	1	1	1	-	2	-
Female.....	19	-	5	2	2	2	3	-	1	-	1	-	3
Black, both sexes.....	3	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis, unspecified (K65.9)													
All races, both sexes.....	836	82	64	72	86	55	64	59	69	58	73	74	80
Male.....	357	28	26	31	40	23	28	31	27	21	34	35	33
Female.....	479	54	38	41	46	32	36	28	42	37	39	39	47
White, both sexes.....	714	65	56	63	77	47	54	53	60	51	64	62	62
Male.....	304	23	22	30	35	19	24	27	22	18	29	30	25
Female.....	410	42	34	33	42	28	30	26	38	33	35	32	37
Black, both sexes.....	103	14	6	9	9	8	6	4	7	7	7	8	18
Male.....	43	4	2	1	5	4	1	2	5	3	5	3	8
Female.....	60	10	4	8	4	4	5	2	2	4	2	5	10
American Indian 1/, both sexes.....	4	-	-	-	-	-	1	-	-	-	1	2	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Female.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	15	3	2	-	-	-	3	2	2	-	1	2	-
Male.....	8	1	2	-	-	-	3	2	-	-	-	-	-
Female.....	7	2	-	-	-	-	-	-	2	-	1	2	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorder of peritoneum, unspecified (K66.9)													
All races, both sexes.....	24	3	-	2	1	2	2	-	2	2	3	3	4
Male.....	8	-	-	1	1	-	1	-	-	1	2	-	2
Female.....	16	3	-	1	-	2	1	-	2	1	1	3	2
White, both sexes.....	24	3	-	2	1	2	2	-	2	2	3	3	4
Male.....	8	-	-	1	1	-	1	-	-	1	2	-	2
Female.....	16	3	-	1	-	2	1	-	2	1	1	3	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholic liver disease (K70)													
All races, both sexes.....	12,548	1,129	979	1,053	1,042	975	1,016	1,050	1,083	1,042	1,065	1,020	1,094
Male.....	9,155	823	726	793	761	700	745	778	800	735	749	736	809
Female.....	3,393	306	253	260	281	275	271	272	283	307	316	284	285
White, both sexes.....	10,859	973	863	908	898	847	863	911	944	913	926	857	956
Male.....	7,992	705	644	693	657	615	639	678	710	653	652	629	717
Female.....	2,867	268	219	215	241	232	224	233	234	260	274	228	239
Black, both sexes.....	1,169	100	78	102	106	99	108	84	89	86	99	119	99
Male.....	812	80	55	73	77	62	82	59	59	53	66	80	66
Female.....	357	20	23	29	29	37	26	25	30	33	33	39	33
American Indian 1/, both sexes.....	389	39	30	35	26	18	31	45	38	37	28	33	29
Male.....	240	24	20	19	17	14	14	32	21	24	21	18	16
Female.....	149	15	10	16	9	4	17	13	17	13	7	15	13
Asian or Pacific Islander 2/, both sexes.....	131	17	8	8	12	11	14	10	12	6	12	11	10
Male.....	111	14	7	8	10	9	10	9	10	5	10	9	10
Female.....	20	3	1	-	2	2	4	1	2	1	2	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Alcoholic fatty liver (K70.0)													
All races, both sexes.....	187	19	19	11	20	22	13	10	17	17	14	11	14
Male.....	126	16	9	9	12	16	8	7	14	12	8	8	7
Female.....	61	3	10	2	8	6	5	3	3	5	6	3	7
White, both sexes.....	153	16	14	8	17	19	12	8	17	13	12	6	11
Male.....	104	13	7	6	10	15	8	5	14	9	7	5	5
Female.....	49	3	7	2	7	4	4	3	3	4	5	1	6
Black, both sexes.....	28	3	5	3	3	2	1	1	-	2	1	5	2
Male.....	18	3	2	3	2	1	-	1	-	1	1	3	1
Female.....	10	-	3	-	1	1	1	-	-	1	-	2	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	1	-	1	-	-	1
Male.....	3	-	-	-	-	-	-	1	-	1	-	-	1
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Alcoholic hepatitis (K70.1)													
All races, both sexes.....	750	65	55	62	56	60	74	52	72	69	61	59	65
Male.....	529	43	43	45	35	42	53	35	51	46	46	44	46
Female.....	221	22	12	17	21	18	21	17	21	23	15	15	19
White, both sexes.....	650	59	49	52	46	51	67	46	63	59	53	48	57
Male.....	460	40	39	35	27	36	47	31	46	40	39	38	42
Female.....	190	19	10	17	19	15	20	15	17	19	14	10	15
Black, both sexes.....	73	6	4	7	7	8	4	4	7	9	6	7	4
Male.....	51	3	3	7	5	5	4	3	4	5	5	4	3
Female.....	22	3	1	-	2	3	-	1	3	4	1	3	1
American Indian 1/, both sexes.....	19	-	1	2	2	1	1	2	2	1	1	2	4
Male.....	11	-	-	2	2	1	1	1	1	1	1	-	1
Female.....	8	-	1	-	-	-	-	1	1	-	-	2	3
Asian or Pacific Islander 2/, both sexes.....	8	-	1	1	1	-	2	-	-	-	1	2	-
Male.....	7	-	1	1	1	-	1	-	-	-	1	2	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Alcoholic fibrosis and sclerosis of liver (K70.2)													
All races, both sexes.....	5	-	1	-	1	-	-	-	-	1	1	-	1
Male.....	3	-	-	-	1	-	-	-	-	1	1	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	4	-	-	-	1	-	-	-	-	1	1	-	1
Male.....	3	-	-	-	1	-	-	-	-	1	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholic cirrhosis of liver (K70.3)													
All races, both sexes.....	8,250	714	632	662	682	628	688	701	703	688	729	678	745
Male.....	6,084	527	475	505	511	451	519	518	522	485	520	488	563
Female.....	2,166	187	157	157	171	177	169	183	181	203	209	190	182
White, both sexes.....	7,184	613	561	578	583	545	585	617	613	609	642	574	664
Male.....	5,336	448	419	448	438	396	449	458	464	438	455	418	505
Female.....	1,848	165	142	130	145	149	136	159	149	171	187	156	159
Black, both sexes.....	757	62	47	59	76	66	72	59	61	52	64	80	59
Male.....	536	53	38	41	57	42	54	42	39	30	45	53	42
Female.....	221	9	9	18	19	24	18	17	22	22	19	27	17
American Indian 1/, both sexes.....	223	28	19	20	15	11	21	19	20	23	14	17	16
Male.....	138	17	14	11	10	8	8	12	11	14	12	11	10
Female.....	85	11	5	9	5	3	13	7	9	9	2	6	6
Asian or Pacific Islander 2/, both sexes.....	86	11	5	5	8	6	10	6	9	4	9	7	6
Male.....	74	9	4	5	6	5	8	6	8	3	8	6	6
Female.....	12	2	1	-	2	1	2	-	1	1	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Alcoholic hepatic failure (K70.4)													
All races, both sexes.....	1,488	142	112	145	135	108	115	113	129	111	119	124	135
Male.....	1,037	98	82	103	99	75	77	81	92	75	74	90	91
Female.....	451	44	30	42	36	33	38	32	37	36	45	34	44
White, both sexes.....	1,296	131	99	117	123	92	97	95	115	98	107	107	115
Male.....	913	90	73	88	92	64	64	69	80	66	69	80	78
Female.....	383	41	26	29	31	28	33	26	35	32	38	27	37
Black, both sexes.....	127	4	9	18	7	14	12	7	10	8	9	13	16
Male.....	80	3	6	10	3	9	9	4	9	6	3	8	10
Female.....	47	1	3	8	4	5	3	3	1	2	6	5	6
American Indian 1/, both sexes.....	54	5	3	9	3	1	5	10	3	5	3	3	4
Male.....	36	4	2	4	2	1	3	8	2	3	2	2	3
Female.....	18	1	1	5	1	-	2	2	1	2	1	1	1
Asian or Pacific Islander 2/, both sexes.....	11	2	1	1	2	1	1	1	1	-	-	1	-
Male.....	8	1	1	1	2	1	1	-	1	-	-	-	-
Female.....	3	1	-	-	-	-	-	1	-	-	-	1	-
Alcoholic liver disease, unspecified (K70.9)													
All races, both sexes.....	1,868	189	160	173	148	157	126	174	162	156	141	148	134
Male.....	1,376	139	117	131	103	116	88	137	121	116	100	106	102
Female.....	492	50	43	42	45	41	38	37	41	40	41	42	32
White, both sexes.....	1,572	154	140	153	128	140	102	145	136	133	111	122	108
Male.....	1,176	114	106	116	89	104	71	115	106	99	81	88	87
Female.....	396	40	34	37	39	36	31	30	30	34	30	34	21
Black, both sexes.....	184	25	13	15	13	9	19	13	11	15	19	14	18
Male.....	127	18	6	12	10	5	15	9	7	11	12	12	10
Female.....	57	7	7	3	3	4	4	4	4	4	7	2	8
American Indian 1/, both sexes.....	90	6	6	4	6	5	4	14	13	7	9	11	5
Male.....	54	3	4	2	3	4	2	11	7	5	6	5	2
Female.....	36	3	2	2	3	1	2	3	6	2	3	6	3
Asian or Pacific Islander 2/, both sexes.....	22	4	1	1	1	3	1	2	2	1	2	1	3
Male.....	19	4	1	1	1	3	-	2	1	1	1	1	3
Female.....	3	-	-	-	-	-	1	-	1	-	1	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hepatic failure, not elsewhere classified (K72)													
All races, both sexes.....	3,891	340	319	332	315	313	331	328	313	270	338	320	372
Male.....	2,233	194	188	194	177	183	170	202	189	162	197	174	203
Female.....	1,658	146	131	138	138	130	161	126	124	108	141	146	169
White, both sexes.....	3,176	281	259	269	260	262	266	271	258	219	268	258	305
Male.....	1,815	157	153	158	147	153	139	165	161	131	153	137	161
Female.....	1,361	124	106	111	113	109	127	106	97	88	115	121	144
Black, both sexes.....	564	51	48	50	46	45	50	41	40	43	48	49	53
Male.....	336	33	28	29	28	29	26	28	20	27	28	29	31
Female.....	228	18	20	21	18	16	24	13	20	16	20	20	22
American Indian 1/, both sexes.....	70	3	8	4	5	2	6	6	10	5	5	8	8
Male.....	40	1	4	2	1	1	3	4	5	3	4	5	7
Female.....	30	2	4	2	4	1	3	2	5	2	1	3	1
Asian or Pacific Islander 2/, both sexes.....	81	5	4	9	4	4	9	10	5	3	17	5	6
Male.....	42	3	3	5	1	-	2	5	3	1	12	3	4
Female.....	39	2	1	4	3	4	7	5	2	2	5	2	2
Acute and subacute hepatic failure (K72.0)													
All races, both sexes.....	251	31	16	24	16	14	21	18	19	19	25	23	25
Male.....	134	16	7	11	6	8	11	12	13	9	16	12	13
Female.....	117	15	9	13	10	6	10	6	6	10	9	11	12
White, both sexes.....	208	24	14	23	14	11	14	13	16	18	19	20	22
Male.....	110	12	7	10	5	6	9	8	11	9	10	12	11
Female.....	98	12	7	13	9	5	5	5	5	9	9	8	11
Black, both sexes.....	33	6	2	1	2	2	6	4	2	-	4	2	2
Male.....	19	4	-	1	1	2	2	3	1	-	4	-	1
Female.....	14	2	2	-	1	-	4	1	1	-	-	2	1
American Indian 1/, both sexes.....	3	1	-	-	-	-	-	-	-	-	1	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	1	1	1	1	1	1	1	-
Male.....	3	-	-	-	-	-	-	1	1	-	1	-	-
Female.....	4	-	-	-	-	1	1	-	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Chronic hepatic failure (K72.1)</b>													
All races, both sexes.....	100	3	8	6	12	9	6	12	5	9	11	11	8
Male.....	56	3	7	4	4	5	3	5	3	5	7	6	4
Female.....	44	-	1	2	8	4	3	7	2	4	4	5	4
White, both sexes.....	84	1	7	5	9	7	6	10	4	9	9	10	7
Male.....	45	1	6	3	2	3	3	5	2	5	6	5	4
Female.....	39	-	1	2	7	4	3	5	2	4	3	5	3
Black, both sexes.....	14	2	1	1	3	2	-	-	1	-	2	1	1
Male.....	11	2	1	1	2	2	-	-	1	-	1	1	-
Female.....	3	-	-	-	1	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
<b>Hepatic failure, unspecified (K72.9)</b>													
All races, both sexes.....	3,540	306	295	302	287	290	304	298	289	242	302	286	339
Male.....	2,043	175	174	179	167	170	156	185	173	148	174	156	186
Female.....	1,497	131	121	123	120	120	148	113	116	94	128	130	153
White, both sexes.....	2,884	256	238	241	237	244	246	248	238	192	240	228	276
Male.....	1,660	144	140	145	140	144	127	152	148	117	137	120	146
Female.....	1,224	112	98	96	97	100	119	96	90	75	103	108	130
Black, both sexes.....	517	43	45	48	41	41	44	37	37	43	42	46	50
Male.....	306	27	27	27	25	25	24	25	18	27	23	28	30
Female.....	211	16	18	21	16	16	20	12	19	16	19	18	20
American Indian 1/, both sexes.....	66	2	8	4	5	2	6	5	10	5	4	8	7
Male.....	38	1	4	2	1	1	3	4	5	3	3	5	6
Female.....	28	1	4	2	4	1	3	1	5	2	1	3	1
Asian or Pacific Islander 2/, both sexes.....	73	5	4	9	4	3	8	8	4	2	16	4	6
Male.....	39	3	3	5	1	-	2	4	2	1	11	3	4
Female.....	34	2	1	4	3	3	6	4	2	1	5	1	2







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hepatic sclerosis (K74.1)													
All races, both sexes.....	13	1	1	1	-	1	1	2	2	1	2	-	1
Male.....	7	1	-	-	-	-	1	1	2	1	1	-	-
Female.....	6	-	1	1	-	1	-	1	-	-	1	-	1
White, both sexes.....	12	1	1	1	-	1	1	2	1	1	2	-	1
Male.....	6	1	-	-	-	-	1	1	1	1	1	-	-
Female.....	6	-	1	1	-	1	-	1	-	-	1	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Primary biliary cirrhosis (K74.3)													
All races, both sexes.....	394	44	35	28	32	27	31	32	38	30	45	24	28
Male.....	56	6	5	1	5	5	5	4	6	4	5	3	7
Female.....	338	38	30	27	27	22	26	28	32	26	40	21	21
White, both sexes.....	362	41	30	25	30	24	31	29	34	27	42	24	25
Male.....	52	6	3	1	5	5	5	4	5	3	5	3	7
Female.....	310	35	27	24	25	19	26	25	29	24	37	21	18
Black, both sexes.....	17	1	3	1	-	2	-	3	3	-	3	-	1
Male.....	3	-	2	-	-	-	-	-	1	-	-	-	-
Female.....	14	1	1	1	-	2	-	3	2	-	3	-	1
American Indian 1/, both sexes.....	6	-	2	1	-	-	-	-	1	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	2	1	-	-	-	-	1	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	9	2	-	1	2	1	-	-	-	2	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	8	2	-	1	2	1	-	-	-	1	-	-	1



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other and unspecified cirrhosis of liver (K74.6)													
All races, both sexes.....	13,849	1,325	1,174	1,219	1,190	1,104	1,056	1,139	1,072	1,111	1,109	1,177	1,173
Male.....	8,245	790	683	704	722	666	635	694	641	646	700	676	688
Female.....	5,604	535	491	515	468	438	421	445	431	465	409	501	485
White, both sexes.....	12,139	1,177	1,024	1,076	1,057	947	916	1,019	936	977	973	1,016	1,021
Male.....	7,213	711	586	618	637	576	550	616	566	560	615	580	598
Female.....	4,926	466	438	458	420	371	366	403	370	417	358	436	423
Black, both sexes.....	1,337	122	120	111	102	110	115	93	102	107	99	131	125
Male.....	848	69	80	71	70	67	74	64	61	70	64	82	76
Female.....	489	53	40	40	32	43	41	29	41	37	35	49	49
American Indian 1/, both sexes.....	177	15	16	18	14	15	8	17	14	11	21	17	11
Male.....	82	5	9	7	6	4	2	8	6	7	13	8	7
Female.....	95	10	7	11	8	11	6	9	8	4	8	9	4
Asian or Pacific Islander 2/, both sexes.....	196	11	14	14	17	32	17	10	20	16	16	13	16
Male.....	102	5	8	8	9	19	9	6	8	9	8	6	7
Female.....	94	6	6	6	8	13	8	4	12	7	8	7	9
Other inflammatory liver diseases (K75)													
All races, both sexes.....	906	82	65	75	77	75	62	72	84	74	68	88	84
Male.....	354	32	28	30	34	31	20	34	32	26	23	28	36
Female.....	552	50	37	45	43	44	42	38	52	48	45	60	48
White, both sexes.....	744	68	55	64	66	61	48	59	74	57	57	73	62
Male.....	295	27	26	23	30	26	16	27	27	20	21	24	28
Female.....	449	41	29	41	36	35	32	32	47	37	36	49	34
Black, both sexes.....	131	10	9	10	8	12	12	10	7	16	10	12	15
Male.....	48	2	2	6	2	5	4	5	4	6	2	3	7
Female.....	83	8	7	4	6	7	8	5	3	10	8	9	8
American Indian 1/, both sexes.....	9	1	1	-	-	1	1	-	1	1	-	-	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	1	1	-	-	1	1	-	1	1	-	-	3
Asian or Pacific Islander 2/, both sexes.....	22	3	-	1	3	1	1	3	2	-	1	3	4
Male.....	11	3	-	1	2	-	-	2	1	-	-	1	1
Female.....	11	-	-	-	1	1	1	1	1	-	1	2	3





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Inflammatory liver disease, unspecified (K75.9)</b>													
All races, both sexes.....	372	36	36	29	30	34	20	31	31	31	26	29	39
Male.....	210	20	21	20	20	18	8	17	16	16	15	14	25
Female.....	162	16	15	9	10	16	12	14	15	15	11	15	14
White, both sexes.....	297	31	32	21	24	24	16	24	27	22	24	23	29
Male.....	171	16	20	15	16	13	6	13	14	13	15	12	18
Female.....	126	15	12	6	8	11	10	11	13	9	9	11	11
Black, both sexes.....	60	3	4	7	3	9	3	6	2	8	1	5	9
Male.....	32	2	1	4	2	5	2	3	2	3	-	2	6
Female.....	28	1	3	3	1	4	1	3	-	5	1	3	3
American Indian 1/, both sexes.....	3	-	-	-	-	1	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	2	-	1	3	-	1	1	1	-	1	1	1
Male.....	7	2	-	1	2	-	-	1	-	-	-	-	1
Female.....	5	-	-	-	1	-	1	-	1	-	1	1	-
<b>Other diseases of liver (K76)</b>													
All races, both sexes.....	4,200	375	330	373	336	325	327	386	335	326	367	362	358
Male.....	2,522	219	191	231	198	201	180	222	206	201	228	218	227
Female.....	1,678	156	139	142	138	124	147	164	129	125	139	144	131
White, both sexes.....	3,494	311	286	315	282	276	263	324	279	269	309	298	282
Male.....	2,122	182	168	198	171	164	147	189	173	174	192	182	182
Female.....	1,372	129	118	117	111	112	116	135	106	95	117	116	100
Black, both sexes.....	546	48	38	45	41	40	43	48	44	42	48	52	57
Male.....	318	29	20	27	20	30	22	28	26	22	32	29	33
Female.....	228	19	18	18	21	10	21	20	18	20	16	23	24
American Indian 1/, both sexes.....	80	6	3	6	9	3	9	9	8	7	5	6	9
Male.....	35	1	1	2	7	2	4	3	4	1	2	3	5
Female.....	45	5	2	4	2	1	5	6	4	6	3	3	4
Asian or Pacific Islander 2/, both sexes.....	80	10	3	7	4	6	12	5	4	8	5	6	10
Male.....	47	7	2	4	-	5	7	2	3	4	2	4	7
Female.....	33	3	1	3	4	1	5	3	1	4	3	2	3









## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Liver disease, unspecified (K76.9)													
All races, both sexes.....	3,013	250	238	273	256	221	240	260	248	244	251	261	271
Male.....	1,845	159	141	170	153	142	136	149	152	149	165	161	168
Female.....	1,168	91	97	103	103	79	104	111	96	95	86	100	103
White, both sexes.....	2,491	206	204	225	219	186	191	211	208	203	214	211	213
Male.....	1,546	131	123	144	134	114	110	123	128	130	140	134	135
Female.....	945	75	81	81	85	72	81	88	80	73	74	77	78
Black, both sexes.....	399	32	29	37	28	29	34	36	30	29	32	40	43
Male.....	231	22	15	21	13	22	18	21	18	15	22	21	23
Female.....	168	10	14	16	15	7	16	15	12	14	10	19	20
American Indian 1/, both sexes.....	62	4	3	5	6	2	7	8	7	5	3	5	7
Male.....	30	-	1	1	6	2	3	3	4	1	2	2	5
Female.....	32	4	2	4	-	-	4	5	3	4	1	3	2
Asian or Pacific Islander 2/, both sexes.....	61	8	2	6	3	4	8	5	3	7	2	5	8
Male.....	38	6	2	4	-	4	5	2	2	3	1	4	5
Female.....	23	2	-	2	3	-	3	3	1	4	1	1	3
Cholelithiasis (K80)													
All races, both sexes.....	1,088	93	75	110	83	91	91	97	85	93	94	98	78
Male.....	442	32	37	48	38	26	30	33	36	36	44	44	38
Female.....	646	61	38	62	45	65	61	64	49	57	50	54	40
White, both sexes.....	957	85	67	92	75	82	75	82	80	81	80	84	74
Male.....	403	30	35	41	35	24	26	30	35	33	40	40	34
Female.....	554	55	32	51	40	58	49	52	45	48	40	44	40
Black, both sexes.....	89	4	6	14	6	8	10	8	4	9	10	8	2
Male.....	25	2	1	4	2	2	4	2	1	1	2	2	2
Female.....	64	2	5	10	4	6	6	6	3	8	8	6	-
American Indian 1/, both sexes.....	12	3	-	-	1	-	1	1	-	1	1	3	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	9	3	-	-	1	-	1	-	-	1	1	2	-
Asian or Pacific Islander 2/, both sexes.....	30	1	2	4	1	1	5	6	1	2	3	3	1
Male.....	11	-	1	3	1	-	-	-	-	2	2	1	1
Female.....	19	1	1	1	-	1	5	6	1	-	1	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Calculus of gallbladder with acute cholecystitis (K80.0)													
All races, both sexes.....	89	12	4	7	11	13	6	10	6	4	2	6	8
Male.....	30	2	2	2	3	3	2	2	3	4	2	1	4
Female.....	59	10	2	5	8	10	4	8	3	-	-	5	4
White, both sexes.....	80	11	4	5	11	11	5	9	6	4	2	4	8
Male.....	29	2	2	2	3	2	2	2	3	4	2	1	4
Female.....	51	9	2	3	8	9	3	7	3	-	-	3	4
Black, both sexes.....	5	-	-	2	-	2	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	4	-	-	2	-	1	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	-	1	1	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	-	-	1	1	-	-	-	1	-
Calculus of gallbladder with other cholecystitis (K80.1)													
All races, both sexes.....	170	11	10	21	13	11	11	12	19	15	17	16	14
Male.....	69	4	6	12	2	2	4	5	10	6	9	3	6
Female.....	101	7	4	9	11	9	7	7	9	9	8	13	8
White, both sexes.....	146	9	10	15	12	10	9	10	17	12	17	12	13
Male.....	61	3	6	9	2	2	4	5	9	5	9	2	5
Female.....	85	6	4	6	10	8	5	5	8	7	8	10	8
Black, both sexes.....	20	2	-	5	1	1	-	1	2	3	-	4	1
Male.....	7	1	-	2	-	-	-	-	1	1	-	1	1
Female.....	13	1	-	3	1	1	-	1	1	2	-	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	-	2	1	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	2	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Calculus of gallbladder without cholecystitis (K80.2)													
All races, both sexes.....	653	53	52	70	47	54	53	64	45	57	60	58	40
Male.....	266	23	21	29	25	16	15	23	18	19	26	31	20
Female.....	387	30	31	41	22	38	38	41	27	38	34	27	20
White, both sexes.....	571	50	45	61	41	49	42	53	42	49	49	52	38
Male.....	245	22	20	26	22	15	13	21	18	17	24	29	18
Female.....	326	28	25	35	19	34	29	32	24	32	25	23	20
Black, both sexes.....	57	2	5	7	5	5	8	7	2	5	8	2	1
Male.....	12	1	-	2	2	1	2	2	-	-	1	-	1
Female.....	45	1	5	5	3	4	6	5	2	5	7	2	-
American Indian 1/, both sexes.....	7	1	-	-	-	-	1	-	-	1	1	2	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	5	1	-	-	-	-	1	-	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	18	-	2	2	1	-	2	4	1	2	2	2	-
Male.....	7	-	1	1	1	-	-	-	-	2	1	1	-
Female.....	11	-	1	1	-	-	2	4	1	-	1	1	-
Calculus of bile duct with cholangitis (K80.3)													
All races, both sexes.....	38	6	1	2	6	4	3	4	2	2	1	3	4
Male.....	13	1	1	1	4	1	1	-	-	-	1	-	3
Female.....	25	5	-	1	2	3	2	4	2	2	-	3	1
White, both sexes.....	34	6	1	2	6	3	2	4	2	2	-	3	3
Male.....	10	1	1	1	4	1	-	-	-	-	-	-	2
Female.....	24	5	-	1	2	2	2	4	2	2	-	3	1
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	-	-	1	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Other cholelithiasis (K80.8)</b>													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Cholecystitis (K81)</b>													
All races, both sexes.....	1,664	152	145	125	123	135	149	146	141	150	111	145	142
Male.....	769	76	64	62	64	56	62	71	74	68	49	62	61
Female.....	895	76	81	63	59	79	87	75	67	82	62	83	81
White, both sexes.....	1,431	129	124	104	107	124	123	126	118	132	95	116	133
Male.....	667	65	54	52	58	50	50	65	62	58	47	51	55
Female.....	764	64	70	52	49	74	73	61	56	74	48	65	78
Black, both sexes.....	192	19	16	18	15	9	23	14	19	15	16	22	6
Male.....	80	9	7	10	6	4	10	4	10	7	2	8	3
Female.....	112	10	9	8	9	5	13	10	9	8	14	14	3
American Indian 1/, both sexes.....	11	1	1	1	1	-	1	1	-	2	-	1	2
Male.....	7	1	1	-	-	-	1	-	-	2	-	-	2
Female.....	4	-	-	1	1	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	30	3	4	2	-	2	2	5	4	1	-	6	1
Male.....	15	1	2	-	-	2	1	2	2	1	-	3	1
Female.....	15	2	2	2	-	-	1	3	2	-	-	3	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other cholecystitis (K81.8)													
All races, both sexes.....	3	1	1	-	-	-	-	-	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholecystitis, unspecified (K81.9)													
All races, both sexes.....	743	75	63	55	56	56	64	66	60	75	47	61	65
Male.....	322	35	26	27	30	22	23	29	33	33	16	21	27
Female.....	421	40	37	28	26	34	41	37	27	42	31	40	38
White, both sexes.....	637	67	52	44	50	51	54	57	48	64	40	49	61
Male.....	277	30	20	21	28	18	20	27	27	28	16	18	24
Female.....	360	37	32	23	22	33	34	30	21	36	24	31	37
Black, both sexes.....	86	6	8	9	5	4	8	7	8	10	7	11	3
Male.....	35	4	4	6	2	3	2	1	4	4	-	3	2
Female.....	51	2	4	3	3	1	6	6	4	6	7	8	1
American Indian 1/, both sexes.....	7	1	1	1	1	-	1	-	-	1	-	-	1
Male.....	5	1	1	-	-	-	1	-	-	1	-	-	1
Female.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	1	2	1	-	1	1	2	4	-	-	1	-
Male.....	5	-	1	-	-	1	-	1	2	-	-	-	-
Female.....	8	1	1	1	-	-	1	1	2	-	-	1	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hydrops of gallbladder (K82.1)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Perforation of gallbladder (K82.2)													
All races, both sexes.....	39	1	2	3	5	5	1	3	3	6	5	1	4
Male.....	20	1	-	2	3	2	-	2	2	3	3	1	1
Female.....	19	-	2	1	2	3	1	1	1	3	2	-	3
White, both sexes.....	36	1	2	3	5	4	1	2	3	5	5	1	4
Male.....	20	1	-	2	3	2	-	2	2	3	3	1	1
Female.....	16	-	2	1	2	2	1	-	1	2	2	-	3
Black, both sexes.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of gallbladder, unspecified (K82.9)													
All races, both sexes.....	275	17	30	33	25	24	24	19	33	10	20	20	20
Male.....	135	8	15	15	13	10	12	7	17	7	12	11	8
Female.....	140	9	15	18	12	14	12	12	16	3	8	9	12
White, both sexes.....	230	14	22	30	21	19	20	16	29	9	17	17	16
Male.....	112	7	12	14	10	8	9	5	15	6	10	10	6
Female.....	118	7	10	16	11	11	11	11	14	3	7	7	10
Black, both sexes.....	32	3	8	1	1	3	2	1	4	1	1	3	4
Male.....	16	1	3	1	1	1	2	-	2	1	1	1	2
Female.....	16	2	5	-	-	2	-	1	2	-	-	2	2
American Indian 1/, both sexes.....	4	-	-	-	1	1	2	-	-	-	-	-	-
Male.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	2	2	1	-	2	-	-	2	-	-
Male.....	5	-	-	-	1	1	-	2	-	-	1	-	-
Female.....	4	-	-	2	1	-	-	-	-	-	1	-	-
Other diseases of biliary tract (K83)													
All races, both sexes.....	1,069	92	93	90	75	82	86	87	99	90	97	82	96
Male.....	506	40	42	42	30	43	37	37	47	45	51	43	49
Female.....	563	52	51	48	45	39	49	50	52	45	46	39	47
White, both sexes.....	934	78	80	76	67	71	73	82	89	78	87	70	83
Male.....	454	35	38	35	29	39	33	34	45	42	45	38	41
Female.....	480	43	42	41	38	32	40	48	44	36	42	32	42
Black, both sexes.....	104	10	9	11	8	5	8	4	7	10	10	12	10
Male.....	40	4	2	5	1	2	4	3	1	1	6	5	6
Female.....	64	6	7	6	7	3	4	1	6	9	4	7	4
American Indian 1/, both sexes.....	4	1	-	-	-	1	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	3	4	3	-	5	4	1	2	2	-	-	3
Male.....	11	1	2	2	-	1	-	-	1	2	-	-	2
Female.....	16	2	2	1	-	4	4	1	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Cholangitis (K83.0)</b>													
All races, both sexes.....	581	58	38	47	39	48	47	46	62	49	54	42	51
Male.....	296	31	22	27	17	26	23	16	31	26	27	24	26
Female.....	285	27	16	20	22	22	24	30	31	23	27	18	25
White, both sexes.....	510	52	33	37	36	43	38	43	55	42	49	36	46
Male.....	268	28	21	22	16	24	20	15	29	24	25	22	22
Female.....	242	24	12	15	20	19	18	28	26	18	24	14	24
Black, both sexes.....	50	2	3	8	3	1	5	2	4	6	5	6	5
Male.....	22	2	-	4	1	1	3	1	1	1	2	2	4
Female.....	28	-	3	4	2	-	2	1	3	5	3	4	1
American Indian 1/, both sexes.....	4	1	-	-	-	1	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	3	2	2	-	3	3	1	2	1	-	-	-
Male.....	5	1	1	1	-	-	-	-	1	1	-	-	-
Female.....	12	2	1	1	-	3	3	1	1	-	-	-	-
<b>Obstruction of bile duct (K83.1)</b>													
All races, both sexes.....	423	31	48	38	30	30	31	37	29	38	38	34	39
Male.....	181	7	18	14	11	16	13	20	11	17	20	16	18
Female.....	242	24	30	24	19	14	18	17	18	21	18	18	21
White, both sexes.....	363	23	40	35	26	24	27	35	27	33	34	28	31
Male.....	158	5	15	12	11	14	12	18	11	16	17	13	14
Female.....	205	18	25	23	15	10	15	17	16	17	17	15	17
Black, both sexes.....	50	8	6	2	4	4	3	2	2	4	4	6	5
Male.....	17	2	2	1	-	1	1	2	-	-	3	3	2
Female.....	33	6	4	1	4	3	2	-	2	4	1	3	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	2	1	-	2	1	-	-	1	-	-	3
Male.....	6	-	1	1	-	1	-	-	-	1	-	-	2
Female.....	4	-	1	-	-	1	1	-	-	-	-	-	1



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of biliary tract, unspecified (K83.9)													
All races, both sexes.....	31	2	4	4	3	2	3	2	2	-	3	3	3
Male.....	12	2	2	1	1	-	-	-	1	-	2	1	2
Female.....	19	-	2	3	2	2	3	2	1	-	1	2	1
White, both sexes.....	30	2	4	3	3	2	3	2	2	-	3	3	3
Male.....	12	2	2	1	1	-	-	-	1	-	2	1	2
Female.....	18	-	2	2	2	2	3	2	1	-	1	2	1
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute pancreatitis (K85)													
All races, both sexes.....	2,827	240	217	250	252	225	214	218	251	239	230	248	243
Male.....	1,487	127	114	133	124	125	108	110	132	119	132	126	137
Female.....	1,340	113	103	117	128	100	106	108	119	120	98	122	106
White, both sexes.....	2,356	207	189	206	200	185	180	177	212	186	196	208	210
Male.....	1,235	107	96	113	106	101	91	87	108	92	110	103	121
Female.....	1,121	100	93	93	94	84	89	90	104	94	86	105	89
Black, both sexes.....	401	24	22	38	45	35	28	36	32	49	29	36	27
Male.....	215	15	14	18	14	22	14	20	20	24	20	21	13
Female.....	186	9	8	20	31	13	14	16	12	25	9	15	14
American Indian 1/, both sexes.....	19	3	2	3	4	2	1	-	2	-	-	2	-
Male.....	9	1	1	1	2	1	1	-	1	-	-	1	-
Female.....	10	2	1	2	2	1	-	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	51	6	4	3	3	3	5	5	5	4	5	2	6
Male.....	28	4	3	1	2	1	2	3	3	3	2	1	3
Female.....	23	2	1	2	1	2	3	2	2	1	3	1	3





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pseudocyst of pancreas (K86.3)													
All races, both sexes.....	42	5	1	3	3	2	2	3	1	9	3	4	6
Male.....	17	3	-	1	1	2	1	1	1	3	1	3	-
Female.....	25	2	1	2	2	-	1	2	-	6	2	1	6
White, both sexes.....	36	4	1	3	2	2	2	3	-	8	3	4	4
Male.....	16	3	-	1	1	2	1	1	-	3	1	3	-
Female.....	20	1	1	2	1	-	1	2	-	5	2	1	4
Black, both sexes.....	5	1	-	-	1	-	-	-	1	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	4	1	-	-	1	-	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Other specified diseases of pancreas (K86.8)													
All races, both sexes.....	52	4	5	3	6	1	6	5	4	8	5	2	3
Male.....	23	2	3	1	3	-	4	2	-	3	2	2	1
Female.....	29	2	2	2	3	1	2	3	4	5	3	-	2
White, both sexes.....	46	3	5	3	5	1	6	3	4	8	4	1	3
Male.....	18	1	3	1	2	-	4	1	-	3	1	1	1
Female.....	28	2	2	2	3	1	2	2	4	5	3	-	2
Black, both sexes.....	5	1	-	-	1	-	-	1	-	-	1	1	-
Male.....	5	1	-	-	1	-	-	1	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of pancreas, unspecified (K86.9)													
All races, both sexes.....	238	19	13	18	17	20	17	20	27	21	21	24	21
Male.....	87	3	4	6	8	6	7	8	10	6	6	12	11
Female.....	151	16	9	12	9	14	10	12	17	15	15	12	10
White, both sexes.....	203	16	12	17	15	17	16	17	21	17	17	18	20
Male.....	68	3	3	6	6	5	6	7	6	6	3	7	10
Female.....	135	13	9	11	9	12	10	10	15	11	14	11	10
Black, both sexes.....	29	1	1	1	2	3	-	2	5	3	4	6	1
Male.....	17	-	1	-	2	1	-	1	3	-	3	5	1
Female.....	12	1	-	1	-	2	-	1	2	3	1	1	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	-	-	-	1	1	1	1	-	-	-
Male.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	3	1	-	-	-	-	-	1	-	1	-	-	-
Intestinal malabsorption (K90)													
All races, both sexes.....	252	30	22	20	18	17	23	19	13	24	20	22	24
Male.....	92	8	7	9	8	5	7	6	6	10	6	8	12
Female.....	160	22	15	11	10	12	16	13	7	14	14	14	12
White, both sexes.....	209	29	19	19	15	14	18	15	11	21	13	17	18
Male.....	72	7	5	8	6	5	6	2	5	7	5	6	10
Female.....	137	22	14	11	9	9	12	13	6	14	8	11	8
Black, both sexes.....	36	1	2	1	2	3	3	3	2	3	7	5	4
Male.....	16	1	1	1	1	-	1	3	1	3	1	2	1
Female.....	20	-	1	-	1	3	2	-	1	-	6	3	3
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	-	2	1	-	-	-	-	1
Male.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	3	-	-	-	-	-	2	-	-	-	-	-	1







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other diseases of the digestive system (K92)													
All races, both sexes.....	7,691	787	684	656	607	615	611	588	602	564	651	657	669
Male.....	3,514	352	327	298	266	280	257	276	277	258	303	287	333
Female.....	4,177	435	357	358	341	335	354	312	325	306	348	370	336
White, both sexes.....	6,732	687	604	584	524	531	542	516	523	494	571	575	581
Male.....	3,048	303	293	257	227	238	231	245	236	221	264	248	285
Female.....	3,684	384	311	327	297	293	311	271	287	273	307	327	296
Black, both sexes.....	841	83	72	62	77	71	62	58	71	58	70	75	82
Male.....	407	40	32	34	37	35	23	27	37	32	33	34	43
Female.....	434	43	40	28	40	36	39	31	34	26	37	41	39
American Indian 1/, both sexes.....	32	6	3	2	1	2	2	5	2	3	2	2	2
Male.....	14	3	-	1	1	-	-	1	2	2	1	1	2
Female.....	18	3	3	1	-	2	2	4	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	86	11	5	8	5	11	5	9	6	9	8	5	4
Male.....	45	6	2	6	1	7	3	3	2	3	5	4	3
Female.....	41	5	3	2	4	4	2	6	4	6	3	1	1
Hematemesis (K92.0)													
All races, both sexes.....	51	9	4	4	8	4	-	6	4	5	4	2	1
Male.....	24	3	1	-	6	2	-	3	3	2	1	2	1
Female.....	27	6	3	4	2	2	-	3	1	3	3	-	-
White, both sexes.....	41	7	4	4	7	4	-	4	3	3	2	2	1
Male.....	18	2	1	-	5	2	-	2	2	1	-	2	1
Female.....	23	5	3	4	2	2	-	2	1	2	2	-	-
Black, both sexes.....	9	2	-	-	1	-	-	2	1	1	2	-	-
Male.....	6	1	-	-	1	-	-	1	1	1	1	-	-
Female.....	3	1	-	-	-	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Melena (K92.1)</b>													
All races, both sexes.....	6	-	-	1	1	2	-	-	2	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	4	-	-	1	1	1	-	-	1	-	-	-	-
White, both sexes.....	3	-	-	1	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	1	1	-	-	-	-	-	-	-
Black, both sexes.....	3	-	-	-	-	1	-	-	2	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Gastrointestinal hemorrhage, unspecified (K92.2)</b>													
All races, both sexes.....	7,557	773	675	646	589	603	602	575	594	552	640	648	660
Male.....	3,454	346	325	295	256	273	255	271	272	255	299	280	327
Female.....	4,103	427	350	351	333	330	347	304	322	297	341	368	333
White, both sexes.....	6,621	675	595	575	508	523	534	506	518	485	563	567	572
Male.....	3,000	298	291	255	218	234	230	241	233	219	261	241	279
Female.....	3,621	377	304	320	290	289	304	265	285	266	302	326	293
Black, both sexes.....	820	81	72	61	75	68	61	55	68	56	67	74	82
Male.....	395	39	32	33	36	32	22	26	35	31	32	34	43
Female.....	425	42	40	28	39	36	39	29	33	25	35	40	39
American Indian 1/, both sexes.....	32	6	3	2	1	2	2	5	2	3	2	2	2
Male.....	14	3	-	1	1	-	-	1	2	2	1	1	2
Female.....	18	3	3	1	-	2	2	4	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	84	11	5	8	5	10	5	9	6	8	8	5	4
Male.....	45	6	2	6	1	7	3	3	2	3	5	4	3
Female.....	39	5	3	2	4	3	2	6	4	5	3	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified diseases of digestive system (K92.8)													
All races, both sexes.....	18	3	1	-	2	1	2	2	-	2	5	-	-
Male.....	4	1	-	-	1	1	-	-	-	-	1	-	-
Female.....	14	2	1	-	1	-	2	2	-	2	4	-	-
White, both sexes.....	15	3	1	-	2	-	2	2	-	1	4	-	-
Male.....	3	1	-	-	1	-	-	-	-	-	1	-	-
Female.....	12	2	1	-	1	-	2	2	-	1	3	-	-
Black, both sexes.....	3	-	-	-	-	1	-	-	-	1	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Disease of digestive system, unspecified (K92.9)													
All races, both sexes.....	59	2	4	5	7	5	7	5	2	5	2	7	8
Male.....	30	2	1	3	3	3	2	2	1	1	2	5	5
Female.....	29	-	3	2	4	2	5	3	1	4	-	2	3
White, both sexes.....	52	2	4	4	6	3	6	4	2	5	2	6	8
Male.....	27	2	1	2	3	2	1	2	1	1	2	5	5
Female.....	25	-	3	2	3	1	5	2	1	4	-	1	3
Black, both sexes.....	6	-	-	1	1	1	1	1	-	-	-	1	-
Male.....	3	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Staphylococcal scalded skin syndrome (L00)													
All races, both sexes.....	5	2	-	-	-	-	-	-	-	-	2	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	2	-	1
Female.....	2	2	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cutaneous abscess, furuncle, and carbuncle (L02)													
All races, both sexes.....	192	22	16	15	14	17	16	18	17	18	16	10	13
Male.....	84	13	6	7	4	10	6	6	7	10	7	3	5
Female.....	108	9	10	8	10	7	10	12	10	8	9	7	8
White, both sexes.....	159	18	13	13	13	11	14	16	13	13	15	9	11
Male.....	70	10	6	6	4	6	5	5	5	9	7	2	5
Female.....	89	8	7	7	9	5	9	11	8	4	8	7	6
Black, both sexes.....	29	4	3	2	1	6	2	1	2	5	1	1	1
Male.....	12	3	-	1	-	4	1	-	1	1	-	1	-
Female.....	17	1	3	1	1	2	1	1	1	4	1	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cutaneous abscess, furuncle, and carbuncle, unspecified (L02.9)													
All races, both sexes.....	51	8	3	1	2	7	4	3	8	1	7	4	3
Male.....	26	5	1	-	1	4	2	-	5	-	4	2	2
Female.....	25	3	2	1	1	3	2	3	3	1	3	2	1
White, both sexes.....	44	8	3	1	2	3	4	3	7	1	6	3	3
Male.....	23	5	1	-	1	2	2	-	5	-	4	1	2
Female.....	21	3	2	1	1	1	2	3	2	1	2	2	1
Black, both sexes.....	6	-	-	-	-	4	-	-	-	-	1	1	-
Male.....	3	-	-	-	-	2	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	2	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Cellulitis (L03)													
All races, both sexes.....	1,053	104	98	96	89	89	79	79	66	75	97	82	99
Male.....	445	40	34	41	47	41	27	35	30	32	48	37	33
Female.....	608	64	64	55	42	48	52	44	36	43	49	45	66
White, both sexes.....	935	98	84	86	79	77	68	72	63	66	84	72	86
Male.....	397	39	29	37	42	34	23	30	27	29	43	34	30
Female.....	538	59	55	49	37	43	45	42	36	37	41	38	56
Black, both sexes.....	99	5	12	7	9	11	10	6	2	8	12	9	8
Male.....	40	-	4	2	5	6	4	5	2	2	5	3	2
Female.....	59	5	8	5	4	5	6	1	-	6	7	6	6
American Indian 1/, both sexes.....	7	1	-	-	-	1	1	-	-	-	-	-	4
Male.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	1	-	-	-	-	-	4
Asian or Pacific Islander 2/, both sexes.....	12	-	2	3	1	-	-	1	1	1	1	1	1
Male.....	6	-	1	2	-	-	-	-	1	1	-	-	1
Female.....	6	-	1	1	1	-	-	1	-	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cellulitis of finger and toe (L03.0)													
All races, both sexes.....	5	1	1	1	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	1	1	1	-	-	-	1	-	1	-	-	-
White, both sexes.....	4	-	1	1	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	1	1	-	-	-	1	-	1	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cellulitis of other parts of limb (L03.1)													
All races, both sexes.....	399	40	22	47	26	35	37	33	21	27	42	37	32
Male.....	178	17	6	20	17	15	12	16	11	15	20	18	11
Female.....	221	23	16	27	9	20	25	17	10	12	22	19	21
White, both sexes.....	357	39	17	39	25	30	31	30	21	27	37	33	28
Male.....	164	17	4	16	17	13	11	14	11	15	19	17	10
Female.....	193	22	13	23	8	17	20	16	10	12	18	16	18
Black, both sexes.....	36	1	5	6	-	5	5	3	-	-	4	4	3
Male.....	11	-	2	2	-	2	1	2	-	-	1	1	-
Female.....	25	1	3	4	-	3	4	1	-	-	3	3	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	2	1	-	-	-	-	-	1	-	1
Male.....	3	-	-	2	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	1	-	-	-	-	-	1	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cellulitis of other sites (L03.8)													
All races, both sexes.....	10	-	2	-	1	4	1	2	-	-	-	-	-
Male.....	4	-	-	-	-	2	1	1	-	-	-	-	-
Female.....	6	-	2	-	1	2	-	1	-	-	-	-	-
White, both sexes.....	10	-	2	-	1	4	1	2	-	-	-	-	-
Male.....	4	-	-	-	-	2	1	1	-	-	-	-	-
Female.....	6	-	2	-	1	2	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cellulitis, unspecified (L03.9)													
All races, both sexes.....	581	57	63	42	59	46	38	39	39	40	52	44	62
Male.....	241	20	24	17	28	22	13	17	19	15	26	18	22
Female.....	340	37	39	25	31	24	25	22	20	25	26	26	40
White, both sexes.....	516	54	55	40	50	41	34	35	36	33	45	38	55
Male.....	212	20	21	17	23	18	11	14	16	13	23	16	20
Female.....	304	34	34	23	27	23	23	21	20	20	22	22	35
Black, both sexes.....	56	3	6	1	9	5	4	3	2	6	7	5	5
Male.....	26	-	2	-	5	4	2	3	2	1	3	2	2
Female.....	30	3	4	1	4	1	2	-	-	5	4	3	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	7	-	2	1	-	-	-	1	1	1	-	1	-
Male.....	3	-	1	-	-	-	-	-	1	1	-	-	-
Female.....	4	-	1	1	-	-	-	1	-	-	-	1	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pilonidal cyst without abscess (L05.9)													
All races, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other local infections of skin and subcutaneous tissue (L08)													
All races, both sexes.....	444	34	48	40	23	36	42	39	40	32	46	34	30
Male.....	188	16	24	16	10	16	17	21	10	16	20	12	10
Female.....	256	18	24	24	13	20	25	18	30	16	26	22	20
White, both sexes.....	363	26	36	35	22	28	34	27	35	27	37	28	28
Male.....	151	14	17	14	9	12	14	17	7	13	16	9	9
Female.....	212	12	19	21	13	16	20	10	28	14	21	19	19
Black, both sexes.....	71	7	10	4	1	7	7	10	4	5	9	5	2
Male.....	31	2	5	2	1	3	3	3	2	3	4	2	1
Female.....	40	5	5	2	-	4	4	7	2	2	5	3	1
American Indian 1/, both sexes.....	5	-	2	1	-	-	1	-	1	-	-	-	-
Male.....	3	-	2	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	-	-	1	-	2	-	-	-	1	-
Male.....	3	-	-	-	-	1	-	1	-	-	-	1	-
Female.....	2	1	-	-	-	-	-	1	-	-	-	-	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Pemphigoid (L12)</b>													
All races, both sexes.....	62	7	4	3	2	4	6	3	3	6	8	7	9
Male.....	15	1	1	1	-	1	1	2	-	1	3	1	3
Female.....	47	6	3	2	2	3	5	1	3	5	5	6	6
White, both sexes.....	51	6	2	2	1	4	6	2	3	4	6	7	8
Male.....	13	1	1	-	-	1	1	2	-	-	3	1	3
Female.....	38	5	1	2	1	3	5	-	3	4	3	6	5
Black, both sexes.....	9	1	2	1	-	-	-	1	-	1	2	-	1
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	7	1	2	-	-	-	-	1	-	-	2	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	1	-	-	-
<b>Bullous pemphigoid (L12.0)</b>													
All races, both sexes.....	49	4	3	1	2	4	4	3	3	6	8	5	6
Male.....	14	1	1	1	-	1	1	2	-	1	3	1	2
Female.....	35	3	2	-	2	3	3	1	3	5	5	4	4
White, both sexes.....	40	4	2	-	1	4	4	2	3	4	6	5	5
Male.....	12	1	1	-	-	1	1	2	-	-	3	1	2
Female.....	28	3	1	-	1	3	3	-	3	4	3	4	3
Black, both sexes.....	7	-	1	1	-	-	-	1	-	1	2	-	1
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	5	-	1	-	-	-	-	1	-	-	2	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	1	-	-	-



















































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Pyoderma gangrenosum (L88)</b>													
All races, both sexes.....	13	1	3	1	-	-	1	1	1	2	-	2	1
Male.....	4	-	2	1	-	-	-	-	-	-	-	-	1
Female.....	9	1	1	-	-	-	1	1	1	2	-	2	-
White, both sexes.....	10	-	2	1	-	-	1	-	1	2	-	2	1
Male.....	4	-	2	1	-	-	-	-	-	-	-	-	1
Female.....	6	-	-	-	-	-	1	-	1	2	-	2	-
Black, both sexes.....	3	1	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	1	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Decubitus ulcer (L89)</b>													
All races, both sexes.....	1,571	149	122	126	114	119	122	129	111	130	161	135	153
Male.....	531	55	42	42	35	42	36	50	37	42	57	49	44
Female.....	1,040	94	80	84	79	77	86	79	74	88	104	86	109
White, both sexes.....	1,065	101	92	87	77	83	84	84	69	83	111	89	105
Male.....	359	35	35	27	23	29	24	30	26	22	41	36	31
Female.....	706	66	57	60	54	54	60	54	43	61	70	53	74
Black, both sexes.....	489	47	29	38	34	36	35	44	41	45	48	45	47
Male.....	165	20	7	14	12	13	10	19	10	20	14	13	13
Female.....	324	27	22	24	22	23	25	25	31	25	34	32	34
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	1	2	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	1	1	1	3	-	3	1	1	1	-	1	1
Male.....	5	-	-	1	-	-	2	1	1	-	-	-	-
Female.....	9	1	1	-	3	-	1	-	-	1	-	1	1

















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorder of skin and subcutaneous tissue, unspecified (L98.9)													
All races, both sexes.....	14	2	1	2	1	-	-	1	-	1	3	2	1
Male.....	6	2	-	1	1	-	-	-	-	-	-	1	1
Female.....	8	-	1	1	-	-	-	1	-	1	3	1	-
White, both sexes.....	10	2	1	1	1	-	-	-	-	1	2	1	1
Male.....	6	2	-	1	1	-	-	-	-	-	-	1	1
Female.....	4	-	1	-	-	-	-	-	-	1	2	-	-
Black, both sexes.....	4	-	-	1	-	-	-	1	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	1	-	-	-	1	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyogenic arthritis (M00)													
All races, both sexes.....	259	22	14	13	21	25	23	28	29	19	21	23	21
Male.....	130	7	7	7	11	13	10	15	15	12	9	12	12
Female.....	129	15	7	6	10	12	13	13	14	7	12	11	9
White, both sexes.....	219	18	9	12	18	21	21	25	24	15	19	17	20
Male.....	110	4	5	6	10	11	10	14	12	9	8	10	11
Female.....	109	14	4	6	8	10	11	11	12	6	11	7	9
Black, both sexes.....	33	4	5	1	3	4	1	3	3	2	2	4	1
Male.....	16	3	2	1	1	2	-	1	2	1	1	1	1
Female.....	17	1	3	-	2	2	1	2	1	1	1	3	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	1	-	1	1	-	2	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Female.....	3	-	-	-	-	-	1	-	1	-	-	1	-











Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Seropositive rheumatoid arthritis, unspecified (M05.9)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other rheumatoid arthritis (M06)													
All races, both sexes.....	2,283	260	180	210	187	181	189	160	185	154	195	162	220
Male.....	517	55	46	64	41	37	45	34	48	38	36	29	44
Female.....	1,766	205	134	146	146	144	144	126	137	116	159	133	176
White, both sexes.....	2,055	236	163	193	167	160	168	148	169	135	175	143	198
Male.....	472	51	44	59	39	33	40	31	45	33	33	25	39
Female.....	1,583	185	119	134	128	127	128	117	124	102	142	118	159
Black, both sexes.....	167	17	15	13	15	12	15	10	12	16	13	13	16
Male.....	36	4	2	3	2	3	3	3	2	3	3	4	4
Female.....	131	13	13	10	13	9	12	7	10	13	10	9	12
American Indian 1/, both sexes.....	22	3	1	3	1	3	2	-	3	1	2	-	3
Male.....	4	-	-	1	-	-	-	-	1	1	-	-	1
Female.....	18	3	1	2	1	3	2	-	2	-	2	-	2
Asian or Pacific Islander 2/, both sexes.....	39	4	1	1	4	6	4	2	1	2	5	6	3
Male.....	5	-	-	1	-	1	2	-	-	1	-	-	-
Female.....	34	4	1	-	4	5	2	2	1	1	5	6	3















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Villonodular synovitis (pigmented) (M12.2)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other arthritis (M13)													
All races, both sexes.....	339	35	30	44	26	20	24	25	28	23	25	27	32
Male.....	85	12	9	13	10	4	4	3	7	8	5	6	4
Female.....	254	23	21	31	16	16	20	22	21	15	20	21	28
White, both sexes.....	302	31	26	41	24	17	20	21	25	21	22	24	30
Male.....	75	11	8	12	9	3	4	2	7	7	4	5	3
Female.....	227	20	18	29	15	14	16	19	18	14	18	19	27
Black, both sexes.....	30	2	4	3	1	2	3	4	3	2	3	2	1
Male.....	8	-	1	1	1	1	-	1	-	1	1	1	-
Female.....	22	2	3	2	-	1	3	3	3	1	2	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	2	-	-	1	1	1	-	-	-	-	1	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	1	-	-	1	1	1	-	-	-	-	1	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gonarthrosis, unspecified (M17.9)													
All races, both sexes.....	23	3	2	3	2	3	3	1	2	-	3	-	1
Male.....	11	2	1	-	1	2	1	-	2	-	2	-	-
Female.....	12	1	1	3	1	1	2	1	-	-	1	-	1
White, both sexes.....	21	3	2	2	2	3	3	1	2	-	2	-	1
Male.....	10	2	1	-	1	2	1	-	2	-	1	-	-
Female.....	11	1	1	2	1	1	2	1	-	-	1	-	1
Black, both sexes.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other arthrosis (M19)													
All races, both sexes.....	884	93	79	81	60	86	52	72	62	55	69	90	85
Male.....	211	21	14	27	12	25	11	20	15	11	18	18	19
Female.....	673	72	65	54	48	61	41	52	47	44	51	72	66
White, both sexes.....	817	88	75	71	57	77	48	67	55	49	67	87	76
Male.....	195	19	12	24	11	22	10	19	15	10	17	18	18
Female.....	622	69	63	47	46	55	38	48	40	39	50	69	58
Black, both sexes.....	55	4	4	9	3	7	3	4	6	4	2	2	7
Male.....	13	2	2	3	1	2	1	1	-	-	1	-	-
Female.....	42	2	2	6	2	5	2	3	6	4	1	2	7
American Indian 1/, both sexes.....	4	-	-	1	-	-	-	1	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	1	-	-	-	1	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	8	1	-	-	-	2	1	-	-	2	-	-	2
Male.....	3	-	-	-	-	1	-	-	-	1	-	-	1
Female.....	5	1	-	-	-	1	1	-	-	1	-	-	1



















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Joint disorder, unspecified (M25.9)													
All races, both sexes.....	20	1	5	2	2	-	3	-	-	3	1	-	3
Male.....	10	1	3	-	1	-	-	-	-	2	1	-	2
Female.....	10	-	2	2	1	-	3	-	-	1	-	-	1
White, both sexes.....	17	1	4	2	2	-	3	-	-	1	1	-	3
Male.....	9	1	3	-	1	-	-	-	-	1	1	-	2
Female.....	8	-	1	2	1	-	3	-	-	-	-	-	1
Black, both sexes.....	3	-	1	-	-	-	-	-	-	2	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Polyarteritis nodosa and related conditions (M30)													
All races, both sexes.....	98	8	11	8	10	13	4	10	7	6	7	9	5
Male.....	48	3	5	5	4	6	1	5	5	4	4	5	1
Female.....	50	5	6	3	6	7	3	5	2	2	3	4	4
White, both sexes.....	78	5	10	7	7	10	3	8	6	6	7	6	3
Male.....	43	2	5	4	3	5	1	5	5	4	4	4	1
Female.....	35	3	5	3	4	5	2	3	1	2	3	2	2
Black, both sexes.....	11	1	1	1	2	-	1	1	-	-	-	2	2
Male.....	4	1	-	1	1	-	-	-	-	-	-	1	-
Female.....	7	-	1	-	1	-	1	1	-	-	-	1	2
American Indian 1/, both sexes.....	3	-	-	-	1	1	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	-	-	-	2	-	-	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	2	-	-	-	2	-	-	1	-	-	1	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mucocutaneous lymph node syndrome [Kawasaki] (M30.3)													
All races, both sexes.....	8	-	2	3	1	1	-	-	1	-	-	-	-
Male.....	5	-	1	3	-	-	-	-	1	-	-	-	-
Female.....	3	-	1	-	1	1	-	-	-	-	-	-	-
White, both sexes.....	6	-	2	2	1	-	-	-	1	-	-	-	-
Male.....	4	-	1	2	-	-	-	-	1	-	-	-	-
Female.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Other necrotizing vasculopathies (M31)													
All races, both sexes.....	796	80	61	64	77	59	65	62	68	56	61	73	70
Male.....	313	36	31	28	33	21	22	25	26	20	30	22	19
Female.....	483	44	30	36	44	38	43	37	42	36	31	51	51
White, both sexes.....	654	67	50	54	65	48	54	51	52	43	51	55	64
Male.....	263	31	27	24	27	17	18	23	19	15	25	19	18
Female.....	391	36	23	30	38	31	36	28	33	28	26	36	46
Black, both sexes.....	127	12	9	9	9	11	10	8	15	13	9	17	5
Male.....	47	4	4	4	5	4	4	2	7	5	4	3	1
Female.....	80	8	5	5	4	7	6	6	8	8	5	14	4
American Indian 1/, both sexes.....	3	-	1	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	1	1	-	3	-	1	3	-	-	1	1	1
Male.....	3	1	-	-	1	-	-	-	-	-	1	-	-
Female.....	9	-	1	-	2	-	1	3	-	-	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Hypersensitivity angiitis (M31.0)</b>													
All races, both sexes.....	49	4	1	8	5	3	4	2	3	6	5	2	6
Male.....	24	2	-	4	2	1	1	1	1	3	3	1	5
Female.....	25	2	1	4	3	2	3	1	2	3	2	1	1
White, both sexes.....	47	3	1	8	4	3	4	2	3	6	5	2	6
Male.....	23	1	-	4	2	1	1	1	1	3	3	1	5
Female.....	24	2	1	4	2	2	3	1	2	3	2	1	1
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Thrombotic microangiopathy (M31.1)</b>													
All races, both sexes.....	302	26	24	19	29	22	26	22	26	21	25	34	28
Male.....	104	12	10	11	11	5	7	7	8	9	11	7	6
Female.....	198	14	14	8	18	17	19	15	18	12	14	27	22
White, both sexes.....	190	16	15	15	21	13	17	11	14	10	16	19	23
Male.....	67	9	7	9	7	2	4	5	3	4	7	5	5
Female.....	123	7	8	6	14	11	13	6	11	6	9	14	18
Black, both sexes.....	105	10	8	4	7	9	8	8	12	11	9	14	5
Male.....	37	3	3	2	4	3	3	2	5	5	4	2	1
Female.....	68	7	5	2	3	6	5	6	7	6	5	12	4
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	1	-	1	3	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	1	-	1	3	-	-	-	1	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Systemic lupus erythematosus with organ or system involvement (M32.1)													
All races, both sexes.....	1,156	105	96	102	97	100	109	78	94	94	85	99	97
Male.....	192	14	16	13	20	21	18	14	15	17	17	17	10
Female.....	964	91	80	89	77	79	91	64	79	77	68	82	87
White, both sexes.....	674	59	57	62	59	62	63	43	56	54	45	58	56
Male.....	114	9	8	5	10	17	11	9	10	12	9	9	5
Female.....	560	50	49	57	49	45	52	34	46	42	36	49	51
Black, both sexes.....	430	41	36	35	33	33	41	33	34	34	34	37	39
Male.....	69	5	8	6	8	4	7	5	4	2	8	7	5
Female.....	361	36	28	29	25	29	34	28	30	32	26	30	34
American Indian 1/, both sexes.....	12	-	-	2	1	-	2	1	2	1	2	1	-
Male.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	10	-	-	2	-	-	2	1	2	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	40	5	3	3	4	5	3	1	2	5	4	3	2
Male.....	7	-	-	2	1	-	-	-	1	2	-	1	-
Female.....	33	5	3	1	3	5	3	1	1	3	4	2	2
Systemic lupus erythematosus, unspecified (M32.9)													
All races, both sexes.....	146	8	9	12	13	10	14	13	13	9	14	19	12
Male.....	17	-	2	-	3	1	2	1	1	-	4	1	2
Female.....	129	8	7	12	10	9	12	12	12	9	10	18	10
White, both sexes.....	89	5	7	4	8	5	8	10	7	9	9	9	8
Male.....	10	-	2	-	2	-	1	-	-	-	3	1	1
Female.....	79	5	5	4	6	5	7	10	7	9	6	8	7
Black, both sexes.....	46	2	2	7	4	4	5	2	5	-	4	8	3
Male.....	6	-	-	-	1	1	1	1	-	-	1	-	1
Female.....	40	2	2	7	3	3	4	1	5	-	3	8	2
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	-	1	1	1	-	-	1	-	-	2	1
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	7	1	-	1	1	1	-	-	-	-	-	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Dermatopolymyositis (M33)</b>													
All races, both sexes.....	327	31	34	18	29	27	40	25	21	25	28	17	32
Male.....	98	13	6	5	5	9	8	9	11	10	7	3	12
Female.....	229	18	28	13	24	18	32	16	10	15	21	14	20
White, both sexes.....	254	25	29	14	21	20	32	22	13	21	19	10	28
Male.....	82	11	5	4	4	6	7	8	7	10	6	2	12
Female.....	172	14	24	10	17	14	25	14	6	11	13	8	16
Black, both sexes.....	63	6	3	3	7	6	7	3	8	4	7	5	4
Male.....	14	2	-	-	1	3	1	1	4	-	1	1	-
Female.....	49	4	3	3	6	3	6	2	4	4	6	4	4
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	1	1	1	1	1	-	-	-	2	2	-
Male.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	1	1	1	-	-	-	2	2	-
<b>Other dermatomyositis (M33.1)</b>													
All races, both sexes.....	121	11	14	6	14	9	18	10	6	9	14	4	6
Male.....	29	4	5	2	2	2	1	4	3	3	1	-	2
Female.....	92	7	9	4	12	7	17	6	3	6	13	4	4
White, both sexes.....	89	8	11	4	9	7	14	9	3	8	9	1	6
Male.....	23	2	4	1	2	1	1	4	2	3	1	-	2
Female.....	66	6	7	3	7	6	13	5	1	5	8	1	4
Black, both sexes.....	24	3	2	1	4	2	3	1	3	1	3	1	-
Male.....	4	2	-	-	-	1	-	-	1	-	-	-	-
Female.....	20	1	2	1	4	1	3	1	2	1	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	1	1	1	-	1	-	-	-	2	2	-
Male.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	1	-	1	-	-	-	2	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Polymyositis (M33.2)</b>													
All races, both sexes.....	206	20	20	12	15	18	22	15	15	16	14	13	26
Male.....	69	9	1	3	3	7	7	5	8	7	6	3	10
Female.....	137	11	19	9	12	11	15	10	7	9	8	10	16
White, both sexes.....	165	17	18	10	12	13	18	13	10	13	10	9	22
Male.....	59	9	1	3	2	5	6	4	5	7	5	2	10
Female.....	106	8	17	7	10	8	12	9	5	6	5	7	12
Black, both sexes.....	39	3	1	2	3	4	4	2	5	3	4	4	4
Male.....	10	-	-	-	1	2	1	1	3	-	1	1	-
Female.....	29	3	1	2	2	2	3	1	2	3	3	3	4
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
<b>Systemic sclerosis (M34)</b>													
All races, both sexes.....	1,315	140	97	110	120	111	110	130	90	82	95	126	104
Male.....	245	21	16	24	21	19	24	24	6	17	15	35	23
Female.....	1,070	119	81	86	99	92	86	106	84	65	80	91	81
White, both sexes.....	1,081	115	81	91	101	88	92	103	75	69	77	98	91
Male.....	194	14	12	19	17	15	19	17	3	15	12	30	21
Female.....	887	101	69	72	84	73	73	86	72	54	65	68	70
Black, both sexes.....	191	21	13	13	16	20	12	23	15	11	14	24	9
Male.....	41	6	4	2	3	4	4	6	3	1	3	5	-
Female.....	150	15	9	11	13	16	8	17	12	10	11	19	9
American Indian 1/, both sexes.....	13	-	1	2	1	-	2	-	-	1	1	1	4
Male.....	6	-	-	1	1	-	1	-	-	1	-	-	2
Female.....	7	-	1	1	-	-	1	-	-	-	1	1	2
Asian or Pacific Islander 2/, both sexes.....	30	4	2	4	2	3	4	4	-	1	3	3	-
Male.....	4	1	-	2	-	-	-	1	-	-	-	-	-
Female.....	26	3	2	2	2	3	4	3	-	1	3	3	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other forms of systemic sclerosis (M34.8)													
All races, both sexes.....	592	65	46	53	59	50	44	57	43	30	43	58	44
Male.....	120	10	6	10	14	10	12	12	4	8	11	16	7
Female.....	472	55	40	43	45	40	32	45	39	22	32	42	37
White, both sexes.....	476	52	38	41	48	37	36	46	37	26	33	45	37
Male.....	95	7	6	7	11	8	9	10	2	8	9	12	6
Female.....	381	45	32	34	37	29	27	36	35	18	24	33	31
Black, both sexes.....	95	10	6	8	9	11	7	10	6	3	7	12	6
Male.....	20	2	-	1	2	2	3	2	2	-	2	4	-
Female.....	75	8	6	7	7	9	4	8	4	3	5	8	6
American Indian 1/, both sexes.....	4	-	-	-	1	-	-	-	-	-	1	1	1
Male.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	17	3	2	4	1	2	1	1	-	1	2	-	-
Male.....	3	1	-	2	-	-	-	-	-	-	-	-	-
Female.....	14	2	2	2	1	2	1	1	-	1	2	-	-
Systemic sclerosis, unspecified (M34.9)													
All races, both sexes.....	592	53	42	49	54	51	56	60	38	42	40	55	52
Male.....	106	8	9	13	5	8	8	11	2	8	3	18	13
Female.....	486	45	33	36	49	43	48	49	36	34	37	37	39
White, both sexes.....	482	41	34	42	46	41	46	47	29	34	34	42	46
Male.....	80	4	5	11	4	6	6	6	1	6	2	17	12
Female.....	402	37	29	31	42	35	40	41	28	28	32	25	34
Black, both sexes.....	90	11	7	5	7	9	5	11	9	7	5	11	3
Male.....	21	4	4	1	1	2	1	4	1	1	1	1	-
Female.....	69	7	3	4	6	7	4	7	8	6	4	10	3
American Indian 1/, both sexes.....	9	-	1	2	-	-	2	-	-	1	-	-	3
Male.....	4	-	-	1	-	-	1	-	-	1	-	-	1
Female.....	5	-	1	1	-	-	1	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	11	1	-	-	1	1	3	2	-	-	1	2	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	10	1	-	-	1	1	3	1	-	-	1	2	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified systemic involvement of connective tissue (M35.8)													
All races, both sexes.....	26	1	-	1	1	6	5	1	1	2	1	5	2
Male.....	5	1	-	-	-	1	2	-	-	-	-	-	1
Female.....	21	-	-	1	1	5	3	1	1	2	1	5	1
White, both sexes.....	19	1	-	-	1	5	5	1	-	1	1	3	1
Male.....	5	1	-	-	-	1	2	-	-	-	-	-	1
Female.....	14	-	-	-	1	4	3	1	-	1	1	3	-
Black, both sexes.....	7	-	-	1	-	1	-	-	1	1	-	2	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	1	-	1	-	-	1	1	-	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Systemic involvement of connective tissue, unspecified (M35.9)													
All races, both sexes.....	300	37	24	21	28	22	20	31	21	21	26	17	32
Male.....	99	9	4	10	10	8	8	9	6	8	6	6	15
Female.....	201	28	20	11	18	14	12	22	15	13	20	11	17
White, both sexes.....	195	23	15	17	15	15	13	17	14	14	19	11	22
Male.....	59	4	2	9	3	6	5	3	4	6	4	4	9
Female.....	136	19	13	8	12	9	8	14	10	8	15	7	13
Black, both sexes.....	96	13	8	4	12	7	5	12	6	7	7	6	9
Male.....	36	5	2	1	7	2	1	5	2	2	2	2	5
Female.....	60	8	6	3	5	5	4	7	4	5	5	4	4
American Indian 1/, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	1	-	-	-	1	2	1	-	-	-	1
Male.....	3	-	-	-	-	-	1	1	-	-	-	-	1
Female.....	4	1	1	-	-	-	-	1	1	-	-	-	-



























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Spondylosis, unspecified (M47.9)</b>													
All races, both sexes.....	35	4	3	2	1	7	1	1	4	4	1	3	4
Male.....	11	1	-	-	-	2	-	-	2	3	1	2	-
Female.....	24	3	3	2	1	5	1	1	2	1	-	1	4
White, both sexes.....	34	4	3	2	1	6	1	1	4	4	1	3	4
Male.....	11	1	-	-	-	2	-	-	2	3	1	2	-
Female.....	23	3	3	2	1	4	1	1	2	1	-	1	4
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other spondylopathies (M48)</b>													
All races, both sexes.....	273	19	21	31	23	25	22	25	22	26	15	17	27
Male.....	131	7	7	14	14	16	7	15	10	13	11	8	9
Female.....	142	12	14	17	9	9	15	10	12	13	4	9	18
White, both sexes.....	239	16	19	29	16	23	18	21	22	23	11	16	25
Male.....	111	5	6	14	9	14	5	12	10	12	10	7	7
Female.....	128	11	13	15	7	9	13	9	12	11	1	9	18
Black, both sexes.....	27	3	2	1	5	2	4	3	-	1	3	1	2
Male.....	17	2	1	-	4	2	2	2	-	-	1	1	2
Female.....	10	1	1	1	1	-	2	1	-	1	2	-	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	2	-	-	1	-	2	-	-	-
Male.....	3	-	-	-	1	-	-	1	-	1	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	1	-	-	-









































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Muscle strain (M62.6)</b>													
All races, both sexes.....	4	1	-	-	-	-	1	1	-	-	-	1	-
Male.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1	-
White, both sexes.....	3	-	-	-	-	-	1	1	-	-	-	1	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other specified disorders of muscle (M62.8)</b>													
All races, both sexes.....	512	62	52	50	39	30	30	35	40	42	44	38	50
Male.....	308	40	37	27	24	20	14	24	25	21	27	16	33
Female.....	204	22	15	23	15	10	16	11	15	21	17	22	17
White, both sexes.....	409	54	41	38	27	26	26	27	33	36	34	31	36
Male.....	238	34	28	18	15	16	13	19	22	16	22	12	23
Female.....	171	20	13	20	12	10	13	8	11	20	12	19	13
Black, both sexes.....	93	8	8	11	11	4	4	8	6	5	8	6	14
Male.....	64	6	7	8	8	4	1	5	2	5	4	4	10
Female.....	29	2	1	3	3	-	3	3	4	-	4	2	4
American Indian 1/, both sexes.....	3	-	2	-	-	-	-	-	-	-	1	-	-
Male.....	3	-	2	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	1	1	1	-	-	-	1	1	1	1	-
Male.....	3	-	-	1	1	-	-	-	1	-	-	-	-
Female.....	4	-	1	-	-	-	-	-	-	1	1	1	-













Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Bursopathy, unspecified (M71.9)</b>													
All races, both sexes.....	6	1	-	2	-	-	1	-	-	-	-	1	1
Male.....	4	-	-	1	-	-	1	-	-	-	-	1	1
Female.....	2	1	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	4	1	-	2	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Fibroblastic disorders (M72)</b>													
All races, both sexes.....	535	63	51	52	55	45	37	32	43	29	50	40	38
Male.....	240	29	25	25	26	23	18	13	15	10	19	19	18
Female.....	295	34	26	27	29	22	19	19	28	19	31	21	20
White, both sexes.....	411	47	32	45	42	34	30	27	27	22	37	34	34
Male.....	192	20	18	21	22	20	14	11	9	10	14	17	16
Female.....	219	27	14	24	20	14	16	16	18	12	23	17	18
Black, both sexes.....	102	15	16	7	10	10	7	5	12	5	11	3	1
Male.....	38	8	5	4	3	2	4	2	4	-	4	2	-
Female.....	64	7	11	3	7	8	3	3	8	5	7	1	1
American Indian 1/, both sexes.....	9	-	-	-	1	-	-	-	3	1	1	2	1
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	8	-	-	-	1	-	-	-	2	1	1	2	1
Asian or Pacific Islander 2/, both sexes.....	13	1	3	-	2	1	-	-	1	1	1	1	2
Male.....	9	1	2	-	1	1	-	-	1	-	1	-	2
Female.....	4	-	1	-	1	-	-	-	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Plantar fascial fibromatosis (M72.2)</b>													
All races, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Necrotizing fasciitis (M72.6)</b>													
All races, both sexes.....	484	59	45	47	51	44	35	27	37	24	43	37	35
Male.....	213	28	22	21	24	23	17	10	12	8	14	18	16
Female.....	271	31	23	26	27	21	18	17	25	16	29	19	19
White, both sexes.....	374	46	29	40	39	33	29	22	23	17	33	32	31
Male.....	172	20	17	17	21	20	13	8	7	8	11	16	14
Female.....	202	26	12	23	18	13	16	14	16	9	22	16	17
Black, both sexes.....	91	13	14	7	9	10	6	5	10	5	9	2	1
Male.....	33	8	3	4	2	2	4	2	3	-	3	2	-
Female.....	58	5	11	3	7	8	2	3	7	5	6	-	1
American Indian 1/, both sexes.....	9	-	-	-	1	-	-	-	3	1	1	2	1
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	8	-	-	-	1	-	-	-	2	1	1	2	1
Asian or Pacific Islander 2/, both sexes.....	10	-	2	-	2	1	-	-	1	1	-	1	2
Male.....	7	-	2	-	1	1	-	-	1	-	-	-	2
Female.....	3	-	-	-	1	-	-	-	-	1	-	1	-











Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Soft tissue disorder, unspecified (M79.9)													
All races, both sexes.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Osteoporosis with pathological fracture (M80)													
All races, both sexes.....	721	71	61	69	62	47	54	71	67	47	54	54	64
Male.....	100	10	14	11	13	7	5	8	10	1	5	5	11
Female.....	621	61	47	58	49	40	49	63	57	46	49	49	53
White, both sexes.....	702	69	59	66	61	45	53	71	64	46	52	53	63
Male.....	96	9	13	10	13	7	5	8	9	1	5	5	11
Female.....	606	60	46	56	48	38	48	63	55	45	47	48	52
Black, both sexes.....	10	1	-	2	-	1	1	-	2	-	1	1	1
Male.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	1	-	1	1	-	2	-	1	1	1
American Indian 1/, both sexes.....	3	-	1	-	-	-	-	-	-	1	1	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	1	1	1	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	5	1	1	1	1	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other osteoporosis with pathological fracture (M80.8)													
All races, both sexes.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	1	-	-	-	-	-	-
White, both sexes.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified osteoporosis with pathological fracture (M80.9)													
All races, both sexes.....	719	71	61	68	62	47	53	71	67	47	54	54	64
Male.....	100	10	14	11	13	7	5	8	10	1	5	5	11
Female.....	619	61	47	57	49	40	48	63	57	46	49	49	53
White, both sexes.....	700	69	59	65	61	45	52	71	64	46	52	53	63
Male.....	96	9	13	10	13	7	5	8	9	1	5	5	11
Female.....	604	60	46	55	48	38	47	63	55	45	47	48	52
Black, both sexes.....	10	1	-	2	-	1	1	-	2	-	1	1	1
Male.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	1	-	1	1	-	2	-	1	1	1
American Indian 1/, both sexes.....	3	-	1	-	-	-	-	-	-	1	1	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	1	1	1	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	5	1	1	1	1	1	-	-	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other osteoporosis (M81.8)													
All races, both sexes.....	22	2	2	4	1	-	4	1	3	2	-	3	-
Male.....	3	-	-	1	-	-	-	1	-	-	-	1	-
Female.....	19	2	2	3	1	-	4	-	3	2	-	2	-
White, both sexes.....	21	2	1	4	1	-	4	1	3	2	-	3	-
Male.....	3	-	-	1	-	-	-	1	-	-	-	1	-
Female.....	18	2	1	3	1	-	4	-	3	2	-	2	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Osteoporosis, unspecified (M81.9)													
All races, both sexes.....	953	127	91	82	82	62	61	78	74	67	85	69	75
Male.....	100	23	6	8	5	3	10	6	8	11	8	5	7
Female.....	853	104	85	74	77	59	51	72	66	56	77	64	68
White, both sexes.....	925	124	90	81	80	62	59	74	69	66	82	67	71
Male.....	97	23	6	8	5	3	10	5	7	11	8	4	7
Female.....	828	101	84	73	75	59	49	69	62	55	74	63	64
Black, both sexes.....	13	1	-	-	1	-	1	1	4	1	2	-	2
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	12	1	-	-	1	-	1	1	3	1	2	-	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	13	2	1	1	1	-	1	2	1	-	1	2	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	12	2	1	1	1	-	1	2	1	-	1	1	1





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Stress fracture, not elsewhere classified (M84.3)													
All races, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pathological fracture, not elsewhere classified (M84.4)													
All races, both sexes.....	114	11	8	9	12	8	4	14	10	10	13	9	6
Male.....	36	4	1	2	6	2	1	5	3	4	2	3	3
Female.....	78	7	7	7	6	6	3	9	7	6	11	6	3
White, both sexes.....	108	11	8	8	11	7	4	12	10	9	13	9	6
Male.....	33	4	1	1	5	2	1	4	3	4	2	3	3
Female.....	75	7	7	7	6	5	3	8	7	5	11	6	3
Black, both sexes.....	5	-	-	1	1	1	-	1	-	1	-	-	-
Male.....	3	-	-	1	1	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-









































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified (N03.9)													
All races, both sexes.....	300	23	23	30	27	33	23	21	19	24	21	24	32
Male.....	149	12	14	13	10	14	12	13	10	14	9	13	15
Female.....	151	11	9	17	17	19	11	8	9	10	12	11	17
White, both sexes.....	233	16	17	24	24	24	18	17	13	20	18	18	24
Male.....	114	8	11	8	8	10	9	12	8	12	8	10	10
Female.....	119	8	6	16	16	14	9	5	5	8	10	8	14
Black, both sexes.....	58	5	6	4	2	7	5	4	6	4	3	4	8
Male.....	27	3	3	3	1	2	3	1	2	2	1	1	5
Female.....	31	2	3	1	1	5	2	3	4	2	2	3	3
American Indian 1/, both sexes.....	3	1	-	1	1	-	-	-	-	-	-	-	-
Male.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	1	-	2	-	-	-	-	-	2	-
Male.....	6	1	-	1	-	2	-	-	-	-	-	2	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephrotic syndrome (N04)													
All races, both sexes.....	127	16	13	8	9	11	12	9	12	6	5	12	14
Male.....	59	9	4	4	7	4	4	4	4	3	4	5	7
Female.....	68	7	9	4	2	7	8	5	8	3	1	7	7
White, both sexes.....	103	14	9	6	5	9	10	7	9	6	5	11	12
Male.....	48	8	3	2	3	3	4	4	3	3	4	5	6
Female.....	55	6	6	4	2	6	6	3	6	3	1	6	6
Black, both sexes.....	18	1	3	2	3	1	2	2	2	-	-	1	1
Male.....	7	1	-	2	3	1	-	-	-	-	-	-	-
Female.....	11	-	3	-	-	-	2	2	2	-	-	1	1
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	1	1	-	-	-	-	-	-	1
Male.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified (N05.9)													
All races, both sexes.....	120	12	14	11	11	5	6	7	12	10	10	10	12
Male.....	47	5	6	5	6	1	1	3	6	4	1	4	5
Female.....	73	7	8	6	5	4	5	4	6	6	9	6	7
White, both sexes.....	99	11	14	8	6	3	6	6	10	8	9	6	12
Male.....	39	5	6	4	4	1	1	2	5	3	1	2	5
Female.....	60	6	8	4	2	2	5	4	5	5	8	4	7
Black, both sexes.....	18	1	-	3	4	1	-	1	2	2	1	3	-
Male.....	7	-	-	1	2	-	-	1	1	1	-	1	-
Female.....	11	1	-	2	2	1	-	-	1	1	1	2	-
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Acute tubulo-interstitial nephritis (N10)													
All races, both sexes.....	135	10	10	7	13	9	15	13	14	7	13	8	16
Male.....	52	6	4	1	2	4	7	3	7	5	5	3	5
Female.....	83	4	6	6	11	5	8	10	7	2	8	5	11
White, both sexes.....	102	10	8	4	7	6	12	10	11	6	8	7	13
Male.....	41	6	3	1	-	4	6	2	5	5	2	2	5
Female.....	61	4	5	3	7	2	6	8	6	1	6	5	8
Black, both sexes.....	25	-	1	2	5	2	2	2	2	1	4	1	3
Male.....	9	-	1	-	2	-	-	1	1	-	3	1	-
Female.....	16	-	-	2	3	2	2	1	1	1	1	-	3
American Indian 1/, both sexes.....	3	-	-	-	1	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	1	-	-	-	1	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	4	-	1	1	-	-	-	1	-	-	1	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic obstructive pyelonephritis (N11.1)													
All races, both sexes.....	10	-	-	1	1	-	2	-	2	1	2	1	-
Male.....	4	-	-	1	-	-	-	-	1	-	2	-	-
Female.....	6	-	-	-	1	-	2	-	1	1	-	1	-
White, both sexes.....	10	-	-	1	1	-	2	-	2	1	2	1	-
Male.....	4	-	-	1	-	-	-	-	1	-	2	-	-
Female.....	6	-	-	-	1	-	2	-	1	1	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic tubulo-interstitial nephritis, unspecified (N11.9)													
All races, both sexes.....	46	5	3	4	3	4	5	2	5	4	4	6	1
Male.....	17	2	1	-	2	2	2	1	2	1	2	2	-
Female.....	29	3	2	4	1	2	3	1	3	3	2	4	1
White, both sexes.....	38	4	3	3	3	2	4	2	5	3	3	5	1
Male.....	15	2	1	-	2	-	2	1	2	1	2	2	-
Female.....	23	2	2	3	1	2	2	1	3	2	1	3	1
Black, both sexes.....	5	-	-	-	-	2	1	-	-	-	1	1	-
Male.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	1	-	-	-	-	-	1	-	-	-





















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute renal failure (N17)													
All races, both sexes.....	6,892	741	606	608	564	514	503	542	516	514	586	575	623
Male.....	3,108	339	262	258	245	247	240	237	236	217	275	261	291
Female.....	3,784	402	344	350	319	267	263	305	280	297	311	314	332
White, both sexes.....	5,833	630	523	508	476	432	421	468	441	441	498	477	518
Male.....	2,625	287	233	215	207	211	198	204	203	185	227	213	242
Female.....	3,208	343	290	293	269	221	223	264	238	256	271	264	276
Black, both sexes.....	966	99	79	93	79	75	76	66	66	67	80	93	93
Male.....	434	48	28	39	33	31	38	30	28	29	42	46	42
Female.....	532	51	51	54	46	44	38	36	38	38	38	47	51
American Indian 1/, both sexes.....	22	2	-	-	3	3	1	1	5	1	1	1	2
Male.....	9	1	-	-	-	3	-	-	3	-	1	-	1
Female.....	13	1	2	-	3	-	1	1	2	1	-	1	1
Asian or Pacific Islander 2/, both sexes.....	71	10	2	7	6	4	5	7	4	5	7	4	10
Male.....	40	3	1	4	5	2	4	3	2	3	5	2	6
Female.....	31	7	1	3	1	2	1	4	2	2	2	2	4
Acute renal failure with tubular necrosis (N17.0)													
All races, both sexes.....	199	23	18	22	15	13	18	12	16	18	19	11	14
Male.....	89	14	11	3	6	3	8	8	7	7	7	5	10
Female.....	110	9	7	19	9	10	10	4	9	11	12	6	4
White, both sexes.....	178	21	16	22	14	12	15	12	15	15	16	9	11
Male.....	80	13	10	3	5	3	8	8	6	7	5	5	7
Female.....	98	8	6	19	9	9	7	4	9	8	11	4	4
Black, both sexes.....	17	2	1	-	1	1	3	-	-	2	3	2	2
Male.....	7	1	1	-	1	-	-	-	-	-	2	-	2
Female.....	10	1	-	-	-	1	3	-	-	2	1	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	-	-	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	1	-	-	-	-	-	-	1	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute renal failure, unspecified (N17.9)													
All races, both sexes.....	6,693	718	588	586	549	501	485	530	500	496	567	564	609
Male.....	3,019	325	251	255	239	244	232	229	229	210	268	256	281
Female.....	3,674	393	337	331	310	257	253	301	271	286	299	308	328
White, both sexes.....	5,655	609	507	486	462	420	406	456	426	426	482	468	507
Male.....	2,545	274	223	212	202	208	190	196	197	178	222	208	235
Female.....	3,110	335	284	274	260	212	216	260	229	248	260	260	272
Black, both sexes.....	949	97	78	93	78	74	73	66	66	65	77	91	91
Male.....	427	47	27	39	32	31	38	30	28	29	40	46	40
Female.....	522	50	51	54	46	43	35	36	38	36	37	45	51
American Indian 1/, both sexes.....	21	2	-	-	3	3	1	1	4	1	1	1	2
Male.....	8	1	-	-	-	3	-	-	2	-	1	-	1
Female.....	13	1	2	-	3	-	1	1	2	1	-	1	1
Asian or Pacific Islander 2/, both sexes.....	68	10	1	7	6	4	5	7	4	4	7	4	9
Male.....	39	3	1	4	5	2	4	3	2	3	5	2	5
Female.....	29	7	-	3	1	2	1	4	2	1	2	2	4
Chronic renal failure (N18)													
All races, both sexes.....	17,643	1,667	1,464	1,550	1,436	1,455	1,377	1,390	1,398	1,423	1,483	1,429	1,571
Male.....	8,697	856	719	758	709	720	669	688	695	721	704	712	746
Female.....	8,946	811	745	792	727	735	708	702	703	702	779	717	825
White, both sexes.....	12,871	1,220	1,075	1,153	1,047	1,050	969	1,022	1,022	1,037	1,089	1,065	1,122
Male.....	6,516	632	526	583	544	549	487	513	529	534	540	536	543
Female.....	6,355	588	549	570	503	501	482	509	493	503	549	529	579
Black, both sexes.....	4,230	399	336	351	346	356	356	336	340	345	351	314	400
Male.....	1,907	197	163	150	141	153	155	155	147	165	150	150	181
Female.....	2,323	202	173	201	205	203	201	181	193	180	201	164	219
American Indian 1/, both sexes.....	123	12	9	11	6	13	12	6	6	13	10	14	11
Male.....	55	8	4	2	4	3	6	5	1	4	3	8	7
Female.....	68	4	5	9	2	10	6	1	5	9	7	6	4
Asian or Pacific Islander 2/, both sexes.....	419	36	44	35	37	36	40	26	30	28	33	36	38
Male.....	219	19	26	23	20	15	21	15	18	18	11	18	15
Female.....	200	17	18	12	17	21	19	11	12	10	22	18	23

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
End-stage renal disease (N18.0)													
All races, both sexes.....	9,956	936	802	846	820	840	799	774	795	811	835	820	878
Male.....	4,990	500	385	413	419	426	395	395	409	416	401	431	400
Female.....	4,966	436	417	433	401	414	404	379	386	395	434	389	478
White, both sexes.....	6,649	645	538	571	544	556	503	539	527	546	554	558	568
Male.....	3,482	356	255	295	291	312	261	279	292	284	286	302	269
Female.....	3,167	289	283	276	253	244	242	260	235	262	268	256	299
Black, both sexes.....	2,940	265	233	243	249	248	260	210	244	239	252	227	270
Male.....	1,327	129	115	102	113	102	115	101	103	118	104	109	116
Female.....	1,613	136	118	141	136	146	145	109	141	121	148	118	154
American Indian 1/, both sexes.....	91	6	5	9	5	10	11	5	1	11	8	12	8
Male.....	39	5	1	1	4	2	5	4	-	4	3	6	4
Female.....	52	1	4	8	1	8	6	1	1	7	5	6	4
Asian or Pacific Islander 2/, both sexes.....	276	20	26	23	22	26	25	20	23	15	21	23	32
Male.....	142	10	14	15	11	10	14	11	14	10	8	14	11
Female.....	134	10	12	8	11	16	11	9	9	5	13	9	21
Other chronic renal failure (N18.8)													
All races, both sexes.....	312	31	22	34	31	19	19	31	25	19	29	25	27
Male.....	140	17	7	14	11	12	13	10	10	8	15	11	12
Female.....	172	14	15	20	20	7	6	21	15	11	14	14	15
White, both sexes.....	252	23	21	27	27	14	18	24	20	13	24	21	20
Male.....	109	11	7	9	8	11	12	8	8	6	11	9	9
Female.....	143	12	14	18	19	3	6	16	12	7	13	12	11
Black, both sexes.....	54	8	1	6	3	4	1	7	4	6	3	4	7
Male.....	29	6	-	4	3	1	1	2	2	2	3	2	3
Female.....	25	2	1	2	-	3	-	5	2	4	-	2	4
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	1	-	-	-	-	-	2	-	-
Male.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	1	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic renal failure, unspecified (N18.9)													
All races, both sexes.....	7,375	700	640	670	585	596	559	585	578	593	619	584	666
Male.....	3,567	339	327	331	279	282	261	283	276	297	288	270	334
Female.....	3,808	361	313	339	306	314	298	302	302	296	331	314	332
White, both sexes.....	5,970	552	516	555	476	480	448	459	475	478	511	486	534
Male.....	2,925	265	264	279	245	226	214	226	229	244	243	225	265
Female.....	3,045	287	252	276	231	254	234	233	246	234	268	261	269
Black, both sexes.....	1,236	126	102	102	94	104	95	119	92	100	96	83	123
Male.....	551	62	48	44	25	50	39	52	42	45	43	39	62
Female.....	685	64	54	58	69	54	56	67	50	55	53	44	61
American Indian 1/, both sexes.....	30	6	4	2	1	2	1	1	4	2	2	2	3
Male.....	16	3	3	1	-	1	1	1	-	-	-	2	3
Female.....	14	3	1	1	1	1	-	-	3	2	2	-	-
Asian or Pacific Islander 2/, both sexes.....	139	16	18	11	14	10	15	6	7	13	10	13	6
Male.....	75	9	12	7	9	5	7	4	4	8	2	4	4
Female.....	64	7	6	4	5	5	8	2	3	5	8	9	2
Unspecified renal failure (N19)													
All races, both sexes.....	17,197	1,808	1,540	1,493	1,430	1,411	1,288	1,334	1,282	1,269	1,469	1,394	1,479
Male.....	8,201	838	752	703	702	657	587	610	616	615	737	676	708
Female.....	8,996	970	788	790	728	754	701	724	666	654	732	718	771
White, both sexes.....	14,380	1,519	1,272	1,256	1,210	1,145	1,077	1,123	1,087	1,048	1,221	1,172	1,250
Male.....	6,914	704	623	591	608	552	498	520	524	507	615	572	600
Female.....	7,466	815	649	665	602	593	579	603	563	541	606	600	650
Black, both sexes.....	2,519	259	238	214	196	247	190	196	166	199	209	200	205
Male.....	1,142	124	115	95	82	97	78	83	83	97	100	94	94
Female.....	1,377	135	123	119	114	150	112	113	83	102	109	106	111
American Indian 1/, both sexes.....	95	8	11	7	5	8	7	2	14	6	12	5	10
Male.....	43	2	6	5	1	3	3	2	4	4	6	2	5
Female.....	52	6	5	2	4	5	4	-	10	2	6	3	5
Asian or Pacific Islander 2/, both sexes.....	203	22	19	16	19	11	14	13	15	16	27	17	14
Male.....	102	8	8	12	11	5	8	5	5	7	16	8	9
Female.....	101	14	11	4	8	6	6	8	10	9	11	9	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Calculus of kidney and ureter (N20)													
All races, both sexes.....	289	39	22	29	19	30	19	20	21	20	29	23	18
Male.....	111	17	3	13	9	9	4	10	9	6	12	13	6
Female.....	178	22	19	16	10	21	15	10	12	14	17	10	12
White, both sexes.....	255	36	22	28	16	24	16	16	21	16	27	17	16
Male.....	98	16	3	12	7	9	3	7	9	4	12	10	6
Female.....	157	20	19	16	9	15	13	9	12	12	15	7	10
Black, both sexes.....	26	3	-	-	1	4	3	4	-	1	2	6	2
Male.....	9	1	-	-	1	-	1	3	-	-	-	3	-
Female.....	17	2	-	-	-	4	2	1	-	1	2	3	2
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	2	2	-	-	-	3	-	-	-
Male.....	3	-	-	-	1	-	-	-	-	2	-	-	-
Female.....	4	-	-	-	1	2	-	-	-	1	-	-	-
Calculus of kidney (N20.0)													
All races, both sexes.....	231	35	20	24	16	22	12	16	16	17	21	18	14
Male.....	84	16	3	10	9	6	-	9	7	4	7	9	4
Female.....	147	19	17	14	7	16	12	7	9	13	14	9	10
White, both sexes.....	201	32	20	23	13	17	11	12	16	13	20	12	12
Male.....	72	15	3	9	7	6	-	6	7	2	7	6	4
Female.....	129	17	17	14	6	11	11	6	9	11	13	6	8
Black, both sexes.....	23	3	-	-	1	4	1	4	-	1	1	6	2
Male.....	8	1	-	-	1	-	-	3	-	-	-	3	-
Female.....	15	2	-	-	-	4	1	1	-	1	1	3	2
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	2	1	-	-	-	3	-	-	-
Male.....	3	-	-	-	1	-	-	-	-	2	-	-	-
Female.....	3	-	-	-	1	1	-	-	-	1	-	-	-













Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified contracted kidney (N26)													
All races, both sexes.....	48	7	3	4	4	6	6	1	3	5	2	4	3
Male.....	29	6	1	2	3	3	5	1	2	3	1	1	1
Female.....	19	1	2	2	1	3	1	-	1	2	1	3	2
White, both sexes.....	40	4	3	2	4	5	6	-	3	5	2	3	3
Male.....	23	4	1	-	3	3	5	-	2	3	1	-	1
Female.....	17	-	2	2	1	2	1	-	1	2	1	3	2
Black, both sexes.....	7	2	-	2	-	1	-	1	-	-	-	1	-
Male.....	5	1	-	2	-	-	-	1	-	-	-	1	-
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of kidney and ureter, not elsewhere classified (N28)													
All races, both sexes.....	717	67	60	48	63	57	64	49	61	63	70	60	55
Male.....	375	29	29	28	35	29	28	24	34	31	34	42	32
Female.....	342	38	31	20	28	28	36	25	27	32	36	18	23
White, both sexes.....	551	50	47	32	51	43	44	38	52	49	58	44	43
Male.....	297	24	24	21	30	21	19	20	29	23	28	32	26
Female.....	254	26	23	11	21	22	25	18	23	26	30	12	17
Black, both sexes.....	153	17	12	13	11	13	20	11	7	11	12	15	11
Male.....	70	5	5	6	5	7	9	4	3	6	6	9	5
Female.....	83	12	7	7	6	6	11	7	4	5	6	6	6
American Indian 1/, both sexes.....	3	-	-	1	-	-	-	-	-	1	-	-	1
Male.....	3	-	-	1	-	-	-	-	-	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	1	2	1	1	-	-	2	2	-	1	-
Male.....	5	-	-	-	-	1	-	-	2	1	-	1	-
Female.....	5	-	1	2	1	-	-	-	-	1	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified disorders of kidney and ureter (N28.8)													
All races, both sexes.....	107	12	11	9	10	9	10	7	8	9	14	4	4
Male.....	45	5	6	3	4	3	2	1	5	4	6	4	2
Female.....	62	7	5	6	6	6	8	6	3	5	8	-	2
White, both sexes.....	90	11	8	7	8	7	7	6	8	9	11	4	4
Male.....	39	5	6	3	3	3	-	1	5	4	3	4	2
Female.....	51	6	2	4	5	4	7	5	3	5	8	-	2
Black, both sexes.....	17	1	3	2	2	2	3	1	-	-	3	-	-
Male.....	6	-	-	-	1	-	2	-	-	-	3	-	-
Female.....	11	1	3	2	1	2	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of kidney and ureter, unspecified (N28.9)													
All races, both sexes.....	559	49	42	36	49	42	48	39	48	52	50	55	49
Male.....	310	23	20	22	29	23	25	22	27	27	26	37	29
Female.....	249	26	22	14	20	19	23	17	21	25	24	18	20
White, both sexes.....	415	34	32	22	39	32	33	29	39	38	41	39	37
Male.....	240	18	15	15	25	16	19	18	22	19	23	27	23
Female.....	175	16	17	7	14	16	14	11	17	19	18	12	14
Black, both sexes.....	131	15	9	11	9	9	15	10	7	11	9	15	11
Male.....	62	5	5	6	4	6	6	4	3	6	3	9	5
Female.....	69	10	4	5	5	3	9	6	4	5	6	6	6
American Indian 1/, both sexes.....	3	-	-	1	-	-	-	-	-	1	-	-	1
Male.....	3	-	-	1	-	-	-	-	-	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	1	2	1	1	-	-	2	2	-	1	-
Male.....	5	-	-	-	-	1	-	-	2	1	-	1	-
Female.....	5	-	1	2	1	-	-	-	-	1	-	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Cystitis, unspecified (N30.9)</b>													
All races, both sexes.....	99	13	9	7	5	7	3	8	8	10	11	4	14
Male.....	30	5	1	3	3	2	1	2	1	3	3	2	4
Female.....	69	8	8	4	2	5	2	6	7	7	8	2	10
White, both sexes.....	84	12	6	6	4	6	3	8	6	10	10	3	10
Male.....	27	5	-	3	3	2	1	2	-	3	3	2	3
Female.....	57	7	6	3	1	4	2	6	6	7	7	1	7
Black, both sexes.....	13	1	2	1	-	1	-	-	2	-	1	1	4
Male.....	3	-	1	-	-	-	-	-	1	-	-	-	1
Female.....	10	1	1	1	-	1	-	-	1	-	1	1	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	1	-	-	-	-	-	-	-	-
<b>Neuromuscular dysfunction of bladder, not elsewhere classified (N31)</b>													
All races, both sexes.....	133	15	12	17	9	13	6	12	14	10	9	7	9
Male.....	71	9	8	9	4	5	2	4	9	5	4	6	6
Female.....	62	6	4	8	5	8	4	8	5	5	5	1	3
White, both sexes.....	120	14	10	17	9	11	4	12	13	9	7	6	8
Male.....	65	8	6	9	4	5	1	4	9	4	4	5	6
Female.....	55	6	4	8	5	6	3	8	4	5	3	1	2
Black, both sexes.....	11	1	2	-	-	2	2	-	-	1	2	-	1
Male.....	5	1	2	-	-	-	1	-	-	1	-	-	-
Female.....	6	-	-	-	-	2	1	-	-	-	2	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Flaccid neuropathic bladder, not elsewhere classified (N31.2)													
All races, both sexes.....	9	2	1	1	1	-	-	-	2	2	-	-	-
Male.....	6	2	-	-	1	-	-	-	2	1	-	-	-
Female.....	3	-	1	1	-	-	-	-	-	1	-	-	-
White, both sexes.....	8	1	1	1	1	-	-	-	2	2	-	-	-
Male.....	5	1	-	-	1	-	-	-	2	1	-	-	-
Female.....	3	-	1	1	-	-	-	-	-	1	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuromuscular dysfunction of bladder, unspecified (N31.9)													
All races, both sexes.....	124	13	11	16	8	13	6	12	12	8	9	7	9
Male.....	65	7	8	9	3	5	2	4	7	4	4	6	6
Female.....	59	6	3	7	5	8	4	8	5	4	5	1	3
White, both sexes.....	112	13	9	16	8	11	4	12	11	7	7	6	8
Male.....	60	7	6	9	3	5	1	4	7	3	4	5	6
Female.....	52	6	3	7	5	6	3	8	4	4	3	1	2
Black, both sexes.....	10	-	2	-	-	2	2	-	-	1	2	-	1
Male.....	4	-	2	-	-	-	1	-	-	1	-	-	-
Female.....	6	-	-	-	-	2	1	-	-	-	2	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of urinary system (N39)													
All races, both sexes.....	13,927	1,460	1,187	1,237	1,115	1,077	1,015	1,102	1,091	1,064	1,192	1,097	1,290
Male.....	4,418	460	376	388	320	340	332	362	344	373	366	358	399
Female.....	9,509	1,000	811	849	795	737	683	740	747	691	826	739	891
White, both sexes.....	12,123	1,290	1,034	1,081	973	941	871	963	932	931	1,054	955	1,098
Male.....	3,781	402	322	331	267	288	287	308	291	324	322	309	330
Female.....	8,342	888	712	750	706	653	584	655	641	607	732	646	768
Black, both sexes.....	1,568	134	139	136	123	114	125	125	145	113	124	121	169
Male.....	547	48	50	48	42	44	38	47	49	43	42	38	58
Female.....	1,021	86	89	88	81	70	87	78	96	70	82	83	111
American Indian 1/, both sexes.....	57	8	2	7	4	5	4	3	4	8	2	8	2
Male.....	21	3	-	3	2	2	1	2	1	3	1	3	-
Female.....	36	5	2	4	2	3	3	1	3	5	1	5	2
Asian or Pacific Islander 2/, both sexes.....	179	28	12	13	15	17	15	11	10	12	12	13	21
Male.....	69	7	4	6	9	6	6	5	3	3	1	8	11
Female.....	110	21	8	7	6	11	9	6	7	9	11	5	10
Urinary tract infection, site not specified (N39.0)													
All races, both sexes.....	13,913	1,460	1,185	1,236	1,114	1,076	1,015	1,102	1,087	1,062	1,189	1,097	1,290
Male.....	4,413	460	375	388	319	340	332	362	343	373	364	358	399
Female.....	9,500	1,000	810	848	795	736	683	740	744	689	825	739	891
White, both sexes.....	12,109	1,290	1,032	1,080	972	940	871	963	928	929	1,051	955	1,098
Male.....	3,776	402	321	331	266	288	287	308	290	324	320	309	330
Female.....	8,333	888	711	749	706	652	584	655	638	605	731	646	768
Black, both sexes.....	1,568	134	139	136	123	114	125	125	145	113	124	121	169
Male.....	547	48	50	48	42	44	38	47	49	43	42	38	58
Female.....	1,021	86	89	88	81	70	87	78	96	70	82	83	111
American Indian 1/, both sexes.....	57	8	2	7	4	5	4	3	4	8	2	8	2
Male.....	21	3	-	3	2	2	1	2	1	3	1	3	-
Female.....	36	5	2	4	2	3	3	1	3	5	1	5	2
Asian or Pacific Islander 2/, both sexes.....	179	28	12	13	15	17	15	11	10	12	12	13	21
Male.....	69	7	4	6	9	6	6	5	3	3	1	8	11
Female.....	110	21	8	7	6	11	9	6	7	9	11	5	10





































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified lump in breast (N63)													
All races, both sexes.....	25	2	2	2	2	1	3	-	4	1	3	2	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	25	2	2	2	2	1	3	-	4	1	3	2	3
White, both sexes.....	21	1	1	2	1	1	3	-	4	-	3	2	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	21	1	1	2	1	1	3	-	4	-	3	2	3
Black, both sexes.....	4	1	1	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	1	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of breast (N64)													
All races, both sexes.....	19	3	1	-	3	4	-	2	1	1	2	2	-
Male.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Female.....	17	3	1	-	2	4	-	2	1	1	1	2	-
White, both sexes.....	16	3	1	-	2	4	-	1	1	1	2	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	15	3	1	-	2	4	-	1	1	1	1	1	-
Black, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified disorders of breast (N64.8)													
All races, both sexes.....	3	-	1	-	1	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of breast, unspecified (N64.9)													
All races, both sexes.....	16	3	-	-	2	4	-	2	1	-	2	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	15	3	-	-	2	4	-	2	1	-	1	2	-
White, both sexes.....	14	3	-	-	2	4	-	1	1	-	2	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	13	3	-	-	2	4	-	1	1	-	1	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other female intestinal-genital tract fistulae (N82.4)													
All races, both sexes.....	10	-	1	1	1	1	-	-	1	1	1	-	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	1	1	1	1	-	-	1	1	1	-	3
White, both sexes.....	10	-	1	1	1	1	-	-	1	1	1	-	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	1	1	1	1	-	-	1	1	1	-	3
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Noninflammatory disorders of ovary, fallopian tube, and broad ligament (N83)													
All races, both sexes.....	60	13	4	2	6	3	8	1	9	6	2	2	4
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	60	13	4	2	6	3	8	1	9	6	2	2	4
White, both sexes.....	50	12	3	1	5	2	6	1	9	6	2	-	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	50	12	3	1	5	2	6	1	9	6	2	-	3
Black, both sexes.....	7	-	-	1	1	1	1	-	-	-	-	2	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	1	1	1	1	-	-	-	-	2	1
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	1	-	-	-	-	-	-















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other noninflammatory disorders of vagina (N89)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Other specified noninflammatory disorders of vagina (N89.8)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hydatidiform mole (001)													
All races, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Hydatidiform mole, unspecified (001.9)													
All races, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-











Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Complete or unspecified, with other and unspecified complications (006.8)													
All races, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Complete or unspecified, without complication (006.9)													
All races, both sexes.....	3	-	-	1	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	2	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gestational [pregnancy-induced] hypertension with significant proteinuria (O14)													
All races, both sexes.....	20	1	1	3	2	-	1	4	2	1	2	2	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	20	1	1	3	2	-	1	4	2	1	2	2	1
White, both sexes.....	7	-	1	2	-	-	-	2	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	1	2	-	-	-	2	1	1	-	-	-
Black, both sexes.....	12	1	-	1	2	-	1	1	1	-	2	2	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	1	-	1	2	-	1	1	1	-	2	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Severe preeclampsia (O14.1)													
All races, both sexes.....	8	-	-	3	-	-	-	2	2	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	3	-	-	-	2	2	-	1	-	-
White, both sexes.....	4	-	-	2	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	2	-	-	-	1	1	-	-	-	-
Black, both sexes.....	3	-	-	1	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Preeclampsia, unspecified (O14.9)</b>													
All races, both sexes.....	12	1	1	-	2	-	1	2	-	1	1	2	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	1	1	-	2	-	1	2	-	1	1	2	1
White, both sexes.....	3	-	1	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	1	-	1	-	-	-
Black, both sexes.....	9	1	-	-	2	-	1	1	-	-	1	2	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	1	-	-	2	-	1	1	-	-	1	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Eclampsia (O15)</b>													
All races, both sexes.....	25	1	4	2	2	-	1	1	4	4	2	1	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	25	1	4	2	2	-	1	1	4	4	2	1	3
White, both sexes.....	15	1	3	1	2	-	-	-	2	2	2	-	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	15	1	3	1	2	-	-	-	2	2	2	-	2
Black, both sexes.....	9	-	1	1	-	-	1	1	2	1	-	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	1	1	-	-	1	1	2	1	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Venous complications in pregnancy (O22)													
All races, both sexes.....	13	3	-	1	1	3	2	-	-	2	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	13	3	-	1	1	3	2	-	-	2	-	1	-
White, both sexes.....	8	2	-	-	1	3	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	2	-	-	1	3	2	-	-	-	-	-	-
Black, both sexes.....	4	1	-	1	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	1	-	-	-	-	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Deep phlebothrombosis in pregnancy (O22.3)													
All races, both sexes.....	8	1	-	1	1	2	-	-	-	2	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	1	-	1	1	2	-	-	-	2	-	1	-
White, both sexes.....	3	-	-	-	1	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	2	-	-	-	-	-	-	-
Black, both sexes.....	4	1	-	1	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	1	-	-	-	-	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diabetes mellitus in pregnancy, unspecified (O24.9)													
All races, both sexes.....	8	-	-	-	-	1	1	2	1	-	2	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	1	1	2	1	-	2	-	1
White, both sexes.....	5	-	-	-	-	1	-	1	-	-	2	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	1	-	1	-	-	2	-	1
Black, both sexes.....	3	-	-	-	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Maternal care for other conditions predominantly related to pregnancy (O26)													
All races, both sexes.....	72	5	3	11	4	6	12	5	9	5	4	1	7
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	72	5	3	11	4	6	12	5	9	5	4	1	7
White, both sexes.....	48	5	2	8	3	3	9	3	5	5	3	-	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	48	5	2	8	3	3	9	3	5	5	3	-	2
Black, both sexes.....	19	-	1	3	1	2	2	1	4	-	1	-	4
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	19	-	1	3	1	2	2	1	4	-	1	-	4
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Twin pregnancy (030.0)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Maternal care for known or suspected disproportion (033)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Maternal care for disproportion, unspecified (O33.9)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Maternal care for other known or suspected fetal problems (O36)													
All races, both sexes.....	8	1	1	-	-	-	2	1	1	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	1	1	-	-	-	2	1	1	1	1	-	-
White, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Black, both sexes.....	4	1	1	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	1	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	1	-	-	-















































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Complications of the puerperium, not elsewhere classified (O90)													
All races, both sexes.....	46	4	7	3	3	2	3	5	9	3	1	3	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	46	4	7	3	3	2	3	5	9	3	1	3	3
White, both sexes.....	22	-	2	1	2	1	2	4	6	1	-	2	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	22	-	2	1	2	1	2	4	6	1	-	2	1
Black, both sexes.....	22	4	5	2	1	1	1	1	3	1	1	-	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	22	4	5	2	1	1	1	1	3	1	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Cardiomyopathy in the puerperium (O90.3)													
All races, both sexes.....	41	4	5	3	3	2	1	5	9	3	1	2	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	41	4	5	3	3	2	1	5	9	3	1	2	3
White, both sexes.....	19	-	1	1	2	1	1	4	6	1	-	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	19	-	1	1	2	1	1	4	6	1	-	1	1
Black, both sexes.....	20	4	4	2	1	1	-	1	3	1	1	-	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	20	4	4	2	1	1	-	1	3	1	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Obstetric death of unspecified cause (095)													
All races, both sexes.....	32	-	2	2	1	3	1	5	4	1	2	4	7
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	32	-	2	2	1	3	1	5	4	1	2	4	7
White, both sexes.....	19	-	-	2	1	2	1	5	2	1	1	-	4
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	19	-	-	2	1	2	1	5	2	1	1	-	4
Black, both sexes.....	12	-	2	-	-	1	-	-	1	-	1	4	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	2	-	-	1	-	-	1	-	1	4	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery (096)													
All races, both sexes.....	145	15	3	9	6	9	9	8	11	8	12	18	37
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	145	15	3	9	6	9	9	8	11	8	12	18	37
White, both sexes.....	102	10	1	4	4	8	8	7	10	7	6	14	23
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	102	10	1	4	4	8	8	7	10	7	6	14	23
Black, both sexes.....	35	5	2	5	-	1	1	-	1	1	5	4	10
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	35	5	2	5	-	1	1	-	1	1	5	4	10
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	1	-	-	-	-	-	1	-	4
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	1	-	-	-	-	-	1	-	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Death from sequelae of direct obstetric causes (097)													
All races, both sexes.....	12	1	-	2	1	1	1	2	2	-	-	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	1	-	2	1	1	1	2	2	-	-	1	1
White, both sexes.....	9	1	-	2	1	-	1	2	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	1	-	2	1	-	1	2	1	-	-	1	-
Black, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Maternal infectious and parasitic diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (098)													
All races, both sexes.....	8	1	-	-	1	1	-	1	-	2	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	1	-	-	1	1	-	1	-	2	2	-	-
White, both sexes.....	5	1	-	-	-	1	-	-	-	2	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	1	-	-	-	1	-	-	-	2	1	-	-
Black, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other maternal infectious and parasitic diseases complicating pregnancy, childbirth, and the puerperium (098.8)													
All races, both sexes.....	8	1	-	-	1	1	-	1	-	2	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	1	-	-	1	1	-	1	-	2	2	-	-
White, both sexes.....	5	1	-	-	-	1	-	-	-	2	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	1	-	-	-	1	-	-	-	2	1	-	-
Black, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (099)													
All races, both sexes.....	125	9	9	24	10	7	16	7	7	8	10	11	7
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	125	9	9	24	10	7	16	7	7	8	10	11	7
White, both sexes.....	77	6	4	14	10	3	10	5	3	4	7	7	4
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	77	6	4	14	10	3	10	5	3	4	7	7	4
Black, both sexes.....	43	3	5	7	-	4	5	2	3	4	3	4	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	43	3	5	7	-	4	5	2	3	4	3	4	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	3	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	3	-	-	1	-	-	-	-	-	-















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Newborn affected by unspecified maternal condition (P00.9)													
All races, both sexes.....	7	-	-	1	-	2	3	-	-	-	-	-	1
Male.....	5	-	-	-	-	2	2	-	-	-	-	-	1
Female.....	2	-	-	1	-	-	1	-	-	-	-	-	-
White, both sexes.....	3	-	-	-	-	-	2	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	3	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (P01)													
All races, both sexes.....	1,717	156	151	150	123	132	143	172	127	140	147	138	138
Male.....	963	96	83	95	70	72	79	92	61	75	72	88	80
Female.....	754	60	68	55	53	60	64	80	66	65	75	50	58
White, both sexes.....	1,004	102	88	91	75	68	84	107	64	90	77	72	86
Male.....	591	64	51	59	49	35	47	64	38	42	39	51	52
Female.....	413	38	37	32	26	33	37	43	26	48	38	21	34
Black, both sexes.....	642	50	56	50	41	61	57	60	59	43	60	59	46
Male.....	344	30	30	33	19	36	30	24	23	29	29	34	27
Female.....	298	20	26	17	22	25	27	36	36	14	31	25	19
American Indian 1/, both sexes.....	18	1	3	2	2	1	-	3	1	-	2	2	1
Male.....	8	-	-	-	1	1	-	3	-	-	2	1	-
Female.....	10	1	3	2	1	-	-	-	1	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	53	3	4	7	5	2	2	2	3	7	8	5	5
Male.....	20	2	2	3	1	-	2	1	-	4	2	2	1
Female.....	33	1	2	4	4	2	-	1	3	3	6	3	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Newborn affected by incompetent cervix (P01.0)													
All races, both sexes.....	455	47	46	42	23	33	40	37	37	44	32	40	34
Male.....	254	30	22	27	15	15	24	22	19	21	15	26	18
Female.....	201	17	24	15	8	18	16	15	18	23	17	14	16
White, both sexes.....	248	30	23	20	11	18	22	27	18	31	17	16	15
Male.....	139	19	13	14	10	7	12	15	11	11	8	12	7
Female.....	109	11	10	6	1	11	10	12	7	20	9	4	8
Black, both sexes.....	186	15	21	19	9	14	16	9	18	10	15	22	18
Male.....	108	10	8	13	5	8	10	6	8	8	7	14	11
Female.....	78	5	13	6	4	6	6	3	10	2	8	8	7
American Indian 1/, both sexes.....	4	1	-	1	1	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	1	1	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	17	1	2	2	2	1	2	1	1	3	-	2	-
Male.....	7	1	1	-	-	-	2	1	-	2	-	-	-
Female.....	10	-	1	2	2	1	-	-	1	1	-	2	-
Newborn affected by premature rupture of membranes (P01.1)													
All races, both sexes.....	779	74	58	61	65	66	66	64	61	60	75	60	69
Male.....	437	44	34	38	33	36	36	34	33	34	37	37	41
Female.....	342	30	24	23	32	30	30	30	28	26	38	23	28
White, both sexes.....	454	48	36	39	41	36	40	37	30	34	35	35	43
Male.....	273	32	23	27	23	18	20	23	21	18	20	22	26
Female.....	181	16	13	12	18	18	20	14	9	16	15	13	17
Black, both sexes.....	287	24	18	18	20	28	26	24	30	23	33	22	21
Male.....	147	11	11	9	8	17	16	8	12	14	14	13	14
Female.....	140	13	7	9	12	11	10	16	18	9	19	9	7
American Indian 1/, both sexes.....	11	-	3	1	1	1	-	3	-	-	1	1	-
Male.....	7	-	-	-	1	1	-	3	-	-	1	1	-
Female.....	4	-	3	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	2	1	3	3	1	-	-	1	3	6	2	5
Male.....	10	1	-	2	1	-	-	-	-	2	2	1	1
Female.....	17	1	1	1	2	1	-	-	1	1	4	1	4







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Newborn affected by maternal complication of pregnancy, unspecified (P01.9)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (P02)													
All races, both sexes.....	1,047	81	71	79	87	98	66	100	103	95	114	73	80
Male.....	558	47	31	48	46	50	38	57	47	55	49	43	47
Female.....	489	34	40	31	41	48	28	43	56	40	65	30	33
White, both sexes.....	686	52	45	51	58	64	43	66	70	68	67	50	52
Male.....	367	32	20	35	31	30	24	38	33	39	24	32	29
Female.....	319	20	25	16	27	34	19	28	37	29	43	18	23
Black, both sexes.....	323	23	24	27	25	30	20	31	29	25	42	20	27
Male.....	169	13	10	12	13	18	13	16	13	14	21	9	17
Female.....	154	10	14	15	12	12	7	15	16	11	21	11	10
American Indian 1/, both sexes.....	14	2	1	-	2	1	-	1	4	1	1	-	1
Male.....	9	1	1	-	2	-	-	1	1	1	1	-	1
Female.....	5	1	-	-	-	1	-	-	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	4	1	1	2	3	3	2	-	1	4	3	-
Male.....	13	1	-	1	-	2	1	2	-	1	3	2	-
Female.....	11	3	1	-	2	1	2	-	-	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Newborn affected by placenta previa (P02.0)													
All races, both sexes.....	15	2	1	-	3	-	-	3	1	1	2	2	-
Male.....	11	2	-	-	2	-	-	2	1	-	2	2	-
Female.....	4	-	1	-	1	-	-	1	-	1	-	-	-
White, both sexes.....	10	1	-	-	2	-	-	3	-	1	1	2	-
Male.....	8	1	-	-	2	-	-	2	-	-	1	2	-
Female.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Black, both sexes.....	4	1	-	-	1	-	-	-	1	-	1	-	-
Male.....	3	1	-	-	-	-	-	-	1	-	1	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Newborn affected by other forms of placental separation and hemorrhage (P02.1)													
All races, both sexes.....	429	30	27	30	36	44	20	41	45	46	39	33	38
Male.....	229	16	12	16	16	22	9	23	18	30	20	22	25
Female.....	200	14	15	14	20	22	11	18	27	16	19	11	13
White, both sexes.....	290	18	24	16	23	30	10	27	37	37	20	23	25
Male.....	157	10	10	10	11	13	4	16	15	24	10	17	17
Female.....	133	8	14	6	12	17	6	11	22	13	10	6	8
Black, both sexes.....	127	10	3	13	11	13	8	13	8	9	18	9	12
Male.....	65	6	2	5	4	9	4	6	3	6	9	4	7
Female.....	62	4	1	8	7	4	4	7	5	3	9	5	5
American Indian 1/, both sexes.....	5	1	-	-	1	1	-	-	-	-	1	-	1
Male.....	3	-	-	-	1	-	-	-	-	-	1	-	1
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	1	1	-	2	1	-	-	-	1	-
Male.....	4	-	-	1	-	-	1	1	-	-	-	1	-
Female.....	3	1	-	-	1	-	1	-	-	-	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Newborn affected by other and unspecified conditions of umbilical cord (P02.6)													
All races, both sexes.....	13	1	-	-	1	-	1	-	2	2	2	-	4
Male.....	4	-	-	-	-	-	1	-	1	-	1	-	1
Female.....	9	1	-	-	1	-	-	-	1	2	1	-	3
White, both sexes.....	8	-	-	-	1	-	1	-	2	2	-	-	2
Male.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	6	-	-	-	1	-	-	-	1	2	-	-	2
Black, both sexes.....	5	1	-	-	-	-	-	-	-	-	2	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	3	1	-	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by chorioamnionitis (P02.7)													
All races, both sexes.....	429	37	31	35	32	40	39	41	38	38	47	28	23
Male.....	228	23	12	22	19	22	25	25	19	21	16	12	12
Female.....	201	14	19	13	13	18	14	16	19	17	31	16	11
White, both sexes.....	255	26	13	23	19	24	27	23	19	23	28	17	13
Male.....	138	17	5	16	11	14	17	13	12	14	7	7	5
Female.....	117	9	8	7	8	10	10	10	7	9	21	10	8
Black, both sexes.....	159	9	17	12	11	14	11	16	17	13	18	11	10
Male.....	81	5	6	6	7	6	8	10	7	5	9	5	7
Female.....	78	4	11	6	4	8	3	6	10	8	9	6	3
American Indian 1/, both sexes.....	7	1	1	-	1	-	-	1	2	1	-	-	-
Male.....	5	1	1	-	1	-	-	1	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	-	-	1	2	1	1	-	1	1	-	-
Male.....	4	-	-	-	-	2	-	1	-	1	-	-	-
Female.....	4	1	-	-	1	-	1	-	-	-	1	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Newborn affected by abnormal uterine contractions (P03.6)													
All races, both sexes.....	6	1	-	-	-	-	-	2	1	-	1	-	1
Male.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	1	1	-	1	-	1
White, both sexes.....	3	-	-	-	-	-	-	1	-	-	1	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	1	-	1
Black, both sexes.....	3	1	-	-	-	-	-	1	1	-	-	-	-
Male.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by other specified complications of labor and delivery (P03.8)													
All races, both sexes.....	69	6	1	10	6	9	7	4	4	4	9	6	3
Male.....	37	2	1	4	3	7	5	3	3	3	4	1	1
Female.....	32	4	-	6	3	2	2	1	1	1	5	5	2
White, both sexes.....	52	4	-	10	5	8	5	2	3	2	7	5	1
Male.....	27	1	-	4	3	6	3	2	2	2	3	1	-
Female.....	25	3	-	6	2	2	2	-	1	-	4	4	1
Black, both sexes.....	12	2	1	-	-	1	2	1	1	1	1	1	1
Male.....	9	1	1	-	-	1	2	-	1	1	1	-	1
Female.....	3	1	-	-	-	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	1	1	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	1	-	1









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Small for gestational age (P05.1)													
All races, both sexes.....	4	-	-	1	-	-	-	1	-	-	2	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-
White, both sexes.....	4	-	-	1	-	-	-	1	-	-	2	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Slow fetal growth, unspecified (P05.9)													
All races, both sexes.....	66	5	8	6	5	1	6	6	6	5	9	5	4
Male.....	35	3	3	3	3	-	5	4	4	3	4	2	1
Female.....	31	2	5	3	2	1	1	2	2	2	5	3	3
White, both sexes.....	42	2	5	5	3	-	3	4	5	4	6	3	2
Male.....	21	1	1	3	1	-	3	2	3	3	3	1	-
Female.....	21	1	4	2	2	-	-	2	2	1	3	2	2
Black, both sexes.....	20	3	2	1	2	1	2	2	1	-	3	2	1
Male.....	11	2	1	-	2	-	1	2	1	-	1	1	-
Female.....	9	1	1	1	-	1	1	-	-	-	2	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	-	-	-	1	-	-	1	-	-	1
Male.....	3	-	1	-	-	-	1	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders related to short gestation and low birthweight, not elsewhere classified (P07)													
All races, both sexes.....	4,655	379	371	415	396	372	367	435	427	399	386	355	353
Male.....	2,649	219	208	243	227	225	186	257	240	240	198	203	203
Female.....	2,006	160	163	172	169	147	181	178	187	159	188	152	150
White, both sexes.....	2,662	219	209	249	248	225	212	228	225	212	205	206	224
Male.....	1,525	127	117	153	137	139	107	135	119	127	116	118	130
Female.....	1,137	92	92	96	111	86	105	93	106	85	89	88	94
Black, both sexes.....	1,815	146	153	144	130	133	134	191	192	163	165	142	122
Male.....	1,031	84	88	79	80	78	69	113	117	99	72	83	69
Female.....	784	62	65	65	50	55	65	78	75	64	93	59	53
American Indian 1/, both sexes.....	36	5	1	6	2	3	5	3	2	4	2	2	1
Male.....	16	1	-	3	2	2	2	2	2	1	1	-	-
Female.....	20	4	1	3	-	1	3	1	-	3	1	2	1
Asian or Pacific Islander 2/, both sexes.....	142	9	8	16	16	11	16	13	8	20	14	5	6
Male.....	77	7	3	8	8	6	8	7	2	13	9	2	4
Female.....	65	2	5	8	8	5	8	6	6	7	5	3	2
Extremely low birthweight (P07.0)													
All races, both sexes.....	87	8	7	5	8	11	4	10	9	7	9	5	4
Male.....	39	2	5	3	4	4	2	5	3	4	3	2	2
Female.....	48	6	2	2	4	7	2	5	6	3	6	3	2
White, both sexes.....	44	6	1	1	5	6	2	4	5	1	6	3	4
Male.....	17	2	1	-	2	2	2	3	1	-	2	-	2
Female.....	27	4	-	1	3	4	-	1	4	1	4	3	2
Black, both sexes.....	39	2	6	4	3	4	2	5	4	5	2	2	-
Male.....	21	-	4	3	2	2	-	2	2	3	1	2	-
Female.....	18	2	2	1	1	2	2	3	2	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	1	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	3	-	-	-	-	1	-	1	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other low birthweight (P07.1)													
All races, both sexes.....	7	-	-	-	1	2	-	1	1	-	-	2	-
Male.....	3	-	-	-	-	1	-	-	1	-	-	1	-
Female.....	4	-	-	-	1	1	-	1	-	-	-	1	-
White, both sexes.....	3	-	-	-	1	-	-	1	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Black, both sexes.....	4	-	-	-	-	2	-	-	1	-	-	1	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Extreme immaturity (P07.2)													
All races, both sexes.....	3,489	287	276	310	308	264	289	331	307	287	296	262	272
Male.....	1,995	170	159	173	175	160	146	197	175	170	158	156	156
Female.....	1,494	117	117	137	133	104	143	134	132	117	138	106	116
White, both sexes.....	1,990	160	157	186	194	162	167	174	156	149	160	153	172
Male.....	1,151	99	89	110	109	102	83	105	85	85	94	89	101
Female.....	839	61	68	76	85	60	84	69	71	64	66	64	71
Black, both sexes.....	1,367	114	113	107	101	92	108	144	144	120	123	103	98
Male.....	778	64	68	54	61	53	57	84	87	76	55	65	54
Female.....	589	50	45	53	40	39	51	60	57	44	68	38	44
American Indian 1/, both sexes.....	19	5	1	3	-	2	1	1	1	3	1	1	-
Male.....	7	1	-	2	-	1	-	1	1	-	1	-	-
Female.....	12	4	1	1	-	1	1	-	-	3	-	1	-
Asian or Pacific Islander 2/, both sexes.....	113	8	5	14	13	8	13	12	6	15	12	5	2
Male.....	59	6	2	7	5	4	6	7	2	9	8	2	1
Female.....	54	2	3	7	8	4	7	5	4	6	4	3	1















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Birth asphyxia, unspecified (P21.9)													
All races, both sexes.....	425	38	31	41	37	33	38	44	26	38	28	39	32
Male.....	247	24	18	22	17	22	25	23	16	18	17	24	21
Female.....	178	14	13	19	20	11	13	21	10	20	11	15	11
White, both sexes.....	302	30	22	24	27	21	28	31	15	30	20	31	23
Male.....	172	17	13	13	13	13	16	17	9	13	14	19	15
Female.....	130	13	9	11	14	8	12	14	6	17	6	12	8
Black, both sexes.....	102	5	7	13	10	9	9	11	9	8	7	5	9
Male.....	59	4	3	7	4	7	8	6	5	5	2	2	6
Female.....	43	1	4	6	6	2	1	5	4	3	5	3	3
American Indian 1/, both sexes.....	5	1	-	2	-	-	-	-	-	-	-	2	-
Male.....	4	1	-	1	-	-	-	-	-	-	-	2	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	2	2	2	-	3	1	2	2	-	1	1	-
Male.....	12	2	2	1	-	2	1	-	2	-	1	1	-
Female.....	4	-	-	1	-	1	-	2	-	-	-	-	-
Respiratory distress of newborn (P22)													
All races, both sexes.....	875	75	71	74	70	103	66	78	80	58	77	68	55
Male.....	501	46	44	39	39	58	34	41	55	33	42	39	31
Female.....	374	29	27	35	31	45	32	37	25	25	35	29	24
White, both sexes.....	558	51	43	49	50	67	43	52	44	34	40	53	32
Male.....	317	31	26	24	29	35	22	30	30	20	21	31	18
Female.....	241	20	17	25	21	32	21	22	14	14	19	22	14
Black, both sexes.....	293	22	26	23	20	34	23	23	32	24	31	14	21
Male.....	170	13	16	14	10	22	12	9	23	13	18	8	12
Female.....	123	9	10	9	10	12	11	14	9	11	13	6	9
American Indian 1/, both sexes.....	6	-	1	2	-	-	-	1	2	-	-	-	-
Male.....	3	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	2	1	-	-	2	-	2	2	-	6	1	2
Male.....	11	2	1	-	-	1	-	1	2	-	3	-	1
Female.....	7	-	-	-	-	1	-	1	-	-	3	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Respiratory distress syndrome of newborn (P22.0)													
All races, both sexes.....	810	69	64	72	65	97	63	74	74	53	70	57	52
Male.....	469	42	39	37	35	56	34	38	51	30	40	38	29
Female.....	341	27	25	35	30	41	29	36	23	23	30	19	23
White, both sexes.....	518	47	38	48	46	65	41	49	40	31	37	44	32
Male.....	297	29	23	23	26	34	22	27	27	18	20	30	18
Female.....	221	18	15	25	20	31	19	22	13	13	17	14	14
Black, both sexes.....	270	20	24	22	19	31	22	22	30	22	28	12	18
Male.....	158	11	14	13	9	21	12	9	22	12	17	8	10
Female.....	112	9	10	9	10	10	10	13	8	10	11	4	8
American Indian 1/, both sexes.....	6	-	1	2	-	-	-	1	2	-	-	-	-
Male.....	3	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	2	1	-	-	1	-	2	2	-	5	1	2
Male.....	11	2	1	-	-	1	-	1	2	-	3	-	1
Female.....	5	-	-	-	-	-	-	1	-	-	2	1	1
Respiratory distress of newborn, unspecified (P22.9)													
All races, both sexes.....	65	6	7	2	5	6	3	4	6	5	7	11	3
Male.....	32	4	5	2	4	2	-	3	4	3	2	1	2
Female.....	33	2	2	-	1	4	3	1	2	2	5	10	1
White, both sexes.....	40	4	5	1	4	2	2	3	4	3	3	9	-
Male.....	20	2	3	1	3	1	-	3	3	2	1	1	-
Female.....	20	2	2	-	1	1	2	-	1	1	2	8	-
Black, both sexes.....	23	2	2	1	1	3	1	1	2	2	3	2	3
Male.....	12	2	2	1	1	1	-	-	1	1	1	-	2
Female.....	11	-	-	-	-	2	1	1	1	1	2	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-





















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified pulmonary hemorrhage originating in the perinatal period (P26.9)													
All races, both sexes.....	164	13	9	17	17	16	11	11	19	13	13	10	15
Male.....	100	7	3	10	10	12	9	8	14	7	9	3	8
Female.....	64	6	6	7	7	4	2	3	5	6	4	7	7
White, both sexes.....	87	5	4	12	7	8	7	6	9	7	7	8	7
Male.....	57	3	1	7	5	6	6	5	7	4	5	3	5
Female.....	30	2	3	5	2	2	1	1	2	3	2	5	2
Black, both sexes.....	69	8	5	4	9	6	4	4	10	5	5	2	7
Male.....	36	4	2	2	5	4	3	2	7	2	3	-	2
Female.....	33	4	3	2	4	2	1	2	3	3	2	2	5
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	1	1	1	-	1	-	1	1	-	1
Male.....	6	-	-	1	-	1	-	1	-	1	1	-	1
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Chronic respiratory disease originating in the perinatal period (P27)													
All races, both sexes.....	305	30	24	19	23	23	30	23	19	25	27	29	33
Male.....	184	19	17	10	17	14	14	15	13	14	14	17	20
Female.....	121	11	7	9	6	9	16	8	6	11	13	12	13
White, both sexes.....	160	17	13	11	12	12	16	10	8	16	13	15	17
Male.....	101	13	9	5	10	8	7	6	5	12	8	8	10
Female.....	59	4	4	6	2	4	9	4	3	4	5	7	7
Black, both sexes.....	133	12	9	7	11	10	12	13	11	9	11	14	14
Male.....	74	5	7	4	7	5	5	9	8	2	5	9	8
Female.....	59	7	2	3	4	5	7	4	3	7	6	5	6
American Indian 1/, both sexes.....	3	1	1	-	-	-	-	-	-	-	1	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	1	1	-	1	2	-	-	-	2	-	2
Male.....	8	-	1	1	-	1	2	-	-	-	1	-	2
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified chronic respiratory disease originating in the perinatal period (P27.9)													
All races, both sexes.....	44	4	2	2	1	3	2	5	4	2	5	5	9
Male.....	26	2	2	-	-	1	1	4	3	2	3	3	5
Female.....	18	2	-	2	1	2	1	1	1	-	2	2	4
White, both sexes.....	21	2	1	1	-	1	1	2	1	2	3	3	4
Male.....	9	1	1	-	-	-	-	1	1	2	1	1	1
Female.....	12	1	-	1	-	1	1	1	-	-	2	2	3
Black, both sexes.....	22	2	-	1	1	2	1	3	3	-	2	2	5
Male.....	16	1	-	-	-	1	1	3	2	-	2	2	4
Female.....	6	1	-	1	1	1	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other respiratory conditions originating in the perinatal period (P28)													
All races, both sexes.....	492	39	47	40	37	50	32	43	42	46	42	39	35
Male.....	288	21	25	21	22	28	20	21	25	32	24	25	24
Female.....	204	18	22	19	15	22	12	22	17	14	18	14	11
White, both sexes.....	351	23	37	32	28	34	22	31	27	35	27	31	24
Male.....	214	11	20	18	17	22	13	17	16	27	15	21	17
Female.....	137	12	17	14	11	12	9	14	11	8	12	10	7
Black, both sexes.....	129	16	9	8	8	13	9	12	15	8	15	6	10
Male.....	67	10	4	3	5	5	6	4	9	3	9	3	6
Female.....	62	6	5	5	3	8	3	8	6	5	6	3	4
American Indian 1/, both sexes.....	5	-	1	-	-	1	-	-	-	2	-	-	1
Male.....	5	-	1	-	-	1	-	-	-	2	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	1	2	1	-	-	1	-	2	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	5	-	-	-	1	2	-	-	-	1	-	1	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cardiovascular disorders originating in the perinatal period (P29)													
All races, both sexes.....	937	90	78	67	82	77	81	81	82	69	88	68	74
Male.....	536	50	45	39	41	39	47	53	42	39	51	44	46
Female.....	401	40	33	28	41	38	34	28	40	30	37	24	28
White, both sexes.....	588	59	41	43	60	50	44	54	49	43	49	46	50
Male.....	347	36	22	26	31	26	29	35	26	25	26	33	32
Female.....	241	23	19	17	29	24	15	19	23	18	23	13	18
Black, both sexes.....	320	27	33	20	22	24	34	24	32	26	36	19	23
Male.....	171	13	19	12	10	13	15	15	16	14	23	8	13
Female.....	149	14	14	8	12	11	19	9	16	12	13	11	10
American Indian 1/, both sexes.....	7	1	2	-	-	2	-	1	-	-	-	1	-
Male.....	4	-	2	-	-	-	-	1	-	-	-	1	-
Female.....	3	1	-	-	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	3	2	4	-	1	3	2	1	-	3	2	1
Male.....	14	1	2	1	-	-	3	2	-	-	2	2	1
Female.....	8	2	-	3	-	1	-	-	1	-	1	-	-
Neonatal cardiac failure (P29.0)													
All races, both sexes.....	345	35	25	28	38	26	30	24	29	25	31	23	31
Male.....	186	16	14	15	20	10	17	15	14	13	15	16	21
Female.....	159	19	11	13	18	16	13	9	15	12	16	7	10
White, both sexes.....	219	21	12	15	35	16	17	18	19	17	18	10	21
Male.....	124	12	8	8	19	6	10	11	10	9	8	8	15
Female.....	95	9	4	7	16	10	7	7	9	8	10	2	6
Black, both sexes.....	112	12	11	11	3	8	12	5	10	8	12	10	10
Male.....	53	3	4	6	1	4	6	3	4	4	7	5	6
Female.....	59	9	7	5	2	4	6	2	6	4	5	5	4
American Indian 1/, both sexes.....	6	1	1	-	-	2	-	1	-	-	-	1	-
Male.....	3	-	1	-	-	-	-	1	-	-	-	1	-
Female.....	3	1	-	-	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	1	2	-	-	1	-	-	-	1	2	-
Male.....	6	1	1	1	-	-	1	-	-	-	-	2	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-

















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other bacterial sepsis of newborn (P36.8)													
All races, both sexes.....	80	9	10	4	7	4	5	13	2	3	7	8	8
Male.....	41	5	5	4	7	-	2	5	1	1	3	5	3
Female.....	39	4	5	-	-	4	3	8	1	2	4	3	5
White, both sexes.....	53	7	8	3	6	1	4	6	2	2	3	5	6
Male.....	28	4	5	3	6	-	2	2	1	1	-	3	1
Female.....	25	3	3	-	-	1	2	4	1	1	3	2	5
Black, both sexes.....	27	2	2	1	1	3	1	7	-	1	4	3	2
Male.....	13	1	-	1	1	-	-	3	-	-	3	2	2
Female.....	14	1	2	-	-	3	1	4	-	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial sepsis of newborn, unspecified (P36.9)													
All races, both sexes.....	673	46	47	39	45	58	61	64	63	59	71	58	62
Male.....	385	23	27	18	31	32	33	44	32	36	42	32	35
Female.....	288	23	20	21	14	26	28	20	31	23	29	26	27
White, both sexes.....	419	30	31	24	26	36	39	44	40	36	48	34	31
Male.....	233	14	18	13	16	23	20	31	20	19	23	17	19
Female.....	186	16	13	11	10	13	19	13	20	17	25	17	12
Black, both sexes.....	227	13	13	12	18	21	19	18	21	22	20	20	30
Male.....	134	7	8	4	14	9	12	11	10	16	16	12	15
Female.....	93	6	5	8	4	12	7	7	11	6	4	8	15
American Indian 1/, both sexes.....	8	1	-	2	1	-	1	1	-	-	-	2	-
Male.....	6	-	-	1	1	-	1	1	-	-	-	2	-
Female.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	2	3	1	-	1	2	1	2	1	3	2	1
Male.....	12	2	1	-	-	-	-	1	2	1	3	1	1
Female.....	7	-	2	1	-	1	2	-	-	-	-	1	-















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Fetal blood loss from placenta (P50.2)													
All races, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhage into maternal circulation (P50.4)													
All races, both sexes.....	5	2	-	1	-	1	-	1	-	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	1	-	1	-	-	-	-	-
White, both sexes.....	3	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Umbilical hemorrhage of newborn, unspecified (P51.9)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial nontraumatic hemorrhage of fetus and newborn (P52)													
All races, both sexes.....	543	46	52	47	36	43	40	48	56	51	49	40	35
Male.....	330	25	33	30	22	27	25	25	38	29	25	31	20
Female.....	213	21	19	17	14	16	15	23	18	22	24	9	15
White, both sexes.....	364	37	36	31	22	31	25	33	35	32	30	25	27
Male.....	224	21	22	20	15	22	14	18	24	18	17	18	15
Female.....	140	16	14	11	7	9	11	15	11	14	13	7	12
Black, both sexes.....	145	8	14	15	9	11	11	12	16	14	17	12	6
Male.....	89	3	9	9	6	5	10	6	10	8	8	11	4
Female.....	56	5	5	6	3	6	1	6	6	6	9	1	2
American Indian 1/, both sexes.....	7	-	2	-	-	-	1	2	-	1	-	-	1
Male.....	4	-	2	-	-	-	-	1	-	1	-	-	-
Female.....	3	-	-	-	-	-	1	1	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	27	1	-	1	5	1	3	1	5	4	2	3	1
Male.....	13	1	-	1	1	-	1	-	4	2	-	2	1
Female.....	14	-	-	-	4	1	2	1	1	2	2	1	-





















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other perinatal hematological disorders (P61)													
All races, both sexes.....	42	5	2	2	2	5	3	4	4	5	3	4	3
Male.....	19	3	2	1	-	-	-	3	2	2	2	1	3
Female.....	23	2	-	1	2	5	3	1	2	3	1	3	-
White, both sexes.....	25	4	1	1	1	3	3	2	2	2	2	1	3
Male.....	14	2	1	1	-	-	-	2	2	1	2	-	3
Female.....	11	2	-	-	1	3	3	-	-	1	-	1	-
Black, both sexes.....	13	-	1	1	1	1	-	2	1	3	-	3	-
Male.....	4	-	1	-	-	-	-	1	-	1	-	1	-
Female.....	9	-	-	1	1	1	-	1	1	2	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	1	-	-	1	-	1	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	1	-	1	-	-
Anemia of prematurity (P61.2)													
All races, both sexes.....	5	-	-	-	-	-	-	-	-	3	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	2	1	1	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital anemia from fetal blood loss (P61.3)													
All races, both sexes.....	4	-	-	-	-	-	-	1	2	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	2	-	-	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	3	-	-	-	-	-	-	-	2	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	2	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital anemias, not elsewhere classified (P61.4)													
All races, both sexes.....	30	5	2	1	2	5	3	3	2	2	2	1	2
Male.....	13	3	2	-	-	-	-	3	-	1	2	-	2
Female.....	17	2	-	1	2	5	3	-	2	1	-	1	-
White, both sexes.....	19	4	1	-	1	3	3	2	-	1	2	-	2
Male.....	9	2	1	-	-	-	-	2	-	-	2	-	2
Female.....	10	2	-	-	1	3	3	-	-	1	-	-	-
Black, both sexes.....	8	-	1	1	1	1	-	1	1	1	-	1	-
Male.....	3	-	1	-	-	-	-	1	-	1	-	-	-
Female.....	5	-	-	1	1	1	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	1	-	-	-	-













Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intestinal obstruction of newborn, unspecified (P76.9)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Necrotizing enterocolitis of newborn (P77)													
All races, both sexes.....	441	51	35	28	37	34	42	34	32	36	38	29	45
Male.....	252	27	20	20	25	19	21	21	17	12	26	19	25
Female.....	189	24	15	8	12	15	21	13	15	24	12	10	20
White, both sexes.....	255	29	18	16	24	24	25	21	21	18	18	16	25
Male.....	145	15	12	11	16	13	10	14	11	6	11	10	16
Female.....	110	14	6	5	8	11	15	7	10	12	7	6	9
Black, both sexes.....	166	18	16	12	10	10	17	11	10	15	17	12	18
Male.....	94	9	7	9	7	6	11	5	5	5	12	9	9
Female.....	72	9	9	3	3	4	6	6	5	10	5	3	9
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	4	1	-	3	-	-	2	1	2	3	1	2
Male.....	13	3	1	-	2	-	-	2	1	1	3	-	-
Female.....	6	1	-	-	1	-	-	-	-	1	-	1	2





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified perinatal digestive system disorders (P78.8)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Perinatal digestive system disorder, unspecified (P78.9)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disturbance of temperature regulation of newborn, unspecified (P81.9)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions of integument specific to newborn (P83)													
All races, both sexes.....	202	17	18	18	11	24	24	17	14	13	12	17	17
Male.....	102	14	6	9	8	11	7	8	7	8	6	11	7
Female.....	100	3	12	9	3	13	17	9	7	5	6	6	10
White, both sexes.....	174	13	16	15	10	22	21	14	14	10	9	15	15
Male.....	91	11	6	8	7	11	6	6	7	8	5	10	6
Female.....	83	2	10	7	3	11	15	8	7	2	4	5	9
Black, both sexes.....	15	3	1	2	-	-	2	-	-	2	2	2	1
Male.....	7	2	-	1	-	-	1	-	-	-	1	1	1
Female.....	8	1	1	1	-	-	1	-	-	2	1	1	-
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	11	1	1	1	1	1	1	3	-	1	1	-	-
Male.....	4	1	-	-	1	-	-	2	-	-	-	-	-
Female.....	7	-	1	1	-	1	1	1	-	1	1	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Convulsions of newborn (P90)													
All races, both sexes.....	11	1	-	-	-	4	2	-	-	3	-	1	-
Male.....	6	-	-	-	-	4	1	-	-	1	-	-	-
Female.....	5	1	-	-	-	-	1	-	-	2	-	1	-
White, both sexes.....	7	1	-	-	-	3	1	-	-	1	-	1	-
Male.....	4	-	-	-	-	3	-	-	-	1	-	-	-
Female.....	3	1	-	-	-	-	1	-	-	-	-	1	-
Black, both sexes.....	4	-	-	-	-	1	1	-	-	2	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disturbances of cerebral status of newborn (P91)													
All races, both sexes.....	20	2	1	1	1	3	2	-	1	-	3	3	3
Male.....	7	2	-	-	1	1	-	-	-	-	2	-	1
Female.....	13	-	1	1	-	2	2	-	1	-	1	3	2
White, both sexes.....	16	2	-	1	1	3	2	-	1	-	2	1	3
Male.....	7	2	-	-	1	1	-	-	-	-	2	-	1
Female.....	9	-	-	1	-	2	2	-	1	-	-	1	2
Black, both sexes.....	3	-	1	-	-	-	-	-	-	-	-	2	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neonatal cerebral ischemia (P91.0)													
All races, both sexes.....	9	1	1	1	-	2	-	-	-	-	2	2	-
Male.....	4	1	-	-	-	1	-	-	-	-	2	-	-
Female.....	5	-	1	1	-	1	-	-	-	-	-	2	-
White, both sexes.....	6	1	-	1	-	2	-	-	-	-	2	-	-
Male.....	4	1	-	-	-	1	-	-	-	-	2	-	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Black, both sexes.....	3	-	1	-	-	-	-	-	-	-	-	2	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal cerebral leukomalacia (P91.2)													
All races, both sexes.....	9	1	-	-	1	1	1	-	-	-	1	1	3
Male.....	3	1	-	-	1	-	-	-	-	-	-	-	1
Female.....	6	-	-	-	-	1	1	-	-	-	1	1	2
White, both sexes.....	8	1	-	-	1	1	1	-	-	-	-	1	3
Male.....	3	1	-	-	1	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	1	1	-	-	-	-	1	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-













Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Anencephaly and similar malformations (Q00)													
All races, both sexes.....	296	18	34	32	15	20	26	24	21	24	31	18	33
Male.....	128	4	15	17	5	9	9	12	10	13	10	7	17
Female.....	168	14	19	15	10	11	17	12	11	11	21	11	16
White, both sexes.....	251	13	29	26	14	17	21	19	20	20	25	17	30
Male.....	105	1	12	12	5	8	8	10	9	10	7	7	16
Female.....	146	12	17	14	9	9	13	9	11	10	18	10	14
Black, both sexes.....	34	2	3	4	-	2	3	5	1	4	6	1	3
Male.....	16	1	1	3	-	-	1	2	1	3	3	-	1
Female.....	18	1	2	1	-	2	2	3	-	1	3	1	2
American Indian 1/, both sexes.....	4	1	2	1	-	-	-	-	-	-	-	-	-
Male.....	3	-	2	1	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	2	-	1	1	1	2	-	-	-	-	-	-
Male.....	4	2	-	1	-	1	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	2	-	-	-	-	-	-
Anencephaly (Q00.0)													
All races, both sexes.....	296	18	34	32	15	20	26	24	21	24	31	18	33
Male.....	128	4	15	17	5	9	9	12	10	13	10	7	17
Female.....	168	14	19	15	10	11	17	12	11	11	21	11	16
White, both sexes.....	251	13	29	26	14	17	21	19	20	20	25	17	30
Male.....	105	1	12	12	5	8	8	10	9	10	7	7	16
Female.....	146	12	17	14	9	9	13	9	11	10	18	10	14
Black, both sexes.....	34	2	3	4	-	2	3	5	1	4	6	1	3
Male.....	16	1	1	3	-	-	1	2	1	3	3	-	1
Female.....	18	1	2	1	-	2	2	3	-	1	3	1	2
American Indian 1/, both sexes.....	4	1	2	1	-	-	-	-	-	-	-	-	-
Male.....	3	-	2	1	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	2	-	1	1	1	2	-	-	-	-	-	-
Male.....	4	2	-	1	-	1	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	2	-	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Encephalocele of other sites (Q01.8)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalocele, unspecified (Q01.9)													
All races, both sexes.....	52	3	6	4	4	5	4	7	3	7	4	5	-
Male.....	19	1	3	2	1	1	2	2	1	2	1	3	-
Female.....	33	2	3	2	3	4	2	5	2	5	3	2	-
White, both sexes.....	42	2	5	3	1	5	4	6	3	4	4	5	-
Male.....	16	1	2	1	1	1	2	1	1	2	1	3	-
Female.....	26	1	3	2	-	4	2	5	2	2	3	2	-
Black, both sexes.....	8	1	-	1	3	-	-	1	-	2	-	-	-
Male.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	6	1	-	-	3	-	-	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Microcephaly (Q02)</b>													
All races, both sexes.....	73	8	5	8	7	7	4	5	8	3	5	8	5
Male.....	35	4	3	6	4	4	1	1	3	1	1	6	1
Female.....	38	4	2	2	3	3	3	4	5	2	4	2	4
White, both sexes.....	47	5	2	6	4	7	3	1	3	2	3	7	4
Male.....	25	1	1	5	3	4	1	1	2	1	1	5	-
Female.....	22	4	1	1	1	3	2	-	1	1	2	2	4
Black, both sexes.....	21	2	3	1	2	-	1	4	5	1	-	1	1
Male.....	7	2	2	-	-	-	-	-	1	-	-	1	1
Female.....	14	-	1	1	2	-	1	4	4	1	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	1	-	-	-	-	-	2	-	-
Male.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	2	-	-
<b>Congenital hydrocephalus (Q03)</b>													
All races, both sexes.....	197	13	16	15	14	14	19	18	21	19	18	15	15
Male.....	107	6	11	12	8	6	8	10	8	10	10	8	10
Female.....	90	7	5	3	6	8	11	8	13	9	8	7	5
White, both sexes.....	145	10	13	13	9	11	14	12	18	11	15	9	10
Male.....	76	5	9	11	4	5	5	6	5	6	9	4	7
Female.....	69	5	4	2	5	6	9	6	13	5	6	5	3
Black, both sexes.....	41	1	3	1	4	2	5	6	2	6	2	5	4
Male.....	26	1	2	-	3	1	3	4	2	3	1	3	3
Female.....	15	-	1	1	1	1	2	2	-	3	1	2	1
American Indian 1/, both sexes.....	4	1	-	1	-	-	-	-	-	1	-	1	-
Male.....	3	-	-	1	-	-	-	-	-	1	-	1	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	1	1	-	-	1	1	1	-	1
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	5	1	-	-	-	1	-	-	-	1	1	-	1



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other congenital hydrocephalus (Q03.8)													
All races, both sexes.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital hydrocephalus, unspecified (Q03.9)													
All races, both sexes.....	147	9	15	8	10	11	13	15	19	13	11	11	12
Male.....	82	5	10	6	7	5	7	8	7	6	7	6	8
Female.....	65	4	5	2	3	6	6	7	12	7	4	5	4
White, both sexes.....	107	7	12	8	6	8	9	11	16	6	9	6	9
Male.....	56	4	8	6	4	4	4	5	4	3	6	2	6
Female.....	51	3	4	2	2	4	5	6	12	3	3	4	3
Black, both sexes.....	32	1	3	-	3	2	4	4	2	5	1	4	3
Male.....	22	1	2	-	2	1	3	3	2	2	1	3	2
Female.....	10	-	1	-	1	1	1	1	-	3	-	1	1
American Indian 1/, both sexes.....	3	1	-	-	-	-	-	-	-	1	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	1	-	-	1	1	1	-	-
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	1	1	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Holoprosencephaly (Q04.2)</b>													
All races, both sexes.....	143	12	16	11	8	19	12	11	7	8	11	16	12
Male.....	50	5	7	2	1	7	4	2	5	3	4	5	5
Female.....	93	7	9	9	7	12	8	9	2	5	7	11	7
White, both sexes.....	112	8	14	10	6	15	8	9	6	6	9	12	9
Male.....	39	4	6	2	1	6	3	2	4	2	2	4	3
Female.....	73	4	8	8	5	9	5	7	2	4	7	8	6
Black, both sexes.....	28	4	2	1	2	4	4	2	1	1	2	3	2
Male.....	9	1	1	-	-	1	1	-	1	1	2	-	1
Female.....	19	3	1	1	2	3	3	2	-	-	-	3	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other reduction deformities of brain (Q04.3)</b>													
All races, both sexes.....	142	17	14	11	10	8	12	4	14	10	13	17	12
Male.....	72	6	7	4	4	4	8	-	7	7	8	10	7
Female.....	70	11	7	7	6	4	4	4	7	3	5	7	5
White, both sexes.....	112	15	11	8	8	8	9	4	9	9	9	15	7
Male.....	51	4	6	1	2	4	6	-	4	6	6	9	3
Female.....	61	11	5	7	6	4	3	4	5	3	3	6	4
Black, both sexes.....	23	1	2	3	1	-	3	-	4	1	1	2	5
Male.....	17	1	1	3	1	-	2	-	3	1	-	1	4
Female.....	6	-	1	-	-	-	1	-	1	-	1	1	1
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	-	1	-	-	-	1	-	2	-	-
Male.....	3	1	-	-	1	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital cerebral cysts (Q04.6)													
All races, both sexes.....	21	5	1	1	-	2	-	3	2	3	-	-	4
Male.....	7	2	-	-	-	-	-	1	-	2	-	-	2
Female.....	14	3	1	1	-	2	-	2	2	1	-	-	2
White, both sexes.....	12	2	-	1	-	1	-	2	1	2	-	-	3
Male.....	3	-	-	-	-	-	-	1	-	1	-	-	1
Female.....	9	2	-	1	-	1	-	1	1	1	-	-	2
Black, both sexes.....	8	3	1	-	-	1	-	-	1	1	-	-	1
Male.....	4	2	-	-	-	-	-	-	-	1	-	-	1
Female.....	4	1	1	-	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Other specified congenital malformations of brain (Q04.8)													
All races, both sexes.....	26	6	2	2	1	3	2	3	1	1	2	1	2
Male.....	13	4	2	1	-	2	2	2	-	-	-	-	-
Female.....	13	2	-	1	1	1	-	1	1	1	2	1	2
White, both sexes.....	20	6	2	2	1	2	1	2	1	-	1	1	1
Male.....	12	4	2	1	-	2	1	2	-	-	-	-	-
Female.....	8	2	-	1	1	-	-	1	-	1	1	1	1
Black, both sexes.....	4	-	-	-	-	1	-	1	-	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	1	-	1	-	1	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other congenital malformations of cardiac chambers and connections (Q20.8)													
All races, both sexes.....	30	4	2	1	4	2	3	4	2	3	1	2	2
Male.....	12	3	2	-	-	2	-	2	-	2	1	-	-
Female.....	18	1	-	1	4	-	3	2	2	1	-	2	2
White, both sexes.....	24	2	2	-	3	2	3	4	2	3	1	1	1
Male.....	10	1	2	-	-	2	-	2	-	2	1	-	-
Female.....	14	1	-	-	3	-	3	2	2	1	-	1	1
Black, both sexes.....	6	2	-	1	1	-	-	-	-	-	-	1	1
Male.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	1	1	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of cardiac septa (Q21)													
All races, both sexes.....	661	65	63	53	55	58	55	54	49	52	55	55	47
Male.....	309	29	32	28	25	31	25	25	20	20	30	27	17
Female.....	352	36	31	25	30	27	30	29	29	32	25	28	30
White, both sexes.....	533	53	52	39	42	51	41	43	42	46	44	45	35
Male.....	251	21	27	17	20	27	19	20	18	18	27	24	13
Female.....	282	32	25	22	22	24	22	23	24	28	17	21	22
Black, both sexes.....	100	10	9	10	10	5	11	9	7	4	9	6	10
Male.....	47	6	4	8	3	3	5	4	2	2	3	3	4
Female.....	53	4	5	2	7	2	6	5	5	2	6	3	6
American Indian 1/, both sexes.....	7	1	-	2	1	-	-	1	-	-	1	-	1
Male.....	4	1	-	1	1	-	-	1	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	21	1	2	2	2	2	3	1	-	2	1	4	1
Male.....	7	1	1	2	1	1	1	-	-	-	-	-	-
Female.....	14	-	1	-	1	1	2	1	-	2	1	4	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Ventricular septal defect (Q21.0)</b>													
All races, both sexes.....	155	7	11	13	14	15	9	15	15	12	18	16	10
Male.....	82	2	10	7	5	9	3	7	9	6	10	10	4
Female.....	73	5	1	6	9	6	6	8	6	6	8	6	6
White, both sexes.....	133	6	8	11	10	14	6	13	15	11	17	15	7
Male.....	67	1	7	5	3	9	2	5	9	5	10	9	2
Female.....	66	5	1	6	7	5	4	8	6	6	7	6	5
Black, both sexes.....	18	-	2	1	4	1	2	2	-	1	1	1	3
Male.....	12	-	2	1	2	-	1	2	-	1	-	1	2
Female.....	6	-	-	-	2	1	1	-	-	-	1	-	1
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	1	-	-	1	-	-	-	-	-	-
Male.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
<b>Atrial septal defect (Q21.1)</b>													
All races, both sexes.....	212	21	31	15	14	23	21	15	19	14	11	13	15
Male.....	80	10	12	8	7	8	9	7	4	4	5	2	4
Female.....	132	11	19	7	7	15	12	8	15	10	6	11	11
White, both sexes.....	171	18	26	11	12	21	17	13	13	14	7	8	11
Male.....	67	8	11	6	7	7	7	6	2	4	4	1	4
Female.....	104	10	15	5	5	14	10	7	11	10	3	7	7
Black, both sexes.....	31	2	4	3	2	1	2	2	6	-	3	3	3
Male.....	9	1	1	1	-	-	1	1	2	-	1	1	-
Female.....	22	1	3	2	2	1	1	1	4	-	2	2	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	1	1	-	1	2	-	-	-	1	2	1
Male.....	4	1	-	1	-	1	1	-	-	-	-	-	-
Female.....	6	-	1	-	-	-	1	-	-	-	1	2	1



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aortopulmonary septal defect (Q21.4)													
All races, both sexes.....	3	-	-	-	1	1	-	-	-	-	1	-	-
Male.....	3	-	-	-	1	1	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of cardiac septa (Q21.8)													
All races, both sexes.....	84	18	6	8	6	6	6	6	2	9	3	8	6
Male.....	40	7	5	1	4	4	3	4	2	3	2	4	1
Female.....	44	11	1	7	2	2	3	2	-	6	1	4	5
White, both sexes.....	73	14	6	8	5	4	6	6	2	8	2	6	6
Male.....	37	6	5	1	4	2	3	4	2	3	2	4	1
Female.....	36	8	1	7	1	2	3	2	-	5	-	2	5
Black, both sexes.....	8	4	-	-	1	2	-	-	-	-	1	-	-
Male.....	3	1	-	-	-	2	-	-	-	-	-	-	-
Female.....	5	3	-	-	1	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	2	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformation of cardiac septum, unspecified (Q21.9)													
All races, both sexes.....	4	-	-	1	-	-	1	-	-	-	1	1	-
Male.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-
White, both sexes.....	3	-	-	-	-	-	1	-	-	-	1	1	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of pulmonary and tricuspid valves (Q22)													
All races, both sexes.....	106	8	7	10	11	15	12	12	8	2	8	9	4
Male.....	52	2	6	7	7	6	7	6	3	-	3	1	4
Female.....	54	6	1	3	4	9	5	6	5	2	5	8	-
White, both sexes.....	83	7	6	7	7	12	11	9	5	2	6	9	2
Male.....	40	2	5	5	4	5	7	5	2	-	2	1	2
Female.....	43	5	1	2	3	7	4	4	3	2	4	8	-
Black, both sexes.....	18	1	1	1	3	3	-	2	3	-	2	-	2
Male.....	10	-	1	1	2	1	-	1	1	-	1	-	2
Female.....	8	1	-	-	1	2	-	1	2	-	1	-	-
American Indian 1/, both sexes.....	2	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital tricuspid stenosis (Q22.4)													
All races, both sexes.....	30	2	2	3	2	5	3	3	1	-	4	3	2
Male.....	16	1	2	2	2	1	2	1	1	-	2	-	2
Female.....	14	1	-	1	-	4	1	2	-	-	2	3	-
White, both sexes.....	24	2	2	2	2	4	3	1	1	-	3	3	1
Male.....	12	1	2	1	2	1	2	-	1	-	1	-	1
Female.....	12	1	-	1	-	3	1	1	-	-	2	3	-
Black, both sexes.....	6	-	-	1	-	1	-	2	-	-	1	-	1
Male.....	4	-	-	1	-	-	-	1	-	-	1	-	1
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Ebstein's anomaly (Q22.5)													
All races, both sexes.....	48	5	3	3	6	8	4	7	4	2	1	3	2
Male.....	21	-	3	2	5	3	2	4	-	-	-	-	2
Female.....	27	5	-	1	1	5	2	3	4	2	1	3	-
White, both sexes.....	37	4	2	3	2	7	3	6	3	2	1	3	1
Male.....	16	-	2	2	2	3	2	4	-	-	-	-	1
Female.....	21	4	-	1	-	4	1	2	3	2	1	3	-
Black, both sexes.....	8	1	1	-	3	1	-	-	1	-	-	-	1
Male.....	4	-	1	-	2	-	-	-	-	-	-	-	1
Female.....	4	1	-	-	1	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformation of tricuspid valve, unspecified (Q22.9)													
All races, both sexes.....	3	-	-	-	-	-	2	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of aortic and mitral valves (Q23)													
All races, both sexes.....	510	52	48	44	40	35	42	38	52	33	43	38	45
Male.....	305	34	31	33	22	23	27	21	23	22	23	23	23
Female.....	205	18	17	11	18	12	15	17	29	11	20	15	22
White, both sexes.....	424	45	40	36	33	27	37	28	45	25	35	34	39
Male.....	257	28	26	28	20	18	24	15	20	18	17	22	21
Female.....	167	17	14	8	13	9	13	13	25	7	18	12	18
Black, both sexes.....	72	5	6	7	6	6	4	9	5	8	8	2	6
Male.....	42	5	3	5	2	4	3	6	1	4	6	1	2
Female.....	30	-	3	2	4	2	1	3	4	4	2	1	4
American Indian 1/, both sexes.....	4	1	-	-	1	-	1	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	2	1	-	2	-	-	2	-	-	2	-
Male.....	5	-	2	-	-	1	-	-	2	-	-	-	-
Female.....	5	1	-	1	-	1	-	-	-	-	-	2	-













Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformation of the heart, unspecified (Q24.9)													
All races, both sexes.....	1,159	76	88	112	104	95	88	108	96	96	102	107	87
Male.....	638	41	41	59	59	57	46	61	50	66	59	58	41
Female.....	521	35	47	53	45	38	42	47	46	30	43	49	46
White, both sexes.....	885	54	68	88	77	71	60	85	74	75	85	83	65
Male.....	483	24	33	49	41	44	29	48	38	50	50	48	29
Female.....	402	30	35	39	36	27	31	37	36	25	35	35	36
Black, both sexes.....	223	15	16	19	18	18	24	19	18	19	16	23	18
Male.....	123	11	6	8	11	9	14	12	10	14	9	9	10
Female.....	100	4	10	11	7	9	10	7	8	5	7	14	8
American Indian 1/, both sexes.....	9	-	-	1	3	3	-	-	-	-	-	1	1
Male.....	8	-	-	1	3	3	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	42	7	4	4	6	3	4	4	4	2	1	-	3
Male.....	24	6	2	1	4	1	3	1	2	2	-	-	2
Female.....	18	1	2	3	2	2	1	3	2	-	1	-	1
Congenital malformations of great arteries (Q25)													
All races, both sexes.....	279	24	19	23	22	36	22	25	15	16	20	22	35
Male.....	133	11	10	11	13	19	10	9	11	8	7	8	16
Female.....	146	13	9	12	9	17	12	16	4	8	13	14	19
White, both sexes.....	209	18	12	19	18	25	18	20	10	15	13	16	25
Male.....	93	7	6	8	10	11	8	6	7	8	5	5	12
Female.....	116	11	6	11	8	14	10	14	3	7	8	11	13
Black, both sexes.....	57	4	6	2	4	8	3	4	5	1	6	4	10
Male.....	30	3	3	1	3	5	2	2	4	-	2	1	4
Female.....	27	1	3	1	1	3	1	2	1	1	4	3	6
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	2	1	1	-	3	1	1	-	-	1	2	-
Male.....	9	1	1	1	-	3	-	1	-	-	-	2	-
Female.....	3	1	-	-	-	-	1	-	-	-	1	-	-















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other congenital malformations of peripheral vascular system (Q27)													
All races, both sexes.....	277	23	23	23	24	21	30	22	18	28	23	18	24
Male.....	130	12	12	10	5	9	13	10	8	18	14	7	12
Female.....	147	11	11	13	19	12	17	12	10	10	9	11	12
White, both sexes.....	232	21	20	20	22	17	23	18	13	25	18	14	21
Male.....	106	12	10	9	5	6	9	8	6	16	10	5	10
Female.....	126	9	10	11	17	11	14	10	7	9	8	9	11
Black, both sexes.....	38	2	3	2	2	3	6	2	5	3	5	2	3
Male.....	21	-	2	1	-	3	4	1	2	2	4	-	2
Female.....	17	2	1	1	2	-	2	1	3	1	1	2	1
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	1	-	-	1	2	-	-	-	2	-
Male.....	3	-	-	-	-	-	-	1	-	-	-	2	-
Female.....	3	-	-	1	-	-	1	1	-	-	-	-	-
Peripheral arteriovenous malformation (Q27.3)													
All races, both sexes.....	228	20	16	17	21	18	25	20	15	25	18	14	19
Male.....	103	9	7	9	5	8	9	9	6	16	12	6	7
Female.....	125	11	9	8	16	10	16	11	9	9	6	8	12
White, both sexes.....	194	18	15	15	19	15	20	16	11	23	14	11	17
Male.....	84	9	6	8	5	5	7	7	4	15	8	4	6
Female.....	110	9	9	7	14	10	13	9	7	8	6	7	11
Black, both sexes.....	29	2	1	2	2	3	4	2	4	2	4	1	2
Male.....	16	-	1	1	-	3	2	1	2	1	4	-	1
Female.....	13	2	-	1	2	-	2	1	2	1	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	1	2	-	-	-	2	-
Male.....	3	-	-	-	-	-	-	1	-	-	-	2	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other congenital malformations of larynx (Q31.8)													
All races, both sexes.....	6	-	1	2	-	-	1	1	-	-	1	-	-
Male.....	4	-	1	2	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-
White, both sexes.....	3	-	1	2	-	-	-	-	-	-	-	-	-
Male.....	3	-	1	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	3	-	-	-	-	-	1	1	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of trachea and bronchus (Q32)													
All races, both sexes.....	46	5	3	3	6	3	2	3	4	5	5	4	3
Male.....	30	2	-	1	5	3	2	3	1	4	4	2	3
Female.....	16	3	3	2	1	-	-	-	3	1	1	2	-
White, both sexes.....	32	3	2	3	5	2	1	3	1	4	3	3	2
Male.....	23	2	-	1	4	2	1	3	-	4	3	1	2
Female.....	9	1	2	2	1	-	-	-	1	-	-	2	-
Black, both sexes.....	12	2	1	-	1	1	1	-	3	-	1	1	1
Male.....	6	-	-	-	1	1	1	-	1	-	-	1	1
Female.....	6	2	1	-	-	-	-	-	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital tracheomalacia (Q32.0)													
All races, both sexes.....	7	2	-	-	-	1	-	-	1	1	1	1	-
Male.....	5	1	-	-	-	1	-	-	1	1	1	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	5	1	-	-	-	1	-	-	-	1	1	1	-
Male.....	4	1	-	-	-	1	-	-	-	1	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of trachea (Q32.1)													
All races, both sexes.....	34	2	2	2	6	2	2	1	3	4	4	3	3
Male.....	22	-	-	1	5	2	2	1	-	3	3	2	3
Female.....	12	2	2	1	1	-	-	-	3	1	1	1	-
White, both sexes.....	22	1	1	2	5	1	1	1	1	3	2	2	2
Male.....	16	-	-	1	4	1	1	1	-	3	2	1	2
Female.....	6	1	1	1	1	-	-	-	1	-	-	1	-
Black, both sexes.....	10	1	1	-	1	1	1	-	2	-	1	1	1
Male.....	5	-	-	-	1	1	1	-	-	-	-	1	1
Female.....	5	1	1	-	-	-	-	-	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital bronchiectasis (Q33.4)													
All races, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	-	1
White, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypoplasia and dysplasia of lung (Q33.6)													
All races, both sexes.....	564	55	48	48	42	46	39	57	54	35	48	50	42
Male.....	331	39	19	26	23	30	23	33	33	22	33	29	21
Female.....	233	16	29	22	19	16	16	24	21	13	15	21	21
White, both sexes.....	414	44	34	36	28	35	26	41	39	23	37	38	33
Male.....	249	30	15	22	14	22	18	23	24	15	26	25	15
Female.....	165	14	19	14	14	13	8	18	15	8	11	13	18
Black, both sexes.....	123	9	9	9	12	9	12	13	14	9	9	9	9
Male.....	72	8	3	4	8	6	5	9	9	5	6	3	6
Female.....	51	1	6	5	4	3	7	4	5	4	3	6	3
American Indian 1/, both sexes.....	8	-	-	2	1	-	1	-	1	-	2	1	-
Male.....	3	-	-	-	1	-	-	-	-	-	1	1	-
Female.....	5	-	-	2	-	-	1	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	19	2	5	1	1	2	-	3	-	3	-	2	-
Male.....	7	1	1	-	-	2	-	1	-	2	-	-	-
Female.....	12	1	4	1	1	-	-	2	-	1	-	2	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other congenital malformations of tongue, mouth and pharynx (Q38)													
All races, both sexes.....	4	-	-	-	-	1	-	-	1	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	-	2	-	-
White, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Other congenital malformations of pharynx (Q38.8)													
All races, both sexes.....	4	-	-	-	-	1	-	-	1	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	-	2	-	-
White, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformations of intestinal fixation (Q43.3)													
All races, both sexes.....	36	2	4	6	-	4	-	5	2	3	3	-	7
Male.....	23	1	1	5	-	2	-	2	1	3	3	-	5
Female.....	13	1	3	1	-	2	-	3	1	-	-	-	2
White, both sexes.....	25	1	2	4	-	4	-	2	1	2	2	-	7
Male.....	15	-	-	3	-	2	-	-	1	2	2	-	5
Female.....	10	1	2	1	-	2	-	2	-	-	-	-	2
Black, both sexes.....	10	1	2	2	-	-	-	2	1	1	1	-	-
Male.....	7	1	1	2	-	-	-	1	-	1	1	-	-
Female.....	3	-	1	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified congenital malformations of intestine (Q43.8)													
All races, both sexes.....	22	2	1	2	1	1	1	3	3	2	2	-	4
Male.....	7	-	-	-	-	-	1	1	2	1	-	-	2
Female.....	15	2	1	2	1	1	-	2	1	1	2	-	2
White, both sexes.....	17	2	1	2	1	1	-	1	2	2	2	-	3
Male.....	4	-	-	-	-	-	-	-	1	1	-	-	2
Female.....	13	2	1	2	1	1	-	1	1	1	2	-	1
Black, both sexes.....	4	-	-	-	-	-	1	1	1	-	-	-	1
Male.....	3	-	-	-	-	-	1	1	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Indeterminate sex, unspecified (Q56.4)													
All races, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal agenesis and other reduction defects of kidney (Q60)													
All races, both sexes.....	239	18	18	19	21	25	18	17	20	29	16	17	21
Male.....	143	9	13	11	15	14	14	10	12	14	9	10	12
Female.....	96	9	5	8	6	11	4	7	8	15	7	7	9
White, both sexes.....	198	14	15	18	16	19	15	16	16	21	13	17	18
Male.....	128	8	10	10	14	13	11	10	10	13	8	10	11
Female.....	70	6	5	8	2	6	4	6	6	8	5	7	7
Black, both sexes.....	30	3	3	1	5	3	1	1	4	4	3	-	2
Male.....	11	-	3	1	1	1	1	-	2	-	1	-	1
Female.....	19	3	-	-	4	2	-	1	2	4	2	-	1
American Indian 1/, both sexes.....	6	1	-	-	-	1	1	-	-	2	-	-	1
Male.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	4	-	-	-	-	1	-	-	-	2	-	-	1
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	2	1	-	-	2	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	3	-	-	-	-	2	-	-	-	1	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Renal hypoplasia, unspecified (Q60.5)													
All races, both sexes.....	24	1	2	1	1	3	1	3	3	4	1	1	3
Male.....	9	1	-	-	1	1	1	1	-	2	-	-	2
Female.....	15	-	2	1	-	2	-	2	3	2	1	1	1
White, both sexes.....	20	1	2	1	1	2	1	2	3	2	1	1	3
Male.....	9	1	-	-	1	1	1	1	-	2	-	-	2
Female.....	11	-	2	1	-	1	-	1	3	-	1	1	1
Black, both sexes.....	3	-	-	-	-	-	-	1	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	2	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Potter's syndrome (Q60.6)													
All races, both sexes.....	71	5	8	5	3	8	8	6	3	8	4	7	6
Male.....	43	2	8	3	1	4	7	4	3	3	-	6	2
Female.....	28	3	-	2	2	4	1	2	-	5	4	1	4
White, both sexes.....	55	4	6	5	1	7	6	6	2	5	2	7	4
Male.....	37	2	6	3	1	4	5	4	2	3	-	6	1
Female.....	18	2	-	2	-	3	1	2	-	2	2	1	3
Black, both sexes.....	13	1	2	-	2	1	1	-	1	1	2	-	2
Male.....	5	-	2	-	-	-	1	-	1	-	-	-	1
Female.....	8	1	-	-	2	1	-	-	-	1	2	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Medullary cystic kidney (Q61.5)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic kidney disease, unspecified (Q61.9)													
All races, both sexes.....	16	2	1	1	2	-	-	-	2	2	4	1	1
Male.....	7	1	1	1	1	-	-	-	1	1	-	1	-
Female.....	9	1	-	-	1	-	-	-	1	1	4	-	1
White, both sexes.....	13	1	1	1	1	-	-	-	2	2	3	1	1
Male.....	6	1	1	1	-	-	-	-	1	1	-	1	-
Female.....	7	-	-	-	1	-	-	-	1	1	3	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	1	-	-

























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other congenital musculoskeletal deformities (Q68)													
All races, both sexes.....	17	1	-	1	4	1	1	-	2	-	4	1	2
Male.....	6	-	-	-	3	-	1	-	-	-	1	1	-
Female.....	11	1	-	1	1	1	-	-	2	-	3	-	2
White, both sexes.....	13	1	-	-	4	1	1	-	1	-	3	1	1
Male.....	6	-	-	-	3	-	1	-	-	-	1	1	-
Female.....	7	1	-	-	1	1	-	-	1	-	2	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Other specified congenital musculoskeletal deformities (Q68.8)													
All races, both sexes.....	17	1	-	1	4	1	1	-	2	-	4	1	2
Male.....	6	-	-	-	3	-	1	-	-	-	1	1	-
Female.....	11	1	-	1	1	1	-	-	2	-	3	-	2
White, both sexes.....	13	1	-	-	4	1	1	-	1	-	3	1	1
Male.....	6	-	-	-	3	-	1	-	-	-	1	1	-
Female.....	7	1	-	-	1	1	-	-	1	-	2	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified congenital malformation of limb(s) (Q74.9)													
All races, both sexes.....	3	-	-	-	-	-	1	1	-	-	-	-	1
Male.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of skull and face bones (Q75)													
All races, both sexes.....	18	1	1	1	2	3	1	3	1	3	1	-	1
Male.....	8	1	-	-	1	1	-	2	-	2	-	-	1
Female.....	10	-	1	1	1	2	1	1	1	1	1	-	-
White, both sexes.....	12	1	-	-	2	2	1	1	1	2	1	-	1
Male.....	7	1	-	-	1	1	-	1	-	2	-	-	1
Female.....	5	-	-	-	1	1	1	-	1	-	1	-	-
Black, both sexes.....	3	-	1	-	-	-	-	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Craniosynostosis (Q75.0)</b>													
All races, both sexes.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Craniofacial dysostosis (Q75.1)</b>													
All races, both sexes.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified congenital malformations of skull and face bones (Q75.8)													
All races, both sexes.....	3	-	-	1	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	1	-	-	-	-	1	-	-
White, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformation of skull and face bones, unspecified (Q75.9)													
All races, both sexes.....	7	-	1	-	1	-	1	2	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	6	-	1	-	1	-	1	1	1	1	-	-	-
White, both sexes.....	4	-	-	-	1	-	1	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	-	1	-	1	-	1	-	-	-	-
Black, both sexes.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-













Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Osteochondrodysplasia with defects of growth of tubular bones and spine, unspecified (Q77.9)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other osteochondrodysplasias (Q78)													
All races, both sexes.....	95	11	6	6	8	10	10	9	1	4	7	12	11
Male.....	40	4	3	3	4	5	6	4	-	-	2	5	4
Female.....	55	7	3	3	4	5	4	5	1	4	5	7	7
White, both sexes.....	73	7	5	4	5	8	8	7	-	4	5	11	9
Male.....	28	2	3	3	1	4	4	2	-	-	2	4	3
Female.....	45	5	2	1	4	4	4	5	-	4	3	7	6
Black, both sexes.....	15	4	1	1	2	1	1	2	1	-	-	-	2
Male.....	9	2	-	-	2	1	1	2	-	-	-	-	1
Female.....	6	2	1	1	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	4	-	-	-	-	-	1	-	-	-	2	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	1	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Osteochondrodysplasia, unspecified (Q78.9)</b>													
All races, both sexes.....	39	3	2	3	3	5	4	3	-	2	5	5	4
Male.....	12	2	1	2	1	2	1	-	-	-	1	1	1
Female.....	27	1	1	1	2	3	3	3	-	2	4	4	3
White, both sexes.....	35	2	2	2	3	4	4	3	-	2	4	5	4
Male.....	11	1	1	2	1	2	1	-	-	-	1	1	1
Female.....	24	1	1	-	2	2	3	3	-	2	3	4	3
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-
<b>Congenital malformations of musculoskeletal system, not elsewhere classified (Q79)</b>													
All races, both sexes.....	379	27	32	37	22	32	40	39	28	36	36	27	23
Male.....	200	15	19	20	11	17	20	22	11	19	23	11	12
Female.....	179	12	13	17	11	15	20	17	17	17	13	16	11
White, both sexes.....	299	20	22	28	19	26	32	31	21	30	30	22	18
Male.....	156	12	13	13	11	12	17	17	8	17	17	8	11
Female.....	143	8	9	15	8	14	15	14	13	13	13	14	7
Black, both sexes.....	60	6	7	8	3	5	6	5	7	4	4	2	3
Male.....	31	3	3	6	-	4	2	3	3	1	4	1	1
Female.....	29	3	4	2	3	1	4	2	4	3	-	1	2
American Indian 1/, both sexes.....	5	1	1	-	-	1	1	-	-	-	-	-	1
Male.....	3	-	1	-	-	1	1	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	15	-	2	1	-	-	1	3	-	2	2	3	1
Male.....	10	-	2	1	-	-	-	2	-	1	2	2	-
Female.....	5	-	-	-	-	-	1	1	-	1	-	1	1



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Exomphalos (Q79.2)</b>													
All races, both sexes.....	28	-	2	5	1	3	6	1	2	2	1	4	1
Male.....	13	-	1	3	-	1	2	-	1	1	1	3	-
Female.....	15	-	1	2	1	2	4	1	1	1	-	1	1
White, both sexes.....	21	-	1	4	1	1	5	1	1	2	1	3	1
Male.....	10	-	1	2	-	-	2	-	-	1	1	3	-
Female.....	11	-	-	2	1	1	3	1	1	1	-	-	1
Black, both sexes.....	7	-	1	1	-	2	1	-	1	-	-	1	-
Male.....	3	-	-	1	-	1	-	-	1	-	-	-	-
Female.....	4	-	1	-	-	1	1	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Gastroschisis (Q79.3)</b>													
All races, both sexes.....	48	6	4	5	1	6	3	4	4	6	5	1	3
Male.....	21	2	2	3	-	3	1	4	-	3	3	-	-
Female.....	27	4	2	2	1	3	2	-	4	3	2	1	3
White, both sexes.....	34	3	3	4	-	5	1	3	3	4	5	1	2
Male.....	14	1	1	2	-	2	-	3	-	2	3	-	-
Female.....	20	2	2	2	-	3	1	-	3	2	2	1	2
Black, both sexes.....	11	2	1	1	1	1	2	1	1	1	-	-	-
Male.....	7	1	1	1	-	1	1	1	-	1	-	-	-
Female.....	4	1	-	-	1	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Phakomatoses, not elsewhere classified (Q85)</b>													
All races, both sexes.....	150	16	14	14	11	6	14	17	9	16	17	7	9
Male.....	76	7	7	7	3	4	5	8	7	7	10	4	7
Female.....	74	9	7	7	8	2	9	9	2	9	7	3	2
White, both sexes.....	128	15	13	13	9	6	11	15	7	13	13	6	7
Male.....	65	6	7	7	2	4	2	7	7	7	7	3	6
Female.....	63	9	6	6	7	2	9	8	-	6	6	3	1
Black, both sexes.....	20	1	1	1	2	-	3	1	2	2	4	1	2
Male.....	10	1	-	-	1	-	3	-	-	-	3	1	1
Female.....	10	-	1	1	1	-	-	1	2	2	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
<b>Neurofibromatosis (nonmalignant) (Q85.0)</b>													
All races, both sexes.....	99	10	9	8	9	6	10	10	5	12	10	5	5
Male.....	49	3	4	4	2	4	3	4	5	5	7	4	4
Female.....	50	7	5	4	7	2	7	6	-	7	3	1	1
White, both sexes.....	84	9	8	7	8	6	8	8	5	9	7	4	5
Male.....	42	2	4	4	2	4	1	3	5	5	5	3	4
Female.....	42	7	4	3	6	2	7	5	-	4	2	1	1
Black, both sexes.....	13	1	1	1	1	-	2	1	-	2	3	1	-
Male.....	6	1	-	-	-	-	2	-	-	-	2	1	-
Female.....	7	-	1	1	1	-	-	1	-	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-













Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified congenital malformation syndromes, not elsewhere classified (Q87.8)													
All races, both sexes.....	42	4	3	5	-	5	-	4	2	3	4	5	7
Male.....	26	3	2	4	-	3	-	3	1	2	2	3	3
Female.....	16	1	1	1	-	2	-	1	1	1	2	2	4
White, both sexes.....	34	4	2	4	-	5	-	2	1	2	3	4	7
Male.....	20	3	2	3	-	3	-	2	-	1	1	2	3
Female.....	14	1	-	1	-	2	-	-	1	1	2	2	4
Black, both sexes.....	7	-	-	1	-	-	-	2	1	1	1	1	-
Male.....	6	-	-	1	-	-	-	1	1	1	1	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations, not elsewhere classified (Q89)													
All races, both sexes.....	650	67	55	48	53	63	45	52	71	47	38	56	55
Male.....	333	21	29	30	26	32	19	25	37	26	23	29	36
Female.....	317	46	26	18	27	31	26	27	34	21	15	27	19
White, both sexes.....	497	53	38	38	38	49	35	42	58	34	28	41	43
Male.....	248	18	22	25	17	23	15	17	31	16	18	18	28
Female.....	249	35	16	13	21	26	20	25	27	18	10	23	15
Black, both sexes.....	121	12	13	9	11	9	8	9	7	10	9	13	11
Male.....	73	2	7	5	7	6	4	7	4	8	5	10	8
Female.....	48	10	6	4	4	3	4	2	3	2	4	3	3
American Indian 1/, both sexes.....	13	1	-	-	1	-	1	1	5	2	-	2	-
Male.....	6	1	-	-	-	-	-	1	2	1	-	1	-
Female.....	7	-	-	-	1	-	1	-	3	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	19	1	4	1	3	5	1	-	1	1	1	-	1
Male.....	6	-	-	-	2	3	-	-	-	1	-	-	-
Female.....	13	1	4	1	1	2	1	-	1	-	1	-	1





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Conjoined twins (Q89.4)													
All races, both sexes.....	19	4	-	-	-	2	2	-	3	-	-	4	4
Male.....	3	-	-	-	-	-	-	-	1	-	-	2	-
Female.....	16	4	-	-	-	2	2	-	2	-	-	2	4
White, both sexes.....	17	4	-	-	-	2	2	-	3	-	-	2	4
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	16	4	-	-	-	2	2	-	2	-	-	2	4
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Multiple congenital malformations, not elsewhere classified (Q89.7)													
All races, both sexes.....	311	28	25	24	27	31	23	24	29	24	19	28	29
Male.....	162	7	13	14	13	17	10	12	16	14	10	15	21
Female.....	149	21	12	10	14	14	13	12	13	10	9	13	8
White, both sexes.....	224	23	15	17	19	23	17	20	20	16	12	22	20
Male.....	117	7	8	11	8	12	8	8	12	9	7	11	16
Female.....	107	16	7	6	11	11	9	12	8	7	5	11	4
Black, both sexes.....	68	4	9	6	5	6	5	4	6	5	6	4	8
Male.....	38	-	5	3	3	4	2	4	3	3	3	3	5
Female.....	30	4	4	3	2	2	3	-	3	2	3	1	3
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	3	2	-	2	-
Male.....	3	-	-	-	-	-	-	-	1	1	-	1	-
Female.....	4	-	-	-	-	-	-	-	2	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	12	1	1	1	3	2	1	-	-	1	1	-	1
Male.....	4	-	-	-	2	1	-	-	-	1	-	-	-
Female.....	8	1	1	1	1	1	1	-	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified congenital malformations (Q89.8)													
All races, both sexes.....	64	9	5	10	9	4	4	4	5	2	4	6	2
Male.....	43	6	2	10	5	2	3	3	2	1	4	3	2
Female.....	21	3	3	-	4	2	1	1	3	1	-	3	-
White, both sexes.....	53	7	3	9	8	4	3	3	4	2	4	4	2
Male.....	37	5	1	9	5	2	2	3	2	1	4	1	2
Female.....	16	2	2	-	3	2	1	-	2	1	-	3	-
Black, both sexes.....	9	1	2	1	1	-	1	1	-	-	-	2	-
Male.....	5	-	1	1	-	-	1	-	-	-	-	2	-
Female.....	4	1	1	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformation, unspecified (Q89.9)													
All races, both sexes.....	223	21	23	11	15	24	12	23	31	19	13	15	16
Male.....	110	6	13	6	8	12	4	10	17	9	8	7	10
Female.....	113	15	10	5	7	12	8	13	14	10	5	8	6
White, both sexes.....	178	16	19	10	9	18	10	18	29	15	10	10	14
Male.....	82	5	12	5	4	8	3	6	16	5	6	4	8
Female.....	96	11	7	5	5	10	7	12	13	10	4	6	6
Black, both sexes.....	36	5	2	1	5	3	1	4	1	4	3	5	2
Male.....	25	1	1	1	4	2	1	3	1	4	2	3	2
Female.....	11	4	1	-	1	1	-	1	-	-	1	2	-
American Indian 1/, both sexes.....	3	-	-	-	1	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	2	-	-	3	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	4	-	2	-	-	1	-	-	1	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Down's syndrome, unspecified (Q90.9)													
All races, both sexes.....	865	85	93	62	76	71	69	71	58	61	70	73	76
Male.....	458	40	49	33	43	37	37	41	31	37	33	39	38
Female.....	407	45	44	29	33	34	32	30	27	24	37	34	38
White, both sexes.....	764	79	78	58	68	61	63	62	49	56	60	63	67
Male.....	400	35	41	32	38	30	33	34	26	36	28	33	34
Female.....	364	44	37	26	30	31	30	28	23	20	32	30	33
Black, both sexes.....	83	6	14	3	8	6	5	6	7	4	10	9	5
Male.....	48	5	7	1	5	5	4	5	3	1	5	5	2
Female.....	35	1	7	2	3	1	1	1	4	3	5	4	3
American Indian 1/, both sexes.....	6	-	1	-	-	1	1	1	1	-	-	-	1
Male.....	4	-	1	-	-	-	-	1	1	-	-	-	1
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	1	-	3	-	2	1	1	-	1	3
Male.....	6	-	-	-	-	2	-	1	1	-	-	1	1
Female.....	6	-	-	1	-	1	-	1	-	1	-	-	2
Edwards' syndrome and Patau's syndrome (Q91)													
All races, both sexes.....	827	94	66	71	58	66	77	62	55	69	63	78	68
Male.....	347	35	30	34	23	29	31	20	27	34	25	26	33
Female.....	480	59	36	37	35	37	46	42	28	35	38	52	35
White, both sexes.....	628	71	53	51	40	51	60	45	44	54	48	62	49
Male.....	250	22	23	24	15	21	24	12	23	25	18	21	22
Female.....	378	49	30	27	25	30	36	33	21	29	30	41	27
Black, both sexes.....	159	17	10	13	16	14	12	15	10	11	10	14	17
Male.....	72	7	6	6	6	7	4	7	3	7	5	5	9
Female.....	87	10	4	7	10	7	8	8	7	4	5	9	8
American Indian 1/, both sexes.....	10	1	2	2	-	-	1	-	1	1	1	1	-
Male.....	4	1	1	1	-	-	-	-	1	-	-	-	-
Female.....	6	-	1	1	-	-	1	-	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	30	5	1	5	2	1	4	2	-	3	4	1	2
Male.....	21	5	-	3	2	1	3	1	-	2	2	-	2
Female.....	9	-	1	2	-	-	1	1	-	1	2	1	-











Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Trisomy and partial trisomy of autosomes, unspecified (Q92.9)													
All races, both sexes.....	29	1	3	2	5	2	4	2	3	5	-	1	1
Male.....	16	-	2	1	3	1	1	2	2	3	-	-	1
Female.....	13	1	1	1	2	1	3	-	1	2	-	1	-
White, both sexes.....	20	1	2	2	3	2	4	1	1	2	-	1	1
Male.....	11	-	1	1	2	1	1	1	1	2	-	-	1
Female.....	9	1	1	1	1	1	3	-	-	-	-	1	-
Black, both sexes.....	7	-	1	-	1	-	-	1	1	3	-	-	-
Male.....	3	-	1	-	-	-	-	1	-	1	-	-	-
Female.....	4	-	-	-	1	-	-	-	1	2	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Monosomies and deletions from the autosomes, not elsewhere classified (Q93)													
All races, both sexes.....	56	8	3	7	5	4	6	3	4	2	5	3	6
Male.....	20	-	2	1	1	1	1	3	3	2	2	1	3
Female.....	36	8	1	6	4	3	5	-	1	-	3	2	3
White, both sexes.....	44	7	3	6	3	3	4	3	4	1	4	2	4
Male.....	17	-	2	1	1	1	1	3	3	1	2	-	2
Female.....	27	7	1	5	2	2	3	-	1	-	2	2	2
Black, both sexes.....	9	1	-	1	1	1	2	-	-	1	-	-	2
Male.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Female.....	7	1	-	1	1	1	2	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	-	-	-	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	1	-	-	-	-	-	1	-	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Turner's syndrome, unspecified (Q96.9)													
All races, both sexes.....	5	1	-	1	-	1	-	-	-	-	1	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	1	-	1	-	1	-	-	-	-	1	-	1
White, both sexes.....	5	1	-	1	-	1	-	-	-	-	1	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	1	-	1	-	1	-	-	-	-	1	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other sex chromosome abnormalities, female phenotype, not elsewhere classified (Q97)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified chromosome abnormalities (Q99.8)													
All races, both sexes.....	31	5	-	3	2	2	3	4	2	2	1	3	4
Male.....	18	2	-	1	2	2	3	2	1	2	-	1	2
Female.....	13	3	-	2	-	-	-	2	1	-	1	2	2
White, both sexes.....	22	3	-	2	2	2	2	3	1	2	1	1	3
Male.....	14	2	-	-	2	2	2	1	1	2	-	1	1
Female.....	8	1	-	2	-	-	-	2	-	-	1	-	2
Black, both sexes.....	4	1	-	1	-	-	-	1	-	-	-	-	1
Male.....	3	-	-	1	-	-	-	1	-	-	-	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	1	-	-	-	-	1	-	1	-	-	1	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Chromosomal abnormality, unspecified (Q99.9)													
All races, both sexes.....	93	6	11	6	5	12	7	6	3	10	7	7	13
Male.....	37	3	2	3	3	8	4	5	-	1	1	2	5
Female.....	56	3	9	3	2	4	3	1	3	9	6	5	8
White, both sexes.....	71	5	8	5	4	8	5	5	2	7	6	6	10
Male.....	31	2	2	3	3	6	3	5	-	-	1	2	4
Female.....	40	3	6	2	1	2	2	-	2	7	5	4	6
Black, both sexes.....	14	1	2	1	1	2	1	1	-	2	1	-	2
Male.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	12	-	2	1	1	2	1	1	-	1	1	-	2
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	1	1	-	1	-	-	1	1
Male.....	3	-	-	-	-	1	1	-	-	-	-	-	1
Female.....	3	-	1	-	-	-	-	-	1	-	-	1	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gangrene, not elsewhere classified (R02)													
All races, both sexes.....	120	10	7	11	4	14	7	11	8	13	10	13	12
Male.....	39	4	3	3	3	4	3	2	3	4	5	3	2
Female.....	81	6	4	8	1	10	4	9	5	9	5	10	10
White, both sexes.....	91	7	5	9	2	11	7	9	7	8	9	10	7
Male.....	30	3	2	1	2	3	3	2	3	3	5	2	1
Female.....	61	4	3	8	-	8	4	7	4	5	4	8	6
Black, both sexes.....	28	3	2	2	2	3	-	2	1	5	1	2	5
Male.....	9	1	1	2	1	1	-	-	-	1	-	1	1
Female.....	19	2	1	-	1	2	-	2	1	4	1	1	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhage from respiratory passages (R04)													
All races, both sexes.....	100	11	7	4	10	6	9	9	8	8	5	13	10
Male.....	53	7	5	1	5	5	3	7	3	6	1	9	1
Female.....	47	4	2	3	5	1	6	2	5	2	4	4	9
White, both sexes.....	74	9	4	4	7	3	6	6	6	7	4	9	9
Male.....	37	5	2	1	4	3	3	4	3	5	1	5	1
Female.....	37	4	2	3	3	-	3	2	3	2	3	4	8
Black, both sexes.....	23	1	3	-	3	2	3	2	2	1	1	4	1
Male.....	14	1	3	-	1	2	-	2	-	1	-	4	-
Female.....	9	-	-	-	2	-	3	-	2	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	1	-	1	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Abnormalities of breathing (R06)</b>													
All races, both sexes.....	221	23	23	15	16	22	14	21	17	12	15	23	20
Male.....	87	9	8	8	4	11	6	9	7	4	6	7	8
Female.....	134	14	15	7	12	11	8	12	10	8	9	16	12
White, both sexes.....	186	18	20	13	14	17	13	19	15	12	11	18	16
Male.....	72	8	6	6	2	10	6	7	7	4	5	5	6
Female.....	114	10	14	7	12	7	7	12	8	8	6	13	10
Black, both sexes.....	30	5	3	1	2	5	1	2	1	-	3	3	4
Male.....	13	1	2	1	2	1	-	2	-	-	1	1	2
Female.....	17	4	1	-	-	4	1	-	1	-	2	2	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	-	-	-	-	1	-	1	2	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	1	-	1	1	-
<b>Dyspnea (R06.0)</b>													
All races, both sexes.....	81	7	5	7	4	7	5	9	6	3	7	11	10
Male.....	42	2	2	5	2	4	4	5	4	1	4	3	6
Female.....	39	5	3	2	2	3	1	4	2	2	3	8	4
White, both sexes.....	62	5	3	6	3	5	5	7	6	3	4	8	7
Male.....	32	2	1	4	1	3	4	3	4	1	3	2	4
Female.....	30	3	2	2	2	2	1	4	2	2	1	6	3
Black, both sexes.....	18	2	2	1	1	2	-	2	-	-	2	3	3
Male.....	10	-	1	1	1	1	-	2	-	-	1	1	2
Female.....	8	2	1	-	-	1	-	-	-	-	1	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chest pain, unspecified (R07.4)													
All races, both sexes.....	11	3	-	-	1	1	2	-	-	-	1	3	-
Male.....	8	2	-	-	1	1	1	-	-	-	1	2	-
Female.....	3	1	-	-	-	-	1	-	-	-	-	1	-
White, both sexes.....	10	2	-	-	1	1	2	-	-	-	1	3	-
Male.....	8	2	-	-	1	1	1	-	-	-	1	2	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other symptoms and signs involving the circulatory and respiratory systems (R09)													
All races, both sexes.....	2,228	213	195	188	169	198	161	193	169	162	181	213	186
Male.....	952	103	82	75	74	87	76	80	70	66	72	98	69
Female.....	1,276	110	113	113	95	111	85	113	99	96	109	115	117
White, both sexes.....	1,868	182	162	151	144	173	137	159	137	142	144	184	153
Male.....	799	89	71	62	63	75	63	67	54	59	58	84	54
Female.....	1,069	93	91	89	81	98	74	92	83	83	86	100	99
Black, both sexes.....	301	27	25	33	22	22	17	28	26	17	33	24	27
Male.....	123	11	8	12	9	10	9	11	13	5	12	11	12
Female.....	178	16	17	21	13	12	8	17	13	12	21	13	15
American Indian 1/, both sexes.....	10	-	2	-	-	-	2	2	2	1	-	1	-
Male.....	7	-	1	-	-	-	2	1	1	1	-	1	-
Female.....	3	-	1	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	49	4	6	4	3	3	5	4	4	2	4	4	6
Male.....	23	3	2	1	2	2	2	1	2	1	2	2	3
Female.....	26	1	4	3	1	1	3	3	2	1	2	2	3









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nausea and vomiting (R11)													
All races, both sexes.....	10	-	-	1	-	1	1	1	-	-	-	1	5
Male.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Female.....	8	-	-	1	-	1	1	-	-	-	-	1	4
White, both sexes.....	10	-	-	1	-	1	1	1	-	-	-	1	5
Male.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Female.....	8	-	-	1	-	1	1	-	-	-	-	1	4
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysphagia (R13)													
All races, both sexes.....	70	7	4	9	5	3	6	8	4	4	6	9	5
Male.....	23	5	1	3	1	2	-	2	-	3	1	3	2
Female.....	47	2	3	6	4	1	6	6	4	1	5	6	3
White, both sexes.....	64	6	4	8	5	3	5	7	3	4	6	9	4
Male.....	21	4	1	2	1	2	-	2	-	3	1	3	2
Female.....	43	2	3	6	4	1	5	5	3	1	5	6	2
Black, both sexes.....	3	1	-	1	-	-	1	-	-	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	1	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	1	-	-	-	1







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other symptoms and signs involving the digestive system and abdomen (R19)													
All races, both sexes.....	183	8	22	17	20	14	12	15	18	10	8	16	23
Male.....	52	5	2	5	4	4	1	2	5	1	2	8	13
Female.....	131	3	20	12	16	10	11	13	13	9	6	8	10
White, both sexes.....	167	8	20	16	20	12	11	14	15	9	7	12	23
Male.....	46	5	2	4	4	2	1	2	5	1	2	5	13
Female.....	121	3	18	12	16	10	10	12	10	8	5	7	10
Black, both sexes.....	13	-	2	1	-	2	-	1	2	-	1	4	-
Male.....	6	-	-	1	-	2	-	-	-	-	-	3	-
Female.....	7	-	2	-	-	-	-	1	2	-	1	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Intra-abdominal and pelvic swelling, mass, and lump (R19.0)													
All races, both sexes.....	38	2	6	2	1	3	3	1	5	5	4	4	2
Male.....	8	1	1	-	-	1	1	-	-	1	-	2	1
Female.....	30	1	5	2	1	2	2	1	5	4	4	2	1
White, both sexes.....	33	2	5	2	1	3	2	1	3	5	3	4	2
Male.....	8	1	1	-	-	1	1	-	-	1	-	2	1
Female.....	25	1	4	2	1	2	1	1	3	4	3	2	1
Black, both sexes.....	3	-	1	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pain, unspecified (R52.9)													
All races, both sexes.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaise and fatigue (R53)													
All races, both sexes.....	1,002	96	70	100	99	76	53	60	65	92	74	100	117
Male.....	301	25	26	25	32	18	14	23	19	30	24	28	37
Female.....	701	71	44	75	67	58	39	37	46	62	50	72	80
White, both sexes.....	900	89	59	91	85	68	48	55	56	87	69	90	103
Male.....	258	23	19	20	27	15	13	21	15	28	21	26	30
Female.....	642	66	40	71	58	53	35	34	41	59	48	64	73
Black, both sexes.....	94	7	9	8	14	7	5	5	9	4	5	9	12
Male.....	41	2	6	5	5	3	1	2	4	2	3	2	6
Female.....	53	5	3	3	9	4	4	3	5	2	2	7	6
American Indian 1/, both sexes.....	3	-	-	1	-	-	-	-	-	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	5	-	2	-	-	1	-	-	-	-	-	1	1
Male.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	1	-	-	1	-	-	-	-	-	1	-



















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Edema, unspecified (R60.9)													
All races, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-	1
White, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Lack of expected normal physiological development (R62)													
All races, both sexes.....	2,648	252	249	238	212	202	188	206	210	204	239	234	214
Male.....	696	64	73	60	56	67	46	63	56	43	66	51	51
Female.....	1,952	188	176	178	156	135	142	143	154	161	173	183	163
White, both sexes.....	2,349	220	225	204	194	175	161	183	185	177	218	209	198
Male.....	607	54	64	54	53	59	36	57	44	37	57	47	45
Female.....	1,742	166	161	150	141	116	125	126	141	140	161	162	153
Black, both sexes.....	264	26	23	33	15	24	24	18	22	24	19	22	14
Male.....	74	8	9	5	2	7	7	4	11	6	8	3	4
Female.....	190	18	14	28	13	17	17	14	11	18	11	19	10
American Indian 1/, both sexes.....	5	-	-	-	1	-	1	-	-	-	-	2	1
Male.....	3	-	-	-	-	-	1	-	-	-	-	1	1
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	30	6	1	1	2	3	2	5	3	3	2	1	1
Male.....	12	2	-	1	1	1	2	2	1	-	1	-	1
Female.....	18	4	1	-	1	2	-	3	2	3	1	1	-























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Abnormal results of cardiovascular function studies (R94.3)													
All races, both sexes.....	3	-	-	-	1	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	1	-	-	1	-	-	-
White, both sexes.....	3	-	-	-	1	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	1	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden infant death syndrome (R95)													
All races, both sexes.....	2,246	215	201	181	208	178	178	165	169	188	181	198	184
Male.....	1,328	117	125	96	122	113	112	96	106	112	115	112	102
Female.....	918	98	76	85	86	65	66	69	63	76	66	86	82
White, both sexes.....	1,441	143	124	108	122	116	117	97	109	126	122	132	125
Male.....	848	79	80	55	75	69	69	59	68	77	78	71	68
Female.....	593	64	44	53	47	47	48	38	41	49	44	61	57
Black, both sexes.....	726	65	69	66	77	56	55	64	55	56	49	60	54
Male.....	436	36	40	39	42	41	38	35	34	32	31	37	31
Female.....	290	29	29	27	35	15	17	29	21	24	18	23	23
American Indian 1/, both sexes.....	41	3	4	3	4	3	4	2	2	4	5	4	3
Male.....	23	1	2	1	2	1	3	1	2	2	3	3	2
Female.....	18	2	2	2	2	2	1	1	-	2	2	1	1
Asian or Pacific Islander 2/, both sexes.....	38	4	4	4	5	3	2	2	3	2	5	2	2
Male.....	21	1	3	1	3	2	2	1	2	1	3	1	1
Female.....	17	3	1	3	2	1	-	1	1	1	2	1	1



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unattended death (R98)													
All races, both sexes.....	23	1	2	4	1	4	1	1	1	2	4	1	1
Male.....	17	1	2	3	1	2	1	1	1	1	3	-	1
Female.....	6	-	-	1	-	2	-	-	-	1	1	1	-
White, both sexes.....	16	1	1	2	1	3	1	1	1	1	2	1	1
Male.....	11	1	1	2	1	1	1	1	1	-	1	-	1
Female.....	5	-	-	-	-	2	-	-	-	1	1	1	-
Black, both sexes.....	7	-	1	2	-	1	-	-	-	1	2	-	-
Male.....	6	-	1	1	-	1	-	-	-	1	2	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-defined and unspecified causes of mortality (R99)													
All races, both sexes.....	13,044	1,094	1,056	1,022	993	958	966	976	1,050	1,068	1,152	1,206	1,503
Male.....	7,236	578	583	543	552	520	549	541	583	617	627	684	859
Female.....	5,808	516	473	479	441	438	417	435	467	451	525	522	644
White, both sexes.....	10,701	923	878	859	805	781	789	793	861	855	938	997	1,222
Male.....	5,907	487	485	455	439	420	451	444	473	489	510	564	690
Female.....	4,794	436	393	404	366	361	338	349	388	366	428	433	532
Black, both sexes.....	2,052	149	156	149	164	145	146	160	160	186	192	193	252
Male.....	1,153	75	85	80	97	80	79	88	90	112	105	110	152
Female.....	899	74	71	69	67	65	67	72	70	74	87	83	100
American Indian 1/, both sexes.....	112	9	12	7	6	11	12	10	11	9	8	6	11
Male.....	73	5	7	3	5	6	8	5	9	7	7	3	8
Female.....	39	4	5	4	1	5	4	5	2	2	1	3	3
Asian or Pacific Islander 2/, both sexes.....	179	13	10	7	18	21	19	13	18	18	14	10	18
Male.....	103	11	6	5	11	14	11	4	11	9	5	7	9
Female.....	76	2	4	2	7	7	8	9	7	9	9	3	9



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in collision with pedal cycle, traffic accident (V01.1)													
All races, both sexes.....	4	-	-	-	-	-	2	-	-	-	2	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	1	-	-
White, both sexes.....	4	-	-	-	-	-	2	-	-	-	2	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian injured in collision with pedal cycle, unspecified whether traffic or nontraffic accident (V01.9)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in collision with two- or three-wheeled motor vehicle, traffic accident (V02.1)													
All races, both sexes.....	31	1	2	1	-	2	7	3	6	1	4	2	2
Male.....	21	1	1	1	-	1	4	2	5	1	2	1	2
Female.....	10	-	1	-	-	1	3	1	1	-	2	1	-
White, both sexes.....	23	1	2	1	-	1	3	2	6	-	4	2	1
Male.....	17	1	1	1	-	1	2	2	5	-	2	1	1
Female.....	6	-	1	-	-	-	1	-	1	-	2	1	-
Black, both sexes.....	5	-	-	-	-	1	2	1	-	1	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	3	-	-	-	-	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian injured in collision with car, pick-up truck, or van (V03)													
All races, both sexes.....	3,035	263	229	248	213	236	222	228	226	267	277	290	336
Male.....	2,065	175	160	175	158	157	148	172	136	172	176	206	230
Female.....	970	88	69	73	55	79	74	56	90	95	101	84	106
White, both sexes.....	2,371	204	176	191	160	185	184	179	158	215	221	229	269
Male.....	1,614	134	122	130	117	125	125	138	99	138	139	162	185
Female.....	757	70	54	61	43	60	59	41	59	77	82	67	84
Black, both sexes.....	485	41	35	42	47	45	28	34	46	41	37	46	43
Male.....	347	29	29	33	37	29	19	25	24	28	29	34	31
Female.....	138	12	6	9	10	16	9	9	22	13	8	12	12
American Indian 1/, both sexes.....	66	3	8	4	2	1	4	11	6	3	8	4	12
Male.....	51	3	5	3	2	-	3	7	5	2	7	4	10
Female.....	15	-	3	1	-	1	1	4	1	1	1	-	2
Asian or Pacific Islander 2/, both sexes.....	113	15	10	11	4	5	6	4	16	8	11	11	12
Male.....	53	9	4	9	2	3	1	2	8	4	1	6	4
Female.....	60	6	6	2	2	2	5	2	8	4	10	5	8

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in collision with car, pick-up truck, or van, nontraffic accident (V03.0)													
All races, both sexes.....	231	14	10	16	22	24	21	31	18	15	24	18	18
Male.....	148	8	6	12	17	17	10	22	10	9	13	15	9
Female.....	83	6	4	4	5	7	11	9	8	6	11	3	9
White, both sexes.....	200	11	8	10	19	21	21	26	16	13	22	15	18
Male.....	129	6	5	8	14	15	10	20	10	7	13	12	9
Female.....	71	5	3	2	5	6	11	6	6	6	9	3	9
Black, both sexes.....	22	1	1	6	3	3	-	1	1	2	1	3	-
Male.....	16	-	1	4	3	2	-	1	-	2	-	3	-
Female.....	6	1	-	2	-	1	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	6	1	-	-	-	-	-	4	-	-	1	-	-
Male.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	3	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	1	-	-	-	-	-	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Pedestrian injured in collision with car, pick-up truck, or van, traffic accident (V03.1)													
All races, both sexes.....	2,790	249	217	230	191	212	201	195	207	250	252	270	316
Male.....	1,908	167	153	161	141	140	138	149	126	161	162	190	220
Female.....	882	82	64	69	50	72	63	46	81	89	90	80	96
White, both sexes.....	2,159	193	166	180	141	164	163	151	141	200	198	213	249
Male.....	1,478	128	116	121	103	110	115	117	89	129	125	150	175
Female.....	681	65	50	59	38	54	48	34	52	71	73	63	74
Black, both sexes.....	461	40	34	35	44	42	28	33	45	39	36	42	43
Male.....	329	29	28	28	34	27	19	24	24	26	29	30	31
Female.....	132	11	6	7	10	15	9	9	21	13	7	12	12
American Indian 1/, both sexes.....	60	2	8	4	2	1	4	7	6	3	7	4	12
Male.....	49	2	5	3	2	-	3	6	5	2	7	4	10
Female.....	11	-	3	1	-	1	1	1	1	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	110	14	9	11	4	5	6	4	15	8	11	11	12
Male.....	52	8	4	9	2	3	1	2	8	4	1	6	4
Female.....	58	6	5	2	2	2	5	2	7	4	10	5	8

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in collision with car, pick-up truck, or van, unspecified whether traffic or nontraffic accident (V03.9)													
All races, both sexes.....	14	-	2	2	-	-	-	2	1	2	1	2	2
Male.....	9	-	1	2	-	-	-	1	-	2	1	1	1
Female.....	5	-	1	-	-	-	-	1	1	-	-	1	1
White, both sexes.....	12	-	2	1	-	-	-	2	1	2	1	1	2
Male.....	7	-	1	1	-	-	-	1	-	2	1	-	1
Female.....	5	-	1	-	-	-	-	1	1	-	-	1	1
Black, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian injured in collision with heavy transport vehicle or bus (V04)													
All races, both sexes.....	293	23	25	22	24	19	14	18	28	22	37	25	36
Male.....	224	16	19	18	20	17	11	14	19	14	30	17	29
Female.....	69	7	6	4	4	2	3	4	9	8	7	8	7
White, both sexes.....	240	20	20	16	21	16	10	15	25	15	33	17	32
Male.....	186	14	15	12	17	15	10	11	19	8	27	11	27
Female.....	54	6	5	4	4	1	-	4	6	7	6	6	5
Black, both sexes.....	46	1	4	6	2	3	3	3	2	6	4	8	4
Male.....	35	1	3	6	2	2	1	3	-	6	3	6	2
Female.....	11	-	1	-	-	1	2	-	2	-	1	2	2
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	1	-	-	-	1	-	1	1	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	-	-	1	-	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in collision with heavy transport vehicle or bus, nontraffic accident (V04.0)													
All races, both sexes.....	59	3	3	1	4	4	6	5	6	6	7	7	7
Male.....	49	3	2	1	4	4	4	4	5	4	6	5	7
Female.....	10	-	1	-	-	-	2	1	1	2	1	2	-
White, both sexes.....	53	3	3	1	4	2	4	5	5	6	7	7	6
Male.....	46	3	2	1	4	2	4	4	5	4	6	5	6
Female.....	7	-	1	-	-	-	-	1	-	2	1	2	-
Black, both sexes.....	6	-	-	-	-	2	2	-	1	-	-	-	1
Male.....	3	-	-	-	-	2	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian injured in collision with heavy transport vehicle or bus, traffic accident (V04.1)													
All races, both sexes.....	229	19	22	21	20	14	8	13	22	16	29	18	27
Male.....	171	13	17	17	16	12	7	10	14	10	23	12	20
Female.....	58	6	5	4	4	2	1	3	8	6	6	6	7
White, both sexes.....	182	16	17	15	17	13	6	10	20	9	25	10	24
Male.....	136	11	13	11	13	12	6	7	14	4	20	6	19
Female.....	46	5	4	4	4	1	-	3	6	5	5	4	5
Black, both sexes.....	40	1	4	6	2	1	1	3	1	6	4	8	3
Male.....	32	1	3	6	2	-	1	3	-	6	3	6	1
Female.....	8	-	1	-	-	1	-	-	1	-	1	2	2
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	1	-	-	-	1	-	1	1	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	-	-	1	-	1	1	-	-	-











Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in unspecified nontraffic accident (V09.1)													
All races, both sexes.....	158	11	5	8	13	9	9	10	15	25	18	11	24
Male.....	110	7	4	4	8	8	8	6	11	22	13	6	13
Female.....	48	4	1	4	5	1	1	4	4	3	5	5	11
White, both sexes.....	127	9	5	7	11	7	8	7	11	18	15	10	19
Male.....	86	6	4	4	6	6	7	4	8	15	10	6	10
Female.....	41	3	1	3	5	1	1	3	3	3	5	4	9
Black, both sexes.....	23	1	-	1	2	2	1	2	1	6	3	-	4
Male.....	19	-	-	-	2	2	1	2	1	6	3	-	2
Female.....	4	1	-	1	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	3	1	-	-	-	-	-	-	1	-	-	-	1
Male.....	3	1	-	-	-	-	-	-	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	1	2	1	-	1	-
Male.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	3	-	-	-	-	-	-	1	1	-	-	1	-
Pedestrian injured in traffic accident involving other and unspecified motor vehicles (V09.2)													
All races, both sexes.....	1,770	157	148	110	117	135	148	139	139	152	162	191	172
Male.....	1,246	118	102	87	83	98	105	103	99	96	109	127	119
Female.....	524	39	46	23	34	37	43	36	40	56	53	64	53
White, both sexes.....	1,270	109	105	83	89	91	103	103	107	105	113	140	122
Male.....	884	82	71	65	64	67	74	72	76	64	71	96	82
Female.....	386	27	34	18	25	24	29	31	31	41	42	44	40
Black, both sexes.....	370	36	33	21	17	32	34	32	23	35	38	40	29
Male.....	279	29	22	17	11	23	27	27	18	25	31	26	23
Female.....	91	7	11	4	6	9	7	5	5	10	7	14	6
American Indian 1/, both sexes.....	43	5	4	1	3	6	3	2	4	5	2	2	6
Male.....	34	4	4	1	3	4	2	2	4	3	2	-	5
Female.....	9	1	-	-	-	2	1	-	-	2	-	2	1
Asian or Pacific Islander 2/, both sexes.....	87	7	6	5	8	6	8	2	5	7	9	9	15
Male.....	49	3	5	4	5	4	2	2	1	4	5	5	9
Female.....	38	4	1	1	3	2	6	-	4	3	4	4	6

























































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Motorcycle rider injured in collision with two- or three-wheeled motor vehicle, unspecified motorcycle rider injured in traffic accident (V22.9)													
All races, both sexes.....	8	-	-	-	1	1	2	-	1	2	1	-	-
Male.....	7	-	-	-	1	1	2	-	1	1	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	8	-	-	-	1	1	2	-	1	2	1	-	-
Male.....	7	-	-	-	1	1	2	-	1	1	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Motorcycle rider injured in collision with car, pick-up truck, or van (V23)													
All races, both sexes.....	1,213	52	43	100	84	129	137	159	143	143	103	76	44
Male.....	1,080	50	41	88	77	109	119	144	128	123	92	69	40
Female.....	133	2	2	12	7	20	18	15	15	20	11	7	4
White, both sexes.....	1,062	45	34	89	73	114	121	141	125	124	90	66	40
Male.....	933	43	32	77	66	95	104	127	111	104	79	59	36
Female.....	129	2	2	12	7	19	17	14	14	20	11	7	4
Black, both sexes.....	131	7	8	10	10	13	11	17	15	16	10	10	4
Male.....	129	7	8	10	10	13	11	16	14	16	10	10	4
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	-	1	2	-	-	2	-	-	-
Male.....	5	-	-	-	-	1	2	-	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	1	1	1	1	3	1	3	1	3	-	-
Male.....	13	-	1	1	1	-	2	1	3	1	3	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Motorcycle rider injured in collision with car, pick-up truck, or van, driver injured in traffic accident (V23.4)													
All races, both sexes.....	960	48	38	80	65	94	106	127	111	110	83	63	35
Male.....	917	46	37	77	62	92	101	124	105	101	78	60	34
Female.....	43	2	1	3	3	2	5	3	6	9	5	3	1
White, both sexes.....	836	42	29	71	56	83	91	112	98	96	72	54	32
Male.....	795	40	28	68	53	81	87	109	93	87	67	51	31
Female.....	41	2	1	3	3	2	4	3	5	9	5	3	1
Black, both sexes.....	109	6	8	9	8	10	10	14	11	12	9	9	3
Male.....	108	6	8	9	8	10	10	14	10	12	9	9	3
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	1	2	-	-	1	-	-	-
Male.....	4	-	-	-	-	1	2	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	1	-	1	-	3	1	2	1	2	-	-
Male.....	10	-	1	-	1	-	2	1	2	1	2	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Motorcycle rider injured in collision with car, pick-up truck, or van, passenger injured in traffic accident (V23.5)													
All races, both sexes.....	102	1	2	8	4	19	18	14	12	13	5	3	3
Male.....	28	1	1	-	1	3	8	3	5	4	1	-	1
Female.....	74	-	1	8	3	16	10	11	7	9	4	3	2
White, both sexes.....	95	1	2	8	4	18	17	12	11	12	4	3	3
Male.....	23	1	1	-	1	3	7	2	4	3	-	-	1
Female.....	72	-	1	8	3	15	10	10	7	9	4	3	2
Black, both sexes.....	6	-	-	-	-	-	1	2	1	1	1	-	-
Male.....	5	-	-	-	-	-	1	1	1	1	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Motorcycle rider injured in collision with fixed or stationary object, unspecified motorcycle rider injured in nontraffic accident (V27.2)													
All races, both sexes.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Motorcycle rider injured in collision with fixed or stationary object, driver injured in traffic accident (V27.4)													
All races, both sexes.....	620	18	29	35	48	76	81	92	83	59	49	28	22
Male.....	608	18	29	33	48	74	81	89	82	57	49	27	21
Female.....	12	-	-	2	-	2	-	3	1	2	-	1	1
White, both sexes.....	529	15	25	28	39	65	66	78	72	48	46	25	22
Male.....	518	15	25	26	39	63	66	75	71	47	46	24	21
Female.....	11	-	-	2	-	2	-	3	1	1	-	1	1
Black, both sexes.....	74	2	4	7	8	9	13	8	9	9	3	2	-
Male.....	74	2	4	7	8	9	13	8	9	9	3	2	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	10	-	-	-	1	1	-	4	2	1	-	1	-
Male.....	10	-	-	-	1	1	-	4	2	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	-	1	2	2	-	1	-	-	-
Male.....	6	1	-	-	-	1	2	2	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Motorcycle rider injured in noncollision transport accident, driver injured in traffic accident (V28.4)													
All races, both sexes.....	419	10	12	25	62	48	38	62	57	52	32	13	8
Male.....	400	10	12	23	60	48	35	58	52	51	31	12	8
Female.....	19	-	-	2	2	-	3	4	5	1	1	1	-
White, both sexes.....	380	10	10	25	54	40	35	55	54	50	28	11	8
Male.....	363	10	10	23	53	40	32	51	49	49	27	11	8
Female.....	17	-	-	2	1	-	3	4	5	1	1	-	-
Black, both sexes.....	26	-	2	-	6	4	1	5	2	2	3	1	-
Male.....	26	-	2	-	6	4	1	5	2	2	3	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	2	1	-	1	-	-	-	-
Male.....	4	-	-	-	-	2	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	2	2	1	2	-	-	1	1	-
Male.....	7	-	-	-	1	2	1	2	-	-	1	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Motorcycle rider injured in noncollision transport accident, passenger injured in traffic accident (V28.5)													
All races, both sexes.....	54	1	1	-	6	11	7	9	6	5	5	2	1
Male.....	17	-	1	-	3	2	3	3	2	2	-	-	1
Female.....	37	1	-	-	3	9	4	6	4	3	5	2	-
White, both sexes.....	51	1	1	-	6	10	6	8	6	5	5	2	1
Male.....	17	-	1	-	3	2	3	3	2	2	-	-	1
Female.....	34	1	-	-	3	8	3	5	4	3	5	2	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Motorcycle rider injured in noncollision transport accident, unspecified motorcycle rider injured in traffic accident (V28.9)													
All races, both sexes.....	97	4	-	7	10	12	9	17	15	11	6	3	3
Male.....	84	4	-	7	10	12	9	15	11	9	5	1	1
Female.....	13	-	-	-	-	-	-	2	4	2	1	2	2
White, both sexes.....	88	3	-	6	8	12	7	16	14	10	6	3	3
Male.....	75	3	-	6	8	12	7	14	10	8	5	1	1
Female.....	13	-	-	-	-	-	-	2	4	2	1	2	2
Black, both sexes.....	9	1	-	1	2	-	2	1	1	1	-	-	-
Male.....	9	1	-	1	2	-	2	1	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Motorcycle rider injured in other and unspecified transport accidents (V29)													
All races, both sexes.....	1,159	20	30	70	102	123	137	184	157	136	104	57	39
Male.....	1,041	18	26	61	94	112	128	162	136	125	92	50	37
Female.....	118	2	4	9	8	11	9	22	21	11	12	7	2
White, both sexes.....	991	19	25	56	89	100	117	157	134	121	89	50	34
Male.....	888	17	21	48	82	91	111	138	113	112	78	45	32
Female.....	103	2	4	8	7	9	6	19	21	9	11	5	2
Black, both sexes.....	139	1	4	10	12	21	18	17	18	14	13	6	5
Male.....	128	1	4	9	11	19	16	16	18	12	13	4	5
Female.....	11	-	-	1	1	2	2	1	-	2	-	2	-
American Indian 1/, both sexes.....	8	-	-	-	-	2	1	3	1	1	-	-	-
Male.....	7	-	-	-	-	2	-	3	1	1	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	-	1	4	1	-	1	7	4	-	2	1	-
Male.....	18	-	1	4	1	-	1	5	4	-	1	1	-
Female.....	3	-	-	-	-	-	-	2	-	-	1	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Motorcycle rider (any) injured in unspecified nontraffic accident (V29.3)													
All races, both sexes.....	16	-	-	2	-	2	3	2	3	1	1	-	2
Male.....	16	-	-	2	-	2	3	2	3	1	1	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	15	-	-	2	-	2	2	2	3	1	1	-	2
Male.....	15	-	-	2	-	2	2	2	3	1	1	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Driver (motorcycle) injured in collision with other and unspecified motor vehicles in traffic accident (V29.4)													
All races, both sexes.....	409	5	12	22	39	41	50	60	58	56	30	22	14
Male.....	390	4	11	20	39	38	48	57	55	54	29	21	14
Female.....	19	1	1	2	-	3	2	3	3	2	1	1	-
White, both sexes.....	346	5	8	18	34	32	39	54	49	53	22	20	12
Male.....	329	4	7	16	34	29	37	52	46	51	21	20	12
Female.....	17	1	1	2	-	3	2	2	3	2	1	-	-
Black, both sexes.....	49	-	4	3	4	7	10	3	5	3	7	1	2
Male.....	48	-	4	3	4	7	10	3	5	3	7	-	2
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	3	-	-	-	-	2	-	-	1	-	-	-	-
Male.....	3	-	-	-	-	2	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	1	1	-	1	3	3	-	1	1	-
Male.....	10	-	-	1	1	-	1	2	3	-	1	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Motorcycle rider (any) injured in other specified transport accidents (V29.8)													
All races, both sexes.....	6	-	-	-	-	-	4	-	1	1	-	-	-
Male.....	5	-	-	-	-	-	4	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	5	-	-	-	-	-	4	-	-	1	-	-	-
Male.....	4	-	-	-	-	-	4	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Motorcycle rider (any) injured in unspecified traffic accident (V29.9)													
All races, both sexes.....	624	13	14	40	54	71	70	103	77	72	63	29	18
Male.....	565	12	12	35	49	67	65	93	65	67	58	24	18
Female.....	59	1	2	5	5	4	5	10	12	5	5	5	-
White, both sexes.....	533	12	13	32	47	58	63	85	65	61	57	24	16
Male.....	485	11	11	27	42	56	61	77	53	58	53	20	16
Female.....	48	1	2	5	5	2	2	8	12	3	4	4	-
Black, both sexes.....	77	1	-	6	7	13	6	11	11	10	5	5	2
Male.....	69	1	-	6	7	11	4	10	11	8	5	4	2
Female.....	8	-	-	-	-	2	2	1	-	2	-	1	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	1	3	-	1	-	-	-
Male.....	4	-	-	-	-	-	-	3	-	1	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	1	2	-	-	-	4	1	-	1	-	-
Male.....	7	-	1	2	-	-	-	3	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-



























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with two- or three-wheeled motor vehicle, unspecified car occupant injured in traffic accident (V42.9)													
All races, both sexes.....	6	-	-	-	1	-	1	2	-	1	-	1	-
Male.....	5	-	-	-	1	-	1	1	-	1	-	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	6	-	-	-	1	-	1	2	-	1	-	1	-
Male.....	5	-	-	-	1	-	1	1	-	1	-	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant injured in collision with car, pick-up truck, or van (V43)													
All races, both sexes.....	5,311	418	454	440	443	467	464	446	421	368	479	477	434
Male.....	2,859	230	263	215	213	256	253	226	204	208	271	263	257
Female.....	2,452	188	191	225	230	211	211	220	217	160	208	214	177
White, both sexes.....	4,450	356	381	376	363	398	391	361	352	315	402	406	349
Male.....	2,379	201	222	178	176	216	204	183	170	179	227	224	199
Female.....	2,071	155	159	198	187	182	187	178	182	136	175	182	150
Black, both sexes.....	635	41	53	51	53	51	48	70	51	37	61	51	68
Male.....	357	21	28	31	31	31	32	35	24	19	35	25	45
Female.....	278	20	25	20	22	20	16	35	27	18	26	26	23
American Indian 1/, both sexes.....	94	9	7	3	15	8	12	3	3	5	9	11	9
Male.....	54	4	5	2	2	3	8	2	2	3	6	8	9
Female.....	40	5	2	1	13	5	4	1	1	2	3	3	-
Asian or Pacific Islander 2/, both sexes.....	132	12	13	10	12	10	13	12	15	11	7	9	8
Male.....	69	4	8	4	4	6	9	6	8	7	3	6	4
Female.....	63	8	5	6	8	4	4	6	7	4	4	3	4



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with car, pick-up truck, or van, person injured while boarding or alighting (V43.4)													
All races, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant injured in collision with car, pick-up truck, or van, driver injured in traffic accident (V43.5)													
All races, both sexes.....	3,210	240	278	271	271	275	281	262	263	226	273	305	265
Male.....	1,862	146	174	138	150	162	163	150	134	133	168	181	163
Female.....	1,348	94	104	133	121	113	118	112	129	93	105	124	102
White, both sexes.....	2,696	201	234	233	224	233	235	215	224	193	231	265	208
Male.....	1,546	125	146	115	123	135	129	124	113	112	141	158	125
Female.....	1,150	76	88	118	101	98	106	91	111	81	90	107	83
Black, both sexes.....	394	28	33	32	36	32	34	39	26	25	37	28	44
Male.....	243	15	20	21	24	22	25	21	14	14	23	16	28
Female.....	151	13	13	11	12	10	9	18	12	11	14	12	16
American Indian 1/, both sexes.....	48	3	4	2	7	4	5	1	1	3	3	8	7
Male.....	33	3	4	1	1	2	4	1	-	2	2	6	7
Female.....	15	-	-	1	6	2	1	-	1	1	1	2	-
Asian or Pacific Islander 2/, both sexes.....	72	8	7	4	4	6	7	7	12	5	2	4	6
Male.....	40	3	4	1	2	3	5	4	7	5	2	1	3
Female.....	32	5	3	3	2	3	2	3	5	-	-	3	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with car, pick-up truck, or van, passenger injured in traffic accident (V43.6)													
All races, both sexes.....	1,632	137	141	136	139	145	153	149	112	112	156	122	130
Male.....	727	61	68	53	48	70	72	59	41	57	74	56	68
Female.....	905	76	73	83	91	75	81	90	71	55	82	66	62
White, both sexes.....	1,356	115	118	116	108	124	131	121	87	95	129	103	109
Male.....	610	54	58	44	40	60	61	46	32	51	63	47	54
Female.....	746	61	60	72	68	64	70	75	55	44	66	56	55
Black, both sexes.....	182	13	15	14	16	15	9	23	20	10	16	14	17
Male.....	75	6	5	6	6	7	3	11	6	4	6	4	11
Female.....	107	7	10	8	10	8	6	12	14	6	10	10	6
American Indian 1/, both sexes.....	43	5	3	1	8	3	7	2	2	2	6	2	2
Male.....	20	-	1	1	1	1	4	1	2	1	4	2	2
Female.....	23	5	2	-	7	2	3	1	-	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	51	4	5	5	7	3	6	3	3	5	5	3	2
Male.....	22	1	4	2	1	2	4	1	1	1	1	3	1
Female.....	29	3	1	3	6	1	2	2	2	4	4	-	1
Car occupant injured in collision with car, pick-up truck, or van, unspecified car occupant injured in traffic accident (V43.9)													
All races, both sexes.....	461	41	34	33	32	45	29	35	45	29	49	50	39
Male.....	266	23	21	24	14	22	18	17	29	17	29	26	26
Female.....	195	18	13	9	18	23	11	18	16	12	20	24	13
White, both sexes.....	392	40	28	27	30	40	24	25	40	26	42	38	32
Male.....	220	22	18	19	12	20	14	13	25	15	23	19	20
Female.....	172	18	10	8	18	20	10	12	15	11	19	19	12
Black, both sexes.....	58	-	5	5	1	4	5	8	5	2	7	9	7
Male.....	39	-	3	4	1	2	4	3	4	1	6	5	6
Female.....	19	-	2	1	-	2	1	5	1	1	1	4	1
American Indian 1/, both sexes.....	3	1	-	-	-	1	-	-	-	-	-	1	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	8	-	1	1	1	-	-	2	-	1	-	2	-
Male.....	6	-	-	1	1	-	-	1	-	1	-	2	-
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with heavy transport vehicle or bus (V44)													
All races, both sexes.....	1,200	128	110	84	99	95	93	94	111	102	99	81	104
Male.....	687	72	60	39	63	52	57	57	58	60	50	49	70
Female.....	513	56	50	45	36	43	36	37	53	42	49	32	34
White, both sexes.....	1,049	118	97	75	81	81	78	79	92	90	90	72	96
Male.....	596	63	54	32	52	45	48	49	47	52	44	44	66
Female.....	453	55	43	43	29	36	30	30	45	38	46	28	30
Black, both sexes.....	123	9	12	8	15	9	14	13	13	9	9	8	4
Male.....	74	9	6	6	9	4	8	6	8	6	6	4	2
Female.....	49	-	6	2	6	5	6	7	5	3	3	4	2
American Indian 1/, both sexes.....	8	1	1	-	1	1	-	-	3	-	-	1	-
Male.....	5	-	-	-	1	1	-	-	2	-	-	1	-
Female.....	3	1	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	1	2	4	1	2	3	3	-	-	4
Male.....	12	-	-	1	1	2	1	2	1	2	-	-	2
Female.....	8	-	-	-	1	2	-	-	2	1	-	-	2
Car occupant injured in collision with heavy transport vehicle or bus, driver injured in traffic accident (V44.5)													
All races, both sexes.....	825	86	72	58	61	65	62	66	88	69	63	57	78
Male.....	499	50	44	30	39	37	39	41	50	45	33	35	56
Female.....	326	36	28	28	22	28	23	25	38	24	30	22	22
White, both sexes.....	726	79	63	50	51	56	53	57	75	61	57	52	72
Male.....	432	44	39	24	31	33	31	36	41	39	29	32	53
Female.....	294	35	24	26	20	23	22	21	34	22	28	20	19
Black, both sexes.....	81	6	9	7	8	6	8	7	9	6	6	5	4
Male.....	55	6	5	5	6	3	7	3	7	4	4	3	2
Female.....	26	-	4	2	2	3	1	4	2	2	2	2	2
American Indian 1/, both sexes.....	4	1	-	-	1	-	-	-	2	-	-	-	-
Male.....	3	-	-	-	1	-	-	-	2	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	1	1	3	1	2	2	2	-	-	2
Male.....	9	-	-	1	1	1	1	2	-	2	-	-	1
Female.....	5	-	-	-	-	2	-	-	2	-	-	-	1













Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with other nonmotor vehicle, unspecified car occupant injured in traffic accident (V46.9)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant injured in collision with fixed or stationary object (V47)													
All races, both sexes.....	3,538	302	274	272	284	293	326	298	315	267	308	307	292
Male.....	2,465	216	196	193	213	199	224	202	217	183	208	207	207
Female.....	1,073	86	78	79	71	94	102	96	98	84	100	100	85
White, both sexes.....	2,875	255	229	211	234	238	264	237	271	221	230	253	232
Male.....	2,006	181	161	152	173	164	186	159	179	154	164	171	162
Female.....	869	74	68	59	61	74	78	78	92	67	66	82	70
Black, both sexes.....	532	38	35	47	40	46	49	49	36	34	60	48	50
Male.....	373	31	27	30	33	30	31	38	31	21	32	34	35
Female.....	159	7	8	17	7	16	18	11	5	13	28	14	15
American Indian 1/, both sexes.....	49	3	5	4	2	2	5	9	2	4	9	2	2
Male.....	31	3	4	3	2	-	2	3	2	4	6	-	2
Female.....	18	-	1	1	-	2	3	6	-	-	3	2	-
Asian or Pacific Islander 2/, both sexes.....	82	6	5	10	8	7	8	3	6	8	9	4	8
Male.....	55	1	4	8	5	5	5	2	5	4	6	2	8
Female.....	27	5	1	2	3	2	3	1	1	4	3	2	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with fixed or stationary object, driver injured in traffic accident (V47.5)													
All races, both sexes.....	2,310	202	172	185	176	179	213	204	206	170	205	206	192
Male.....	1,686	154	129	138	139	133	150	150	146	118	151	134	144
Female.....	624	48	43	47	37	46	63	54	60	52	54	72	48
White, both sexes.....	1,894	174	147	143	143	150	173	165	176	142	157	174	150
Male.....	1,378	131	108	109	111	112	125	118	120	98	120	116	110
Female.....	516	43	39	34	32	38	48	47	56	44	37	58	40
Black, both sexes.....	330	21	20	33	25	24	33	32	24	19	38	27	34
Male.....	244	20	17	22	21	17	22	28	20	13	22	16	26
Female.....	86	1	3	11	4	7	11	4	4	6	16	11	8
American Indian 1/, both sexes.....	31	2	1	2	2	1	4	6	2	4	5	1	1
Male.....	23	2	1	2	2	-	1	3	2	4	5	-	1
Female.....	8	-	-	-	-	1	3	3	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	55	5	4	7	6	4	3	1	4	5	5	4	7
Male.....	41	1	3	5	5	4	2	1	4	3	4	2	7
Female.....	14	4	1	2	1	-	1	-	-	2	1	2	-
Car occupant injured in collision with fixed or stationary object, passenger injured in traffic accident (V47.6)													
All races, both sexes.....	860	69	69	57	73	88	78	72	79	68	72	68	67
Male.....	523	40	44	36	52	47	51	39	48	45	32	49	40
Female.....	337	29	25	21	21	41	27	33	31	23	40	19	27
White, both sexes.....	689	50	58	48	62	69	63	57	68	56	48	55	55
Male.....	428	28	36	28	45	39	43	35	39	39	24	39	33
Female.....	261	22	22	20	17	30	20	22	29	17	24	16	22
Black, both sexes.....	134	17	7	5	10	17	9	11	9	11	16	12	10
Male.....	78	11	5	5	7	8	4	4	8	6	5	10	5
Female.....	56	6	2	-	3	9	5	7	1	5	11	2	5
American Indian 1/, both sexes.....	17	1	3	2	-	1	1	3	-	-	4	1	1
Male.....	7	1	2	1	-	-	1	-	-	-	1	-	1
Female.....	10	-	1	1	-	1	-	3	-	-	3	1	-
Asian or Pacific Islander 2/, both sexes.....	20	1	1	2	1	1	5	1	2	1	4	-	1
Male.....	10	-	1	2	-	-	3	-	1	-	2	-	1
Female.....	10	1	-	-	1	1	2	1	1	1	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with fixed or stationary object, unspecified car occupant injured in traffic accident (V47.9)													
All races, both sexes.....	345	30	31	27	32	25	29	21	29	28	29	33	31
Male.....	245	21	23	19	20	19	20	13	22	19	24	24	21
Female.....	100	9	8	8	12	6	9	8	7	9	5	9	10
White, both sexes.....	271	30	23	18	26	18	22	14	26	22	23	24	25
Male.....	189	21	17	15	15	13	15	6	19	16	19	16	17
Female.....	82	9	6	3	11	5	7	8	7	6	4	8	8
Black, both sexes.....	66	-	7	8	5	5	7	6	3	4	6	9	6
Male.....	51	-	5	3	5	5	5	6	3	2	5	8	4
Female.....	15	-	2	5	-	-	2	-	-	2	1	1	2
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	1	1	2	-	1	-	2	-	-	-
Male.....	4	-	-	1	-	1	-	1	-	1	-	-	-
Female.....	3	-	-	-	1	1	-	-	-	1	-	-	-
Car occupant injured in noncollision transport accident (V48)													
All races, both sexes.....	2,697	188	175	211	194	253	238	254	273	244	246	193	228
Male.....	1,720	123	110	142	126	143	153	167	165	156	166	123	146
Female.....	977	65	65	69	68	110	85	87	108	88	80	70	82
White, both sexes.....	2,208	147	145	168	168	204	192	205	227	194	208	164	186
Male.....	1,417	90	87	111	111	120	129	135	141	124	146	103	120
Female.....	791	57	58	57	57	84	63	70	86	70	62	61	66
Black, both sexes.....	327	32	26	32	12	34	31	31	31	35	24	20	19
Male.....	217	24	20	25	9	17	17	22	18	24	14	15	12
Female.....	110	8	6	7	3	17	14	9	13	11	10	5	7
American Indian 1/, both sexes.....	100	4	1	8	12	8	13	10	6	10	8	8	12
Male.....	49	4	-	4	5	2	6	6	3	5	4	4	6
Female.....	51	-	1	4	7	6	7	4	3	5	4	4	6
Asian or Pacific Islander 2/, both sexes.....	62	5	3	3	2	7	2	8	9	5	6	1	11
Male.....	37	5	3	2	1	4	1	4	3	3	2	1	8
Female.....	25	-	-	1	1	3	1	4	6	2	4	-	3





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in noncollision transport accident, person injured while boarding or alighting (V48.4)													
All races, both sexes.....	13	2	4	1	-	3	-	-	1	-	1	-	1
Male.....	8	1	3	-	-	1	-	-	1	-	1	-	1
Female.....	5	1	1	1	-	2	-	-	-	-	-	-	-
White, both sexes.....	13	2	4	1	-	3	-	-	1	-	1	-	1
Male.....	8	1	3	-	-	1	-	-	1	-	1	-	1
Female.....	5	1	1	1	-	2	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant injured in noncollision transport accident, driver injured in traffic accident (V48.5)													
All races, both sexes.....	1,515	106	84	125	124	133	136	142	136	146	149	110	124
Male.....	1,013	69	53	87	87	75	100	100	88	95	110	64	85
Female.....	502	37	31	38	37	58	36	42	48	51	39	46	39
White, both sexes.....	1,287	90	71	106	104	108	118	119	117	122	132	91	109
Male.....	857	56	43	74	75	62	87	83	77	77	99	50	74
Female.....	430	34	28	32	29	46	31	36	40	45	33	41	35
Black, both sexes.....	162	15	13	14	10	17	12	16	13	20	10	14	8
Male.....	123	12	10	10	8	10	9	13	8	16	8	12	7
Female.....	39	3	3	4	2	7	3	3	5	4	2	2	1
American Indian 1/, both sexes.....	45	1	-	4	9	5	5	3	4	2	4	5	3
Male.....	19	1	-	2	4	1	3	2	2	-	2	2	-
Female.....	26	-	-	2	5	4	2	1	2	2	2	3	3
Asian or Pacific Islander 2/, both sexes.....	21	-	-	1	1	3	1	4	2	2	3	-	4
Male.....	14	-	-	1	-	2	1	2	1	2	1	-	4
Female.....	7	-	-	-	1	1	-	2	1	-	2	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in noncollision transport accident, unspecified car occupant injured in traffic accident (V48.9)													
All races, both sexes.....	316	30	29	25	18	27	24	33	27	17	24	24	38
Male.....	216	20	20	18	12	17	17	24	14	15	14	20	25
Female.....	100	10	9	7	6	10	7	9	13	2	10	4	13
White, both sexes.....	250	23	23	19	16	23	17	26	21	12	21	21	28
Male.....	171	14	16	13	10	15	12	19	13	11	14	18	16
Female.....	79	9	7	6	6	8	5	7	8	1	7	3	12
Black, both sexes.....	44	6	3	5	1	2	6	3	5	4	3	3	3
Male.....	30	5	2	5	1	2	4	2	1	3	-	2	3
Female.....	14	1	1	-	-	-	2	1	4	1	3	1	-
American Indian 1/, both sexes.....	15	-	1	1	-	2	1	4	-	1	-	-	5
Male.....	10	-	-	-	-	-	1	3	-	1	-	-	5
Female.....	5	-	1	1	-	2	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	2	-	1	-	-	-	1	-	-	-	2
Male.....	5	1	2	-	1	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Car occupant injured in other and unspecified transport accidents (V49)													
All races, both sexes.....	2,354	202	145	185	167	185	198	199	213	169	232	205	254
Male.....	1,444	115	91	125	101	117	124	124	130	106	134	119	158
Female.....	910	87	54	60	66	68	74	75	83	63	98	86	96
White, both sexes.....	1,994	173	119	158	145	166	166	155	189	147	189	176	211
Male.....	1,216	97	71	105	91	105	107	95	114	93	110	98	130
Female.....	778	76	48	53	54	61	59	60	75	54	79	78	81
Black, both sexes.....	288	26	21	21	18	19	27	38	16	18	26	23	35
Male.....	185	15	17	16	9	12	16	24	11	11	16	15	23
Female.....	103	11	4	5	9	7	11	14	5	7	10	8	12
American Indian 1/, both sexes.....	24	2	2	1	3	-	1	4	2	2	2	2	3
Male.....	17	2	1	1	1	-	-	4	2	1	1	2	2
Female.....	7	-	1	-	2	-	1	-	-	1	1	-	1
Asian or Pacific Islander 2/, both sexes.....	48	1	3	5	1	-	4	2	6	2	15	4	5
Male.....	26	1	2	3	-	-	1	1	3	1	7	4	3
Female.....	22	-	1	2	1	-	3	1	3	1	8	-	2



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant (any) injured in unspecified nontraffic accident (V49.3)													
All races, both sexes.....	5	2	-	-	-	-	-	1	-	1	-	1	-
Male.....	4	2	-	-	-	-	-	1	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	5	2	-	-	-	-	-	1	-	1	-	1	-
Male.....	4	2	-	-	-	-	-	1	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Driver (car) injured in collision with other and unspecified motor vehicles in traffic accident (V49.4)													
All races, both sexes.....	436	36	23	24	36	41	37	46	36	33	35	47	42
Male.....	280	19	15	18	24	28	22	33	18	23	24	28	28
Female.....	156	17	8	6	12	13	15	13	18	10	11	19	14
White, both sexes.....	385	34	21	24	34	38	29	37	31	28	30	43	36
Male.....	250	17	13	18	24	27	19	27	15	20	21	26	23
Female.....	135	17	8	6	10	11	10	10	16	8	9	17	13
Black, both sexes.....	37	2	1	-	2	3	7	6	3	3	2	3	5
Male.....	20	2	1	-	-	1	3	4	1	1	2	1	4
Female.....	17	-	-	-	2	2	4	2	2	2	-	2	1
American Indian 1/, both sexes.....	5	-	1	-	-	-	-	1	1	1	-	-	1
Male.....	5	-	1	-	-	-	-	1	1	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	1	2	1	1	3	1	-
Male.....	5	-	-	-	-	-	-	1	1	1	1	1	-
Female.....	4	-	-	-	-	-	1	1	-	-	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Passenger (car) injured in collision with other and unspecified motor vehicles in traffic accident (V49.5)													
All races, both sexes.....	389	35	19	36	23	28	35	28	39	24	45	32	45
Male.....	216	17	13	21	11	16	19	14	22	13	25	20	25
Female.....	173	18	6	15	12	12	16	14	17	11	20	12	20
White, both sexes.....	326	30	14	29	19	27	26	24	33	22	36	27	39
Male.....	174	15	8	16	9	15	15	11	18	12	19	15	21
Female.....	152	15	6	13	10	12	11	13	15	10	17	12	18
Black, both sexes.....	43	4	4	5	2	1	8	3	3	1	6	3	3
Male.....	28	1	4	3	1	1	4	2	2	1	4	3	2
Female.....	15	3	-	2	1	-	4	1	1	-	2	-	1
American Indian 1/, both sexes.....	8	1	-	1	2	-	-	1	1	-	-	-	2
Male.....	6	1	-	1	1	-	-	1	1	-	-	-	1
Female.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	12	-	1	1	-	-	1	-	2	1	3	2	1
Male.....	8	-	1	1	-	-	-	-	1	-	2	2	1
Female.....	4	-	-	-	-	-	1	-	1	1	1	-	-
Unspecified car occupant injured in collision with other and unspecified motor vehicles in traffic accident (V49.6)													
All races, both sexes.....	191	14	8	11	8	12	9	24	21	24	19	16	25
Male.....	107	7	5	5	4	9	8	15	12	8	9	8	17
Female.....	84	7	3	6	4	3	1	9	9	16	10	8	8
White, both sexes.....	162	13	7	10	8	10	8	18	20	23	12	13	20
Male.....	91	6	5	4	4	7	8	10	12	8	6	6	15
Female.....	71	7	2	6	4	3	-	8	8	15	6	7	5
Black, both sexes.....	20	1	1	1	-	2	1	4	1	1	2	2	4
Male.....	10	1	-	1	-	2	-	3	-	-	-	1	2
Female.....	10	-	1	-	-	-	1	1	1	1	2	1	2
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	2	-	-	-	1	-
Male.....	3	-	-	-	-	-	-	2	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	-	-	5	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	3	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	2	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant (any) injured in other specified transport accidents (V49.8)													
All races, both sexes.....	16	1	1	2	1	2	1	-	1	4	-	-	3
Male.....	7	1	1	-	-	1	1	-	1	2	-	-	3
Female.....	9	-	-	2	1	1	-	-	-	2	-	-	-
White, both sexes.....	9	-	-	1	-	2	-	-	1	3	-	-	2
Male.....	3	-	-	-	-	1	-	-	1	1	-	-	-
Female.....	6	-	-	1	-	1	-	-	-	2	-	-	2
Black, both sexes.....	5	1	1	-	-	-	1	-	-	1	-	-	1
Male.....	4	1	1	-	-	-	1	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Car occupant (any) injured in unspecified traffic accident (V49.9)													
All races, both sexes.....	1,312	113	94	111	99	102	116	100	115	83	133	109	137
Male.....	825	68	57	80	62	63	74	61	76	60	76	62	86
Female.....	487	45	37	31	37	39	42	39	39	23	57	47	51
White, both sexes.....	1,103	93	77	93	84	89	103	75	103	70	111	92	113
Male.....	690	56	45	66	54	55	65	46	67	52	64	50	70
Female.....	413	37	32	27	30	34	38	29	36	18	47	42	43
Black, both sexes.....	182	18	14	15	14	13	10	25	9	12	16	15	21
Male.....	122	10	11	12	8	8	8	15	8	8	10	10	14
Female.....	60	8	3	3	6	5	2	10	1	4	6	5	7
American Indian 1/, both sexes.....	7	1	1	-	-	-	1	-	-	1	2	1	-
Male.....	3	1	-	-	-	-	-	-	-	-	1	1	-
Female.....	4	-	1	-	-	-	1	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	20	1	2	3	1	-	2	-	3	-	4	1	3
Male.....	10	1	1	2	-	-	1	-	1	-	1	1	2
Female.....	10	-	1	1	1	-	1	-	2	-	3	-	1







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle, unspecified occupant of pick-up truck or van injured in traffic accident (V52.9)													
All races, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of pick-up truck or van injured in collision with car, pick-up truck, or van (V53)													
All races, both sexes.....	945	86	77	70	57	91	75	75	99	77	70	90	78
Male.....	701	64	57	54	45	70	61	48	66	58	52	63	63
Female.....	244	22	20	16	12	21	14	27	33	19	18	27	15
White, both sexes.....	837	76	70	65	51	82	71	63	87	68	61	74	69
Male.....	618	56	52	50	39	63	57	40	57	53	44	50	57
Female.....	219	20	18	15	12	19	14	23	30	15	17	24	12
Black, both sexes.....	69	6	7	5	3	7	1	9	8	4	7	7	5
Male.....	53	6	5	4	3	5	1	5	5	4	6	6	3
Female.....	16	-	2	1	-	2	-	4	3	-	1	1	2
American Indian 1/, both sexes.....	19	2	-	-	2	-	2	2	2	2	1	3	3
Male.....	15	1	-	-	2	-	2	2	2	-	1	3	2
Female.....	4	1	-	-	-	-	-	-	-	2	-	-	1
Asian or Pacific Islander 2/, both sexes.....	20	2	-	-	1	2	1	1	2	3	1	6	1
Male.....	15	1	-	-	1	2	1	1	2	1	1	4	1
Female.....	5	1	-	-	-	-	-	-	-	2	-	2	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of pick-up truck or van injured in collision with car, pick-up truck, or van, person injured while boarding or alighting (V53.4)													
All races, both sexes.....	6	-	-	2	2	-	1	-	-	1	-	-	-
Male.....	4	-	-	2	1	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	1	-	-	-
White, both sexes.....	4	-	-	1	2	-	-	-	-	1	-	-	-
Male.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of pick-up truck or van injured in collision with car, pick-up truck, or van, driver injured in traffic accident (V53.5)													
All races, both sexes.....	623	59	47	49	38	55	49	44	64	52	47	58	61
Male.....	520	48	42	42	35	48	42	33	51	45	36	47	51
Female.....	103	11	5	7	3	7	7	11	13	7	11	11	10
White, both sexes.....	559	52	44	48	33	52	47	40	54	45	39	50	55
Male.....	465	42	39	41	30	45	40	29	43	40	29	40	47
Female.....	94	10	5	7	3	7	7	11	11	5	10	10	8
Black, both sexes.....	41	4	3	1	3	1	1	3	7	4	6	5	3
Male.....	35	4	3	1	3	1	1	3	5	4	5	4	1
Female.....	6	-	-	-	-	-	-	-	2	-	1	1	2
American Indian 1/, both sexes.....	12	2	-	-	2	-	1	-	1	1	1	2	2
Male.....	10	1	-	-	2	-	1	-	1	-	1	2	2
Female.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	-	-	-	2	-	1	2	2	1	1	1
Male.....	10	1	-	-	-	2	-	1	2	1	1	1	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of pick-up truck or van injured in collision with car, pick-up truck, or van, unspecified occupant of pick-up truck or van injured in traffic accident (V53.9)													
All races, both sexes.....	46	3	6	2	6	2	2	2	6	4	7	3	3
Male.....	37	3	4	1	5	1	2	2	5	3	7	1	3
Female.....	9	-	2	1	1	1	-	-	1	1	-	2	-
White, both sexes.....	40	3	4	2	6	2	2	1	5	3	6	3	3
Male.....	32	3	2	1	5	1	2	1	4	3	6	1	3
Female.....	8	-	2	1	1	1	-	-	1	-	-	2	-
Black, both sexes.....	4	-	2	-	-	-	-	1	-	-	1	-	-
Male.....	4	-	2	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus (V54)													
All races, both sexes.....	447	45	37	32	33	36	53	35	33	29	36	38	40
Male.....	366	38	34	26	30	27	43	33	25	21	28	30	31
Female.....	81	7	3	6	3	9	10	2	8	8	8	8	9
White, both sexes.....	400	41	33	30	32	30	45	32	29	23	34	36	35
Male.....	322	34	30	24	29	22	35	30	21	17	26	28	26
Female.....	78	7	3	6	3	8	10	2	8	6	8	8	9
Black, both sexes.....	42	3	4	2	1	5	7	3	4	5	2	1	5
Male.....	41	3	4	2	1	5	7	3	4	4	2	1	5
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	-	1	-	-	1	-	1	-
Male.....	3	1	-	-	-	-	1	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus, person injured while boarding or alighting (V54.4)													
All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus, driver injured in traffic accident (V54.5)													
All races, both sexes.....	310	25	22	23	25	27	35	26	26	19	26	29	27
Male.....	270	23	20	20	24	23	31	26	22	14	22	23	22
Female.....	40	2	2	3	1	4	4	-	4	5	4	6	5
White, both sexes.....	276	22	22	21	24	23	29	24	23	13	25	27	23
Male.....	238	20	20	18	23	19	25	24	19	10	21	21	18
Female.....	38	2	2	3	1	4	4	-	4	3	4	6	5
Black, both sexes.....	30	2	-	2	1	4	5	2	3	5	1	1	4
Male.....	29	2	-	2	1	4	5	2	3	4	1	1	4
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	-	1	-	-	1	-	1	-
Male.....	3	1	-	-	-	-	1	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of pick-up truck or van injured in collision with other nonmotor vehicle, driver injured in traffic accident (V56.5)													
All races, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of pick-up truck or van injured in collision with fixed or stationary object (V57)													
All races, both sexes.....	983	70	67	67	75	91	94	82	95	72	97	83	90
Male.....	826	61	57	58	67	72	72	71	85	55	80	75	73
Female.....	157	9	10	9	8	19	22	11	10	17	17	8	17
White, both sexes.....	882	62	59	60	71	82	84	71	85	66	89	74	79
Male.....	744	54	50	54	64	66	64	60	78	51	72	66	65
Female.....	138	8	9	6	7	16	20	11	7	15	17	8	14
Black, both sexes.....	86	7	6	6	4	8	9	9	8	5	7	8	9
Male.....	72	7	5	3	3	6	7	9	6	4	7	8	7
Female.....	14	-	1	3	1	2	2	-	2	1	-	-	2
American Indian 1/, both sexes.....	9	-	2	-	-	-	1	1	2	-	1	-	2
Male.....	7	-	2	-	-	-	1	1	1	-	1	-	1
Female.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	6	1	-	1	-	1	-	1	-	1	-	1	-
Male.....	3	-	-	1	-	-	-	1	-	-	-	1	-
Female.....	3	1	-	-	-	1	-	-	-	1	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of pick-up truck or van injured in collision with fixed or stationary object, person injured while boarding or alighting (V57.4)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of pick-up truck or van injured in collision with fixed or stationary object, driver injured in traffic accident (V57.5)													
All races, both sexes.....	737	52	55	54	56	76	67	60	71	52	69	63	62
Male.....	656	50	49	50	52	61	53	54	67	48	60	56	56
Female.....	81	2	6	4	4	15	14	6	4	4	9	7	6
White, both sexes.....	667	47	51	52	53	70	62	51	62	48	62	54	55
Male.....	595	45	45	49	49	57	49	45	60	46	53	47	50
Female.....	72	2	6	3	4	13	13	6	2	2	9	7	5
Black, both sexes.....	58	5	2	2	3	5	4	7	7	3	6	8	6
Male.....	52	5	2	1	3	4	3	7	6	2	6	8	5
Female.....	6	-	-	1	-	1	1	-	1	1	-	-	1
American Indian 1/, both sexes.....	8	-	2	-	-	-	1	1	2	-	1	-	1
Male.....	7	-	2	-	-	-	1	1	1	-	1	-	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	1	-	1	-	1	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Female.....	2	-	-	-	-	1	-	-	-	1	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of pick-up truck or van injured in collision with fixed or stationary object, unspecified occupant of pick-up truck or van injured in traffic accident (V57.9)													
All races, both sexes.....	54	4	-	1	7	3	6	7	6	2	9	6	3
Male.....	49	3	-	1	6	3	6	7	5	1	8	6	3
Female.....	5	1	-	-	1	-	-	-	1	1	1	-	-
White, both sexes.....	50	3	-	-	7	3	6	7	6	2	8	6	2
Male.....	46	3	-	-	6	3	6	7	5	1	7	6	2
Female.....	4	-	-	-	1	-	-	-	1	1	1	-	-
Black, both sexes.....	3	-	-	1	-	-	-	-	-	-	1	-	1
Male.....	3	-	-	1	-	-	-	-	-	-	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Occupant of pick-up truck or van injured in noncollision transport accident (V58)													
All races, both sexes.....	1,163	100	74	79	85	112	106	119	121	86	103	80	98
Male.....	940	77	62	61	70	97	83	91	101	74	89	61	74
Female.....	223	23	12	18	15	15	23	28	20	12	14	19	24
White, both sexes.....	1,016	87	64	68	76	96	93	99	105	74	91	73	90
Male.....	821	66	53	51	63	85	72	78	90	63	78	55	67
Female.....	195	21	11	17	13	11	21	21	15	11	13	18	23
Black, both sexes.....	83	8	9	6	2	10	8	8	10	5	7	3	7
Male.....	69	6	9	6	1	6	7	6	8	5	6	3	6
Female.....	14	2	-	-	1	4	1	2	2	-	1	-	1
American Indian 1/, both sexes.....	51	5	-	5	5	4	4	12	3	5	3	4	1
Male.....	41	5	-	4	4	4	3	7	2	5	3	3	1
Female.....	10	-	-	1	1	-	1	5	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	13	-	1	-	2	2	1	-	3	2	2	-	-
Male.....	9	-	-	-	2	2	1	-	1	1	2	-	-
Female.....	4	-	1	-	-	-	-	-	2	1	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of pick-up truck or van injured in noncollision transport accident, person injured while boarding or alighting (V58.4)													
All races, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of pick-up truck or van injured in noncollision transport accident, driver injured in traffic accident (V58.5)													
All races, both sexes.....	680	59	45	35	42	65	61	67	80	48	73	49	56
Male.....	587	52	41	31	34	59	50	54	72	44	65	40	45
Female.....	93	7	4	4	8	6	11	13	8	4	8	9	11
White, both sexes.....	601	54	40	30	38	56	54	56	68	41	66	44	54
Male.....	517	47	36	26	31	51	43	47	62	38	58	35	43
Female.....	84	7	4	4	7	5	11	9	6	3	8	9	11
Black, both sexes.....	42	2	5	4	1	4	4	4	7	3	4	3	1
Male.....	41	2	5	4	1	3	4	4	7	3	4	3	1
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	29	3	-	1	2	3	3	7	3	3	1	2	1
Male.....	23	3	-	1	1	3	3	3	2	3	1	2	1
Female.....	6	-	-	-	1	-	-	4	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	1	2	-	-	2	1	2	-	-
Male.....	6	-	-	-	1	2	-	-	1	-	2	-	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of pick-up truck or van injured in noncollision transport accident, unspecified occupant of pick-up truck or van injured in traffic accident (V58.9)													
All races, both sexes.....	141	12	7	11	11	13	14	13	9	13	11	8	19
Male.....	127	10	6	10	10	12	11	12	7	13	10	8	18
Female.....	14	2	1	1	1	1	3	1	2	-	1	-	1
White, both sexes.....	122	10	5	7	11	10	12	12	9	13	9	8	16
Male.....	110	8	5	6	10	9	10	11	7	13	8	8	15
Female.....	12	2	-	1	1	1	2	1	2	-	1	-	1
Black, both sexes.....	12	2	1	1	-	2	1	1	-	-	1	-	3
Male.....	11	2	1	1	-	2	-	1	-	-	1	-	3
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	3	-	1	-	-	-	-	1	-	-
Male.....	5	-	-	3	-	1	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Occupant of pick-up truck or van injured in other and unspecified transport accidents (V59)													
All races, both sexes.....	289	30	14	25	18	24	24	24	27	34	20	26	23
Male.....	238	22	11	22	17	15	15	20	23	31	17	23	22
Female.....	51	8	3	3	1	9	9	4	4	3	3	3	1
White, both sexes.....	256	26	12	21	16	21	22	23	25	33	16	23	18
Male.....	210	20	10	18	15	12	14	20	21	30	13	20	17
Female.....	46	6	2	3	1	9	8	3	4	3	3	3	1
Black, both sexes.....	23	3	1	2	1	2	1	1	1	1	3	3	4
Male.....	20	2	-	2	1	2	1	-	1	1	3	3	4
Female.....	3	1	1	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	5	1	1	-	-	1	-	-	1	-	-	-	1
Male.....	4	-	1	-	-	1	-	-	1	-	-	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	2	1	-	1	-	-	-	1	-	-
Male.....	4	-	-	2	1	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-





















































































































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified occupant of all-terrain or other off-road motor vehicle injured in nontraffic accident (V86.9)													
All races, both sexes.....	272	17	28	22	15	24	26	35	28	25	25	11	16
Male.....	240	13	26	19	15	21	24	30	25	22	21	10	14
Female.....	32	4	2	3	-	3	2	5	3	3	4	1	2
White, both sexes.....	251	15	26	20	11	21	23	33	28	24	24	10	16
Male.....	221	12	24	17	11	18	22	28	25	21	20	9	14
Female.....	30	3	2	3	-	3	1	5	3	3	4	1	2
Black, both sexes.....	14	2	2	-	2	3	1	2	-	1	1	-	-
Male.....	13	1	2	-	2	3	1	2	-	1	1	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	-	-	2	2	-	2	-	-	-	-	1	-
Male.....	6	-	-	2	2	-	1	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Traffic accident of specified type but victim's mode of transport unknown (V87)													
All races, both sexes.....	3,987	316	298	325	338	306	337	349	358	316	340	326	378
Male.....	2,360	190	185	192	207	184	190	208	212	189	202	181	220
Female.....	1,627	126	113	133	131	122	147	141	146	127	138	145	158
White, both sexes.....	3,402	270	244	281	289	268	280	311	305	277	293	258	326
Male.....	2,013	163	152	167	171	157	161	185	182	167	173	145	190
Female.....	1,389	107	92	114	118	111	119	126	123	110	120	113	136
Black, both sexes.....	421	30	36	33	40	26	40	27	37	29	36	54	33
Male.....	266	22	24	19	29	19	24	19	19	19	22	31	19
Female.....	155	8	12	14	11	7	16	8	18	10	14	23	14
American Indian 1/, both sexes.....	48	5	8	2	5	1	5	3	8	2	1	3	5
Male.....	28	2	5	-	3	1	3	1	6	1	1	2	3
Female.....	20	3	3	2	2	-	2	2	2	1	-	1	2
Asian or Pacific Islander 2/, both sexes.....	116	11	10	9	4	11	12	8	8	8	10	11	14
Male.....	53	3	4	6	4	7	2	3	5	2	6	3	8
Female.....	63	8	6	3	-	4	10	5	3	6	4	8	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Person injured in collision between car and two- or three-wheeled motor vehicle (traffic) (V87.0)													
All races, both sexes.....	48	1	2	2	6	4	3	6	8	7	2	-	7
Male.....	42	1	2	2	5	4	3	4	7	7	2	-	5
Female.....	6	-	-	-	1	-	-	2	1	-	-	-	2
White, both sexes.....	37	-	-	1	4	4	2	5	7	7	2	-	5
Male.....	31	-	-	1	3	4	2	3	6	7	2	-	3
Female.....	6	-	-	-	1	-	-	2	1	-	-	-	2
Black, both sexes.....	9	1	2	1	2	-	-	1	1	-	-	-	1
Male.....	9	1	2	1	2	-	-	1	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in collision between other motor vehicle and two- or three-wheeled motor vehicle (traffic) (V87.1)													
All races, both sexes.....	37	-	5	2	4	2	4	6	4	7	-	1	2
Male.....	31	-	5	2	3	2	3	5	4	4	-	1	2
Female.....	6	-	-	-	1	-	1	1	-	3	-	-	-
White, both sexes.....	31	-	5	1	2	2	4	6	3	6	-	1	1
Male.....	26	-	5	1	1	2	3	5	3	4	-	1	1
Female.....	5	-	-	-	1	-	1	1	-	2	-	-	-
Black, both sexes.....	3	-	-	1	1	-	-	-	1	-	-	-	-
Male.....	3	-	-	1	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Person injured in collision between railway train or railway vehicle and car (traffic) (V87.6)													
All races, both sexes.....	14	2	-	2	1	-	-	-	1	1	2	2	3
Male.....	12	2	-	2	1	-	-	-	1	1	2	1	2
Female.....	2	-	-	-	-	-	-	-	-	-	-	1	1
White, both sexes.....	12	2	-	2	1	-	-	-	1	-	2	1	3
Male.....	10	2	-	2	1	-	-	-	1	-	2	-	2
Female.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Black, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in collision between other specified motor vehicles (traffic) (V87.7)													
All races, both sexes.....	3,696	298	264	305	314	288	312	316	330	291	324	309	345
Male.....	2,165	177	164	179	191	170	175	189	193	172	190	168	197
Female.....	1,531	121	100	126	123	118	137	127	137	119	134	141	148
White, both sexes.....	3,155	255	216	264	270	251	257	282	284	255	277	245	299
Male.....	1,848	152	135	157	159	144	148	168	167	152	161	134	171
Female.....	1,307	103	81	107	111	107	109	114	117	103	116	111	128
Black, both sexes.....	392	28	33	30	36	25	40	26	30	27	36	52	29
Male.....	245	20	22	16	26	18	24	18	15	17	22	30	17
Female.....	147	8	11	14	10	7	16	8	15	10	14	22	12
American Indian 1/, both sexes.....	44	5	7	2	5	1	3	3	8	2	1	3	4
Male.....	24	2	4	-	3	1	1	1	6	1	1	2	2
Female.....	20	3	3	2	2	-	2	2	2	1	-	1	2
Asian or Pacific Islander 2/, both sexes.....	105	10	8	9	3	11	12	5	8	7	10	9	13
Male.....	48	3	3	6	3	7	2	2	5	2	6	2	7
Female.....	57	7	5	3	-	4	10	3	3	5	4	7	6







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Person injured in other specified (collision) (noncollision) transport accidents involving nonmotor vehicle, nontraffic (V88.9)													
All races, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor- or nonmotor-vehicle accident, type of vehicle unspecified (V89)													
All races, both sexes.....	10,382	786	699	822	898	934	846	911	959	843	890	869	925
Male.....	6,944	518	495	548	598	628	555	595	656	569	596	568	618
Female.....	3,438	268	204	274	300	306	291	316	303	274	294	301	307
White, both sexes.....	8,656	648	582	693	745	762	711	771	781	695	756	713	799
Male.....	5,790	416	411	460	503	516	473	504	534	472	509	463	529
Female.....	2,866	232	171	233	242	246	238	267	247	223	247	250	270
Black, both sexes.....	1,315	110	91	96	112	130	103	104	129	106	111	117	106
Male.....	907	81	70	72	73	84	60	74	88	73	75	82	75
Female.....	408	29	21	24	39	46	43	30	41	33	36	35	31
American Indian 1/, both sexes.....	214	18	16	15	19	21	16	19	22	26	11	19	12
Male.....	134	12	10	8	13	15	12	8	15	16	6	10	9
Female.....	80	6	6	7	6	6	4	11	7	10	5	9	3
Asian or Pacific Islander 2/, both sexes.....	197	10	10	18	22	21	16	17	27	16	12	20	8
Male.....	113	9	4	8	9	13	10	9	19	8	6	13	5
Female.....	84	1	6	10	13	8	6	8	8	8	6	7	3





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Person injured in unspecified vehicle accident (V89.9)													
All races, both sexes.....	214	18	7	10	21	24	9	21	26	15	21	19	23
Male.....	150	13	4	6	14	14	9	15	21	11	16	11	16
Female.....	64	5	3	4	7	10	-	6	5	4	5	8	7
White, both sexes.....	168	16	7	9	16	17	6	12	21	14	16	16	18
Male.....	116	11	4	5	12	10	6	9	17	10	11	8	13
Female.....	52	5	3	4	4	7	-	3	4	4	5	8	5
Black, both sexes.....	41	2	-	1	4	7	2	7	5	1	4	3	5
Male.....	32	2	-	1	2	4	2	6	4	1	4	3	3
Female.....	9	-	-	-	2	3	-	1	1	-	-	-	2
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	1	-	-	1	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Accident to watercraft causing drowning and submersion (V90)													
All races, both sexes.....	230	8	20	13	26	29	34	25	28	24	14	7	2
Male.....	199	8	19	12	23	24	31	20	24	18	11	7	2
Female.....	31	-	1	1	3	5	3	5	4	6	3	-	-
White, both sexes.....	185	5	15	12	15	24	30	21	26	21	10	4	2
Male.....	159	5	15	11	12	21	27	17	22	15	8	4	2
Female.....	26	-	-	1	3	3	3	4	4	6	2	-	-
Black, both sexes.....	36	1	5	1	8	4	3	4	2	3	2	3	-
Male.....	32	1	4	1	8	2	3	3	2	3	2	3	-
Female.....	4	-	1	-	-	2	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	4	2	-	-	-	1	1	-	-	-	-	-	-
Male.....	4	2	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	3	-	-	-	-	-	2	-	-
Male.....	4	-	-	-	3	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accident to watercraft causing drowning and submersion, other unpowered watercraft (V90.8)													
All races, both sexes.....	4	-	-	-	-	-	-	-	2	-	1	1	-
Male.....	3	-	-	-	-	-	-	-	1	-	1	1	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	4	-	-	-	-	-	-	-	2	-	1	1	-
Male.....	3	-	-	-	-	-	-	-	1	-	1	1	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Accident to watercraft causing drowning and submersion, unspecified watercraft (V90.9)													
All races, both sexes.....	168	7	18	10	20	24	19	16	18	21	9	4	2
Male.....	150	7	17	10	18	19	19	15	16	16	7	4	2
Female.....	18	-	1	-	2	5	-	1	2	5	2	-	-
White, both sexes.....	133	4	13	9	11	19	16	15	16	19	6	3	2
Male.....	119	4	13	9	9	16	16	14	14	14	5	3	2
Female.....	14	-	-	-	2	3	-	1	2	5	1	-	-
Black, both sexes.....	29	1	5	1	7	4	3	1	2	2	2	1	-
Male.....	26	1	4	1	7	2	3	1	2	2	2	1	-
Female.....	3	-	1	-	-	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	2	-	-	-	1	-	-	-	-	-	-	-
Male.....	3	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	2	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accident to watercraft causing other injury, unspecified watercraft (V91.9)													
All races, both sexes.....	47	2	2	2	2	5	7	12	5	7	-	1	2
Male.....	38	2	2	2	2	3	6	11	3	5	-	-	2
Female.....	9	-	-	-	-	2	1	1	2	2	-	1	-
White, both sexes.....	46	2	2	2	2	5	7	11	5	7	-	1	2
Male.....	37	2	2	2	2	3	6	10	3	5	-	-	2
Female.....	9	-	-	-	-	2	1	1	2	2	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Water-transport-related drowning and submersion without accident to watercraft (V92)													
All races, both sexes.....	191	7	2	17	18	32	17	30	24	21	9	7	7
Male.....	173	7	1	17	18	28	14	28	22	17	8	6	7
Female.....	18	-	1	-	-	4	3	2	2	4	1	1	-
White, both sexes.....	164	4	1	16	17	24	13	27	21	20	9	5	7
Male.....	151	4	-	16	17	22	10	26	20	16	8	5	7
Female.....	13	-	1	-	-	2	3	1	1	4	1	-	-
Black, both sexes.....	21	2	1	1	1	6	3	2	2	1	-	2	-
Male.....	18	2	1	1	1	5	3	1	2	1	-	1	-
Female.....	3	-	-	-	-	1	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	-	-	1	1	1	1	-	-	-	-
Male.....	4	1	-	-	-	1	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Water-transport-related drowning and submersion without accident to watercraft, fishing boat (V92.2)													
All races, both sexes.....	10	-	-	3	-	4	-	2	1	-	-	-	-
Male.....	10	-	-	3	-	4	-	2	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	7	-	-	3	-	2	-	1	1	-	-	-	-
Male.....	7	-	-	3	-	2	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Water-transport-related drowning and submersion without accident to watercraft, other powered watercraft (V92.3)													
All races, both sexes.....	10	1	-	1	1	2	1	2	1	1	-	-	-
Male.....	7	1	-	1	1	1	1	1	-	1	-	-	-
Female.....	3	-	-	-	-	1	-	1	1	-	-	-	-
White, both sexes.....	7	1	-	1	1	1	-	2	-	1	-	-	-
Male.....	5	1	-	1	1	-	-	1	-	1	-	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-



































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Fall on same level from slipping, tripping, and stumbling (W01)													
All races, both sexes.....	584	49	56	46	41	46	45	44	48	53	57	45	54
Male.....	240	30	21	18	16	19	20	13	23	25	19	16	20
Female.....	344	19	35	28	25	27	25	31	25	28	38	29	34
White, both sexes.....	564	47	54	44	41	44	44	43	45	52	57	42	51
Male.....	233	29	20	17	16	18	19	12	23	24	19	16	20
Female.....	331	18	34	27	25	26	25	31	22	28	38	26	31
Black, both sexes.....	18	2	2	1	-	2	1	1	3	1	-	2	3
Male.....	6	1	1	-	-	1	1	1	-	1	-	-	-
Female.....	12	1	1	1	-	1	-	-	3	-	-	2	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Fall involving ice skates, skis, roller skates, or skateboards (W02)													
All races, both sexes.....	62	15	11	8	3	4	2	3	1	2	4	-	9
Male.....	49	10	7	7	3	3	2	2	1	2	4	-	8
Female.....	13	5	4	1	-	1	-	1	-	-	-	-	1
White, both sexes.....	59	14	11	8	3	4	2	1	1	2	4	-	9
Male.....	47	9	7	7	3	3	2	1	1	2	4	-	8
Female.....	12	5	4	1	-	1	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Fall involving wheelchair (W05)													
All races, both sexes.....	360	36	29	31	36	25	35	25	30	26	28	28	31
Male.....	148	6	12	11	16	18	16	8	13	10	13	12	13
Female.....	212	30	17	20	20	7	19	17	17	16	15	16	18
White, both sexes.....	331	35	28	27	29	23	32	22	28	26	25	25	31
Male.....	133	6	11	9	11	16	15	7	13	10	11	11	13
Female.....	198	29	17	18	18	7	17	15	15	16	14	14	18
Black, both sexes.....	24	1	1	2	7	2	3	3	-	-	3	2	-
Male.....	14	-	1	1	5	2	1	1	-	-	2	1	-
Female.....	10	1	-	1	2	-	2	2	-	-	1	1	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	-	-	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	1	-	-	1	-
Fall involving bed (W06)													
All races, both sexes.....	503	41	50	43	38	37	48	42	49	44	37	36	38
Male.....	208	17	24	16	14	12	22	15	21	14	14	19	20
Female.....	295	24	26	27	24	25	26	27	28	30	23	17	18
White, both sexes.....	465	38	48	39	36	34	42	39	45	38	36	33	37
Male.....	195	17	22	14	13	12	20	15	20	11	13	18	20
Female.....	270	21	26	25	23	22	22	24	25	27	23	15	17
Black, both sexes.....	28	3	1	2	2	2	4	3	4	3	1	2	1
Male.....	9	-	1	1	1	-	2	-	1	1	1	1	-
Female.....	19	3	-	1	1	2	2	3	3	2	-	1	1
American Indian 1/, both sexes.....	3	-	-	1	-	-	1	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	1	1	-	1	1	-	-	2	-	1	-
Male.....	3	-	1	1	-	-	-	-	-	1	-	-	-
Female.....	4	-	-	-	-	1	1	-	-	1	-	1	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Fall on and from stairs and steps (W10)													
All races, both sexes.....	1,638	141	115	134	136	137	137	126	143	122	145	137	165
Male.....	936	88	65	84	77	69	77	63	85	66	85	82	95
Female.....	702	53	50	50	59	68	60	63	58	56	60	55	70
White, both sexes.....	1,510	126	109	118	125	122	128	116	128	116	137	132	153
Male.....	858	78	62	75	72	60	73	58	72	62	80	79	87
Female.....	652	48	47	43	53	62	55	58	56	54	57	53	66
Black, both sexes.....	93	11	4	9	8	9	7	5	13	6	7	4	10
Male.....	61	7	2	6	4	6	3	3	11	4	5	3	7
Female.....	32	4	2	3	4	3	4	2	2	2	2	1	3
American Indian 1/, both sexes.....	10	2	1	2	1	2	-	1	-	-	-	-	1
Male.....	8	2	1	1	-	2	-	1	-	-	-	-	1
Female.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	2	1	5	2	4	2	4	2	-	1	1	1
Male.....	9	1	-	2	1	1	1	1	2	-	-	-	-
Female.....	16	1	1	3	1	3	1	3	-	-	1	1	1
Fall on and from ladder (W11)													
All races, both sexes.....	344	17	18	21	23	26	45	38	31	29	43	34	19
Male.....	324	15	17	20	20	25	42	37	30	28	40	34	16
Female.....	20	2	1	1	3	1	3	1	1	1	3	-	3
White, both sexes.....	321	17	17	19	21	25	40	36	30	27	39	32	18
Male.....	303	15	16	18	18	24	38	35	29	27	36	32	15
Female.....	18	2	1	1	3	1	2	1	1	-	3	-	3
Black, both sexes.....	15	-	1	1	2	1	3	1	1	1	2	2	-
Male.....	15	-	1	1	2	1	3	1	1	1	2	2	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	1	-	-	2	1	-	1	2	-	-
Male.....	5	-	-	1	-	-	1	1	-	-	2	-	-
Female.....	2	-	-	-	-	-	1	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Fall on and from scaffolding (W12)													
All races, both sexes.....	48	3	4	3	4	2	7	4	8	1	4	1	7
Male.....	45	3	4	3	4	1	7	3	8	1	4	1	6
Female.....	3	-	-	-	-	1	-	1	-	-	-	-	1
White, both sexes.....	45	2	4	3	4	2	6	4	8	1	4	1	6
Male.....	42	2	4	3	4	1	6	3	8	1	4	1	5
Female.....	3	-	-	-	-	1	-	1	-	-	-	-	1
Black, both sexes.....	3	1	-	-	-	-	1	-	-	-	-	-	1
Male.....	3	1	-	-	-	-	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Fall from, out of, or through building or structure (W13)													
All races, both sexes.....	587	49	39	41	51	48	49	41	52	58	65	48	46
Male.....	484	43	32	34	44	33	42	32	41	46	57	43	37
Female.....	103	6	7	7	7	15	7	9	11	12	8	5	9
White, both sexes.....	501	41	36	35	44	37	41	33	43	51	59	43	38
Male.....	415	35	30	28	37	25	36	28	35	41	51	38	31
Female.....	86	6	6	7	7	12	5	5	8	10	8	5	7
Black, both sexes.....	63	7	2	6	3	6	4	7	7	7	5	4	5
Male.....	52	7	2	6	3	4	3	4	5	5	5	4	4
Female.....	11	-	-	-	-	2	1	3	2	2	-	-	1
American Indian 1/, both sexes.....	6	-	-	-	3	-	-	-	-	-	1	1	1
Male.....	6	-	-	-	3	-	-	-	-	-	1	1	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	1	1	-	1	5	4	1	2	-	-	-	2
Male.....	11	1	-	-	1	4	3	-	1	-	-	-	1
Female.....	6	-	1	-	-	1	1	1	1	-	-	-	1



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diving or jumping into water causing injury other than drowning or submersion (W16)													
All races, both sexes.....	70	4	6	8	4	7	4	8	8	9	3	6	3
Male.....	48	2	5	6	2	5	1	6	7	7	2	3	2
Female.....	22	2	1	2	2	2	3	2	1	2	1	3	1
White, both sexes.....	65	4	5	8	4	6	4	7	8	9	3	5	2
Male.....	45	2	4	6	2	5	1	5	7	7	2	3	1
Female.....	20	2	1	2	2	1	3	2	1	2	1	2	1
Black, both sexes.....	3	-	1	-	-	1	-	-	-	-	-	1	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other fall from one level to another (W17)													
All races, both sexes.....	484	33	28	30	38	33	41	49	52	53	51	34	42
Male.....	397	31	23	25	31	22	33	36	46	44	41	28	37
Female.....	87	2	5	5	7	11	8	13	6	9	10	6	5
White, both sexes.....	423	27	22	27	32	29	39	42	45	45	46	31	38
Male.....	349	25	18	24	27	19	31	33	40	37	37	25	33
Female.....	74	2	4	3	5	10	8	9	5	8	9	6	5
Black, both sexes.....	46	5	6	1	4	3	1	3	7	7	3	2	4
Male.....	39	5	5	1	4	2	1	1	6	6	2	2	4
Female.....	7	-	1	-	-	1	-	2	1	1	1	-	-
American Indian 1/, both sexes.....	4	-	-	-	1	-	-	2	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	-	2	1	1	1	2	-	1	2	-	-
Male.....	7	1	-	-	-	1	1	1	-	1	2	-	-
Female.....	4	-	-	2	1	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other fall on same level (W18)													
All races, both sexes.....	4,290	391	334	382	319	356	345	357	347	359	354	360	386
Male.....	2,147	167	171	206	149	189	162	187	168	183	183	179	203
Female.....	2,143	224	163	176	170	167	183	170	179	176	171	181	183
White, both sexes.....	3,974	359	309	354	294	323	317	331	323	337	329	334	364
Male.....	1,956	152	156	188	131	170	146	170	156	170	164	164	189
Female.....	2,018	207	153	166	163	153	171	161	167	167	165	170	175
Black, both sexes.....	201	21	18	18	12	17	26	15	16	17	16	12	13
Male.....	125	8	11	14	8	9	15	11	10	10	12	8	9
Female.....	76	13	7	4	4	8	11	4	6	7	4	4	4
American Indian 1/, both sexes.....	29	3	2	1	4	5	-	1	3	2	3	3	2
Male.....	16	2	2	-	3	2	-	-	1	1	3	1	1
Female.....	13	1	-	1	1	3	-	1	2	1	-	2	1
Asian or Pacific Islander 2/, both sexes.....	86	8	5	9	9	11	2	10	5	3	6	11	7
Male.....	50	5	2	4	7	8	1	6	1	2	4	6	4
Female.....	36	3	3	5	2	3	1	4	4	1	2	5	3
Unspecified fall (W19)													
All races, both sexes.....	9,278	856	758	800	743	750	710	704	737	751	838	751	880
Male.....	4,470	415	372	359	351	355	353	326	371	362	403	362	441
Female.....	4,808	441	386	441	392	395	357	378	366	389	435	389	439
White, both sexes.....	8,608	803	708	732	698	700	647	654	688	705	766	697	810
Male.....	4,078	381	346	323	326	328	313	296	342	331	360	332	400
Female.....	4,530	422	362	409	372	372	334	358	346	374	406	365	410
Black, both sexes.....	479	37	37	47	31	34	49	32	34	34	51	41	52
Male.....	289	25	23	25	17	19	32	20	20	22	30	24	32
Female.....	190	12	14	22	14	15	17	12	14	12	21	17	20
American Indian 1/, both sexes.....	47	5	3	5	2	5	3	2	5	4	6	2	5
Male.....	28	4	-	3	1	3	2	2	3	2	4	1	3
Female.....	19	1	3	2	1	2	1	-	2	2	2	1	2
Asian or Pacific Islander 2/, both sexes.....	144	11	10	16	12	11	11	16	10	8	15	11	13
Male.....	75	5	3	8	7	5	6	8	6	7	9	5	6
Female.....	69	6	7	8	5	6	5	8	4	1	6	6	7

































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Exposure to other and unspecified animate mechanical forces (W64)													
All races, both sexes.....	14	-	2	1	-	2	1	3	1	-	-	1	3
Male.....	10	-	1	1	-	2	-	3	1	-	-	-	2
Female.....	4	-	1	-	-	-	1	-	-	-	-	1	1
White, both sexes.....	14	-	2	1	-	2	1	3	1	-	-	1	3
Male.....	10	-	1	1	-	2	-	3	1	-	-	-	2
Female.....	4	-	1	-	-	-	1	-	-	-	-	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning and submersion while in bathtub (W65)													
All races, both sexes.....	368	38	31	32	24	38	33	24	33	33	34	23	25
Male.....	162	19	10	9	13	16	11	12	12	17	16	12	15
Female.....	206	19	21	23	11	22	22	12	21	16	18	11	10
White, both sexes.....	294	32	18	28	19	28	28	22	25	29	28	16	21
Male.....	131	17	5	8	11	10	8	12	9	14	14	10	13
Female.....	163	15	13	20	8	18	20	10	16	15	14	6	8
Black, both sexes.....	58	4	9	4	4	8	5	2	7	4	4	4	3
Male.....	26	2	4	1	1	6	3	-	3	3	1	1	1
Female.....	32	2	5	3	3	2	2	2	4	1	3	3	2
American Indian 1/, both sexes.....	3	1	1	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	1	3	-	1	1	-	-	1	-	2	3	1
Male.....	4	-	-	-	1	-	-	-	-	-	1	1	1
Female.....	9	1	3	-	-	1	-	-	1	-	1	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Drowning and submersion following fall into bathtub (W66)													
All races, both sexes.....	34	2	1	-	3	2	3	5	5	4	2	3	4
Male.....	14	1	-	-	1	1	2	3	3	1	-	1	1
Female.....	20	1	1	-	2	1	1	2	2	3	2	2	3
White, both sexes.....	29	2	1	-	2	2	3	4	4	4	2	2	3
Male.....	13	1	-	-	1	1	2	3	3	1	-	-	1
Female.....	16	1	1	-	1	1	1	1	1	3	2	2	2
Black, both sexes.....	4	-	-	-	1	-	-	1	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	1	-	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Drowning and submersion while in swimming pool (W67)													
All races, both sexes.....	530	11	10	23	31	64	101	136	82	35	20	6	11
Male.....	376	6	9	17	22	47	73	88	58	27	15	5	9
Female.....	154	5	1	6	9	17	28	48	24	8	5	1	2
White, both sexes.....	372	9	7	16	22	45	68	85	64	25	16	6	9
Male.....	260	4	6	13	16	35	48	51	44	19	12	5	7
Female.....	112	5	1	3	6	10	20	34	20	6	4	1	2
Black, both sexes.....	121	2	3	4	7	17	26	41	13	4	2	-	2
Male.....	92	2	3	2	5	12	20	30	10	4	2	-	2
Female.....	29	-	-	2	2	5	6	11	3	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	2	1	-	-	-	-
Male.....	3	-	-	-	-	-	-	2	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	34	-	-	3	2	2	7	8	4	6	2	-	-
Male.....	21	-	-	2	1	-	5	5	3	4	1	-	-
Female.....	13	-	-	1	1	2	2	3	1	2	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Drowning and submersion following fall into swimming pool (W68)													
All races, both sexes.....	95	4	4	7	3	10	15	14	16	9	2	5	6
Male.....	61	2	3	3	3	7	8	8	11	7	2	3	4
Female.....	34	2	1	4	-	3	7	6	5	2	-	2	2
White, both sexes.....	77	3	3	5	3	8	12	11	12	8	2	4	6
Male.....	50	1	2	3	3	5	7	5	8	7	2	3	4
Female.....	27	2	1	2	-	3	5	6	4	1	-	1	2
Black, both sexes.....	14	1	1	1	-	2	2	3	3	1	-	-	-
Male.....	9	1	1	-	-	2	-	3	2	-	-	-	-
Female.....	5	-	-	1	-	-	2	-	1	1	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Drowning and submersion while in natural water (W69)													
All races, both sexes.....	1,111	34	20	70	79	141	170	245	138	101	45	38	30
Male.....	996	30	17	57	68	130	153	219	129	95	42	28	28
Female.....	115	4	3	13	11	11	17	26	9	6	3	10	2
White, both sexes.....	855	33	13	55	62	106	128	185	101	81	36	29	26
Male.....	762	30	11	43	53	97	116	165	92	77	34	20	24
Female.....	93	3	2	12	9	9	12	20	9	4	2	9	2
Black, both sexes.....	167	1	4	11	14	23	33	36	22	10	3	8	2
Male.....	152	-	3	11	13	22	28	33	22	9	2	7	2
Female.....	15	1	1	-	1	1	5	3	-	1	1	1	-
American Indian 1/, both sexes.....	26	-	1	-	1	3	4	8	5	3	1	-	-
Male.....	24	-	1	-	1	2	4	7	5	3	1	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	63	-	2	4	2	9	5	16	10	7	5	1	2
Male.....	58	-	2	3	1	9	5	14	10	6	5	1	2
Female.....	5	-	-	1	1	-	-	2	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Drowning and submersion following fall into natural water (W70)													
All races, both sexes.....	222	11	12	9	21	29	30	30	23	21	13	7	16
Male.....	194	10	12	6	19	28	24	25	20	17	12	7	14
Female.....	28	1	-	3	2	1	6	5	3	4	1	-	2
White, both sexes.....	184	11	11	6	17	20	25	27	20	18	10	5	14
Male.....	159	10	11	4	15	20	20	22	17	14	9	5	12
Female.....	25	1	-	2	2	-	5	5	3	4	1	-	2
Black, both sexes.....	25	-	-	2	3	5	3	3	2	3	3	1	-
Male.....	23	-	-	1	3	4	3	3	2	3	3	1	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	1	1	-	4	2	-	1	-	-	1	2
Male.....	11	-	1	1	-	4	1	-	1	-	-	1	2
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Other specified drowning and submersion (W73)													
All races, both sexes.....	197	8	9	10	13	32	31	32	19	18	15	2	8
Male.....	157	4	9	9	9	26	25	25	17	15	9	2	7
Female.....	40	4	-	1	4	6	6	7	2	3	6	-	1
White, both sexes.....	148	6	8	5	11	25	20	27	15	12	12	1	6
Male.....	119	3	8	4	7	20	17	21	14	10	9	1	5
Female.....	29	3	-	1	4	5	3	6	1	2	3	-	1
Black, both sexes.....	37	2	-	5	2	6	10	2	1	5	1	1	2
Male.....	29	1	-	5	2	5	7	1	1	4	-	1	2
Female.....	8	1	-	-	-	1	3	1	-	1	1	-	-
American Indian 1/, both sexes.....	6	-	-	-	-	1	-	2	2	-	1	-	-
Male.....	4	-	-	-	-	1	-	2	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	-	1	1	1	1	1	-	-
Male.....	5	-	1	-	-	-	1	1	1	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified drowning and submersion (W74)													
All races, both sexes.....	751	29	37	54	69	91	99	111	78	71	48	31	33
Male.....	634	24	34	45	60	77	83	89	69	58	43	25	27
Female.....	117	5	3	9	9	14	16	22	9	13	5	6	6
White, both sexes.....	606	25	26	47	59	78	79	93	58	52	35	27	27
Male.....	510	20	24	40	50	66	66	73	52	43	32	22	22
Female.....	96	5	2	7	9	12	13	20	6	9	3	5	5
Black, both sexes.....	107	4	8	5	9	10	11	13	16	15	10	2	4
Male.....	94	4	7	4	9	8	10	12	13	13	9	2	3
Female.....	13	-	1	1	-	2	1	1	3	2	1	-	1
American Indian 1/, both sexes.....	16	-	-	-	-	2	5	3	2	2	1	1	-
Male.....	12	-	-	-	-	2	3	3	2	-	1	1	-
Female.....	4	-	-	-	-	-	2	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	3	2	1	1	4	2	2	2	2	1	2
Male.....	18	-	3	1	1	1	4	1	2	2	1	-	2
Female.....	4	-	-	1	-	-	-	1	-	-	1	1	-
Accidental suffocation and strangulation in bed (W75)													
All races, both sexes.....	596	68	47	65	58	47	48	46	32	51	41	44	49
Male.....	327	41	29	36	32	23	22	25	18	31	20	27	23
Female.....	269	27	18	29	26	24	26	21	14	20	21	17	26
White, both sexes.....	394	45	32	40	41	28	31	30	26	27	29	30	35
Male.....	226	27	20	25	24	13	14	17	16	16	14	20	20
Female.....	168	18	12	15	17	15	17	13	10	11	15	10	15
Black, both sexes.....	182	21	14	20	16	18	15	14	5	22	11	13	13
Male.....	93	13	9	10	8	10	7	7	2	13	6	6	2
Female.....	89	8	5	10	8	8	8	7	3	9	5	7	11
American Indian 1/, both sexes.....	11	1	-	2	1	-	1	-	1	2	1	1	1
Male.....	5	-	-	-	-	-	1	-	-	2	-	1	1
Female.....	6	1	-	2	1	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	1	3	-	1	1	2	-	-	-	-	-
Male.....	3	1	-	1	-	-	-	1	-	-	-	-	-
Female.....	6	-	1	2	-	1	1	1	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Inhalation of gastric contents (W78)													
All races, both sexes.....	377	39	35	41	26	35	29	37	24	27	23	29	32
Male.....	203	20	22	22	19	13	17	17	8	17	16	18	14
Female.....	174	19	13	19	7	22	12	20	16	10	7	11	18
White, both sexes.....	329	30	30	36	24	32	27	33	19	24	20	25	29
Male.....	180	15	19	21	17	11	17	14	6	17	13	16	14
Female.....	149	15	11	15	7	21	10	19	13	7	7	9	15
Black, both sexes.....	42	9	3	5	2	3	2	3	4	2	3	3	3
Male.....	20	5	1	1	2	2	-	2	2	-	3	2	-
Female.....	22	4	2	4	-	1	2	1	2	2	-	1	3
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	-	-	-	-	1	1	1	-	-	-
Male.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Inhalation and ingestion of food causing obstruction of respiratory tract (W79)													
All races, both sexes.....	878	63	61	86	89	69	69	72	72	86	74	73	64
Male.....	482	38	31	47	39	38	40	41	44	44	38	46	36
Female.....	396	25	30	39	50	31	29	31	28	42	36	27	28
White, both sexes.....	761	50	56	78	79	57	55	61	63	76	63	66	57
Male.....	411	28	27	45	34	28	34	33	37	39	32	43	31
Female.....	350	22	29	33	45	29	21	28	26	37	31	23	26
Black, both sexes.....	87	8	4	7	7	6	12	7	8	8	7	6	7
Male.....	52	6	3	2	4	6	5	4	7	5	3	2	5
Female.....	35	2	1	5	3	-	7	3	1	3	4	4	2
American Indian 1/, both sexes.....	10	2	1	-	1	1	1	2	-	-	1	1	-
Male.....	9	2	1	-	-	1	1	2	-	-	1	1	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	3	-	1	2	5	1	2	1	2	3	-	-
Male.....	10	2	-	1	1	3	-	2	-	-	2	-	-
Female.....	10	1	-	1	1	2	1	-	1	2	1	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified threats to breathing (W83)													
All races, both sexes.....	231	18	10	19	19	29	19	23	16	15	19	22	22
Male.....	158	14	7	10	12	18	16	16	10	9	12	17	17
Female.....	73	4	3	9	7	11	3	7	6	6	7	5	5
White, both sexes.....	202	17	7	17	16	27	16	22	13	13	16	20	18
Male.....	139	13	5	9	10	17	13	16	9	8	9	15	15
Female.....	63	4	2	8	6	10	3	6	4	5	7	5	3
Black, both sexes.....	23	1	2	2	3	2	2	1	1	2	2	2	3
Male.....	16	1	1	1	2	1	2	-	1	1	2	2	2
Female.....	7	-	1	1	1	1	-	1	-	1	-	-	1
American Indian 1/, both sexes.....	4	-	1	-	-	-	1	-	1	-	1	-	-
Male.....	3	-	1	-	-	-	1	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Unspecified threat to breathing (W84)													
All races, both sexes.....	278	19	17	23	21	24	25	25	29	24	25	24	22
Male.....	184	12	9	16	13	15	15	16	20	18	17	15	18
Female.....	94	7	8	7	8	9	10	9	9	6	8	9	4
White, both sexes.....	218	15	11	19	20	16	22	20	26	19	20	17	13
Male.....	143	9	7	12	13	10	13	13	19	14	14	9	10
Female.....	75	6	4	7	7	6	9	7	7	5	6	8	3
Black, both sexes.....	49	4	5	3	1	7	3	4	1	5	5	4	7
Male.....	32	3	1	3	-	4	2	2	-	4	3	4	6
Female.....	17	1	4	-	1	3	1	2	1	1	2	-	1
American Indian 1/, both sexes.....	7	-	-	-	-	1	-	1	1	-	-	3	1
Male.....	6	-	-	-	-	1	-	1	1	-	-	2	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	1	-	-	-	-	1	-	-	-	1
Male.....	3	-	1	1	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Contact with unspecified venomous animal or plant (X29)</b>													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Exposure to excessive natural heat (X30)</b>													
All races, both sexes.....	226	1	1	2	9	23	37	77	49	22	3	-	2
Male.....	169	-	1	1	6	18	27	56	40	17	2	-	1
Female.....	57	1	-	1	3	5	10	21	9	5	1	-	1
White, both sexes.....	190	1	1	2	7	20	28	63	44	20	3	-	1
Male.....	141	-	1	1	4	16	18	47	35	16	2	-	1
Female.....	49	1	-	1	3	4	10	16	9	4	1	-	-
Black, both sexes.....	28	-	-	-	2	3	7	9	5	1	-	-	1
Male.....	23	-	-	-	2	2	7	6	5	1	-	-	-
Female.....	5	-	-	-	-	1	-	3	-	-	-	-	1
American Indian 1/, both sexes.....	4	-	-	-	-	-	1	3	-	-	-	-	-
Male.....	3	-	-	-	-	-	1	2	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	2	-	1	-	-	-
Male.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	1	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Victim of avalanche, landslide, and other earth movements (X36)													
All races, both sexes.....	30	3	3	4	5	-	-	2	1	4	3	-	5
Male.....	28	2	3	4	5	-	-	2	1	3	3	-	5
Female.....	2	1	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	29	3	3	4	4	-	-	2	1	4	3	-	5
Male.....	27	2	3	4	4	-	-	2	1	3	3	-	5
Female.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Victim of cataclysmic storm (X37)													
All races, both sexes.....	63	1	-	-	9	7	3	1	12	24	3	3	-
Male.....	37	1	-	-	5	2	2	1	8	15	2	1	-
Female.....	26	-	-	-	4	5	1	-	4	9	1	2	-
White, both sexes.....	56	1	-	-	9	7	3	1	10	20	3	2	-
Male.....	33	1	-	-	5	2	2	1	7	13	2	-	-
Female.....	23	-	-	-	4	5	1	-	3	7	1	2	-
Black, both sexes.....	4	-	-	-	-	-	-	-	1	2	-	1	-
Male.....	3	-	-	-	-	-	-	-	1	1	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics (X40)													
All races, both sexes.....	212	17	17	16	20	14	18	20	18	12	23	21	16
Male.....	80	5	7	11	5	4	5	7	10	2	12	6	6
Female.....	132	12	10	5	15	10	13	13	8	10	11	15	10
White, both sexes.....	179	12	13	12	18	12	16	19	14	10	21	20	12
Male.....	62	3	4	8	4	3	4	7	6	2	11	5	5
Female.....	117	9	9	4	14	9	12	12	8	8	10	15	7
Black, both sexes.....	29	4	3	4	2	2	2	1	4	2	1	1	3
Male.....	17	1	3	3	1	1	1	-	4	-	1	1	1
Female.....	12	3	-	1	1	1	1	1	-	2	-	-	2
American Indian 1/, both sexes.....	3	1	1	-	-	-	-	-	-	-	1	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified (X41)													
All races, both sexes.....	1,300	93	103	109	111	105	121	99	121	111	127	103	97
Male.....	787	63	54	68	56	69	79	63	71	71	81	56	56
Female.....	513	30	49	41	55	36	42	36	50	40	46	47	41
White, both sexes.....	1,159	84	88	98	104	92	107	92	108	98	112	93	83
Male.....	699	57	44	60	51	60	71	57	64	64	71	54	46
Female.....	460	27	44	38	53	32	36	35	44	34	41	39	37
Black, both sexes.....	71	6	8	3	4	4	7	4	4	10	7	7	7
Male.....	38	3	5	3	2	2	3	3	2	5	4	2	4
Female.....	33	3	3	-	2	2	4	1	2	5	3	5	3
American Indian 1/, both sexes.....	33	2	3	1	2	3	3	2	6	1	4	3	3
Male.....	21	2	1	1	2	2	1	2	3	1	3	-	3
Female.....	12	-	2	-	-	1	2	-	3	-	1	3	-
Asian or Pacific Islander 2/, both sexes.....	37	1	4	7	1	6	4	1	3	2	4	-	4
Male.....	29	1	4	4	1	5	4	1	2	1	3	-	3
Female.....	8	-	-	3	-	1	-	-	1	1	1	-	1





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accidental poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapors (X46)													
All races, both sexes.....	67	2	3	8	2	6	9	8	7	6	6	6	4
Male.....	57	2	1	7	2	5	9	6	6	4	6	6	3
Female.....	10	-	2	1	-	1	-	2	1	2	-	-	1
White, both sexes.....	58	1	3	7	2	5	7	7	6	6	5	5	4
Male.....	50	1	1	6	2	5	7	5	6	4	5	5	3
Female.....	8	-	2	1	-	-	-	2	-	2	-	-	1
Black, both sexes.....	3	-	-	1	-	-	2	-	-	-	-	-	-
Male.....	3	-	-	1	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	1	-	-	-	1	-	1	1	-	1	1	-
Male.....	4	1	-	-	-	-	-	1	-	-	1	1	-
Female.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental poisoning by and exposure to other gases and vapors (X47)													
All races, both sexes.....	562	80	71	39	46	25	27	29	29	35	41	62	78
Male.....	408	53	52	32	36	20	19	18	20	23	26	50	59
Female.....	154	27	19	7	10	5	8	11	9	12	15	12	19
White, both sexes.....	468	68	57	33	39	21	21	21	26	27	37	57	61
Male.....	347	44	43	27	30	17	14	15	18	20	23	47	49
Female.....	121	24	14	6	9	4	7	6	8	7	14	10	12
Black, both sexes.....	77	10	8	4	7	4	5	7	3	7	3	4	15
Male.....	49	8	5	3	6	3	4	2	2	3	3	2	8
Female.....	28	2	3	1	1	1	1	5	1	4	-	2	7
American Indian 1/, both sexes.....	4	-	2	-	-	-	-	1	-	-	-	-	1
Male.....	3	-	1	-	-	-	-	1	-	-	-	-	1
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	2	4	2	-	-	1	-	-	1	1	1	1
Male.....	9	1	3	2	-	-	1	-	-	-	-	1	1
Female.....	4	1	1	-	-	-	-	-	-	1	1	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified privation (X57)													
All races, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to other specified factors (X58)													
All races, both sexes.....	25	3	4	2	2	-	3	1	2	3	1	3	1
Male.....	15	1	1	2	2	-	3	-	1	2	-	3	-
Female.....	10	2	3	-	-	-	-	1	1	1	1	-	1
White, both sexes.....	19	2	2	2	1	-	3	1	1	3	1	2	1
Male.....	13	1	1	2	1	-	3	-	1	2	-	2	-
Female.....	6	1	1	-	-	-	-	1	-	1	1	-	1
Black, both sexes.....	4	1	1	-	1	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self-poisoning (suicide) by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified (X61)													
All races, both sexes.....	902	81	80	69	59	94	70	91	81	79	73	61	64
Male.....	415	40	30	31	26	55	32	40	40	36	32	26	27
Female.....	487	41	50	38	33	39	38	51	41	43	41	35	37
White, both sexes.....	835	74	75	65	54	87	66	86	71	74	71	57	55
Male.....	391	37	30	30	23	53	30	40	34	34	31	25	24
Female.....	444	37	45	35	31	34	36	46	37	40	40	32	31
Black, both sexes.....	38	4	4	1	2	5	2	4	3	3	2	2	6
Male.....	12	2	-	-	2	2	1	-	1	1	1	-	2
Female.....	26	2	4	1	-	3	1	4	2	2	1	2	4
American Indian 1/, both sexes.....	15	2	1	1	2	2	-	-	3	1	-	1	2
Male.....	5	-	-	-	1	-	-	-	2	1	-	1	-
Female.....	10	2	1	1	1	2	-	-	1	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	14	1	-	2	1	-	2	1	4	1	-	1	1
Male.....	7	1	-	1	-	-	1	-	3	-	-	-	1
Female.....	7	-	-	1	1	-	1	1	1	1	-	1	-
Intentional self-poisoning (suicide) by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified (X62)													
All races, both sexes.....	626	46	49	54	47	64	45	58	51	55	50	56	51
Male.....	327	23	25	25	27	40	18	32	29	24	28	31	25
Female.....	299	23	24	29	20	24	27	26	22	31	22	25	26
White, both sexes.....	594	41	47	50	45	61	41	55	49	55	49	52	49
Male.....	308	21	23	24	26	39	16	29	28	24	28	27	23
Female.....	286	20	24	26	19	22	25	26	21	31	21	25	26
Black, both sexes.....	20	3	1	3	1	2	2	3	1	-	-	2	2
Male.....	11	1	1	1	-	-	1	3	-	-	-	2	2
Female.....	9	2	-	2	1	2	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	8	1	-	1	-	1	1	-	1	-	1	2	-
Male.....	6	1	-	-	-	1	1	-	1	-	-	2	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	1	-	1	-	1	-	-	-	-	-	-
Male.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self-poisoning (suicide) by and exposure to other drugs acting on the autonomic nervous system (X63)													
All races, both sexes.....	16	1	2	1	3	-	-	1	1	2	2	1	2
Male.....	10	-	1	1	3	-	-	1	1	-	2	-	1
Female.....	6	1	1	-	-	-	-	-	-	2	-	1	1
White, both sexes.....	15	1	2	1	3	-	-	1	1	1	2	1	2
Male.....	10	-	1	1	3	-	-	1	1	-	2	-	1
Female.....	5	1	1	-	-	-	-	-	-	1	-	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Intentional self-poisoning (suicide) by and exposure to other and unspecified drugs, medicaments, and biological substances (X64)													
All races, both sexes.....	2,429	189	189	214	171	214	224	234	227	197	184	200	186
Male.....	1,117	92	81	104	79	89	110	105	97	100	87	91	82
Female.....	1,312	97	108	110	92	125	114	129	130	97	97	109	104
White, both sexes.....	2,277	183	179	201	159	200	214	219	213	182	170	187	170
Male.....	1,051	90	75	99	74	85	105	99	87	92	81	85	79
Female.....	1,226	93	104	102	85	115	109	120	126	90	89	102	91
Black, both sexes.....	87	4	7	6	8	6	5	7	7	10	9	10	8
Male.....	35	2	4	4	2	1	2	1	5	3	5	5	1
Female.....	52	2	3	2	6	5	3	6	2	7	4	5	7
American Indian 1/, both sexes.....	24	1	2	1	-	4	2	2	4	2	3	2	1
Male.....	13	-	2	-	-	1	-	2	4	2	-	1	1
Female.....	11	1	-	1	-	3	2	-	-	-	3	1	-
Asian or Pacific Islander 2/, both sexes.....	41	1	1	6	4	4	3	6	3	3	2	1	7
Male.....	18	-	-	1	3	2	3	3	1	3	1	-	1
Female.....	23	1	1	5	1	2	-	3	2	-	1	1	6





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self-poisoning (suicide) by and exposure to other and unspecified chemicals and noxious substances (X69)													
All races, both sexes.....	91	11	12	8	7	8	6	11	7	3	7	5	6
Male.....	57	6	8	4	5	5	4	6	5	2	5	3	4
Female.....	34	5	4	4	2	3	2	5	2	1	2	2	2
White, both sexes.....	80	10	11	7	6	7	5	11	6	1	6	4	6
Male.....	49	5	7	3	5	5	4	6	4	-	4	2	4
Female.....	31	5	4	4	1	2	1	5	2	1	2	2	2
Black, both sexes.....	3	-	1	1	-	-	-	-	-	-	-	1	-
Male.....	3	-	1	1	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	1	-	-	-	-	-	-	1	1	-	-	-
Male.....	3	1	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	1	1	-	-	1	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	3	-	-	-	1	1	1	-	-	-	-	-	-
Intentional self harm (suicide) by hanging, strangulation, and suffocation (X70)													
All races, both sexes.....	7,336	556	519	649	682	595	630	665	587	663	657	567	566
Male.....	5,980	443	421	537	560	478	496	543	481	543	549	460	469
Female.....	1,356	113	98	112	122	117	134	122	106	120	108	107	97
White, both sexes.....	6,314	482	445	559	583	509	535	574	510	560	573	488	496
Male.....	5,180	387	363	467	480	417	422	474	414	455	479	401	421
Female.....	1,134	95	82	92	103	92	113	100	96	105	94	87	75
Black, both sexes.....	535	42	48	53	56	46	52	51	40	55	35	32	25
Male.....	445	35	39	44	49	32	42	41	38	46	32	28	19
Female.....	90	7	9	9	7	14	10	10	2	9	3	4	6
American Indian 1/, both sexes.....	165	11	7	12	12	10	16	13	12	25	17	16	14
Male.....	124	6	3	9	8	9	13	11	10	24	13	12	6
Female.....	41	5	4	3	4	1	3	2	2	1	4	4	8
Asian or Pacific Islander 2/, both sexes.....	322	21	19	25	31	30	27	27	25	23	32	31	31
Male.....	231	15	16	17	23	20	19	17	19	18	25	19	23
Female.....	91	6	3	8	8	10	8	10	6	5	7	12	8

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self harm (suicide) by drowning and submersion (X71)													
All races, both sexes.....	365	9	20	34	37	45	37	35	31	32	33	29	23
Male.....	218	3	12	22	22	32	26	30	16	17	15	12	11
Female.....	147	6	8	12	15	13	11	5	15	15	18	17	12
White, both sexes.....	280	7	17	27	28	35	27	26	24	26	24	24	15
Male.....	167	3	10	18	16	25	17	22	13	13	10	11	9
Female.....	113	4	7	9	12	10	10	4	11	13	14	13	6
Black, both sexes.....	60	-	1	6	6	6	6	8	6	4	8	4	5
Male.....	37	-	-	4	3	4	6	7	3	2	5	1	2
Female.....	23	-	1	2	3	2	-	1	3	2	3	3	3
American Indian 1/, both sexes.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	2	2	1	2	3	4	1	1	2	1	1	3
Male.....	12	-	2	-	2	2	3	1	-	2	-	-	-
Female.....	11	2	-	1	-	1	1	-	1	-	1	1	3
Intentional self harm (suicide) by handgun discharge (X72)													
All races, both sexes.....	3,609	291	310	342	295	268	310	334	290	303	289	291	286
Male.....	3,019	245	266	278	253	224	256	283	235	252	244	237	246
Female.....	590	46	44	64	42	44	54	51	55	51	45	54	40
White, both sexes.....	3,325	266	288	312	272	250	290	305	264	277	266	266	269
Male.....	2,786	224	248	253	234	209	238	259	214	232	223	221	231
Female.....	539	42	40	59	38	41	52	46	50	45	43	45	38
Black, both sexes.....	181	19	9	17	14	13	14	17	18	19	15	15	11
Male.....	151	16	7	15	12	12	12	14	16	14	14	9	10
Female.....	30	3	2	2	2	1	2	3	2	5	1	6	1
American Indian 1/, both sexes.....	35	-	6	7	2	1	2	5	4	1	2	4	1
Male.....	31	-	5	7	2	1	2	4	3	1	2	3	1
Female.....	4	-	1	-	-	-	-	1	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	68	6	7	6	7	4	4	7	4	6	6	6	5
Male.....	51	5	6	3	5	2	4	6	2	5	5	4	4
Female.....	17	1	1	3	2	2	-	1	2	1	1	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self harm (suicide) by rifle, shotgun, and larger firearm discharge (X73)													
All races, both sexes.....	2,798	230	230	226	251	259	215	221	238	200	257	246	225
Male.....	2,631	209	218	214	240	241	199	209	222	191	247	228	213
Female.....	167	21	12	12	11	18	16	12	16	9	10	18	12
White, both sexes.....	2,658	218	220	215	237	246	207	210	223	190	240	237	215
Male.....	2,502	198	209	204	227	229	191	199	208	182	230	221	204
Female.....	156	20	11	11	10	17	16	11	15	8	10	16	11
Black, both sexes.....	87	7	7	7	8	9	5	7	10	7	11	5	4
Male.....	81	6	6	6	8	9	5	7	9	6	11	4	4
Female.....	6	1	1	1	-	-	-	-	1	1	-	1	-
American Indian 1/, both sexes.....	36	3	2	2	4	2	2	3	4	2	5	2	5
Male.....	32	3	2	2	3	2	2	2	4	2	5	1	4
Female.....	4	-	-	-	1	-	-	1	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	17	2	1	2	2	2	1	1	1	1	1	2	1
Male.....	16	2	1	2	2	1	1	1	1	1	1	2	1
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Intentional self harm (suicide) by other and unspecified firearm discharge (X74)													
All races, both sexes.....	10,343	899	822	899	832	900	861	910	895	838	875	858	754
Male.....	8,873	776	695	780	703	774	744	782	766	720	753	735	645
Female.....	1,470	123	127	119	129	126	117	128	129	118	122	123	109
White, both sexes.....	9,424	812	758	825	756	823	792	834	815	756	783	776	694
Male.....	8,053	702	642	709	638	706	682	711	694	648	671	656	594
Female.....	1,371	110	116	116	118	117	110	123	121	108	112	120	100
Black, both sexes.....	741	68	52	59	59	66	62	61	61	66	71	67	49
Male.....	672	57	43	58	53	60	57	56	56	59	66	64	43
Female.....	69	11	9	1	6	6	5	5	5	7	5	3	6
American Indian 1/, both sexes.....	81	11	7	8	9	2	4	5	9	8	6	8	4
Male.....	67	9	6	7	8	2	2	5	7	5	4	8	4
Female.....	14	2	1	1	1	-	2	-	2	3	2	-	-
Asian or Pacific Islander 2/, both sexes.....	97	8	5	7	8	9	3	10	10	8	15	7	7
Male.....	81	8	4	6	4	6	3	10	9	8	12	7	4
Female.....	16	-	1	1	4	3	-	-	1	-	3	-	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self harm (suicide) by explosive material (X75)													
All races, both sexes.....	8	1	-	1	-	-	-	1	1	1	1	1	1
Male.....	8	1	-	1	-	-	-	1	1	1	1	1	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	8	1	-	1	-	-	-	1	1	1	1	1	1
Male.....	8	1	-	1	-	-	-	1	1	1	1	1	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Intentional self harm (suicide) by smoke, fire, and flames (X76)													
All races, both sexes.....	175	10	12	20	11	14	15	16	8	19	19	15	16
Male.....	125	7	9	14	8	9	8	12	6	16	15	13	8
Female.....	50	3	3	6	3	5	7	4	2	3	4	2	8
White, both sexes.....	129	7	8	15	10	9	10	11	6	12	14	14	13
Male.....	91	4	6	11	7	5	5	7	4	10	12	12	8
Female.....	38	3	2	4	3	4	5	4	2	2	2	2	5
Black, both sexes.....	20	1	2	2	1	4	3	2	1	2	1	1	-
Male.....	16	1	2	1	1	3	1	2	1	2	1	1	-
Female.....	4	-	-	1	-	1	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	-	1	1	-	-	2	-	-	1
Male.....	4	-	-	-	-	1	1	-	-	2	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	21	2	2	3	-	-	1	3	1	3	4	-	2
Male.....	14	2	1	2	-	-	1	3	1	2	2	-	-
Female.....	7	-	1	1	-	-	-	-	-	1	2	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self harm (suicide) by steam, hot vapors, and hot objects (X77)													
All races, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Intentional self harm (suicide) by sharp object (X78)													
All races, both sexes.....	590	48	49	57	40	53	55	55	53	47	50	43	40
Male.....	483	38	42	47	32	44	43	41	42	42	40	37	35
Female.....	107	10	7	10	8	9	12	14	11	5	10	6	5
White, both sexes.....	509	42	43	42	37	46	49	47	48	43	41	35	36
Male.....	420	34	38	35	30	38	40	33	39	38	33	31	31
Female.....	89	8	5	7	7	8	9	14	9	5	8	4	5
Black, both sexes.....	35	3	3	7	1	3	-	5	3	2	3	3	2
Male.....	32	3	2	6	1	3	-	5	3	2	2	3	2
Female.....	3	-	1	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	6	1	-	3	-	-	-	-	-	-	1	1	-
Male.....	4	1	-	2	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	40	2	3	5	2	4	6	3	2	2	5	4	2
Male.....	27	-	2	4	1	3	3	3	-	2	4	3	2
Female.....	13	2	1	1	1	1	3	-	2	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self harm (suicide) by blunt object (X79)													
All races, both sexes.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Intentional self harm (suicide) by jumping from a high place (X80)													
All races, both sexes.....	676	53	47	50	64	63	55	60	51	56	56	57	64
Male.....	488	40	34	37	51	41	39	43	33	38	41	39	52
Female.....	188	13	13	13	13	22	16	17	18	18	15	18	12
White, both sexes.....	542	45	41	42	53	50	39	49	37	50	44	46	46
Male.....	400	36	30	32	44	35	25	36	25	34	32	32	39
Female.....	142	9	11	10	9	15	14	13	12	16	12	14	7
Black, both sexes.....	67	2	5	2	8	5	7	5	8	1	4	8	12
Male.....	50	2	4	2	4	3	7	3	5	1	3	5	11
Female.....	17	-	1	-	4	2	-	2	3	-	1	3	1
American Indian 1/, both sexes.....	6	1	-	2	-	-	-	1	-	1	1	-	-
Male.....	5	1	-	1	-	-	-	1	-	1	1	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	61	5	1	4	3	8	9	5	6	4	7	3	6
Male.....	33	1	-	2	3	3	7	3	3	2	5	2	2
Female.....	28	4	1	2	-	5	2	2	3	2	2	1	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self harm (suicide) by jumping or lying before moving object (X81)													
All races, both sexes.....	358	21	22	33	22	40	36	29	39	27	27	34	28
Male.....	255	17	16	26	13	25	23	22	28	19	19	25	22
Female.....	103	4	6	7	9	15	13	7	11	8	8	9	6
White, both sexes.....	303	18	20	28	19	32	30	28	32	23	25	28	20
Male.....	212	14	14	21	10	20	20	21	24	16	17	20	15
Female.....	91	4	6	7	9	12	10	7	8	7	8	8	5
Black, both sexes.....	39	2	2	3	3	6	6	1	3	1	2	5	5
Male.....	31	2	2	3	3	5	3	1	1	1	2	4	4
Female.....	8	-	-	-	-	1	3	-	2	-	-	1	1
American Indian 1/, both sexes.....	5	1	-	-	-	-	-	-	1	1	-	-	2
Male.....	4	1	-	-	-	-	-	-	-	1	-	-	2
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	2	-	2	-	-	3	2	-	1	1
Male.....	8	-	-	2	-	-	-	-	3	1	-	1	1
Female.....	3	-	-	-	-	2	-	-	-	1	-	-	-
Intentional self harm (suicide) by crashing of motor vehicle (X82)													
All races, both sexes.....	108	12	3	3	10	8	5	13	6	15	12	12	9
Male.....	76	8	3	-	7	5	3	10	5	10	9	7	9
Female.....	32	4	-	3	3	3	2	3	1	5	3	5	-
White, both sexes.....	99	11	3	3	10	8	5	12	5	12	11	11	8
Male.....	71	8	3	-	7	5	3	9	4	9	8	7	8
Female.....	28	3	-	3	3	3	2	3	1	3	3	4	-
Black, both sexes.....	6	1	-	-	-	-	-	1	-	2	1	-	1
Male.....	4	-	-	-	-	-	-	1	-	1	1	-	1
Female.....	2	1	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Assault (homicide) by handgun discharge (X93)													
All races, both sexes.....	1,011	99	81	72	83	112	74	71	82	93	81	86	77
Male.....	817	77	58	51	71	95	60	61	71	78	66	66	63
Female.....	194	22	23	21	12	17	14	10	11	15	15	20	14
White, both sexes.....	517	52	46	43	38	57	33	36	38	41	43	45	45
Male.....	391	40	31	31	29	46	25	29	30	31	32	32	35
Female.....	126	12	15	12	9	11	8	7	8	10	11	13	10
Black, both sexes.....	450	43	30	27	41	50	40	31	42	49	35	35	27
Male.....	397	35	26	20	39	44	34	28	39	44	31	31	26
Female.....	53	8	4	7	2	6	6	3	3	5	4	4	1
American Indian 1/, both sexes.....	12	1	1	1	1	1	1	3	-	-	-	3	-
Male.....	10	-	1	-	1	1	1	3	-	-	-	3	-
Female.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	32	3	4	1	3	4	-	1	2	3	3	3	5
Male.....	19	2	-	-	2	4	-	1	2	3	3	-	2
Female.....	13	1	4	1	1	-	-	-	-	-	-	3	3
Assault (homicide) by rifle, shotgun, and larger firearm discharge (X94)													
All races, both sexes.....	714	46	53	70	50	67	57	65	71	63	54	62	56
Male.....	543	35	38	47	37	51	43	53	55	47	41	51	45
Female.....	171	11	15	23	13	16	14	12	16	16	13	11	11
White, both sexes.....	463	33	39	47	32	39	37	45	40	37	30	49	35
Male.....	340	25	29	31	23	28	30	33	30	25	21	39	26
Female.....	123	8	10	16	9	11	7	12	10	12	9	10	9
Black, both sexes.....	231	11	12	21	17	27	17	19	30	25	20	12	20
Male.....	187	8	8	14	13	22	12	19	24	21	17	11	18
Female.....	44	3	4	7	4	5	5	-	6	4	3	1	2
American Indian 1/, both sexes.....	6	1	2	-	-	-	-	1	-	-	2	-	-
Male.....	5	1	1	-	-	-	-	1	-	-	2	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	1	-	2	1	1	3	-	1	1	2	1	1
Male.....	11	1	-	2	1	1	1	-	1	1	1	1	1
Female.....	3	-	-	-	-	-	2	-	-	-	1	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Assault (homicide) by sharp object (X99)													
All races, both sexes.....	2,079	144	135	187	151	197	185	196	186	193	173	154	178
Male.....	1,474	108	91	143	112	145	118	156	128	141	113	98	121
Female.....	605	36	44	44	39	52	67	40	58	52	60	56	57
White, both sexes.....	1,161	73	75	98	85	110	97	116	101	114	98	97	97
Male.....	803	56	47	71	59	79	56	95	66	82	61	65	66
Female.....	358	17	28	27	26	31	41	21	35	32	37	32	31
Black, both sexes.....	818	63	53	76	60	81	77	69	82	65	69	51	72
Male.....	586	44	37	60	48	62	52	53	59	47	48	29	47
Female.....	232	19	16	16	12	19	25	16	23	18	21	22	25
American Indian 1/, both sexes.....	47	3	3	4	3	4	7	4	3	6	2	2	6
Male.....	44	3	3	3	3	3	7	4	3	5	2	2	6
Female.....	3	-	-	1	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	53	5	4	9	3	2	4	7	-	8	4	4	3
Male.....	41	5	4	9	2	1	3	4	-	7	2	2	2
Female.....	12	-	-	-	1	1	1	3	-	1	2	2	1
Assault (homicide) by blunt object (Y00)													
All races, both sexes.....	102	10	11	5	6	11	6	6	6	14	13	9	5
Male.....	66	7	5	4	5	7	5	3	4	10	8	7	1
Female.....	36	3	6	1	1	4	1	3	2	4	5	2	4
White, both sexes.....	66	7	7	3	3	9	5	1	5	10	7	6	3
Male.....	46	5	3	3	3	6	4	-	4	7	5	5	1
Female.....	20	2	4	-	-	3	1	1	1	3	2	1	2
Black, both sexes.....	29	3	3	2	2	2	1	5	1	2	3	3	2
Male.....	17	2	1	1	1	1	1	3	-	2	3	2	-
Female.....	12	1	2	1	1	1	-	2	1	-	-	1	2
American Indian 1/, both sexes.....	4	-	1	-	1	-	-	-	-	1	1	-	-
Male.....	3	-	1	-	1	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	1	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	2	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sexual assault (homicide) by bodily force (Y05)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect and abandonment (Y06)													
All races, both sexes.....	28	2	2	2	2	2	3	1	1	3	4	6	-
Male.....	16	1	1	2	1	1	2	-	-	2	3	3	-
Female.....	12	1	1	-	1	1	1	1	1	1	1	3	-
White, both sexes.....	19	2	-	2	-	2	3	1	1	-	3	5	-
Male.....	11	1	-	2	-	1	2	-	-	-	2	3	-
Female.....	8	1	-	-	-	1	1	1	1	-	1	2	-
Black, both sexes.....	6	-	1	-	2	-	-	-	-	1	1	1	-
Male.....	4	-	1	-	1	-	-	-	-	1	1	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
By other specified persons (Y06.8)													
All races, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
By unspecified person (Y06.9)													
All races, both sexes.....	26	2	2	2	2	2	3	1	1	3	4	4	-
Male.....	14	1	1	2	1	1	2	-	-	2	3	1	-
Female.....	12	1	1	-	1	1	1	1	1	1	1	3	-
White, both sexes.....	17	2	-	2	-	2	3	1	1	-	3	3	-
Male.....	9	1	-	2	-	1	2	-	-	-	2	1	-
Female.....	8	1	-	-	-	1	1	1	1	-	1	2	-
Black, both sexes.....	6	-	1	-	2	-	-	-	-	1	1	1	-
Male.....	4	-	1	-	1	-	-	-	-	1	1	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Assault (homicide) by unspecified means (Y09)													
All races, both sexes.....	1,699	135	145	112	133	146	141	181	161	153	157	102	133
Male.....	1,110	86	91	75	77	97	90	121	112	95	112	68	86
Female.....	589	49	54	37	56	49	51	60	49	58	45	34	47
White, both sexes.....	1,128	90	93	71	88	94	85	112	120	107	101	74	93
Male.....	747	64	60	44	52	67	54	79	84	64	72	46	61
Female.....	381	26	33	27	36	27	31	33	36	43	29	28	32
Black, both sexes.....	492	40	42	37	40	48	46	61	36	37	48	24	33
Male.....	314	20	25	28	21	28	31	38	26	23	34	19	21
Female.....	178	20	17	9	19	20	15	23	10	14	14	5	12
American Indian 1/, both sexes.....	37	2	5	2	3	1	3	6	2	5	3	2	3
Male.....	24	1	3	1	3	-	2	3	-	4	3	2	2
Female.....	13	1	2	1	-	1	1	3	2	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	42	3	5	2	2	3	7	2	3	4	5	2	4
Male.....	25	1	3	2	1	2	3	1	2	4	3	1	2
Female.....	17	2	2	-	1	1	4	1	1	-	2	1	2
Poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics, undetermined intent (Y10)													
All races, both sexes.....	55	3	8	4	2	9	4	5	8	2	3	3	4
Male.....	22	1	3	2	-	4	1	3	3	-	1	1	3
Female.....	33	2	5	2	2	5	3	2	5	2	2	2	1
White, both sexes.....	50	3	6	4	2	8	3	5	8	2	2	3	4
Male.....	20	1	2	2	-	4	-	3	3	-	1	1	3
Female.....	30	2	4	2	2	4	3	2	5	2	1	2	1
Black, both sexes.....	4	-	2	-	-	1	1	-	-	-	-	-	-
Male.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	1	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified, undetermined intent (Y11)													
All races, both sexes.....	262	23	28	26	25	23	14	16	24	22	27	17	17
Male.....	125	9	14	7	13	15	7	8	9	9	17	9	8
Female.....	137	14	14	19	12	8	7	8	15	13	10	8	9
White, both sexes.....	237	20	27	24	23	20	13	14	21	20	25	16	14
Male.....	113	7	14	7	12	13	7	6	8	7	16	9	7
Female.....	124	13	13	17	11	7	6	8	13	13	9	7	7
Black, both sexes.....	16	2	1	-	2	1	-	1	3	1	2	1	2
Male.....	9	2	-	-	1	1	-	1	1	1	1	-	1
Female.....	7	-	1	-	1	-	-	-	2	-	1	1	1
American Indian 1/, both sexes.....	3	-	-	2	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	2	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	-	-	2	1	1	-	-	-	-	1
Male.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	4	1	-	-	-	1	1	-	-	-	-	-	1
Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens] , not elsewhere classified, undetermined intent (Y12)													
All races, both sexes.....	1,761	159	156	151	148	147	156	132	122	151	135	149	155
Male.....	1,240	116	104	107	102	100	115	89	94	108	91	107	107
Female.....	521	43	52	44	46	47	41	43	28	43	44	42	48
White, both sexes.....	1,441	118	132	126	117	122	134	103	98	130	113	120	128
Male.....	1,014	88	91	90	78	79	98	71	75	95	75	87	87
Female.....	427	30	41	36	39	43	36	32	23	35	38	33	41
Black, both sexes.....	294	36	22	23	30	24	21	25	19	19	21	28	26
Male.....	208	24	12	16	23	20	16	15	14	13	15	20	20
Female.....	86	12	10	7	7	4	5	10	5	6	6	8	6
American Indian 1/, both sexes.....	16	3	1	1	-	1	1	3	3	1	1	-	1
Male.....	11	2	1	-	-	1	1	2	3	-	1	-	-
Female.....	5	1	-	1	-	-	-	1	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	10	2	1	1	1	-	-	1	2	1	-	1	-
Male.....	7	2	-	1	1	-	-	1	2	-	-	-	-
Female.....	3	-	1	-	-	-	-	-	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Poisoning by and exposure to other drugs acting on the autonomic nervous system, undetermined intent (Y13)													
All races, both sexes.....	9	-	1	1	1	1	3	-	1	1	-	-	-
Male.....	5	-	-	-	-	1	2	-	1	1	-	-	-
Female.....	4	-	1	1	1	-	1	-	-	-	-	-	-
White, both sexes.....	6	-	1	1	-	1	3	-	-	-	-	-	-
Male.....	3	-	-	-	-	1	2	-	-	-	-	-	-
Female.....	3	-	1	1	-	-	1	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent (Y14)													
All races, both sexes.....	1,219	115	105	122	91	85	95	101	89	107	104	106	99
Male.....	605	60	55	63	49	47	45	54	42	58	41	50	41
Female.....	614	55	50	59	42	38	50	47	47	49	63	56	58
White, both sexes.....	1,125	110	96	113	81	76	90	94	85	97	97	95	91
Male.....	563	58	52	58	43	41	43	52	39	54	40	44	39
Female.....	562	52	44	55	38	35	47	42	46	43	57	51	52
Black, both sexes.....	76	2	9	8	10	8	4	5	4	10	6	4	6
Male.....	35	1	3	4	6	6	1	2	3	4	1	3	1
Female.....	41	1	6	4	4	2	3	3	1	6	5	1	5
American Indian 1/, both sexes.....	11	2	-	1	-	-	1	1	-	-	-	5	1
Male.....	5	-	-	1	-	-	1	-	-	-	-	2	1
Female.....	6	2	-	-	-	-	-	1	-	-	-	3	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	-	1	-	1	-	-	1	2	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	5	-	-	-	-	1	-	1	-	-	1	1	1





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hanging, strangulation, and suffocation, undetermined intent (Y20)													
All races, both sexes.....	152	9	13	12	14	12	9	15	18	13	12	14	11
Male.....	117	9	11	9	12	9	5	10	14	9	10	12	7
Female.....	35	-	2	3	2	3	4	5	4	4	2	2	4
White, both sexes.....	114	7	10	9	12	10	7	8	14	10	9	11	7
Male.....	91	7	8	6	11	7	5	3	13	7	8	10	6
Female.....	23	-	2	3	1	3	2	5	1	3	1	1	1
Black, both sexes.....	32	2	3	3	1	1	1	5	4	3	2	3	4
Male.....	23	2	3	3	1	1	-	5	1	2	2	2	1
Female.....	9	-	-	-	-	-	1	-	3	1	-	1	3
American Indian 1/, both sexes.....	5	-	-	-	1	1	1	2	-	-	-	-	-
Male.....	3	-	-	-	-	1	-	2	-	-	-	-	-
Female.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Drowning and submersion, undetermined intent (Y21)													
All races, both sexes.....	223	9	14	20	18	21	20	27	31	21	25	11	6
Male.....	164	6	12	13	17	14	15	21	25	14	19	7	1
Female.....	59	3	2	7	1	7	5	6	6	7	6	4	5
White, both sexes.....	167	6	9	13	13	16	19	19	24	14	19	10	5
Male.....	124	3	7	10	12	11	14	16	19	9	15	7	1
Female.....	43	3	2	3	1	5	5	3	5	5	4	3	4
Black, both sexes.....	40	3	4	5	4	3	1	7	3	6	3	1	-
Male.....	32	3	4	3	4	2	1	5	3	5	2	-	-
Female.....	8	-	-	2	-	1	-	2	-	1	1	1	-
American Indian 1/, both sexes.....	3	-	1	1	-	1	-	-	-	-	-	-	-
Male.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	1	1	1	-	1	4	1	3	-	1
Male.....	6	-	-	-	1	-	-	-	3	-	2	-	-
Female.....	7	-	-	1	-	1	-	1	1	1	1	-	1



















































































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Topical agent, unspecified (Y56.9)													
All races, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified drugs and medicaments (Y57)													
All races, both sexes.....	133	16	12	8	6	15	16	9	10	10	12	12	7
Male.....	66	5	6	5	3	5	10	6	5	4	4	9	4
Female.....	67	11	6	3	3	10	6	3	5	6	8	3	3
White, both sexes.....	105	15	10	5	5	10	12	8	8	7	9	11	5
Male.....	54	5	5	3	3	2	9	5	5	3	2	8	4
Female.....	51	10	5	2	2	8	3	3	3	4	7	3	1
Black, both sexes.....	26	1	2	2	1	4	4	1	2	3	3	1	2
Male.....	11	-	1	1	-	3	1	1	-	1	2	1	-
Female.....	15	1	1	1	1	1	3	-	2	2	1	-	2
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other drugs and medicaments (Y57.8)													
All races, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Drug or medicament, unspecified (Y57.9)													
All races, both sexes.....	123	15	11	8	6	14	13	9	10	9	12	11	5
Male.....	59	4	6	5	3	5	8	6	5	3	4	8	2
Female.....	64	11	5	3	3	9	5	3	5	6	8	3	3
White, both sexes.....	96	14	9	5	5	9	10	8	8	6	9	10	3
Male.....	47	4	5	3	3	2	7	5	5	2	2	7	2
Female.....	49	10	4	2	2	7	3	3	3	4	7	3	1
Black, both sexes.....	25	1	2	2	1	4	3	1	2	3	3	1	2
Male.....	11	-	1	1	-	3	1	1	-	1	2	1	-
Female.....	14	1	1	1	1	1	2	-	2	2	1	-	2
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Miscellaneous devices, not elsewhere classified (Y82.8)													
All races, both sexes.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y83)													
All races, both sexes.....	1,728	161	127	154	139	126	141	139	154	135	149	163	140
Male.....	841	85	62	75	63	57	68	72	77	74	59	73	76
Female.....	887	76	65	79	76	69	73	67	77	61	90	90	64
White, both sexes.....	1,441	134	107	133	114	101	115	122	122	116	128	139	110
Male.....	722	77	52	66	52	48	63	64	59	62	56	64	59
Female.....	719	57	55	67	62	53	52	58	63	54	72	75	51
Black, both sexes.....	257	25	16	16	24	23	22	15	28	16	19	24	29
Male.....	106	8	6	8	10	7	5	7	16	10	3	9	17
Female.....	151	17	10	8	14	16	17	8	12	6	16	15	12
American Indian 1/, both sexes.....	6	-	-	1	-	1	3	-	-	1	-	-	-
Male.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	3	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	2	4	4	1	1	1	2	4	2	2	-	1
Male.....	11	-	4	-	1	1	-	1	2	2	-	-	-
Female.....	13	2	-	4	-	-	1	1	2	-	2	-	1



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Surgical operation with anastomosis, bypass, or graft (Y83.2)													
All races, both sexes.....	177	18	13	12	13	11	15	16	18	10	21	14	16
Male.....	98	8	7	9	9	4	7	7	12	7	10	6	12
Female.....	79	10	6	3	4	7	8	9	6	3	11	8	4
White, both sexes.....	140	11	12	11	9	9	10	14	14	7	19	12	12
Male.....	83	6	7	8	7	3	5	7	10	5	10	5	10
Female.....	57	5	5	3	2	6	5	7	4	2	9	7	2
Black, both sexes.....	34	7	1	1	4	2	4	1	4	3	1	2	4
Male.....	15	2	-	1	2	1	2	-	2	2	-	1	2
Female.....	19	5	1	-	2	1	2	1	2	1	1	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Surgical operation with formation of external stoma (Y83.3)													
All races, both sexes.....	107	18	10	11	9	9	8	6	10	10	7	5	4
Male.....	51	7	7	7	5	3	3	4	6	3	2	4	-
Female.....	56	11	3	4	4	6	5	2	4	7	5	1	4
White, both sexes.....	75	12	5	8	6	6	7	5	8	6	5	5	2
Male.....	37	5	3	6	4	2	3	3	4	1	2	4	-
Female.....	38	7	2	2	2	4	4	2	4	5	3	1	2
Black, both sexes.....	26	6	3	2	3	2	-	1	2	3	2	-	2
Male.....	10	2	2	1	1	-	-	1	2	1	-	-	-
Female.....	16	4	1	1	2	2	-	-	-	2	2	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	2	1	-	1	1	-	-	1	-	-	-
Male.....	4	-	2	-	-	1	-	-	-	1	-	-	-
Female.....	2	-	-	1	-	-	1	-	-	-	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Surgical procedure, unspecified (Y83.9)													
All races, both sexes.....	584	48	45	53	47	44	47	58	44	48	52	60	38
Male.....	273	23	20	24	18	19	26	32	18	27	19	27	20
Female.....	311	25	25	29	29	25	21	26	26	21	33	33	18
White, both sexes.....	510	41	42	44	42	38	41	49	36	45	46	53	33
Male.....	246	21	18	21	17	17	25	27	15	25	18	25	17
Female.....	264	20	24	23	25	21	16	22	21	20	28	28	16
Black, both sexes.....	65	5	2	7	4	5	6	9	6	3	6	7	5
Male.....	23	2	1	2	-	1	1	5	3	2	1	2	3
Female.....	42	3	1	5	4	4	5	4	3	1	5	5	2
American Indian 1/, both sexes.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	2	1	1	1	-	-	-	2	-	-	-	-
Male.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	5	2	-	1	-	-	-	-	2	-	-	-	-
Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y84)													
All races, both sexes.....	507	40	30	47	51	58	40	33	44	41	36	38	49
Male.....	235	18	15	22	28	23	16	13	21	18	14	21	26
Female.....	272	22	15	25	23	35	24	20	23	23	22	17	23
White, both sexes.....	407	32	24	37	40	48	33	24	36	34	28	31	40
Male.....	199	15	13	18	23	19	12	11	19	18	11	16	24
Female.....	208	17	11	19	17	29	21	13	17	16	17	15	16
Black, both sexes.....	89	7	5	7	10	9	6	8	8	7	7	6	9
Male.....	30	3	1	2	4	3	3	2	2	-	3	5	2
Female.....	59	4	4	5	6	6	3	6	6	7	4	1	7
American Indian 1/, both sexes.....	3	1	-	1	1	-	-	-	-	-	-	-	-
Male.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	1	2	-	1	1	1	-	-	1	1	-
Male.....	4	-	1	1	-	1	1	-	-	-	-	-	-
Female.....	4	-	-	1	-	-	-	1	-	-	1	1	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Urinary catheterization (Y84.6)													
All races, both sexes.....	69	5	3	7	8	5	7	1	4	4	7	7	11
Male.....	32	5	1	2	2	2	4	-	4	3	2	3	4
Female.....	37	-	2	5	6	3	3	1	-	1	5	4	7
White, both sexes.....	56	4	2	6	6	4	6	-	4	3	6	6	9
Male.....	28	4	1	2	-	2	4	-	4	3	2	2	4
Female.....	28	-	1	4	6	2	2	-	-	-	4	4	5
Black, both sexes.....	13	1	1	1	2	1	1	1	-	1	1	1	2
Male.....	4	1	-	-	2	-	-	-	-	-	-	1	-
Female.....	9	-	1	1	-	1	1	1	-	1	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other medical procedures (Y84.8)													
All races, both sexes.....	327	26	19	35	35	38	24	23	27	26	22	26	26
Male.....	148	11	8	18	20	16	7	8	11	11	8	15	15
Female.....	179	15	11	17	15	22	17	15	16	15	14	11	11
White, both sexes.....	266	21	16	27	27	34	20	18	22	22	16	21	22
Male.....	126	9	8	14	17	14	4	8	9	11	6	12	14
Female.....	140	12	8	13	10	20	16	10	13	11	10	9	8
Black, both sexes.....	54	4	3	6	7	4	4	4	5	4	5	4	4
Male.....	19	2	-	2	2	2	3	-	2	-	2	3	1
Female.....	35	2	3	4	5	2	1	4	3	4	3	1	3
American Indian 1/, both sexes.....	3	1	-	1	1	-	-	-	-	-	-	-	-
Male.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	-	-	1	-	-	1	1	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Medical procedure, unspecified (Y84.9)													
All races, both sexes.....	10	-	1	1	1	1	-	-	2	2	1	1	-
Male.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	8	-	-	1	-	1	-	-	2	2	1	1	-
White, both sexes.....	6	-	-	1	1	-	-	-	1	1	1	1	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	5	-	-	1	-	-	-	-	1	1	1	1	-
Black, both sexes.....	4	-	1	-	-	1	-	-	1	1	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of transport accidents (Y85)													
All races, both sexes.....	668	71	54	62	49	57	62	57	46	53	73	36	48
Male.....	496	50	34	44	33	44	44	45	39	47	56	27	33
Female.....	172	21	20	18	16	13	18	12	7	6	17	9	15
White, both sexes.....	563	60	48	52	44	42	55	50	39	44	62	25	42
Male.....	415	42	30	35	30	31	40	39	32	38	50	19	29
Female.....	148	18	18	17	14	11	15	11	7	6	12	6	13
Black, both sexes.....	88	7	6	10	5	15	6	7	7	7	7	7	4
Male.....	71	5	4	9	3	13	4	6	7	7	5	5	3
Female.....	17	2	2	1	2	2	2	1	-	-	2	2	1
American Indian 1/, both sexes.....	8	1	-	-	-	-	1	-	-	1	2	2	1
Male.....	5	1	-	-	-	-	-	-	-	1	1	1	1
Female.....	3	-	-	-	-	-	1	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	9	3	-	-	-	-	-	-	-	1	2	2	1
Male.....	5	2	-	-	-	-	-	-	-	1	-	2	-
Female.....	4	1	-	-	-	-	-	-	-	-	2	-	1













Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of legal intervention (Y89.0)													
All races, both sexes.....	4	-	-	-	-	2	-	-	-	1	-	1	-
Male.....	4	-	-	-	-	2	-	-	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of war operations (Y89.1)													
All races, both sexes.....	16	-	2	2	-	1	1	3	1	3	-	-	3
Male.....	16	-	2	2	-	1	1	3	1	3	-	-	3
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	16	-	2	2	-	1	1	3	1	3	-	-	3
Male.....	16	-	2	2	-	1	1	3	1	3	-	-	3
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-

- Quantity zero.

1/ Includes Aleuts and Eskimos.

2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

NOTE: Complete confirmation of deaths from selected causes of death, considered to be of public health concern, were not provided by the following States: California, Illinois, Indiana, Kentucky, Maryland, Massachusetts, Michigan, Minnesota, Nebraska, Nevada, New Hampshire, New Jersey, New York, North Carolina, Ohio, and Oklahoma.

Source: CDC/NCHS, National Vital Statistics System, Mortality