

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races						White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male		Female		Both sexes	Male		Both sexes	Male		Both sexes	Male		Female	
		Male	Female	Male	Female		Male	Female		Male	Female					
All causes																
All ages.....	2,397,615	1,181,668	1,215,947	2,056,643	1,007,266	1,049,377	287,315	145,970	141,345	13,124	7,134	5,990	40,533	21,298	19,235	
Under 1 year.....	27,936	15,718	12,218	18,231	10,265	7,966	8,494	4,769	3,725	389	237	152	822	447	375	
1-4 years.....	4,785	2,649	2,136	3,363	1,878	1,485	1,164	641	523	97	50	47	161	80	81	
5-9 years.....	2,888	1,645	1,243	2,043	1,178	865	685	372	313	53	28	25	107	67	40	
10-14 years.....	3,946	2,354	1,592	2,857	1,727	1,130	899	516	383	74	42	32	116	69	47	
15-19 years.....	13,706	9,678	4,028	10,450	7,267	3,183	2,680	2,019	661	260	171	89	316	221	95	
20-24 years.....	19,715	14,909	4,806	14,563	11,039	3,524	4,369	3,317	1,052	333	238	95	450	315	135	
25-29 years.....	18,771	13,554	5,217	13,421	9,795	3,626	4,616	3,264	1,352	314	222	92	420	273	147	
30-34 years.....	22,097	14,805	7,292	15,854	10,789	5,065	5,309	3,420	1,889	381	239	142	553	357	196	
35-39 years.....	31,944	20,485	11,459	23,686	15,483	8,203	7,098	4,262	2,836	516	338	178	644	402	242	
40-44 years.....	53,418	33,192	20,226	40,354	25,732	14,622	11,376	6,438	4,938	678	409	269	1,010	613	397	
45-49 years.....	77,927	48,514	29,413	59,181	37,461	21,720	16,423	9,640	6,783	833	508	325	1,490	905	585	
50-54 years.....	99,770	62,649	37,121	76,538	48,805	27,733	20,287	12,116	8,171	906	537	369	2,039	1,191	848	
55-59 years.....	121,163	73,400	47,763	96,434	58,771	37,663	21,336	12,646	8,690	1,006	597	409	2,387	1,386	1,001	
60-64 years.....	143,534	84,632	58,902	117,737	69,804	47,933	22,154	12,706	9,448	1,067	615	452	2,576	1,507	1,069	
65-69 years.....	171,984	98,455	73,529	143,232	82,606	60,626	24,310	13,384	10,926	1,177	647	530	3,265	1,818	1,447	
70-74 years.....	227,682	124,436	103,246	195,030	107,517	87,513	27,372	14,171	13,201	1,152	578	574	4,128	2,170	1,958	
75-79 years.....	310,746	160,308	150,438	273,291	142,168	131,123	31,111	14,830	16,281	1,204	632	572	5,140	2,678	2,462	
80-84 years.....	373,484	173,361	200,123	336,369	157,174	179,195	30,268	12,865	17,403	1,171	514	657	5,676	2,808	2,868	
85-89 years.....	338,140	133,667	204,473	309,335	122,938	186,397	23,184	8,253	14,931	809	313	496	4,812	2,163	2,649	
90-94 years.....	227,661	70,168	157,493	208,415	64,196	144,219	15,748	4,520	11,228	453	148	305	3,045	1,304	1,741	
95-99 years.....	87,446	19,820	67,626	79,849	17,919	61,930	6,320	1,412	4,908	187	49	138	1,090	440	650	
100 years & over.	18,526	2,995	15,531	16,141	2,536	13,605	2,048	363	1,685	54	14	40	283	82	201	
Age not stated...	346	274	72	269	218	51	64	46	18	10	8	2	3	2	1	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		sexes	sexes		sexes	sexes		sexes	sexes		sexes	sexes			
Respiratory tuberculosis, not confirmed bacteriologically or histologically (A16)															
All ages.....	504	316	188	300	185	115	141	88	53	9	6	3	54	37	17
Under 1 year.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
1-4 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
15-19 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
20-24 years.....	3	1	2	1	-	1	1	1	-	-	-	-	1	-	1
25-29 years.....	4	1	3	3	1	2	1	-	1	-	-	-	-	-	-
30-34 years.....	7	7	-	1	1	-	4	4	-	-	-	-	2	2	-
35-39 years.....	16	12	4	10	7	3	6	5	1	-	-	-	-	-	-
40-44 years.....	20	16	4	10	8	2	9	7	2	-	-	-	1	1	-
45-49 years.....	24	14	10	13	7	6	8	4	4	-	-	-	3	3	-
50-54 years.....	34	26	8	14	10	4	14	11	3	-	-	-	6	5	1
55-59 years.....	26	18	8	14	11	3	7	5	2	1	1	-	4	1	3
60-64 years.....	32	25	7	18	15	3	10	8	2	-	-	-	4	2	2
65-69 years.....	41	30	11	24	16	8	10	7	3	2	2	-	5	5	-
70-74 years.....	67	44	23	39	27	12	21	12	9	-	-	-	7	5	2
75-79 years.....	57	28	29	37	22	15	10	2	8	3	2	1	7	2	5
80-84 years.....	63	36	27	45	23	22	13	9	4	2	1	1	3	3	-
85-89 years.....	62	36	26	42	25	17	16	8	8	-	-	-	4	3	1
90-94 years.....	35	17	18	23	11	12	6	3	3	1	-	1	5	3	2
95-99 years.....	9	3	6	4	-	4	3	1	2	-	-	-	2	2	-
100 years & over.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Septicemia due to streptococcus, group D (A40.2)															
All ages.....	136	76	60	91	50	41	42	25	17	-	-	-	3	1	2
Under 1 year.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	5	2	3	2	1	1	3	1	2	-	-	-	-	-	-
50-54 years.....	5	3	2	2	1	1	3	2	1	-	-	-	-	-	-
55-59 years.....	8	4	4	3	2	1	4	1	3	-	-	-	1	1	-
60-64 years.....	7	6	1	2	2	-	5	4	1	-	-	-	-	-	-
65-69 years.....	12	5	7	6	2	4	6	3	3	-	-	-	-	-	-
70-74 years.....	18	12	6	12	8	4	6	4	2	-	-	-	-	-	-
75-79 years.....	20	11	9	17	10	7	2	1	1	-	-	-	1	-	1
80-84 years.....	23	9	14	17	6	11	5	3	2	-	-	-	1	-	1
85-89 years.....	21	12	9	19	11	8	2	1	1	-	-	-	-	-	-
90-94 years.....	11	7	4	6	3	3	5	4	1	-	-	-	-	-	-
95-99 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
100 years & over.	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other septicemia (A41)															
All ages.....	32,880	14,763	18,117	26,302	11,794	14,508	5,905	2,641	3,264	178	81	97	495	247	248
Under 1 year.....	254	157	97	153	95	58	91	53	38	5	5	-	5	4	1
1-4 years.....	69	37	32	47	26	21	17	8	9	2	2	-	3	1	2
5-9 years.....	32	14	18	25	13	12	5	1	4	2	-	2	-	-	-
10-14 years.....	25	10	15	17	7	10	6	2	4	2	1	1	-	-	-
15-19 years.....	48	25	23	34	19	15	13	6	7	-	-	-	1	-	1
20-24 years.....	84	44	40	48	27	21	31	15	16	1	-	1	4	2	2
25-29 years.....	110	49	61	71	32	39	35	15	20	3	1	2	1	1	-
30-34 years.....	205	110	95	126	64	62	65	37	28	6	3	3	8	6	2
35-39 years.....	295	155	140	207	115	92	73	31	42	7	5	2	8	4	4
40-44 years.....	519	261	258	329	166	163	175	91	84	9	3	6	6	1	5
45-49 years.....	870	476	394	565	308	257	271	148	123	15	7	8	19	13	6
50-54 years.....	1,316	697	619	906	493	413	374	189	185	15	7	8	21	8	13
55-59 years.....	1,665	893	772	1,215	652	563	417	227	190	10	1	9	23	13	10
60-64 years.....	2,010	1,005	1,005	1,466	734	732	478	233	245	21	11	10	45	27	18
65-69 years.....	2,444	1,231	1,213	1,843	939	904	550	265	285	11	7	4	40	20	20
70-74 years.....	3,464	1,744	1,720	2,752	1,399	1,353	641	310	331	13	5	8	58	30	28
75-79 years.....	4,787	2,282	2,505	3,956	1,912	2,044	752	336	416	19	9	10	60	25	35
80-84 years.....	5,697	2,540	3,157	4,816	2,151	2,665	785	337	448	12	4	8	84	48	36
85-89 years.....	4,866	1,879	2,987	4,196	1,650	2,546	589	197	392	17	8	9	64	24	40
90-94 years.....	2,910	858	2,052	2,515	740	1,775	359	101	258	5	2	3	31	15	16
95-99 years.....	1,036	263	773	888	228	660	133	30	103	3	-	3	12	5	7
100 years & over.	171	32	139	125	23	102	44	9	35	-	-	-	2	-	2
Age not stated...	3	1	2	2	1	1	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes		Male	Female		
										Male	Female				
Septicemia, unspecified (A41.9)															
All ages.....	30,588	13,649	16,939	24,427	10,876	13,551	5,540	2,475	3,065	156	70	86	465	228	237
Under 1 year.....	213	131	82	127	78	49	78	46	32	4	4	-	4	3	1
1-4 years.....	61	33	28	40	22	18	16	8	8	2	2	-	3	1	2
5-9 years.....	28	12	16	23	12	11	4	-	4	1	-	1	-	-	-
10-14 years.....	24	10	14	16	7	9	6	2	4	2	1	1	-	-	-
15-19 years.....	46	24	22	33	19	14	12	5	7	-	-	-	1	-	1
20-24 years.....	71	36	35	39	21	18	28	14	14	1	-	1	3	1	2
25-29 years.....	97	41	56	61	26	35	32	13	19	3	1	2	1	1	-
30-34 years.....	187	100	87	112	56	56	63	37	26	5	2	3	7	5	2
35-39 years.....	273	141	132	193	105	88	68	29	39	5	3	2	7	4	3
40-44 years.....	478	243	235	298	154	144	166	85	81	8	3	5	6	1	5
45-49 years.....	795	434	361	513	277	236	254	140	114	10	5	5	18	12	6
50-54 years.....	1,211	635	576	834	451	383	344	171	173	14	6	8	19	7	12
55-59 years.....	1,535	817	718	1,111	587	524	393	217	176	9	1	8	22	12	10
60-64 years.....	1,851	924	927	1,352	675	677	442	216	226	18	9	9	39	24	15
65-69 years.....	2,272	1,137	1,135	1,716	868	848	509	244	265	10	7	3	37	18	19
70-74 years.....	3,221	1,624	1,597	2,559	1,308	1,251	596	286	310	13	5	8	53	25	28
75-79 years.....	4,432	2,107	2,325	3,648	1,756	1,892	710	319	391	16	7	9	58	25	33
80-84 years.....	5,291	2,360	2,931	4,461	1,991	2,470	737	318	419	11	4	7	82	47	35
85-89 years.....	4,580	1,758	2,822	3,938	1,537	2,401	564	190	374	16	8	8	62	23	39
90-94 years.....	2,759	805	1,954	2,379	693	1,686	345	96	249	5	2	3	30	14	16
95-99 years.....	994	245	749	850	210	640	130	30	100	3	-	3	11	5	6
100 years & over.	166	31	135	122	22	100	42	9	33	-	-	-	2	-	2
Age not stated...	3	1	2	2	1	1	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Human immunodeficiency virus [HIV] disease resulting in other specified diseases (B22)															
All ages.....	1,299	981	318	640	536	104	643	431	212	8	7	1	8	7	1
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
10-14 years.....	4	-	4	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years.....	5	2	3	1	-	1	4	2	2	-	-	-	-	-	-
20-24 years.....	13	10	3	8	6	2	5	4	1	-	-	-	-	-	-
25-29 years.....	42	28	14	10	9	1	32	19	13	-	-	-	-	-	-
30-34 years.....	94	58	36	44	36	8	49	21	28	1	1	-	-	-	-
35-39 years.....	181	137	44	93	82	11	86	53	33	-	-	-	2	2	-
40-44 years.....	276	208	68	137	115	22	134	89	45	3	2	1	2	2	-
45-49 years.....	267	207	60	140	117	23	124	87	37	2	2	-	1	1	-
50-54 years.....	191	154	37	97	85	12	93	68	25	-	-	-	1	1	-
55-59 years.....	106	90	16	49	43	6	55	45	10	2	2	-	-	-	-
60-64 years.....	58	45	13	28	23	5	30	22	8	-	-	-	-	-	-
65-69 years.....	27	20	7	13	9	4	14	11	3	-	-	-	-	-	-
70-74 years.....	14	8	6	5	3	2	7	4	3	-	-	-	2	1	1
75-79 years.....	11	8	3	8	7	1	3	1	2	-	-	-	-	-	-
80-84 years.....	2	2	-	-	-	-	2	2	-	-	-	-	-	-	-
85-89 years.....	3	1	2	2	-	2	1	1	-	-	-	-	-	-	-
90-94 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Age not stated...	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
HIV disease resulting in multiple diseases classified elsewhere (B22.7)															
All ages.....	932	720	212	486	419	67	431	288	143	7	6	1	8	7	1
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
10-14 years.....	3	-	3	1	-	1	2	-	2	-	-	-	-	-	-
15-19 years.....	5	2	3	1	-	1	4	2	2	-	-	-	-	-	-
20-24 years.....	9	8	1	5	4	1	4	4	-	-	-	-	-	-	-
25-29 years.....	29	22	7	9	8	1	20	14	6	-	-	-	-	-	-
30-34 years.....	67	39	28	30	25	5	37	14	23	-	-	-	-	-	-
35-39 years.....	132	103	29	71	64	7	59	37	22	-	-	-	2	2	-
40-44 years.....	198	153	45	108	92	16	85	57	28	3	2	1	2	2	-
45-49 years.....	187	144	43	105	92	13	79	49	30	2	2	-	1	1	-
50-54 years.....	143	120	23	79	71	8	63	48	15	-	-	-	1	1	-
55-59 years.....	75	65	10	33	30	3	40	33	7	2	2	-	-	-	-
60-64 years.....	41	35	6	22	18	4	19	17	2	-	-	-	-	-	-
65-69 years.....	21	14	7	11	7	4	10	7	3	-	-	-	-	-	-
70-74 years.....	7	4	3	1	1	-	4	2	2	-	-	-	2	1	1
75-79 years.....	8	6	2	7	6	1	1	-	1	-	-	-	-	-	-
80-84 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
85-89 years.....	2	1	1	1	-	1	1	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Age not stated...	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													sexes	Male	Female
Malignant neoplasm of pyriform sinus (C12)															
All ages.....	127	105	22	110	89	21	16	15	1	-	-	-	1	1	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
45-49 years.....	12	12	-	11	11	-	1	1	-	-	-	-	-	-	-
50-54 years.....	10	9	1	8	7	1	2	2	-	-	-	-	-	-	-
55-59 years.....	8	8	-	7	7	-	1	1	-	-	-	-	-	-	-
60-64 years.....	21	20	1	17	16	1	3	3	-	-	-	-	1	1	-
65-69 years.....	15	11	4	10	7	3	5	4	1	-	-	-	-	-	-
70-74 years.....	19	14	5	17	12	5	2	2	-	-	-	-	-	-	-
75-79 years.....	22	19	3	22	19	3	-	-	-	-	-	-	-	-	-
80-84 years.....	15	10	5	14	9	5	1	1	-	-	-	-	-	-	-
85-89 years.....	3	-	3	3	-	3	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													sexes	Male	Female
Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx (C14)															
All ages.....	1,629	1,206	423	1,261	911	350	340	270	70	12	11	1	16	14	2
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
35-39 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
40-44 years.....	37	27	10	25	17	8	11	9	2	-	-	-	1	1	-
45-49 years.....	92	75	17	58	48	10	31	25	6	2	2	-	1	-	1
50-54 years.....	144	117	27	95	75	20	49	42	7	-	-	-	-	-	-
55-59 years.....	195	162	33	141	117	24	51	42	9	2	2	-	1	1	-
60-64 years.....	219	162	57	154	110	44	64	51	13	-	-	-	1	1	-
65-69 years.....	222	178	44	180	142	38	35	30	5	3	3	-	4	3	1
70-74 years.....	216	150	66	177	120	57	37	29	8	2	1	1	-	-	-
75-79 years.....	225	161	64	188	132	56	32	24	8	2	2	-	3	3	-
80-84 years.....	149	92	57	127	79	48	18	9	9	-	-	-	4	4	-
85-89 years.....	82	56	26	73	48	25	8	7	1	-	-	-	1	1	-
90-94 years.....	36	19	17	32	16	16	3	2	1	1	1	-	-	-	-
95-99 years.....	6	5	1	6	5	1	-	-	-	-	-	-	-	-	-
100 years & over.	3	-	3	3	-	3	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Pharynx, unspecified (C14.0)															
All ages.....	1,629	1,206	423	1,261	911	350	340	270	70	12	11	1	16	14	2
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
35-39 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
40-44 years.....	37	27	10	25	17	8	11	9	2	-	-	-	1	1	-
45-49 years.....	92	75	17	58	48	10	31	25	6	2	2	-	1	-	1
50-54 years.....	144	117	27	95	75	20	49	42	7	-	-	-	-	-	-
55-59 years.....	195	162	33	141	117	24	51	42	9	2	2	-	1	1	-
60-64 years.....	219	162	57	154	110	44	64	51	13	-	-	-	1	1	-
65-69 years.....	222	178	44	180	142	38	35	30	5	3	3	-	4	3	1
70-74 years.....	216	150	66	177	120	57	37	29	8	2	1	1	-	-	-
75-79 years.....	225	161	64	188	132	56	32	24	8	2	2	-	3	3	-
80-84 years.....	149	92	57	127	79	48	18	9	9	-	-	-	4	4	-
85-89 years.....	82	56	26	73	48	25	8	7	1	-	-	-	1	1	-
90-94 years.....	36	19	17	32	16	16	3	2	1	1	1	-	-	-	-
95-99 years.....	6	5	1	6	5	1	-	-	-	-	-	-	-	-	-
100 years & over.	3	-	3	3	-	3	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													sexes	Male	Female
Ampulla of Vater (C24.1)															
All ages.....	192	103	89	166	88	78	18	8	10	1	1	-	7	6	1
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	3	2	1	2	1	1	-	-	-	-	-	-	1	1	-
45-49 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
50-54 years.....	7	4	3	7	4	3	-	-	-	-	-	-	-	-	-
55-59 years.....	13	11	2	11	9	2	2	2	-	-	-	-	-	-	-
60-64 years.....	23	13	10	16	9	7	4	1	3	1	1	-	2	2	-
65-69 years.....	20	12	8	18	10	8	2	2	-	-	-	-	-	-	-
70-74 years.....	28	15	13	24	14	10	3	1	2	-	-	-	1	-	1
75-79 years.....	33	20	13	27	18	9	5	1	4	-	-	-	1	1	-
80-84 years.....	23	9	14	22	9	13	1	-	1	-	-	-	-	-	-
85-89 years.....	26	12	14	24	10	14	1	1	-	-	-	-	1	1	-
90-94 years.....	12	2	10	11	1	10	-	-	-	-	-	-	1	1	-
95-99 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
100 years & over.	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Supraglottis (C32.1)															
All ages.....	166	118	48	137	96	41	29	22	7	-	-	-	-	-	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
40-44 years.....	3	3	-	1	1	-	2	2	-	-	-	-	-	-	-
45-49 years.....	5	3	2	4	2	2	1	1	-	-	-	-	-	-	-
50-54 years.....	18	15	3	15	12	3	3	3	-	-	-	-	-	-	-
55-59 years.....	30	24	6	24	19	5	6	5	1	-	-	-	-	-	-
60-64 years.....	28	21	7	21	17	4	7	4	3	-	-	-	-	-	-
65-69 years.....	19	14	5	15	11	4	4	3	1	-	-	-	-	-	-
70-74 years.....	25	16	9	23	14	9	2	2	-	-	-	-	-	-	-
75-79 years.....	20	11	9	17	9	8	3	2	1	-	-	-	-	-	-
80-84 years.....	12	6	6	11	6	5	1	-	1	-	-	-	-	-	-
85-89 years.....	5	4	1	5	4	1	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Bronchus or lung, unspecified (C34.9)															
All ages.....	157,103	89,030	68,073	137,515	77,185	60,330	16,408	9,950	6,458	672	370	302	2,508	1,525	983
Under 1 year.....	2	1	1	1	1	-	1	-	1	-	-	-	-	-	-
1-4 years.....	4	1	3	3	-	3	-	1	-	-	-	-	-	-	-
5-9 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
10-14 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
15-19 years.....	6	4	2	3	2	1	2	2	-	-	-	-	1	-	1
20-24 years.....	17	10	7	15	9	6	2	1	1	-	-	-	-	-	-
25-29 years.....	42	29	13	34	24	10	7	5	2	-	-	-	1	-	1
30-34 years.....	102	56	46	72	38	34	19	9	10	1	1	-	10	8	2
35-39 years.....	466	234	232	372	180	192	70	36	34	4	2	2	20	16	4
40-44 years.....	1,951	1,039	912	1,520	802	718	373	199	174	11	7	4	47	31	16
45-49 years.....	4,540	2,552	1,988	3,572	1,967	1,605	836	512	324	32	15	17	100	58	42
50-54 years.....	7,837	4,718	3,119	6,252	3,698	2,554	1,393	905	488	33	23	10	159	92	67
55-59 years.....	12,767	7,609	5,158	10,582	6,228	4,354	1,905	1,215	690	73	44	29	207	122	85
60-64 years.....	18,133	10,714	7,419	15,612	9,062	6,550	2,187	1,449	738	93	55	38	241	148	93
65-69 years.....	22,396	13,148	9,248	19,447	11,363	8,084	2,475	1,512	963	134	66	68	340	207	133
70-74 years.....	26,317	15,106	11,211	23,401	13,329	10,072	2,348	1,436	912	117	65	52	451	276	175
75-79 years.....	27,448	15,655	11,793	24,700	14,027	10,673	2,250	1,314	936	90	52	38	408	262	146
80-84 years.....	20,723	11,165	9,558	18,797	10,074	8,723	1,559	872	687	51	27	24	316	192	124
85-89 years.....	10,245	5,204	5,041	9,407	4,781	4,626	686	347	339	21	5	16	131	71	60
90-94 years.....	3,394	1,525	1,869	3,081	1,369	1,712	237	112	125	10	6	4	66	38	28
95-99 years.....	631	233	398	570	207	363	51	21	30	2	2	-	8	3	5
100 years & over.	75	21	54	68	19	49	5	1	4	-	-	-	2	1	1
Age not stated...	3	3	-	2	2	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Vertebral column (C41.2)															
All ages.....	91	56	35	81	53	28	10	3	7	-	-	-	-	-	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
30-34 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
35-39 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
40-44 years.....	4	3	1	4	3	1	-	-	-	-	-	-	-	-	-
45-49 years.....	6	6	-	4	4	-	2	2	-	-	-	-	-	-	-
50-54 years.....	5	3	2	5	3	2	-	-	-	-	-	-	-	-	-
55-59 years.....	9	5	4	8	5	3	1	-	1	-	-	-	-	-	-
60-64 years.....	3	2	1	3	2	1	-	-	3	-	-	-	-	-	-
65-69 years.....	13	10	3	13	10	3	-	-	-	-	-	-	-	-	-
70-74 years.....	7	3	4	6	3	3	1	-	1	-	-	-	-	-	-
75-79 years.....	19	9	10	17	9	8	2	-	2	-	-	-	-	-	-
80-84 years.....	13	9	4	12	9	3	1	-	1	-	-	-	-	-	-
85-89 years.....	5	2	3	4	2	2	1	-	1	-	-	-	-	-	-
90-94 years.....	2	2	-	2	2	-	-	-	2	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Malignant melanoma of lower limb, including hip (C43.7)															
All ages.....	132	43	89	127	40	87	4	2	2	-	-	-	1	1	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	2	-	2	2	2	-	-	-	-	-	-	-	-	-	-
35-39 years.....	4	-	4	4	-	4	-	-	-	-	-	-	-	-	-
40-44 years.....	6	5	1	6	5	1	-	-	-	-	-	-	-	-	-
45-49 years.....	7	-	7	7	-	7	-	-	-	-	-	-	-	-	-
50-54 years.....	7	4	3	7	4	3	-	-	-	-	-	-	-	-	-
55-59 years.....	10	2	8	10	2	8	-	-	-	-	-	-	-	-	-
60-64 years.....	14	4	10	13	3	10	-	-	-	-	-	-	1	1	-
65-69 years.....	12	3	9	10	2	8	2	1	1	-	-	-	-	-	-
70-74 years.....	12	5	7	11	5	6	1	-	1	-	-	-	-	-	-
75-79 years.....	18	7	11	18	7	11	-	-	-	-	-	-	-	-	-
80-84 years.....	14	6	8	14	6	8	-	-	-	-	-	-	-	-	-
85-89 years.....	10	-	10	10	-	10	-	-	-	-	-	-	-	-	-
90-94 years.....	9	3	6	9	3	6	-	-	-	-	-	-	-	-	-
95-99 years.....	5	2	3	5	2	3	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Peripheral nerves and autonomic nervous system, unspecified (C47.9)															
All ages.....	77	44	33	62	35	27	13	9	4	1	-	1	1	-	1
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-
15-19 years.....	3	1	2	2	-	2	1	1	-	-	-	-	-	-	-
20-24 years.....	4	2	2	3	2	1	1	-	1	-	-	-	-	-	-
25-29 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
30-34 years.....	5	4	1	3	2	1	2	2	3	-	-	-	-	-	-
35-39 years.....	8	5	3	7	4	3	1	1	-	-	-	-	-	-	-
40-44 years.....	3	1	2	1	-	1	1	1	-	-	-	-	1	-	1
45-49 years.....	8	6	2	5	4	1	2	2	-	1	-	1	-	-	-
50-54 years.....	8	4	4	6	3	3	2	1	1	-	-	-	-	-	-
55-59 years.....	5	4	1	3	3	-	2	1	1	-	-	-	-	-	-
60-64 years.....	6	5	1	6	5	1	-	6	-	-	-	-	-	-	-
65-69 years.....	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
70-74 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
75-79 years.....	7	3	4	6	3	3	1	-	1	-	-	-	-	-	-
80-84 years.....	4	3	1	4	3	1	-	-	-	-	-	-	-	-	-
85-89 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
90-94 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													sexes	Male	Female
Connective and soft tissue of pelvis (C49.5)															
All ages.....	118	52	66	101	44	57	12	6	6	-	-	-	5	2	3
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1
15-19 years.....	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-
20-24 years.....	2	1	1	1	-	1	-	-	-	-	-	-	1	1	-
25-29 years.....	3	2	1	2	2	-	1	-	1	-	-	-	-	-	-
30-34 years.....	5	1	4	3	-	3	1	1	-	-	-	-	1	-	1
35-39 years.....	6	4	2	4	3	1	1	-	1	-	-	-	1	1	-
40-44 years.....	6	2	4	6	2	4	-	-	-	-	-	-	-	-	-
45-49 years.....	3	3	-	2	2	-	1	1	-	-	-	-	-	-	-
50-54 years.....	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-
55-59 years.....	10	5	5	10	5	5	-	-	-	-	-	-	-	-	-
60-64 years.....	7	5	2	7	5	2	-	-	7	-	-	-	-	-	-
65-69 years.....	16	6	10	13	5	8	3	1	2	-	-	-	-	-	-
70-74 years.....	12	3	9	12	3	9	-	-	-	-	-	-	-	-	-
75-79 years.....	11	5	6	10	4	6	1	1	-	-	-	-	-	-	-
80-84 years.....	12	6	6	11	6	5	1	-	1	-	-	-	-	-	-
85-89 years.....	10	4	6	7	3	4	2	1	1	-	-	-	1	-	1
90-94 years.....	4	2	2	3	1	2	1	1	-	-	-	-	-	-	-
95-99 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
100 years & over.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Malignant neoplasm of vulva (C51)															
All ages.....	806	...	806	732	...	732	61	...	61	6	...	6	7	...	7
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
35-39 years.....	7	...	7	4	...	4	3	...	3	-	...	-	-	...	-
40-44 years.....	16	...	16	12	...	12	4	...	4	-	...	-	-	...	-
45-49 years.....	25	...	25	21	...	21	3	...	3	-	...	-	1	...	1
50-54 years.....	31	...	31	25	...	25	5	...	5	-	...	-	1	...	1
55-59 years.....	36	...	36	32	...	32	4	...	4	-	...	-	-	...	-
60-64 years.....	60	...	60	51	...	51	7	...	7	1	...	1	1	...	1
65-69 years.....	56	...	56	50	...	50	5	...	5	1	...	1	-	...	-
70-74 years.....	86	...	86	79	...	79	6	...	6	-	...	-	1	...	1
75-79 years.....	103	...	103	98	...	98	3	...	3	-	...	-	2	...	2
80-84 years.....	161	...	161	149	...	149	10	...	10	1	...	1	1	...	1
85-89 years.....	111	...	111	106	...	106	4	...	4	1	...	1	-	...	-
90-94 years.....	84	...	84	78	...	78	4	...	4	2	...	2	-	...	-
95-99 years.....	20	...	20	20	...	20	-	...	-	-	...	-	-	...	-
100 years & over.	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
Labium majus (C51.0)																
All ages.....	11	...	11	8	...	8	3	...	3	-	...	-	-	...	-	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
70-74 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
85-89 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Vulva, unspecified (C51.9)															
All ages.....	795	...	795	724	...	724	58	...	58	6	...	6	7	...	7
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
35-39 years.....	7	...	7	4	...	4	3	...	3	-	...	-	-	...	-
40-44 years.....	15	...	15	11	...	11	4	...	4	-	...	-	-	...	-
45-49 years.....	25	...	25	21	...	21	3	...	3	-	...	-	1	...	1
50-54 years.....	31	...	31	25	...	25	5	...	5	-	...	-	1	...	1
55-59 years.....	35	...	35	31	...	31	4	...	4	-	...	-	-	...	-
60-64 years.....	60	...	60	51	...	51	7	...	7	1	...	1	1	...	1
65-69 years.....	55	...	55	49	...	49	5	...	5	1	...	1	-	...	-
70-74 years.....	83	...	83	78	...	78	4	...	4	-	...	-	1	...	1
75-79 years.....	103	...	103	98	...	98	3	...	3	-	...	-	2	...	2
80-84 years.....	159	...	159	147	...	147	10	...	10	1	...	1	1	...	1
85-89 years.....	109	...	109	105	...	105	3	...	3	1	...	1	-	...	-
90-94 years.....	83	...	83	77	...	77	4	...	4	2	...	2	-	...	-
95-99 years.....	20	...	20	20	...	20	-	...	-	-	...	-	-	...	-
100 years & over.	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of vagina (C52)															
All ages.....	416	...	416	358	...	358	51	...	51	-	...	-	7	...	7
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
40-44 years.....	15	...	15	14	...	14	-	...	-	-	...	-	1	...	1
45-49 years.....	16	...	16	14	...	14	2	...	2	-	...	-	-	...	-
50-54 years.....	17	...	17	15	...	15	2	...	2	-	...	-	-	...	-
55-59 years.....	28	...	28	16	...	16	10	...	10	-	...	-	2	...	2
60-64 years.....	26	...	26	23	...	23	3	...	3	-	...	-	-	...	-
65-69 years.....	32	...	32	28	...	28	4	...	4	-	...	-	-	...	-
70-74 years.....	50	...	50	41	...	41	8	...	8	-	...	-	1	...	1
75-79 years.....	55	...	55	50	...	50	4	...	4	-	...	-	1	...	1
80-84 years.....	55	...	55	49	...	49	6	...	6	-	...	-	-	...	-
85-89 years.....	66	...	66	59	...	59	5	...	5	-	...	-	2	...	2
90-94 years.....	39	...	39	35	...	35	4	...	4	-	...	-	-	...	-
95-99 years.....	12	...	12	11	...	11	1	...	1	-	...	-	-	...	-
100 years & over.	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Malignant neoplasm of cervix uteri (C53)															
All ages.....	3,850	...	3,850	2,899	...	2,899	789	...	789	31	...	31	131	...	131
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
20-24 years.....	17	...	17	12	...	12	4	...	4	-	...	-	1	...	1
25-29 years.....	70	...	70	48	...	48	20	...	20	-	...	-	2	...	2
30-34 years.....	143	...	143	110	...	110	25	...	25	4	...	4	4	...	4
35-39 years.....	232	...	232	179	...	179	44	...	44	3	...	3	6	...	6
40-44 years.....	390	...	390	288	...	288	84	...	84	7	...	7	11	...	11
45-49 years.....	455	...	455	344	...	344	95	...	95	3	...	3	13	...	13
50-54 years.....	395	...	395	291	...	291	87	...	87	4	...	4	13	...	13
55-59 years.....	444	...	444	349	...	349	79	...	79	2	...	2	14	...	14
60-64 years.....	371	...	371	284	...	284	75	...	75	2	...	2	10	...	10
65-69 years.....	318	...	318	232	...	232	69	...	69	-	...	-	17	...	17
70-74 years.....	283	...	283	206	...	206	62	...	62	3	...	3	12	...	12
75-79 years.....	243	...	243	188	...	188	47	...	47	-	...	-	8	...	8
80-84 years.....	241	...	241	188	...	188	41	...	41	1	...	1	11	...	11
85-89 years.....	151	...	151	113	...	113	31	...	31	2	...	2	5	...	5
90-94 years.....	69	...	69	49	...	49	17	...	17	-	...	-	3	...	3
95-99 years.....	23	...	23	15	...	15	7	...	7	-	...	-	1	...	1
100 years & over.	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Endocervix (C53.0)															
All ages.....	31	...	31	24	...	24	5	...	5	-	...	-	2	...	2
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	2	...	2	1	...	1	-	...	1	-	...	-	1	...	1
50-54 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
55-59 years.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
60-64 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
65-69 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
70-74 years.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
75-79 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Cervix uteri, unspecified (C53.9)															
All ages.....	3,819	...	3,819	2,875	...	2,875	784	...	784	31	...	31	129	...	129
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
20-24 years.....	17	...	17	12	...	12	4	...	4	-	...	-	1	...	1
25-29 years.....	70	...	70	48	...	48	20	...	20	-	...	-	2	...	2
30-34 years.....	143	...	143	110	...	110	25	...	25	4	...	4	4	...	4
35-39 years.....	227	...	227	176	...	176	42	...	42	3	...	3	6	...	6
40-44 years.....	389	...	389	287	...	287	84	...	84	7	...	7	11	...	11
45-49 years.....	453	...	453	343	...	343	95	...	95	3	...	3	12	...	12
50-54 years.....	393	...	393	289	...	289	87	...	87	4	...	4	13	...	13
55-59 years.....	442	...	442	348	...	348	79	...	79	2	...	2	13	...	13
60-64 years.....	367	...	367	281	...	281	74	...	74	2	...	2	10	...	10
65-69 years.....	315	...	315	229	...	229	69	...	69	-	...	-	17	...	17
70-74 years.....	278	...	278	202	...	202	61	...	61	3	...	3	12	...	12
75-79 years.....	239	...	239	185	...	185	46	...	46	-	...	-	8	...	8
80-84 years.....	239	...	239	186	...	186	41	...	41	1	...	1	11	...	11
85-89 years.....	150	...	150	112	...	112	31	...	31	2	...	2	5	...	5
90-94 years.....	69	...	69	49	...	49	17	...	17	-	...	-	3	...	3
95-99 years.....	23	...	23	15	...	15	7	...	7	-	...	-	1	...	1
100 years & over.	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of corpus uteri (C54)															
All ages.....	3,272	...	3,272	2,733	...	2,733	461	...	461	9	...	9	69	...	69
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
30-34 years.....	7	...	7	6	...	6	1	...	1	-	...	-	-	...	-
35-39 years.....	23	...	23	19	...	19	3	...	3	-	...	-	1	...	1
40-44 years.....	43	...	43	35	...	35	5	...	5	-	...	-	3	...	3
45-49 years.....	84	...	84	71	...	71	12	...	12	-	...	-	1	...	1
50-54 years.....	152	...	152	118	...	118	24	...	24	-	...	-	10	...	10
55-59 years.....	246	...	246	211	...	211	24	...	24	1	...	1	10	...	10
60-64 years.....	343	...	343	269	...	269	62	...	62	1	...	1	11	...	11
65-69 years.....	444	...	444	340	...	340	87	...	87	1	...	1	16	...	16
70-74 years.....	474	...	474	386	...	386	77	...	77	3	...	3	8	...	8
75-79 years.....	529	...	529	451	...	451	75	...	75	-	...	-	3	...	3
80-84 years.....	452	...	452	400	...	400	47	...	47	3	...	3	2	...	2
85-89 years.....	291	...	291	260	...	260	28	...	28	-	...	-	3	...	3
90-94 years.....	148	...	148	134	...	134	13	...	13	-	...	-	1	...	1
95-99 years.....	29	...	29	27	...	27	2	...	2	-	...	-	-	...	-
100 years & over.	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Isthmus uteri (C54.0)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Endometrium (C54.1)															
All ages.....	3,228	...	3,228	2,695	...	2,695	456	...	456	9	...	9	68	...	68
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
30-34 years.....	7	...	7	6	...	6	1	...	1	-	...	-	-	...	-
35-39 years.....	23	...	23	19	...	19	3	...	3	-	...	-	1	...	1
40-44 years.....	43	...	43	35	...	35	5	...	5	-	...	-	3	...	3
45-49 years.....	84	...	84	71	...	71	12	...	12	-	...	-	1	...	1
50-54 years.....	150	...	150	116	...	116	24	...	24	-	...	-	10	...	10
55-59 years.....	243	...	243	209	...	209	23	...	23	1	...	1	10	...	10
60-64 years.....	339	...	339	266	...	266	61	...	61	1	...	1	11	...	11
65-69 years.....	435	...	435	332	...	332	86	...	86	1	...	1	16	...	16
70-74 years.....	466	...	466	379	...	379	76	...	76	3	...	3	8	...	8
75-79 years.....	523	...	523	445	...	445	75	...	75	-	...	-	3	...	3
80-84 years.....	445	...	445	395	...	395	46	...	46	3	...	3	1	...	1
85-89 years.....	288	...	288	257	...	257	28	...	28	-	...	-	3	...	3
90-94 years.....	146	...	146	132	...	132	13	...	13	-	...	-	1	...	1
95-99 years.....	29	...	29	27	...	27	2	...	2	-	...	-	-	...	-
100 years & over.	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
Myometrium (C54.2)																
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Male	Female	
Corpus uteri, unspecified (C54.9)															
All ages.....	41	...	41	35	...	35	5	...	5	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
55-59 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
60-64 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
65-69 years.....	8	...	8	7	...	7	1	...	1	-	...	-	-	...	-
70-74 years.....	8	...	8	7	...	7	1	...	1	-	...	-	-	...	-
75-79 years.....	6	...	6	6	...	6	-	...	-	-	...	-	-	...	-
80-84 years.....	5	...	5	3	...	3	1	...	1	-	...	-	1	...	1
85-89 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
90-94 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of uterus, part unspecified (C55)															
All ages.....	3,718	...	3,718	2,980	...	2,980	653	...	653	12	...	12	73	...	73
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
30-34 years.....	7	...	7	5	...	5	2	...	2	-	...	-	-	...	-
35-39 years.....	28	...	28	23	...	23	5	...	5	-	...	-	-	...	-
40-44 years.....	74	...	74	54	...	54	17	...	17	-	...	-	3	...	3
45-49 years.....	122	...	122	97	...	97	16	...	16	2	...	2	7	...	7
50-54 years.....	199	...	199	147	...	147	43	...	43	3	...	3	6	...	6
55-59 years.....	320	...	320	242	...	242	63	...	63	1	...	1	14	...	14
60-64 years.....	381	...	381	289	...	289	83	...	83	1	...	1	8	...	8
65-69 years.....	432	...	432	315	...	315	109	...	109	2	...	2	6	...	6
70-74 years.....	506	...	506	370	...	370	125	...	125	1	...	1	10	...	10
75-79 years.....	496	...	496	405	...	405	82	...	82	-	...	-	9	...	9
80-84 years.....	534	...	534	469	...	469	56	...	56	1	...	1	8	...	8
85-89 years.....	360	...	360	325	...	325	34	...	34	-	...	-	1	...	1
90-94 years.....	197	...	197	180	...	180	15	...	15	1	...	1	1	...	1
95-99 years.....	50	...	50	49	...	49	1	...	1	-	...	-	-	...	-
100 years & over.	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age															
	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Malignant neoplasm of ovary (C56)																
All ages.....	14,716	...	14,716	13,127	...	13,127	1,256	...	1,256	57	...	57	276	...	276	
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
10-14 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	
15-19 years.....	8	...	8	6	...	6	2	...	2	-	...	-	-	...	-	
20-24 years.....	21	...	21	14	...	14	5	...	5	-	...	-	2	...	2	
25-29 years.....	31	...	31	20	...	20	9	...	9	-	...	-	2	...	2	
30-34 years.....	63	...	63	50	...	50	8	...	8	-	...	-	5	...	5	
35-39 years.....	128	...	128	102	...	102	22	...	22	-	...	-	4	...	4	
40-44 years.....	326	...	326	273	...	273	31	...	31	5	...	5	17	...	17	
45-49 years.....	647	...	647	539	...	539	82	...	82	3	...	3	23	...	23	
50-54 years.....	1,007	...	1,007	854	...	854	110	...	110	6	...	6	37	...	37	
55-59 years.....	1,301	...	1,301	1,126	...	1,126	126	...	126	11	...	11	38	...	38	
60-64 years.....	1,493	...	1,493	1,334	...	1,334	124	...	124	7	...	7	28	...	28	
65-69 years.....	1,775	...	1,775	1,560	...	1,560	177	...	177	4	...	4	34	...	34	
70-74 years.....	1,918	...	1,918	1,710	...	1,710	172	...	172	8	...	8	28	...	28	
75-79 years.....	2,142	...	2,142	1,957	...	1,957	155	...	155	6	...	6	24	...	24	
80-84 years.....	2,023	...	2,023	1,889	...	1,889	117	...	117	1	...	1	16	...	16	
85-89 years.....	1,208	...	1,208	1,114	...	1,114	78	...	78	2	...	2	14	...	14	
90-94 years.....	510	...	510	479	...	479	26	...	26	2	...	2	3	...	3	
95-99 years.....	103	...	103	91	...	91	9	...	9	2	...	2	1	...	1	
100 years & over.	10	...	10	7	...	7	3	...	3	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based
on the International
Classification of
Diseases, Tenth
Revision, 1992)
and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
		Male	Female		Male	Female		Male	Female	Male	Female	sexes	Male	Female	
Malignant neoplasm of other and unspecified female genital organs (C57)															
All ages.....	251	...	251	222	...	222	24	...	24	1	...	1	4	...	4
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
40-44 years.....	7	...	7	5	...	5	2	...	2	-	...	-	-	...	-
45-49 years.....	10	...	10	7	...	7	3	...	3	-	...	-	-	...	-
50-54 years.....	22	...	22	17	...	17	5	...	5	-	...	-	-	...	-
55-59 years.....	22	...	22	20	...	20	1	...	1	-	...	-	1	...	1
60-64 years.....	25	...	25	21	...	21	3	...	3	1	...	1	-	...	-
65-69 years.....	20	...	20	16	...	16	3	...	3	-	...	-	1	...	1
70-74 years.....	34	...	34	32	...	32	1	...	1	-	...	-	1	...	1
75-79 years.....	45	...	45	41	...	41	3	...	3	-	...	-	1	...	1
80-84 years.....	28	...	28	27	...	27	1	...	1	-	...	-	-	...	-
85-89 years.....	22	...	22	20	...	20	2	...	2	-	...	-	-	...	-
90-94 years.....	11	...	11	11	...	11	-	...	-	-	...	-	-	...	-
95-99 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Fallopian tube (C57.0)															
All ages.....	180	...	180	163	...	163	14	...	14	-	...	-	3	...	3
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
45-49 years.....	6	...	6	3	...	3	3	...	3	-	...	-	-	...	-
50-54 years.....	20	...	20	17	...	17	3	...	3	-	...	-	-	...	-
55-59 years.....	20	...	20	18	...	18	1	...	1	-	...	-	1	...	1
60-64 years.....	20	...	20	18	...	18	2	...	2	-	...	-	-	...	-
65-69 years.....	13	...	13	11	...	11	1	...	1	-	...	-	1	...	1
70-74 years.....	31	...	31	29	...	29	1	...	1	-	...	-	1	...	1
75-79 years.....	34	...	34	33	...	33	1	...	1	-	...	-	-	...	-
80-84 years.....	17	...	17	17	...	17	-	...	-	-	...	-	-	...	-
85-89 years.....	9	...	9	8	...	8	1	...	1	-	...	-	-	...	-
90-94 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Uterine adnexa, unspecified (C57.4)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Other specified female genital organs (C57.7)															
All ages.....	9	...	9	6	...	6	2	...	2	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	2	...	2	1	...	1	-	...	1	-	...	-	1	...	1
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Overlapping lesion of female genital organs (C57.8)															
All ages.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
Female genital organ, unspecified (C57.9)																
All ages.....	57	...	57	48	...	48	8	...	8	1	...	1	-	...	-	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
45-49 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
50-54 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-	-
55-59 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
60-64 years.....	5	...	5	3	...	3	1	...	1	1	...	1	-	...	-	-
65-69 years.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-	-
70-74 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
75-79 years.....	8	...	8	6	...	6	2	...	2	-	...	-	-	...	-	-
80-84 years.....	9	...	9	8	...	8	1	...	1	-	...	-	-	...	-	-
85-89 years.....	10	...	10	9	...	9	1	...	1	-	...	-	-	...	-	-
90-94 years.....	8	...	8	8	...	8	-	...	-	-	...	-	-	...	-	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of placenta (C58)															
All ages.....	20	...	20	14	...	14	6	...	6	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
55-59 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Malignant neoplasm of penis (C60)															
All ages.....	231	231	...	207	207	...	21	21	...	1	1	...	2	2	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
40-44 years.....	7	7	...	7	7	...	-	-	...	-	-	...	-	-	...
45-49 years.....	11	11	...	11	11	...	-	-	...	-	-	...	-	-	...
50-54 years.....	16	16	...	15	15	...	-	-	...	-	-	...	1	1	...
55-59 years.....	23	23	...	22	22	...	1	1	...	-	-	...	-	-	...
60-64 years.....	19	19	...	15	15	...	2	2	...	1	1	...	1	1	...
65-69 years.....	27	27	...	20	20	...	7	7	...	-	-	...	-	-	...
70-74 years.....	41	41	...	38	38	...	3	3	...	-	-	...	-	-	...
75-79 years.....	35	35	...	32	32	...	3	3	...	-	-	...	-	-	...
80-84 years.....	25	25	...	24	24	...	1	1	...	-	-	...	-	-	...
85-89 years.....	10	10	...	10	10	...	-	-	...	-	-	...	-	-	...
90-94 years.....	10	10	...	10	10	...	-	-	...	-	-	...	-	-	...
95-99 years.....	4	4	...	2	2	...	2	2	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													sexes	Male	Female
Prepuce (C60.0)															
All ages.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Glans penis (C60.1)												
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/				
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Body of penis (C60.2)																
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...	
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
95-99 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...	
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Penis, unspecified (C60.9)															
All ages.....	227	227	...	203	203	...	21	21	...	1	1	...	2	2	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
40-44 years.....	7	7	...	7	7	...	-	-	...	-	-	...	-	-	...
45-49 years.....	11	11	...	11	11	...	-	-	...	-	-	...	-	-	...
50-54 years.....	16	16	...	15	15	...	-	-	...	-	-	...	1	1	...
55-59 years.....	23	23	...	22	22	...	1	1	...	-	-	...	-	-	...
60-64 years.....	18	18	...	14	14	...	2	2	...	1	1	...	1	1	...
65-69 years.....	26	26	...	19	19	...	7	7	...	-	-	...	-	-	...
70-74 years.....	41	41	...	38	38	...	3	3	...	-	-	...	-	-	...
75-79 years.....	35	35	...	32	32	...	3	3	...	-	-	...	-	-	...
80-84 years.....	25	25	...	24	24	...	1	1	...	-	-	...	-	-	...
85-89 years.....	10	10	...	10	10	...	-	-	...	-	-	...	-	-	...
90-94 years.....	9	9	...	9	9	...	-	-	...	-	-	...	-	-	...
95-99 years.....	3	3	...	1	1	...	2	2	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races						White		Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes				
	Both sexes		Male		Female		Both sexes		Male		Female		Both sexes		Male		Female	
Malignant neoplasm of prostate (C61)																		
All ages.....	29,004	29,004	...	23,727	23,727	...	4,816	4,816	...	99	99	...	362	362	...			
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...			
1-4 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...			
5-9 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...			
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...			
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...			
20-24 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...			
25-29 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...			
30-34 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...			
35-39 years.....	1	1	...	-	-	...	-	-	...	-	-	...	1	1	...			
40-44 years.....	22	22	...	17	17	...	4	4	...	1	1	...	-	-	...			
45-49 years.....	102	102	...	65	65	...	35	35	...	-	-	...	2	2	...			
50-54 years.....	332	332	...	223	223	...	105	105	...	2	2	...	2	2	...			
55-59 years.....	688	688	...	503	503	...	176	176	...	3	3	...	6	6	...			
60-64 years.....	1,356	1,356	...	1,015	1,015	...	322	322	...	7	7	...	12	12	...			
65-69 years.....	2,196	2,196	...	1,676	1,676	...	490	490	...	11	11	...	19	19	...			
70-74 years.....	3,515	3,515	...	2,750	2,750	...	709	709	...	15	15	...	41	41	...			
75-79 years.....	5,444	5,444	...	4,406	4,406	...	953	953	...	24	24	...	61	61	...			
80-84 years.....	6,549	6,549	...	5,519	5,519	...	921	921	...	14	14	...	95	95	...			
85-89 years.....	5,328	5,328	...	4,617	4,617	...	630	630	...	13	13	...	68	68	...			
90-94 years.....	2,630	2,630	...	2,239	2,239	...	345	345	...	7	7	...	39	39	...			
95-99 years.....	747	747	...	629	629	...	102	102	...	2	2	...	14	14	...			
100 years & over.	87	87	...	62	62	...	23	23	...	-	-	...	2	2	...			
Age not stated...	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...			

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Malignant neoplasm of testis (C62)															
All ages.....	357	357	...	321	321	...	25	25	...	2	2	...	9	9	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
15-19 years.....	11	11	...	9	9	...	-	-	...	-	-	...	2	2	...
20-24 years.....	37	37	...	31	31	...	5	5	...	1	1	...	-	-	...
25-29 years.....	36	36	...	32	32	...	3	3	...	-	-	...	1	1	...
30-34 years.....	37	37	...	34	34	...	2	2	...	-	-	...	1	1	...
35-39 years.....	47	47	...	43	43	...	3	3	...	-	-	...	1	1	...
40-44 years.....	50	50	...	45	45	...	3	3	...	-	-	...	2	2	...
45-49 years.....	43	43	...	38	38	...	4	4	...	1	1	...	-	-	...
50-54 years.....	29	29	...	27	27	...	2	2	...	-	-	...	-	-	...
55-59 years.....	14	14	...	13	13	...	1	1	...	-	-	...	-	-	...
60-64 years.....	13	13	...	13	13	...	-	-	...	-	-	...	-	-	...
65-69 years.....	7	7	...	7	7	...	-	-	...	-	-	...	-	-	...
70-74 years.....	7	7	...	5	5	...	-	-	...	-	-	...	2	2	...
75-79 years.....	5	5	...	4	4	...	1	1	...	-	-	...	-	-	...
80-84 years.....	11	11	...	10	10	...	1	1	...	-	-	...	-	-	...
85-89 years.....	8	8	...	8	8	...	-	-	...	-	-	...	-	-	...
90-94 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes				
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female			
Undescended testis (C62.0)																
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...	
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
85-89 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...	
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Testis, unspecified (C62.9)															
All ages.....	356	356	...	320	320	...	25	25	...	2	2	...	9	9	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
15-19 years.....	11	11	...	9	9	...	-	-	...	-	-	...	2	2	...
20-24 years.....	37	37	...	31	31	...	5	5	...	1	1	...	-	-	...
25-29 years.....	36	36	...	32	32	...	3	3	...	-	-	...	1	1	...
30-34 years.....	37	37	...	34	34	...	2	2	...	-	-	...	1	1	...
35-39 years.....	47	47	...	43	43	...	3	3	...	-	-	...	1	1	...
40-44 years.....	50	50	...	45	45	...	3	3	...	-	-	...	2	2	...
45-49 years.....	43	43	...	38	38	...	4	4	...	1	1	...	-	-	...
50-54 years.....	29	29	...	27	27	...	2	2	...	-	-	...	-	-	...
55-59 years.....	14	14	...	13	13	...	1	1	...	-	-	...	-	-	...
60-64 years.....	13	13	...	13	13	...	-	-	...	-	-	...	-	-	...
65-69 years.....	7	7	...	7	7	...	-	-	...	-	-	...	-	-	...
70-74 years.....	7	7	...	5	5	...	-	-	...	-	-	...	2	2	...
75-79 years.....	5	5	...	4	4	...	1	1	...	-	-	...	-	-	...
80-84 years.....	11	11	...	10	10	...	1	1	...	-	-	...	-	-	...
85-89 years.....	7	7	...	7	7	...	-	-	...	-	-	...	-	-	...
90-94 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Malignant neoplasm of other and unspecified male genital organs (C63)															
All ages.....	37	37	...	29	29	...	6	6	...	-	-	...	2	2	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
35-39 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
50-54 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
55-59 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
60-64 years.....	4	4	...	3	3	...	1	1	...	-	-	...	-	-	...
65-69 years.....	3	3	...	1	1	...	2	2	...	-	-	...	-	-	...
70-74 years.....	3	3	...	2	2	...	1	1	...	-	-	...	-	-	...
75-79 years.....	6	6	...	5	5	...	1	1	...	-	-	...	-	-	...
80-84 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
85-89 years.....	5	5	...	3	3	...	-	-	...	-	-	...	2	2	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Spermatoc cord (C63.1)												
All ages.....	3	3	...	3	3	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	2	2	...	2	2	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Scrotum (C63.2)															
All ages.....	12	12	...	9	9	...	2	2	...	-	-	...	1	1	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
50-54 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	2	2	...	1	1	...	-	-	...	-	-	...	1	1	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Male genital organ, unspecified (C63.9)															
All ages.....	22	22	...	17	17	...	4	4	...	-	-	...	1	1	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
35-39 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	3	3	...	2	2	...	1	1	...	-	-	...	-	-	...
65-69 years.....	3	3	...	1	1	...	2	2	...	-	-	...	-	-	...
70-74 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
75-79 years.....	5	5	...	5	5	...	-	-	...	-	-	...	-	-	...
80-84 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
85-89 years.....	3	3	...	2	2	...	-	-	...	-	-	...	1	1	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
													Both sexes	Male	Female	Both sexes
Malignant neoplasm of spinal cord, cranial nerves, and other parts of central nervous system (C72)																
All ages.....	108	61	47	99	58	41	8	2	6	-	-	-	1	1	-	
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1-4 years.....	5	1	4	5	1	4	-	-	-	-	-	-	-	-	-	
5-9 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-	
10-14 years.....	5	3	2	3	3	-	2	-	2	-	-	-	-	-	-	
15-19 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-	
20-24 years.....	5	2	3	2	1	1	2	-	2	-	-	-	1	1	-	
25-29 years.....	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-	
30-34 years.....	2	1	1	2	1	1	-	2	-	-	-	-	-	-	-	
35-39 years.....	4	4	-	4	4	-	-	-	-	-	-	-	-	-	-	
40-44 years.....	4	4	-	4	4	-	-	-	-	-	-	-	-	-	-	
45-49 years.....	6	5	1	6	5	1	-	6	-	-	-	-	-	-	-	
50-54 years.....	6	5	1	5	5	-	1	-	1	-	-	-	-	-	-	
55-59 years.....	11	8	3	10	7	3	1	1	-	-	-	-	-	-	-	
60-64 years.....	12	6	6	11	6	5	1	1	1	-	-	-	-	-	-	
65-69 years.....	7	5	2	7	5	2	-	-	-	-	-	-	-	-	-	
70-74 years.....	11	7	4	11	7	4	-	-	-	-	-	-	-	-	-	
75-79 years.....	5	4	1	5	4	1	-	5	-	-	-	-	-	-	-	
80-84 years.....	8	4	4	8	4	4	-	-	-	-	-	-	-	-	-	
85-89 years.....	8	1	7	8	1	7	-	-	-	-	-	-	-	-	-	
90-94 years.....	3	-	3	3	-	3	-	-	-	-	-	-	-	-	-	
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
100 years & over.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age not stated....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Secondary malignant neoplasm of pleura (C78.2)															
All ages.....	143	54	89	126	46	80	14	8	6	-	-	-	3	-	3
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	3	-	3	2	-	2	-	-	-	-	-	-	1	-	1
50-54 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
55-59 years.....	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-
60-64 years.....	5	4	1	4	3	1	1	1	4	-	-	-	-	-	-
65-69 years.....	8	7	1	5	5	-	3	2	1	-	-	-	-	-	-
70-74 years.....	14	7	7	12	6	6	2	1	1	-	-	-	-	-	-
75-79 years.....	29	10	19	29	10	19	-	-	-	-	-	-	-	-	-
80-84 years.....	22	9	13	17	7	10	4	2	2	-	-	-	1	-	1
85-89 years.....	33	11	22	30	10	20	3	1	2	-	-	-	-	-	-
90-94 years.....	19	4	15	19	4	15	-	-	-	-	-	-	-	-	-
95-99 years.....	5	-	5	4	-	4	-	-	-	-	-	-	1	-	1
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Secondary malignant neoplasm of other and unspecified digestive organs (C78.8)															
All ages.....	20	14	6	15	10	5	3	2	1	-	-	-	2	2	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years.....	3	3	-	3	3	-	-	-	-	-	-	-	-	-	-
55-59 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
60-64 years.....	3	3	-	2	2	-	1	1	2	-	-	-	-	-	-
65-69 years.....	2	1	1	1	-	1	-	-	-	-	-	-	1	1	-
70-74 years.....	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
75-79 years.....	3	2	1	1	-	1	1	1	1	-	-	-	1	1	-
80-84 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
85-89 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
90-94 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		sexes	sexes		sexes	sexes		sexes	sexes		sexes	sexes			
Secondary malignant neoplasm of brain and cerebral meninges (C79.3)															
All ages.....	784	351	433	670	302	368	87	40	47	7	4	3	20	5	15
Under 1 year.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
1-4 years.....	5	2	3	3	2	1	1	-	1	-	-	-	1	-	1
5-9 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
10-14 years.....	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-
15-19 years.....	2	1	1	1	1	-	1	-	1	-	-	-	-	-	-
20-24 years.....	4	4	-	3	3	-	1	1	-	-	-	-	-	-	-
25-29 years.....	4	2	2	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years.....	5	1	4	4	1	3	1	-	1	-	-	-	-	-	-
35-39 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
40-44 years.....	24	9	15	18	6	12	5	2	3	1	1	-	-	-	-
45-49 years.....	30	15	15	23	10	13	5	4	1	-	-	-	2	1	1
50-54 years.....	30	17	13	25	14	11	2	2	-	1	-	1	2	1	1
55-59 years.....	52	28	24	41	23	18	10	5	5	-	-	-	1	-	1
60-64 years.....	78	37	41	64	34	30	10	3	7	1	-	1	3	-	3
65-69 years.....	79	43	36	67	35	32	11	7	4	1	1	-	-	-	-
70-74 years.....	97	47	50	86	41	45	10	5	5	1	1	-	-	-	-
75-79 years.....	116	51	65	103	47	56	9	3	6	2	1	1	2	-	2
80-84 years.....	134	59	75	119	52	67	10	4	6	-	-	-	5	3	2
85-89 years.....	74	19	55	65	17	48	7	2	5	-	-	-	2	-	2
90-94 years.....	32	10	22	30	10	20	1	-	1	-	-	-	1	-	1
95-99 years.....	10	1	9	9	1	8	-	-	-	-	-	-	1	-	1
100 years & over.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Age not stated....	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Secondary malignant neoplasm of ovary (C79.6)															
All ages.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
													sexes	Male	Female	sexes
Small cleaved cell (diffuse) (C83.1)																
All ages.....	595	429	166	571	411	160	14	10	4	5	3	2	5	5	-	
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
35-39 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
40-44 years.....	4	3	1	4	3	1	-	-	-	-	-	-	-	-	-	
45-49 years.....	13	10	3	12	10	2	1	-	1	-	-	-	-	-	-	
50-54 years.....	28	21	7	26	19	7	2	2	-	-	-	-	-	-	-	
55-59 years.....	58	40	18	55	37	18	2	2	-	-	-	-	1	1	-	
60-64 years.....	53	44	9	50	42	8	2	2	-	1	-	1	-	-	-	
65-69 years.....	81	64	17	78	63	15	2	-	2	-	-	-	1	1	-	
70-74 years.....	98	77	21	97	76	21	-	-	-	1	1	-	-	-	-	
75-79 years.....	102	75	27	95	69	26	5	4	1	2	2	-	-	-	-	
80-84 years.....	99	62	37	97	60	37	-	-	-	-	-	-	2	2	-	
85-89 years.....	46	28	18	44	27	17	-	-	-	1	-	1	1	1	-	
90-94 years.....	11	4	7	11	4	7	-	-	-	-	-	-	-	-	-	
95-99 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		sexes	sexes		sexes	sexes		sexes	sexes		sexes	sexes			
Diffuse non-Hodgkin's lymphoma, unspecified (C83.9)															
All ages.....	38	22	16	31	18	13	4	2	2	-	-	-	3	2	1
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	2	1	1	-	-	-	2	1	1	-	-	-	-	-	-
25-29 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
30-34 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
45-49 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
50-54 years.....	4	3	1	2	2	-	1	1	-	-	-	-	1	-	1
55-59 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
60-64 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
65-69 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
70-74 years.....	7	5	2	7	5	2	-	-	-	-	-	-	-	-	-
75-79 years.....	5	3	2	3	2	1	1	-	1	-	-	-	1	1	-
80-84 years.....	8	1	7	7	-	7	-	-	-	-	-	-	1	1	-
85-89 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
90-94 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Multiple myeloma (C90.0)															
All ages.....	10,505	5,429	5,076	8,520	4,486	4,034	1,785	835	950	52	28	24	148	80	68
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
30-34 years.....	12	10	2	9	8	1	2	1	1	-	-	-	1	1	-
35-39 years.....	29	15	14	19	11	8	10	4	6	-	-	-	-	-	-
40-44 years.....	100	57	43	70	42	28	29	15	14	-	-	-	1	-	1
45-49 years.....	212	116	96	153	86	67	53	26	27	4	3	1	2	1	1
50-54 years.....	431	254	177	304	183	121	112	59	53	5	5	-	10	7	3
55-59 years.....	736	402	334	540	307	233	170	84	86	11	3	8	15	8	7
60-64 years.....	937	537	400	739	432	307	183	95	88	3	1	2	12	9	3
65-69 years.....	1,182	677	505	922	543	379	231	122	109	6	3	3	23	9	14
70-74 years.....	1,538	832	706	1,222	684	538	285	133	152	4	2	2	27	13	14
75-79 years.....	1,998	1,029	969	1,678	886	792	284	124	160	12	8	4	24	11	13
80-84 years.....	1,810	869	941	1,549	753	796	238	101	137	5	3	2	18	12	6
85-89 years.....	1,071	462	609	938	407	531	122	49	73	1	-	1	10	6	4
90-94 years.....	375	142	233	316	120	196	53	19	34	1	-	1	5	3	2
95-99 years.....	66	24	42	55	22	33	11	2	9	-	-	-	-	-	-
100 years & over.	6	1	5	4	-	4	2	1	1	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/					
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female		
										Male	Female							
Acute myeloid leukemia (C92.0)																		
All ages.....	7,821	4,296	3,525	7,005	3,867	3,138	625	315	310	25	12	13	166	102	64			
Under 1 year.....	7	2	5	3	1	2	3	-	3	-	-	-	1	1	-			
1-4 years.....	47	29	18	35	20	15	11	8	3	-	-	-	1	1	-			
5-9 years.....	30	19	11	24	16	8	5	3	2	-	-	-	1	-	1			
10-14 years.....	47	22	25	35	18	17	10	3	7	-	-	-	2	1	1			
15-19 years.....	58	32	26	41	23	18	15	7	8	1	1	-	1	1	-			
20-24 years.....	80	41	39	66	35	31	11	5	6	1	-	1	2	1	1			
25-29 years.....	70	33	37	56	26	30	13	7	6	-	-	-	1	-	1			
30-34 years.....	97	47	50	79	39	40	15	6	9	1	1	-	2	1	1			
35-39 years.....	127	65	62	96	52	44	22	11	11	3	-	3	6	2	4			
40-44 years.....	185	98	87	156	83	73	24	12	12	-	-	-	5	3	2			
45-49 years.....	270	123	147	228	106	122	28	9	19	1	1	-	13	7	6			
50-54 years.....	395	219	176	327	173	154	56	36	20	1	-	1	11	10	1			
55-59 years.....	502	282	220	442	252	190	49	24	25	3	2	1	8	4	4			
60-64 years.....	686	394	292	609	356	253	64	32	32	2	2	-	11	4	7			
65-69 years.....	882	555	327	788	498	290	74	47	27	3	1	2	17	9	8			
70-74 years.....	1,060	633	427	968	583	385	62	33	29	3	1	2	27	16	11			
75-79 years.....	1,258	719	539	1,160	663	497	64	30	34	2	1	1	32	25	7			
80-84 years.....	1,159	610	549	1,080	567	513	57	27	30	3	2	1	19	14	5			
85-89 years.....	598	263	335	564	249	315	29	13	16	1	-	1	4	1	3			
90-94 years.....	227	98	129	213	95	118	12	2	10	-	-	-	2	1	1			
95-99 years.....	35	12	23	34	12	22	1	-	1	-	-	-	-	-	-			
100 years & over.	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-			
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
Myeloid leukemia, unspecified (C92.9)																
All ages.....	223	127	96	198	118	80	19	5	14	-	-	-	6	4	2	
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1-4 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
5-9 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-	
10-14 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
15-19 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
20-24 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-	
25-29 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
30-34 years.....	2	1	1	1	1	-	1	-	1	-	-	-	-	-	-	
35-39 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-	
40-44 years.....	8	4	4	6	3	3	1	-	1	-	-	-	1	1	-	
45-49 years.....	6	4	2	6	4	2	-	-	-	-	-	-	-	-	-	
50-54 years.....	9	4	5	8	4	4	1	-	1	-	-	-	-	-	-	
55-59 years.....	8	3	5	7	3	4	1	-	1	-	-	-	-	-	-	
60-64 years.....	22	12	10	18	11	7	4	1	3	-	-	-	-	-	-	
65-69 years.....	14	10	4	12	10	2	2	-	2	-	-	-	-	-	-	
70-74 years.....	24	11	13	19	8	11	2	1	1	-	-	-	3	2	1	
75-79 years.....	44	25	19	39	24	15	4	1	3	-	-	-	1	-	1	
80-84 years.....	39	24	15	37	22	15	1	1	-	-	-	-	1	1	-	
85-89 years.....	25	18	7	24	18	6	1	-	1	-	-	-	-	-	-	
90-94 years.....	8	4	4	7	3	4	1	1	-	-	-	-	-	-	-	
95-99 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Heart (D15.1)															
All ages.....	55	15	40	50	15	35	2	-	2	1	-	1	2	-	2
Under 1 year.....	4	2	2	3	2	1	1	-	1	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
35-39 years.....	3	-	3	2	-	2	1	-	1	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
50-54 years.....	6	-	6	4	-	4	-	-	-	-	-	-	2	-	2
55-59 years.....	4	3	1	4	3	1	-	-	-	-	-	-	-	-	-
60-64 years.....	3	1	2	2	1	1	-	-	1	1	-	1	-	-	-
65-69 years.....	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-
70-74 years.....	6	1	5	6	1	5	-	-	-	-	-	-	-	-	-
75-79 years.....	7	1	6	7	1	6	-	-	-	-	-	-	-	-	-
80-84 years.....	6	2	4	6	2	4	-	-	-	-	-	-	-	-	-
85-89 years.....	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
90-94 years.....	5	1	4	5	1	4	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Leiomyoma of uterus (D25)															
All ages.....	22	...	22	8	...	8	13	...	13	-	...	-	1	...	1
Under 1 year.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	6	...	6	3	...	3	3	...	3	-	...	-	-	...	-
45-49 years.....	5	...	5	2	...	2	3	...	3	-	...	-	-	...	-
50-54 years.....	3	...	3	-	...	-	3	...	3	-	...	-	-	...	-
55-59 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
60-64 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Intramural leiomyoma of uterus (D25.1)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Leiomyoma of uterus, unspecified (D25.9)															
All ages.....	21	...	21	8	...	8	12	...	12	-	...	-	1	...	1
Under 1 year.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	6	...	6	3	...	3	3	...	3	-	...	-	-	...	-
45-49 years.....	5	...	5	2	...	2	3	...	3	-	...	-	-	...	-
50-54 years.....	3	...	3	-	...	-	3	...	3	-	...	-	-	...	-
55-59 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
													Both sexes	Male	Female	Both sexes
Other benign neoplasms of uterus (D26)																
All ages.....	4	...	4	1	...	1	3	...	3	-	...	-	-	...	-	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Cervix uteri (D26.0)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Uterus, unspecified (D26.9)															
All ages.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Benign neoplasm of ovary (D27)															
All ages.....	14	...	14	12	...	12	1	...	1	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-
65-69 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
75-79 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Benign neoplasm of male genital organs (D29)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Testis (D29.2)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Mediastinum (D38.3)															
All ages.....	35	18	17	31	16	15	3	1	2	-	-	-	1	1	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
20-24 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
50-54 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
65-69 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
70-74 years.....	6	3	3	3	2	1	2	-	2	-	-	-	1	1	-
75-79 years.....	5	2	3	5	2	3	-	-	-	-	-	-	-	-	-
80-84 years.....	8	2	6	8	2	6	-	-	-	-	-	-	-	-	-
85-89 years.....	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-
90-94 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
95-99 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
100 years & over.	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Neoplasm of uncertain or unknown behavior of female genital organs (D39)															
All ages.....	85	...	85	67	...	67	12	...	12	3	...	3	3	...	3
Under 1 year.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	4	...	4	3	...	3	-	...	-	1	...	1	-	...	-
40-44 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
45-49 years.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
50-54 years.....	5	...	5	2	...	2	2	...	2	1	...	1	-	...	-
55-59 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
60-64 years.....	7	...	7	7	...	7	-	...	-	-	...	-	-	...	-
65-69 years.....	9	...	9	4	...	4	5	...	5	-	...	-	-	...	-
70-74 years.....	7	...	7	5	...	5	1	...	1	1	...	1	-	...	-
75-79 years.....	5	...	5	4	...	4	-	...	-	-	...	-	1	...	1
80-84 years.....	14	...	14	11	...	11	2	...	2	-	...	-	1	...	1
85-89 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
90-94 years.....	12	...	12	11	...	11	1	...	1	-	...	-	-	...	-
95-99 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Uterus (D39.0)															
All ages.....	29	...	29	22	...	22	6	...	6	-	...	-	1	...	1
Under 1 year.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
45-49 years.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
50-54 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
65-69 years.....	3	...	3	-	...	-	3	...	3	-	...	-	-	...	-
70-74 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
80-84 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Ovary (D39.1)															
All ages.....	44	...	44	35	...	35	6	...	6	1	...	1	2	...	2
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
55-59 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
60-64 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
65-69 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
70-74 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
75-79 years.....	3	...	3	2	...	2	-	...	-	-	...	-	1	...	1
80-84 years.....	9	...	9	6	...	6	2	...	2	-	...	-	1	...	1
85-89 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
90-94 years.....	6	...	6	6	...	6	-	...	-	-	...	-	-	...	-
95-99 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Placenta (D39.2)															
All ages.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
													Male	Female		
Other female genital organs (D39.7)																
All ages.....	7	...	7	5	...	5	-	...	-	2	...	2	-	...	-	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
70-74 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
Female genital organ, unspecified (D39.9)																
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Neoplasm of uncertain or unknown behavior of male genital organs (D40)															
All ages.....	21	21	...	21	21	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
20-24 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
55-59 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
75-79 years.....	5	5	...	5	5	...	-	-	...	-	-	...	-	-	...
80-84 years.....	5	5	...	5	5	...	-	-	...	-	-	...	-	-	...
85-89 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
90-94 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
95-99 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Male	Female	
Prostate (D40.0)															
All ages.....	15	15	...	15	15	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
75-79 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
80-84 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
85-89 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
90-94 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
95-99 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Testis (D40.1)															
All ages.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
20-24 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Male genital organ, unspecified (D40.9)												
All ages.....	3	3	...	3	3	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Bladder (D41.4)															
All ages.....	89	51	38	85	50	35	4	1	3	-	-	-	-	-	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	2	1	1	1	1	-	1	1	1	-	-	-	-	-	-
50-54 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years.....	3	2	1	2	2	-	1	-	1	-	-	-	-	-	-
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years.....	4	4	-	4	4	-	-	-	-	-	-	-	-	-	-
70-74 years.....	6	4	2	6	4	2	-	-	-	-	-	-	-	-	-
75-79 years.....	9	6	3	8	5	3	1	1	-	-	-	-	-	-	-
80-84 years.....	17	10	7	17	10	7	-	-	-	-	-	-	-	-	-
85-89 years.....	21	10	11	20	10	10	1	-	1	-	-	-	-	-	-
90-94 years.....	19	11	8	19	11	8	-	-	-	-	-	-	-	-	-
95-99 years.....	8	3	5	8	3	5	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		sexes	sexes		sexes	sexes		sexes	sexes		sexes	sexes			
Disseminated intravascular coagulation [defibrination syndrome] (D65)															
All ages.....	538	234	304	396	171	225	128	57	71	6	3	3	8	3	5
Under 1 year.....	9	5	4	7	3	4	2	2	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	2	1	1	1	1	-	-	-	-	1	-	1	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	2	-	2	-	-	-	2	-	2	-	-	-	-	-	-
20-24 years.....	4	3	1	2	2	-	2	1	1	-	-	-	-	-	-
25-29 years.....	6	4	2	5	3	2	1	1	-	-	-	-	-	-	-
30-34 years.....	5	2	3	4	1	3	1	1	-	-	-	-	-	-	-
35-39 years.....	10	6	4	7	4	3	3	2	1	-	-	-	-	-	-
40-44 years.....	27	14	13	18	11	7	9	3	6	-	-	-	-	-	-
45-49 years.....	38	23	15	22	12	10	14	10	4	2	1	1	-	-	-
50-54 years.....	38	12	26	22	6	16	15	5	10	-	-	-	1	1	-
55-59 years.....	43	22	21	29	16	13	12	6	6	-	-	-	2	-	2
60-64 years.....	39	16	23	24	8	16	14	7	7	1	1	-	-	-	-
65-69 years.....	68	31	37	53	24	29	14	6	8	1	1	-	-	-	-
70-74 years.....	56	20	36	39	15	24	16	5	11	-	-	-	1	-	1
75-79 years.....	49	22	27	40	17	23	8	4	4	-	-	-	1	1	-
80-84 years.....	79	32	47	71	29	42	7	2	5	-	-	-	1	1	-
85-89 years.....	38	15	23	32	14	18	5	1	4	-	-	-	1	-	1
90-94 years.....	17	3	14	14	2	12	1	1	-	1	-	1	1	-	1
95-99 years.....	8	3	5	6	3	3	2	-	2	-	-	-	-	-	-
100 years & over.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
		Male	Female		Male	Female		Male	Female		Male	Female				
Other disorders of white blood cells (D72)																
All ages.....	89	32	57	76	27	49	10	4	6	-	-	-	3	1	2	
Under 1 year.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20-24 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
35-39 years.....	2	2	-	1	1	-	-	-	-	-	-	-	1	1	-	
40-44 years.....	2	-	2	1	-	1	-	-	-	-	-	-	1	-	1	
45-49 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
50-54 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-	
55-59 years.....	5	3	2	4	2	2	1	1	-	-	-	-	-	-	-	
60-64 years.....	5	2	3	4	1	3	1	1	4	-	-	-	-	-	-	
65-69 years.....	6	4	2	5	3	2	1	1	-	-	-	-	-	-	-	
70-74 years.....	9	2	7	7	2	5	2	-	2	-	-	-	-	-	-	
75-79 years.....	6	2	4	6	2	4	-	-	-	-	-	-	-	-	-	
80-84 years.....	11	3	8	9	3	6	1	-	1	-	-	-	1	-	1	
85-89 years.....	20	7	13	19	7	12	1	-	1	-	-	-	-	-	-	
90-94 years.....	12	1	11	10	1	9	2	-	2	-	-	-	-	-	-	
95-99 years.....	6	3	3	6	3	3	-	-	-	-	-	-	-	-	-	
100 years & over.	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes		Male	Female		
										Male	Female				
Without complications (E11.9)															
All ages.....	12,904	5,957	6,947	10,941	5,160	5,781	1,598	613	985	140	69	71	225	115	110
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
25-29 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
30-34 years.....	14	7	7	9	5	4	5	2	3	-	-	-	-	-	-
35-39 years.....	38	26	12	24	17	7	11	7	4	2	2	-	1	-	1
40-44 years.....	97	61	36	68	49	19	24	12	12	5	-	5	-	-	-
45-49 years.....	209	124	85	159	96	63	42	21	21	5	4	1	3	3	-
50-54 years.....	420	240	180	316	185	131	84	41	43	7	5	2	13	9	4
55-59 years.....	662	381	281	517	297	220	122	68	54	13	7	6	10	9	1
60-64 years.....	922	551	371	739	460	279	146	69	77	21	11	10	16	11	5
65-69 years.....	1,127	606	521	911	504	407	179	82	97	16	8	8	21	12	9
70-74 years.....	1,564	789	775	1,296	682	614	216	83	133	18	8	10	34	16	18
75-79 years.....	2,023	946	1,077	1,731	845	886	243	76	167	22	11	11	27	14	13
80-84 years.....	2,437	1,070	1,367	2,145	971	1,174	231	73	158	18	8	10	43	18	25
85-89 years.....	1,892	715	1,177	1,680	651	1,029	171	47	124	7	2	5	34	15	19
90-94 years.....	1,118	350	768	1,007	317	690	92	26	66	5	3	2	14	4	10
95-99 years.....	317	74	243	289	68	221	19	3	16	1	-	1	8	3	5
100 years & over.	61	16	45	50	13	37	10	2	8	-	-	-	1	1	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races						White		Black		American Indian 1/		Asian or Pacific Islander 2/		
	Both sexes	Male		Female		Both sexes	Male		Both sexes	Male		Both sexes	Male		Female
		Male	Female	Male	Female		Male	Female		Male	Female				
Unspecified diabetes mellitus (E14)															
All ages.....	51,870	25,333	26,537	40,323	20,130	20,193	9,906	4,415	5,491	513	250	263	1,128	538	590
Under 1 year.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
1-4 years.....	7	5	2	5	4	1	-	-	1	-	-	-	1	1	-
5-9 years.....	4	1	3	2	-	2	2	1	1	-	-	-	-	-	-
10-14 years.....	21	10	11	7	4	3	12	5	7	-	-	-	2	1	1
15-19 years.....	39	27	12	22	12	10	17	15	2	-	-	-	-	-	-
20-24 years.....	82	38	44	51	25	26	31	13	18	-	-	-	-	-	-
25-29 years.....	131	79	52	82	48	34	43	27	16	1	1	-	5	3	2
30-34 years.....	302	173	129	192	113	79	99	56	43	7	3	4	4	1	3
35-39 years.....	503	324	179	323	214	109	171	105	66	4	3	1	5	2	3
40-44 years.....	961	597	364	662	423	239	271	156	115	19	14	5	9	4	5
45-49 years.....	1,673	1,033	640	1,188	744	444	424	251	173	30	18	12	31	20	11
50-54 years.....	2,483	1,509	974	1,703	1,099	604	701	368	333	32	18	14	47	24	23
55-59 years.....	3,588	2,069	1,519	2,595	1,537	1,058	848	444	404	63	38	25	82	50	32
60-64 years.....	4,341	2,480	1,861	3,195	1,884	1,311	974	498	476	77	45	32	95	53	42
65-69 years.....	5,168	2,818	2,350	3,892	2,182	1,710	1,101	546	555	72	32	40	103	58	45
70-74 years.....	6,421	3,324	3,097	4,925	2,644	2,281	1,284	580	704	64	20	44	148	80	68
75-79 years.....	7,840	3,812	4,028	6,273	3,159	3,114	1,331	540	791	62	38	24	174	75	99
80-84 years.....	8,219	3,645	4,574	6,797	3,138	3,659	1,182	418	764	49	11	38	191	78	113
85-89 years.....	5,927	2,249	3,678	4,975	1,938	3,037	798	251	547	23	8	15	131	52	79
90-94 years.....	3,103	926	2,177	2,597	786	1,811	424	110	314	8	1	7	74	29	45
95-99 years.....	895	184	711	728	153	575	144	26	118	2	-	2	21	5	16
100 years & over.	158	28	130	107	23	84	46	3	43	-	-	-	5	2	3
Age not stated...	3	1	2	2	-	2	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
	With multiple complications (E14.7)														
All ages.....	397	203	194	303	164	139	76	33	43	10	2	8	8	4	4
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
20-24 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
25-29 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
30-34 years.....	5	4	1	4	3	1	1	1	-	-	-	-	-	-	-
35-39 years.....	7	2	5	5	2	3	2	-	2	-	-	-	-	-	-
40-44 years.....	7	3	4	7	3	4	-	-	-	-	-	-	-	-	-
45-49 years.....	20	10	10	14	7	7	6	3	3	-	-	-	-	-	-
50-54 years.....	16	11	5	8	7	1	5	2	3	2	1	1	1	1	-
55-59 years.....	30	18	12	23	15	8	6	2	4	-	-	-	1	1	-
60-64 years.....	42	28	14	31	23	8	6	4	2	3	1	2	2	-	2
65-69 years.....	56	35	21	46	29	17	9	6	3	1	-	1	-	-	-
70-74 years.....	67	30	37	52	24	28	12	5	7	1	-	1	2	1	1
75-79 years.....	70	33	37	49	27	22	20	6	14	1	-	1	-	-	-
80-84 years.....	36	16	20	30	14	16	4	2	2	1	-	1	1	-	1
85-89 years.....	24	6	18	21	5	16	2	1	1	1	-	1	-	-	-
90-94 years.....	9	5	4	6	3	3	2	1	1	-	-	-	1	1	-
95-99 years.....	4	1	3	3	1	2	1	-	1	-	-	-	-	-	-
100 years & over.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Without complications (E14.9)															
All ages.....	42,620	20,625	21,995	33,389	16,498	16,891	7,851	3,462	4,389	421	210	211	959	455	504
Under 1 year.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
1-4 years.....	3	1	2	1	-	1	-	-	1	-	-	-	1	1	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	5	3	2	1	1	-	4	2	2	-	-	-	-	-	-
15-19 years.....	8	7	1	1	-	1	7	7	-	-	-	-	-	-	-
20-24 years.....	27	13	14	13	7	6	14	6	8	-	-	-	-	-	-
25-29 years.....	74	43	31	44	24	20	26	16	10	1	1	-	3	2	1
30-34 years.....	180	88	92	113	57	56	58	28	30	7	3	4	2	-	2
35-39 years.....	313	198	115	211	143	68	96	51	45	3	2	1	3	2	1
40-44 years.....	665	406	259	466	296	170	177	95	82	15	12	3	7	3	4
45-49 years.....	1,265	782	483	893	558	335	321	192	129	24	16	8	27	16	11
50-54 years.....	1,963	1,204	759	1,354	889	465	547	283	264	22	12	10	40	20	20
55-59 years.....	2,957	1,715	1,242	2,156	1,287	869	680	354	326	54	35	19	67	39	28
60-64 years.....	3,608	2,082	1,526	2,657	1,585	1,072	808	416	392	64	37	27	79	44	35
65-69 years.....	4,260	2,312	1,948	3,216	1,790	1,426	897	449	448	57	24	33	90	49	41
70-74 years.....	5,281	2,751	2,530	4,056	2,191	1,865	1,046	473	573	55	18	37	124	69	55
75-79 years.....	6,535	3,130	3,405	5,264	2,602	2,662	1,072	434	638	52	32	20	147	62	85
80-84 years.....	6,860	3,011	3,849	5,697	2,595	3,102	957	339	618	39	10	29	167	67	100
85-89 years.....	5,037	1,911	3,126	4,252	1,652	2,600	650	203	447	19	7	12	116	49	67
90-94 years.....	2,669	784	1,885	2,259	666	1,593	339	91	248	7	1	6	64	26	38
95-99 years.....	773	156	617	641	134	507	111	18	93	2	-	2	19	4	15
100 years & over.	134	26	108	93	21	72	38	3	35	-	-	-	3	2	1
Age not stated...	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female			
Ovarian dysfunction (E28)																
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Male	Female	
Polycystic ovarian syndrome (E28.2)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Testicular dysfunction (E29)															
All ages.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Testicular hypofunction (E29.1)															
All ages.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Unspecified protein-energy malnutrition (E46)															
All ages.....	2,267	813	1,454	1,889	660	1,229	317	128	189	23	9	14	38	16	22
Under 1 year.....	4	3	1	3	2	1	-	-	-	-	-	-	1	1	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
10-14 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	3	3	-	2	2	-	1	1	-	-	-	-	-	-	-
25-29 years.....	6	3	3	4	2	2	2	1	1	-	-	-	-	-	-
30-34 years.....	2	1	1	2	1	1	-	2	-	-	-	-	-	-	-
35-39 years.....	11	6	5	5	3	2	5	3	2	1	-	1	-	-	-
40-44 years.....	17	5	12	13	2	11	3	2	1	1	1	-	-	-	-
45-49 years.....	24	10	14	18	6	12	5	3	2	-	-	-	1	1	-
50-54 years.....	53	27	26	34	19	15	18	8	10	1	-	1	-	-	-
55-59 years.....	49	28	21	41	22	19	7	5	2	1	1	-	-	-	-
60-64 years.....	66	34	32	52	26	26	13	7	6	1	1	-	-	-	-
65-69 years.....	82	39	43	63	26	37	16	12	4	2	1	1	1	-	1
70-74 years.....	134	71	63	106	59	47	26	11	15	1	-	1	1	1	-
75-79 years.....	254	113	141	209	91	118	34	17	17	5	2	3	6	3	3
80-84 years.....	428	146	282	372	125	247	44	15	29	4	2	2	8	4	4
85-89 years.....	502	179	323	420	152	268	69	22	47	4	1	3	9	4	5
90-94 years.....	388	103	285	339	88	251	41	13	28	2	-	2	6	2	4
95-99 years.....	184	33	151	159	28	131	21	5	16	-	-	-	4	-	4
100 years & over.	57	6	51	46	5	41	10	1	9	-	-	-	1	-	1
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
		sexes	sexes		sexes	sexes		sexes	sexes		sexes	sexes				
Other disorders of amino-acid metabolism (E72)																
All ages.....	73	45	28	65	39	26	7	5	2	-	-	-	1	1	-	
Under 1 year.....	18	13	5	15	11	4	3	2	1	-	-	-	-	-	-	
1-4 years.....	4	2	2	3	1	2	1	1	-	-	-	-	-	-	-	
5-9 years.....	5	4	1	4	3	1	-	-	-	-	-	-	1	1	-	
10-14 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-	
15-19 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
20-24 years.....	4	4	-	4	4	-	-	-	-	-	-	-	-	-	-	
25-29 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-	
30-34 years.....	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	
35-39 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
40-44 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
45-49 years.....	6	3	3	5	2	3	1	1	5	-	-	-	-	-	-	
50-54 years.....	8	3	5	8	3	5	-	-	-	-	-	-	-	-	-	
55-59 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-	
60-64 years.....	5	2	3	4	2	2	1	-	1	-	-	-	-	-	-	
65-69 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
70-74 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-	
75-79 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-	
80-84 years.....	5	4	1	5	4	1	-	-	-	-	-	-	-	-	-	
85-89 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
95-99 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Mental and behavioral disorders due to use of alcohol (F10)															
All ages.....	7,242	5,704	1,538	5,991	4,707	1,284	967	794	173	219	148	71	65	55	10
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	4	3	1	4	3	1	-	-	-	-	-	-	-	-	-
15-19 years.....	23	14	9	18	11	7	1	1	-	4	2	2	-	-	-
20-24 years.....	61	49	12	52	44	8	5	3	2	4	2	2	-	-	-
25-29 years.....	97	78	19	75	63	12	12	11	1	9	3	6	1	1	-
30-34 years.....	199	147	52	150	110	40	26	21	5	20	13	7	3	3	-
35-39 years.....	412	312	100	341	259	82	44	34	10	17	10	7	10	9	1
40-44 years.....	813	638	175	687	545	142	78	61	17	39	24	15	9	8	1
45-49 years.....	1,204	923	281	1,017	780	237	152	118	34	28	20	8	7	5	2
50-54 years.....	1,229	991	238	1,021	819	202	174	143	31	27	22	5	7	7	-
55-59 years.....	1,027	841	186	854	699	155	146	127	19	23	12	11	4	3	1
60-64 years.....	749	619	130	607	495	112	117	103	14	20	17	3	5	4	1
65-69 years.....	531	414	117	410	311	99	97	84	13	18	13	5	6	6	-
70-74 years.....	376	305	71	295	239	56	69	55	14	8	8	-	4	3	1
75-79 years.....	255	197	58	221	169	52	27	23	4	1	1	-	6	4	2
80-84 years.....	162	113	49	150	107	43	9	4	5	1	1	-	2	1	1
85-89 years.....	67	40	27	64	39	25	3	1	2	-	-	-	-	-	-
90-94 years.....	22	11	11	17	8	9	4	2	2	-	-	-	1	1	-
95-99 years.....	5	3	2	5	3	2	-	-	-	-	-	-	-	-	-
100 years & over.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	6	6	-	3	3	-	3	3	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Harmful use (F10.1)															
All ages.....	1,809	1,426	383	1,459	1,136	323	300	254	46	37	24	13	13	12	1
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
20-24 years.....	5	4	1	5	4	1	-	-	-	-	-	-	-	-	-
25-29 years.....	16	15	1	14	13	1	2	2	-	-	-	-	-	-	-
30-34 years.....	42	33	9	29	21	8	10	10	-	3	2	1	-	-	-
35-39 years.....	95	72	23	78	59	19	14	10	4	1	1	-	2	2	-
40-44 years.....	224	168	56	187	139	48	26	21	5	9	6	3	2	2	-
45-49 years.....	287	210	77	245	177	68	39	31	8	3	2	1	-	-	-
50-54 years.....	319	249	70	260	202	58	52	41	11	6	5	1	1	1	-
55-59 years.....	263	214	49	208	171	37	48	42	6	6	1	5	1	-	1
60-64 years.....	188	161	27	145	122	23	36	33	3	5	4	1	2	2	-
65-69 years.....	143	114	29	105	81	24	35	31	4	1	-	1	2	2	-
70-74 years.....	95	84	11	69	60	9	23	21	2	2	2	-	1	1	-
75-79 years.....	70	57	13	59	47	12	9	8	1	1	1	-	1	1	-
80-84 years.....	37	30	7	34	27	7	2	2	-	-	-	-	1	1	-
85-89 years.....	14	9	5	14	9	5	-	-	-	-	-	-	-	-	-
90-94 years.....	6	2	4	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female
										Male	Female					
Dependence syndrome (F10.2)																
All ages.....	4,095	3,256	839	3,431	2,723	708	513	416	97	107	78	29	44	39	5	
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10-14 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20-24 years.....	17	13	4	13	11	2	2	1	1	2	1	1	-	-	-	
25-29 years.....	34	26	8	24	20	4	4	3	1	5	2	3	1	1	-	
30-34 years.....	93	69	24	72	53	19	12	8	4	7	6	1	2	2	-	
35-39 years.....	224	168	56	186	139	47	22	17	5	8	5	3	8	7	1	
40-44 years.....	447	356	91	386	310	76	37	30	7	19	11	8	5	5	-	
45-49 years.....	722	566	156	607	478	129	94	72	22	15	11	4	6	5	1	
50-54 years.....	741	604	137	627	510	117	93	76	17	15	12	3	6	6	-	
55-59 years.....	634	522	112	541	443	98	80	70	10	11	7	4	2	2	-	
60-64 years.....	473	390	83	393	318	75	65	58	7	12	12	-	3	2	1	
65-69 years.....	301	236	65	239	183	56	48	41	7	10	8	2	4	4	-	
70-74 years.....	205	157	48	165	128	37	35	25	10	3	3	-	2	1	1	
75-79 years.....	116	91	25	99	77	22	13	11	2	-	-	-	4	3	1	
80-84 years.....	55	35	20	50	34	16	5	1	4	-	-	-	-	-	-	
85-89 years.....	20	13	7	19	12	7	1	1	-	-	-	-	-	-	-	
90-94 years.....	8	5	3	6	3	3	1	1	-	-	-	-	1	1	-	
95-99 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
100 years & over.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age not stated...	3	3	-	2	2	-	1	1	-	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
													sexes	Male	Female	sexes
Residual and late-onset psychotic disorder (F10.7)																
All ages.....	165	124	41	140	105	35	19	14	5	4	4	-	2	1	1	
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
45-49 years.....	5	4	1	5	4	1	-	-	-	-	-	-	-	-	-	
50-54 years.....	6	4	2	4	3	1	2	1	1	-	-	-	-	-	-	
55-59 years.....	7	5	2	2	1	1	5	4	1	-	-	-	-	-	-	
60-64 years.....	11	8	3	10	7	3	7	1	-	-	-	-	-	-	-	
65-69 years.....	16	12	4	13	9	4	2	2	-	1	1	-	-	-	-	
70-74 years.....	27	23	4	21	17	4	3	3	-	2	2	-	1	1	-	
75-79 years.....	27	22	5	25	20	5	2	2	-	-	-	-	-	-	-	
80-84 years.....	37	29	8	33	27	6	2	1	1	1	1	-	1	-	1	
85-89 years.....	20	12	8	18	12	6	2	-	2	-	-	-	-	-	-	
90-94 years.....	7	4	3	7	4	3	-	-	-	-	-	-	-	-	-	
95-99 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-	
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Mental and behavioral disorders due to use of cocaine (F14)															
All ages.....	599	438	161	299	238	61	291	191	100	5	5	-	4	4	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	5	5	-	4	4	-	1	1	-	-	-	-	-	-	-
20-24 years.....	26	20	6	21	16	5	3	2	1	1	1	-	1	1	-
25-29 years.....	32	27	5	26	23	3	6	4	2	-	-	-	-	-	-
30-34 years.....	50	43	7	33	29	4	15	12	3	1	1	-	1	1	-
35-39 years.....	88	60	28	58	40	18	27	17	10	1	1	-	2	2	-
40-44 years.....	119	90	29	62	50	12	56	39	17	1	1	-	-	-	-
45-49 years.....	129	83	46	52	39	13	77	44	33	-	-	-	-	-	-
50-54 years.....	95	66	29	25	22	3	69	43	26	1	1	-	-	-	-
55-59 years.....	34	26	8	12	10	2	22	16	6	-	-	-	-	-	-
60-64 years.....	13	11	2	4	3	1	9	8	1	-	-	-	-	-	-
65-69 years.....	6	5	1	2	2	-	4	3	1	-	-	-	-	-	-
70-74 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
75-79 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Dependence syndrome (F14.2)															
All ages.....	82	65	17	49	42	7	31	21	10	-	-	-	2	2	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
25-29 years.....	4	4	-	4	4	-	-	-	-	-	-	-	-	-	-
30-34 years.....	10	9	1	7	7	-	3	2	1	-	-	-	-	-	-
35-39 years.....	13	10	3	7	6	1	4	2	2	-	-	-	2	2	-
40-44 years.....	19	16	3	13	11	2	6	5	1	-	-	-	-	-	-
45-49 years.....	11	9	2	6	6	-	5	3	2	-	-	-	-	-	-
50-54 years.....	14	10	4	5	4	1	9	6	3	-	-	-	-	-	-
55-59 years.....	3	2	1	1	1	-	2	1	1	-	-	-	-	-	-
60-64 years.....	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
65-69 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
70-74 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
75-79 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
Unspecified mental and behavioral disorder (F19.9)																
All ages.....	165	107	58	131	81	50	30	22	8	2	2	-	2	2	-	
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15-19 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
20-24 years.....	11	6	5	11	6	5	-	-	-	-	-	-	-	-	-	
25-29 years.....	7	6	1	7	6	1	-	-	-	-	-	-	-	-	-	
30-34 years.....	17	12	5	17	12	5	-	-	-	-	-	-	-	-	-	
35-39 years.....	17	12	5	16	12	4	1	-	1	-	-	-	-	-	-	
40-44 years.....	23	16	7	19	13	6	4	3	1	-	-	-	-	-	-	
45-49 years.....	28	22	6	18	15	3	9	6	3	1	1	-	-	-	-	
50-54 years.....	27	19	8	19	12	7	7	6	1	-	-	-	1	1	-	
55-59 years.....	17	12	5	7	3	4	8	7	1	1	1	-	1	1	-	
60-64 years.....	4	1	3	3	1	2	1	-	1	-	-	-	-	-	-	
65-69 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-	
70-74 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-	
75-79 years.....	3	-	3	3	-	3	-	-	-	-	-	-	-	-	-	
80-84 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
85-89 years.....	4	-	4	4	-	4	-	-	-	-	-	-	-	-	-	
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
100 years & over.	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

