

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nchsed@cdc.gov, or call 301-458-4688

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other ill-defined and unspecified causes of mortality (R99)															
All ages.....	14,532	7,999	6,533	11,812	6,449	5,363	2,427	1,388	1,039	114	61	53	179	101	78
Under 1 year.....	1,290	730	560	793	451	342	435	252	183	33	18	15	29	9	20
1-4 years.....	172	97	75	110	65	45	49	26	23	3	2	1	10	4	6
5-9 years.....	42	19	23	23	11	12	16	7	9	-	-	-	3	1	2
10-14 years.....	57	42	15	37	30	7	18	10	8	-	-	-	2	2	-
15-19 years.....	198	139	59	148	107	41	44	30	14	3	1	2	3	1	2
20-24 years.....	411	298	113	326	239	87	72	50	22	5	2	3	8	7	1
25-29 years.....	445	324	121	353	264	89	81	53	28	2	1	1	9	6	3
30-34 years.....	504	345	159	403	282	121	84	52	32	5	4	1	12	7	5
35-39 years.....	707	447	260	569	366	203	118	64	54	6	4	2	14	13	1
40-44 years.....	991	613	378	787	499	288	184	103	81	8	3	5	12	8	4
45-49 years.....	1,204	773	431	943	621	322	238	137	101	12	6	6	11	9	2
50-54 years.....	1,119	727	392	887	583	304	219	136	83	8	4	4	5	4	1
55-59 years.....	903	601	302	704	465	239	181	124	57	6	3	3	12	9	3
60-64 years.....	682	424	258	554	337	217	115	79	36	5	4	1	8	4	4
65-69 years.....	620	373	247	508	306	202	102	60	42	4	3	1	6	4	2
70-74 years.....	620	366	254	518	308	210	93	53	40	4	3	1	5	2	3
75-79 years.....	814	426	388	710	371	339	97	50	47	1	-	1	6	5	1
80-84 years.....	998	443	555	896	400	496	90	40	50	5	2	3	7	1	6
85-89 years.....	1,066	358	708	984	326	658	74	28	46	1	1	-	7	3	4
90-94 years.....	956	271	685	890	253	637	57	16	41	3	-	3	6	2	4
95-99 years.....	507	109	398	470	99	371	33	10	23	-	-	-	4	-	4
100 years & over..	156	20	136	139	18	121	17	2	15	-	-	-	-	-	-
Age not stated...	70	54	16	60	48	12	10	6	4	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Pedestrian injured in collision with railway train or railway vehicle (V05)															
All ages.....	406	336	70	302	250	52	76	63	13	18	17	1	10	6	4
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	2	1	1	1	1	-	1	-	1	-	-	-	-	-	-
5-9 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
10-14 years.....	10	7	3	8	5	3	1	1	-	1	1	-	-	-	-
15-19 years.....	35	32	3	28	25	3	3	3	-	2	2	-	2	2	-
20-24 years.....	39	36	3	27	26	1	10	8	2	1	1	-	1	1	-
25-29 years.....	29	26	3	20	19	1	6	4	2	3	3	-	-	-	-
30-34 years.....	31	25	6	23	19	4	5	4	1	2	2	-	1	-	1
35-39 years.....	37	32	5	28	24	4	8	7	1	1	1	-	-	-	-
40-44 years.....	45	38	7	37	32	5	5	4	1	3	2	1	-	-	-
45-49 years.....	48	40	8	37	31	6	8	6	2	3	3	-	-	-	-
50-54 years.....	52	42	10	34	26	8	16	15	1	-	-	-	2	1	1
55-59 years.....	19	16	3	16	13	3	2	2	-	-	-	-	1	1	-
60-64 years.....	17	14	3	13	10	3	3	3	-	-	-	-	1	1	-
65-69 years.....	10	8	2	5	3	2	3	3	-	2	2	-	-	-	-
70-74 years.....	6	2	4	3	1	2	1	1	3	-	-	-	2	-	2
75-79 years.....	9	5	4	7	4	3	2	1	1	-	-	-	-	-	-
80-84 years.....	4	3	1	4	3	1	-	-	-	-	-	-	-	-	-
85-89 years.....	5	3	2	4	3	1	1	-	1	-	-	-	-	-	-
90-94 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
95-99 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	4	4	-	3	3	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Pedestrian injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident (V05.9)															
All ages.....	213	179	34	160	135	25	34	28	6	12	11	1	7	5	2
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	5	3	2	4	2	2	-	-	-	1	1	-	-	-	-
15-19 years.....	20	17	3	15	12	3	1	1	-	2	2	-	2	2	-
20-24 years.....	18	16	2	14	14	-	3	1	2	-	-	-	1	1	-
25-29 years.....	17	15	2	13	13	-	3	1	2	1	1	-	-	-	-
30-34 years.....	21	19	2	15	14	1	4	3	1	2	2	-	-	-	-
35-39 years.....	19	17	2	14	12	2	4	4	-	1	1	-	-	-	-
40-44 years.....	25	22	3	21	19	2	1	1	-	3	2	1	-	-	-
45-49 years.....	23	20	3	18	16	2	4	3	1	1	1	-	-	-	-
50-54 years.....	26	23	3	15	13	2	9	9	-	-	-	-	2	1	1
55-59 years.....	11	9	2	9	7	2	1	1	-	-	-	-	1	1	-
60-64 years.....	7	6	1	6	5	1	1	1	-	-	-	-	-	-	-
65-69 years.....	5	3	2	3	1	2	1	1	-	1	1	-	-	-	-
70-74 years.....	3	1	2	1	-	1	1	1	-	-	-	-	1	-	1
75-79 years.....	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
80-84 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
85-89 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
90-94 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Victim of cataclysmic storm (X37)															
All ages.....	874	462	412	478	227	251	390	233	157	1	-	1	5	2	3
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	5	4	1	3	3	-	2	1	1	-	-	-	-	-	-
5-9 years.....	3	1	2	1	-	1	2	1	1	-	-	-	-	-	-
10-14 years.....	6	3	3	1	1	-	5	2	3	-	-	-	-	-	-
15-19 years.....	6	3	3	2	1	1	4	2	2	-	-	-	-	-	-
20-24 years.....	9	6	3	1	-	1	8	6	2	-	-	-	-	-	-
25-29 years.....	15	9	6	11	8	3	4	1	3	-	-	-	-	-	-
30-34 years.....	14	8	6	7	5	2	7	3	4	-	-	-	-	-	-
35-39 years.....	12	11	1	4	4	-	8	7	1	-	-	-	-	-	-
40-44 years.....	27	14	13	17	7	10	10	7	3	-	-	-	-	-	-
45-49 years.....	56	40	16	24	17	7	31	23	8	-	-	-	1	-	1
50-54 years.....	73	46	27	37	25	12	35	21	14	1	-	1	-	-	-
55-59 years.....	59	35	24	27	10	17	32	25	7	-	-	-	-	-	-
60-64 years.....	75	50	25	41	23	18	34	27	7	-	-	-	-	-	-
65-69 years.....	54	25	29	31	16	15	23	9	14	-	-	-	-	-	-
70-74 years.....	66	36	30	31	14	17	35	22	13	-	-	-	-	-	-
75-79 years.....	115	55	60	67	26	41	46	29	17	-	-	-	2	-	2
80-84 years.....	125	57	68	82	33	49	41	22	19	-	-	-	2	2	-
85-89 years.....	73	28	45	47	20	27	26	8	18	-	-	-	-	-	-
90-94 years.....	58	22	36	36	12	24	22	10	12	-	-	-	-	-	-
95-99 years.....	18	6	12	6	1	5	12	5	7	-	-	-	-	-	-
100 years & over.	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Age not stated...	4	3	1	1	1	-	3	2	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
Accidental poisoning by and exposure to other gases and vapors (X47)																
All ages.....	642	472	170	517	383	134	105	75	30	8	8	-	12	6	6	
Under 1 year.....	5	4	1	3	3	-	1	1	-	-	-	-	1	-	1	
1-4 years.....	5	2	3	1	-	1	3	2	1	-	-	-	1	-	1	
5-9 years.....	8	6	2	4	2	2	3	3	-	1	1	-	-	-	-	
10-14 years.....	10	5	5	7	5	2	2	-	2	-	-	-	1	-	1	
15-19 years.....	30	18	12	25	16	9	4	1	3	1	1	-	-	-	-	
20-24 years.....	39	29	10	29	23	6	7	4	3	1	1	-	2	1	1	
25-29 years.....	37	30	7	33	27	6	3	2	1	1	1	-	-	-	-	
30-34 years.....	31	22	9	27	20	7	4	2	2	-	-	-	-	-	-	
35-39 years.....	49	40	9	41	35	6	7	4	3	-	-	-	1	1	-	
40-44 years.....	56	42	14	44	33	11	11	8	3	1	1	-	-	-	-	
45-49 years.....	59	50	9	50	42	8	9	8	1	-	-	-	-	-	-	
50-54 years.....	73	59	14	59	49	10	11	7	4	1	1	-	2	2	-	
55-59 years.....	53	44	9	40	31	9	12	12	-	1	1	-	-	-	-	
60-64 years.....	39	29	10	33	24	9	5	5	-	-	-	-	1	-	1	
65-69 years.....	26	18	8	22	16	6	4	2	2	-	-	-	-	-	-	
70-74 years.....	26	16	10	21	12	9	5	4	1	-	-	-	-	-	-	
75-79 years.....	31	21	10	25	15	10	4	4	-	1	1	-	1	1	-	
80-84 years.....	28	17	11	23	13	10	4	3	1	-	-	-	1	1	-	
85-89 years.....	22	13	9	18	11	7	4	2	2	-	-	-	-	-	-	
90-94 years.....	12	5	7	11	5	6	-	-	-	-	-	-	1	-	1	
95-99 years.....	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-	
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age not stated...	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Exposure to unspecified factor (X59)															
All ages.....	6,551	3,022	3,529	5,899	2,671	3,228	527	284	243	41	25	16	84	42	42
Under 1 year.....	22	14	8	19	11	8	3	3	-	-	-	-	-	-	-
1-4 years.....	21	10	11	15	7	8	5	2	3	-	-	-	1	1	-
5-9 years.....	15	7	8	13	6	7	1	1	-	-	-	-	1	-	1
10-14 years.....	14	9	5	12	8	4	2	1	1	-	-	-	-	-	-
15-19 years.....	103	76	27	80	59	21	18	14	4	1	1	-	4	2	2
20-24 years.....	95	71	24	74	56	18	16	12	4	2	1	1	3	2	1
25-29 years.....	102	75	27	86	61	25	14	12	2	1	1	-	1	1	-
30-34 years.....	94	67	27	75	55	20	17	10	7	2	2	-	-	-	-
35-39 years.....	103	79	24	82	66	16	17	11	6	1	-	1	3	2	1
40-44 years.....	156	118	38	122	93	29	26	17	9	3	3	-	5	5	-
45-49 years.....	196	133	63	148	100	48	40	28	12	5	2	3	3	3	-
50-54 years.....	192	150	42	149	117	32	37	28	9	2	2	-	4	3	1
55-59 years.....	186	123	63	152	100	52	29	19	10	3	3	-	2	1	1
60-64 years.....	183	120	63	152	98	54	21	18	3	5	2	3	5	2	3
65-69 years.....	246	143	103	210	123	87	29	17	12	1	-	1	6	3	3
70-74 years.....	361	183	178	319	158	161	31	16	15	5	5	-	6	4	2
75-79 years.....	614	316	298	555	290	265	53	23	30	2	1	1	4	2	2
80-84 years.....	1,037	459	578	966	432	534	54	20	34	4	2	2	13	5	8
85-89 years.....	1,221	442	779	1,164	425	739	41	14	27	3	-	3	13	3	10
90-94 years.....	1,033	295	738	990	283	707	38	10	28	-	-	-	5	2	3
95-99 years.....	443	114	329	416	107	309	24	6	18	-	-	-	3	1	2
100 years & over.	114	18	96	100	16	84	11	2	9	1	-	1	2	-	2
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Assault (homicide) by other and unspecified firearm discharge (X95)															
All ages.....	10,513	9,084	1,429	4,251	3,437	814	5,946	5,385	561	96	79	17	220	183	37
Under 1 year.....	4	4	-	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years.....	24	14	10	14	7	7	9	7	2	-	-	-	1	-	1
5-9 years.....	27	19	8	12	9	3	14	10	4	-	-	-	1	-	1
10-14 years.....	111	80	31	42	28	14	64	49	15	1	-	1	4	3	1
15-19 years.....	1,522	1,386	136	574	509	65	907	841	66	15	12	3	26	24	2
20-24 years.....	2,419	2,216	203	764	681	83	1,564	1,458	106	34	31	3	57	46	11
25-29 years.....	1,915	1,721	194	666	569	97	1,202	1,113	89	17	14	3	30	25	5
30-34 years.....	1,364	1,192	172	515	421	94	823	748	75	10	9	1	16	14	2
35-39 years.....	888	723	165	399	295	104	467	410	57	4	3	1	18	15	3
40-44 years.....	788	631	157	382	288	94	377	319	58	7	5	2	22	19	3
45-49 years.....	549	429	120	299	224	75	230	190	40	2	1	1	18	14	4
50-54 years.....	323	261	62	185	146	39	129	107	22	1	-	1	8	8	-
55-59 years.....	205	160	45	126	89	37	65	58	7	2	2	-	12	11	1
60-64 years.....	124	97	27	89	71	18	30	22	8	2	2	-	3	2	1
65-69 years.....	80	49	31	53	30	23	22	17	5	1	-	1	4	2	2
70-74 years.....	75	52	23	51	32	19	24	20	4	-	-	-	-	-	-
75-79 years.....	45	27	18	38	20	18	7	7	-	-	-	-	-	-	-
80-84 years.....	27	9	18	21	6	15	6	3	3	-	-	-	-	-	-
85-89 years.....	12	6	6	9	3	6	3	3	-	-	-	-	-	-	-
90-94 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Age not stated...	8	6	2	8	6	2	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Assault (homicide) by sharp object (X99)															
All ages.....	2,097	1,529	568	1,155	831	324	837	626	211	41	31	10	64	41	23
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	13	7	6	9	4	5	3	3	-	-	-	-	1	-	1
5-9 years.....	13	6	7	8	4	4	4	2	2	-	-	-	1	-	1
10-14 years.....	14	5	9	5	1	4	6	2	4	1	1	-	2	1	1
15-19 years.....	174	133	41	98	77	21	68	51	17	4	2	2	4	3	1
20-24 years.....	354	279	75	206	165	41	127	97	30	5	5	-	16	12	4
25-29 years.....	270	206	64	160	119	41	97	77	20	6	5	1	7	5	2
30-34 years.....	204	150	54	114	79	35	80	66	14	4	3	1	6	2	4
35-39 years.....	206	135	71	100	68	32	98	62	36	3	3	-	5	2	3
40-44 years.....	220	164	56	112	85	27	96	70	26	7	4	3	5	5	-
45-49 years.....	220	164	56	106	80	26	105	77	28	4	3	1	5	4	1
50-54 years.....	141	111	30	64	48	16	72	60	12	2	2	-	3	1	2
55-59 years.....	79	49	30	47	27	20	27	20	7	1	-	1	4	2	2
60-64 years.....	57	42	15	36	26	10	19	15	4	1	1	-	1	-	1
65-69 years.....	39	27	12	25	16	9	13	10	3	-	-	-	1	1	-
70-74 years.....	42	24	18	28	15	13	10	6	4	3	2	1	1	1	-
75-79 years.....	20	13	7	13	7	6	6	5	1	-	-	-	1	1	-
80-84 years.....	12	5	7	10	5	5	2	-	2	-	-	-	-	-	-
85-89 years.....	13	7	6	10	4	6	3	3	-	-	-	-	-	-	-
90-94 years.....	3	1	2	2	-	2	-	-	-	-	-	-	1	1	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	3	1	2	2	1	1	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
Exposure to smoke, fire, and flames, undetermined intent (Y26)																
All ages.....	120	59	61	76	33	43	34	19	15	2	2	-	8	5	3	
Under 1 year.....	3	2	1	-	-	-	3	2	1	-	-	-	-	-	-	
1-4 years.....	8	5	3	-	-	-	8	5	3	-	-	-	-	-	-	
5-9 years.....	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-	
10-14 years.....	5	2	3	2	1	1	-	-	-	-	-	-	3	1	2	
15-19 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	
20-24 years.....	3	2	1	1	1	-	1	-	1	1	1	-	-	-	-	
25-29 years.....	6	4	2	3	3	-	2	-	2	-	-	-	1	1	-	
30-34 years.....	10	7	3	5	3	2	3	2	1	-	-	-	2	2	-	
35-39 years.....	9	5	4	6	3	3	1	1	-	-	-	-	2	1	1	
40-44 years.....	11	3	8	8	2	6	3	1	2	-	-	-	-	-	-	
45-49 years.....	13	7	6	10	4	6	3	3	-	-	-	-	-	-	-	
50-54 years.....	11	5	6	8	5	3	3	-	3	-	-	-	-	-	-	
55-59 years.....	8	4	4	6	2	4	1	1	-	1	1	-	-	-	-	
60-64 years.....	8	3	5	7	2	5	1	1	-	-	-	-	-	-	-	
65-69 years.....	5	2	3	4	1	3	1	1	-	-	-	-	-	-	-	
70-74 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-	
75-79 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-	
80-84 years.....	3	1	2	1	-	1	2	1	1	-	-	-	-	-	-	
85-89 years.....	6	2	4	6	2	4	-	-	-	-	-	-	-	-	-	
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Unspecified event, undetermined intent (Y34)															
All ages.....	458	313	145	336	223	113	99	75	24	15	9	6	8	6	2
Under 1 year.....	30	19	11	17	11	6	11	7	4	1	-	1	1	1	-
1-4 years.....	18	11	7	14	8	6	3	2	1	1	1	-	-	-	-
5-9 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
10-14 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
15-19 years.....	13	7	6	10	6	4	1	1	-	2	-	2	-	-	-
20-24 years.....	20	13	7	14	9	5	6	4	2	-	-	-	-	-	-
25-29 years.....	16	12	4	14	10	4	2	2	-	-	-	-	-	-	-
30-34 years.....	20	13	7	10	8	2	9	4	5	1	1	-	-	-	-
35-39 years.....	30	25	5	25	21	4	5	4	1	-	-	-	-	-	-
40-44 years.....	48	32	16	30	19	11	12	10	2	3	1	2	3	2	1
45-49 years.....	60	45	15	47	35	12	11	9	2	2	1	1	-	-	-
50-54 years.....	49	40	9	32	25	7	15	13	2	2	2	-	-	-	-
55-59 years.....	33	27	6	24	19	5	7	7	-	1	1	-	1	-	1
60-64 years.....	19	16	3	13	11	2	5	4	1	-	-	-	1	1	-
65-69 years.....	20	11	9	18	10	8	2	1	1	-	-	-	-	-	-
70-74 years.....	19	15	4	16	12	4	2	2	-	-	-	-	1	1	-
75-79 years.....	15	10	5	11	6	5	3	3	-	-	-	-	1	1	-
80-84 years.....	21	6	15	18	5	13	2	-	2	1	1	-	-	-	-
85-89 years.....	15	6	9	14	5	9	1	1	-	-	-	-	-	-	-
90-94 years.....	5	-	5	5	-	5	-	-	-	-	-	-	-	-	-
95-99 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	3	3	-	1	1	-	1	1	-	1	1	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Agents affecting uric acid metabolism (Y54.8)										
All ages.....	2	- 2	1	- 1	1	- 1	-	- -	-	- -
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	1	- 1	-	- -	1	- 1	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Keratolytics, keratoplastics, and other hair treatment drugs and preparations (Y56.4)										
All ages.....	1	- 1	1	- 1	-	-	-	-	-	-
Under 1 year.....	-	- -	-	- -	-	-	-	-	-	-
1-4 years.....	-	- -	-	- -	-	-	-	-	-	-
5-9 years.....	-	- -	-	- -	-	-	-	-	-	-
10-14 years.....	-	- -	-	- -	-	-	-	-	-	-
15-19 years.....	-	- -	-	- -	-	-	-	-	-	-
20-24 years.....	-	- -	-	- -	-	-	-	-	-	-
25-29 years.....	-	- -	-	- -	-	-	-	-	-	-
30-34 years.....	-	- -	-	- -	-	-	-	-	-	-
35-39 years.....	-	- -	-	- -	-	-	-	-	-	-
40-44 years.....	-	- -	-	- -	-	-	-	-	-	-
45-49 years.....	-	- -	-	- -	-	-	-	-	-	-
50-54 years.....	-	- -	-	- -	-	-	-	-	-	-
55-59 years.....	-	- -	-	- -	-	-	-	-	-	-
60-64 years.....	-	- -	-	- -	-	-	-	-	-	-
65-69 years.....	-	- -	-	- -	-	-	-	-	-	-
70-74 years.....	-	- -	-	- -	-	-	-	-	-	-
75-79 years.....	-	- -	-	- -	-	-	-	-	-	-
80-84 years.....	-	- -	-	- -	-	-	-	-	-	-
85-89 years.....	1	- 1	1	- 1	-	-	-	-	-	-
90-94 years.....	-	- -	-	- -	-	-	-	-	-	-
95-99 years.....	-	- -	-	- -	-	-	-	-	-	-
100 years & over.	-	- -	-	- -	-	-	-	-	-	-
Age not stated...	-	- -	-	- -	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races						White		Black		American Indian 1/		Asian or Pacific Islander 2/		
	Both sexes		Male		Female		Both sexes		Male		Female		Both sexes		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Sequelae of unspecified external cause (Y89.9)															
All ages.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
Under 1 year....
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
80-84 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- Quantity zero.
 ... Category not applicable.
 1/ Includes Aleuts and Eskimos.
 2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

Note: Complete confirmation of deaths from selected causes of death, considered to be of public health concern, were not provided by the following states: Alabama, California, Connecticut, Florida, Illinois, Indiana, Kentucky, Louisiana, Maryland, Michigan, Missouri, Montana, Nevada, New Hampshire, New Jersey, New York, North Carolina, Ohio, Oklahoma, Pennsylvania, Rhode Island, Texas, Utah, Virginia, Washington, and West Virginia.

Source: CDC/NCHS, National Vital Statistics System, Mortality.