

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nhsed@cdc.gov, or call 301-458-4688

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nhsed@cdc.gov, or call 301-458-4688

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diarrhea and gastroenteritis of infectious origin (A09)													
All races, both sexes.....	132	18	7	11	15	14	13	7	11	9	6	10	11
Male.....	51	5	5	3	7	6	1	2	4	5	3	3	7
Female.....	81	13	2	8	8	8	12	5	7	4	3	7	4
White, both sexes.....	119	16	6	9	13	14	12	6	10	8	5	10	10
Male.....	45	4	4	2	6	6	1	2	4	5	2	3	6
Female.....	74	12	2	7	7	8	11	4	6	3	3	7	4
Black, both sexes.....	11	2	1	2	2	-	-	-	1	1	1	-	1
Male.....	6	1	1	1	1	-	-	-	-	-	1	-	1
Female.....	5	1	-	1	1	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Respiratory tuberculosis, not confirmed bacteriologically or histologically (A16)													
All races, both sexes.....	480	38	39	52	46	42	34	32	46	43	34	30	44
Male.....	291	15	24	33	28	21	21	17	31	28	20	22	31
Female.....	189	23	15	19	18	21	13	15	15	15	14	8	13
White, both sexes.....	273	23	26	30	27	20	22	18	29	20	20	17	21
Male.....	160	9	17	19	17	10	12	9	17	15	8	12	15
Female.....	113	14	9	11	10	10	10	9	12	5	12	5	6
Black, both sexes.....	115	9	8	16	10	14	6	7	11	10	7	9	8
Male.....	73	4	5	11	5	7	5	4	8	6	6	6	6
Female.....	42	5	3	5	5	7	1	3	3	4	1	3	2
American Indian 1/, both sexes.....	9	-	-	-	1	1	3	-	-	1	1	1	1
Male.....	7	-	-	-	1	1	2	-	-	-	1	1	1
Female.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	83	6	5	6	8	7	3	7	6	12	6	3	14
Male.....	51	2	2	3	5	3	2	4	6	7	5	3	9
Female.....	32	4	3	3	3	4	1	3	-	5	1	-	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Primary respiratory tuberculosis without mention of bacteriological or histological confirmation (A16.7)													
All races, both sexes.....	3	1	-	-	-	-	1	-	-	-	1	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	1	-	-
White, both sexes.....	3	1	-	-	-	-	1	-	-	-	1	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis unspecified, without mention of bacteriological or histological confirmation (A16.9)													
All races, both sexes.....	202	18	16	21	24	18	11	13	18	15	13	14	21
Male.....	131	8	12	16	15	10	9	7	13	9	8	9	15
Female.....	71	10	4	5	9	8	2	6	5	6	5	5	6
White, both sexes.....	119	12	12	14	15	7	7	9	11	8	7	8	9
Male.....	75	4	9	11	8	5	5	6	7	6	3	5	6
Female.....	44	8	3	3	7	2	2	3	4	2	4	3	3
Black, both sexes.....	47	4	3	6	5	7	2	3	4	3	1	4	5
Male.....	30	3	2	5	4	2	2	1	3	1	1	2	4
Female.....	17	1	1	1	1	5	-	2	1	2	-	2	1
American Indian 1/, both sexes.....	6	-	-	-	1	1	1	-	-	-	1	1	1
Male.....	6	-	-	-	1	1	1	-	-	-	1	1	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	30	2	1	1	3	3	1	1	3	4	4	1	6
Male.....	20	1	1	-	2	2	1	-	3	2	3	1	4
Female.....	10	1	-	1	1	1	-	1	-	2	1	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other tuberculosis of nervous system (A17.8)													
All races, both sexes.....	7	-	-	-	1	2	-	-	1	1	2	-	-
Male.....	4	-	-	-	-	2	-	-	-	1	1	-	-
Female.....	3	-	-	-	1	-	-	-	1	-	1	-	-
White, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	4	-	-	-	1	1	-	-	1	1	-	-	-
Male.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	2	-	-	-	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis of other organs (A18)													
All races, both sexes.....	80	5	8	6	5	11	11	4	4	9	6	3	8
Male.....	45	1	2	4	1	8	7	2	2	7	4	2	5
Female.....	35	4	6	2	4	3	4	2	2	2	2	1	3
White, both sexes.....	56	4	5	3	4	10	6	3	3	7	4	2	5
Male.....	32	1	1	3	-	8	3	2	1	6	3	1	3
Female.....	24	3	4	-	4	2	3	1	2	1	1	1	2
Black, both sexes.....	16	1	1	1	1	-	4	-	1	2	1	1	3
Male.....	11	-	-	1	1	-	4	-	1	1	-	1	2
Female.....	5	1	1	-	-	-	-	-	-	1	1	-	1
American Indian 1/, both sexes.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	1	-	1	1	1	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	5	-	1	1	-	1	1	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tuberculosis of bones and joints (A18.0)													
All races, both sexes.....	70	3	6	5	5	11	11	3	2	9	6	1	8
Male.....	42	1	2	3	1	8	7	2	1	7	4	1	5
Female.....	28	2	4	2	4	3	4	1	1	2	2	-	3
White, both sexes.....	51	3	4	2	4	10	6	3	2	7	4	1	5
Male.....	31	1	1	2	-	8	3	2	1	6	3	1	3
Female.....	20	2	3	-	4	2	3	1	1	1	1	-	2
Black, both sexes.....	13	-	1	1	1	-	4	-	-	2	1	-	3
Male.....	9	-	-	1	1	-	4	-	-	1	-	-	2
Female.....	4	-	1	-	-	-	-	-	-	1	1	-	1
American Indian 1/, both sexes.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	1	1	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	1	-	1	1	-	-	-	-	-	-
Tuberculosis of genitourinary system (A18.1)													
All races, both sexes.....	4	2	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	2	1	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other mycobacterial infections (A31.8)													
All races, both sexes.....	8	2	1	1	-	1	-	-	3	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	6	2	1	1	-	1	-	-	1	-	-	-	-
White, both sexes.....	7	2	1	1	-	1	-	-	2	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	6	2	1	1	-	1	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Mycobacterial infection, unspecified (A31.9)													
All races, both sexes.....	52	7	2	2	4	5	2	6	11	2	3	3	5
Male.....	33	4	2	2	1	4	1	5	7	2	1	3	1
Female.....	19	3	-	-	3	1	1	1	4	-	2	-	4
White, both sexes.....	41	4	2	2	3	5	2	4	8	2	2	3	4
Male.....	26	2	2	2	1	4	1	4	4	2	-	3	1
Female.....	15	2	-	-	2	1	1	-	4	-	2	-	3
Black, both sexes.....	8	2	-	-	1	-	-	1	3	-	1	-	-
Male.....	6	1	-	-	-	-	-	1	3	-	1	-	-
Female.....	2	1	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	2	-	-	-	-	-	-	1	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Listeriosis (A32)													
All races, both sexes.....	31	3	1	2	3	-	4	3	1	6	2	6	-
Male.....	17	2	-	1	2	-	3	1	-	3	2	3	-
Female.....	14	1	1	1	1	-	1	2	1	3	-	3	-
White, both sexes.....	28	3	1	1	3	-	3	3	1	6	2	5	-
Male.....	17	2	-	1	2	-	3	1	-	3	2	3	-
Female.....	11	1	1	-	1	-	-	2	1	3	-	2	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Listerial meningitis and meningoencephalitis (A32.1)													
All races, both sexes.....	20	2	-	1	2	-	4	1	-	4	1	5	-
Male.....	13	1	-	-	2	-	3	1	-	2	1	3	-
Female.....	7	1	-	1	-	-	1	-	-	2	-	2	-
White, both sexes.....	17	2	-	-	2	-	3	1	-	4	1	4	-
Male.....	13	1	-	-	2	-	3	1	-	2	1	3	-
Female.....	4	1	-	-	-	-	-	-	-	2	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Meningococcal infection, unspecified (A39.9)													
All races, both sexes.....	3	-	-	1	-	1	-	-	-	1	-	-	-
Male.....	3	-	-	1	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	1	-	1	-	-	-	1	-	-	-
Male.....	3	-	-	1	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal septicemia (A40)													
All races, both sexes.....	496	67	56	55	41	47	37	34	38	22	35	32	32
Male.....	239	35	26	24	21	19	17	17	23	9	16	18	14
Female.....	257	32	30	31	20	28	20	17	15	13	19	14	18
White, both sexes.....	392	50	43	46	37	35	34	24	32	18	26	21	26
Male.....	185	25	16	19	21	14	15	13	21	7	10	12	12
Female.....	207	25	27	27	16	21	19	11	11	11	16	9	14
Black, both sexes.....	91	16	11	8	4	12	2	8	3	3	8	10	6
Male.....	47	9	9	4	-	5	1	4	1	1	5	6	2
Female.....	44	7	2	4	4	7	1	4	2	2	3	4	4
American Indian 1/, both sexes.....	5	-	1	-	-	-	-	-	2	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	4	-	1	-	-	-	-	-	2	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	8	1	1	1	-	-	1	2	1	1	-	-	-
Male.....	6	1	1	1	-	-	1	-	1	1	-	-	-
Female.....	2	-	-	-	-	-	-	2	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Septicemia due to streptococcus, group D (A40.2)													
All races, both sexes.....	132	14	8	10	12	12	14	15	13	9	8	10	7
Male.....	64	6	4	5	6	5	7	7	8	3	5	6	2
Female.....	68	8	4	5	6	7	7	8	5	6	3	4	5
White, both sexes.....	101	10	5	8	12	8	14	11	9	7	5	7	5
Male.....	46	4	2	4	6	2	7	5	6	2	3	4	1
Female.....	55	6	3	4	6	6	7	6	3	5	2	3	4
Black, both sexes.....	28	4	2	2	-	4	-	3	3	2	3	3	2
Male.....	16	2	1	1	-	3	-	2	1	1	2	2	1
Female.....	12	2	1	1	-	1	-	1	2	1	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	1	1	-	-	-	-
Male.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Septicemia due to Streptococcus pneumoniae (A40.3)													
All races, both sexes.....	166	33	25	20	11	16	10	6	6	6	12	12	9
Male.....	78	16	10	9	7	7	4	2	4	3	4	7	5
Female.....	88	17	15	11	4	9	6	4	2	3	8	5	4
White, both sexes.....	132	25	20	16	11	14	8	4	6	4	9	8	7
Male.....	59	12	6	7	7	6	3	2	4	2	2	4	4
Female.....	73	13	14	9	4	8	5	2	2	2	7	4	3
Black, both sexes.....	30	8	4	4	-	2	2	1	-	1	2	4	2
Male.....	17	4	4	2	-	1	1	-	-	-	1	3	1
Female.....	13	4	-	2	-	1	1	1	-	1	1	1	1
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other septicemia (A41)													
All races, both sexes.....	33,640	3,179	3,031	3,249	2,898	2,676	2,509	2,587	2,511	2,465	2,704	2,722	3,109
Male.....	15,083	1,469	1,327	1,398	1,322	1,190	1,111	1,159	1,148	1,135	1,199	1,262	1,363
Female.....	18,557	1,710	1,704	1,851	1,576	1,486	1,398	1,428	1,363	1,330	1,505	1,460	1,746
White, both sexes.....	26,802	2,540	2,478	2,639	2,327	2,132	1,981	2,048	1,943	1,943	2,153	2,156	2,462
Male.....	11,987	1,170	1,081	1,127	1,058	942	865	922	880	906	951	991	1,094
Female.....	14,815	1,370	1,397	1,512	1,269	1,190	1,116	1,126	1,063	1,037	1,202	1,165	1,368
Black, both sexes.....	6,130	567	498	554	508	487	467	471	512	478	495	517	576
Male.....	2,739	260	221	244	234	217	217	207	229	209	215	242	244
Female.....	3,391	307	277	310	274	270	250	264	283	269	280	275	332
American Indian 1/, both sexes.....	212	21	11	16	21	18	16	24	21	11	20	11	22
Male.....	103	7	4	9	14	11	8	12	13	3	11	7	4
Female.....	109	14	7	7	7	7	8	12	8	8	9	4	18
Asian or Pacific Islander 2/, both sexes.....	496	51	44	40	42	39	45	44	35	33	36	38	49
Male.....	254	32	21	18	16	20	21	18	26	17	22	22	21
Female.....	242	19	23	22	26	19	24	26	9	16	14	16	28
Septicemia due to Staphylococcus aureus (A41.0)													
All races, both sexes.....	801	76	65	70	66	67	62	61	72	62	62	72	66
Male.....	431	37	33	42	41	42	33	29	35	34	30	37	38
Female.....	370	39	32	28	25	25	29	32	37	28	32	35	28
White, both sexes.....	647	59	56	58	57	53	50	52	59	49	50	54	50
Male.....	352	29	29	35	37	32	29	27	30	25	23	26	30
Female.....	295	30	27	23	20	21	21	25	29	24	27	28	20
Black, both sexes.....	133	16	7	11	8	9	11	8	12	13	10	16	12
Male.....	70	8	4	7	4	6	3	2	5	9	6	10	6
Female.....	63	8	3	4	4	3	8	6	7	4	4	6	6
American Indian 1/, both sexes.....	10	1	1	-	-	2	-	1	-	-	1	1	3
Male.....	5	-	-	-	-	2	-	-	-	-	1	1	1
Female.....	5	1	1	-	-	-	-	1	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	11	-	1	1	1	3	1	-	1	-	1	1	1
Male.....	4	-	-	-	-	2	1	-	-	-	-	-	1
Female.....	7	-	1	1	1	1	-	-	1	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified bacterial diseases (A48.8)													
All races, both sexes.....	7	1	-	1	1	2	-	-	-	-	1	-	1
Male.....	4	1	-	-	1	1	-	-	-	-	1	-	-
Female.....	3	-	-	1	-	1	-	-	-	-	-	-	1
White, both sexes.....	5	1	-	-	1	1	-	-	-	-	1	-	1
Male.....	4	1	-	-	1	1	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial infection of unspecified site (A49)													
All races, both sexes.....	1,091	98	106	117	82	91	100	84	85	71	71	88	98
Male.....	556	51	50	65	45	42	46	42	51	32	37	43	52
Female.....	535	47	56	52	37	49	54	42	34	39	34	45	46
White, both sexes.....	902	80	82	99	70	74	84	70	74	58	62	76	73
Male.....	454	42	38	55	37	33	40	35	48	22	33	37	34
Female.....	448	38	44	44	33	41	44	35	26	36	29	39	39
Black, both sexes.....	172	16	23	15	12	15	14	13	9	12	9	10	24
Male.....	90	8	12	7	8	7	5	6	3	9	4	4	17
Female.....	82	8	11	8	4	8	9	7	6	3	5	6	7
American Indian 1/, both sexes.....	3	-	1	-	-	-	-	-	-	1	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	2	-	3	-	2	2	1	2	-	-	1	1
Male.....	10	1	-	3	-	2	1	1	-	-	-	1	1
Female.....	4	1	-	-	-	-	1	-	2	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other bacterial infections of unspecified site (A49.8)													
All races, both sexes.....	116	10	5	12	11	14	9	11	9	6	8	13	8
Male.....	57	5	4	5	5	6	3	5	8	2	3	5	6
Female.....	59	5	1	7	6	8	6	6	1	4	5	8	2
White, both sexes.....	100	8	3	11	10	12	7	9	9	6	8	12	5
Male.....	49	4	2	4	4	6	3	5	8	2	3	5	3
Female.....	51	4	1	7	6	6	4	4	1	4	5	7	2
Black, both sexes.....	15	2	2	1	1	2	2	2	-	-	-	1	2
Male.....	7	1	2	1	1	-	-	-	-	-	-	-	2
Female.....	8	1	-	-	-	2	2	2	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial infection, unspecified (A49.9)													
All races, both sexes.....	465	40	55	48	25	37	40	35	35	35	36	35	44
Male.....	228	13	21	25	13	18	20	17	20	17	19	21	24
Female.....	237	27	34	23	12	19	20	18	15	18	17	14	20
White, both sexes.....	372	30	43	40	21	28	32	27	29	29	30	29	34
Male.....	181	10	15	22	11	12	17	12	20	12	16	19	15
Female.....	191	20	28	18	10	16	15	15	9	17	14	10	19
Black, both sexes.....	85	8	12	6	4	8	8	7	4	6	6	6	10
Male.....	42	2	6	1	2	5	3	4	-	5	3	2	9
Female.....	43	6	6	5	2	3	5	3	4	1	3	4	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	2	-	2	-	1	-	1	2	-	-	-	-
Male.....	5	1	-	2	-	1	-	1	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	2	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Q fever (A78)													
All races, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Atypical virus infections of central nervous system (A81)													
All races, both sexes.....	283	12	15	29	30	27	28	23	26	18	22	28	25
Male.....	143	4	7	11	12	11	14	15	14	12	12	15	16
Female.....	140	8	8	18	18	16	14	8	12	6	10	13	9
White, both sexes.....	267	12	14	29	26	26	27	21	25	17	21	26	23
Male.....	134	4	6	11	10	10	13	14	13	12	12	15	14
Female.....	133	8	8	18	16	16	14	7	12	5	9	11	9
Black, both sexes.....	12	-	-	-	3	-	1	2	1	1	-	2	2
Male.....	6	-	-	-	1	-	1	1	1	-	-	-	2
Female.....	6	-	-	-	2	-	-	1	-	1	-	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	1	-	-	-	-	-	1	-	-
Male.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Herpes-viral meningitis (B00.3)													
All races, both sexes.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Herpes-viral encephalitis (B00.4)													
All races, both sexes.....	115	7	5	4	12	6	12	12	8	11	12	11	15
Male.....	58	5	3	2	4	2	5	6	4	5	8	6	8
Female.....	57	2	2	2	8	4	7	6	4	6	4	5	7
White, both sexes.....	102	7	4	4	10	5	11	10	7	10	10	10	14
Male.....	54	5	2	2	4	2	5	5	4	4	7	6	8
Female.....	48	2	2	2	6	3	6	5	3	6	3	4	6
Black, both sexes.....	10	-	-	-	2	1	1	1	1	1	1	1	1
Male.....	3	-	-	-	-	-	-	1	-	1	1	-	-
Female.....	7	-	-	-	2	1	1	-	1	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	1	-	-	1	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Varicella without complications (B01.9)													
All races, both sexes.....	4	1	1	-	-	-	-	-	-	1	1	-	-
Male.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	3	1	1	-	-	-	-	-	-	-	1	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Zoster [herpes zoster] (B02)													
All races, both sexes.....	162	13	17	17	13	12	9	9	11	13	16	17	15
Male.....	46	4	9	5	4	3	2	2	3	3	3	4	4
Female.....	116	9	8	12	9	9	7	7	8	10	13	13	11
White, both sexes.....	150	11	17	16	13	11	7	9	10	12	14	16	14
Male.....	44	3	9	4	4	3	2	2	3	3	3	4	4
Female.....	106	8	8	12	9	8	5	7	7	9	11	12	10
Black, both sexes.....	11	2	-	1	-	1	2	-	1	-	2	1	1
Male.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	9	1	-	-	-	1	2	-	1	-	2	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disseminated zoster (B02.7)													
All races, both sexes.....	22	-	2	3	-	1	3	1	2	2	5	-	3
Male.....	8	-	1	1	-	1	1	-	1	1	1	-	1
Female.....	14	-	1	2	-	-	2	1	1	1	4	-	2
White, both sexes.....	18	-	2	2	-	1	2	1	2	2	4	-	2
Male.....	7	-	1	-	-	1	1	-	1	1	1	-	1
Female.....	11	-	1	2	-	-	1	1	1	1	3	-	1
Black, both sexes.....	4	-	-	1	-	-	1	-	-	-	1	-	1
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Zoster without complication (B02.9)													
All races, both sexes.....	100	10	6	11	10	10	4	5	6	10	7	12	9
Male.....	25	2	3	4	3	2	-	2	1	2	1	3	2
Female.....	75	8	3	7	7	8	4	3	5	8	6	9	7
White, both sexes.....	93	9	6	11	10	9	3	5	5	9	6	11	9
Male.....	25	2	3	4	3	2	-	2	1	2	1	3	2
Female.....	68	7	3	7	7	7	3	3	4	7	5	8	7
Black, both sexes.....	6	1	-	-	-	1	1	-	1	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	1	-	-	-	1	1	-	1	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hepatitis A without hepatic coma (B15.9)													
All races, both sexes.....	40	4	2	4	3	5	4	6	1	3	3	-	5
Male.....	19	3	-	2	2	3	-	4	1	-	1	-	3
Female.....	21	1	2	2	1	2	4	2	-	3	2	-	2
White, both sexes.....	31	4	2	3	2	3	4	5	1	2	2	-	3
Male.....	14	3	-	1	1	2	-	4	1	-	1	-	1
Female.....	17	1	2	2	1	1	4	1	-	2	1	-	2
Black, both sexes.....	8	-	-	1	-	2	-	1	-	1	1	-	2
Male.....	4	-	-	1	-	1	-	-	-	-	-	-	2
Female.....	4	-	-	-	-	1	-	1	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute hepatitis B (B16)													
All races, both sexes.....	553	46	51	45	50	44	44	47	41	39	39	39	68
Male.....	371	32	33	30	35	29	29	33	21	32	23	30	44
Female.....	182	14	18	15	15	15	15	14	20	7	16	9	24
White, both sexes.....	364	32	33	29	31	31	29	36	27	25	24	24	43
Male.....	257	22	22	23	22	23	23	26	13	21	15	18	29
Female.....	107	10	11	6	9	8	6	10	14	4	9	6	14
Black, both sexes.....	94	8	7	7	11	4	10	6	8	7	9	5	12
Male.....	59	6	5	3	7	2	4	4	4	5	6	4	9
Female.....	35	2	2	4	4	2	6	2	4	2	3	1	3
American Indian 1/, both sexes.....	7	-	-	-	1	2	-	-	1	-	-	1	2
Male.....	6	-	-	-	1	2	-	-	-	-	-	1	2
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	88	6	11	9	7	7	5	5	5	7	6	9	11
Male.....	49	4	6	4	5	2	2	3	4	6	2	7	4
Female.....	39	2	5	5	2	5	3	2	1	1	4	2	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute hepatitis B without delta-agent with hepatic coma (B16.2)													
All races, both sexes.....	32	2	3	1	5	4	2	-	4	2	2	4	3
Male.....	19	2	3	1	2	2	1	-	1	1	-	3	3
Female.....	13	-	-	-	3	2	1	-	3	1	2	1	-
White, both sexes.....	19	1	2	1	1	2	2	-	3	1	2	1	3
Male.....	11	1	2	1	-	1	1	-	-	1	-	1	3
Female.....	8	-	-	-	1	1	1	-	3	-	2	-	-
Black, both sexes.....	9	-	1	-	4	1	-	-	1	1	-	1	-
Male.....	6	-	1	-	2	1	-	-	1	-	-	1	-
Female.....	3	-	-	-	2	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	1	-	-	-	-	-	2	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Acute hepatitis B without delta-agent and without hepatic coma (B16.9)													
All races, both sexes.....	521	44	48	44	45	40	42	47	37	37	37	35	65
Male.....	352	30	30	29	33	27	28	33	20	31	23	27	41
Female.....	169	14	18	15	12	13	14	14	17	6	14	8	24
White, both sexes.....	345	31	31	28	30	29	27	36	24	24	22	23	40
Male.....	246	21	20	22	22	22	22	26	13	20	15	17	26
Female.....	99	10	11	6	8	7	5	10	11	4	7	6	14
Black, both sexes.....	85	8	6	7	7	3	10	6	7	6	9	4	12
Male.....	53	6	4	3	5	1	4	4	3	5	6	3	9
Female.....	32	2	2	4	2	2	6	2	4	1	3	1	3
American Indian 1/, both sexes.....	7	-	-	-	1	2	-	-	1	-	-	1	2
Male.....	6	-	-	-	1	2	-	-	-	-	-	1	2
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	84	5	11	9	7	6	5	5	5	7	6	7	11
Male.....	47	3	6	4	5	2	2	3	4	6	2	6	4
Female.....	37	2	5	5	2	4	3	2	1	1	4	1	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified acute viral hepatitis (B17.8)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic viral hepatitis (B18)													
All races, both sexes.....	4,799	458	407	421	383	379	347	397	387	373	396	403	448
Male.....	3,130	304	266	262	243	252	232	262	253	257	253	264	282
Female.....	1,669	154	141	159	140	127	115	135	134	116	143	139	166
White, both sexes.....	3,896	361	341	334	307	310	287	319	307	307	327	327	369
Male.....	2,593	248	231	207	198	207	196	211	200	220	213	221	241
Female.....	1,303	113	110	127	109	103	91	108	107	87	114	106	128
Black, both sexes.....	742	79	53	76	63	59	47	65	68	56	50	62	64
Male.....	448	44	31	49	36	38	31	43	46	31	29	37	33
Female.....	294	35	22	27	27	21	16	22	22	25	21	25	31
American Indian 1/, both sexes.....	49	5	5	4	3	1	3	7	5	4	5	3	4
Male.....	32	4	1	3	2	1	2	5	4	2	4	1	3
Female.....	17	1	4	1	1	-	1	2	1	2	1	2	1
Asian or Pacific Islander 2/, both sexes.....	112	13	8	7	10	9	10	6	7	6	14	11	11
Male.....	57	8	3	3	7	6	3	3	3	4	7	5	5
Female.....	55	5	5	4	3	3	7	3	4	2	7	6	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic viral hepatitis B without delta-agent (B18.1)													
All races, both sexes.....	89	10	8	5	7	7	10	8	4	7	9	6	8
Male.....	58	5	7	3	5	5	7	4	3	3	7	3	6
Female.....	31	5	1	2	2	2	3	4	1	4	2	3	2
White, both sexes.....	58	5	5	4	6	2	5	5	3	4	8	4	7
Male.....	42	3	5	2	4	2	4	3	3	2	6	2	6
Female.....	16	2	-	2	2	-	1	2	-	2	2	2	1
Black, both sexes.....	9	3	1	-	-	2	1	1	-	-	-	-	1
Male.....	6	2	1	-	-	1	1	1	-	-	-	-	-
Female.....	3	1	-	-	-	1	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.	21	2	2	1	1	3	4	2	1	2	1	2	-
Male.....	10	-	1	1	1	2	2	-	-	1	1	1	-
Female.....	11	2	1	-	-	1	2	2	1	1	-	1	-
Chronic viral hepatitis C (B18.2)													
All races, both sexes.....	4,698	447	399	411	376	372	336	388	381	366	387	396	439
Male.....	3,067	299	259	255	238	247	225	258	249	254	246	261	276
Female.....	1,631	148	140	156	138	125	111	130	132	112	141	135	163
White, both sexes.....	3,828	356	336	326	301	308	281	313	302	303	319	322	361
Male.....	2,546	245	226	201	194	205	192	208	196	218	207	219	235
Female.....	1,282	111	110	125	107	103	89	105	106	85	112	103	126
Black, both sexes.....	731	75	52	75	63	57	46	64	68	56	50	62	63
Male.....	442	42	30	49	36	37	30	42	46	31	29	37	33
Female.....	289	33	22	26	27	20	16	22	22	25	21	25	30
American Indian 1/, both sexes.....	48	5	5	4	3	1	3	7	5	3	5	3	4
Male.....	32	4	1	3	2	1	2	5	4	2	4	1	3
Female.....	16	1	4	1	1	-	1	2	1	1	1	2	1
Asian or Pacific Islander 2/, both sexes.	91	11	6	6	9	6	6	4	6	4	13	9	11
Male.....	47	8	2	2	6	4	1	3	3	3	6	4	5
Female.....	44	3	4	4	3	2	5	1	3	1	7	5	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic viral hepatitis, unspecified (B18.9)													
All races, both sexes.....	12	1	-	5	-	-	1	1	2	-	-	1	1
Male.....	5	-	-	4	-	-	-	-	1	-	-	-	-
Female.....	7	1	-	1	-	-	1	1	1	-	-	1	1
White, both sexes.....	10	-	-	4	-	-	1	1	2	-	-	1	1
Male.....	5	-	-	4	-	-	-	-	1	-	-	-	-
Female.....	5	-	-	-	-	-	1	1	1	-	-	1	1
Black, both sexes.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified viral hepatitis (B19)													
All races, both sexes.....	64	5	5	5	7	4	5	2	8	4	4	8	7
Male.....	37	2	3	3	2	2	2	1	4	4	2	7	5
Female.....	27	3	2	2	5	2	3	1	4	-	2	1	2
White, both sexes.....	52	4	4	3	6	4	5	2	7	3	3	4	7
Male.....	29	1	3	2	2	2	2	1	3	3	2	3	5
Female.....	23	3	1	1	4	2	3	1	4	-	1	1	2
Black, both sexes.....	8	1	1	1	-	-	-	-	1	-	-	4	-
Male.....	6	1	-	-	-	-	-	-	1	-	-	4	-
Female.....	2	-	1	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	1	-	-	-	-	1	1	-	-
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified viral hepatitis with coma (B19.0)													
All races, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified viral hepatitis without coma (B19.9)													
All races, both sexes.....	63	5	5	5	7	4	5	2	7	4	4	8	7
Male.....	36	2	3	3	2	2	2	1	3	4	2	7	5
Female.....	27	3	2	2	5	2	3	1	4	-	2	1	2
White, both sexes.....	51	4	4	3	6	4	5	2	6	3	3	4	7
Male.....	28	1	3	2	2	2	2	1	2	3	2	3	5
Female.....	23	3	1	1	4	2	3	1	4	-	1	1	2
Black, both sexes.....	8	1	1	1	-	-	-	-	1	-	-	4	-
Male.....	6	1	-	-	-	-	-	-	1	-	-	4	-
Female.....	2	-	1	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	1	-	-	-	-	1	1	-	-
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
HIV disease resulting in unspecified infectious or parasitic disease (B20.9)													
All races, both sexes.....	20	-	4	2	3	4	1	-	1	-	1	2	2
Male.....	13	-	4	-	1	4	1	-	-	-	1	1	1
Female.....	7	-	-	2	2	-	-	-	1	-	-	1	1
White, both sexes.....	10	-	2	1	2	3	1	-	-	-	-	1	-
Male.....	7	-	2	-	1	3	1	-	-	-	-	-	-
Female.....	3	-	-	1	1	-	-	-	-	-	-	1	-
Black, both sexes.....	10	-	2	1	1	1	-	-	1	-	1	1	2
Male.....	6	-	2	-	-	1	-	-	-	-	1	1	1
Female.....	4	-	-	1	1	-	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms (B21)													
All races, both sexes.....	946	69	74	87	91	77	75	77	77	65	79	78	97
Male.....	769	57	57	66	73	69	59	65	61	54	69	59	80
Female.....	177	12	17	21	18	8	16	12	16	11	10	19	17
White, both sexes.....	500	33	41	46	45	53	42	48	26	31	42	39	54
Male.....	445	32	35	38	41	50	39	42	22	28	37	33	48
Female.....	55	1	6	8	4	3	3	6	4	3	5	6	6
Black, both sexes.....	434	35	33	39	46	22	32	28	51	33	37	35	43
Male.....	313	24	22	26	32	18	19	22	39	25	32	22	32
Female.....	121	11	11	13	14	4	13	6	12	8	5	13	11
American Indian 1/, both sexes.....	3	-	-	1	-	-	-	-	-	-	-	2	-
Male.....	3	-	-	1	-	-	-	-	-	-	-	2	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	-	1	-	2	1	1	-	1	-	2	-
Male.....	8	1	-	1	-	1	1	1	-	1	-	2	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cytomegaloviral hepatitis (B25.1)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other cytomegaloviral diseases (B25.8)													
All races, both sexes.....	24	4	3	1	3	3	2	2	3	1	1	1	-
Male.....	11	2	1	1	3	-	1	1	1	1	-	-	-
Female.....	13	2	2	-	-	3	1	1	2	-	1	1	-
White, both sexes.....	15	1	2	1	2	2	2	1	3	-	1	-	-
Male.....	7	-	1	1	2	-	1	1	1	-	-	-	-
Female.....	8	1	1	-	-	2	1	-	2	-	1	-	-
Black, both sexes.....	7	2	1	-	1	1	-	-	-	1	-	1	-
Male.....	3	1	-	-	1	-	-	-	-	1	-	-	-
Female.....	4	1	1	-	-	1	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other viral diseases, not elsewhere classified (B33)													
All races, both sexes.....	70	5	8	7	7	4	3	3	8	11	6	2	6
Male.....	41	3	5	6	4	2	3	1	5	8	2	-	2
Female.....	29	2	3	1	3	2	-	2	3	3	4	2	4
White, both sexes.....	55	3	7	5	7	4	-	1	6	10	5	2	5
Male.....	34	3	4	5	4	2	-	-	5	7	2	-	2
Female.....	21	-	3	-	3	2	-	1	1	3	3	2	3
Black, both sexes.....	13	2	1	2	-	-	2	2	1	1	1	-	1
Male.....	6	-	1	1	-	-	2	1	-	1	-	-	-
Female.....	7	2	-	1	-	-	-	1	1	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Viral carditis (B33.2)													
All races, both sexes.....	54	3	4	7	6	2	2	2	5	10	5	2	6
Male.....	30	3	1	6	3	1	2	1	3	7	1	-	2
Female.....	24	-	3	1	3	1	-	1	2	3	4	2	4
White, both sexes.....	45	3	4	5	6	2	-	1	4	9	4	2	5
Male.....	25	3	1	5	3	1	-	-	3	6	1	-	2
Female.....	20	-	3	-	3	1	-	1	1	3	3	2	3
Black, both sexes.....	8	-	-	2	-	-	2	1	-	1	1	-	1
Male.....	5	-	-	1	-	-	2	1	-	1	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other viral infections of unspecified site (B34.8)													
All races, both sexes.....	50	7	8	12	3	3	1	1	-	2	2	5	6
Male.....	27	4	5	4	2	2	1	1	-	1	1	4	2
Female.....	23	3	3	8	1	1	-	-	-	1	1	1	4
White, both sexes.....	44	5	7	11	3	3	1	1	-	2	2	5	4
Male.....	24	3	4	4	2	2	1	1	-	1	1	4	1
Female.....	20	2	3	7	1	1	-	-	-	1	1	1	3
Black, both sexes.....	6	2	1	1	-	-	-	-	-	-	-	-	2
Male.....	3	1	1	-	-	-	-	-	-	-	-	-	1
Female.....	3	1	-	1	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral infection, unspecified (B34.9)													
All races, both sexes.....	278	44	54	43	27	17	11	9	9	8	22	12	22
Male.....	110	14	21	15	10	10	5	4	3	2	8	7	11
Female.....	168	30	33	28	17	7	6	5	6	6	14	5	11
White, both sexes.....	234	40	51	36	21	16	7	6	9	4	19	9	16
Male.....	85	12	20	11	7	9	3	2	3	-	5	5	8
Female.....	149	28	31	25	14	7	4	4	6	4	14	4	8
Black, both sexes.....	34	4	3	5	5	1	2	3	-	3	1	2	5
Male.....	19	2	1	2	3	1	1	2	-	2	1	1	3
Female.....	15	2	2	3	2	-	1	1	-	1	-	1	2
American Indian 1/, both sexes.....	5	-	-	2	1	-	1	-	-	-	1	-	-
Male.....	3	-	-	2	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	1	-	-	1	1	1	1
Male.....	3	-	-	-	-	-	1	-	-	-	1	1	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Candidal endocarditis (B37.6)													
All races, both sexes.....	9	-	3	1	2	1	-	-	-	-	-	1	1
Male.....	6	-	1	1	1	1	-	-	-	-	-	1	1
Female.....	3	-	2	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	6	-	1	1	2	1	-	-	-	-	-	1	-
Male.....	4	-	-	1	1	1	-	-	-	-	-	1	-
Female.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	3	-	2	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Candidal septicemia (B37.7)													
All races, both sexes.....	166	18	18	12	10	12	24	14	12	8	15	13	10
Male.....	82	7	9	7	7	7	13	7	6	2	6	7	4
Female.....	84	11	9	5	3	5	11	7	6	6	9	6	6
White, both sexes.....	118	12	16	8	8	8	16	10	9	5	10	10	6
Male.....	60	5	8	4	6	5	9	5	5	1	4	5	3
Female.....	58	7	8	4	2	3	7	5	4	4	6	5	3
Black, both sexes.....	42	5	2	3	2	3	7	4	3	3	4	3	3
Male.....	19	2	1	2	1	2	3	2	1	1	1	2	1
Female.....	23	3	1	1	1	1	4	2	2	2	3	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	1	-	1	1	-	-	-	-	-	1
Male.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	3	1	-	-	-	1	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sporotrichosis, unspecified (B42.9)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Aspergillosis (B44)													
All races, both sexes.....	164	15	19	18	14	15	6	7	17	20	9	13	11
Male.....	81	3	10	11	7	9	4	2	7	9	6	8	5
Female.....	83	12	9	7	7	6	2	5	10	11	3	5	6
White, both sexes.....	124	11	15	12	12	11	1	6	15	15	7	11	8
Male.....	60	3	8	5	7	6	1	2	7	7	4	6	4
Female.....	64	8	7	7	5	5	-	4	8	8	3	5	4
Black, both sexes.....	26	2	3	5	1	2	4	1	1	2	1	2	2
Male.....	15	-	2	5	-	1	3	-	-	1	1	2	-
Female.....	11	2	1	-	1	1	1	1	1	1	-	-	2
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	1	1	1	1	2	1	-	1	3	1	-	1
Male.....	6	-	-	1	-	2	-	-	-	1	1	-	1
Female.....	7	1	1	-	1	-	1	-	1	2	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Invasive pulmonary aspergillosis (B44.0)													
All races, both sexes.....	8	1	-	1	2	1	-	-	2	1	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	7	1	-	1	1	1	-	-	2	1	-	-	-
White, both sexes.....	7	1	-	1	1	1	-	-	2	1	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	6	1	-	1	-	1	-	-	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Other pulmonary aspergillosis (B44.1)													
All races, both sexes.....	108	10	16	8	10	9	5	6	11	13	7	6	7
Male.....	53	1	8	5	5	5	3	2	6	7	4	4	3
Female.....	55	9	8	3	5	4	2	4	5	6	3	2	4
White, both sexes.....	84	7	13	5	9	8	1	5	10	9	6	5	6
Male.....	42	1	7	2	5	4	1	2	6	5	3	3	3
Female.....	42	6	6	3	4	4	-	3	4	4	3	2	3
Black, both sexes.....	15	1	2	3	1	-	3	1	-	2	-	1	1
Male.....	8	-	1	3	-	-	2	-	-	1	-	1	-
Female.....	7	1	1	-	1	-	1	1	-	1	-	-	1
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	8	1	1	-	-	1	1	-	1	2	1	-	-
Male.....	3	-	-	-	-	1	-	-	-	1	1	-	-
Female.....	5	1	1	-	-	-	1	-	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified mycoses (B48.8)													
All races, both sexes.....	3	1	1	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	1	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mycosis (B49)													
All races, both sexes.....	345	32	20	41	28	26	31	28	24	36	29	18	32
Male.....	171	14	8	22	13	13	14	15	13	19	13	8	19
Female.....	174	18	12	19	15	13	17	13	11	17	16	10	13
White, both sexes.....	259	23	15	31	18	22	25	20	23	26	20	12	24
Male.....	131	11	7	19	8	12	11	10	12	13	9	5	14
Female.....	128	12	8	12	10	10	14	10	11	13	11	7	10
Black, both sexes.....	73	6	5	9	9	3	6	7	1	7	7	6	7
Male.....	33	2	1	2	4	1	3	4	1	4	4	3	4
Female.....	40	4	4	7	5	2	3	3	-	3	3	3	3
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	2	-	1	1	1	-	1	-	3	2	-	-
Male.....	5	-	-	1	1	-	-	1	-	2	-	-	-
Female.....	6	2	-	-	-	1	-	-	-	1	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Toxoplasmosis, unspecified (B58.9)													
All races, both sexes.....	5	1	-	-	-	1	-	-	-	1	1	-	1
Male.....	3	-	-	-	-	1	-	-	-	1	-	-	1
Female.....	2	1	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	4	1	-	-	-	1	-	-	-	1	-	-	1
Male.....	3	-	-	-	-	1	-	-	-	1	-	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumocystosis (B59)													
All races, both sexes.....	132	11	11	12	10	9	16	5	15	11	15	7	10
Male.....	79	6	3	7	7	6	9	3	8	10	10	3	7
Female.....	53	5	8	5	3	3	7	2	7	1	5	4	3
White, both sexes.....	99	6	10	9	8	6	11	3	13	8	10	7	8
Male.....	60	4	3	6	5	4	6	2	7	8	6	3	6
Female.....	39	2	7	3	3	2	5	1	6	-	4	4	2
Black, both sexes.....	25	5	1	3	-	1	5	2	2	3	2	-	1
Male.....	12	2	-	1	-	1	3	1	1	2	1	-	-
Female.....	13	3	1	2	-	-	2	1	1	1	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	2	2	-	-	-	-	2	-	1
Male.....	6	-	-	-	2	1	-	-	-	-	2	-	1
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of tuberculosis (B90)													
All races, both sexes.....	71	8	2	8	11	4	10	7	2	7	5	3	4
Male.....	40	5	-	4	7	2	4	5	1	5	4	2	1
Female.....	31	3	2	4	4	2	6	2	1	2	1	1	3
White, both sexes.....	52	8	1	4	8	3	8	5	2	3	4	2	4
Male.....	28	5	-	2	4	1	4	3	1	2	3	2	1
Female.....	24	3	1	2	4	2	4	2	1	1	1	-	3
Black, both sexes.....	5	-	-	1	-	-	-	-	-	3	1	-	-
Male.....	4	-	-	1	-	-	-	-	-	2	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	4	-	-	1	2	1	-	-	-	-	-	-	-
Male.....	3	-	-	-	2	1	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	1	2	1	-	2	2	-	1	-	1	-
Male.....	5	-	-	1	1	-	-	2	-	1	-	-	-
Female.....	5	-	1	1	-	-	2	-	-	-	-	1	-
Sequelae of respiratory and unspecified tuberculosis (B90.9)													
All races, both sexes.....	71	8	2	8	11	4	10	7	2	7	5	3	4
Male.....	40	5	-	4	7	2	4	5	1	5	4	2	1
Female.....	31	3	2	4	4	2	6	2	1	2	1	1	3
White, both sexes.....	52	8	1	4	8	3	8	5	2	3	4	2	4
Male.....	28	5	-	2	4	1	4	3	1	2	3	2	1
Female.....	24	3	1	2	4	2	4	2	1	1	1	-	3
Black, both sexes.....	5	-	-	1	-	-	-	-	-	3	1	-	-
Male.....	4	-	-	1	-	-	-	-	-	2	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	4	-	-	1	2	1	-	-	-	-	-	-	-
Male.....	3	-	-	-	2	1	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	1	2	1	-	2	2	-	1	-	1	-
Male.....	5	-	-	1	1	-	-	2	-	1	-	-	-
Female.....	5	-	1	1	-	-	2	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of poliomyelitis (B91)													
All races, both sexes.....	350	27	38	36	31	31	31	31	24	26	15	24	36
Male.....	167	12	21	18	16	13	13	18	11	15	5	9	16
Female.....	183	15	17	18	15	18	18	13	13	11	10	15	20
White, both sexes.....	340	26	38	35	31	30	29	30	23	25	14	24	35
Male.....	161	11	21	17	16	12	13	17	10	14	5	9	16
Female.....	179	15	17	18	15	18	16	13	13	11	9	15	19
Black, both sexes.....	8	1	-	1	-	1	2	-	1	-	1	-	1
Male.....	4	1	-	1	-	1	-	-	1	-	-	-	-
Female.....	4	-	-	-	-	-	2	-	-	-	1	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of other and unspecified infectious and parasitic diseases (B94)													
All races, both sexes.....	2,660	239	202	238	241	241	203	201	207	209	220	220	239
Male.....	1,609	146	117	141	150	152	116	119	124	133	134	125	152
Female.....	1,051	93	85	97	91	89	87	82	83	76	86	95	87
White, both sexes.....	2,206	205	162	194	198	197	177	174	165	170	183	179	202
Male.....	1,369	128	95	119	124	124	102	105	100	117	117	107	131
Female.....	837	77	67	75	74	73	75	69	65	53	66	72	71
Black, both sexes.....	301	27	28	24	26	32	15	19	29	26	25	28	22
Male.....	170	17	15	15	17	20	11	11	19	9	10	12	14
Female.....	131	10	13	9	9	12	4	8	10	17	15	16	8
American Indian 1/, both sexes.....	39	1	2	6	3	6	1	4	3	5	4	3	1
Male.....	19	-	1	2	1	4	-	2	1	4	3	1	-
Female.....	20	1	1	4	2	2	1	2	2	1	1	2	1
Asian or Pacific Islander 2/, both sexes.....	114	6	10	14	14	6	10	4	10	8	8	10	14
Male.....	51	1	6	5	8	4	3	1	4	3	4	5	7
Female.....	63	5	4	9	6	2	7	3	6	5	4	5	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of viral encephalitis (B94.1)													
All races, both sexes.....	9	-	-	1	1	2	1	1	-	1	1	-	1
Male.....	4	-	-	-	-	-	1	1	-	-	1	-	1
Female.....	5	-	-	1	1	2	-	-	-	1	-	-	-
White, both sexes.....	8	-	-	1	1	2	1	1	-	-	1	-	1
Male.....	4	-	-	-	-	-	1	1	-	-	1	-	1
Female.....	4	-	-	1	1	2	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of viral hepatitis (B94.2)													
All races, both sexes.....	2,008	179	144	179	186	177	157	155	160	160	171	171	169
Male.....	1,297	121	93	108	118	122	96	95	103	109	111	108	113
Female.....	711	58	51	71	68	55	61	60	57	51	60	63	56
White, both sexes.....	1,668	156	116	142	148	147	138	137	130	129	142	141	142
Male.....	1,120	110	76	91	96	100	88	88	86	96	97	93	99
Female.....	548	46	40	51	52	47	50	49	44	33	45	48	43
Black, both sexes.....	198	17	17	18	22	20	9	11	18	19	17	17	13
Male.....	114	11	10	10	14	15	6	5	12	7	7	9	8
Female.....	84	6	7	8	8	5	3	6	6	12	10	8	5
American Indian 1/, both sexes.....	35	1	2	5	3	5	1	3	2	5	4	3	1
Male.....	18	-	1	2	1	4	-	1	1	4	3	1	-
Female.....	17	1	1	3	2	1	1	2	1	1	1	2	1
Asian or Pacific Islander 2/, both sexes.....	107	5	9	14	13	5	9	4	10	7	8	10	13
Male.....	45	-	6	5	7	3	2	1	4	2	4	5	6
Female.....	62	5	3	9	6	2	7	3	6	5	4	5	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other and unspecified infectious diseases (B99)													
All races, both sexes.....	307	29	25	30	25	24	32	22	29	20	24	19	28
Male.....	135	18	6	9	11	11	12	12	13	12	12	6	13
Female.....	172	11	19	21	14	13	20	10	16	8	12	13	15
White, both sexes.....	255	25	23	22	22	23	26	18	25	17	19	16	19
Male.....	109	15	6	5	10	11	8	10	11	10	9	5	9
Female.....	146	10	17	17	12	12	18	8	14	7	10	11	10
Black, both sexes.....	42	2	2	7	3	1	6	4	3	3	2	2	7
Male.....	21	2	-	3	1	-	4	2	1	2	2	1	3
Female.....	21	-	2	4	2	1	2	2	2	1	-	1	4
American Indian 1/, both sexes.....	3	1	-	1	-	-	-	-	-	-	-	1	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	-	-	-	-	1	-	3	-	2
Male.....	3	-	-	-	-	-	-	-	1	-	1	-	1
Female.....	4	1	-	-	-	-	-	-	-	-	2	-	1
Malignant neoplasm of lip (C00)													
All races, both sexes.....	60	4	7	3	6	5	5	5	9	3	5	5	3
Male.....	37	1	5	2	5	2	4	5	4	-	5	2	2
Female.....	23	3	2	1	1	3	1	-	5	3	-	3	1
White, both sexes.....	56	4	7	3	6	4	5	4	7	3	5	5	3
Male.....	34	1	5	2	5	1	4	4	3	-	5	2	2
Female.....	22	3	2	1	1	3	1	-	4	3	-	3	1
Black, both sexes.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
External lower lip (C00.1)													
All races, both sexes.....	9	1	-	-	2	-	-	1	2	1	-	2	-
Male.....	5	-	-	-	2	-	-	1	-	-	-	2	-
Female.....	4	1	-	-	-	-	-	-	2	1	-	-	-
White, both sexes.....	8	1	-	-	2	-	-	-	2	1	-	2	-
Male.....	4	-	-	-	2	-	-	-	-	-	-	2	-
Female.....	4	1	-	-	-	-	-	-	2	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Lip, unspecified (C00.9)													
All races, both sexes.....	51	3	7	3	4	5	5	4	7	2	5	3	3
Male.....	32	1	5	2	3	2	4	4	4	-	5	-	2
Female.....	19	2	2	1	1	3	1	-	3	2	-	3	1
White, both sexes.....	48	3	7	3	4	4	5	4	5	2	5	3	3
Male.....	30	1	5	2	3	1	4	4	3	-	5	-	2
Female.....	18	2	2	1	1	3	1	-	2	2	-	3	1
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of base of tongue (C01)													
All races, both sexes.....	144	12	15	11	7	8	11	18	13	11	16	9	13
Male.....	106	10	13	5	7	5	9	14	6	8	11	8	10
Female.....	38	2	2	6	-	3	2	4	7	3	5	1	3
White, both sexes.....	127	12	14	10	6	6	11	15	12	9	13	8	11
Male.....	92	10	12	4	6	4	9	11	6	7	8	7	8
Female.....	35	2	2	6	-	2	2	4	6	2	5	1	3
Black, both sexes.....	14	-	-	1	1	2	-	2	1	2	2	1	2
Male.....	11	-	-	1	1	1	-	2	-	1	2	1	2
Female.....	3	-	-	-	-	1	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of other and unspecified parts of tongue (C02)													
All races, both sexes.....	1,804	167	145	138	162	147	150	158	154	149	140	150	144
Male.....	1,179	112	103	88	95	92	95	105	105	93	94	98	99
Female.....	625	55	42	50	67	55	55	53	49	56	46	52	45
White, both sexes.....	1,546	139	128	116	137	131	132	132	128	128	125	126	124
Male.....	974	86	90	70	78	80	82	85	83	78	82	79	81
Female.....	572	53	38	46	59	51	50	47	45	50	43	47	43
Black, both sexes.....	209	26	13	18	22	12	14	25	22	11	11	21	14
Male.....	176	24	10	17	16	9	12	20	20	10	9	16	13
Female.....	33	2	3	1	6	3	2	5	2	1	2	5	1
American Indian 1/, both sexes.....	7	1	-	-	-	1	1	-	-	-	1	1	2
Male.....	6	1	-	-	-	1	1	-	-	-	1	1	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	42	1	4	4	3	3	3	1	4	10	3	2	4
Male.....	23	1	3	1	1	2	-	-	2	5	2	2	4
Female.....	19	-	1	3	2	1	3	1	2	5	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lingual tonsil (C02.4)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Tongue, unspecified (C02.9)													
All races, both sexes.....	1,803	167	145	138	162	147	150	157	154	149	140	150	144
Male.....	1,178	112	103	88	95	92	95	104	105	93	94	98	99
Female.....	625	55	42	50	67	55	55	53	49	56	46	52	45
White, both sexes.....	1,545	139	128	116	137	131	132	131	128	128	125	126	124
Male.....	973	86	90	70	78	80	82	84	83	78	82	79	81
Female.....	572	53	38	46	59	51	50	47	45	50	43	47	43
Black, both sexes.....	209	26	13	18	22	12	14	25	22	11	11	21	14
Male.....	176	24	10	17	16	9	12	20	20	10	9	16	13
Female.....	33	2	3	1	6	3	2	5	2	1	2	5	1
American Indian 1/, both sexes.....	7	1	-	-	-	1	1	-	-	-	1	1	2
Male.....	6	1	-	-	-	1	1	-	-	-	1	1	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	42	1	4	4	3	3	3	1	4	10	3	2	4
Male.....	23	1	3	1	1	2	-	-	2	5	2	2	4
Female.....	19	-	1	3	2	1	3	1	2	5	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of palate (C05.8)													
All races, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Palate, unspecified (C05.9)													
All races, both sexes.....	68	9	5	4	6	8	6	3	5	5	5	5	7
Male.....	35	5	1	-	3	6	4	1	3	3	3	1	5
Female.....	33	4	4	4	3	2	2	2	2	2	2	4	2
White, both sexes.....	55	8	2	3	5	7	4	3	4	4	5	5	5
Male.....	27	5	-	-	2	5	3	1	2	2	3	1	3
Female.....	28	3	2	3	3	2	1	2	2	2	2	4	2
Black, both sexes.....	12	1	3	1	1	1	1	-	1	1	-	-	2
Male.....	8	-	1	-	1	1	1	-	1	1	-	-	2
Female.....	4	1	2	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Retromolar area (C06.2)													
All races, both sexes.....	27	2	5	2	2	3	1	4	3	1	2	1	1
Male.....	22	2	3	2	2	3	1	3	3	1	1	-	1
Female.....	5	-	2	-	-	-	-	1	-	-	1	1	-
White, both sexes.....	26	2	5	2	2	3	1	4	3	-	2	1	1
Male.....	21	2	3	2	2	3	1	3	3	-	1	-	1
Female.....	5	-	2	-	-	-	-	1	-	-	1	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Mouth, unspecified (C06.9)													
All races, both sexes.....	848	84	69	76	53	60	74	57	81	74	73	76	71
Male.....	460	41	34	47	32	32	42	33	47	44	35	33	40
Female.....	388	43	35	29	21	28	32	24	34	30	38	43	31
White, both sexes.....	737	67	63	71	49	54	61	47	70	62	64	69	60
Male.....	391	31	30	43	30	30	34	28	40	35	30	27	33
Female.....	346	36	33	28	19	24	27	19	30	27	34	42	27
Black, both sexes.....	88	14	4	4	4	5	11	9	8	9	8	4	8
Male.....	52	8	3	3	2	1	7	5	4	7	5	3	4
Female.....	36	6	1	1	2	4	4	4	4	2	3	1	4
American Indian 1/, both sexes.....	4	1	-	-	-	1	1	-	1	-	-	-	-
Male.....	4	1	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	2	2	1	-	-	1	1	2	3	1	3	3
Male.....	13	1	1	1	-	-	-	-	2	2	-	3	3
Female.....	6	1	1	-	-	-	1	1	-	1	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of parotid gland (C07)													
All races, both sexes.....	517	44	45	37	31	49	42	35	56	45	41	38	54
Male.....	345	30	30	27	19	33	26	25	42	34	28	19	32
Female.....	172	14	15	10	12	16	16	10	14	11	13	19	22
White, both sexes.....	473	38	42	37	28	46	41	31	51	38	39	32	50
Male.....	323	28	29	27	17	31	26	22	40	29	27	17	30
Female.....	150	10	13	10	11	15	15	9	11	9	12	15	20
Black, both sexes.....	24	2	2	-	2	1	-	3	4	4	2	2	2
Male.....	14	-	1	-	1	1	-	2	2	3	1	1	2
Female.....	10	2	1	-	1	-	-	1	2	1	1	1	-
American Indian 1/, both sexes.....	4	1	1	-	1	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	3	-	-	-	2	1	-	1	3	-	4	2
Male.....	6	2	-	-	-	1	-	-	-	2	-	1	-
Female.....	10	1	-	-	-	1	1	-	1	1	-	3	2
Malignant neoplasm of other and unspecified major salivary glands (C08)													
All races, both sexes.....	184	14	17	14	14	15	15	10	16	13	20	14	22
Male.....	118	12	8	8	7	10	12	5	10	7	15	12	12
Female.....	66	2	9	6	7	5	3	5	6	6	5	2	10
White, both sexes.....	164	13	16	13	13	12	12	9	14	11	18	14	19
Male.....	107	11	8	8	6	8	10	5	9	6	13	12	11
Female.....	57	2	8	5	7	4	2	4	5	5	5	2	8
Black, both sexes.....	12	1	-	1	-	3	2	1	2	-	1	-	1
Male.....	6	1	-	-	-	2	1	-	1	-	1	-	-
Female.....	6	-	-	1	-	1	1	1	1	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	1	-	1	-	1	-	-	2	1	-	2
Male.....	5	-	-	-	1	-	1	-	-	1	1	-	1
Female.....	3	-	1	-	-	-	-	-	-	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tonsil, unspecified (C09.9)													
All races, both sexes.....	624	44	44	57	54	55	50	44	55	53	58	53	57
Male.....	468	37	33	41	37	38	39	30	42	41	44	40	46
Female.....	156	7	11	16	17	17	11	14	13	12	14	13	11
White, both sexes.....	509	38	32	47	46	40	43	33	43	45	48	45	49
Male.....	383	33	24	34	33	29	33	22	33	34	35	33	40
Female.....	126	5	8	13	13	11	10	11	10	11	13	12	9
Black, both sexes.....	106	5	12	8	8	15	7	10	10	7	9	8	7
Male.....	76	3	9	5	4	9	6	7	7	6	8	7	5
Female.....	30	2	3	3	4	6	1	3	3	1	1	1	2
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	2	-	-	-	-	2	1	1	-	1
Male.....	7	-	-	2	-	-	-	-	2	1	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of oropharynx (C10)													
All races, both sexes.....	655	48	59	67	58	55	58	43	62	44	53	53	55
Male.....	450	32	43	46	42	37	34	34	45	35	34	32	36
Female.....	205	16	16	21	16	18	24	9	17	9	19	21	19
White, both sexes.....	527	38	46	52	44	48	53	35	46	35	43	43	44
Male.....	351	22	33	36	31	30	29	26	35	28	26	26	29
Female.....	176	16	13	16	13	18	24	9	11	7	17	17	15
Black, both sexes.....	111	10	11	11	11	7	5	7	16	6	10	9	8
Male.....	90	10	10	8	10	7	5	7	10	5	8	5	5
Female.....	21	-	1	3	1	-	-	-	6	1	2	4	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	2	4	3	-	-	1	-	3	-	1	1
Male.....	7	-	-	2	1	-	-	1	-	2	-	1	-
Female.....	8	-	2	2	2	-	-	-	-	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Branchial cleft (C10.4)													
All races, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Oropharynx, unspecified (C10.9)													
All races, both sexes.....	647	47	59	66	56	55	58	42	62	44	52	52	54
Male.....	446	32	43	45	41	37	34	33	45	35	34	31	36
Female.....	201	15	16	21	15	18	24	9	17	9	18	21	18
White, both sexes.....	520	37	46	52	42	48	53	34	46	35	42	42	43
Male.....	348	22	33	36	30	30	29	25	35	28	26	25	29
Female.....	172	15	13	16	12	18	24	9	11	7	16	17	14
Black, both sexes.....	111	10	11	11	11	7	5	7	16	6	10	9	8
Male.....	90	10	10	8	10	7	5	7	10	5	8	5	5
Female.....	21	-	1	3	1	-	-	-	6	1	2	4	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	2	3	3	-	-	1	-	3	-	1	1
Male.....	6	-	-	1	1	-	-	1	-	2	-	1	-
Female.....	8	-	2	2	2	-	-	-	-	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of nasopharynx (C11)													
All races, both sexes.....	615	45	47	54	56	56	56	51	37	43	59	52	59
Male.....	429	28	31	43	36	41	37	32	28	34	43	35	41
Female.....	186	17	16	11	20	15	19	19	9	9	16	17	18
White, both sexes.....	401	36	26	34	36	37	33	38	25	29	42	30	35
Male.....	269	21	16	26	22	26	22	24	17	22	30	20	23
Female.....	132	15	10	8	14	11	11	14	8	7	12	10	12
Black, both sexes.....	108	6	10	9	11	12	13	8	8	6	6	8	11
Male.....	82	5	7	8	7	9	8	5	8	6	5	6	8
Female.....	26	1	3	1	4	3	5	3	-	-	1	2	3
American Indian 1/, both sexes.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	104	3	11	10	9	7	9	5	4	8	11	14	13
Male.....	77	2	8	9	7	6	6	3	3	6	8	9	10
Female.....	27	1	3	1	2	1	3	2	1	2	3	5	3
Posterior wall of nasopharynx (C11.1)													
All races, both sexes.....	12	1	-	1	1	-	1	4	-	-	1	2	1
Male.....	3	-	-	-	-	-	-	2	-	-	-	1	-
Female.....	9	1	-	1	1	-	1	2	-	-	1	1	1
White, both sexes.....	9	1	-	1	1	-	-	4	-	-	1	1	-
Male.....	2	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	7	1	-	1	1	-	-	2	-	-	1	1	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx (C14)													
All races, both sexes.....	1,613	138	149	146	117	139	121	132	129	115	129	124	174
Male.....	1,192	100	108	106	88	104	95	107	88	81	93	98	124
Female.....	421	38	41	40	29	35	26	25	41	34	36	26	50
White, both sexes.....	1,288	111	120	119	89	111	97	100	107	92	103	108	131
Male.....	936	76	83	83	68	84	76	80	72	63	72	85	94
Female.....	352	35	37	36	21	27	21	20	35	29	31	23	37
Black, both sexes.....	295	26	29	24	23	26	24	30	16	18	25	13	41
Male.....	239	23	25	21	18	19	19	26	13	15	20	11	29
Female.....	56	3	4	3	5	7	5	4	3	3	5	2	12
American Indian 1/, both sexes.....	10	-	-	2	-	1	-	-	2	3	1	-	1
Male.....	9	-	-	2	-	1	-	-	2	2	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	1	-	1	5	1	-	2	4	2	-	3	1
Male.....	8	1	-	-	2	-	-	1	1	1	-	2	-
Female.....	12	-	-	1	3	1	-	1	3	1	-	1	1
Pharynx, unspecified (C14.0)													
All races, both sexes.....	1,612	138	149	146	117	139	121	131	129	115	129	124	174
Male.....	1,191	100	108	106	88	104	95	106	88	81	93	98	124
Female.....	421	38	41	40	29	35	26	25	41	34	36	26	50
White, both sexes.....	1,287	111	120	119	89	111	97	99	107	92	103	108	131
Male.....	935	76	83	83	68	84	76	79	72	63	72	85	94
Female.....	352	35	37	36	21	27	21	20	35	29	31	23	37
Black, both sexes.....	295	26	29	24	23	26	24	30	16	18	25	13	41
Male.....	239	23	25	21	18	19	19	26	13	15	20	11	29
Female.....	56	3	4	3	5	7	5	4	3	3	5	2	12
American Indian 1/, both sexes.....	10	-	-	2	-	1	-	-	2	3	1	-	1
Male.....	9	-	-	2	-	1	-	-	2	2	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	1	-	1	5	1	-	2	4	2	-	3	1
Male.....	8	1	-	-	2	-	-	1	1	1	-	2	-
Female.....	12	-	-	1	3	1	-	1	3	1	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Waldeyer's ring (C14.2)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of esophagus (C15)													
All races, both sexes.....	13,499	1,214	1,068	1,171	1,086	1,127	1,073	1,042	1,211	1,096	1,169	1,098	1,144
Male.....	10,611	950	837	923	867	886	829	833	946	871	906	868	895
Female.....	2,888	264	231	248	219	241	244	209	265	225	263	230	249
White, both sexes.....	11,783	1,043	943	1,012	936	976	948	936	1,051	978	1,010	966	984
Male.....	9,364	825	744	803	750	783	733	754	830	787	802	766	787
Female.....	2,419	218	199	209	186	193	215	182	221	191	208	200	197
Black, both sexes.....	1,468	155	104	132	126	130	108	85	140	98	147	109	134
Male.....	1,075	114	76	97	101	89	83	66	101	72	97	88	91
Female.....	393	41	28	35	25	41	25	19	39	26	50	21	43
American Indian 1/, both sexes.....	69	3	2	6	7	4	4	7	9	10	4	8	5
Male.....	52	2	2	4	6	4	3	6	7	7	1	5	5
Female.....	17	1	-	2	1	-	1	1	2	3	3	3	-
Asian or Pacific Islander 2/, both sexes.....	179	13	19	21	17	17	13	14	11	10	8	15	21
Male.....	120	9	15	19	10	10	10	7	8	5	6	9	12
Female.....	59	4	4	2	7	7	3	7	3	5	2	6	9

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Esophagus, unspecified (C15.9)													
All races, both sexes.....	13,412	1,207	1,060	1,165	1,076	1,121	1,067	1,035	1,201	1,083	1,164	1,093	1,140
Male.....	10,536	946	830	920	858	880	823	827	937	858	903	863	891
Female.....	2,876	261	230	245	218	241	244	208	264	225	261	230	249
White, both sexes.....	11,705	1,036	936	1,008	928	970	942	930	1,042	967	1,005	961	980
Male.....	9,295	821	738	800	743	777	727	749	821	776	799	761	783
Female.....	2,410	215	198	208	185	193	215	181	221	191	206	200	197
Black, both sexes.....	1,460	155	103	131	124	130	108	84	139	96	147	109	134
Male.....	1,069	114	75	97	99	89	83	65	101	70	97	88	91
Female.....	391	41	28	34	25	41	25	19	38	26	50	21	43
American Indian 1/, both sexes.....	68	3	2	5	7	4	4	7	9	10	4	8	5
Male.....	52	2	2	4	6	4	3	6	7	7	1	5	5
Female.....	16	1	-	1	1	-	1	1	2	3	3	3	-
Asian or Pacific Islander 2/, both sexes.....	179	13	19	21	17	17	13	14	11	10	8	15	21
Male.....	120	9	15	19	10	10	10	7	8	5	6	9	12
Female.....	59	4	4	2	7	7	3	7	3	5	2	6	9
Malignant neoplasm of stomach (C16)													
All races, both sexes.....	11,514	1,033	905	956	938	968	961	997	954	857	985	943	1,017
Male.....	6,752	587	531	553	542	575	565	583	571	503	573	564	605
Female.....	4,762	446	374	403	396	393	396	414	383	354	412	379	412
White, both sexes.....	8,711	792	671	754	701	743	717	731	714	644	759	719	766
Male.....	5,107	458	403	431	406	444	427	420	425	378	427	428	460
Female.....	3,604	334	268	323	295	299	290	311	289	266	332	291	306
Black, both sexes.....	1,973	171	166	144	172	152	162	186	178	143	158	161	180
Male.....	1,162	87	92	84	98	87	91	119	103	93	104	102	102
Female.....	811	84	74	60	74	65	71	67	75	50	54	59	78
American Indian 1/, both sexes.....	85	10	7	4	2	8	5	14	8	9	5	9	4
Male.....	52	8	2	2	-	3	4	9	7	5	3	7	2
Female.....	33	2	5	2	2	5	1	5	1	4	2	2	2
Asian or Pacific Islander 2/, both sexes.....	745	60	61	54	63	65	77	66	54	61	63	54	67
Male.....	431	34	34	36	38	41	43	35	36	27	39	27	41
Female.....	314	26	27	18	25	24	34	31	18	34	24	27	26

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Greater curvature of stomach, unspecified (C16.6)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach, unspecified (C16.9)													
All races, both sexes.....	10,753	965	837	891	881	891	895	943	894	799	917	886	954
Male.....	6,144	541	477	499	498	511	513	541	527	461	509	515	552
Female.....	4,609	424	360	392	383	380	382	402	367	338	408	371	402
White, both sexes.....	7,996	727	605	691	648	670	654	684	657	590	698	664	708
Male.....	4,536	413	351	379	364	384	377	384	383	340	370	380	411
Female.....	3,460	314	254	312	284	286	277	300	274	250	328	284	297
Black, both sexes.....	1,938	169	164	142	168	149	161	182	176	139	152	160	176
Male.....	1,132	87	90	82	96	84	91	115	101	89	98	101	98
Female.....	806	82	74	60	72	65	70	67	75	50	54	59	78
American Indian 1/, both sexes.....	83	10	7	4	2	8	5	12	8	9	5	9	4
Male.....	51	8	2	2	-	3	4	8	7	5	3	7	2
Female.....	32	2	5	2	2	5	1	4	1	4	2	2	2
Asian or Pacific Islander 2/, both sexes.....	736	59	61	54	63	64	75	65	53	61	62	53	66
Male.....	425	33	34	36	38	40	41	34	36	27	38	27	41
Female.....	311	26	27	18	25	24	34	31	17	34	24	26	25

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of small intestine (C17)													
All races, both sexes.....	1,117	115	82	101	80	99	85	80	107	89	98	83	98
Male.....	580	59	51	53	36	50	38	49	62	46	46	41	49
Female.....	537	56	31	48	44	49	47	31	45	43	52	42	49
White, both sexes.....	932	94	72	89	69	80	70	66	85	74	79	71	83
Male.....	488	49	45	45	29	42	30	43	51	37	39	35	43
Female.....	444	45	27	44	40	38	40	23	34	37	40	36	40
Black, both sexes.....	159	17	9	11	8	15	14	13	17	14	16	11	14
Male.....	77	8	5	7	4	5	8	6	8	8	7	6	5
Female.....	82	9	4	4	4	10	6	7	9	6	9	5	9
American Indian 1/, both sexes.....	3	-	1	-	1	-	1	-	-	-	-	-	-
Male.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	4	-	1	2	4	-	1	5	1	3	1	1
Male.....	13	2	-	1	2	3	-	-	3	1	-	-	1
Female.....	10	2	-	-	-	1	-	1	2	-	3	1	-
Duodenum (C17.0)													
All races, both sexes.....	595	67	37	55	43	56	52	47	52	47	54	36	49
Male.....	300	36	25	27	24	28	22	28	27	24	23	12	24
Female.....	295	31	12	28	19	28	30	19	25	23	31	24	25
White, both sexes.....	482	52	35	47	35	48	44	35	37	38	41	30	40
Male.....	241	29	24	22	19	25	17	22	17	18	20	9	19
Female.....	241	23	11	25	16	23	27	13	20	20	21	21	21
Black, both sexes.....	95	12	2	7	6	6	7	12	12	8	10	5	8
Male.....	49	6	1	4	3	2	5	6	7	5	3	3	4
Female.....	46	6	1	3	3	4	2	6	5	3	7	2	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	3	-	1	2	2	-	-	3	1	3	1	1
Male.....	10	1	-	1	2	1	-	-	3	1	-	-	1
Female.....	7	2	-	-	-	1	-	-	-	-	3	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Small intestine, unspecified (C17.9)													
All races, both sexes.....	444	43	38	38	32	36	27	29	49	35	35	37	45
Male.....	244	23	22	22	11	17	14	19	33	19	17	24	23
Female.....	200	20	16	16	21	19	13	10	16	16	18	13	22
White, both sexes.....	385	37	32	35	29	28	20	28	44	29	30	33	40
Male.....	216	20	19	20	9	13	11	19	32	16	13	22	22
Female.....	169	17	13	15	20	15	9	9	12	13	17	11	18
Black, both sexes.....	52	5	6	3	2	6	7	-	3	6	5	4	5
Male.....	24	2	3	2	1	2	3	-	1	3	4	2	1
Female.....	28	3	3	1	1	4	4	-	2	3	1	2	4
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	-	-	2	-	1	2	-	-	-	-
Male.....	3	1	-	-	-	2	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	2	-	-	-	-
Malignant neoplasm of colon (C18)													
All races, both sexes.....	43,989	3,836	3,462	3,873	3,583	3,619	3,624	3,660	3,766	3,573	3,756	3,469	3,768
Male.....	21,776	1,922	1,715	1,874	1,783	1,842	1,800	1,809	1,797	1,754	1,916	1,686	1,878
Female.....	22,213	1,914	1,747	1,999	1,800	1,777	1,824	1,851	1,969	1,819	1,840	1,783	1,890
White, both sexes.....	37,055	3,216	2,905	3,284	3,031	3,079	3,046	3,064	3,164	3,012	3,180	2,913	3,161
Male.....	18,453	1,623	1,452	1,580	1,527	1,578	1,509	1,525	1,512	1,483	1,646	1,429	1,589
Female.....	18,602	1,593	1,453	1,704	1,504	1,501	1,537	1,539	1,652	1,529	1,534	1,484	1,572
Black, both sexes.....	5,864	529	462	507	463	471	494	514	498	465	491	464	506
Male.....	2,786	252	218	246	221	231	247	239	237	215	231	216	233
Female.....	3,078	277	244	261	242	240	247	275	261	250	260	248	273
American Indian 1/, both sexes.....	176	10	14	17	17	12	9	13	18	22	12	15	17
Male.....	93	7	7	11	9	6	4	7	6	13	4	7	12
Female.....	83	3	7	6	8	6	5	6	12	9	8	8	5
Asian or Pacific Islander 2/, both sexes.....	894	81	81	65	72	57	75	69	86	74	73	77	84
Male.....	444	40	38	37	26	27	40	38	42	43	35	34	44
Female.....	450	41	43	28	46	30	35	31	44	31	38	43	40

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cecum (C18.0)													
All races, both sexes.....	285	21	22	32	29	25	26	24	21	21	23	21	20
Male.....	128	11	9	15	11	11	9	10	12	10	9	10	11
Female.....	157	10	13	17	18	14	17	14	9	11	14	11	9
White, both sexes.....	249	18	18	28	26	21	21	21	17	19	22	19	19
Male.....	114	11	7	13	10	10	8	9	8	9	9	9	11
Female.....	135	7	11	15	16	11	13	12	9	10	13	10	8
Black, both sexes.....	31	1	4	4	3	3	4	3	4	2	-	2	1
Male.....	13	-	2	2	1	1	-	1	4	1	-	1	-
Female.....	18	1	2	2	2	2	4	2	-	1	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	-	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	3	2	-	-	-	1	-	-	-	-	-	-	-
Appendix (C18.1)													
All races, both sexes.....	311	25	18	29	27	28	26	30	29	21	28	23	27
Male.....	126	12	5	12	13	11	7	15	13	7	11	5	15
Female.....	185	13	13	17	14	17	19	15	16	14	17	18	12
White, both sexes.....	273	22	16	25	23	23	21	26	24	18	26	22	27
Male.....	110	12	4	10	11	8	6	14	9	7	10	4	15
Female.....	163	10	12	15	12	15	15	12	15	11	16	18	12
Black, both sexes.....	31	3	1	3	3	3	4	3	5	3	2	1	-
Male.....	14	-	-	1	2	3	1	1	4	-	1	1	-
Female.....	17	3	1	2	1	-	3	2	1	3	1	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	1	1	2	1	1	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	1	2	1	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Descending colon (C18.6)													
All races, both sexes.....	57	5	9	8	5	6	4	4	5	2	5	2	2
Male.....	25	-	5	6	3	2	2	1	4	-	2	-	-
Female.....	32	5	4	2	2	4	2	3	1	2	3	2	2
White, both sexes.....	45	4	8	4	4	6	2	2	5	2	5	2	1
Male.....	20	-	5	3	3	2	-	1	4	-	2	-	-
Female.....	25	4	3	1	1	4	2	1	1	2	3	2	1
Black, both sexes.....	7	-	1	2	-	-	2	1	-	-	-	-	1
Male.....	3	-	-	1	-	-	2	-	-	-	-	-	-
Female.....	4	-	1	1	-	-	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	2	1	-	-	1	-	-	-	-	-
Male.....	2	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	1	-	-	1	-	-	-	-	-
Sigmoid colon (C18.7)													
All races, both sexes.....	331	20	38	30	31	29	30	33	27	25	12	26	30
Male.....	171	10	20	20	16	15	21	15	8	13	6	15	12
Female.....	160	10	18	10	15	14	9	18	19	12	6	11	18
White, both sexes.....	287	19	34	27	25	27	25	28	24	20	12	21	25
Male.....	151	10	19	17	14	14	17	13	7	10	6	14	10
Female.....	136	9	15	10	11	13	8	15	17	10	6	7	15
Black, both sexes.....	26	1	3	1	3	2	2	3	2	3	-	5	1
Male.....	11	-	1	1	1	1	2	1	1	2	-	1	-
Female.....	15	1	2	-	2	1	-	2	1	1	-	4	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	1	2	3	-	3	2	1	2	-	-	4
Male.....	9	-	-	2	1	-	2	1	-	1	-	-	2
Female.....	9	-	1	-	2	-	1	1	1	1	-	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Colon, unspecified (C18.9)													
All races, both sexes.....	42,657	3,731	3,338	3,746	3,459	3,495	3,517	3,542	3,654	3,474	3,664	3,370	3,667
Male.....	21,156	1,872	1,659	1,809	1,724	1,783	1,748	1,751	1,747	1,712	1,876	1,644	1,831
Female.....	21,501	1,859	1,679	1,937	1,735	1,712	1,769	1,791	1,907	1,762	1,788	1,726	1,836
White, both sexes.....	35,906	3,121	2,799	3,178	2,928	2,969	2,958	2,964	3,071	2,927	3,095	2,826	3,070
Male.....	17,913	1,574	1,402	1,525	1,477	1,525	1,466	1,473	1,475	1,448	1,609	1,392	1,547
Female.....	17,993	1,547	1,397	1,653	1,451	1,444	1,492	1,491	1,596	1,479	1,486	1,434	1,523
Black, both sexes.....	5,738	523	449	492	452	461	481	501	482	455	487	454	501
Male.....	2,731	252	214	241	216	225	241	235	225	211	229	211	231
Female.....	3,007	271	235	251	236	236	240	266	257	244	258	243	270
American Indian 1/, both sexes.....	172	10	13	17	16	12	9	13	17	22	11	15	17
Male.....	91	7	6	11	9	6	4	7	5	13	4	7	12
Female.....	81	3	7	6	7	6	5	6	12	9	7	8	5
Asian or Pacific Islander 2/, both sexes.....	841	77	77	59	63	53	69	64	84	70	71	75	79
Male.....	421	39	37	32	22	27	37	36	42	40	34	34	41
Female.....	420	38	40	27	41	26	32	28	42	30	37	41	38
Malignant neoplasm of rectosigmoid junction (C19)													
All races, both sexes.....	2,490	219	193	216	195	197	195	212	215	210	220	207	211
Male.....	1,362	107	87	117	115	95	110	138	119	118	111	122	123
Female.....	1,128	112	106	99	80	102	85	74	96	92	109	85	88
White, both sexes.....	2,136	187	167	192	156	174	167	178	181	180	196	173	185
Male.....	1,164	89	80	105	90	84	89	119	104	102	95	103	104
Female.....	972	98	87	87	66	90	78	59	77	78	101	70	81
Black, both sexes.....	270	22	20	20	29	17	20	24	30	22	21	25	20
Male.....	145	12	5	9	19	7	17	13	11	12	13	12	15
Female.....	125	10	15	11	10	10	3	11	19	10	8	13	5
American Indian 1/, both sexes.....	16	-	1	3	1	2	1	3	-	2	1	2	-
Male.....	10	-	-	2	1	1	-	1	-	2	1	2	-
Female.....	6	-	1	1	-	1	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	68	10	5	1	9	4	7	7	4	6	2	7	6
Male.....	43	6	2	1	5	3	4	5	4	2	2	5	4
Female.....	25	4	3	-	4	1	3	2	-	4	-	2	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of rectum (C20)													
All races, both sexes.....	6,190	547	452	538	506	503	507	524	532	522	490	538	531
Male.....	3,491	299	250	314	289	276	285	301	279	300	284	313	301
Female.....	2,699	248	202	224	217	227	222	223	253	222	206	225	230
White, both sexes.....	5,294	466	381	470	428	433	434	454	449	449	421	459	450
Male.....	2,982	255	206	275	245	238	242	259	239	257	251	270	245
Female.....	2,312	211	175	195	183	195	192	195	210	192	170	189	205
Black, both sexes.....	685	66	54	55	61	58	62	50	60	59	52	54	54
Male.....	386	34	33	30	33	32	35	29	28	37	26	33	36
Female.....	299	32	21	25	28	26	27	21	32	22	26	21	18
American Indian 1/, both sexes.....	43	1	4	4	2	2	3	5	6	5	1	5	5
Male.....	31	1	4	3	1	1	2	4	5	3	1	3	3
Female.....	12	-	-	1	1	1	1	1	1	2	-	2	2
Asian or Pacific Islander 2/, both sexes.....	168	14	13	9	15	10	8	15	17	9	16	20	22
Male.....	92	9	7	6	10	5	6	9	7	3	6	7	17
Female.....	76	5	6	3	5	5	2	6	10	6	10	13	5
Malignant neoplasm of anus and anal canal (C21)													
All races, both sexes.....	583	52	24	47	51	56	54	55	42	49	47	47	59
Male.....	214	17	7	19	21	19	20	15	19	17	20	23	17
Female.....	369	35	17	28	30	37	34	40	23	32	27	24	42
White, both sexes.....	509	45	22	39	44	50	46	47	38	44	43	39	52
Male.....	183	13	7	15	18	17	16	13	16	16	19	19	14
Female.....	326	32	15	24	26	33	30	34	22	28	24	20	38
Black, both sexes.....	65	7	2	7	7	4	7	7	4	4	3	6	7
Male.....	27	4	-	3	3	1	4	2	3	1	-	3	3
Female.....	38	3	2	4	4	3	3	5	1	3	3	3	4
American Indian 1/, both sexes.....	5	-	-	1	-	-	1	1	-	1	-	1	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	2	-	-	-	-	1	1	-
Male.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of liver and intrahepatic bile ducts (C22)													
All races, both sexes.....	16,076	1,319	1,249	1,370	1,261	1,329	1,309	1,385	1,411	1,363	1,346	1,313	1,421
Male.....	10,548	853	821	896	837	862	829	911	929	904	882	866	958
Female.....	5,528	466	428	474	424	467	480	474	482	459	464	447	463
White, both sexes.....	12,735	1,030	976	1,087	980	1,073	1,062	1,090	1,136	1,092	1,058	1,041	1,110
Male.....	8,278	654	637	698	653	691	670	710	744	718	681	680	742
Female.....	4,457	376	339	389	327	382	392	380	392	374	377	361	368
Black, both sexes.....	2,118	176	163	186	180	165	154	192	182	185	168	165	202
Male.....	1,483	122	110	135	122	109	99	138	128	137	120	115	148
Female.....	635	54	53	51	58	56	55	54	54	48	48	50	54
American Indian 1/, both sexes.....	119	11	8	10	11	9	15	15	10	10	6	6	8
Male.....	73	7	5	6	9	9	11	8	5	5	1	4	3
Female.....	46	4	3	4	2	-	4	7	5	5	5	2	5
Asian or Pacific Islander 2/, both sexes.....	1,104	102	102	87	90	82	78	88	83	76	114	101	101
Male.....	714	70	69	57	53	53	49	55	52	44	80	67	65
Female.....	390	32	33	30	37	29	29	33	31	32	34	34	36
Liver cell carcinoma (C22.0)													
All races, both sexes.....	6,528	546	520	560	465	557	527	569	568	569	555	502	590
Male.....	4,997	414	398	434	355	417	394	449	428	433	426	391	458
Female.....	1,531	132	122	126	110	140	133	120	140	136	129	111	132
White, both sexes.....	4,936	414	387	420	335	435	415	421	439	442	419	368	441
Male.....	3,785	311	299	330	261	329	303	330	336	337	316	289	344
Female.....	1,151	103	88	90	74	106	112	91	103	105	103	79	97
Black, both sexes.....	969	77	74	91	75	77	65	99	82	81	78	71	99
Male.....	774	62	54	72	60	58	52	84	62	68	65	56	81
Female.....	195	15	20	19	15	19	13	15	20	13	13	15	18
American Indian 1/, both sexes.....	48	6	4	4	5	3	7	6	4	1	-	3	5
Male.....	35	5	4	2	3	3	7	4	2	-	-	2	3
Female.....	13	1	-	2	2	-	-	2	2	1	-	1	2
Asian or Pacific Islander 2/, both sexes.....	575	49	55	45	50	42	40	43	43	45	58	60	45
Male.....	403	36	41	30	31	27	32	31	28	28	45	44	30
Female.....	172	13	14	15	19	15	8	12	15	17	13	16	15

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Angiosarcoma of liver (C22.3)													
All races, both sexes.....	23	3	2	2	2	3	1	1	4	1	1	-	3
Male.....	18	2	2	2	2	2	1	1	2	1	-	-	3
Female.....	5	1	-	-	-	1	-	-	2	-	1	-	-
White, both sexes.....	20	2	2	1	2	3	1	1	3	1	1	-	3
Male.....	16	2	2	1	2	2	1	1	1	1	-	-	3
Female.....	4	-	-	-	-	1	-	-	2	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	1	-	-	-	-	1	-	-	-	-
Male.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Other sarcomas of liver (C22.4)													
All races, both sexes.....	4	1	-	1	-	-	-	-	-	1	1	-	-
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified carcinomas of liver (C22.7)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Liver, unspecified (C22.9)													
All races, both sexes.....	5,957	476	449	500	491	485	460	506	521	509	495	525	540
Male.....	3,731	283	282	310	325	296	280	304	330	334	315	320	352
Female.....	2,226	193	167	190	166	189	180	202	191	175	180	205	188
White, both sexes.....	4,743	369	351	404	387	387	375	404	418	407	388	422	431
Male.....	2,950	214	219	246	254	234	234	242	261	265	248	252	281
Female.....	1,793	155	132	158	133	153	141	162	157	142	140	170	150
Black, both sexes.....	829	72	68	62	73	67	61	64	69	78	67	77	71
Male.....	548	47	45	42	49	37	36	42	49	54	45	54	48
Female.....	281	25	23	20	24	30	25	22	20	24	22	23	23
American Indian 1/, both sexes.....	45	3	2	3	5	4	5	6	4	5	4	3	1
Male.....	26	1	1	2	5	4	3	2	2	3	1	2	-
Female.....	19	2	1	1	-	-	2	4	2	2	3	1	1
Asian or Pacific Islander 2/, both sexes.....	340	32	28	31	26	27	19	32	30	19	36	23	37
Male.....	207	21	17	20	17	21	7	18	18	12	21	12	23
Female.....	133	11	11	11	9	6	12	14	12	7	15	11	14

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of gallbladder (C23)													
All races, both sexes.....	1,989	174	142	158	196	181	160	174	167	157	143	166	171
Male.....	584	62	43	47	54	49	49	50	42	46	42	44	56
Female.....	1,405	112	99	111	142	132	111	124	125	111	101	122	115
White, both sexes.....	1,664	141	121	130	164	144	133	143	145	129	127	143	144
Male.....	481	51	36	37	45	39	41	43	35	37	36	40	41
Female.....	1,183	90	85	93	119	105	92	100	110	92	91	103	103
Black, both sexes.....	234	22	16	23	17	23	21	25	20	23	10	14	20
Male.....	74	8	6	8	4	6	5	5	6	7	4	3	12
Female.....	160	14	10	15	13	17	16	20	14	16	6	11	8
American Indian 1/, both sexes.....	18	-	2	-	3	2	2	2	-	2	2	2	1
Male.....	5	-	1	-	1	-	1	1	-	1	-	-	-
Female.....	13	-	1	-	2	2	1	1	-	1	2	2	1
Asian or Pacific Islander 2/, both sexes.....	73	11	3	5	12	12	4	4	2	3	4	7	6
Male.....	24	3	-	2	4	4	2	1	1	1	2	1	3
Female.....	49	8	3	3	8	8	2	3	1	2	2	6	3
Malignant neoplasm of other and unspecified parts of biliary tract (C24)													
All races, both sexes.....	1,464	135	100	124	127	121	116	148	124	108	128	107	126
Male.....	688	64	44	58	58	48	53	73	51	56	69	57	57
Female.....	776	71	56	66	69	73	63	75	73	52	59	50	69
White, both sexes.....	1,299	125	85	103	112	108	98	128	112	101	119	94	114
Male.....	609	58	38	50	52	43	46	61	45	51	65	49	51
Female.....	690	67	47	53	60	65	52	67	67	50	54	45	63
Black, both sexes.....	111	4	10	16	9	6	16	13	7	4	7	10	9
Male.....	49	2	4	6	3	2	6	6	4	3	2	7	4
Female.....	62	2	6	10	6	4	10	7	3	1	5	3	5
American Indian 1/, both sexes.....	5	2	-	1	-	1	-	-	-	-	-	-	1
Male.....	3	1	-	1	-	-	-	-	-	-	-	-	1
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	49	4	5	4	6	6	2	7	5	3	2	3	2
Male.....	27	3	2	1	3	3	1	6	2	2	2	1	1
Female.....	22	1	3	3	3	3	1	1	3	1	-	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Extrahepatic bile duct (C24.0)													
All races, both sexes.....	679	66	42	50	55	55	56	75	57	53	65	44	61
Male.....	317	35	16	23	26	17	29	35	22	28	38	22	26
Female.....	362	31	26	27	29	38	27	40	35	25	27	22	35
White, both sexes.....	607	61	36	41	49	51	48	65	52	50	60	40	54
Male.....	284	32	13	20	24	16	26	29	20	26	35	21	22
Female.....	323	29	23	21	25	35	22	36	32	24	25	19	32
Black, both sexes.....	50	3	4	7	3	4	7	6	3	1	3	3	6
Male.....	20	1	1	3	1	1	3	3	2	-	1	1	3
Female.....	30	2	3	4	2	3	4	3	1	1	2	2	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	2	2	2	3	-	1	4	2	2	2	1	1
Male.....	13	2	2	-	1	-	-	3	-	2	2	-	1
Female.....	9	-	-	2	2	-	1	1	2	-	-	1	-
Ampulla of Vater (C24.1)													
All races, both sexes.....	159	16	9	14	11	15	15	15	13	13	12	12	14
Male.....	90	11	4	7	8	6	8	9	6	8	9	9	5
Female.....	69	5	5	7	3	9	7	6	7	5	3	3	9
White, both sexes.....	140	15	8	10	9	11	15	13	12	12	12	11	12
Male.....	81	10	4	5	7	5	8	8	5	7	9	9	4
Female.....	59	5	4	5	2	6	7	5	7	5	3	2	8
Black, both sexes.....	12	1	-	3	2	1	-	2	1	1	-	-	1
Male.....	6	1	-	1	1	-	-	1	1	1	-	-	-
Female.....	6	-	-	2	1	1	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	1	-	3	-	-	-	-	-	1	-
Male.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	4	-	1	-	-	2	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of biliary tract (C24.8)													
All races, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Biliary tract, unspecified (C24.9)													
All races, both sexes.....	624	52	49	60	61	51	45	58	54	42	51	51	50
Male.....	280	17	24	28	24	25	16	29	23	20	22	26	26
Female.....	344	35	25	32	37	26	29	29	31	22	29	25	24
White, both sexes.....	550	48	41	52	54	46	35	50	48	39	47	43	47
Male.....	243	15	21	25	21	22	12	24	20	18	21	19	25
Female.....	307	33	20	27	33	24	23	26	28	21	26	24	22
Black, both sexes.....	49	-	6	6	4	1	9	5	3	2	4	7	2
Male.....	23	-	3	2	1	1	3	2	1	2	1	6	1
Female.....	26	-	3	4	3	-	6	3	2	-	3	1	1
American Indian 1/, both sexes.....	4	2	-	1	-	1	-	-	-	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	2	2	1	3	3	1	3	3	1	-	1	1
Male.....	12	1	-	-	2	2	1	3	2	-	-	1	-
Female.....	9	1	2	1	1	1	-	-	1	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of pancreas (C25)													
All races, both sexes.....	32,760	2,691	2,549	2,801	2,720	2,733	2,654	2,722	2,858	2,690	2,785	2,661	2,896
Male.....	16,147	1,324	1,285	1,393	1,359	1,311	1,349	1,327	1,402	1,290	1,359	1,293	1,455
Female.....	16,613	1,367	1,264	1,408	1,361	1,422	1,305	1,395	1,456	1,400	1,426	1,368	1,441
White, both sexes.....	28,092	2,323	2,197	2,398	2,357	2,327	2,264	2,332	2,435	2,312	2,395	2,251	2,501
Male.....	13,958	1,159	1,119	1,219	1,177	1,135	1,155	1,133	1,189	1,127	1,187	1,101	1,257
Female.....	14,134	1,164	1,078	1,179	1,180	1,192	1,109	1,199	1,246	1,185	1,208	1,150	1,244
Black, both sexes.....	3,783	292	294	337	303	320	308	294	337	306	318	342	332
Male.....	1,756	127	137	141	149	134	151	150	168	127	139	165	168
Female.....	2,027	165	157	196	154	186	157	144	169	179	179	177	164
American Indian 1/, both sexes.....	133	11	10	6	7	13	15	16	13	10	10	10	12
Male.....	73	7	8	5	2	7	7	7	9	4	4	7	6
Female.....	60	4	2	1	5	6	8	9	4	6	6	3	6
Asian or Pacific Islander 2/, both sexes.....	752	65	48	60	53	73	67	80	73	62	62	58	51
Male.....	360	31	21	28	31	35	36	37	36	32	29	20	24
Female.....	392	34	27	32	22	38	31	43	37	30	33	38	27
Head of pancreas (C25.0)													
All races, both sexes.....	113	13	10	11	5	8	15	5	12	8	13	6	7
Male.....	49	9	2	7	2	3	7	2	3	3	4	3	4
Female.....	64	4	8	4	3	5	8	3	9	5	9	3	3
White, both sexes.....	93	9	8	11	5	6	13	3	11	6	10	5	6
Male.....	43	5	1	7	2	3	7	2	2	3	4	3	4
Female.....	50	4	7	4	3	3	6	1	9	3	6	2	2
Black, both sexes.....	16	4	2	-	-	1	1	1	-	2	3	1	1
Male.....	5	4	1	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	1	-	-	1	1	1	-	2	3	1	1
American Indian 1/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pancreatic duct (C25.3)													
All races, both sexes.....	18	2	2	3	1	4	2	-	1	-	-	-	3
Male.....	6	-	1	2	-	2	-	-	1	-	-	-	-
Female.....	12	2	1	1	1	2	2	-	-	-	-	-	3
White, both sexes.....	17	1	2	3	1	4	2	-	1	-	-	-	3
Male.....	6	-	1	2	-	2	-	-	1	-	-	-	-
Female.....	11	1	1	1	1	2	2	-	-	-	-	-	3
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Endocrine pancreas (C25.4)													
All races, both sexes.....	104	8	10	11	6	12	8	7	5	4	13	12	8
Male.....	57	3	6	7	6	7	4	4	5	2	7	2	4
Female.....	47	5	4	4	-	5	4	3	-	2	6	10	4
White, both sexes.....	90	7	8	10	6	9	5	7	5	4	11	10	8
Male.....	51	3	6	6	6	4	3	4	5	2	7	1	4
Female.....	39	4	2	4	-	5	2	3	-	2	4	9	4
Black, both sexes.....	10	-	2	1	-	3	2	-	-	-	-	2	-
Male.....	5	-	-	1	-	3	-	-	-	-	-	1	-
Female.....	5	-	2	-	-	-	2	-	-	-	-	1	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	-	-	2	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pancreas, unspecified (C25.9)													
All races, both sexes.....	32,499	2,664	2,525	2,772	2,706	2,706	2,626	2,709	2,838	2,676	2,757	2,643	2,877
Male.....	16,023	1,310	1,275	1,375	1,350	1,297	1,336	1,321	1,392	1,284	1,348	1,288	1,447
Female.....	16,476	1,354	1,250	1,397	1,356	1,409	1,290	1,388	1,446	1,392	1,409	1,355	1,430
White, both sexes.....	27,871	2,302	2,178	2,371	2,343	2,305	2,243	2,321	2,416	2,300	2,373	2,236	2,483
Male.....	13,848	1,149	1,111	1,202	1,168	1,124	1,144	1,127	1,180	1,121	1,176	1,097	1,249
Female.....	14,023	1,153	1,067	1,169	1,175	1,181	1,099	1,194	1,236	1,179	1,197	1,139	1,234
Black, both sexes.....	3,751	287	289	335	303	316	303	293	337	304	314	339	331
Male.....	1,744	123	135	140	149	131	150	150	168	127	139	164	168
Female.....	2,007	164	154	195	154	185	153	143	169	177	175	175	163
American Indian 1/, both sexes.....	130	10	10	6	7	12	14	16	13	10	10	10	12
Male.....	73	7	8	5	2	7	7	7	9	4	4	7	6
Female.....	57	3	2	1	5	5	7	9	4	6	6	3	6
Asian or Pacific Islander 2/, both sexes.....	747	65	48	60	53	73	66	79	72	62	60	58	51
Male.....	358	31	21	28	31	35	35	37	35	32	29	20	24
Female.....	389	34	27	32	22	38	31	42	37	30	31	38	27
Malignant neoplasm of other and ill-defined digestive organs (C26)													
All races, both sexes.....	1,026	91	82	87	73	82	93	78	87	89	89	79	96
Male.....	517	45	42	40	36	41	52	30	49	43	51	31	57
Female.....	509	46	40	47	37	41	41	48	38	46	38	48	39
White, both sexes.....	880	80	73	74	60	68	81	69	79	79	74	61	82
Male.....	434	37	36	36	29	33	43	26	44	37	43	22	48
Female.....	446	43	37	38	31	35	38	43	35	42	31	39	34
Black, both sexes.....	119	9	7	11	12	11	9	6	7	8	13	15	11
Male.....	63	7	5	3	7	6	6	2	4	4	7	6	6
Female.....	56	2	2	8	5	5	3	4	3	4	6	9	5
American Indian 1/, both sexes.....	9	1	-	-	1	1	1	3	-	-	-	1	1
Male.....	5	-	-	-	-	-	1	2	-	-	-	1	1
Female.....	4	1	-	-	1	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	1	2	2	-	2	2	-	1	2	2	2	2
Male.....	15	1	1	1	-	2	2	-	1	2	1	2	2
Female.....	3	-	1	1	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Middle ear (C30.1)													
All races, both sexes.....	7	3	-	1	-	1	-	1	-	-	-	-	1
Male.....	3	1	-	-	-	-	-	1	-	-	-	-	1
Female.....	4	2	-	1	-	1	-	-	-	-	-	-	-
White, both sexes.....	7	3	-	1	-	1	-	1	-	-	-	-	1
Male.....	3	1	-	-	-	-	-	1	-	-	-	-	1
Female.....	4	2	-	1	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of accessory sinuses (C31)													
All races, both sexes.....	440	37	38	37	39	38	28	31	41	35	37	37	42
Male.....	269	20	25	18	23	22	20	17	31	21	21	26	25
Female.....	171	17	13	19	16	16	8	14	10	14	16	11	17
White, both sexes.....	365	32	32	35	35	31	17	24	37	33	29	26	34
Male.....	219	19	20	18	20	15	12	13	27	20	18	18	19
Female.....	146	13	12	17	15	16	5	11	10	13	11	8	15
Black, both sexes.....	55	5	3	-	3	6	8	6	2	2	7	5	8
Male.....	38	1	3	-	2	6	7	3	2	1	3	4	6
Female.....	17	4	-	-	1	-	1	3	-	1	4	1	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	3	2	1	1	2	1	2	-	1	5	-
Male.....	11	-	2	-	1	1	1	1	2	-	-	3	-
Female.....	7	-	1	2	-	-	1	-	-	-	1	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accessory sinus, unspecified (C31.9)													
All races, both sexes.....	232	19	22	19	18	25	16	12	19	18	22	17	25
Male.....	142	11	16	11	11	12	12	7	13	8	14	11	16
Female.....	90	8	6	8	7	13	4	5	6	10	8	6	9
White, both sexes.....	196	16	19	19	16	20	9	11	18	17	18	13	20
Male.....	116	10	14	11	9	7	6	12	8	12	8	8	12
Female.....	80	6	5	8	7	13	2	5	6	9	6	5	8
Black, both sexes.....	24	3	1	-	1	4	5	-	1	1	3	-	5
Male.....	18	1	1	-	1	4	4	-	1	-	2	-	4
Female.....	6	2	-	-	-	1	-	-	-	1	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	2	-	1	1	2	1	-	-	1	3	-
Male.....	7	-	1	-	1	1	1	1	-	-	-	2	-
Female.....	4	-	1	-	-	-	1	-	-	-	1	1	-
Malignant neoplasm of larynx (C32)													
All races, both sexes.....	3,797	334	300	322	301	327	318	310	319	304	314	296	352
Male.....	2,983	259	238	248	238	251	249	242	253	241	253	235	276
Female.....	814	75	62	74	63	76	69	68	66	63	61	61	76
White, both sexes.....	3,060	270	240	267	244	243	260	257	260	239	267	230	283
Male.....	2,388	203	191	206	192	184	201	201	209	190	212	180	219
Female.....	672	67	49	61	52	59	59	56	51	49	55	50	64
Black, both sexes.....	680	57	57	50	52	79	54	51	50	62	41	63	64
Male.....	548	49	44	38	44	62	46	39	38	49	35	52	52
Female.....	132	8	13	12	8	17	8	12	12	13	6	11	12
American Indian 1/, both sexes.....	21	3	1	1	3	2	3	1	2	2	1	1	1
Male.....	17	3	1	1	1	2	2	1	1	2	1	1	1
Female.....	4	-	-	-	2	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	36	4	2	4	2	3	1	1	7	1	5	2	4
Male.....	30	4	2	3	1	3	-	1	5	-	5	2	4
Female.....	6	-	-	1	1	-	1	-	2	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Glottis (C32.0)													
All races, both sexes.....	90	8	6	12	6	5	12	9	7	8	6	5	6
Male.....	72	8	3	8	5	5	8	6	7	6	5	5	6
Female.....	18	-	3	4	1	-	4	3	-	2	1	-	-
White, both sexes.....	78	7	6	11	4	5	11	7	4	8	5	5	5
Male.....	61	7	3	7	3	5	8	4	4	6	4	5	5
Female.....	17	-	3	4	1	-	3	3	-	2	1	-	-
Black, both sexes.....	10	1	-	-	2	-	-	2	3	-	1	-	1
Male.....	10	1	-	-	2	-	-	2	3	-	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Supraglottis (C32.1)													
All races, both sexes.....	193	19	12	15	17	20	15	20	25	12	11	13	14
Male.....	131	10	10	7	14	15	9	16	16	6	10	10	8
Female.....	62	9	2	8	3	5	6	4	9	6	1	3	6
White, both sexes.....	161	19	8	12	15	13	13	18	21	10	8	11	13
Male.....	106	10	8	5	13	9	7	14	13	5	7	8	7
Female.....	55	9	-	7	2	4	6	4	8	5	1	3	6
Black, both sexes.....	26	-	2	3	1	6	2	2	2	2	3	2	1
Male.....	21	-	-	2	1	5	2	2	2	1	3	2	1
Female.....	5	-	2	1	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	2	-	-	-	-	-	2	-	-	-	-
Male.....	3	-	2	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bronchus or lung, unspecified (C34.9)													
All races, both sexes.....	158,369	13,839	12,677	13,876	13,090	13,252	12,418	12,978	13,006	13,038	13,425	13,060	13,710
Male.....	89,634	7,908	7,161	7,827	7,431	7,518	6,997	7,385	7,343	7,409	7,600	7,311	7,744
Female.....	68,735	5,931	5,516	6,049	5,659	5,734	5,421	5,593	5,663	5,629	5,825	5,749	5,966
White, both sexes.....	138,620	12,165	11,064	12,168	11,466	11,641	10,859	11,354	11,309	11,430	11,742	11,420	12,002
Male.....	77,886	6,918	6,204	6,823	6,469	6,581	6,093	6,415	6,315	6,438	6,578	6,328	6,724
Female.....	60,734	5,247	4,860	5,345	4,997	5,060	4,766	4,939	4,994	4,992	5,164	5,092	5,278
Black, both sexes.....	16,488	1,393	1,347	1,439	1,376	1,339	1,299	1,357	1,425	1,335	1,421	1,346	1,411
Male.....	9,842	834	796	836	818	793	760	812	864	815	864	799	851
Female.....	6,646	559	551	603	558	546	539	545	561	520	557	547	560
American Indian 1/, both sexes.....	670	56	51	56	52	60	51	56	50	46	56	66	70
Male.....	355	32	26	32	25	26	26	29	30	21	31	42	35
Female.....	315	24	25	24	27	34	25	27	20	25	25	24	35
Asian or Pacific Islander 2/, both sexes.....	2,591	225	215	213	196	212	209	211	222	227	206	228	227
Male.....	1,551	124	135	136	119	118	118	129	134	135	127	142	134
Female.....	1,040	101	80	77	77	94	91	82	88	92	79	86	93
Malignant neoplasm of thymus (C37)													
All races, both sexes.....	193	21	15	10	17	16	19	8	18	17	19	14	19
Male.....	109	11	12	5	10	10	13	3	10	9	10	7	9
Female.....	84	10	3	5	7	6	6	5	8	8	9	7	10
White, both sexes.....	150	16	11	6	15	12	15	8	13	11	14	13	16
Male.....	90	8	9	3	10	8	10	3	8	7	8	7	9
Female.....	60	8	2	3	5	4	5	5	4	4	6	6	7
Black, both sexes.....	35	5	3	4	1	3	4	-	3	6	3	1	2
Male.....	18	3	3	2	-	2	3	-	2	2	1	-	-
Female.....	17	2	-	2	1	1	1	-	1	4	2	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	1	-	1	1	-	-	2	-	2	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	7	-	1	-	1	1	-	-	2	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Anterior mediastinum (C38.1)													
All races, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Mediastinum, part unspecified (C38.3)													
All races, both sexes.....	99	9	6	9	7	7	6	10	8	8	7	9	13
Male.....	51	6	1	4	6	2	-	7	4	2	5	8	6
Female.....	48	3	5	5	1	5	6	3	4	6	2	1	7
White, both sexes.....	85	8	6	7	6	5	6	8	6	8	6	8	11
Male.....	43	5	1	4	5	-	-	6	4	2	4	7	5
Female.....	42	3	5	3	1	5	6	2	2	6	2	1	6
Black, both sexes.....	6	-	-	2	1	1	-	-	1	-	-	-	1
Male.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	4	-	-	2	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	-	-	-	1	-	2	1	-	1	1	1
Male.....	6	1	-	-	-	1	-	1	-	-	1	1	1
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mandible (C41.1)													
All races, both sexes.....	105	8	9	6	16	9	5	9	10	7	16	2	8
Male.....	58	3	6	3	8	7	2	6	6	3	9	1	4
Female.....	47	5	3	3	8	2	3	3	4	4	7	1	4
White, both sexes.....	93	6	8	5	14	8	4	9	9	7	14	1	8
Male.....	54	3	5	2	7	7	2	6	5	3	9	1	4
Female.....	39	3	3	3	7	1	2	3	4	4	5	-	4
Black, both sexes.....	11	2	1	-	2	1	1	-	1	-	2	1	-
Male.....	3	-	1	-	1	-	-	-	1	-	-	-	-
Female.....	8	2	-	-	1	1	1	-	-	-	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Vertebral column (C41.2)													
All races, both sexes.....	115	12	11	12	6	9	4	6	15	9	12	11	8
Male.....	65	7	8	6	3	6	2	2	9	5	6	6	5
Female.....	50	5	3	6	3	3	2	4	6	4	6	5	3
White, both sexes.....	96	10	11	9	5	6	3	5	13	9	8	9	8
Male.....	55	6	8	4	2	4	2	2	7	5	5	5	5
Female.....	41	4	3	5	3	2	1	3	6	4	3	4	3
Black, both sexes.....	13	1	-	2	1	2	1	1	1	-	3	1	-
Male.....	6	-	-	2	1	2	-	-	1	-	-	-	-
Female.....	7	1	-	-	-	-	1	1	-	-	3	1	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	1	-	1	-	-	1	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ribs, sternum, and clavicle (C41.3)													
All races, both sexes.....	7	3	-	-	-	1	1	-	-	1	-	1	-
Male.....	3	1	-	-	-	-	-	-	-	1	-	1	-
Female.....	4	2	-	-	-	1	1	-	-	-	-	-	-
White, both sexes.....	7	3	-	-	-	1	1	-	-	1	-	1	-
Male.....	3	1	-	-	-	-	-	-	-	1	-	1	-
Female.....	4	2	-	-	-	1	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic bones, sacrum, and coccyx (C41.4)													
All races, both sexes.....	63	4	10	5	6	3	2	4	8	5	4	6	6
Male.....	32	3	1	4	2	3	2	2	4	4	2	2	3
Female.....	31	1	9	1	4	-	-	2	4	1	2	4	3
White, both sexes.....	55	3	9	5	5	3	1	4	7	5	3	5	5
Male.....	29	2	1	4	2	3	1	2	4	4	2	1	3
Female.....	26	1	8	1	3	-	-	2	3	1	1	4	2
Black, both sexes.....	6	1	1	-	1	-	1	-	-	-	-	1	1
Male.....	3	1	-	-	-	-	1	-	-	-	-	1	-
Female.....	3	-	1	-	1	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of bone and articular cartilage (C41.8)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bone and articular cartilage, unspecified (C41.9)													
All races, both sexes.....	958	91	77	69	85	70	84	85	69	86	85	82	75
Male.....	557	51	38	38	52	37	56	48	45	45	55	51	41
Female.....	401	40	39	31	33	33	28	37	24	41	30	31	34
White, both sexes.....	835	79	64	64	76	61	76	72	58	74	77	70	64
Male.....	487	45	32	36	47	33	51	42	39	38	48	42	34
Female.....	348	34	32	28	29	28	25	30	19	36	29	28	30
Black, both sexes.....	102	9	11	4	8	8	7	11	11	11	6	9	7
Male.....	60	4	6	2	5	4	4	6	6	6	6	7	4
Female.....	42	5	5	2	3	4	3	5	5	5	-	2	3
American Indian 1/, both sexes.....	4	1	-	-	-	-	1	-	-	-	-	1	1
Male.....	4	1	-	-	-	-	1	-	-	-	-	1	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	2	2	1	1	1	-	2	-	1	2	2	3
Male.....	6	1	-	-	-	-	-	-	-	1	1	1	2
Female.....	11	1	2	1	1	1	-	2	-	-	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant melanoma of skin, unspecified (C43.9)													
All races, both sexes.....	7,730	671	580	602	632	626	651	646	650	645	649	676	702
Male.....	4,888	431	369	377	392	382	394	418	427	396	424	412	466
Female.....	2,842	240	211	225	240	244	257	228	223	249	225	264	236
White, both sexes.....	7,548	660	569	590	614	612	638	622	642	627	633	655	686
Male.....	4,795	426	361	372	385	377	387	406	423	385	413	403	457
Female.....	2,753	234	208	218	229	235	251	216	219	242	220	252	229
Black, both sexes.....	113	5	6	8	12	6	10	15	5	12	10	16	8
Male.....	53	2	5	3	5	1	6	7	2	6	7	6	3
Female.....	60	3	1	5	7	5	4	8	3	6	3	10	5
American Indian 1/, both sexes.....	20	2	2	-	-	3	2	3	2	2	1	1	2
Male.....	15	2	1	-	-	3	1	2	1	2	-	1	2
Female.....	5	-	1	-	-	-	1	1	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	49	4	3	4	6	5	1	6	1	4	5	4	6
Male.....	25	1	2	2	2	1	-	3	1	3	4	2	4
Female.....	24	3	1	2	4	4	1	3	-	1	1	2	2
Other malignant neoplasms of skin (C44)													
All races, both sexes.....	2,453	206	184	233	200	197	179	181	221	209	225	205	213
Male.....	1,732	137	124	158	137	144	132	129	166	143	166	143	153
Female.....	721	69	60	75	63	53	47	52	55	66	59	62	60
White, both sexes.....	2,273	186	169	212	181	185	171	170	209	192	211	193	194
Male.....	1,614	125	118	146	123	138	127	121	157	129	155	134	141
Female.....	659	61	51	66	58	47	44	49	52	63	56	59	53
Black, both sexes.....	147	18	12	18	16	7	6	9	10	16	10	9	16
Male.....	100	11	6	10	13	3	5	7	8	13	7	8	9
Female.....	47	7	6	8	3	4	1	2	2	3	3	1	7
American Indian 1/, both sexes.....	10	1	1	1	2	1	-	1	-	1	-	1	1
Male.....	6	-	-	-	1	1	-	1	-	1	-	1	1
Female.....	4	1	1	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	1	2	2	1	4	2	1	2	-	4	2	2
Male.....	12	1	-	2	-	2	-	-	1	-	4	-	2
Female.....	11	-	2	-	1	2	2	1	1	-	-	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of skin, unspecified (C44.9)													
All races, both sexes.....	956	77	78	90	82	74	65	80	90	88	79	77	76
Male.....	642	45	51	58	50	50	47	58	64	59	56	53	51
Female.....	314	32	27	32	32	24	18	22	26	29	23	24	25
White, both sexes.....	924	75	74	85	79	71	64	78	88	83	76	77	74
Male.....	624	44	49	55	49	50	46	56	63	55	53	53	51
Female.....	300	31	25	30	30	21	18	22	25	28	23	24	23
Black, both sexes.....	23	2	3	5	1	1	1	1	2	4	1	-	2
Male.....	14	1	2	3	1	-	1	1	1	3	1	-	-
Female.....	9	1	1	2	-	1	-	-	1	1	-	-	2
American Indian 1/, both sexes.....	3	-	-	-	1	-	-	1	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	1	2	-	-	-	-	2	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Female.....	4	-	1	-	1	2	-	-	-	-	-	-	-
Mesothelioma (C45)													
All races, both sexes.....	2,553	227	171	238	189	214	203	224	230	198	203	227	229
Male.....	2,018	177	139	186	144	160	157	192	196	163	167	172	165
Female.....	535	50	32	52	45	54	46	32	34	35	36	55	64
White, both sexes.....	2,423	214	163	228	177	203	182	218	219	194	192	210	223
Male.....	1,916	166	131	177	136	151	146	187	185	160	158	158	161
Female.....	507	48	32	51	41	52	36	31	34	34	34	52	62
Black, both sexes.....	103	9	7	9	9	7	18	3	9	4	9	15	4
Male.....	80	7	7	8	6	6	9	3	9	3	8	12	2
Female.....	23	2	-	1	3	1	9	-	-	1	1	3	2
American Indian 1/, both sexes.....	4	1	-	-	-	1	-	-	-	-	1	-	1
Male.....	3	1	-	-	-	1	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	23	3	1	1	3	3	3	3	2	-	1	2	1
Male.....	19	3	1	1	2	2	2	2	2	-	1	2	1
Female.....	4	-	-	-	1	1	1	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mesothelioma of pericardium (C45.2)													
All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Mesothelioma of other sites (C45.7)													
All races, both sexes.....	306	39	15	32	27	27	27	19	22	24	20	26	28
Male.....	241	33	8	25	21	17	20	17	19	19	18	23	21
Female.....	65	6	7	7	6	10	7	2	3	5	2	3	7
White, both sexes.....	292	35	12	32	27	27	23	19	21	24	19	25	28
Male.....	231	29	5	25	21	17	18	17	18	19	18	23	21
Female.....	61	6	7	7	6	10	5	2	3	5	1	2	7
Black, both sexes.....	10	2	2	-	-	-	3	-	1	-	1	1	-
Male.....	7	2	2	-	-	-	2	-	1	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	1	1	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	1	-	-	-	1	-	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peripheral nerves and autonomic nervous system, unspecified (C47.9)													
All races, both sexes.....	89	5	11	5	4	6	4	9	9	8	12	8	8
Male.....	53	3	6	3	3	5	1	4	5	4	8	4	7
Female.....	36	2	5	2	1	1	3	5	4	4	4	4	1
White, both sexes.....	70	3	8	4	3	5	4	7	8	7	10	6	5
Male.....	42	3	3	3	3	4	1	3	4	4	6	4	4
Female.....	28	-	5	1	-	1	3	4	4	3	4	2	1
Black, both sexes.....	16	2	3	1	1	1	-	1	-	1	2	2	2
Male.....	8	-	3	-	-	1	-	-	-	-	2	-	2
Female.....	8	2	-	1	1	-	-	1	-	1	-	2	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of retroperitoneum and peritoneum (C48)													
All races, both sexes.....	886	69	60	79	79	75	71	69	82	76	79	68	79
Male.....	175	11	8	10	16	18	18	16	18	17	14	13	16
Female.....	711	58	52	69	63	57	53	53	64	59	65	55	63
White, both sexes.....	797	60	54	75	74	68	63	63	74	64	72	62	68
Male.....	157	8	8	10	15	16	16	13	16	16	12	13	14
Female.....	640	52	46	65	59	52	47	50	58	48	60	49	54
Black, both sexes.....	63	5	5	4	3	3	7	4	6	8	5	5	8
Male.....	14	2	-	-	1	1	2	3	2	1	-	-	2
Female.....	49	3	5	4	2	2	5	1	4	7	5	5	6
American Indian 1/, both sexes.....	5	2	-	-	1	-	-	1	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	1	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	2	1	-	1	4	1	1	1	4	2	1	3
Male.....	3	-	-	-	-	1	-	-	-	-	2	-	-
Female.....	18	2	1	-	1	3	1	1	1	4	-	1	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peritoneum, unspecified (C48.2)													
All races, both sexes.....	623	47	43	59	58	55	39	55	58	46	62	52	49
Male.....	40	2	1	1	3	6	4	9	5	1	4	3	1
Female.....	583	45	42	58	55	49	35	46	53	45	58	49	48
White, both sexes.....	566	44	38	56	54	49	36	50	52	39	57	48	43
Male.....	34	2	1	1	3	5	3	7	3	1	4	3	1
Female.....	532	42	37	55	51	44	33	43	49	38	53	45	42
Black, both sexes.....	39	2	4	3	2	3	2	3	5	4	5	3	3
Male.....	6	-	-	-	-	1	1	2	2	-	-	-	-
Female.....	33	2	4	3	2	2	1	1	3	4	5	3	3
American Indian 1/, both sexes.....	3	-	-	-	1	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	1	1	-	1	3	1	1	-	3	-	1	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	15	1	1	-	1	3	1	1	-	3	-	1	3
Malignant neoplasm of other connective and soft tissue (C49)													
All races, both sexes.....	3,676	286	287	313	318	332	296	295	281	304	286	314	364
Male.....	1,844	140	127	165	167	183	155	146	141	157	133	156	174
Female.....	1,832	146	160	148	151	149	141	149	140	147	153	158	190
White, both sexes.....	3,123	242	241	271	264	282	260	260	236	253	242	268	304
Male.....	1,593	117	111	146	145	155	132	131	119	134	116	136	151
Female.....	1,530	125	130	125	119	127	128	129	117	119	126	132	153
Black, both sexes.....	415	29	39	36	39	32	26	28	31	42	34	33	46
Male.....	177	12	13	16	15	17	15	11	15	19	13	14	17
Female.....	238	17	26	20	24	15	11	17	16	23	21	19	29
American Indian 1/, both sexes.....	19	1	1	-	3	3	2	-	3	3	-	2	1
Male.....	10	1	1	-	2	2	1	-	1	1	-	1	-
Female.....	9	-	-	-	1	1	1	-	2	2	-	1	1
Asian or Pacific Islander 2/, both sexes.....	119	14	6	6	12	15	8	7	11	6	10	11	13
Male.....	64	10	2	3	5	9	7	4	6	3	4	5	6
Female.....	55	4	4	3	7	6	1	3	5	3	6	6	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Connective and soft tissue of abdomen (C49.4)													
All races, both sexes.....	279	25	16	19	23	31	25	26	19	23	22	27	23
Male.....	150	11	6	10	11	23	13	11	12	11	13	15	14
Female.....	129	14	10	9	12	8	12	15	7	12	9	12	9
White, both sexes.....	231	22	13	17	17	25	21	22	16	18	19	24	17
Male.....	114	8	5	8	8	17	10	9	9	7	11	13	9
Female.....	117	14	8	9	9	8	11	13	7	11	8	11	8
Black, both sexes.....	33	-	3	1	4	5	3	4	2	4	3	1	3
Male.....	22	-	1	1	2	5	2	2	2	3	2	-	2
Female.....	11	-	2	-	2	-	1	2	-	1	1	1	1
American Indian 1/, both sexes.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	2	-	1	2	-	1	-	1	1	-	2	3
Male.....	12	2	-	1	1	-	1	-	1	1	-	2	3
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Connective and soft tissue of pelvis (C49.5)													
All races, both sexes.....	104	13	3	6	4	13	9	7	6	15	9	11	8
Male.....	41	6	1	3	1	8	2	1	-	8	5	4	2
Female.....	63	7	2	3	3	5	7	6	6	7	4	7	6
White, both sexes.....	97	12	3	6	4	10	9	7	5	13	9	11	8
Male.....	37	5	1	3	1	5	2	1	-	8	5	4	2
Female.....	60	7	2	3	3	5	7	6	5	5	4	7	6
Black, both sexes.....	3	1	-	-	-	-	-	-	-	2	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	3	-	-	1	-	-	-	-
Male.....	3	-	-	-	-	3	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Connective and soft tissue of trunk, unspecified (C49.6)													
All races, both sexes.....	13	1	-	2	1	1	1	1	2	1	1	2	-
Male.....	11	1	-	2	-	1	1	1	2	1	-	2	-
Female.....	2	-	-	-	1	-	-	-	-	-	1	-	-
White, both sexes.....	11	1	-	2	-	1	1	1	2	1	1	1	-
Male.....	10	1	-	2	-	1	1	1	2	1	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Connective and soft tissue, unspecified (C49.9)													
All races, both sexes.....	2,819	208	233	256	245	249	218	224	218	226	220	232	290
Male.....	1,398	107	105	135	129	130	113	114	108	117	94	110	136
Female.....	1,421	101	128	121	116	119	105	110	110	109	126	122	154
White, both sexes.....	2,393	178	196	219	204	213	193	198	183	187	185	197	240
Male.....	1,225	94	91	121	115	113	98	103	91	100	83	96	120
Female.....	1,168	84	105	98	89	100	95	95	92	87	102	101	120
Black, both sexes.....	327	23	31	32	29	22	19	23	24	33	26	26	39
Male.....	125	9	11	12	8	10	10	8	11	14	8	11	13
Female.....	202	14	20	20	21	12	9	15	13	19	18	15	26
American Indian 1/, both sexes.....	13	-	1	-	2	2	2	-	2	2	-	1	1
Male.....	7	-	1	-	2	1	1	-	1	1	-	-	-
Female.....	6	-	-	-	-	1	1	-	1	1	-	1	1
Asian or Pacific Islander 2/, both sexes.....	86	7	5	5	10	12	4	3	9	4	9	8	10
Male.....	41	4	2	2	4	6	4	3	5	2	3	3	3
Female.....	45	3	3	3	6	6	-	-	4	2	6	5	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of breast (C50)													
All races, both sexes.....	41,491	3,620	3,354	3,550	3,368	3,497	3,340	3,434	3,430	3,435	3,542	3,367	3,554
Male.....	375	34	34	32	34	31	36	29	28	35	30	25	27
Female.....	41,116	3,586	3,320	3,518	3,334	3,466	3,304	3,405	3,402	3,400	3,512	3,342	3,527
White, both sexes.....	34,663	2,978	2,822	2,977	2,818	2,935	2,783	2,864	2,874	2,867	2,981	2,787	2,977
Male.....	311	29	26	25	28	26	30	24	27	28	26	23	19
Female.....	34,352	2,949	2,796	2,952	2,790	2,909	2,753	2,840	2,847	2,839	2,955	2,764	2,958
Black, both sexes.....	5,858	554	458	481	475	473	471	480	470	496	489	513	498
Male.....	56	4	8	5	5	4	5	4	1	7	4	2	7
Female.....	5,802	550	450	476	470	469	466	476	469	489	485	511	491
American Indian 1/, both sexes.....	167	11	16	15	12	16	16	12	14	11	12	15	17
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	166	11	16	15	11	16	16	12	14	11	12	15	17
Asian or Pacific Islander 2/, both sexes.....	803	77	58	77	63	73	70	78	72	61	60	52	62
Male.....	7	1	-	2	-	1	1	1	-	-	-	-	1
Female.....	796	76	58	75	63	72	69	77	72	61	60	52	61
Nipple and areola (C50.0)													
All races, both sexes.....	5	1	-	-	1	-	1	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	1	-	-	1	-	1	-	-	-	1	1	-
White, both sexes.....	3	1	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	1	-	1	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of breast (C50.8)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Breast, unspecified (C50.9)													
All races, both sexes.....	41,485	3,619	3,354	3,550	3,367	3,497	3,339	3,434	3,430	3,435	3,541	3,366	3,553
Male.....	375	34	34	32	34	31	36	29	28	35	30	25	27
Female.....	41,110	3,585	3,320	3,518	3,333	3,466	3,303	3,405	3,402	3,400	3,511	3,341	3,526
White, both sexes.....	34,659	2,977	2,822	2,977	2,817	2,935	2,782	2,864	2,874	2,867	2,981	2,787	2,976
Male.....	311	29	26	25	28	26	30	24	27	28	26	23	19
Female.....	34,348	2,948	2,796	2,952	2,789	2,909	2,752	2,840	2,847	2,839	2,955	2,764	2,957
Black, both sexes.....	5,857	554	458	481	475	473	471	480	470	496	489	512	498
Male.....	56	4	8	5	5	4	5	4	1	7	4	2	7
Female.....	5,801	550	450	476	470	469	466	476	469	489	485	510	491
American Indian 1/, both sexes.....	167	11	16	15	12	16	16	12	14	11	12	15	17
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	166	11	16	15	11	16	16	12	14	11	12	15	17
Asian or Pacific Islander 2/, both sexes.....	802	77	58	77	63	73	70	78	72	61	59	52	62
Male.....	7	1	-	2	-	1	1	1	-	-	-	-	1
Female.....	795	76	58	75	63	72	69	77	72	61	59	52	61

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of vulva (C51)													
All races, both sexes.....	809	64	56	72	73	75	64	73	80	75	54	58	65
Male.....
Female.....	809	64	56	72	73	75	64	73	80	75	54	58	65
White, both sexes.....	752	61	55	68	66	68	59	69	76	71	52	50	57
Male.....
Female.....	752	61	55	68	66	68	59	69	76	71	52	50	57
Black, both sexes.....	49	2	1	4	5	6	5	3	4	4	2	8	5
Male.....
Female.....	49	2	1	4	5	6	5	3	4	4	2	8	5
American Indian 1/, both sexes.....	5	1	-	-	1	-	-	1	-	-	-	-	2
Male.....
Female.....	5	1	-	-	1	-	-	1	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	1	-	-	-	-	-	-	1
Male.....
Female.....	3	-	-	-	1	1	-	-	-	-	-	-	1
Labium majus (C51.0)													
All races, both sexes.....	11	-	-	1	1	3	1	2	-	-	-	1	2
Male.....
Female.....	11	-	-	1	1	3	1	2	-	-	-	1	2
White, both sexes.....	7	-	-	1	1	2	1	1	-	-	-	-	1
Male.....
Female.....	7	-	-	1	1	2	1	1	-	-	-	-	1
Black, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	1	1
Male.....
Female.....	3	-	-	-	-	-	-	1	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Vulva, unspecified (C51.9)													
All races, both sexes.....	798	64	56	71	72	72	63	71	80	75	54	57	63
Male.....
Female.....	798	64	56	71	72	72	63	71	80	75	54	57	63
White, both sexes.....	745	61	55	67	65	66	58	68	76	71	52	50	56
Male.....
Female.....	745	61	55	67	65	66	58	68	76	71	52	50	56
Black, both sexes.....	46	2	1	4	5	6	5	2	4	4	2	7	4
Male.....
Female.....	46	2	1	4	5	6	5	2	4	4	2	7	4
American Indian 1/, both sexes.....	5	1	-	-	1	-	-	1	-	-	-	-	2
Male.....
Female.....	5	1	-	-	1	-	-	1	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Male.....
Female.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Malignant neoplasm of vagina (C52)													
All races, both sexes.....	382	35	32	29	36	25	24	38	35	35	37	26	30
Male.....
Female.....	382	35	32	29	36	25	24	38	35	35	37	26	30
White, both sexes.....	317	31	26	22	32	18	23	31	30	26	32	18	28
Male.....
Female.....	317	31	26	22	32	18	23	31	30	26	32	18	28
Black, both sexes.....	50	4	3	4	4	7	-	6	5	8	1	7	1
Male.....
Female.....	50	4	3	4	4	7	-	6	5	8	1	7	1
American Indian 1/, both sexes.....	6	-	-	2	-	-	-	1	-	-	2	1	-
Male.....
Female.....	6	-	-	2	-	-	-	1	-	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	9	-	3	1	-	-	1	-	-	1	2	-	1
Male.....
Female.....	9	-	3	1	-	-	1	-	-	1	2	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of cervix uteri (C53)													
All races, both sexes.....	3,924	333	308	332	326	320	311	312	339	301	363	314	365
Male.....
Female.....	3,924	333	308	332	326	320	311	312	339	301	363	314	365
White, both sexes.....	2,982	256	234	257	256	236	237	241	258	238	271	234	264
Male.....	2,982	256	234	257	256	236	237	241	258	238	271	234	264
Female.....	2,982	256	234	257	256	236	237	241	258	238	271	234	264
Black, both sexes.....	783	64	57	61	57	68	64	58	70	53	80	72	79
Male.....
Female.....	783	64	57	61	57	68	64	58	70	53	80	72	79
American Indian 1/, both sexes.....	34	3	3	1	3	3	3	5	2	3	3	-	5
Male.....
Female.....	34	3	3	1	3	3	3	5	2	3	3	-	5
Asian or Pacific Islander 2/, both sexes.....	125	10	14	13	10	13	7	8	9	7	9	8	17
Male.....
Female.....	125	10	14	13	10	13	7	8	9	7	9	8	17
Endocervix (C53.0)													
All races, both sexes.....	33	2	5	2	3	3	2	3	2	2	2	3	4
Male.....
Female.....	33	2	5	2	3	3	2	3	2	2	2	3	4
White, both sexes.....	23	2	3	1	2	2	-	3	2	2	1	2	3
Male.....
Female.....	23	2	3	1	2	2	-	3	2	2	1	2	3
Black, both sexes.....	8	-	1	1	1	-	2	-	-	-	1	1	1
Male.....
Female.....	8	-	1	1	1	-	2	-	-	-	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	2	-	1	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cervix uteri, unspecified (C53.9)													
All races, both sexes.....	3,891	331	303	330	323	317	309	309	337	299	361	311	361
Male.....
Female.....	3,891	331	303	330	323	317	309	309	337	299	361	311	361
White, both sexes.....	2,959	254	231	256	254	234	237	238	256	236	270	232	261
Male.....
Female.....	2,959	254	231	256	254	234	237	238	256	236	270	232	261
Black, both sexes.....	775	64	56	60	56	68	62	58	70	53	79	71	78
Male.....
Female.....	775	64	56	60	56	68	62	58	70	53	79	71	78
American Indian 1/, both sexes.....	34	3	3	1	3	3	3	5	2	3	3	-	5
Male.....
Female.....	34	3	3	1	3	3	3	5	2	3	3	-	5
Asian or Pacific Islander 2/, both sexes.....	123	10	13	13	10	12	7	8	9	7	9	8	17
Male.....
Female.....	123	10	13	13	10	12	7	8	9	7	9	8	17
Malignant neoplasm of corpus uteri (C54)													
All races, both sexes.....	3,259	268	237	320	260	278	261	274	248	282	265	280	286
Male.....
Female.....	3,259	268	237	320	260	278	261	274	248	282	265	280	286
White, both sexes.....	2,690	209	192	268	208	230	216	236	206	237	215	238	235
Male.....
Female.....	2,690	209	192	268	208	230	216	236	206	237	215	238	235
Black, both sexes.....	490	51	40	46	49	40	37	34	36	39	43	37	38
Male.....
Female.....	490	51	40	46	49	40	37	34	36	39	43	37	38
American Indian 1/, both sexes.....	12	-	1	2	-	-	3	1	-	1	1	2	1
Male.....
Female.....	12	-	1	2	-	-	3	1	-	1	1	2	1
Asian or Pacific Islander 2/, both sexes.....	67	8	4	4	3	8	5	3	6	5	6	3	12
Male.....
Female.....	67	8	4	4	3	8	5	3	6	5	6	3	12

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Isthmus uteri (C54.0)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Endometrium (C54.1)													
All races, both sexes.....	3,192	265	236	309	251	273	254	271	246	276	256	274	281
Male.....
Female.....	3,192	265	236	309	251	273	254	271	246	276	256	274	281
White, both sexes.....	2,631	206	191	258	200	227	209	233	204	235	206	232	230
Male.....
Female.....	2,631	206	191	258	200	227	209	233	204	235	206	232	230
Black, both sexes.....	483	51	40	45	48	38	37	34	36	36	43	37	38
Male.....
Female.....	483	51	40	45	48	38	37	34	36	36	43	37	38
American Indian 1/, both sexes.....	12	-	1	2	-	-	3	1	-	1	1	2	1
Male.....
Female.....	12	-	1	2	-	-	3	1	-	1	1	2	1
Asian or Pacific Islander 2/, both sexes.....	66	8	4	4	3	8	5	3	6	4	6	3	12
Male.....
Female.....	66	8	4	4	3	8	5	3	6	4	6	3	12

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Corpus uteri, unspecified (C54.9)													
All races, both sexes.....	66	3	1	11	9	5	7	3	2	6	9	5	5
Male.....
Female.....	66	3	1	11	9	5	7	3	2	6	9	5	5
White, both sexes.....	58	3	1	10	8	3	7	3	2	2	9	5	5
Male.....
Female.....	58	3	1	10	8	3	7	3	2	2	9	5	5
Black, both sexes.....	7	-	-	1	1	2	-	-	-	3	-	-	-
Male.....
Female.....	7	-	-	1	1	2	-	-	-	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasm of uterus, part unspecified (C55)													
All races, both sexes.....	3,837	339	297	318	301	328	303	291	361	322	319	340	318
Male.....
Female.....	3,837	339	297	318	301	328	303	291	361	322	319	340	318
White, both sexes.....	3,052	286	247	254	239	271	248	220	279	250	235	276	247
Male.....
Female.....	3,052	286	247	254	239	271	248	220	279	250	235	276	247
Black, both sexes.....	690	46	44	57	54	48	47	66	74	64	71	54	65
Male.....
Female.....	690	46	44	57	54	48	47	66	74	64	71	54	65
American Indian 1/, both sexes.....	10	-	1	2	1	-	1	1	-	1	-	2	1
Male.....
Female.....	10	-	1	2	1	-	1	1	-	1	-	2	1
Asian or Pacific Islander 2/, both sexes.	85	7	5	5	7	9	7	4	8	7	13	8	5
Male.....
Female.....	85	7	5	5	7	9	7	4	8	7	13	8	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of ovary (C56)													
All races, both sexes.....	14,787	1,263	1,161	1,256	1,171	1,262	1,258	1,235	1,250	1,166	1,250	1,243	1,272
Male.....
Female.....	14,787	1,263	1,161	1,256	1,171	1,262	1,258	1,235	1,250	1,166	1,250	1,243	1,272
White, both sexes.....	13,199	1,131	1,039	1,117	1,050	1,115	1,126	1,086	1,120	1,048	1,119	1,113	1,135
Male.....
Female.....	13,199	1,131	1,039	1,117	1,050	1,115	1,126	1,086	1,120	1,048	1,119	1,113	1,135
Black, both sexes.....	1,217	100	90	97	100	111	109	116	101	89	94	100	110
Male.....
Female.....	1,217	100	90	97	100	111	109	116	101	89	94	100	110
American Indian 1/, both sexes.....	55	8	7	8	3	5	2	6	-	2	5	6	3
Male.....
Female.....	55	8	7	8	3	5	2	6	-	2	5	6	3
Asian or Pacific Islander 2/, both sexes.	316	24	25	34	18	31	21	27	29	27	32	24	24
Male.....
Female.....	316	24	25	34	18	31	21	27	29	27	32	24	24
Malignant neoplasm of other and unspecified female genital organs (C57)													
All races, both sexes.....	245	17	22	25	18	24	21	19	18	19	19	21	22
Male.....
Female.....	245	17	22	25	18	24	21	19	18	19	19	21	22
White, both sexes.....	216	17	18	20	14	24	18	16	17	18	16	18	20
Male.....
Female.....	216	17	18	20	14	24	18	16	17	18	16	18	20
Black, both sexes.....	22	-	4	2	2	-	2	3	1	1	3	3	1
Male.....
Female.....	22	-	4	2	2	-	2	3	1	1	3	3	1
American Indian 1/, both sexes.....	3	-	-	1	1	-	-	-	-	-	-	-	1
Male.....
Female.....	3	-	-	1	1	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.	4	-	-	2	1	-	1	-	-	-	-	-	-
Male.....
Female.....	4	-	-	2	1	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Female genital organ, unspecified (C57.9)													
All races, both sexes.....	69	4	8	6	5	9	7	10	3	3	5	3	6
Male.....
Female.....	69	4	8	6	5	9	7	10	3	3	5	3	6
White, both sexes.....	55	4	5	5	2	9	5	9	3	3	2	2	6
Male.....
Female.....	55	4	5	5	2	9	5	9	3	3	2	2	6
Black, both sexes.....	12	-	3	-	2	-	2	1	-	-	3	1	-
Male.....
Female.....	12	-	3	-	2	-	2	1	-	-	3	1	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Malignant neoplasm of placenta (C58)													
All races, both sexes.....	16	-	-	-	1	-	1	1	3	2	2	2	4
Male.....
Female.....	16	-	-	-	1	-	1	1	3	2	2	2	4
White, both sexes.....	8	-	-	-	1	-	-	-	2	-	2	1	2
Male.....
Female.....	8	-	-	-	1	-	-	-	2	-	2	1	2
Black, both sexes.....	6	-	-	-	-	-	1	1	1	1	-	1	1
Male.....
Female.....	6	-	-	-	-	-	1	1	1	1	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Male genital organ, unspecified (C63.9)													
All races, both sexes.....	20	1	2	3	1	1	4	-	1	3	-	2	2
Male.....	20	1	2	3	1	1	4	-	1	3	-	2	2
Female.....
White, both sexes.....	16	1	2	2	1	1	4	-	1	2	-	1	1
Male.....	16	1	2	2	1	1	4	-	1	2	-	1	1
Female.....
Black, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	1	1
Male.....	3	-	-	-	-	-	-	-	-	1	-	1	1
Female.....
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....
Malignant neoplasm of kidney, except renal pelvis (C64)													
All races, both sexes.....	12,367	1,069	1,002	1,108	970	1,020	986	1,035	1,069	1,016	1,028	1,007	1,057
Male.....	7,690	657	624	697	622	630	603	643	655	658	628	622	651
Female.....	4,677	412	378	411	348	390	383	392	414	358	400	385	406
White, both sexes.....	10,951	944	899	975	865	900	878	921	947	886	905	900	931
Male.....	6,804	577	555	604	563	554	546	576	582	562	548	561	576
Female.....	4,147	367	344	371	302	346	332	345	365	324	357	339	355
Black, both sexes.....	1,146	96	94	110	85	98	87	93	100	102	100	81	100
Male.....	715	61	63	78	45	62	47	52	60	77	68	47	55
Female.....	431	35	31	32	40	36	40	41	40	25	32	34	45
American Indian 1/, both sexes.....	87	12	3	5	9	7	4	6	7	10	6	7	11
Male.....	58	9	2	3	5	4	3	4	5	6	3	4	10
Female.....	29	3	1	2	4	3	1	2	2	4	3	3	1
Asian or Pacific Islander 2/, both sexes.....	183	17	6	18	11	15	17	15	15	18	17	19	15
Male.....	113	10	4	12	9	10	7	11	8	13	9	10	10
Female.....	70	7	2	6	2	5	10	4	7	5	8	9	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of renal pelvis (C65)													
All races, both sexes.....	150	14	14	18	10	6	14	10	11	13	15	16	9
Male.....	93	9	8	12	6	3	6	7	4	10	11	11	6
Female.....	57	5	6	6	4	3	8	3	7	3	4	5	3
White, both sexes.....	140	12	14	17	10	6	14	8	11	10	15	14	9
Male.....	84	7	8	11	6	3	6	5	4	8	11	9	6
Female.....	56	5	6	6	4	3	8	3	7	2	4	5	3
Black, both sexes.....	9	1	-	1	-	-	-	2	-	3	-	2	-
Male.....	8	1	-	1	-	-	-	2	-	2	-	2	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of ureter (C66)													
All races, both sexes.....	347	26	24	33	30	29	27	35	33	29	25	27	29
Male.....	191	15	15	18	14	17	18	20	18	19	12	10	15
Female.....	156	11	9	15	16	12	9	15	15	10	13	17	14
White, both sexes.....	323	25	22	30	28	28	26	33	30	26	23	26	26
Male.....	179	14	14	16	13	16	18	18	16	19	11	10	14
Female.....	144	11	8	14	15	12	8	15	14	7	12	16	12
Black, both sexes.....	17	-	1	2	2	1	-	1	3	2	2	1	2
Male.....	8	-	1	1	1	1	-	1	2	-	1	-	-
Female.....	9	-	-	1	1	-	-	-	1	2	1	1	2
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	1	-	-	-	1	1	-	1	-	-	-
Male.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	1	-	-	-	1	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of bladder (C67.8)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bladder, unspecified (C67.9)													
All races, both sexes.....	13,224	1,133	1,061	1,096	1,065	1,067	1,096	1,093	1,118	1,068	1,125	1,157	1,145
Male.....	9,167	806	712	751	742	773	787	742	788	729	766	779	792
Female.....	4,057	327	349	345	323	294	309	351	330	339	359	378	353
White, both sexes.....	12,073	1,041	960	1,002	984	967	997	998	1,022	972	1,025	1,056	1,049
Male.....	8,501	750	665	699	700	703	723	691	726	674	710	722	738
Female.....	3,572	291	295	303	284	264	274	307	296	298	315	334	311
Black, both sexes.....	959	72	79	81	75	87	83	74	80	82	81	90	75
Male.....	545	42	36	47	37	59	55	39	51	44	42	50	43
Female.....	414	30	43	34	38	28	28	35	29	38	39	40	32
American Indian 1/, both sexes.....	30	3	2	4	-	2	2	3	4	1	5	3	1
Male.....	18	2	-	1	-	2	1	1	2	1	5	2	1
Female.....	12	1	2	3	-	-	1	2	2	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	162	17	20	9	6	11	14	18	12	13	14	8	20
Male.....	103	12	11	4	5	9	8	11	9	10	9	5	10
Female.....	59	5	9	5	1	2	6	7	3	3	5	3	10

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Urinary organ, unspecified (C68.9)													
All races, both sexes.....	106	10	10	10	7	6	11	5	11	11	6	11	8
Male.....	60	6	3	6	2	5	6	3	7	7	3	8	4
Female.....	46	4	7	4	5	1	5	2	4	4	3	3	4
White, both sexes.....	102	8	10	9	7	6	11	5	11	10	6	11	8
Male.....	57	5	3	5	2	5	6	3	7	6	3	8	4
Female.....	45	3	7	4	5	1	5	2	4	4	3	3	4
Black, both sexes.....	3	2	-	1	-	-	-	-	-	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of eye and adnexa (C69)													
All races, both sexes.....	252	20	25	15	25	16	30	22	19	19	25	17	19
Male.....	145	8	17	8	18	9	15	17	10	12	13	10	8
Female.....	107	12	8	7	7	7	15	5	9	7	12	7	11
White, both sexes.....	233	18	24	13	24	16	28	20	17	17	23	15	18
Male.....	139	8	17	8	17	9	15	16	10	10	12	9	8
Female.....	94	10	7	5	7	7	13	4	7	7	11	6	10
Black, both sexes.....	11	2	1	2	-	-	1	2	1	1	-	1	-
Male.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	9	2	1	2	-	-	1	1	1	-	-	1	-
American Indian 1/, both sexes.....	3	-	-	-	1	-	-	-	-	1	1	-	-
Male.....	3	-	-	-	1	-	-	-	-	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	1	-	1	-	1	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	-	-	-	1	-	1	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Orbit (C69.6)													
All races, both sexes.....	54	3	5	-	9	3	5	8	5	4	4	2	6
Male.....	36	2	1	-	8	3	2	6	3	2	4	2	3
Female.....	18	1	4	-	1	-	3	2	2	2	-	-	3
White, both sexes.....	45	3	4	-	8	3	4	6	4	3	3	2	5
Male.....	32	2	1	-	7	3	2	5	3	1	3	2	3
Female.....	13	1	3	-	1	-	2	1	1	2	-	-	2
Black, both sexes.....	3	-	1	-	-	-	-	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	1	-	-	-	-	1	1	-	-
Male.....	3	-	-	-	1	-	-	-	-	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	3	-	-	-	-	-	1	-	1	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	1	-	-	-	1
Eye, unspecified (C69.9)													
All races, both sexes.....	151	10	16	12	13	9	18	10	12	14	18	11	8
Male.....	88	4	13	7	9	5	10	9	6	9	7	6	3
Female.....	63	6	3	5	4	4	8	1	6	5	11	5	5
White, both sexes.....	150	10	16	12	13	9	18	10	12	14	17	11	8
Male.....	88	4	13	7	9	5	10	9	6	9	7	6	3
Female.....	62	6	3	5	4	4	8	1	6	5	10	5	5
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Spinal meninges (C70.1)													
All races, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Meninges, unspecified (C70.9)													
All races, both sexes.....	91	10	5	7	6	6	4	7	6	9	14	6	11
Male.....	49	5	4	5	2	-	3	3	4	5	10	3	5
Female.....	42	5	1	2	4	6	1	4	2	4	4	3	6
White, both sexes.....	76	9	5	6	5	5	3	7	2	7	11	6	10
Male.....	40	4	4	5	1	-	3	3	1	3	8	3	5
Female.....	36	5	1	1	4	5	-	4	1	4	3	3	5
Black, both sexes.....	12	1	-	1	1	-	1	-	3	2	2	-	1
Male.....	8	1	-	-	1	-	-	-	3	2	1	-	-
Female.....	4	-	-	1	-	-	1	-	-	-	1	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of brain (C71)													
All races, both sexes.....	12,939	1,089	1,058	1,105	1,055	1,036	1,037	1,044	1,101	1,103	1,138	1,062	1,111
Male.....	7,205	607	554	619	591	594	593	574	606	607	631	590	639
Female.....	5,734	482	504	486	464	442	444	470	495	496	507	472	472
White, both sexes.....	11,897	996	975	1,010	964	957	969	960	1,009	1,009	1,059	970	1,019
Male.....	6,621	558	509	562	537	550	559	522	547	567	584	533	593
Female.....	5,276	438	466	448	427	407	410	438	462	442	475	437	426
Black, both sexes.....	765	72	61	72	63	65	48	62	58	79	55	61	69
Male.....	423	39	34	42	36	38	25	40	38	32	27	36	36
Female.....	342	33	27	30	27	27	23	22	20	47	28	25	33
American Indian 1/, both sexes.....	42	4	4	5	2	-	3	5	3	1	1	9	5
Male.....	27	3	4	5	-	-	-	2	3	1	1	7	1
Female.....	15	1	-	-	2	-	3	3	-	-	-	2	4
Asian or Pacific Islander 2/, both sexes.....	235	17	18	18	26	14	17	17	31	14	23	22	18
Male.....	134	7	7	10	18	6	9	10	18	7	19	14	9
Female.....	101	10	11	8	8	8	8	7	13	7	4	8	9
Cerebrum, except lobes and ventricles (C71.0)													
All races, both sexes.....	222	23	20	17	15	15	15	20	20	27	18	14	18
Male.....	115	16	13	10	5	6	6	11	8	12	9	7	12
Female.....	107	7	7	7	10	9	9	9	12	15	9	7	6
White, both sexes.....	200	20	18	16	14	12	11	18	19	26	18	13	15
Male.....	102	14	11	9	4	4	5	10	8	12	9	6	10
Female.....	98	6	7	7	10	8	6	8	11	14	9	7	5
Black, both sexes.....	18	3	2	1	1	3	3	1	-	1	-	-	3
Male.....	12	2	2	1	1	2	1	1	-	-	-	-	2
Female.....	6	1	-	-	-	1	2	-	-	1	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral ventricle (C71.5)													
All races, both sexes.....	14	2	1	3	-	-	4	1	1	-	2	-	-
Male.....	9	2	1	1	-	-	2	1	1	-	1	-	-
Female.....	5	-	-	2	-	-	2	-	-	-	1	-	-
White, both sexes.....	14	2	1	3	-	-	4	1	1	-	2	-	-
Male.....	9	2	1	1	-	-	2	1	1	-	1	-	-
Female.....	5	-	-	2	-	-	2	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebellum (C71.6)													
All races, both sexes.....	164	19	19	11	8	12	18	9	10	12	14	20	12
Male.....	97	11	10	6	4	8	11	3	6	8	8	13	9
Female.....	67	8	9	5	4	4	7	6	4	4	6	7	3
White, both sexes.....	143	18	16	9	6	10	15	8	9	10	14	17	11
Male.....	87	11	8	4	3	6	9	3	6	8	8	12	9
Female.....	56	7	8	5	3	4	6	5	3	2	6	5	2
Black, both sexes.....	10	1	1	1	2	1	-	-	-	2	-	2	-
Male.....	4	-	1	1	1	1	-	-	-	-	-	-	-
Female.....	6	1	-	-	1	-	-	-	-	2	-	2	-
American Indian 1/, both sexes.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	1	-	-	1	3	1	1	-	-	1	1
Male.....	4	-	-	-	-	1	2	-	-	-	-	1	-
Female.....	5	-	1	-	-	-	1	1	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of thyroid gland (C73)													
All races, both sexes.....	1,462	120	113	130	100	110	132	148	111	100	141	129	128
Male.....	612	51	48	56	38	40	56	70	43	43	53	55	59
Female.....	850	69	65	74	62	70	76	78	68	57	88	74	69
White, both sexes.....	1,255	107	95	108	82	95	118	124	97	83	121	119	106
Male.....	558	49	41	49	35	37	52	64	40	38	49	53	51
Female.....	697	58	54	59	47	58	66	60	57	45	72	66	55
Black, both sexes.....	139	11	12	17	14	12	9	12	9	9	12	8	14
Male.....	34	2	3	5	1	2	3	5	2	3	3	1	4
Female.....	105	9	9	12	13	10	6	7	7	6	9	7	10
American Indian 1/, both sexes.....	4	-	-	-	-	-	1	-	-	-	1	-	2
Male.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	64	2	6	5	4	3	4	12	5	8	7	2	6
Male.....	18	-	4	2	2	1	-	1	1	2	1	1	3
Female.....	46	2	2	3	2	2	4	11	4	6	6	1	3
Malignant neoplasm of adrenal gland (C74)													
All races, both sexes.....	560	56	54	34	51	35	49	50	41	51	43	44	52
Male.....	294	26	27	17	26	21	30	30	20	25	21	24	27
Female.....	266	30	27	17	25	14	19	20	21	26	22	20	25
White, both sexes.....	466	48	50	29	42	32	41	40	37	35	33	38	41
Male.....	244	21	25	16	23	20	25	24	19	16	14	20	21
Female.....	222	27	25	13	19	12	16	16	18	19	19	18	20
Black, both sexes.....	77	7	4	4	7	2	7	9	4	13	7	4	9
Male.....	39	4	2	1	2	-	4	5	1	8	5	3	4
Female.....	38	3	2	3	5	2	3	4	3	5	2	1	5
American Indian 1/, both sexes.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	-	1	1	1	1	1	-	3	3	2	2
Male.....	10	-	-	-	1	1	1	1	-	1	2	1	2
Female.....	5	-	-	1	-	-	-	-	-	2	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Adrenal gland, unspecified (C74.9)													
All races, both sexes.....	452	41	46	24	37	30	42	38	36	44	34	38	42
Male.....	246	21	24	14	18	19	26	25	17	21	18	22	21
Female.....	206	20	22	10	19	11	16	13	19	23	16	16	21
White, both sexes.....	379	37	43	20	31	27	36	30	32	31	25	32	35
Male.....	206	19	22	13	15	18	22	20	16	14	12	18	17
Female.....	173	18	21	7	16	9	14	10	16	17	13	14	18
Black, both sexes.....	60	4	3	3	5	2	6	7	4	10	7	4	5
Male.....	32	2	2	1	2	-	4	4	1	6	5	3	2
Female.....	28	2	1	2	3	2	2	3	3	4	2	1	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	1	1	1	-	1	-	3	2	2	2
Male.....	8	-	-	-	1	1	-	1	-	1	1	1	2
Female.....	5	-	-	1	-	-	-	-	-	2	1	1	-
Malignant neoplasm of other endocrine glands and related structures (C75)													
All races, both sexes.....	140	16	13	5	14	7	10	16	11	12	11	13	12
Male.....	61	6	7	3	7	4	5	8	6	3	3	5	4
Female.....	79	10	6	2	7	3	5	8	5	9	8	8	8
White, both sexes.....	113	12	8	3	13	5	10	14	7	10	9	12	10
Male.....	51	5	5	1	6	4	5	8	4	3	2	4	4
Female.....	62	7	3	2	7	1	5	6	3	7	7	8	6
Black, both sexes.....	23	3	4	2	1	2	-	1	3	2	2	1	2
Male.....	10	1	2	2	1	-	-	-	2	-	1	1	-
Female.....	13	2	2	-	-	2	-	1	1	2	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	1	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	1	-	-	-	-	1	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Parathyroid gland (C75.0)													
All races, both sexes.....	20	2	1	-	1	1	-	3	1	3	3	2	3
Male.....	7	2	1	-	-	-	-	1	1	-	-	1	1
Female.....	13	-	-	-	1	1	-	2	-	3	3	1	2
White, both sexes.....	16	2	1	-	1	-	-	3	-	2	2	2	3
Male.....	6	2	1	-	-	-	-	1	-	-	-	1	1
Female.....	10	-	-	-	1	-	-	2	-	2	2	1	2
Black, both sexes.....	4	-	-	-	-	1	-	-	1	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pituitary gland (C75.1)													
All races, both sexes.....	32	3	4	1	3	-	5	5	2	3	2	-	4
Male.....	12	1	1	-	2	-	2	3	-	1	1	-	1
Female.....	20	2	3	1	1	-	3	2	2	2	1	-	3
White, both sexes.....	22	1	2	1	2	-	5	4	1	2	1	-	3
Male.....	9	-	1	-	1	-	2	3	-	1	-	-	1
Female.....	13	1	1	1	1	-	3	1	1	1	1	-	2
Black, both sexes.....	8	2	1	-	1	-	-	1	-	1	1	-	1
Male.....	3	1	-	-	1	-	-	-	-	-	1	-	-
Female.....	5	1	1	-	-	-	-	1	-	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Craniopharyngeal duct (C75.2)													
All races, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pineal gland (C75.3)													
All races, both sexes.....	19	2	2	1	-	3	-	3	4	1	-	2	1
Male.....	9	1	2	-	-	1	-	2	3	-	-	-	-
Female.....	10	1	-	1	-	2	-	1	1	1	-	2	1
White, both sexes.....	12	1	1	1	-	2	-	2	2	1	-	2	-
Male.....	7	1	1	-	-	1	-	2	2	-	-	-	-
Female.....	5	-	-	1	-	1	-	-	-	1	-	2	-
Black, both sexes.....	5	-	1	-	-	1	-	-	2	-	-	-	1
Male.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thorax (C76.1)													
All races, both sexes.....	83	7	4	7	5	6	12	8	6	9	6	7	6
Male.....	42	4	2	5	3	1	10	2	1	5	1	4	4
Female.....	41	3	2	2	2	5	2	6	5	4	5	3	2
White, both sexes.....	78	7	4	6	5	6	11	7	5	9	6	6	6
Male.....	39	4	2	4	3	1	9	2	1	5	1	3	4
Female.....	39	3	2	2	2	5	2	5	4	4	5	3	2
Black, both sexes.....	5	-	-	1	-	-	1	1	1	-	-	1	-
Male.....	3	-	-	1	-	-	1	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdomen (C76.2)													
All races, both sexes.....	745	61	56	72	60	53	63	83	68	53	65	56	55
Male.....	250	22	24	28	20	18	18	25	19	21	20	21	14
Female.....	495	39	32	44	40	35	45	58	49	32	45	35	41
White, both sexes.....	638	53	51	60	48	44	57	70	58	46	52	48	51
Male.....	213	17	21	27	14	15	14	22	15	20	16	18	14
Female.....	425	36	30	33	34	29	43	48	43	26	36	30	37
Black, both sexes.....	91	6	5	10	11	6	4	11	10	6	11	7	4
Male.....	31	4	3	1	5	3	3	2	4	-	3	3	-
Female.....	60	2	2	9	6	3	1	9	6	6	8	4	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	15	2	-	2	1	3	2	2	-	1	2	-	-
Male.....	6	1	-	-	1	-	1	1	-	1	1	-	-
Female.....	9	1	-	2	-	3	1	1	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of respiratory and digestive organs (C78)													
All races, both sexes.....	3,198	267	238	260	242	268	280	275	297	283	275	220	293
Male.....	1,571	127	121	109	119	135	142	144	158	127	126	115	148
Female.....	1,627	140	117	151	123	133	138	131	139	156	149	105	145
White, both sexes.....	2,694	226	201	223	206	220	229	236	251	239	234	179	250
Male.....	1,318	112	102	91	102	112	116	123	133	106	103	93	125
Female.....	1,376	114	99	132	104	108	113	113	118	133	131	86	125
Black, both sexes.....	375	31	23	31	26	36	39	26	38	31	33	29	32
Male.....	182	12	10	14	10	17	18	13	19	16	18	16	19
Female.....	193	19	13	17	16	19	21	13	19	15	15	13	13
American Indian 1/, both sexes.....	13	1	3	-	2	1	1	2	-	1	-	2	-
Male.....	6	1	3	-	-	-	1	1	-	-	-	-	-
Female.....	7	-	-	-	2	1	-	1	-	1	-	2	-
Asian or Pacific Islander 2/, both sexes.....	116	9	11	6	8	11	11	11	8	12	8	10	11
Male.....	65	2	6	4	7	6	7	7	6	5	5	6	4
Female.....	51	7	5	2	1	5	4	4	2	7	3	4	7
Secondary malignant neoplasm of lung (C78.0)													
All races, both sexes.....	323	22	17	31	23	25	30	15	30	40	27	33	30
Male.....	172	10	11	16	9	14	19	6	14	19	14	21	19
Female.....	151	12	6	15	14	11	11	9	16	21	13	12	11
White, both sexes.....	283	18	16	29	22	24	24	13	25	37	21	28	26
Male.....	150	7	10	16	8	13	17	6	12	17	10	17	17
Female.....	133	11	6	13	14	11	7	7	13	20	11	11	9
Black, both sexes.....	34	1	1	2	1	1	5	2	5	3	5	5	3
Male.....	20	1	1	-	1	1	2	-	2	2	4	4	2
Female.....	14	-	-	2	-	-	3	2	3	1	1	1	1
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	-	-	-	-	1	-	-	-	1	-	1
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	-	-	1	-	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of retroperitoneum and peritoneum (C78.6)													
All races, both sexes.....	400	36	25	32	26	40	29	44	36	34	34	25	39
Male.....	112	8	9	7	5	13	9	15	14	8	6	9	9
Female.....	288	28	16	25	21	27	20	29	22	26	28	16	30
White, both sexes.....	341	28	22	26	21	32	27	38	31	29	31	22	34
Male.....	99	7	7	7	4	11	8	14	12	6	6	8	9
Female.....	242	21	15	19	17	21	19	24	19	23	25	14	25
Black, both sexes.....	45	7	-	6	4	8	1	4	5	3	2	2	3
Male.....	10	1	-	-	1	2	-	1	2	2	-	1	-
Female.....	35	6	-	6	3	6	1	3	3	1	2	1	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	1	3	-	1	-	1	2	-	2	1	1	2
Male.....	3	-	2	-	-	-	1	-	-	-	-	-	-
Female.....	11	1	1	-	1	-	-	2	-	2	1	1	2
Secondary malignant neoplasm of liver (C78.7)													
All races, both sexes.....	2,219	193	172	173	176	188	199	194	205	184	196	143	196
Male.....	1,162	103	88	77	96	101	103	111	116	93	96	75	103
Female.....	1,057	90	84	96	80	87	96	83	89	91	100	68	93
White, both sexes.....	1,851	166	142	147	146	151	161	165	175	150	167	116	165
Male.....	961	93	73	60	81	82	83	92	96	77	79	62	83
Female.....	890	73	69	87	65	69	78	73	79	73	88	54	82
Black, both sexes.....	262	21	20	20	21	26	28	18	22	23	23	17	23
Male.....	136	9	8	13	8	13	13	11	14	11	12	8	16
Female.....	126	12	12	7	13	13	15	7	8	12	11	9	7
American Indian 1/, both sexes.....	11	-	3	-	2	-	1	2	-	1	-	2	-
Male.....	5	-	3	-	-	-	1	1	-	-	-	-	-
Female.....	6	-	-	-	2	-	-	1	-	1	-	2	-
Asian or Pacific Islander 2/, both sexes.....	95	6	7	6	7	11	9	9	8	10	6	8	8
Male.....	60	1	4	4	7	6	6	7	6	5	5	5	4
Female.....	35	5	3	2	-	5	3	2	2	5	1	3	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of other and unspecified digestive organs (C78.8)													
All races, both sexes.....	46	1	3	3	4	1	6	5	4	1	5	6	7
Male.....	35	-	3	2	3	1	4	4	3	-	5	5	5
Female.....	11	1	-	1	1	-	2	1	1	1	-	1	2
White, both sexes.....	42	1	3	3	4	1	5	5	4	1	4	4	7
Male.....	31	-	3	2	3	1	3	4	3	-	4	3	5
Female.....	11	1	-	1	1	-	2	1	1	1	-	1	2
Black, both sexes.....	4	-	-	-	-	-	1	-	-	-	1	2	-
Male.....	4	-	-	-	-	-	1	-	-	-	1	2	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of other sites (C79)													
All races, both sexes.....	4,382	360	330	379	330	363	331	387	381	365	375	373	408
Male.....	2,720	214	207	238	213	221	210	238	233	228	243	227	248
Female.....	1,662	146	123	141	117	142	121	149	148	137	132	146	160
White, both sexes.....	3,712	318	286	309	271	314	280	329	322	308	322	310	343
Male.....	2,281	192	179	193	168	188	179	200	190	192	207	186	207
Female.....	1,431	126	107	116	103	126	101	129	132	116	115	124	136
Black, both sexes.....	588	36	35	64	49	40	43	54	53	51	45	56	62
Male.....	391	20	23	42	37	28	27	35	40	34	31	35	39
Female.....	197	16	12	22	12	12	16	19	13	17	14	21	23
American Indian 1/, both sexes.....	21	2	3	1	3	4	1	-	1	1	2	2	1
Male.....	12	1	1	1	2	2	1	-	1	-	1	1	1
Female.....	9	1	2	-	1	2	-	-	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	61	4	6	5	7	5	7	4	5	5	6	5	2
Male.....	36	1	4	2	6	3	3	3	2	2	4	5	1
Female.....	25	3	2	3	1	2	4	1	3	3	2	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of skin (C79.2)													
All races, both sexes.....	14	4	4	-	3	-	1	2	-	-	-	-	-
Male.....	8	2	3	-	2	-	-	1	-	-	-	-	-
Female.....	6	2	1	-	1	-	1	1	-	-	-	-	-
White, both sexes.....	14	4	4	-	3	-	1	2	-	-	-	-	-
Male.....	8	2	3	-	2	-	-	1	-	-	-	-	-
Female.....	6	2	1	-	1	-	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of brain and cerebral meninges (C79.3)													
All races, both sexes.....	783	63	56	70	53	80	63	62	68	55	68	80	65
Male.....	367	30	23	35	23	35	27	30	27	29	40	37	31
Female.....	416	33	33	35	30	45	36	32	41	26	28	43	34
White, both sexes.....	703	58	53	63	44	70	57	55	60	49	64	67	63
Male.....	329	28	22	32	18	29	25	27	24	27	37	29	31
Female.....	374	30	31	31	26	41	32	28	36	22	27	38	32
Black, both sexes.....	62	4	3	6	6	8	6	6	5	4	2	10	2
Male.....	32	2	1	3	4	6	2	3	2	2	2	5	-
Female.....	30	2	2	3	2	2	4	3	3	2	-	5	2
American Indian 1/, both sexes.....	5	-	-	-	2	1	-	-	-	-	2	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	1	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	13	1	-	1	1	1	-	1	3	2	-	3	-
Male.....	4	-	-	-	-	-	-	-	1	-	-	3	-
Female.....	9	1	-	1	1	1	-	1	2	2	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of other and unspecified parts of nervous system (C79.4)													
All races, both sexes.....	9	2	-	-	-	2	3	-	1	-	1	-	-
Male.....	5	1	-	-	-	1	2	-	1	-	-	-	-
Female.....	4	1	-	-	-	1	1	-	-	-	1	-	-
White, both sexes.....	9	2	-	-	-	2	3	-	1	-	1	-	-
Male.....	5	1	-	-	-	1	2	-	1	-	-	-	-
Female.....	4	1	-	-	-	1	1	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of bone and bone marrow (C79.5)													
All races, both sexes.....	429	40	24	29	38	19	47	45	43	24	41	39	40
Male.....	209	23	10	16	16	12	28	24	19	9	20	17	15
Female.....	220	17	14	13	22	7	19	21	24	15	21	22	25
White, both sexes.....	378	34	21	25	32	17	44	41	39	22	37	32	34
Male.....	181	20	9	12	11	10	28	21	16	8	19	14	13
Female.....	197	14	12	13	21	7	16	20	23	14	18	18	21
Black, both sexes.....	42	4	1	4	6	1	2	4	3	2	4	7	4
Male.....	24	2	1	4	5	1	-	3	2	1	1	3	1
Female.....	18	2	-	-	1	-	2	1	1	1	3	4	3
American Indian 1/, both sexes.....	4	1	2	-	-	-	-	-	1	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	-	-	1	1	-	-	-	-	-	2
Male.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Female.....	3	1	-	-	-	-	1	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of ovary (C79.6)													
All races, both sexes.....	7	-	-	-	-	-	1	1	2	1	-	1	1
Male.....
Female.....	7	-	-	-	-	-	1	1	2	1	-	1	1
White, both sexes.....	6	-	-	-	-	-	1	1	2	1	-	-	1
Male.....
Female.....	6	-	-	-	-	-	1	1	2	1	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of other specified sites (C79.8)													
All races, both sexes.....	3,121	246	246	279	236	260	215	277	264	285	263	249	301
Male.....	2,116	155	171	186	172	172	153	183	183	190	181	169	201
Female.....	1,005	91	75	93	64	88	62	94	81	95	82	80	100
White, both sexes.....	2,585	216	208	220	192	223	173	230	217	236	218	208	244
Male.....	1,744	138	145	148	137	147	124	151	146	157	149	140	162
Female.....	841	78	63	72	55	76	49	79	71	79	69	68	82
Black, both sexes.....	481	27	31	54	37	31	35	44	45	45	39	37	56
Male.....	334	16	21	35	28	21	25	29	36	31	28	26	38
Female.....	147	11	10	19	9	10	10	15	9	14	11	11	18
American Indian 1/, both sexes.....	12	1	1	1	1	3	1	-	-	1	-	2	1
Male.....	8	-	1	1	1	2	1	-	-	-	-	1	1
Female.....	4	1	-	-	-	1	-	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	43	2	6	4	6	3	6	3	2	3	6	2	-
Male.....	30	1	4	2	6	2	3	3	1	2	4	2	-
Female.....	13	1	2	2	-	1	3	-	1	1	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm without specification of site (C80)													
All races, both sexes.....	26,371	2,293	2,145	2,220	2,173	2,164	2,199	2,178	2,271	2,148	2,259	2,111	2,210
Male.....	12,964	1,097	1,038	1,086	1,088	1,079	1,091	1,083	1,097	999	1,124	1,028	1,154
Female.....	13,407	1,196	1,107	1,134	1,085	1,085	1,108	1,095	1,174	1,149	1,135	1,083	1,056
White, both sexes.....	22,911	2,006	1,857	1,931	1,887	1,876	1,927	1,906	1,978	1,858	1,946	1,832	1,907
Male.....	11,243	968	897	951	944	928	950	940	949	873	967	880	996
Female.....	11,668	1,038	960	980	943	948	977	966	1,029	985	979	952	911
Black, both sexes.....	2,872	225	234	246	238	243	225	233	237	244	256	233	258
Male.....	1,427	98	114	113	123	124	118	124	119	109	129	123	133
Female.....	1,445	127	120	133	115	119	107	109	118	135	127	110	125
American Indian 1/, both sexes.....	125	14	16	10	7	8	15	7	10	12	13	3	10
Male.....	68	7	7	4	3	7	9	4	7	5	8	2	5
Female.....	57	7	9	6	4	1	6	3	3	7	5	1	5
Asian or Pacific Islander 2/, both sexes.....	463	48	38	33	41	37	32	32	46	34	44	43	35
Male.....	226	24	20	18	18	20	14	15	22	12	20	23	20
Female.....	237	24	18	15	23	17	18	17	24	22	24	20	15
Hodgkin's disease (C81)													
All races, both sexes.....	1,272	100	91	117	104	95	85	119	94	118	120	117	112
Male.....	684	57	47	56	57	52	40	73	49	72	55	58	68
Female.....	588	43	44	61	47	43	45	46	45	46	65	59	44
White, both sexes.....	1,095	84	84	99	88	84	69	102	85	106	104	97	93
Male.....	582	47	44	47	46	47	32	61	43	66	49	47	53
Female.....	513	37	40	52	42	37	37	41	42	40	55	50	40
Black, both sexes.....	145	13	5	15	12	11	13	14	8	10	14	16	14
Male.....	85	7	2	6	9	5	8	11	5	6	6	8	12
Female.....	60	6	3	9	3	6	5	3	3	4	8	8	2
American Indian 1/, both sexes.....	3	1	-	1	-	-	-	-	-	-	-	1	-
Male.....	3	1	-	1	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	2	2	2	4	-	3	3	1	2	2	3	5
Male.....	14	2	1	2	2	-	-	1	1	-	-	2	3
Female.....	15	-	1	-	2	-	3	2	-	2	2	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other Hodgkin's disease (C81.7)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hodgkin's disease, unspecified (C81.9)													
All races, both sexes.....	1,246	98	89	115	103	92	82	119	93	116	114	116	109
Male.....	673	56	46	55	56	51	38	73	49	72	54	58	65
Female.....	573	42	43	60	47	41	44	46	44	44	60	58	44
White, both sexes.....	1,074	82	82	97	87	81	67	102	84	104	101	96	91
Male.....	574	46	43	46	45	46	31	61	43	66	49	47	51
Female.....	500	36	39	51	42	35	36	41	41	38	52	49	40
Black, both sexes.....	140	13	5	15	12	11	12	14	8	10	11	16	13
Male.....	82	7	2	6	9	5	7	11	5	6	5	8	11
Female.....	58	6	3	9	3	6	5	3	3	4	6	8	2
American Indian 1/, both sexes.....	3	1	-	1	-	-	-	-	-	-	-	1	-
Male.....	3	1	-	1	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	2	2	2	4	-	3	3	1	2	2	3	5
Male.....	14	2	1	2	2	-	-	1	1	-	-	2	3
Female.....	15	-	1	-	2	-	3	2	-	2	2	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diffuse non-Hodgkin's lymphoma, unspecified (C83.9)													
All races, both sexes.....	33	3	3	3	1	1	2	3	5	3	3	-	6
Male.....	19	1	1	-	1	-	1	1	5	3	3	-	3
Female.....	14	2	2	3	-	1	1	2	-	-	-	-	3
White, both sexes.....	31	3	3	3	1	1	1	3	4	3	3	-	6
Male.....	18	1	1	-	1	-	1	1	4	3	3	-	3
Female.....	13	2	2	3	-	1	-	2	-	-	-	-	3
Black, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Peripheral and cutaneous T-cell lymphomas (C84)													
All races, both sexes.....	901	79	60	69	77	69	78	86	69	76	91	69	78
Male.....	531	50	36	42	42	41	44	53	35	46	54	33	55
Female.....	370	29	24	27	35	28	34	33	34	30	37	36	23
White, both sexes.....	723	62	47	60	58	51	65	66	56	61	73	58	66
Male.....	436	40	31	39	32	28	39	41	28	36	46	27	49
Female.....	287	22	16	21	26	23	26	25	28	25	27	31	17
Black, both sexes.....	145	14	10	7	17	17	10	16	11	12	15	7	9
Male.....	78	8	4	2	9	12	5	10	6	8	6	3	5
Female.....	67	6	6	5	8	5	5	6	5	4	9	4	4
American Indian 1/, both sexes.....	4	1	-	-	-	-	1	-	1	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	2	3	2	2	1	2	4	1	3	2	4	3
Male.....	15	2	1	1	1	1	-	2	-	2	1	3	1
Female.....	14	-	2	1	1	-	2	2	1	1	1	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peripheral T-cell lymphoma (C84.4)													
All races, both sexes.....	49	5	3	2	3	6	4	7	6	5	4	3	1
Male.....	29	3	2	2	2	3	2	4	3	3	3	1	1
Female.....	20	2	1	-	1	3	2	3	3	2	1	2	-
White, both sexes.....	42	5	1	2	2	5	4	7	6	3	4	2	1
Male.....	23	3	-	2	1	2	2	4	3	2	3	-	1
Female.....	19	2	1	-	1	3	2	3	3	1	1	2	-
Black, both sexes.....	5	-	1	-	1	-	-	-	-	2	-	1	-
Male.....	4	-	1	-	1	-	-	-	-	1	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified T-cell lymphomas (C84.5)													
All races, both sexes.....	755	64	51	63	68	57	67	69	53	67	74	58	64
Male.....	448	42	32	36	35	36	40	44	27	40	44	29	43
Female.....	307	22	19	27	33	21	27	25	26	27	30	29	21
White, both sexes.....	605	51	42	54	51	41	55	50	43	55	60	49	54
Male.....	370	34	29	33	27	25	35	33	21	32	38	24	39
Female.....	235	17	13	21	24	16	20	17	22	23	22	25	15
Black, both sexes.....	123	11	7	7	15	16	10	15	8	9	12	5	8
Male.....	65	6	3	2	7	11	5	9	5	6	5	2	4
Female.....	58	5	4	5	8	5	5	6	3	3	7	3	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	26	2	2	2	2	-	2	4	1	3	2	4	2
Male.....	12	2	-	1	1	-	-	2	-	2	1	3	-
Female.....	14	-	2	1	1	-	2	2	1	1	1	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Waldenstrom's macroglobulinemia (C88.0)													
All races, both sexes.....	349	32	31	35	33	30	25	26	31	27	31	29	19
Male.....	200	22	21	18	16	17	14	14	15	18	14	18	13
Female.....	149	10	10	17	17	13	11	12	16	9	17	11	6
White, both sexes.....	332	31	29	33	31	29	25	24	29	25	30	27	19
Male.....	190	21	20	18	15	17	14	14	13	16	13	16	13
Female.....	142	10	9	15	16	12	11	10	16	9	17	11	6
Black, both sexes.....	10	-	1	1	1	1	-	2	2	-	1	1	-
Male.....	5	-	1	-	-	-	-	-	2	-	1	1	-
Female.....	5	-	-	1	1	1	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	1	1	1	-	-	-	-	2	-	1	-
Male.....	5	1	-	-	1	-	-	-	-	2	-	1	-
Female.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Multiple myeloma and malignant plasma cell neoplasms (C90)													
All races, both sexes.....	10,851	1,021	859	995	867	893	870	901	856	872	876	893	948
Male.....	5,745	518	439	508	456	485	472	472	453	463	462	487	530
Female.....	5,106	503	420	487	411	408	398	429	403	409	414	406	418
White, both sexes.....	8,839	852	707	815	699	740	704	713	681	712	721	723	772
Male.....	4,747	435	372	413	364	404	396	386	365	386	382	405	439
Female.....	4,092	417	335	402	335	336	308	327	316	326	339	318	333
Black, both sexes.....	1,775	151	130	158	151	129	155	164	155	143	132	152	155
Male.....	877	72	56	85	81	64	72	76	80	71	64	73	83
Female.....	898	79	74	73	70	65	83	88	75	72	68	79	72
American Indian 1/, both sexes.....	63	3	8	4	2	6	1	9	10	4	8	6	2
Male.....	36	2	5	2	1	5	-	5	6	-	6	3	1
Female.....	27	1	3	2	1	1	1	4	4	4	2	3	1
Asian or Pacific Islander 2/, both sexes.....	174	15	14	18	15	18	10	15	10	13	15	12	19
Male.....	85	9	6	8	10	12	4	5	2	6	10	6	7
Female.....	89	6	8	10	5	6	6	10	8	7	5	6	12

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Multiple myeloma (C90.0)													
All races, both sexes.....	10,657	1,007	844	982	854	875	850	880	840	857	862	876	930
Male.....	5,642	514	430	501	449	476	459	463	445	455	453	480	517
Female.....	5,015	493	414	481	405	399	391	417	395	402	409	396	413
White, both sexes.....	8,680	840	692	802	689	724	688	698	667	701	710	708	761
Male.....	4,667	432	363	406	360	396	386	379	358	381	375	398	433
Female.....	4,013	408	329	396	329	328	302	319	309	320	335	310	328
Black, both sexes.....	1,746	149	130	158	150	127	152	159	153	140	129	150	149
Male.....	857	71	56	85	80	63	69	74	79	68	62	73	77
Female.....	889	78	74	73	70	64	83	85	74	72	67	77	72
American Indian 1/, both sexes.....	61	3	8	4	2	6	-	8	10	4	8	6	2
Male.....	36	2	5	2	1	5	-	5	6	-	6	3	1
Female.....	25	1	3	2	1	1	-	3	4	4	2	3	1
Asian or Pacific Islander 2/, both sexes.....	170	15	14	18	13	18	10	15	10	12	15	12	18
Male.....	82	9	6	8	8	12	4	5	2	6	10	6	6
Female.....	88	6	8	10	5	6	6	10	8	6	5	6	12
Plasma cell leukemia (C90.1)													
All races, both sexes.....	93	6	8	9	5	9	7	11	7	9	7	6	9
Male.....	42	2	4	4	3	4	4	6	2	3	3	1	6
Female.....	51	4	4	5	2	5	3	5	5	6	4	5	3
White, both sexes.....	71	4	8	9	3	7	4	7	6	7	6	5	5
Male.....	28	1	4	4	1	3	2	4	2	2	2	1	2
Female.....	43	3	4	5	2	4	2	3	4	5	4	4	3
Black, both sexes.....	18	2	-	-	1	2	2	3	1	1	1	1	4
Male.....	13	1	-	-	1	1	2	2	-	1	1	-	4
Female.....	5	1	-	-	-	1	-	1	1	-	-	1	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Plasmacytoma, extramedullary (C90.2)													
All races, both sexes.....	101	8	7	4	8	9	13	10	9	6	7	11	9
Male.....	61	2	5	3	4	5	9	3	6	5	6	6	7
Female.....	40	6	2	1	4	4	4	7	3	1	1	5	2
White, both sexes.....	88	8	7	4	7	9	12	8	8	4	5	10	6
Male.....	52	2	5	3	3	5	8	3	5	3	5	6	4
Female.....	36	6	2	1	4	4	4	5	3	1	-	4	2
Black, both sexes.....	11	-	-	-	-	-	1	2	1	2	2	1	2
Male.....	7	-	-	-	-	-	1	-	1	2	1	-	2
Female.....	4	-	-	-	-	-	-	2	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	2	-	-	-	1	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Lymphoid leukemia (C91)													
All races, both sexes.....	6,290	548	524	566	520	519	517	504	528	503	535	497	529
Male.....	3,706	325	288	330	297	321	308	322	306	297	302	290	320
Female.....	2,584	223	236	236	223	198	209	182	222	206	233	207	209
White, both sexes.....	5,683	496	467	519	464	464	473	456	470	453	482	453	486
Male.....	3,342	291	256	302	262	289	281	287	272	271	272	264	295
Female.....	2,341	205	211	217	202	175	192	169	198	182	210	189	191
Black, both sexes.....	498	46	42	38	47	43	42	41	47	43	43	35	31
Male.....	294	30	21	23	28	22	26	31	27	22	25	22	17
Female.....	204	16	21	15	19	21	16	10	20	21	18	13	14
American Indian 1/, both sexes.....	26	1	6	2	3	5	-	1	2	1	1	-	4
Male.....	20	-	5	1	2	4	-	1	2	1	1	-	3
Female.....	6	1	1	1	1	1	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.	83	5	9	7	6	7	2	6	9	6	9	9	8
Male.....	50	4	6	4	5	6	1	3	5	3	4	4	5
Female.....	33	1	3	3	1	1	1	3	4	3	5	5	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute lymphoblastic leukemia (C91.0)													
All races, both sexes.....	1,460	122	107	142	114	111	118	135	136	114	114	118	129
Male.....	807	67	56	70	63	62	64	85	75	63	62	68	72
Female.....	653	55	51	72	51	49	54	50	61	51	52	50	57
White, both sexes.....	1,277	106	90	128	99	101	104	119	114	101	95	105	115
Male.....	699	56	45	65	55	56	57	71	62	59	49	61	63
Female.....	578	50	45	63	44	45	47	48	52	42	46	44	52
Black, both sexes.....	122	11	11	10	9	4	13	12	14	10	13	8	7
Male.....	71	8	5	4	4	2	7	11	8	4	10	5	3
Female.....	51	3	6	6	5	2	6	1	6	6	3	3	4
American Indian 1/, both sexes.....	14	1	3	-	2	3	-	1	1	-	1	-	2
Male.....	11	-	3	-	1	2	-	1	1	-	1	-	2
Female.....	3	1	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	47	4	3	4	4	3	1	3	7	3	5	5	5
Male.....	26	3	3	1	3	2	-	2	4	-	2	2	4
Female.....	21	1	-	3	1	1	1	1	3	3	3	3	1
Chronic lymphocytic leukemia (C91.1)													
All races, both sexes.....	4,391	373	385	391	373	361	365	339	365	355	384	349	351
Male.....	2,623	226	209	240	212	229	222	219	216	210	216	205	219
Female.....	1,768	147	176	151	161	132	143	120	149	145	168	144	132
White, both sexes.....	4,016	343	350	361	338	320	335	312	330	323	355	323	326
Male.....	2,395	206	189	219	190	206	202	201	195	191	202	188	206
Female.....	1,621	137	161	142	148	114	133	111	135	132	153	135	120
Black, both sexes.....	335	29	28	25	33	36	29	25	32	29	26	23	20
Male.....	198	19	15	17	20	18	19	17	19	16	12	15	11
Female.....	137	10	13	8	13	18	10	8	13	13	14	8	9
American Indian 1/, both sexes.....	11	-	2	2	1	2	-	-	1	1	-	-	2
Male.....	9	-	2	1	1	2	-	-	1	1	-	-	1
Female.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	29	1	5	3	1	3	1	2	2	2	3	3	3
Male.....	21	1	3	3	1	3	1	1	1	2	2	2	1
Female.....	8	-	2	-	-	-	-	1	1	-	1	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Adult T-cell leukemia (C91.5)													
All races, both sexes.....	63	6	4	4	1	10	3	6	3	3	6	8	9
Male.....	36	3	1	2	1	6	2	4	1	1	4	5	6
Female.....	27	3	3	2	-	4	1	2	2	2	2	3	3
White, both sexes.....	46	4	3	3	1	8	3	4	3	2	3	5	7
Male.....	27	2	1	1	1	5	2	3	1	1	2	4	4
Female.....	19	2	2	2	-	3	1	1	2	1	1	1	3
Black, both sexes.....	15	2	1	1	-	2	-	2	-	1	2	2	2
Male.....	9	1	-	1	-	1	-	1	-	-	2	1	2
Female.....	6	1	1	-	-	1	-	1	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Lymphoid leukemia, unspecified (C91.9)													
All races, both sexes.....	187	28	11	13	20	13	12	10	13	15	18	11	23
Male.....	113	15	9	8	14	5	7	6	10	9	11	4	15
Female.....	74	13	2	5	6	8	5	4	3	6	7	7	8
White, both sexes.....	170	25	10	13	16	12	12	7	12	14	18	9	22
Male.....	102	13	9	8	10	4	7	4	10	9	11	3	14
Female.....	68	12	1	5	6	8	5	3	2	5	7	6	8
Black, both sexes.....	15	3	1	-	3	1	-	2	1	1	-	2	1
Male.....	10	2	-	-	3	1	-	2	-	-	-	1	1
Female.....	5	1	1	-	-	-	-	-	1	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myeloid leukemia (C92)													
All races, both sexes.....	9,951	836	776	811	774	771	814	831	863	839	880	892	864
Male.....	5,592	477	402	470	432	415	470	491	473	466	469	528	499
Female.....	4,359	359	374	341	342	356	344	340	390	373	411	364	365
White, both sexes.....	8,922	748	693	721	674	694	722	760	779	745	798	804	784
Male.....	5,063	437	365	422	366	376	426	454	438	415	435	472	457
Female.....	3,859	311	328	299	308	318	296	306	341	330	363	332	327
Black, both sexes.....	776	73	61	68	77	61	70	55	70	66	55	68	52
Male.....	384	34	28	36	52	31	31	27	31	32	22	40	20
Female.....	392	39	33	32	25	30	39	28	39	34	33	28	32
American Indian 1/, both sexes.....	31	2	-	5	5	1	2	1	1	3	3	1	7
Male.....	17	-	-	2	4	1	1	-	-	1	-	1	7
Female.....	14	2	-	3	1	-	1	1	1	2	3	-	-
Asian or Pacific Islander 2/, both sexes.....	222	13	22	17	18	15	20	15	13	25	24	19	21
Male.....	128	6	9	10	10	7	12	10	4	18	12	15	15
Female.....	94	7	13	7	8	8	8	5	9	7	12	4	6
Acute myeloid leukemia (C92.0)													
All races, both sexes.....	7,922	664	614	627	619	606	662	669	689	675	720	693	684
Male.....	4,441	375	315	367	346	324	376	399	378	383	379	401	398
Female.....	3,481	289	299	260	273	282	286	270	311	292	341	292	286
White, both sexes.....	7,132	600	556	562	548	547	588	611	622	600	655	623	620
Male.....	4,041	350	289	333	301	295	341	371	350	343	352	354	362
Female.....	3,091	250	267	229	247	252	247	240	272	257	303	269	258
Black, both sexes.....	578	50	41	49	54	46	56	42	55	49	42	52	42
Male.....	280	19	19	26	35	24	23	18	25	23	17	33	18
Female.....	298	31	22	23	19	22	33	24	30	26	25	19	24
American Indian 1/, both sexes.....	23	2	-	4	4	-	-	1	1	3	2	1	5
Male.....	12	-	-	2	3	-	-	-	-	1	-	1	5
Female.....	11	2	-	2	1	-	-	1	1	2	2	-	-
Asian or Pacific Islander 2/, both sexes.....	189	12	17	12	13	13	18	15	11	23	21	17	17
Male.....	108	6	7	6	7	5	12	10	3	16	10	13	13
Female.....	81	6	10	6	6	8	6	5	8	7	11	4	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myeloid sarcoma (C92.3)													
All races, both sexes.....	16	-	-	1	-	1	2	2	1	2	2	4	1
Male.....	8	-	-	-	-	-	2	2	1	-	1	2	-
Female.....	8	-	-	1	-	1	-	-	-	2	1	2	1
White, both sexes.....	14	-	-	1	-	1	1	2	1	1	2	4	1
Male.....	7	-	-	-	-	-	1	2	1	-	1	2	-
Female.....	7	-	-	1	-	1	-	-	-	1	1	2	1
Black, both sexes.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute promyelocytic leukemia (C92.4)													
All races, both sexes.....	126	5	13	14	13	5	9	8	12	18	10	15	4
Male.....	72	4	9	7	6	3	6	5	5	11	5	8	3
Female.....	54	1	4	7	7	2	3	3	7	7	5	7	1
White, both sexes.....	108	5	11	13	10	3	9	5	11	16	9	13	3
Male.....	63	4	9	7	4	1	6	3	5	9	5	7	3
Female.....	45	1	2	6	6	2	3	2	6	7	4	6	-
Black, both sexes.....	11	-	1	-	2	1	-	3	-	1	1	1	1
Male.....	5	-	-	-	1	1	-	2	-	1	-	-	-
Female.....	6	-	1	-	1	-	-	1	-	-	1	1	1
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	1	1	-	-	1	1	-	1	-
Male.....	4	-	-	-	1	1	-	-	-	1	-	1	-
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified leukemias (C94.7)													
All races, both sexes.....	28	6	3	1	3	1	-	2	5	3	1	2	1
Male.....	15	3	1	1	2	-	-	2	3	1	1	-	1
Female.....	13	3	2	-	1	1	-	-	2	2	-	2	-
White, both sexes.....	24	5	2	1	3	1	-	1	4	3	1	2	1
Male.....	11	2	-	1	2	-	-	1	2	1	1	-	1
Female.....	13	3	2	-	1	1	-	-	2	2	-	2	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	-	1	1	-	-	-	-
Male.....	3	1	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia of unspecified cell type (C95)													
All races, both sexes.....	5,191	451	434	447	417	437	419	455	411	424	428	423	445
Male.....	2,821	217	243	249	231	249	230	260	220	237	235	208	242
Female.....	2,370	234	191	198	186	188	189	195	191	187	193	215	203
White, both sexes.....	4,636	407	388	402	379	390	377	414	364	368	380	366	401
Male.....	2,529	195	222	226	205	227	205	236	199	207	206	181	220
Female.....	2,107	212	166	176	174	163	172	178	165	161	174	185	181
Black, both sexes.....	432	39	35	31	33	39	35	29	28	50	37	40	36
Male.....	226	19	17	17	23	17	20	15	13	26	20	21	18
Female.....	206	20	18	14	10	22	15	14	15	24	17	19	18
American Indian 1/, both sexes.....	14	1	-	1	-	2	-	2	3	-	-	3	2
Male.....	5	-	-	1	-	-	-	1	2	-	-	1	-
Female.....	9	1	-	-	-	2	-	1	1	-	-	2	2
Asian or Pacific Islander 2/, both sexes.....	109	4	11	13	5	6	7	10	16	6	11	14	6
Male.....	61	3	4	5	3	5	5	8	6	4	9	5	4
Female.....	48	1	7	8	2	1	2	2	10	2	2	9	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute leukemia of unspecified cell type (C95.0)													
All races, both sexes.....	2,225	177	186	197	169	186	191	204	191	185	181	168	190
Male.....	1,187	96	114	106	81	104	98	116	99	99	88	86	100
Female.....	1,038	81	72	91	88	82	93	88	92	86	93	82	90
White, both sexes.....	2,021	159	172	179	151	172	175	189	176	164	161	149	174
Male.....	1,065	83	105	98	67	95	88	108	93	88	75	74	91
Female.....	956	76	67	81	84	77	87	81	83	76	86	75	83
Black, both sexes.....	152	14	10	9	15	11	14	10	9	19	14	13	14
Male.....	91	10	8	4	12	6	8	4	4	10	8	9	8
Female.....	61	4	2	5	3	5	6	6	5	9	6	4	6
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	1	-	-	1	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	49	4	4	9	3	3	2	4	5	2	6	5	2
Male.....	29	3	1	4	2	3	2	3	2	1	5	2	1
Female.....	20	1	3	5	1	-	-	1	3	1	1	3	1
Chronic leukemia of unspecified cell type (C95.1)													
All races, both sexes.....	184	23	12	17	14	18	17	12	8	17	15	17	14
Male.....	109	11	9	10	11	12	12	5	5	11	7	8	8
Female.....	75	12	3	7	3	6	5	7	3	6	8	9	6
White, both sexes.....	160	18	11	16	12	18	12	12	5	13	14	15	14
Male.....	93	9	8	10	9	12	9	5	3	8	6	6	8
Female.....	67	9	3	6	3	6	3	7	2	5	8	9	6
Black, both sexes.....	21	5	1	1	2	-	4	-	1	4	1	2	-
Male.....	14	2	1	-	2	-	3	-	-	3	1	2	-
Female.....	7	3	-	1	-	-	1	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	2	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other leukemia of unspecified cell type (C95.7)													
All races, both sexes.....	6	-	1	1	-	1	-	1	-	-	1	-	1
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	1	-	1	-	1	-	-	1	-	1
White, both sexes.....	5	-	1	1	-	-	-	1	-	-	1	-	1
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	1	-	-	-	1	-	-	1	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia, unspecified (C95.9)													
All races, both sexes.....	2,776	251	235	232	234	232	211	238	212	222	231	238	240
Male.....	1,524	110	119	133	139	133	120	139	116	127	140	114	134
Female.....	1,252	141	116	99	95	99	91	99	96	95	91	124	106
White, both sexes.....	2,450	230	204	206	216	200	190	212	183	191	204	202	212
Male.....	1,370	103	108	118	129	120	108	123	103	111	125	101	121
Female.....	1,080	127	96	88	87	80	82	89	80	80	79	101	91
Black, both sexes.....	259	20	24	21	16	28	17	19	18	27	22	25	22
Male.....	121	7	8	13	9	11	9	11	9	13	11	10	10
Female.....	138	13	16	8	7	17	8	8	9	14	11	15	12
American Indian 1/, both sexes.....	10	1	-	1	-	1	-	1	2	-	-	2	2
Male.....	3	-	-	1	-	-	-	-	2	-	-	-	-
Female.....	7	1	-	-	-	1	-	1	-	-	-	2	2
Asian or Pacific Islander 2/, both sexes.....	57	-	7	4	2	3	4	6	9	4	5	9	4
Male.....	30	-	3	1	1	2	3	5	2	3	4	3	3
Female.....	27	-	4	3	1	1	1	1	7	1	1	6	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasms of lymphoid, hematopoietic, and related tissue, unspecified (C96.9)													
All races, both sexes.....	43	5	4	6	5	3	4	4	5	2	1	2	2
Male.....	29	3	2	5	4	1	2	4	4	1	1	1	1
Female.....	14	2	2	1	1	2	2	-	1	1	-	1	1
White, both sexes.....	38	5	4	5	5	3	3	3	4	2	-	2	2
Male.....	25	3	2	4	4	1	1	3	4	1	-	1	1
Female.....	13	2	2	1	1	2	2	-	-	1	-	1	1
Black, both sexes.....	4	-	-	1	-	-	1	1	1	-	-	-	-
Male.....	3	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of independent (primary) multiple sites (C97)													
All races, both sexes.....	4,358	396	365	377	382	357	360	392	333	330	355	351	360
Male.....	2,536	238	222	210	239	196	202	213	210	190	209	190	217
Female.....	1,822	158	143	167	143	161	158	179	123	140	146	161	143
White, both sexes.....	3,757	345	319	318	342	308	308	343	291	278	301	299	305
Male.....	2,181	199	190	177	221	169	174	185	187	163	176	158	182
Female.....	1,576	146	129	141	121	139	134	158	104	115	125	141	123
Black, both sexes.....	511	45	40	51	35	43	43	40	36	42	45	45	46
Male.....	306	34	30	27	16	24	24	23	19	22	27	28	32
Female.....	205	11	10	24	19	19	19	17	17	20	18	17	14
American Indian 1/, both sexes.....	17	2	1	-	2	2	3	2	-	1	-	2	2
Male.....	8	2	1	-	-	1	2	-	-	1	-	1	-
Female.....	9	-	-	-	2	1	1	2	-	-	-	1	2
Asian or Pacific Islander 2/, both sexes.....	73	4	5	8	3	4	6	7	6	9	9	5	7
Male.....	41	3	1	6	2	2	2	5	4	4	6	3	3
Female.....	32	1	4	2	1	2	4	2	2	5	3	2	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bladder (D09.0)													
All races, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of mouth and pharynx (D10)													
All races, both sexes.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other and unspecified parts of mouth (D10.3)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Nasopharynx (D10.6)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Leiomyoma of uterus (D25)													
All races, both sexes.....	28	2	2	-	1	6	3	2	2	3	3	3	1
Male.....
Female.....	28	2	2	-	1	6	3	2	2	3	3	3	1
White, both sexes.....	10	-	-	-	-	2	2	-	1	2	1	2	-
Male.....
Female.....	10	-	-	-	-	2	2	-	1	2	1	2	-
Black, both sexes.....	17	2	2	-	1	4	1	2	1	1	1	1	1
Male.....
Female.....	17	2	2	-	1	4	1	2	1	1	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Leiomyoma of uterus, unspecified (D25.9)													
All races, both sexes.....	28	2	2	-	1	6	3	2	2	3	3	3	1
Male.....
Female.....	28	2	2	-	1	6	3	2	2	3	3	3	1
White, both sexes.....	10	-	-	-	-	2	2	-	1	2	1	2	-
Male.....
Female.....	10	-	-	-	-	2	2	-	1	2	1	2	-
Black, both sexes.....	17	2	2	-	1	4	1	2	1	1	1	1	1
Male.....
Female.....	17	2	2	-	1	4	1	2	1	1	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Orbit, unspecified (D31.6)													
All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of meninges (D32)													
All races, both sexes.....	735	75	67	55	44	65	58	63	67	56	54	68	63
Male.....	235	24	23	14	11	19	16	17	19	17	27	24	24
Female.....	500	51	44	41	33	46	42	46	48	39	27	44	39
White, both sexes.....	597	60	55	46	36	52	48	51	55	42	49	54	49
Male.....	197	19	21	10	10	14	14	13	18	15	26	18	19
Female.....	400	41	34	36	26	38	34	38	37	27	23	36	30
Black, both sexes.....	115	12	11	8	7	11	9	6	8	13	5	12	13
Male.....	31	3	2	3	1	5	2	1	1	2	1	6	4
Female.....	84	9	9	5	6	6	7	5	7	11	4	6	9
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	2	1	1	1	2	1	6	3	1	-	2	1
Male.....	6	1	-	1	-	-	-	3	-	-	-	-	1
Female.....	15	1	1	-	1	2	1	3	3	1	-	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs (D37)													
All races, both sexes.....	757	67	71	64	70	61	61	59	61	45	66	62	70
Male.....	365	29	31	28	33	25	34	30	28	23	31	36	37
Female.....	392	38	40	36	37	36	27	29	33	22	35	26	33
White, both sexes.....	637	59	61	53	61	49	47	48	50	40	59	55	55
Male.....	306	26	24	24	29	19	25	27	23	21	28	32	28
Female.....	331	33	37	29	32	30	22	21	27	19	31	23	27
Black, both sexes.....	98	7	8	8	9	8	13	10	7	5	6	5	12
Male.....	46	2	5	2	4	4	9	3	3	2	3	3	6
Female.....	52	5	3	6	5	4	4	7	4	3	3	2	6
American Indian 1/, both sexes.....	5	-	-	-	-	1	-	-	2	-	-	-	2
Male.....	4	-	-	-	-	1	-	-	1	-	-	-	2
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	1	2	3	-	3	1	1	2	-	1	2	1
Male.....	9	1	2	2	-	1	-	-	1	-	-	1	1
Female.....	8	-	-	1	-	2	1	1	1	-	1	1	-
Lip, oral cavity, and pharynx (D37.0)													
All races, both sexes.....	66	4	7	7	2	7	6	7	5	3	6	7	5
Male.....	37	3	4	4	1	4	2	5	1	2	4	3	4
Female.....	29	1	3	3	1	3	4	2	4	1	2	4	1
White, both sexes.....	50	4	4	6	1	7	4	6	3	3	4	6	2
Male.....	29	3	2	3	1	4	1	5	1	2	2	3	2
Female.....	21	1	2	3	-	3	3	1	2	1	2	3	-
Black, both sexes.....	14	-	3	1	1	-	2	-	2	-	2	-	3
Male.....	8	-	2	1	-	-	1	-	-	-	2	-	2
Female.....	6	-	1	-	1	-	1	-	2	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rectum (D37.5)													
All races, both sexes.....	27	4	1	-	5	1	2	3	2	1	3	4	1
Male.....	11	2	-	-	3	-	1	1	-	1	1	1	1
Female.....	16	2	1	-	2	1	1	2	2	-	2	3	-
White, both sexes.....	23	3	1	-	4	1	2	2	1	1	3	4	1
Male.....	11	2	-	-	3	-	1	1	-	1	1	1	1
Female.....	12	1	1	-	1	1	1	1	1	-	2	3	-
Black, both sexes.....	3	1	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Liver, gallbladder, and bile ducts (D37.6)													
All races, both sexes.....	193	24	18	11	19	14	12	14	14	11	20	20	16
Male.....	98	9	8	4	9	8	9	7	7	6	8	12	11
Female.....	95	15	10	7	10	6	3	7	7	5	12	8	5
White, both sexes.....	165	21	16	10	17	11	9	12	12	10	17	15	15
Male.....	85	8	7	4	8	5	7	7	6	6	8	9	10
Female.....	80	13	9	6	9	6	2	5	6	4	9	6	5
Black, both sexes.....	24	3	2	1	2	2	3	2	1	1	2	4	1
Male.....	10	1	1	-	1	2	2	-	-	-	-	2	1
Female.....	14	2	1	1	1	-	1	2	1	1	2	2	-
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other digestive organs (D37.7)													
All races, both sexes.....	210	15	23	19	27	13	16	15	13	17	16	15	21
Male.....	93	6	8	9	14	4	8	7	4	7	10	9	7
Female.....	117	9	15	10	13	9	8	8	9	10	6	6	14
White, both sexes.....	182	12	21	14	23	12	14	12	10	14	16	14	20
Male.....	77	4	6	7	11	3	7	7	3	5	10	8	6
Female.....	105	8	15	7	12	9	7	5	7	9	6	6	14
Black, both sexes.....	21	2	1	4	4	-	1	3	2	3	-	1	-
Male.....	11	1	1	1	3	-	1	-	1	2	-	1	-
Female.....	10	1	-	3	1	-	-	3	1	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	1	1	-	1	1	-	1	-	-	-	-
Male.....	4	1	1	1	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Digestive organ, unspecified (D37.9)													
All races, both sexes.....	53	3	7	4	5	7	5	4	5	2	4	1	6
Male.....	24	1	2	2	2	3	3	3	2	-	1	1	4
Female.....	29	2	5	2	3	4	2	1	3	2	3	-	2
White, both sexes.....	43	3	6	2	4	4	4	3	5	2	4	1	5
Male.....	18	1	1	1	2	2	2	2	2	-	1	1	3
Female.....	25	2	5	1	2	2	2	1	3	2	3	-	2
Black, both sexes.....	5	-	-	1	1	1	1	1	-	-	-	-	-
Male.....	3	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	2	-	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	1	-	2	-	-	-	-	-	-	1
Male.....	3	-	1	1	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	2	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neoplasm of uncertain or unknown behavior of urinary organs (D41)													
All races, both sexes.....	165	9	15	12	14	16	18	7	11	12	16	17	18
Male.....	95	7	10	6	9	8	9	3	7	8	8	11	9
Female.....	70	2	5	6	5	8	9	4	4	4	8	6	9
White, both sexes.....	142	8	15	10	13	13	15	5	9	8	14	17	15
Male.....	85	7	10	5	8	7	7	3	6	6	7	11	8
Female.....	57	1	5	5	5	6	8	2	3	2	7	6	7
Black, both sexes.....	16	-	-	2	-	2	2	2	-	3	2	-	3
Male.....	5	-	-	1	-	-	1	-	-	1	1	-	1
Female.....	11	-	-	1	-	2	1	2	-	2	1	-	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	-	1	1	1	-	1	1	-	-	-
Male.....	4	-	-	-	1	1	1	-	1	1	-	-	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Kidney (D41.0)													
All races, both sexes.....	68	3	12	6	9	6	9	2	5	4	4	3	5
Male.....	40	2	8	2	8	3	7	-	3	3	1	1	2
Female.....	28	1	4	4	1	3	2	2	2	1	3	2	3
White, both sexes.....	54	3	12	4	8	4	7	1	3	2	3	3	4
Male.....	33	2	8	1	7	3	5	-	2	2	-	1	2
Female.....	21	1	4	3	1	2	2	1	1	-	3	2	2
Black, both sexes.....	10	-	-	2	-	2	1	1	-	2	1	-	1
Male.....	4	-	-	1	-	-	1	-	-	1	1	-	-
Female.....	6	-	-	1	-	2	-	1	-	1	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	1	-	1	-	-	-	-
Male.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Meninges, unspecified (D42.9)													
All races, both sexes.....	12	-	-	3	1	2	2	-	-	-	3	1	-
Male.....	3	-	-	-	-	1	1	-	-	-	-	1	-
Female.....	9	-	-	3	1	1	1	-	-	-	3	-	-
White, both sexes.....	11	-	-	3	1	2	2	-	-	-	2	1	-
Male.....	3	-	-	-	-	1	1	-	-	-	-	1	-
Female.....	8	-	-	3	1	1	1	-	-	-	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Neoplasm of uncertain or unknown behavior of brain and central nervous system (D43)													
All races, both sexes.....	2,955	254	234	277	227	264	224	249	240	242	280	212	252
Male.....	1,416	108	122	133	121	125	115	113	105	111	137	100	126
Female.....	1,539	146	112	144	106	139	109	136	135	131	143	112	126
White, both sexes.....	2,619	224	208	248	209	231	198	213	206	220	248	191	223
Male.....	1,271	100	108	122	113	109	100	100	88	103	123	91	114
Female.....	1,348	124	100	126	96	122	98	113	118	117	125	100	109
Black, both sexes.....	274	21	22	18	17	25	20	32	31	18	27	17	26
Male.....	115	6	11	6	8	12	10	12	15	6	11	8	10
Female.....	159	15	11	12	9	13	10	20	16	12	16	9	16
American Indian 1/, both sexes.....	8	2	-	3	-	1	-	2	-	-	-	-	-
Male.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	6	2	-	2	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	54	7	4	8	1	7	6	2	3	4	5	4	3
Male.....	28	2	3	4	-	4	5	-	2	2	3	1	2
Female.....	26	5	1	4	1	3	1	2	1	2	2	3	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Brain, supratentorial (D43.0)													
All races, both sexes.....	147	17	14	19	9	13	6	13	10	12	17	4	13
Male.....	75	6	7	7	5	8	1	8	3	7	12	3	8
Female.....	72	11	7	12	4	5	5	5	7	5	5	1	5
White, both sexes.....	132	17	12	15	9	10	5	11	9	11	17	4	12
Male.....	69	6	6	6	5	6	1	7	3	6	12	3	8
Female.....	63	11	6	9	4	4	4	4	6	5	5	1	4
Black, both sexes.....	9	-	2	1	-	2	-	1	1	1	-	-	1
Male.....	5	-	1	-	-	2	-	1	-	1	-	-	-
Female.....	4	-	1	1	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	2	-	1	1	1	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	1	-	1	1	1	-	-	-	-	-
Brain, infratentorial (D43.1)													
All races, both sexes.....	96	8	10	10	7	9	6	14	3	12	10	5	2
Male.....	44	4	4	3	4	4	2	8	1	6	5	3	-
Female.....	52	4	6	7	3	5	4	6	2	6	5	2	2
White, both sexes.....	82	8	10	9	6	9	6	12	2	10	7	2	1
Male.....	38	4	4	3	3	4	2	7	1	6	3	1	-
Female.....	44	4	6	6	3	5	4	5	1	4	4	1	1
Black, both sexes.....	10	-	-	1	1	-	-	2	1	1	2	1	1
Male.....	4	-	-	-	1	-	-	1	-	-	1	1	-
Female.....	6	-	-	1	-	-	-	1	1	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	1	1	2	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Endocrine gland, unspecified (D44.9)													
All races, both sexes.....	8	1	1	-	1	3	1	1	-	-	-	-	-
Male.....	4	-	1	-	1	2	-	-	-	-	-	-	-
Female.....	4	1	-	-	-	1	1	1	-	-	-	-	-
White, both sexes.....	8	1	1	-	1	3	1	1	-	-	-	-	-
Male.....	4	-	1	-	1	2	-	-	-	-	-	-	-
Female.....	4	1	-	-	-	1	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Polycythemia vera (D45)													
All races, both sexes.....	290	30	18	25	30	29	30	21	11	24	30	21	21
Male.....	126	18	11	10	12	14	8	10	6	11	11	9	6
Female.....	164	12	7	15	18	15	22	11	5	13	19	12	15
White, both sexes.....	276	29	17	25	29	24	28	21	10	24	29	19	21
Male.....	118	18	11	10	12	11	7	10	5	11	10	7	6
Female.....	158	11	6	15	17	13	21	11	5	13	19	12	15
Black, both sexes.....	10	1	1	-	1	4	1	-	-	-	1	1	-
Male.....	6	-	-	-	-	3	1	-	-	-	1	1	-
Female.....	4	1	1	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	1	-	1	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Refractory anemia with excess of blasts (D46.2)													
All races, both sexes.....	16	3	-	-	-	2	-	5	-	-	3	1	2
Male.....	13	3	-	-	-	2	-	4	-	-	3	-	1
Female.....	3	-	-	-	-	-	-	1	-	-	-	1	1
White, both sexes.....	15	3	-	-	-	2	-	4	-	-	3	1	2
Male.....	12	3	-	-	-	2	-	3	-	-	3	-	1
Female.....	3	-	-	-	-	-	-	1	-	-	-	1	1
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Refractory anemia, unspecified (D46.4)													
All races, both sexes.....	107	12	7	9	12	12	14	7	12	6	6	6	4
Male.....	52	5	4	3	7	2	8	5	10	1	3	2	2
Female.....	55	7	3	6	5	10	6	2	2	5	3	4	2
White, both sexes.....	100	12	7	8	11	11	13	7	11	6	5	6	3
Male.....	49	5	4	3	6	2	8	5	9	1	2	2	2
Female.....	51	7	3	5	5	9	5	2	2	5	3	4	1
Black, both sexes.....	4	-	-	-	1	1	-	-	1	-	1	-	-
Male.....	3	-	-	-	1	-	-	-	1	-	1	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other myelodysplastic syndromes (D46.7)													
All races, both sexes.....	7	1	1	-	-	-	-	2	-	-	1	1	1
Male.....	4	1	-	-	-	-	-	-	-	-	1	1	1
Female.....	3	-	1	-	-	-	-	2	-	-	-	-	-
White, both sexes.....	6	1	1	-	-	-	-	2	-	-	1	1	-
Male.....	3	1	-	-	-	-	-	-	-	-	1	1	-
Female.....	3	-	1	-	-	-	-	2	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Myelodysplastic syndrome, unspecified (D46.9)													
All races, both sexes.....	4,680	438	342	403	366	360	382	388	420	354	391	419	417
Male.....	2,612	248	200	229	204	193	218	219	242	182	206	232	239
Female.....	2,068	190	142	174	162	167	164	169	178	172	185	187	178
White, both sexes.....	4,344	415	317	375	341	335	356	355	394	324	359	395	378
Male.....	2,433	234	185	215	189	184	204	204	226	166	187	221	218
Female.....	1,911	181	132	160	152	151	152	151	168	158	172	174	160
Black, both sexes.....	234	15	18	17	19	17	20	21	21	21	19	18	28
Male.....	120	9	11	10	10	7	9	8	12	11	11	7	15
Female.....	114	6	7	7	9	10	11	13	9	10	8	11	13
American Indian 1/, both sexes.....	17	1	-	3	3	2	2	1	-	1	1	1	2
Male.....	8	1	-	2	2	-	2	1	-	-	1	-	1
Female.....	9	-	-	3	1	2	-	-	-	1	-	1	1
Asian or Pacific Islander 2/, both sexes.....	85	7	7	8	3	6	4	11	5	8	12	5	9
Male.....	51	4	4	4	3	2	3	6	4	5	7	4	5
Female.....	34	3	3	4	-	4	1	5	1	3	5	1	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue (D47)													
All races, both sexes.....	1,553	137	134	139	125	130	118	136	119	138	121	122	134
Male.....	821	75	64	70	64	77	62	78	72	67	53	68	71
Female.....	732	62	70	69	61	53	56	58	47	71	68	54	63
White, both sexes.....	1,426	125	124	127	117	123	107	126	109	125	106	111	126
Male.....	757	68	61	62	61	73	57	72	64	60	48	63	68
Female.....	669	57	63	65	56	50	50	54	45	65	58	48	58
Black, both sexes.....	95	8	6	7	5	5	10	7	8	11	12	9	7
Male.....	48	6	1	4	1	2	5	4	6	7	5	4	3
Female.....	47	2	5	3	4	3	5	3	2	4	7	5	4
American Indian 1/, both sexes.....	5	1	1	1	-	-	-	1	-	-	-	1	-
Male.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	3	1	1	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	27	3	3	4	3	2	1	2	2	2	3	1	1
Male.....	14	1	2	3	2	2	-	1	2	-	-	1	-
Female.....	13	2	1	1	1	-	1	1	-	2	3	-	1
Chronic myeloproliferative disease (D47.1)													
All races, both sexes.....	1,354	117	116	124	112	107	100	122	105	124	102	110	115
Male.....	719	64	55	61	55	68	50	70	65	64	46	62	59
Female.....	635	53	61	63	57	39	50	52	40	60	56	48	56
White, both sexes.....	1,250	109	108	114	104	100	92	116	95	113	89	101	109
Male.....	663	60	52	54	52	64	45	67	57	58	41	57	56
Female.....	587	49	56	60	52	36	47	49	38	55	48	44	53
Black, both sexes.....	78	5	5	5	5	5	8	6	8	9	10	7	5
Male.....	42	3	1	3	1	2	5	3	6	6	5	4	3
Female.....	36	2	4	2	4	3	3	3	2	3	5	3	2
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	24	3	3	4	3	2	-	-	2	2	3	1	1
Male.....	13	1	2	3	2	2	-	-	2	-	-	1	-
Female.....	11	2	1	1	1	-	-	-	-	2	3	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Monoclonal gammopathy (D47.2)													
All races, both sexes.....	77	10	6	6	3	14	6	5	8	2	10	3	4
Male.....	33	6	2	3	1	4	4	3	4	1	2	1	2
Female.....	44	4	4	3	2	10	2	2	4	1	8	2	2
White, both sexes.....	67	8	5	4	3	14	5	4	8	1	8	3	4
Male.....	29	5	2	2	1	4	4	2	4	-	2	1	2
Female.....	38	3	3	2	2	10	1	2	4	1	6	2	2
Black, both sexes.....	8	1	1	2	-	-	1	-	-	1	2	-	-
Male.....	3	1	-	1	-	-	-	-	-	1	-	-	-
Female.....	5	-	1	1	-	-	1	-	-	-	2	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Essential (hemorrhagic) thrombocytopenia (D47.3)													
All races, both sexes.....	14	1	1	2	2	-	1	1	1	2	-	3	-
Male.....	5	-	1	1	1	-	1	-	-	-	-	1	-
Female.....	9	1	-	1	1	-	-	1	1	2	-	2	-
White, both sexes.....	12	1	1	2	2	-	1	-	1	2	-	2	-
Male.....	5	-	1	1	1	-	1	-	-	-	-	1	-
Female.....	7	1	-	1	1	-	-	-	1	2	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue (D47.7)													
All races, both sexes.....	7	2	1	-	-	-	1	-	-	-	1	1	1
Male.....	4	1	1	-	-	-	1	-	-	-	1	-	-
Female.....	3	1	-	-	-	-	-	-	-	-	-	1	1
White, both sexes.....	5	1	1	-	-	-	1	-	-	-	1	-	1
Male.....	3	-	1	-	-	-	1	-	-	-	1	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Neoplasm of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue, unspecified (D47.9)													
All races, both sexes.....	101	7	10	7	8	9	10	8	5	10	8	5	14
Male.....	60	4	5	5	7	5	6	5	3	2	4	4	10
Female.....	41	3	5	2	1	4	4	3	2	8	4	1	4
White, both sexes.....	92	6	9	7	8	9	8	6	5	9	8	5	12
Male.....	57	3	5	5	7	5	6	3	3	2	4	4	10
Female.....	35	3	4	2	1	4	2	3	2	7	4	1	2
Black, both sexes.....	6	1	-	-	-	-	1	1	-	1	-	-	2
Male.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	-	1	-	-	2
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified sites (D48.7)													
All races, both sexes.....	241	22	15	21	27	15	23	18	19	19	13	15	34
Male.....	92	6	6	6	10	9	9	5	7	8	4	5	17
Female.....	149	16	9	15	17	6	14	13	12	11	9	10	17
White, both sexes.....	213	20	14	19	24	15	19	16	16	12	13	15	30
Male.....	76	6	6	5	8	9	5	4	6	5	4	5	13
Female.....	137	14	8	14	16	6	14	12	10	7	9	10	17
Black, both sexes.....	23	2	1	2	3	-	2	2	2	5	-	-	4
Male.....	13	-	-	1	2	-	2	1	1	2	-	-	4
Female.....	10	2	1	1	1	-	-	1	1	3	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	2	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Neoplasms of uncertain or unknown behavior, unspecified (D48.9)													
All races, both sexes.....	235	19	13	20	17	20	17	26	31	14	22	22	14
Male.....	112	10	8	9	8	9	6	18	9	8	10	12	5
Female.....	123	9	5	11	9	11	11	8	22	6	12	10	9
White, both sexes.....	213	18	10	19	16	14	14	26	29	14	22	20	11
Male.....	103	10	5	9	8	6	6	18	8	8	10	12	3
Female.....	110	8	5	10	8	8	8	8	21	6	12	8	8
Black, both sexes.....	16	1	-	1	1	5	1	-	2	-	-	2	3
Male.....	6	-	-	-	-	3	-	-	1	-	-	-	2
Female.....	10	1	-	1	1	2	1	-	1	-	-	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	3	-	-	1	2	-	-	-	-	-	-
Male.....	3	-	3	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	2	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiency (D55.0)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Thalassemia (D56)													
All races, both sexes.....	36	4	3	2	1	1	1	3	3	4	6	5	3
Male.....	13	-	1	2	-	-	-	1	1	2	3	2	1
Female.....	23	4	2	-	1	1	1	2	2	2	3	3	2
White, both sexes.....	16	1	2	2	-	-	-	-	2	2	2	2	3
Male.....	7	-	1	2	-	-	-	-	-	1	1	1	1
Female.....	9	1	1	-	-	-	-	-	2	1	1	1	2
Black, both sexes.....	12	2	-	-	-	1	1	3	-	1	2	2	-
Male.....	3	-	-	-	-	-	-	1	-	-	2	-	-
Female.....	9	2	-	-	-	1	1	2	-	1	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	1	-	1	-	-	-	1	1	2	1	-
Male.....	3	-	-	-	-	-	-	-	1	1	-	1	-
Female.....	5	1	1	-	1	-	-	-	-	-	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Idiopathic aplastic anemia (D61.3)													
All races, both sexes.....	4	-	-	-	1	-	-	1	1	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	1	-	-	1	-	-	-	-	1
White, both sexes.....	3	-	-	-	1	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Aplastic anemia, unspecified (D61.9)													
All races, both sexes.....	901	78	78	90	76	83	73	62	65	80	75	70	71
Male.....	405	40	35	32	36	41	36	23	31	37	34	27	33
Female.....	496	38	43	58	40	42	37	39	34	43	41	43	38
White, both sexes.....	787	68	71	81	65	76	62	55	56	71	67	54	61
Male.....	348	31	33	28	32	35	28	18	27	34	32	23	27
Female.....	439	37	38	53	33	41	34	37	29	37	35	31	34
Black, both sexes.....	80	5	4	7	7	5	9	4	6	7	6	13	7
Male.....	41	5	2	2	2	5	7	4	3	1	2	3	5
Female.....	39	-	2	5	5	-	2	-	3	6	4	10	2
American Indian 1/, both sexes.....	6	1	1	1	1	-	-	-	-	-	1	1	-
Male.....	4	1	-	1	1	-	-	-	-	-	-	1	-
Female.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	28	4	2	1	3	2	2	3	3	2	1	2	3
Male.....	12	3	-	1	1	1	1	1	1	2	-	-	1
Female.....	16	1	2	-	2	1	1	2	2	-	1	2	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute posthemorrhagic anemia (D62)													
All races, both sexes.....	30	2	4	-	-	4	3	2	1	3	4	4	3
Male.....	11	-	1	-	-	1	1	1	-	2	2	2	1
Female.....	19	2	3	-	-	3	2	1	1	1	2	2	2
White, both sexes.....	27	1	4	-	-	3	3	2	1	3	4	4	2
Male.....	10	-	1	-	-	-	1	1	-	2	2	2	1
Female.....	17	1	3	-	-	3	2	1	1	1	2	2	1
Black, both sexes.....	3	1	-	-	-	1	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other anemias (D64)													
All races, both sexes.....	2,520	224	226	263	205	219	174	187	199	189	203	203	228
Male.....	870	84	65	91	69	68	58	57	76	72	64	81	85
Female.....	1,650	140	161	172	136	151	116	130	123	117	139	122	143
White, both sexes.....	2,102	186	190	216	172	186	146	155	169	153	173	160	196
Male.....	713	66	54	75	58	56	50	47	62	55	55	62	73
Female.....	1,389	120	136	141	114	130	96	108	107	98	118	98	123
Black, both sexes.....	379	33	35	43	30	28	25	30	27	32	29	38	29
Male.....	139	16	10	15	11	9	7	9	12	14	9	16	11
Female.....	240	17	25	28	19	19	18	21	15	18	20	22	18
American Indian 1/, both sexes.....	12	-	1	-	1	1	-	1	1	2	-	4	1
Male.....	7	-	1	-	-	1	-	1	1	1	-	2	-
Female.....	5	-	-	-	1	-	-	-	-	1	-	2	1
Asian or Pacific Islander 2/, both sexes.....	27	5	-	4	2	4	3	1	2	2	1	1	2
Male.....	11	2	-	1	-	2	1	-	1	2	-	1	1
Female.....	16	3	-	3	2	2	2	1	1	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified anemias (D64.8)													
All races, both sexes.....	47	3	6	4	5	7	5	2	3	2	4	3	3
Male.....	25	1	2	1	3	2	3	1	3	2	3	3	1
Female.....	22	2	4	3	2	5	2	1	-	-	1	-	2
White, both sexes.....	45	3	6	4	5	7	3	2	3	2	4	3	3
Male.....	23	1	2	1	3	2	1	1	3	2	3	3	1
Female.....	22	2	4	3	2	5	2	1	-	-	1	-	2
Black, both sexes.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemia, unspecified (D64.9)													
All races, both sexes.....	2,434	215	214	256	195	211	167	183	190	184	198	199	222
Male.....	830	80	61	90	65	66	53	55	70	68	61	78	83
Female.....	1,604	135	153	166	130	145	114	128	120	116	137	121	139
White, both sexes.....	2,020	178	178	209	162	178	141	151	160	149	168	156	190
Male.....	677	63	50	74	54	54	47	45	56	52	52	59	71
Female.....	1,343	115	128	135	108	124	94	106	104	97	116	97	119
Black, both sexes.....	375	32	35	43	30	28	23	30	27	31	29	38	29
Male.....	135	15	10	15	11	9	5	9	12	13	9	16	11
Female.....	240	17	25	28	19	19	18	21	15	18	20	22	18
American Indian 1/, both sexes.....	12	-	1	-	1	1	-	1	1	2	-	4	1
Male.....	7	-	1	-	-	1	-	1	1	1	-	2	-
Female.....	5	-	-	-	1	-	-	-	-	1	-	2	1
Asian or Pacific Islander 2/, both sexes.....	27	5	-	4	2	4	3	1	2	2	1	1	2
Male.....	11	2	-	1	-	2	1	-	1	2	-	1	1
Female.....	16	3	-	3	2	2	2	1	1	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disseminated intravascular coagulation [defibrination syndrome] (D65)													
All races, both sexes.....	531	45	47	40	45	50	41	38	52	43	40	43	47
Male.....	226	25	19	23	22	18	13	14	19	22	12	19	20
Female.....	305	20	28	17	23	32	28	24	33	21	28	24	27
White, both sexes.....	415	31	33	30	35	37	33	33	40	38	33	32	40
Male.....	170	18	13	17	16	14	9	14	13	19	9	12	16
Female.....	245	13	20	13	19	23	24	19	27	19	24	20	24
Black, both sexes.....	97	12	12	10	7	12	5	4	11	5	6	7	6
Male.....	50	7	6	6	4	4	3	-	6	3	3	4	4
Female.....	47	5	6	4	3	8	2	4	5	2	3	3	2
American Indian 1/, both sexes.....	3	1	-	-	1	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	1	2	-	2	1	3	1	1	-	1	3	1
Male.....	4	-	-	-	1	-	1	-	-	-	-	2	-
Female.....	12	1	2	-	1	1	2	1	1	-	1	1	1
Hereditary factor VIII deficiency (D66)													
All races, both sexes.....	85	4	7	6	7	6	6	11	12	9	2	5	10
Male.....	56	2	4	5	5	2	4	7	9	7	1	2	8
Female.....	29	2	3	1	2	4	2	4	3	2	1	3	2
White, both sexes.....	64	3	3	4	4	5	5	8	9	8	2	3	10
Male.....	45	1	2	3	4	2	4	5	7	7	1	1	8
Female.....	19	2	1	1	-	3	1	3	2	1	1	2	2
Black, both sexes.....	20	1	4	2	3	1	1	3	2	1	-	2	-
Male.....	11	1	2	2	1	-	-	2	2	-	-	1	-
Female.....	9	-	2	-	2	1	1	1	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hereditary factor IX deficiency (D67)													
All races, both sexes.....	4	1	-	1	-	-	-	-	-	1	-	-	1
Male.....	4	1	-	1	-	-	-	-	-	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	1	-	1	-	-	-	-	-	1	-	-	-
Male.....	3	1	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other coagulation defects (D68)													
All races, both sexes.....	1,175	97	93	111	98	104	103	104	83	90	86	103	103
Male.....	564	37	48	54	46	48	55	45	47	47	45	46	46
Female.....	611	60	45	57	52	56	48	59	36	43	41	57	57
White, both sexes.....	949	82	74	90	76	79	81	79	69	73	73	84	89
Male.....	467	31	38	42	38	36	46	35	38	42	38	40	43
Female.....	482	51	36	48	38	43	35	44	31	31	35	44	46
Black, both sexes.....	198	14	17	17	19	23	18	24	11	14	12	17	12
Male.....	83	5	10	10	6	12	6	9	7	4	6	5	3
Female.....	115	9	7	7	13	11	12	15	4	10	6	12	9
American Indian 1/, both sexes.....	6	-	-	-	1	1	-	-	-	1	-	1	2
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	1	-	-	-	1	-	1	2
Asian or Pacific Islander 2/, both sexes.	22	1	2	4	2	1	4	1	3	2	1	1	-
Male.....	13	1	-	2	1	-	3	1	2	1	1	1	-
Female.....	9	-	2	2	1	1	1	-	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Coagulation defect, unspecified (D68.9)													
All races, both sexes.....	993	80	79	91	78	94	90	90	65	77	72	90	87
Male.....	486	33	42	44	40	45	48	40	38	42	36	38	40
Female.....	507	47	37	47	38	49	42	50	27	35	36	52	47
White, both sexes.....	797	69	62	73	61	71	70	67	52	62	61	74	75
Male.....	400	28	34	34	33	34	39	31	30	37	30	33	37
Female.....	397	41	28	39	28	37	31	36	22	25	31	41	38
Black, both sexes.....	171	11	15	14	15	21	16	22	10	12	10	14	11
Male.....	74	5	8	8	6	11	6	8	6	4	5	4	3
Female.....	97	6	7	6	9	10	10	14	4	8	5	10	8
American Indian 1/, both sexes.....	5	-	-	-	1	1	-	-	-	1	-	1	1
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	1	-	-	-	1	-	1	1
Asian or Pacific Islander 2/, both sexes.....	20	-	2	4	1	1	4	1	3	2	1	1	-
Male.....	11	-	-	2	-	-	3	1	2	1	1	1	-
Female.....	9	-	2	2	1	1	1	-	1	1	-	-	-
Purpura and other hemorrhagic conditions (D69)													
All races, both sexes.....	897	84	78	77	85	56	67	72	70	63	98	62	85
Male.....	419	31	42	32	32	20	33	37	37	32	48	33	42
Female.....	478	53	36	45	53	36	34	35	33	31	50	29	43
White, both sexes.....	757	66	67	62	77	51	55	57	57	52	89	53	71
Male.....	358	25	35	25	30	20	28	29	30	26	45	31	34
Female.....	399	41	32	37	47	31	27	28	27	26	44	22	37
Black, both sexes.....	112	14	9	12	6	4	9	13	11	10	4	7	13
Male.....	47	5	6	4	2	-	3	6	6	5	1	1	8
Female.....	65	9	3	8	4	4	6	7	5	5	3	6	5
American Indian 1/, both sexes.....	6	1	-	2	1	-	-	-	-	-	2	-	-
Male.....	3	-	-	2	-	-	-	-	-	-	1	-	-
Female.....	3	1	-	-	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	22	3	2	1	1	1	3	2	2	1	3	2	1
Male.....	11	1	1	1	-	-	2	2	1	1	1	1	-
Female.....	11	2	1	-	1	1	1	-	1	-	2	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other nonthrombocytopenic purpura (D69.2)													
All races, both sexes.....	3	-	-	-	1	-	1	-	-	-	1	-	-
Male.....	3	-	-	-	1	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	-	1	-	1	-	-	-	1	-	-
Male.....	3	-	-	-	1	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic thrombocytopenic purpura (D69.3)													
All races, both sexes.....	304	23	28	29	29	18	24	20	31	21	36	15	30
Male.....	150	11	17	15	12	7	12	6	16	9	18	10	17
Female.....	154	12	11	14	17	11	12	14	15	12	18	5	13
White, both sexes.....	267	18	25	23	28	17	22	16	28	16	34	14	26
Male.....	132	9	15	11	12	7	11	5	13	6	18	10	15
Female.....	135	9	10	12	16	10	11	11	15	10	16	4	11
Black, both sexes.....	30	4	2	4	1	-	1	4	3	5	1	1	4
Male.....	14	2	1	2	-	-	-	1	3	3	-	-	2
Female.....	16	2	1	2	1	-	1	3	-	2	1	1	2
American Indian 1/, both sexes.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	1	-	1	1	-	-	-	1	-	-
Male.....	3	-	1	1	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hemorrhagic condition, unspecified (D69.9)													
All races, both sexes.....	31	2	2	3	1	3	3	3	3	2	4	3	2
Male.....	16	1	2	1	-	1	2	2	1	1	1	2	2
Female.....	15	1	-	2	1	2	1	1	2	1	3	1	-
White, both sexes.....	25	2	2	2	1	2	2	2	2	2	4	3	1
Male.....	14	1	2	1	-	1	2	1	1	1	1	2	1
Female.....	11	1	-	1	1	1	-	1	1	1	3	1	-
Black, both sexes.....	5	-	-	1	-	1	1	-	1	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	1	-	1	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Agranulocytosis (D70)													
All races, both sexes.....	323	38	34	28	27	25	18	21	22	25	20	30	35
Male.....	162	20	20	12	10	16	11	11	11	14	9	12	16
Female.....	161	18	14	16	17	9	7	10	11	11	11	18	19
White, both sexes.....	270	32	24	24	23	22	14	20	21	21	17	23	29
Male.....	132	16	15	11	8	14	8	10	10	12	8	7	13
Female.....	138	16	9	13	15	8	6	10	11	9	9	16	16
Black, both sexes.....	32	4	5	4	1	2	1	-	-	2	2	6	5
Male.....	16	2	2	1	1	1	1	-	-	1	-	4	3
Female.....	16	2	3	3	-	1	-	-	-	1	2	2	2
American Indian 1/, both sexes.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	2	5	-	2	-	3	1	1	2	1	1	1
Male.....	13	2	3	-	1	-	2	1	1	1	1	1	-
Female.....	6	-	2	-	1	-	1	-	-	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders involving the immune mechanism, not elsewhere classified (D89)													
All races, both sexes.....	52	9	3	4	6	8	-	4	4	5	4	3	2
Male.....	26	3	2	2	3	1	-	3	3	2	3	2	2
Female.....	26	6	1	2	3	7	-	1	1	3	1	1	-
White, both sexes.....	41	8	2	2	5	6	-	3	3	5	3	2	2
Male.....	20	3	1	1	2	1	-	2	2	2	3	1	2
Female.....	21	5	1	1	3	5	-	1	1	3	-	1	-
Black, both sexes.....	10	1	1	2	1	1	-	1	1	-	1	1	-
Male.....	6	-	1	1	1	-	-	1	1	-	-	1	-
Female.....	4	1	-	1	-	1	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Polyclonal hypergammaglobulinemia (D89.0)													
All races, both sexes.....	5	-	-	1	-	1	-	-	-	3	-	-	-
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	2	-	-	-
White, both sexes.....	4	-	-	1	-	-	-	-	-	3	-	-	-
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nontoxic multinodular goiter (E04.2)													
All races, both sexes.....	11	-	-	-	3	-	-	1	1	1	3	1	1
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	10	-	-	-	3	-	-	1	1	-	3	1	1
White, both sexes.....	6	-	-	-	1	-	-	-	1	1	1	1	1
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	5	-	-	-	1	-	-	-	1	-	1	1	1
Black, both sexes.....	5	-	-	-	2	-	-	1	-	-	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	2	-	-	1	-	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Nontoxic goiter, unspecified (E04.9)													
All races, both sexes.....	46	5	4	4	5	3	4	3	2	2	4	2	8
Male.....	11	-	1	1	3	-	2	-	-	-	1	-	3
Female.....	35	5	3	3	2	3	2	3	2	2	3	2	5
White, both sexes.....	32	2	2	4	4	2	4	2	2	1	1	1	7
Male.....	9	-	1	1	2	-	2	-	-	-	-	-	3
Female.....	23	2	1	3	2	2	2	2	1	1	1	1	4
Black, both sexes.....	12	3	2	-	-	1	-	1	-	1	2	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	11	3	2	-	-	1	-	1	-	1	1	1	1
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thyrototoxicosis [hyperthyroidism] (E05)													
All races, both sexes.....	309	34	21	28	22	14	22	22	30	28	32	24	32
Male.....	88	10	6	7	8	4	6	5	6	10	12	5	9
Female.....	221	24	15	21	14	10	16	17	24	18	20	19	23
White, both sexes.....	224	26	18	20	17	10	12	15	23	18	26	18	21
Male.....	63	8	5	4	6	3	3	5	5	5	10	4	5
Female.....	161	18	13	16	11	7	9	10	18	13	16	14	16
Black, both sexes.....	72	8	3	7	2	3	10	5	5	10	6	6	7
Male.....	21	2	1	3	1	1	3	-	-	5	2	1	2
Female.....	51	6	2	4	1	2	7	5	5	5	4	5	5
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	1	3	1	-	2	2	-	-	-	4
Male.....	4	-	-	-	1	-	-	-	1	-	-	-	2
Female.....	9	-	-	1	2	1	-	2	1	-	-	-	2
Thyrototoxicosis with diffuse goiter (E05.0)													
All races, both sexes.....	46	5	1	3	5	3	4	5	6	5	4	2	3
Male.....	12	1	1	2	2	-	-	-	-	1	3	1	1
Female.....	34	4	-	1	3	3	4	5	6	4	1	1	2
White, both sexes.....	28	1	1	3	5	2	2	1	5	3	3	-	2
Male.....	8	-	1	2	2	-	-	-	-	-	2	-	1
Female.....	20	1	-	1	3	2	2	1	5	3	1	-	1
Black, both sexes.....	17	4	-	-	-	1	2	3	1	2	1	2	1
Male.....	4	1	-	-	-	-	-	-	-	1	1	1	-
Female.....	13	3	-	-	-	1	2	3	1	1	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other thyrotoxicosis (E05.8)													
All races, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Thyrotoxicosis, unspecified (E05.9)													
All races, both sexes.....	228	26	17	17	14	11	16	15	21	21	25	21	24
Male.....	67	8	5	4	5	4	5	4	6	8	9	4	5
Female.....	161	18	12	13	9	7	11	11	15	13	16	17	19
White, both sexes.....	172	23	14	12	9	8	10	12	16	14	21	17	16
Male.....	50	7	4	2	3	3	3	4	5	5	8	4	2
Female.....	122	16	10	10	6	5	7	8	11	9	13	13	14
Black, both sexes.....	45	3	3	4	2	2	6	2	3	7	4	4	5
Male.....	13	1	1	2	1	1	2	-	-	3	1	-	1
Female.....	32	2	2	2	1	1	4	2	3	4	3	4	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	1	3	1	-	1	2	-	-	-	3
Male.....	4	-	-	-	1	-	-	-	1	-	-	-	2
Female.....	7	-	-	1	2	1	-	1	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With multiple complications (E10.7)													
All races, both sexes.....	87	10	6	5	6	8	7	11	10	9	4	7	4
Male.....	41	4	6	2	1	5	4	6	5	4	1	2	1
Female.....	46	6	-	3	5	3	3	5	5	5	3	5	3
White, both sexes.....	76	9	5	5	4	8	4	10	9	8	4	7	3
Male.....	37	3	5	2	1	5	3	5	5	4	1	2	1
Female.....	39	6	-	3	3	3	1	5	4	4	3	5	2
Black, both sexes.....	9	1	-	-	2	-	3	-	1	1	-	-	1
Male.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	7	-	-	-	2	-	2	-	1	1	-	-	1
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Without complications (E10.9)													
All races, both sexes.....	4,382	420	355	424	359	381	326	339	340	334	334	375	395
Male.....	2,125	208	172	209	172	183	148	151	162	177	159	187	197
Female.....	2,257	212	183	215	187	198	178	188	178	157	175	188	198
White, both sexes.....	3,623	338	293	348	291	320	285	278	276	261	279	326	328
Male.....	1,795	176	146	172	145	155	130	128	132	145	133	164	169
Female.....	1,828	162	147	176	146	165	155	150	144	116	146	162	159
Black, both sexes.....	681	77	57	69	60	59	39	54	58	64	47	40	57
Male.....	296	31	23	32	23	27	18	21	27	29	22	19	24
Female.....	385	46	34	37	37	32	21	33	31	35	25	21	33
American Indian 1/, both sexes.....	36	-	2	4	3	1	1	3	5	4	5	2	6
Male.....	17	-	-	3	2	-	-	1	3	2	3	1	2
Female.....	19	-	2	1	1	1	1	2	2	2	2	1	4
Asian or Pacific Islander 2/, both sexes.....	42	5	3	3	5	1	1	4	1	5	3	7	4
Male.....	17	1	3	2	2	1	-	1	-	1	1	3	2
Female.....	25	4	-	1	3	-	1	3	1	4	2	4	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With ketoacidosis (E11.1)													
All races, both sexes.....	114	9	6	7	14	12	12	9	8	5	13	9	10
Male.....	50	3	3	2	4	5	6	3	2	4	9	5	4
Female.....	64	6	3	5	10	7	6	6	6	1	4	4	6
White, both sexes.....	90	9	5	4	11	9	11	6	6	3	11	5	10
Male.....	35	3	2	1	4	2	5	2	2	2	7	1	4
Female.....	55	6	3	3	7	7	6	4	4	1	4	4	6
Black, both sexes.....	22	-	1	3	3	2	1	2	2	2	2	4	-
Male.....	14	-	1	1	-	2	1	1	-	2	2	4	-
Female.....	8	-	-	2	3	-	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
With renal complications (E11.2)													
All races, both sexes.....	397	28	31	30	27	34	34	28	28	37	41	32	47
Male.....	192	16	16	13	13	21	11	16	14	14	20	18	20
Female.....	205	12	15	17	14	13	23	12	14	23	21	14	27
White, both sexes.....	331	26	25	22	25	30	29	23	26	31	30	29	35
Male.....	163	15	12	10	12	18	10	13	14	12	16	16	15
Female.....	168	11	13	12	13	12	19	10	12	19	14	13	20
Black, both sexes.....	54	2	5	7	2	4	5	2	2	4	8	2	11
Male.....	24	1	3	3	1	3	1	-	-	2	3	2	5
Female.....	30	1	2	4	1	1	4	2	2	2	5	-	6
American Indian 1/, both sexes.....	6	-	1	-	-	-	-	-	-	1	2	1	1
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	1	1	1
Asian or Pacific Islander 2/, both sexes.....	6	-	-	1	-	-	-	3	-	1	1	-	-
Male.....	3	-	-	-	-	-	-	3	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	1	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With ophthalmic complications (E11.3)													
All races, both sexes.....	9	-	2	-	-	2	1	-	3	-	-	-	1
Male.....	7	-	1	-	-	1	1	-	3	-	-	-	1
Female.....	2	-	1	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	7	-	2	-	-	2	1	-	2	-	-	-	-
Male.....	5	-	1	-	-	1	1	-	2	-	-	-	-
Female.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
With neurological complications (E11.4)													
All races, both sexes.....	128	14	11	10	17	13	3	13	9	8	8	9	13
Male.....	61	8	7	4	8	5	1	4	5	5	6	3	5
Female.....	67	6	4	6	9	8	2	9	4	3	2	6	8
White, both sexes.....	112	13	10	10	13	13	3	12	8	5	6	8	11
Male.....	51	7	6	4	6	5	1	4	5	3	4	2	4
Female.....	61	6	4	6	7	8	2	8	3	2	2	6	7
Black, both sexes.....	13	-	1	-	3	-	-	1	1	2	2	1	2
Male.....	9	-	1	-	2	-	-	-	-	2	2	1	1
Female.....	4	-	-	-	1	-	-	1	1	-	-	-	1
American Indian 1/, both sexes.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Without complications (E13.9)													
All races, both sexes.....	9	3	-	1	1	-	1	2	-	-	1	-	-
Male.....	5	3	-	1	-	-	-	1	-	-	-	-	-
Female.....	4	-	-	-	1	-	1	1	-	-	1	-	-
White, both sexes.....	9	3	-	1	1	-	1	2	-	-	1	-	-
Male.....	5	3	-	1	-	-	-	1	-	-	-	-	-
Female.....	4	-	-	-	1	-	1	1	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified diabetes mellitus (E14)													
All races, both sexes.....	52,998	5,094	4,774	4,925	4,407	4,259	3,924	4,004	4,056	4,013	4,181	4,410	4,951
Male.....	26,106	2,475	2,382	2,378	2,179	2,114	1,964	2,000	1,966	1,975	2,018	2,150	2,505
Female.....	26,892	2,619	2,392	2,547	2,228	2,145	1,960	2,004	2,090	2,038	2,163	2,260	2,446
White, both sexes.....	41,360	4,030	3,696	3,841	3,461	3,310	3,046	3,096	3,112	3,111	3,308	3,465	3,884
Male.....	20,772	1,995	1,845	1,894	1,740	1,665	1,543	1,574	1,576	1,583	1,632	1,716	2,009
Female.....	20,588	2,035	1,851	1,947	1,721	1,645	1,503	1,522	1,536	1,528	1,676	1,749	1,875
Black, both sexes.....	9,895	903	905	910	800	802	736	788	795	779	771	802	904
Male.....	4,460	401	440	401	365	371	353	363	317	326	343	364	416
Female.....	5,435	502	465	509	435	431	383	425	478	453	428	438	488
American Indian 1/, both sexes.....	525	37	59	50	38	52	44	34	48	43	26	45	49
Male.....	262	12	33	24	22	32	19	15	24	25	11	22	23
Female.....	263	25	26	26	16	20	25	19	24	18	15	23	26
Asian or Pacific Islander 2/, both sexes.....	1,218	124	114	124	108	95	98	86	101	80	76	98	114
Male.....	612	67	64	59	52	46	49	48	49	41	32	48	57
Female.....	606	57	50	65	56	49	49	38	52	39	44	50	57

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With coma (E14.0)													
All races, both sexes.....	345	30	30	44	28	35	20	23	31	22	22	26	34
Male.....	149	14	13	21	10	19	7	6	12	7	10	12	18
Female.....	196	16	17	23	18	16	13	17	19	15	12	14	16
White, both sexes.....	274	25	22	36	22	29	15	15	27	19	20	19	25
Male.....	111	11	9	16	6	15	5	4	10	6	8	8	13
Female.....	163	14	13	20	16	14	10	11	17	13	12	11	12
Black, both sexes.....	65	5	8	7	6	5	4	8	3	3	2	5	9
Male.....	34	3	4	4	4	3	1	2	2	1	2	3	5
Female.....	31	2	4	3	2	2	3	6	1	2	-	2	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	-	1	1	-	1	-	-	1	-
Male.....	4	-	-	1	-	1	1	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
With ketoacidosis (E14.1)													
All races, both sexes.....	1,632	172	148	157	127	131	113	121	138	102	125	142	156
Male.....	974	99	88	102	79	76	68	67	76	62	79	89	89
Female.....	658	73	60	55	48	55	45	54	62	40	46	53	67
White, both sexes.....	1,155	124	94	111	89	84	79	92	103	76	90	100	113
Male.....	674	64	50	70	56	47	48	52	55	49	54	62	67
Female.....	481	60	44	41	33	37	31	40	48	27	36	38	46
Black, both sexes.....	434	44	47	43	33	44	32	28	31	22	33	38	39
Male.....	274	33	34	29	21	26	20	15	17	10	24	24	21
Female.....	160	11	13	14	12	18	12	13	14	12	9	14	18
American Indian 1/, both sexes.....	19	-	2	3	4	1	-	-	3	2	1	2	1
Male.....	14	-	1	3	2	1	-	-	3	2	1	1	-
Female.....	5	-	1	-	2	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	24	4	5	-	1	2	2	1	1	2	1	2	3
Male.....	12	2	3	-	-	2	-	-	1	1	-	2	1
Female.....	12	2	2	-	1	-	2	1	-	1	1	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With neurological complications (E14.4)													
All races, both sexes.....	255	27	17	21	25	22	14	18	22	12	28	23	26
Male.....	134	14	7	12	15	10	7	12	11	7	12	14	13
Female.....	121	13	10	9	10	12	7	6	11	5	16	9	13
White, both sexes.....	220	23	14	15	21	20	13	17	19	12	25	18	23
Male.....	116	12	7	9	13	9	7	11	9	7	10	10	12
Female.....	104	11	7	6	8	11	6	6	10	5	15	8	11
Black, both sexes.....	27	3	3	5	3	1	-	1	2	-	1	5	3
Male.....	15	2	-	3	2	-	-	1	1	-	1	4	1
Female.....	12	1	3	2	1	1	-	-	1	-	-	1	2
American Indian 1/, both sexes.....	3	1	-	-	-	-	1	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	1	1	-	-	1	-	1	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	3	-	-	1	1	-	-	-	-	-	1	-	-
With peripheral circulatory complications (E14.5)													
All races, both sexes.....	5,071	477	425	436	425	435	402	417	393	383	412	434	432
Male.....	2,626	246	215	223	206	225	208	225	189	210	213	230	236
Female.....	2,445	231	210	213	219	210	194	192	204	173	199	204	196
White, both sexes.....	3,852	378	333	333	324	338	302	326	286	286	306	323	317
Male.....	2,058	205	172	173	161	178	160	179	150	161	170	172	177
Female.....	1,794	173	161	160	163	160	142	147	136	125	136	151	140
Black, both sexes.....	1,080	95	83	84	94	89	79	84	90	83	97	95	107
Male.....	497	39	39	42	43	43	36	41	30	41	39	48	56
Female.....	583	56	44	42	51	46	43	43	60	42	58	47	51
American Indian 1/, both sexes.....	48	3	4	5	2	4	9	1	7	4	4	3	2
Male.....	23	2	2	1	1	3	5	-	3	3	1	1	1
Female.....	25	1	2	4	1	1	4	1	4	1	3	2	1
Asian or Pacific Islander 2/, both sexes.....	91	1	5	14	5	4	12	6	10	10	5	13	6
Male.....	48	-	2	7	1	1	7	5	6	5	3	9	2
Female.....	43	1	3	7	4	3	5	1	4	5	2	4	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With other specified complications (E14.6)													
All races, both sexes.....	185	15	21	24	19	14	11	22	12	7	14	14	12
Male.....	70	6	6	7	8	6	7	10	4	3	5	3	5
Female.....	115	9	15	17	11	8	4	12	8	4	9	11	7
White, both sexes.....	136	10	13	20	16	9	10	15	9	4	12	8	10
Male.....	52	4	3	4	7	6	6	7	4	2	4	2	3
Female.....	84	6	10	16	9	3	4	8	5	2	8	6	7
Black, both sexes.....	41	5	7	3	3	3	1	6	2	3	2	4	2
Male.....	17	2	3	2	1	-	1	3	-	1	1	1	2
Female.....	24	3	4	1	2	3	-	3	2	2	1	3	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	1	-	2	-	1	-	-	-	2	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	2	-	1	-	-	-	2	-
With multiple complications (E14.7)													
All races, both sexes.....	417	47	34	33	32	21	31	40	29	33	40	40	37
Male.....	220	26	21	17	13	11	18	23	14	16	22	19	20
Female.....	197	21	13	16	19	10	13	17	15	17	18	21	17
White, both sexes.....	326	35	25	30	23	18	27	32	22	29	29	31	25
Male.....	180	20	15	15	10	10	18	20	10	14	18	17	13
Female.....	146	15	10	15	13	8	9	12	12	15	11	14	12
Black, both sexes.....	78	12	8	3	8	2	3	6	6	4	9	7	10
Male.....	33	6	6	2	2	1	-	1	3	2	3	1	6
Female.....	45	6	2	1	6	1	3	5	3	2	6	6	4
American Indian 1/, both sexes.....	8	-	1	-	1	-	-	2	-	-	1	1	2
Male.....	5	-	-	-	1	-	-	2	-	-	-	1	1
Female.....	3	-	1	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	1	1	-	1	-	1	1	-
Male.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	3	-	-	-	-	1	1	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With unspecified complications (E14.8)													
All races, both sexes.....	14	4	3	4	1	1	-	1	-	-	-	-	-
Male.....	4	2	-	1	-	-	-	1	-	-	-	-	-
Female.....	10	2	3	3	1	1	-	-	-	-	-	-	-
White, both sexes.....	9	3	2	2	-	1	-	1	-	-	-	-	-
Male.....	4	2	-	1	-	-	-	1	-	-	-	-	-
Female.....	5	1	2	1	-	1	-	-	-	-	-	-	-
Black, both sexes.....	4	-	1	2	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	1	2	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Without complications (E14.9)													
All races, both sexes.....	43,786	4,191	3,984	4,081	3,655	3,491	3,224	3,269	3,325	3,370	3,440	3,620	4,136
Male.....	21,300	2,010	1,973	1,926	1,796	1,717	1,599	1,617	1,611	1,630	1,633	1,729	2,059
Female.....	22,486	2,181	2,011	2,155	1,859	1,774	1,625	1,652	1,714	1,740	1,807	1,891	2,077
White, both sexes.....	34,417	3,323	3,115	3,197	2,897	2,736	2,522	2,532	2,573	2,615	2,749	2,877	3,281
Male.....	17,101	1,628	1,551	1,547	1,451	1,362	1,261	1,272	1,302	1,312	1,336	1,405	1,674
Female.....	17,316	1,695	1,564	1,650	1,446	1,374	1,261	1,260	1,271	1,303	1,413	1,472	1,607
Black, both sexes.....	7,917	725	724	742	628	629	591	635	632	653	609	632	717
Male.....	3,474	311	341	312	278	288	284	292	252	265	263	272	316
Female.....	4,443	414	383	430	350	341	307	343	380	388	346	360	401
American Indian 1/, both sexes.....	424	32	48	39	31	47	31	29	36	35	19	36	41
Male.....	209	10	28	18	18	28	14	12	18	18	8	18	19
Female.....	215	22	20	21	13	19	17	17	18	17	11	18	22
Asian or Pacific Islander 2/, both sexes.....	1,028	111	97	103	99	79	80	73	84	67	63	75	97
Male.....	516	61	53	49	49	39	40	41	39	35	26	34	50
Female.....	512	50	44	54	50	40	40	32	45	32	37	41	47

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypofunction and other disorders of the pituitary gland (E23)													
All races, both sexes.....	166	20	12	23	14	9	16	11	8	10	11	13	19
Male.....	90	11	8	14	5	6	8	6	5	5	5	9	8
Female.....	76	9	4	9	9	3	8	5	3	5	6	4	11
White, both sexes.....	130	13	10	16	13	6	13	9	6	8	10	11	15
Male.....	71	7	7	9	5	5	7	4	4	4	5	7	7
Female.....	59	6	3	7	8	1	6	5	2	4	5	4	8
Black, both sexes.....	26	5	1	4	1	2	2	1	2	2	1	2	3
Male.....	13	2	1	3	-	1	1	1	1	1	-	2	-
Female.....	13	3	-	1	1	1	1	-	1	1	1	-	3
American Indian 1/, both sexes.....	3	1	-	-	-	-	1	1	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	1	3	-	1	-	-	-	-	-	-	1
Male.....	4	1	-	2	-	-	-	-	-	-	-	-	1
Female.....	3	-	1	1	-	1	-	-	-	-	-	-	-
Hypopituitarism (E23.0)													
All races, both sexes.....	92	10	9	10	7	7	10	6	3	5	7	8	10
Male.....	55	5	7	7	3	4	6	3	2	4	3	5	6
Female.....	37	5	2	3	4	3	4	3	1	1	4	3	4
White, both sexes.....	70	5	7	6	6	4	7	6	3	4	7	6	9
Male.....	43	3	6	4	3	3	5	3	2	3	3	3	5
Female.....	27	2	1	2	3	1	2	3	1	1	4	3	4
Black, both sexes.....	15	5	1	1	1	2	2	-	-	1	-	2	-
Male.....	9	2	1	1	-	1	1	-	-	1	-	2	-
Female.....	6	3	-	-	1	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	3	-	1	-	-	-	-	-	-	1
Male.....	3	-	-	2	-	-	-	-	-	-	-	-	1
Female.....	3	-	1	1	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hyperaldosteronism, unspecified (E26.9)													
All races, both sexes.....	3	-	2	-	-	1	-	-	-	-	-	-	-
Male.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	3	-	2	-	-	1	-	-	-	-	-	-	-
Male.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of adrenal gland (E27)													
All races, both sexes.....	244	30	25	17	15	22	12	19	17	18	22	21	26
Male.....	108	14	8	7	9	11	7	8	7	6	10	10	11
Female.....	136	16	17	10	6	11	5	11	10	12	12	11	15
White, both sexes.....	202	20	19	13	12	21	8	18	16	15	19	19	22
Male.....	85	8	6	5	7	11	5	7	7	4	8	8	9
Female.....	117	12	13	8	5	10	3	11	9	11	11	11	13
Black, both sexes.....	36	9	5	3	3	1	3	1	1	2	3	2	3
Male.....	21	5	2	2	2	-	1	1	-	2	2	2	2
Female.....	15	4	3	1	1	1	2	-	1	-	1	-	1
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	4	1	-	1	-	-	1	-	-	1	-	-	-
Male.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other adrenocortical overactivity (E27.0)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Primary adrenocortical insufficiency (E27.1)													
All races, both sexes.....	98	14	10	6	7	10	3	6	5	12	7	6	12
Male.....	34	5	1	1	4	4	3	3	1	4	1	4	3
Female.....	64	9	9	5	3	6	-	3	4	8	6	2	9
White, both sexes.....	87	11	9	5	5	10	3	6	5	10	7	6	10
Male.....	29	3	1	1	3	4	3	3	1	3	1	4	2
Female.....	58	8	8	4	2	6	-	3	4	7	6	2	8
Black, both sexes.....	7	2	1	-	2	-	-	-	-	1	-	-	1
Male.....	4	1	-	-	1	-	-	-	-	1	-	-	1
Female.....	3	1	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	3	1	-	1	-	-	-	-	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Marasmic kwashiorkor (E42)													
All races, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified severe protein-energy malnutrition (E43)													
All races, both sexes.....	327	29	31	32	22	31	28	31	30	22	22	25	24
Male.....	127	10	14	12	8	13	10	12	13	10	7	9	9
Female.....	200	19	17	20	14	18	18	19	17	12	15	16	15
White, both sexes.....	263	23	28	29	19	23	21	25	25	18	16	17	19
Male.....	105	9	12	12	8	11	7	9	10	8	6	6	7
Female.....	158	14	16	17	11	12	14	16	15	10	10	11	12
Black, both sexes.....	57	5	3	3	3	7	5	6	5	3	4	8	5
Male.....	20	1	2	-	-	1	3	3	3	1	1	3	2
Female.....	37	4	1	3	3	6	2	3	2	2	3	5	3
American Indian 1/, both sexes.....	3	-	-	-	-	1	1	-	-	1	-	-	-
Male.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	-	1	-	-	-	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	-	-	1	-	-	-	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Retarded development following protein-energy malnutrition (E45)													
All races, both sexes.....	206	12	15	22	11	13	17	19	24	14	19	22	18
Male.....	47	2	3	8	3	-	4	2	3	5	9	3	5
Female.....	159	10	12	14	8	13	13	17	21	9	10	19	13
White, both sexes.....	177	10	12	21	11	12	16	14	22	12	16	14	17
Male.....	40	1	2	8	3	-	4	1	3	4	7	2	5
Female.....	137	9	10	13	8	12	12	13	19	8	9	12	12
Black, both sexes.....	24	2	2	1	-	1	1	3	2	2	3	7	-
Male.....	6	1	1	-	-	-	-	-	-	1	2	1	-
Female.....	18	1	1	1	-	1	1	3	2	1	1	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	-	-	-	2	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	4	-	1	-	-	-	-	1	-	-	-	1	1
Unspecified protein-energy malnutrition (E46)													
All races, both sexes.....	2,347	246	220	239	203	171	172	182	176	173	185	186	194
Male.....	853	83	79	78	76	65	61	57	64	70	60	66	94
Female.....	1,494	163	141	161	127	106	111	125	112	103	125	120	100
White, both sexes.....	1,970	209	183	185	174	148	146	148	148	149	151	161	168
Male.....	701	71	63	59	62	51	47	42	54	61	47	59	85
Female.....	1,269	138	120	126	112	97	99	106	94	88	104	102	83
Black, both sexes.....	320	31	33	48	24	17	20	28	26	22	30	23	18
Male.....	122	9	14	16	11	10	11	9	9	9	12	6	5
Female.....	198	22	19	32	13	7	10	17	17	13	18	17	13
American Indian 1/, both sexes.....	16	1	-	2	1	1	4	1	2	1	2	-	1
Male.....	9	-	-	1	1	1	3	-	1	-	1	-	1
Female.....	7	1	-	1	-	-	1	1	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	41	5	4	4	4	5	2	5	-	1	2	2	7
Male.....	21	3	2	2	2	3	1	4	-	-	-	1	3
Female.....	20	2	2	2	2	2	1	1	-	1	2	1	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Deficiency of other B group vitamins (E53)													
All races, both sexes.....	28	7	3	1	4	3	1	1	1	2	2	1	2
Male.....	9	1	2	1	-	-	1	-	1	-	2	-	1
Female.....	19	6	1	-	4	3	-	1	-	2	-	1	1
White, both sexes.....	24	7	2	1	3	3	1	-	1	2	2	-	2
Male.....	8	1	1	1	-	-	1	-	1	-	2	-	1
Female.....	16	6	1	-	3	3	-	-	-	2	-	-	1
Black, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Deficiency of other specified B group vitamins (E53.8)													
All races, both sexes.....	27	6	3	1	4	3	1	1	1	2	2	1	2
Male.....	9	1	2	1	-	-	1	-	1	-	2	-	1
Female.....	18	5	1	-	4	3	-	1	-	2	-	1	1
White, both sexes.....	23	6	2	1	3	3	1	-	1	2	2	-	2
Male.....	8	1	1	1	-	-	1	-	1	-	2	-	1
Female.....	15	5	1	-	3	3	-	-	-	2	-	-	1
Black, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Extreme obesity with alveolar hypoventilation (E66.2)													
All races, both sexes.....	119	10	7	11	14	13	10	10	7	11	9	7	10
Male.....	41	5	4	2	4	4	4	2	3	4	3	1	5
Female.....	78	5	3	9	10	9	6	8	4	7	6	6	5
White, both sexes.....	102	9	7	9	11	9	8	8	6	11	8	7	9
Male.....	37	5	4	2	4	3	2	2	3	4	3	1	4
Female.....	65	4	3	7	7	6	6	6	3	7	5	6	5
Black, both sexes.....	17	1	-	2	3	4	2	2	1	-	1	-	1
Male.....	4	-	-	-	-	1	2	-	-	-	-	-	1
Female.....	13	1	-	2	3	3	-	2	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other obesity (E66.8)													
All races, both sexes.....	2,891	276	251	279	225	214	216	251	232	217	228	253	249
Male.....	1,423	143	125	147	118	105	101	126	107	102	111	111	127
Female.....	1,468	133	126	132	107	109	115	125	125	115	117	142	122
White, both sexes.....	2,252	211	194	217	175	166	162	199	188	169	170	201	200
Male.....	1,156	116	102	113	95	86	75	102	90	86	90	96	105
Female.....	1,096	95	92	104	80	80	87	97	98	83	80	105	95
Black, both sexes.....	587	56	51	57	43	45	49	50	41	45	55	49	46
Male.....	239	23	19	31	19	16	23	23	15	15	21	14	20
Female.....	348	33	32	26	24	29	26	27	26	30	34	35	26
American Indian 1/, both sexes.....	34	6	2	5	7	2	4	-	1	3	1	2	1
Male.....	19	3	1	3	4	2	2	-	1	1	-	1	1
Female.....	15	3	1	2	3	-	2	-	-	2	1	1	-
Asian or Pacific Islander 2/, both sexes.....	18	3	4	-	-	1	1	2	2	-	2	1	2
Male.....	9	1	3	-	-	1	1	1	1	-	-	-	1
Female.....	9	2	1	-	-	-	-	1	1	-	2	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of amino-acid metabolism (E72)													
All races, both sexes.....	77	5	6	10	8	9	7	9	3	5	10	2	3
Male.....	42	3	3	6	4	5	7	6	1	-	5	1	1
Female.....	35	2	3	4	4	4	-	3	2	5	5	1	2
White, both sexes.....	66	5	4	8	8	8	6	6	3	5	8	2	3
Male.....	36	3	3	5	4	4	6	4	1	-	4	1	1
Female.....	30	2	1	3	4	4	-	2	2	5	4	1	2
Black, both sexes.....	9	-	2	2	-	1	1	2	-	-	1	-	-
Male.....	5	-	-	1	-	1	1	2	-	-	-	-	-
Female.....	4	-	2	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Disorders of amino-acid transport (E72.0)													
All races, both sexes.....	8	1	-	1	1	-	2	2	1	-	-	-	-
Male.....	7	1	-	1	1	-	2	1	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	6	1	-	1	1	-	1	1	1	-	-	-	-
Male.....	6	1	-	1	1	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of lipoprotein metabolism and other lipidemias (E78)													
All races, both sexes.....	7,165	643	602	656	631	584	521	542	531	540	637	590	688
Male.....	3,818	342	297	361	335	317	289	308	271	286	340	330	342
Female.....	3,347	301	305	295	296	267	232	234	260	254	297	260	346
White, both sexes.....	6,473	583	554	594	566	527	475	486	483	491	548	533	633
Male.....	3,477	323	276	323	307	288	261	279	248	265	295	304	308
Female.....	2,996	260	278	271	259	239	214	207	235	226	253	229	325
Black, both sexes.....	542	48	40	47	50	45	32	41	44	39	71	45	40
Male.....	256	14	19	26	21	22	19	18	22	17	34	19	25
Female.....	286	34	21	21	29	23	13	23	22	22	37	26	15
American Indian 1/, both sexes.....	38	5	3	2	3	3	5	3	1	2	4	4	3
Male.....	25	2	1	1	3	3	5	2	-	-	4	3	1
Female.....	13	3	2	1	-	-	-	1	2	2	-	1	2
Asian or Pacific Islander 2/, both sexes.....	112	7	5	13	12	9	9	12	3	8	14	8	12
Male.....	60	3	1	11	4	4	4	9	1	4	7	4	8
Female.....	52	4	4	2	8	5	5	3	2	4	7	4	4
Pure hypercholesterolemia (E78.0)													
All races, both sexes.....	1,831	167	150	165	170	159	135	138	126	138	144	150	189
Male.....	958	89	69	87	94	92	70	81	61	70	73	81	91
Female.....	873	78	81	78	76	67	65	57	65	68	71	69	98
White, both sexes.....	1,638	149	135	148	153	145	124	122	113	122	122	133	172
Male.....	859	81	62	77	90	83	63	70	55	64	62	74	78
Female.....	779	68	73	71	63	62	61	52	58	58	60	59	94
Black, both sexes.....	145	13	13	14	13	10	7	11	11	13	15	12	13
Male.....	71	5	6	8	4	6	4	7	6	4	6	4	11
Female.....	74	8	7	6	9	4	3	4	5	9	9	8	2
American Indian 1/, both sexes.....	11	2	1	-	-	1	2	1	1	-	1	2	-
Male.....	6	1	-	-	-	1	2	-	-	-	1	1	-
Female.....	5	1	1	-	-	-	-	1	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	37	3	1	3	4	3	2	4	1	3	6	3	4
Male.....	22	2	1	2	-	2	1	4	-	2	4	2	2
Female.....	15	1	-	1	4	1	1	-	1	1	2	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other hyperlipidemia (E78.4)													
All races, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperlipidemia, unspecified (E78.5)													
All races, both sexes.....	5,216	468	444	485	443	421	381	392	390	395	479	431	487
Male.....	2,791	249	224	271	230	221	216	220	202	211	258	243	246
Female.....	2,425	219	220	214	213	200	165	172	188	184	221	188	241
White, both sexes.....	4,725	426	411	442	395	378	347	353	357	362	412	392	450
Male.....	2,555	238	210	245	206	201	195	203	186	196	224	225	226
Female.....	2,170	188	201	197	189	177	152	150	171	166	188	167	224
Black, both sexes.....	393	35	27	33	37	35	24	30	31	26	56	32	27
Male.....	183	9	13	18	17	16	15	11	15	13	28	14	14
Female.....	210	26	14	15	20	19	9	19	16	13	28	18	13
American Indian 1/, both sexes.....	27	3	2	2	3	2	3	2	-	2	3	2	3
Male.....	19	1	1	1	3	2	3	2	-	-	3	2	1
Female.....	8	2	1	1	-	-	-	-	-	2	-	-	2
Asian or Pacific Islander 2/, both sexes.....	71	4	4	8	8	6	7	7	2	5	8	5	7
Male.....	34	1	-	7	4	2	3	4	1	2	3	2	5
Female.....	37	3	4	1	4	4	4	3	1	3	5	3	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of mineral metabolism (E83)													
All races, both sexes.....	465	37	30	47	42	32	41	38	45	31	49	32	41
Male.....	227	20	18	17	21	15	20	17	20	17	25	17	20
Female.....	238	17	12	30	21	17	21	21	25	14	24	15	21
White, both sexes.....	384	31	29	38	32	26	34	33	36	27	38	26	34
Male.....	192	16	17	15	17	11	16	15	17	16	20	14	18
Female.....	192	15	12	23	15	15	18	18	19	11	18	12	16
Black, both sexes.....	67	6	1	6	8	6	6	4	8	4	7	4	7
Male.....	29	4	1	1	3	4	4	1	3	1	3	2	2
Female.....	38	2	-	5	5	2	2	3	5	3	4	2	5
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	2	2	-	1	1	1	-	3	2	-
Male.....	6	-	-	1	1	-	-	1	-	-	2	1	-
Female.....	6	-	-	1	1	-	1	-	1	-	1	1	-
Disorders of copper metabolism (E83.0)													
All races, both sexes.....	28	2	3	4	2	1	1	2	4	3	5	-	1
Male.....	18	1	2	3	2	-	1	1	3	2	2	-	1
Female.....	10	1	1	1	-	1	-	1	1	1	3	-	-
White, both sexes.....	25	1	3	4	2	1	1	2	2	3	5	-	1
Male.....	16	-	2	3	2	-	1	1	2	2	2	-	1
Female.....	9	1	1	1	-	1	-	1	-	1	3	-	-
Black, both sexes.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Amyloidosis, unspecified (E85.9)													
All races, both sexes.....	505	41	41	35	35	43	48	54	40	39	48	38	43
Male.....	278	23	19	21	16	28	22	35	24	21	21	20	28
Female.....	227	18	22	14	19	15	26	19	16	18	27	18	15
White, both sexes.....	415	33	35	30	28	33	40	38	35	34	42	31	36
Male.....	230	18	17	16	14	21	21	26	21	19	19	15	23
Female.....	185	15	18	14	14	12	19	12	14	15	23	16	13
Black, both sexes.....	81	6	6	5	6	9	8	15	5	5	6	6	4
Male.....	42	3	2	5	2	7	1	9	3	2	2	4	2
Female.....	39	3	4	-	4	2	7	6	2	3	4	2	2
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	2	-	-	-	1	-	1	-	-	-	1	2
Male.....	5	2	-	-	-	-	-	-	-	-	-	1	2
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Volume depletion (E86)													
All races, both sexes.....	4,030	391	360	436	326	313	288	320	297	279	332	336	352
Male.....	1,286	126	114	121	99	104	89	109	93	90	107	113	121
Female.....	2,744	265	246	315	227	209	199	211	204	189	225	223	231
White, both sexes.....	3,570	344	318	384	294	268	256	283	270	239	294	298	322
Male.....	1,123	108	93	103	87	87	80	96	88	75	94	99	113
Female.....	2,447	236	225	281	207	181	176	187	182	164	200	199	209
Black, both sexes.....	398	37	38	46	30	39	26	34	24	32	30	34	28
Male.....	143	14	19	17	11	14	6	13	4	13	11	13	8
Female.....	255	23	19	29	19	25	20	21	20	19	19	21	20
American Indian 1/, both sexes.....	17	4	1	1	1	1	3	-	1	2	1	1	1
Male.....	8	1	1	-	-	1	2	-	1	-	1	1	-
Female.....	9	3	-	1	1	-	1	-	-	2	-	-	1
Asian or Pacific Islander 2/, both sexes.....	45	6	3	5	1	5	3	3	2	6	7	3	1
Male.....	12	3	1	1	1	2	1	-	-	2	1	-	-
Female.....	33	3	2	4	-	3	2	3	2	4	6	3	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypo-osmolality and hyponatremia (E87.1)													
All races, both sexes.....	270	23	28	23	22	11	15	34	28	18	20	21	27
Male.....	96	7	10	5	8	2	6	15	9	6	8	10	10
Female.....	174	16	18	18	14	9	9	19	19	12	12	11	17
White, both sexes.....	241	16	23	23	21	11	15	34	24	16	17	16	25
Male.....	87	5	8	5	7	2	6	15	7	5	8	9	10
Female.....	154	11	15	18	14	9	9	19	17	11	9	7	15
Black, both sexes.....	22	5	4	-	1	-	-	-	3	1	3	3	2
Male.....	6	1	1	-	1	-	-	-	2	-	-	1	-
Female.....	16	4	3	-	-	-	-	-	1	1	3	2	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	2	1	-	-	-	-	-	1	1	-	2	-
Male.....	3	1	1	-	-	-	-	-	-	1	-	-	-
Female.....	4	1	-	-	-	-	-	-	1	-	-	2	-
Acidosis (E87.2)													
All races, both sexes.....	1,024	77	81	104	77	74	78	89	65	94	94	88	103
Male.....	434	29	37	45	31	32	28	40	28	41	44	33	46
Female.....	590	48	44	59	46	42	50	49	37	53	50	55	57
White, both sexes.....	798	64	63	76	60	54	58	68	53	84	69	67	82
Male.....	329	25	28	30	24	24	19	30	25	35	33	22	34
Female.....	469	39	35	46	36	30	39	38	28	49	36	45	48
Black, both sexes.....	199	13	12	23	15	18	18	20	11	8	23	17	21
Male.....	89	4	5	12	6	8	8	9	3	4	9	9	12
Female.....	110	9	7	11	9	10	10	11	8	4	14	8	9
American Indian 1/, both sexes.....	8	-	2	1	-	-	-	-	1	2	1	1	-
Male.....	6	-	2	-	-	-	-	-	-	2	1	1	-
Female.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	4	4	2	2	2	1	-	-	1	3	-
Male.....	10	-	2	3	1	-	1	1	-	-	1	1	-
Female.....	9	-	2	1	1	2	1	-	-	-	-	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hyperkalemia (E87.5)													
All races, both sexes.....	485	37	49	41	43	45	36	39	33	35	40	37	50
Male.....	201	16	14	15	18	21	16	16	15	20	21	15	14
Female.....	284	21	35	26	25	24	20	23	18	15	19	22	36
White, both sexes.....	361	29	35	28	32	39	28	28	22	28	28	24	40
Male.....	149	10	11	10	14	19	14	11	9	18	15	9	9
Female.....	212	19	24	18	18	20	14	17	13	10	13	15	31
Black, both sexes.....	111	7	13	12	10	6	7	10	9	7	9	11	10
Male.....	44	5	3	5	4	2	1	4	4	2	4	5	5
Female.....	67	2	10	7	6	4	6	6	5	5	5	6	5
American Indian 1/, both sexes.....	6	-	1	-	1	-	1	-	1	-	1	1	-
Male.....	3	-	-	-	-	-	1	-	1	-	1	-	-
Female.....	3	-	1	-	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	1	-	-	-	1	1	-	2	1	-
Male.....	5	1	-	-	-	-	-	1	1	-	1	1	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Hypokalemia (E87.6)													
All races, both sexes.....	140	13	12	10	10	9	14	11	13	9	14	10	15
Male.....	44	4	2	4	3	2	4	3	5	2	5	3	7
Female.....	96	9	10	6	7	7	10	8	8	7	9	7	8
White, both sexes.....	115	11	8	9	8	7	13	9	12	8	9	9	12
Male.....	37	3	2	4	1	2	4	3	5	2	4	2	5
Female.....	78	8	6	5	7	5	9	6	7	6	5	7	7
Black, both sexes.....	23	2	4	1	2	1	1	2	-	1	5	1	3
Male.....	7	1	-	-	2	-	-	-	-	-	1	1	2
Female.....	16	1	4	1	-	1	1	2	-	1	4	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Fluid overload (E87.7)													
All races, both sexes.....	69	5	13	3	6	5	2	5	9	1	8	3	9
Male.....	32	3	7	1	2	4	-	1	6	-	4	1	3
Female.....	37	2	6	2	4	1	2	4	3	1	4	2	6
White, both sexes.....	59	5	13	2	4	3	2	5	8	1	7	3	6
Male.....	28	3	7	1	1	2	-	1	5	-	4	1	3
Female.....	31	2	6	1	3	1	2	4	3	1	3	2	3
Black, both sexes.....	9	-	-	1	2	2	-	-	1	-	1	-	2
Male.....	4	-	-	-	1	2	-	-	1	-	-	-	-
Female.....	5	-	-	1	1	-	-	-	-	-	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Other disorders of electrolyte and fluid balance, not elsewhere classified (E87.8)													
All races, both sexes.....	376	31	33	47	30	33	32	18	30	38	23	28	33
Male.....	129	11	13	16	10	10	6	4	6	16	11	11	15
Female.....	247	20	20	31	20	23	26	14	24	22	12	17	18
White, both sexes.....	326	24	31	42	23	31	28	16	25	30	21	26	29
Male.....	105	5	11	13	9	10	5	4	5	12	10	10	11
Female.....	221	19	20	29	14	21	23	12	20	18	11	16	18
Black, both sexes.....	44	6	2	5	6	2	3	2	4	7	2	2	3
Male.....	22	5	2	3	1	-	1	-	1	4	1	1	3
Female.....	22	1	-	2	5	2	2	2	3	3	1	1	-
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	-	1	-	1	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Metabolic disorder, unspecified (E88.9)													
All races, both sexes.....	599	53	38	59	59	47	51	54	52	53	51	41	41
Male.....	260	18	17	28	20	21	23	33	25	20	22	18	15
Female.....	339	35	21	31	39	26	28	21	27	33	29	23	26
White, both sexes.....	495	46	35	51	49	40	43	40	41	44	40	34	32
Male.....	209	16	16	23	14	18	17	26	18	14	19	15	13
Female.....	286	30	19	28	35	22	26	14	23	30	21	19	19
Black, both sexes.....	87	3	1	7	9	7	6	12	9	9	11	6	7
Male.....	43	1	-	4	6	3	4	7	5	6	3	2	2
Female.....	44	2	1	3	3	4	2	5	4	3	8	4	5
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	16	4	2	1	1	-	2	2	2	-	-	1	1
Male.....	8	1	1	1	-	-	2	-	2	-	-	1	-
Female.....	8	3	1	-	1	-	-	2	-	-	-	-	1
Vascular dementia (F01)													
All races, both sexes.....	4,225	410	357	431	345	333	317	307	321	319	325	346	414
Male.....	1,502	150	123	166	115	116	109	105	121	107	121	119	150
Female.....	2,723	260	234	265	230	217	208	202	200	212	204	227	264
White, both sexes.....	3,766	368	325	398	305	294	284	266	279	293	293	297	364
Male.....	1,320	137	109	151	97	98	93	95	103	96	112	102	127
Female.....	2,446	231	216	247	208	196	191	171	176	197	181	195	237
Black, both sexes.....	370	32	29	24	30	31	23	37	32	23	29	39	41
Male.....	136	12	12	10	13	14	11	6	12	9	7	12	18
Female.....	234	20	17	14	17	17	12	31	20	14	22	27	23
American Indian 1/, both sexes.....	10	-	1	1	2	1	1	1	1	-	-	1	-
Male.....	4	-	-	-	1	1	-	1	1	-	-	-	-
Female.....	6	-	1	1	1	1	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	79	10	2	8	8	6	9	3	9	3	3	9	9
Male.....	42	1	2	5	4	3	5	3	5	2	2	5	5
Female.....	37	9	-	3	4	3	4	-	4	1	1	4	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Vascular dementia of acute onset (F01.0)													
All races, both sexes.....	4	1	-	-	-	-	-	-	-	-	1	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	2	1	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Multi-infarct dementia (F01.1)													
All races, both sexes.....	1,948	207	172	206	164	157	142	129	146	147	146	160	172
Male.....	688	74	61	83	57	59	42	44	56	52	57	48	55
Female.....	1,260	133	111	123	107	98	100	85	90	95	89	112	117
White, both sexes.....	1,750	193	159	190	142	142	128	113	123	140	133	138	149
Male.....	604	69	54	75	47	51	37	39	43	50	54	41	44
Female.....	1,146	124	105	115	95	91	91	74	80	90	79	97	105
Black, both sexes.....	158	10	12	12	19	10	9	14	18	6	12	18	18
Male.....	65	5	7	6	8	6	4	3	9	2	2	5	8
Female.....	93	5	5	6	11	4	5	11	9	4	10	13	10
American Indian 1/, both sexes.....	6	-	1	-	1	1	1	-	1	-	-	1	-
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	4	-	1	-	-	1	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	34	4	-	4	2	4	4	2	4	1	1	3	5
Male.....	17	-	-	2	1	2	1	2	3	-	1	2	3
Female.....	17	4	-	2	1	2	3	-	1	1	-	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Vascular dementia, unspecified (F01.9)													
All races, both sexes.....	2,262	200	184	223	180	175	175	177	173	172	178	185	240
Male.....	806	75	61	82	58	56	67	61	64	55	63	70	94
Female.....	1,456	125	123	141	122	119	108	116	109	117	115	115	146
White, both sexes.....	2,003	173	165	206	162	152	156	152	154	153	159	158	213
Male.....	709	67	54	75	50	47	56	56	59	46	57	60	82
Female.....	1,294	106	111	131	112	105	100	96	95	107	102	98	131
Black, both sexes.....	210	21	17	12	11	20	14	23	14	17	17	21	23
Male.....	70	7	5	4	5	7	7	3	3	7	5	7	10
Female.....	140	14	12	8	6	13	7	20	11	10	12	14	13
American Indian 1/, both sexes.....	4	-	-	1	1	1	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	45	6	2	4	6	2	5	1	5	2	2	6	4
Male.....	25	1	2	3	3	1	4	1	2	2	1	3	2
Female.....	20	5	-	1	3	1	1	-	3	-	1	3	2
Unspecified dementia (F03)													
All races, both sexes.....	51,926	4,962	4,960	5,290	4,127	4,000	3,499	3,622	3,877	3,716	4,236	4,541	5,096
Male.....	15,169	1,460	1,451	1,568	1,212	1,145	1,032	1,013	1,095	1,121	1,274	1,307	1,491
Female.....	36,757	3,502	3,509	3,722	2,915	2,855	2,467	2,609	2,782	2,595	2,962	3,234	3,605
White, both sexes.....	47,171	4,528	4,538	4,858	3,777	3,608	3,151	3,260	3,503	3,365	3,816	4,122	4,645
Male.....	13,691	1,328	1,313	1,431	1,097	1,033	921	908	987	1,009	1,127	1,197	1,340
Female.....	33,480	3,200	3,225	3,427	2,680	2,575	2,230	2,352	2,516	2,356	2,689	2,925	3,305
Black, both sexes.....	4,083	387	376	378	304	343	299	311	309	290	362	347	377
Male.....	1,240	113	118	120	104	92	93	84	91	90	120	85	130
Female.....	2,843	274	258	258	200	251	206	227	218	200	242	262	247
American Indian 1/, both sexes.....	134	6	13	11	8	9	11	10	8	13	13	15	17
Male.....	44	3	5	3	2	4	3	3	1	6	6	3	5
Female.....	90	3	8	8	6	5	8	7	7	7	7	12	12
Asian or Pacific Islander 2/, both sexes.....	538	41	33	43	38	40	38	41	57	48	45	57	57
Male.....	194	16	15	14	9	16	15	18	16	16	21	22	16
Female.....	344	25	18	29	29	24	23	23	41	32	24	35	41

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified organic or symptomatic mental disorder (F09)													
All races, both sexes.....	9	-	-	-	1	1	1	-	-	2	2	1	1
Male.....	3	-	-	-	-	1	-	-	-	1	1	-	-
Female.....	6	-	-	-	1	-	1	-	-	1	1	1	1
White, both sexes.....	8	-	-	-	1	1	1	-	-	1	2	1	1
Male.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Female.....	6	-	-	-	1	-	1	-	-	1	1	1	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental and behavioral disorders due to use of alcohol (F10)													
All races, both sexes.....	7,389	663	591	650	550	602	583	638	552	555	626	660	719
Male.....	5,753	522	469	516	443	466	444	497	420	426	483	504	563
Female.....	1,636	141	122	134	107	136	139	141	132	129	143	156	156
White, both sexes.....	6,175	538	479	536	465	486	495	535	476	465	537	561	602
Male.....	4,817	426	380	428	381	379	375	415	369	360	411	427	466
Female.....	1,358	112	99	108	84	107	120	120	107	105	126	134	136
Black, both sexes.....	930	94	88	92	68	102	64	72	53	65	70	74	88
Male.....	727	75	72	69	52	77	50	61	37	46	57	56	75
Female.....	203	19	16	23	16	25	14	11	16	19	13	18	13
American Indian 1/, both sexes.....	209	24	20	16	13	10	14	22	18	18	13	20	21
Male.....	145	16	13	13	6	7	12	13	11	13	10	16	15
Female.....	64	8	7	3	7	3	2	9	7	5	3	4	6
Asian or Pacific Islander 2/, both sexes.....	75	7	4	6	4	4	10	9	5	7	6	5	8
Male.....	64	5	4	6	4	3	7	8	3	7	5	5	7
Female.....	11	2	-	-	-	1	3	1	2	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute intoxication (F10.0)													
All races, both sexes.....	677	60	58	64	50	59	34	37	48	52	66	65	84
Male.....	519	49	40	51	39	45	25	23	38	35	53	53	68
Female.....	158	11	18	13	11	14	9	14	10	17	13	12	16
White, both sexes.....	565	52	44	50	44	48	29	34	40	44	54	52	74
Male.....	424	43	27	40	35	35	21	21	31	28	42	40	61
Female.....	141	9	17	10	9	13	8	13	9	16	12	12	13
Black, both sexes.....	71	6	7	12	5	7	4	1	4	5	6	9	5
Male.....	61	5	7	9	4	6	3	1	3	4	6	9	4
Female.....	10	1	-	3	1	1	1	-	1	1	-	-	1
American Indian 1/, both sexes.....	28	1	5	1	1	2	1	1	3	2	5	3	3
Male.....	22	-	4	1	-	2	1	-	3	2	4	3	2
Female.....	6	1	1	-	1	-	-	1	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	13	1	2	1	-	2	-	1	1	1	1	1	2
Male.....	12	1	2	1	-	2	-	1	1	1	1	1	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Harmful use (F10.1)													
All races, both sexes.....	1,910	164	140	172	143	145	134	183	137	140	177	166	209
Male.....	1,497	131	114	140	119	105	105	146	102	111	139	124	161
Female.....	413	33	26	32	24	40	29	37	35	29	38	42	48
White, both sexes.....	1,583	135	122	144	118	115	110	145	121	111	152	141	169
Male.....	1,245	109	99	115	100	85	85	116	93	89	119	105	130
Female.....	338	26	23	29	18	30	25	29	28	22	33	36	39
Black, both sexes.....	260	25	16	22	22	28	17	25	13	20	20	21	31
Male.....	202	18	13	20	17	18	14	22	8	16	16	16	24
Female.....	58	7	3	2	5	10	3	3	5	4	4	5	7
American Indian 1/, both sexes.....	48	3	1	4	1	1	4	10	3	7	4	3	7
Male.....	32	3	1	3	-	1	3	6	1	4	3	2	5
Female.....	16	-	-	1	1	-	1	4	2	3	1	1	2
Asian or Pacific Islander 2/, both sexes.....	19	1	1	2	2	1	3	3	-	2	1	1	2
Male.....	18	1	1	2	2	1	3	2	-	2	1	1	2
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified mental and behavioral disorder (F10.9)													
All races, both sexes.....	369	35	31	37	33	39	33	37	18	22	15	24	45
Male.....	264	22	20	26	25	31	22	26	11	17	12	17	35
Female.....	105	13	11	11	8	8	11	11	7	5	3	7	10
White, both sexes.....	276	24	20	30	23	27	22	29	12	19	14	20	36
Male.....	200	13	14	22	17	23	13	20	10	16	11	14	27
Female.....	76	11	6	8	6	4	9	9	2	3	3	6	9
Black, both sexes.....	61	7	9	5	5	10	5	5	3	2	1	3	6
Male.....	46	7	6	3	5	8	4	3	1	-	1	2	6
Female.....	15	-	3	2	-	2	1	2	2	2	-	1	-
American Indian 1/, both sexes.....	27	4	2	2	5	2	4	1	3	1	-	1	2
Male.....	14	2	-	1	3	-	4	1	-	1	-	1	1
Female.....	13	2	2	1	2	2	-	-	3	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	2	2	-	-	-	-	1
Male.....	4	-	-	-	-	-	1	2	-	-	-	-	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Mental and behavioral disorders due to use of opioids (F11)													
All races, both sexes.....	330	33	39	26	35	29	23	32	20	23	25	20	25
Male.....	227	28	26	14	21	22	19	18	16	18	14	13	18
Female.....	103	5	13	12	14	7	4	14	4	5	11	7	7
White, both sexes.....	286	28	30	23	32	24	21	30	18	18	23	17	22
Male.....	199	24	20	13	20	18	17	17	15	14	13	12	16
Female.....	87	4	10	10	12	6	4	13	3	4	10	5	6
Black, both sexes.....	37	5	7	3	3	5	2	2	-	5	2	1	2
Male.....	24	4	4	1	1	4	2	1	-	4	1	1	1
Female.....	13	1	3	2	2	1	-	1	-	1	1	-	1
American Indian 1/, both sexes.....	3	-	1	-	-	-	-	-	-	-	-	2	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	-	-	-	-	-	2	-	-	-	1
Male.....	3	-	1	-	-	-	-	-	1	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Withdrawal state (F11.3)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mental and behavioral disorder (F11.9)													
All races, both sexes.....	125	10	12	9	12	9	10	12	11	7	15	7	11
Male.....	79	8	8	3	7	6	9	4	8	6	7	6	7
Female.....	46	2	4	6	5	3	1	8	3	1	8	1	4
White, both sexes.....	110	9	11	6	11	9	9	11	10	5	13	6	10
Male.....	71	7	7	2	7	6	8	4	8	4	6	6	6
Female.....	39	2	4	4	4	3	1	7	2	1	7	-	4
Black, both sexes.....	12	1	1	3	1	-	1	1	-	2	2	-	-
Male.....	7	1	1	1	-	-	1	-	-	2	1	-	-
Female.....	5	-	-	2	1	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified mental and behavioral disorder (F14.9)													
All races, both sexes.....	211	16	16	18	19	27	18	16	14	15	21	15	16
Male.....	153	10	13	12	17	16	14	9	10	13	15	9	15
Female.....	58	6	3	6	2	11	4	7	4	2	6	6	1
White, both sexes.....	108	7	11	8	7	15	7	9	7	8	11	6	12
Male.....	89	6	9	6	6	12	5	7	6	8	8	5	11
Female.....	19	1	2	2	1	3	2	2	1	-	3	1	1
Black, both sexes.....	100	9	5	10	10	12	11	7	7	7	10	8	4
Male.....	61	4	4	6	9	4	9	2	4	5	7	3	4
Female.....	39	5	1	4	1	8	2	5	3	2	3	5	-
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental and behavioral disorders due to use of other stimulants, including caffeine (F15)													
All races, both sexes.....	112	15	7	9	12	9	11	10	15	6	11	4	3
Male.....	85	12	5	7	11	7	9	8	12	2	7	3	2
Female.....	27	3	2	2	1	2	2	2	3	4	4	1	1
White, both sexes.....	103	12	7	8	12	8	11	10	14	5	9	4	3
Male.....	78	9	5	6	11	6	9	8	11	2	6	3	2
Female.....	25	3	2	2	1	2	2	2	3	3	3	1	1
Black, both sexes.....	4	2	-	-	-	-	-	-	-	1	1	-	-
Male.....	3	2	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	1	-	1	-	-	-	-	1	-	-
Male.....	3	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Manic episode, unspecified (F30.9)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bipolar affective disorder (F31)													
All races, both sexes.....	115	15	8	8	10	9	10	9	9	7	10	8	12
Male.....	44	6	2	4	4	1	3	3	4	6	5	4	2
Female.....	71	9	6	4	6	8	7	6	5	1	5	4	10
White, both sexes.....	110	15	8	8	10	9	10	9	7	7	9	7	11
Male.....	44	6	2	4	4	1	3	3	4	6	5	4	2
Female.....	66	9	6	4	6	8	7	6	3	1	4	3	9
Black, both sexes.....	3	-	-	-	-	-	-	-	1	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bipolar affective disorder, unspecified (F31.9)													
All races, both sexes.....	112	15	8	8	10	8	10	9	9	7	10	7	11
Male.....	43	6	2	4	4	-	3	3	4	6	5	4	2
Female.....	69	9	6	4	6	8	7	6	5	1	5	3	9
White, both sexes.....	107	15	8	8	10	8	10	9	7	7	9	6	10
Male.....	43	6	2	4	4	-	3	3	4	6	5	4	2
Female.....	64	9	6	4	6	8	7	6	3	1	4	2	8
Black, both sexes.....	3	-	-	-	-	-	-	-	1	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Depressive episode (F32)													
All races, both sexes.....	663	53	71	59	50	53	46	56	55	43	51	63	63
Male.....	211	16	21	19	16	15	12	18	22	12	19	22	19
Female.....	452	37	50	40	34	38	34	38	33	31	32	41	44
White, both sexes.....	642	49	69	59	47	53	45	53	55	41	50	63	58
Male.....	198	13	20	19	14	15	11	16	22	11	18	22	17
Female.....	444	36	49	40	33	38	34	37	33	30	32	41	41
Black, both sexes.....	15	3	1	-	2	-	1	2	-	2	1	-	3
Male.....	11	2	1	-	2	-	1	2	-	1	1	-	1
Female.....	4	1	-	-	-	-	-	-	-	1	-	-	2
American Indian 1/, both sexes.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	-	-	1	-	-	-	-	2
Male.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neurotic disorder, unspecified (F48.9)													
All races, both sexes.....	4	-	-	1	-	2	-	-	-	-	1	-	-
Male.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
White, both sexes.....	4	-	-	1	-	2	-	-	-	-	1	-	-
Male.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Eating disorders (F50)													
All races, both sexes.....	126	13	14	7	6	15	14	12	4	12	7	10	12
Male.....	26	1	5	-	-	3	1	3	1	5	3	3	1
Female.....	100	12	9	7	6	12	13	9	3	7	4	7	11
White, both sexes.....	117	13	13	6	6	14	13	10	4	11	7	8	12
Male.....	24	1	4	-	-	3	1	3	1	5	3	2	1
Female.....	93	12	9	6	6	11	12	7	3	6	4	6	11
Black, both sexes.....	7	-	1	-	-	1	1	2	-	-	-	2	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Female.....	5	-	-	-	-	1	1	2	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Vomiting associated with other psychological disturbances (F50.5)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other eating disorders (F50.8)													
All races, both sexes.....	70	8	9	2	3	8	9	8	2	7	4	4	6
Male.....	18	1	3	-	-	3	1	2	1	3	2	2	-
Female.....	52	7	6	2	3	5	8	6	1	4	2	2	6
White, both sexes.....	65	8	9	2	3	8	8	6	2	6	4	3	6
Male.....	17	1	3	-	-	3	1	2	1	3	2	1	-
Female.....	48	7	6	2	3	5	7	4	1	3	2	2	6
Black, both sexes.....	4	-	-	-	-	-	1	2	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Eating disorder, unspecified (F50.9)													
All races, both sexes.....	5	-	-	1	-	-	1	1	-	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	4	-	-	1	-	-	1	1	-	-	-	-	1
White, both sexes.....	5	-	-	1	-	-	1	1	-	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	4	-	-	1	-	-	1	1	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Psychological and behavioral factors associated with disorders or diseases classified elsewhere (F54)													
All races, both sexes.....	169	19	21	15	15	16	15	12	5	11	11	14	15
Male.....	71	9	9	7	5	6	5	8	2	5	4	4	7
Female.....	98	10	12	8	10	10	10	4	3	6	7	10	8
White, both sexes.....	134	16	13	12	11	13	14	8	5	8	9	11	14
Male.....	57	7	7	6	4	5	5	5	2	3	3	3	7
Female.....	77	9	6	6	7	8	9	3	3	5	6	8	7
Black, both sexes.....	33	3	7	3	4	3	1	3	-	3	2	3	1
Male.....	14	2	2	1	1	1	-	3	-	2	1	1	-
Female.....	19	1	5	2	3	2	1	-	-	1	1	2	1
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumococcal meningitis (G00.1)													
All races, both sexes.....	94	9	16	20	8	10	3	-	3	2	5	6	12
Male.....	49	6	6	13	2	8	1	-	1	1	2	3	6
Female.....	45	3	10	7	6	2	2	-	2	1	3	3	6
White, both sexes.....	77	9	13	13	5	9	3	-	3	2	3	5	12
Male.....	42	6	6	8	2	8	1	-	1	1	1	2	6
Female.....	35	3	7	5	3	1	2	-	2	1	2	3	6
Black, both sexes.....	15	-	3	6	3	1	-	-	-	-	2	-	-
Male.....	5	-	-	4	-	-	-	-	-	-	1	-	-
Female.....	10	-	3	2	3	1	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal meningitis (G00.2)													
All races, both sexes.....	65	6	7	11	4	10	4	7	2	6	3	2	3
Male.....	30	3	5	8	1	4	2	4	-	1	-	1	1
Female.....	35	3	2	3	3	6	2	3	2	5	3	1	2
White, both sexes.....	45	6	5	10	2	6	2	6	2	1	1	1	3
Male.....	22	3	3	8	-	2	1	3	-	1	-	-	1
Female.....	23	3	2	2	2	4	1	3	2	-	1	1	2
Black, both sexes.....	15	-	1	1	2	3	1	-	-	4	2	1	-
Male.....	5	-	1	-	1	1	1	-	-	-	-	1	-
Female.....	10	-	-	1	1	2	-	-	-	4	2	-	-
American Indian 1/, both sexes.....	3	-	1	-	-	-	1	1	-	-	-	-	-
Male.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bacterial meningitis, unspecified (G00.9)													
All races, both sexes.....	173	15	15	24	20	21	3	9	11	10	13	15	17
Male.....	96	13	6	13	8	12	-	4	6	6	5	11	12
Female.....	77	2	9	11	12	9	3	5	5	4	8	4	5
White, both sexes.....	128	9	12	16	15	13	3	6	9	9	9	12	15
Male.....	69	8	4	9	6	7	-	4	4	5	3	9	10
Female.....	59	1	8	7	9	6	3	2	5	4	6	3	5
Black, both sexes.....	38	4	3	8	4	7	-	3	2	1	2	2	2
Male.....	24	3	2	4	2	5	-	2	1	1	1	2	2
Female.....	14	1	1	4	2	2	-	3	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	6	2	-	-	1	1	-	-	-	-	2	-	-
Male.....	3	2	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	1	1	-	-	-	-	1	-	-
Meningitis due to other and unspecified causes (G03)													
All races, both sexes.....	311	30	24	35	28	27	22	25	31	20	16	32	21
Male.....	164	11	16	17	13	13	11	15	14	14	10	16	14
Female.....	147	19	8	18	15	14	11	10	17	6	6	16	7
White, both sexes.....	224	23	15	24	20	19	18	21	24	15	8	24	13
Male.....	116	7	10	13	9	9	11	13	12	9	5	12	6
Female.....	108	16	5	11	11	10	7	8	12	6	3	12	7
Black, both sexes.....	73	7	8	10	7	8	1	3	6	3	8	6	6
Male.....	42	4	5	4	4	4	-	1	2	3	5	4	6
Female.....	31	3	3	6	3	4	1	2	4	-	3	2	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	1	1	-	1	-	1	1
Male.....	3	-	-	-	-	-	-	1	-	1	-	-	1
Female.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	9	-	1	1	1	-	2	-	1	1	-	1	1
Male.....	3	-	1	-	-	-	-	-	-	1	-	-	1
Female.....	6	-	-	1	1	-	2	-	1	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Meningitis, unspecified (G03.9)													
All races, both sexes.....	295	28	24	34	26	25	21	22	30	18	16	30	21
Male.....	154	10	16	16	12	11	11	13	13	12	10	16	14
Female.....	141	18	8	18	14	14	10	9	17	6	6	14	7
White, both sexes.....	211	22	15	23	18	18	18	18	23	13	8	22	13
Male.....	108	7	10	12	8	8	11	11	11	7	5	12	6
Female.....	103	15	5	11	10	10	7	7	12	6	3	10	7
Black, both sexes.....	71	6	8	10	7	7	1	3	6	3	8	6	6
Male.....	40	3	5	4	4	3	-	1	2	3	5	4	6
Female.....	31	3	3	6	3	4	1	2	4	-	3	2	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	1	1	-	1	-	1	1
Male.....	3	-	-	-	-	-	-	1	-	1	-	-	1
Female.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	8	-	1	1	1	-	1	-	1	1	-	1	1
Male.....	3	-	1	-	-	-	-	-	-	1	-	-	1
Female.....	5	-	-	1	1	-	1	-	1	-	-	1	-
Encephalitis, myelitis, and encephalomyelitis (G04)													
All races, both sexes.....	282	13	25	18	25	14	36	32	23	19	33	17	27
Male.....	144	9	12	6	11	7	20	17	10	11	18	9	14
Female.....	138	4	13	12	14	7	16	15	13	8	15	8	13
White, both sexes.....	214	6	20	13	20	13	26	27	18	13	26	13	19
Male.....	108	4	8	3	8	7	15	15	9	7	16	7	9
Female.....	106	2	12	10	12	6	11	12	9	6	10	6	10
Black, both sexes.....	52	5	3	5	3	1	7	4	4	6	6	2	6
Male.....	25	3	3	3	2	-	3	2	1	4	1	-	3
Female.....	27	2	-	2	1	1	4	2	3	2	5	2	3
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	1	-	1	1	1
Male.....	3	-	-	-	-	-	-	-	-	-	1	1	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	2	2	-	2	-	3	1	-	-	-	1	1
Male.....	8	2	1	-	1	-	2	-	-	-	-	1	1
Female.....	4	-	1	-	1	-	1	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Encephalitis, myelitis, and encephalomyelitis, unspecified (G04.9)													
All races, both sexes.....	261	12	22	13	23	13	34	31	23	19	30	17	24
Male.....	131	8	10	3	9	7	19	16	10	11	17	9	12
Female.....	130	4	12	10	14	6	15	15	13	8	13	8	12
White, both sexes.....	200	5	18	11	18	12	24	26	18	13	24	13	18
Male.....	100	3	7	3	6	7	14	14	9	7	15	7	8
Female.....	100	2	11	8	12	5	10	12	9	6	9	6	10
Black, both sexes.....	46	5	3	2	3	1	7	4	4	6	5	2	4
Male.....	21	3	3	-	2	-	3	2	1	4	1	-	2
Female.....	25	2	-	2	1	1	4	2	3	2	4	2	2
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	1	-	1	1	1
Male.....	3	-	-	-	-	-	-	-	-	-	1	1	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	2	1	-	2	-	3	1	-	-	-	1	1
Male.....	7	2	-	-	1	-	2	-	-	-	-	1	1
Female.....	4	-	1	-	1	-	1	1	-	-	-	-	-
Intracranial and intraspinal abscess and granuloma (G06)													
All races, both sexes.....	278	14	23	29	27	20	24	28	16	28	18	30	21
Male.....	180	10	14	20	18	9	16	20	9	19	9	18	18
Female.....	98	4	9	9	9	11	8	8	7	9	9	12	3
White, both sexes.....	216	9	17	23	20	18	19	20	13	21	17	22	17
Male.....	133	5	11	18	13	8	12	14	6	13	8	11	14
Female.....	83	4	6	5	7	10	7	6	7	8	9	11	3
Black, both sexes.....	55	5	5	6	6	1	4	8	2	6	1	7	4
Male.....	42	5	3	2	4	1	3	6	2	5	1	6	4
Female.....	13	-	2	4	2	-	1	2	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	1	-	1	1	1	-	1	1	-	1	-
Male.....	5	-	-	-	1	-	1	-	1	1	-	1	-
Female.....	2	-	1	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hereditary ataxia, unspecified (G11.9)													
All races, both sexes.....	70	6	5	11	5	4	2	7	4	7	6	2	11
Male.....	29	2	1	4	2	2	1	3	1	4	5	1	3
Female.....	41	4	4	7	3	2	1	4	3	3	1	1	8
White, both sexes.....	56	5	4	10	2	4	2	5	3	6	5	1	9
Male.....	24	2	-	4	1	2	1	3	-	3	4	1	3
Female.....	32	3	4	6	1	2	1	2	3	3	1	-	6
Black, both sexes.....	14	1	1	1	3	-	-	2	1	1	1	1	2
Male.....	5	-	1	-	1	-	-	-	1	1	1	-	-
Female.....	9	1	-	1	2	-	-	2	-	-	-	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Spinal muscular atrophy and related syndromes (G12)													
All races, both sexes.....	6,020	537	526	494	504	475	455	480	504	487	525	484	549
Male.....	3,284	296	288	251	278	265	252	259	296	260	272	257	310
Female.....	2,736	241	238	243	226	210	203	221	208	227	253	227	239
White, both sexes.....	5,594	501	488	460	458	448	423	446	460	450	487	456	517
Male.....	3,055	276	265	235	251	254	235	244	271	242	253	241	288
Female.....	2,539	225	223	225	207	194	188	202	189	208	234	215	229
Black, both sexes.....	320	24	31	28	34	23	23	26	32	26	28	24	21
Male.....	171	14	18	14	19	11	14	12	18	10	14	14	13
Female.....	149	10	13	14	15	12	9	14	14	16	14	10	8
American Indian 1/, both sexes.....	16	1	1	-	1	1	-	-	3	3	3	-	3
Male.....	6	-	-	-	1	-	-	-	-	3	1	-	1
Female.....	10	1	1	-	-	1	-	-	3	-	2	-	2
Asian or Pacific Islander 2/, both sexes.....	90	11	6	6	11	3	9	8	9	8	7	4	8
Male.....	52	6	5	2	7	-	3	3	7	5	4	2	8
Female.....	38	5	1	4	4	3	6	5	2	3	3	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Motor neuron disease (G12.2)													
All races, both sexes.....	5,872	523	515	485	487	465	446	468	492	475	504	475	537
Male.....	3,197	287	282	247	268	257	246	251	289	254	261	251	304
Female.....	2,675	236	233	238	219	208	200	217	203	221	243	224	233
White, both sexes.....	5,480	491	479	454	444	440	414	437	454	442	471	449	505
Male.....	2,986	270	260	232	243	247	229	238	268	238	243	236	282
Female.....	2,494	221	219	222	201	193	185	199	186	204	228	213	223
Black, both sexes.....	297	21	29	26	31	22	23	24	30	23	24	23	21
Male.....	156	11	17	13	17	10	14	10	17	8	13	13	13
Female.....	141	10	12	13	14	12	9	14	13	15	11	10	8
American Indian 1/, both sexes.....	16	1	1	-	1	1	-	-	3	3	3	-	3
Male.....	6	-	-	-	1	-	-	-	-	3	1	-	1
Female.....	10	1	1	-	-	1	-	-	3	-	2	-	2
Asian or Pacific Islander 2/, both sexes.....	79	10	6	5	11	2	9	7	5	7	6	3	8
Male.....	49	6	5	2	7	-	3	3	4	5	4	2	8
Female.....	30	4	1	3	4	2	6	4	1	2	2	1	-
Spinal muscular atrophy, unspecified (G12.9)													
All races, both sexes.....	120	12	9	6	13	6	9	10	9	10	20	6	10
Male.....	70	9	5	2	7	5	6	7	4	6	10	4	5
Female.....	50	3	4	4	6	1	3	3	5	4	10	2	5
White, both sexes.....	93	8	7	5	10	6	9	8	4	6	15	5	10
Male.....	55	6	4	2	5	5	6	5	1	4	9	3	5
Female.....	38	2	3	3	5	1	3	3	3	2	6	2	5
Black, both sexes.....	19	3	2	-	3	-	-	2	1	3	4	1	-
Male.....	12	3	1	-	2	-	-	2	-	2	1	1	-
Female.....	7	-	1	-	1	-	-	-	1	1	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	-	1	-	-	-	-	4	1	1	-	-
Male.....	3	-	-	-	-	-	-	-	3	-	-	-	-
Female.....	5	1	-	1	-	-	-	-	1	1	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Alzheimer's disease, unspecified (G30.9)													
All races, both sexes.....	69,437	6,682	6,531	6,885	5,598	5,142	4,743	4,989	5,006	5,227	5,662	6,055	6,917
Male.....	20,021	1,892	1,829	1,927	1,641	1,498	1,414	1,433	1,501	1,551	1,635	1,714	1,986
Female.....	49,416	4,790	4,702	4,958	3,957	3,644	3,329	3,556	3,505	3,676	4,027	4,341	4,931
White, both sexes.....	64,148	6,184	6,059	6,367	5,216	4,755	4,362	4,591	4,615	4,808	5,240	5,578	6,373
Male.....	18,483	1,736	1,696	1,784	1,525	1,381	1,295	1,325	1,383	1,432	1,517	1,569	1,840
Female.....	45,665	4,448	4,363	4,583	3,691	3,374	3,067	3,266	3,232	3,376	3,723	4,009	4,533
Black, both sexes.....	4,520	436	396	448	317	331	316	342	330	367	352	407	478
Male.....	1,265	138	109	122	86	96	92	87	92	102	94	122	125
Female.....	3,255	298	287	326	231	235	224	255	238	265	258	285	353
American Indian 1/, both sexes.....	168	14	15	13	23	11	15	10	13	14	14	14	12
Male.....	47	3	8	1	8	3	-	2	6	5	3	6	2
Female.....	121	11	7	12	15	8	15	8	7	9	11	8	10
Asian or Pacific Islander 2/, both sexes.....	601	48	61	57	42	45	50	46	48	38	56	56	54
Male.....	226	15	16	20	22	18	27	19	20	12	21	17	19
Female.....	375	33	45	37	20	27	23	27	28	26	35	39	35
Other degenerative diseases of nervous system, not elsewhere classified (G31)													
All races, both sexes.....	1,823	182	144	152	166	141	119	137	146	147	168	157	164
Male.....	794	84	59	71	75	59	59	53	62	61	70	57	84
Female.....	1,029	98	85	81	91	82	60	84	84	86	98	100	80
White, both sexes.....	1,649	160	135	139	149	129	106	124	133	133	152	141	148
Male.....	717	74	56	62	68	51	54	48	56	53	64	54	77
Female.....	932	86	79	77	81	78	52	76	77	80	88	87	71
Black, both sexes.....	145	18	7	10	13	12	9	10	12	11	16	13	14
Male.....	61	9	2	8	4	8	1	3	6	7	6	1	6
Female.....	84	9	5	2	9	4	8	7	6	4	10	12	8
American Indian 1/, both sexes.....	8	1	-	1	1	-	2	1	-	-	-	2	-
Male.....	5	-	-	-	1	-	2	1	-	-	-	1	-
Female.....	3	1	-	1	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	21	3	2	2	3	-	2	2	1	3	-	1	2
Male.....	11	1	1	1	2	-	2	1	-	1	-	1	1
Female.....	10	2	1	1	1	-	-	1	1	2	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Degenerative disease of nervous system, unspecified (G31.9)													
All races, both sexes.....	1,247	120	97	100	115	101	84	93	108	107	106	110	106
Male.....	504	52	39	38	53	39	34	35	43	39	41	35	56
Female.....	743	68	58	62	62	62	50	58	65	68	65	75	50
White, both sexes.....	1,114	105	91	90	104	93	74	84	97	97	90	95	94
Male.....	458	46	37	32	50	35	32	33	39	35	35	33	51
Female.....	656	59	54	58	54	58	42	51	58	62	55	62	43
Black, both sexes.....	116	13	5	8	8	8	8	8	10	8	16	13	11
Male.....	39	6	1	6	1	4	-	2	4	4	6	1	4
Female.....	77	7	4	2	7	4	8	6	6	4	10	12	7
American Indian 1/, both sexes.....	3	-	-	1	1	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	14	2	1	1	2	-	2	1	1	2	-	1	1
Male.....	6	-	1	-	1	-	2	-	-	-	-	1	1
Female.....	8	2	-	1	1	-	-	1	1	2	-	-	-
Multiple sclerosis (G35)													
All races, both sexes.....	3,487	372	278	337	302	292	254	246	251	252	303	259	341
Male.....	1,127	129	83	105	92	94	82	78	72	80	103	87	122
Female.....	2,360	243	195	232	210	198	172	168	179	172	200	172	219
White, both sexes.....	3,086	337	236	297	279	263	229	219	222	220	264	222	298
Male.....	1,005	117	69	89	89	83	74	70	64	70	97	76	107
Female.....	2,081	220	167	208	190	180	155	149	158	150	167	146	191
Black, both sexes.....	378	34	36	39	22	28	25	23	26	32	37	34	42
Male.....	114	12	11	16	3	10	8	6	7	10	6	10	15
Female.....	264	22	25	23	19	18	17	17	19	22	31	24	27
American Indian 1/, both sexes.....	10	-	1	-	-	1	-	2	2	-	1	2	1
Male.....	4	-	1	-	-	1	-	-	1	-	-	1	-
Female.....	6	-	-	-	-	-	-	2	1	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	13	1	5	1	1	-	-	2	1	-	1	1	-
Male.....	4	-	2	-	-	-	-	2	-	-	-	-	-
Female.....	9	1	3	1	1	-	-	-	1	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute and subacute hemorrhagic leukoencephalitis [Hurst] (G36.1)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other demyelinating diseases of central nervous system (G37)													
All races, both sexes.....	154	11	13	17	14	9	14	11	11	14	16	9	15
Male.....	71	3	3	13	7	2	6	7	5	6	7	5	7
Female.....	83	8	10	4	7	7	8	4	6	8	9	4	8
White, both sexes.....	122	8	12	11	12	7	8	9	10	9	14	9	13
Male.....	62	3	2	9	6	2	5	6	5	6	7	5	6
Female.....	60	5	10	2	6	5	3	3	5	3	7	4	7
Black, both sexes.....	26	2	1	5	2	1	3	2	1	5	2	-	2
Male.....	9	-	1	4	1	-	1	1	-	-	-	-	1
Female.....	17	2	-	1	1	1	2	1	1	5	2	-	1
American Indian 1/, both sexes.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	-	1	2	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute transverse myelitis in demyelinating disease of central nervous system (G37.3)													
All races, both sexes.....	68	5	7	8	6	1	6	5	2	9	10	4	5
Male.....	26	1	-	5	3	-	2	3	1	3	4	2	2
Female.....	42	4	7	3	3	1	4	2	1	6	6	2	3
White, both sexes.....	52	5	7	5	4	1	4	3	2	5	8	4	4
Male.....	22	1	-	3	2	-	2	2	1	3	4	2	2
Female.....	30	4	7	2	2	1	2	1	1	2	4	2	2
Black, both sexes.....	15	-	-	3	2	-	1	2	-	4	2	-	1
Male.....	4	-	-	2	1	-	-	1	-	-	-	-	-
Female.....	11	-	-	1	1	-	1	1	-	4	2	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Other specified demyelinating diseases of central nervous system (G37.8)													
All races, both sexes.....	12	1	1	1	1	-	2	1	1	-	3	-	1
Male.....	7	1	1	1	-	-	-	1	-	-	2	-	1
Female.....	5	-	-	-	1	-	2	-	1	-	1	-	-
White, both sexes.....	11	1	1	1	1	-	1	1	1	-	3	-	1
Male.....	7	1	1	1	-	-	-	1	-	-	2	-	1
Female.....	4	-	-	-	1	-	1	-	1	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Epilepsy, unspecified (G40.9)													
All races, both sexes.....	718	54	73	75	63	63	46	67	51	45	57	62	62
Male.....	411	33	39	47	33	36	27	40	31	23	28	35	39
Female.....	307	21	34	28	30	27	19	27	20	22	29	27	23
White, both sexes.....	537	39	52	57	49	44	31	58	40	36	40	43	48
Male.....	306	26	29	32	25	24	17	34	26	17	20	24	32
Female.....	231	13	23	25	24	20	14	24	14	19	20	19	16
Black, both sexes.....	168	13	20	16	13	17	14	9	11	9	16	16	14
Male.....	97	6	10	13	7	10	10	6	5	6	8	9	7
Female.....	71	7	10	3	6	7	4	3	6	3	8	7	7
American Indian 1/, both sexes.....	8	1	1	1	-	1	1	-	-	-	1	2	-
Male.....	3	-	-	1	-	1	-	-	-	-	-	1	-
Female.....	5	1	1	-	-	-	1	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	1	1	1	-	-	-	-	-	1	-
Male.....	5	1	-	1	1	1	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Status epilepticus (G41)													
All races, both sexes.....	521	43	30	34	58	51	31	38	51	41	54	45	45
Male.....	224	17	11	11	20	28	22	19	24	12	24	17	19
Female.....	297	26	19	23	38	23	9	19	27	29	30	28	26
White, both sexes.....	374	37	19	23	40	32	26	29	33	33	39	32	31
Male.....	164	15	5	8	15	18	19	15	14	9	19	14	13
Female.....	210	22	14	15	25	14	7	14	19	24	20	18	18
Black, both sexes.....	134	5	9	9	18	18	5	7	17	7	15	12	12
Male.....	53	2	4	2	5	10	3	3	9	2	5	2	6
Female.....	81	3	5	7	13	8	2	4	8	5	10	10	6
American Indian 1/, both sexes.....	6	1	2	-	-	-	-	-	-	1	-	1	1
Male.....	4	-	2	-	-	-	-	-	-	1	-	1	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	7	-	-	2	-	1	-	2	1	-	-	-	1
Male.....	3	-	-	1	-	-	-	1	1	-	-	-	-
Female.....	4	-	-	1	-	1	-	1	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Grand mal status epilepticus (G41.0)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Status epilepticus, unspecified (G41.9)													
All races, both sexes.....	520	43	30	34	58	50	31	38	51	41	54	45	45
Male.....	223	17	11	11	20	27	22	19	24	12	24	17	19
Female.....	297	26	19	23	38	23	9	19	27	29	30	28	26
White, both sexes.....	374	37	19	23	40	32	26	29	33	33	39	32	31
Male.....	164	15	5	8	15	18	19	15	14	9	19	14	13
Female.....	210	22	14	15	25	14	7	14	19	24	20	18	18
Black, both sexes.....	133	5	9	9	18	17	5	7	17	7	15	12	12
Male.....	52	2	4	2	5	9	3	3	9	2	5	2	6
Female.....	81	3	5	7	13	8	2	4	8	5	10	10	6
American Indian 1/, both sexes.....	6	1	2	-	-	-	-	-	-	1	-	1	1
Male.....	4	-	2	-	-	-	-	-	-	1	-	1	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	7	-	-	2	-	1	-	2	1	-	-	-	1
Male.....	3	-	-	1	-	-	-	1	1	-	-	-	-
Female.....	4	-	-	1	-	1	-	1	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Inflammatory polyneuropathy, unspecified (G61.9)													
All races, both sexes.....	3	-	1	-	-	-	-	-	-	-	1	1	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other polyneuropathies (G62)													
All races, both sexes.....	347	35	41	35	22	32	23	29	29	18	29	28	26
Male.....	184	24	26	21	12	17	12	16	16	6	10	12	12
Female.....	163	11	15	14	10	15	11	13	13	12	19	16	14
White, both sexes.....	320	33	40	29	22	31	21	27	26	17	27	26	21
Male.....	174	23	26	18	12	16	11	16	16	5	9	11	11
Female.....	146	10	14	11	10	15	10	11	10	12	18	15	10
Black, both sexes.....	19	1	1	4	-	1	2	1	2	1	1	2	3
Male.....	8	1	-	1	-	1	1	-	-	1	1	1	1
Female.....	11	-	1	3	-	-	1	1	2	-	-	1	2
American Indian 1/, both sexes.....	5	1	-	-	-	-	-	1	1	-	-	-	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	1	-	-	-	-	-	1	1	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	3	-	-	2	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified polyneuropathies (G62.8)													
All races, both sexes.....	88	9	8	9	4	9	6	9	6	4	6	9	9
Male.....	56	7	4	8	3	6	4	6	3	2	2	6	5
Female.....	32	2	4	1	1	3	2	3	3	2	4	3	4
White, both sexes.....	81	8	7	8	4	9	6	9	4	4	6	8	8
Male.....	52	6	4	7	3	6	4	6	3	2	2	5	4
Female.....	29	2	3	1	1	3	2	3	1	2	4	3	4
Black, both sexes.....	7	1	1	1	-	-	-	-	2	-	-	1	1
Male.....	4	1	-	1	-	-	-	-	-	-	-	1	1
Female.....	3	-	1	-	-	-	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Polyneuropathy, unspecified (G62.9)													
All races, both sexes.....	254	24	32	25	18	23	17	20	23	13	23	19	17
Male.....	124	15	21	12	9	11	8	10	13	4	8	6	7
Female.....	130	9	11	13	9	12	9	10	10	9	15	13	10
White, both sexes.....	234	23	32	20	18	22	15	18	22	12	21	18	13
Male.....	118	15	21	10	9	10	7	10	13	3	7	6	7
Female.....	116	8	11	10	9	12	8	8	9	9	14	12	6
Black, both sexes.....	12	-	-	3	-	1	2	1	-	1	1	1	2
Male.....	4	-	-	-	-	1	1	-	-	1	1	-	-
Female.....	8	-	-	3	-	-	1	1	-	-	-	1	2
American Indian 1/, both sexes.....	5	1	-	-	-	-	-	1	1	-	-	-	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	1	-	-	-	-	-	1	1	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	3	-	-	2	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myasthenia gravis and other myoneural disorders (G70)													
All races, both sexes.....	766	72	64	70	67	60	60	69	50	61	58	60	75
Male.....	380	38	29	34	32	31	34	34	24	28	31	37	28
Female.....	386	34	35	36	35	29	26	35	26	33	27	23	47
White, both sexes.....	714	66	61	64	61	55	59	64	49	57	53	54	71
Male.....	355	34	28	33	28	29	33	32	23	27	28	32	28
Female.....	359	32	33	31	33	26	26	32	26	30	25	22	43
Black, both sexes.....	40	6	3	6	3	4	-	3	1	2	4	4	4
Male.....	20	4	1	1	2	2	-	1	1	1	3	4	-
Female.....	20	2	2	5	1	2	-	2	-	1	1	-	4
American Indian 1/, both sexes.....	3	-	-	-	1	1	-	1	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	2	-	1	1	-	2	1	2	-
Male.....	3	-	-	-	1	-	1	-	-	-	-	1	-
Female.....	6	-	-	-	1	-	-	1	-	2	1	1	-
Myasthenia gravis (G70.0)													
All races, both sexes.....	533	54	39	46	44	38	39	49	32	49	43	46	54
Male.....	262	28	16	20	24	21	22	22	16	20	28	26	19
Female.....	271	26	23	26	20	17	17	27	16	29	15	20	35
White, both sexes.....	506	50	39	44	42	35	39	47	31	46	39	43	51
Male.....	248	25	16	20	22	19	22	22	15	19	26	23	19
Female.....	258	25	23	24	20	16	17	25	16	27	13	20	32
Black, both sexes.....	22	4	-	2	1	3	-	2	1	1	3	2	3
Male.....	12	3	-	-	1	2	-	-	1	1	2	2	-
Female.....	10	1	-	2	-	1	-	2	-	-	1	-	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	-	-	-	-	2	1	1	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	2	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myoneural disorder, unspecified (G70.9)													
All races, both sexes.....	227	17	24	22	22	21	21	20	18	12	15	14	21
Male.....	116	9	13	14	8	9	12	12	8	8	3	11	9
Female.....	111	8	11	8	14	12	9	8	10	4	12	3	12
White, both sexes.....	204	15	22	18	19	19	20	17	18	11	14	11	20
Male.....	105	8	12	13	6	9	11	10	8	8	2	9	9
Female.....	99	7	10	5	13	10	9	7	10	3	12	2	11
Black, both sexes.....	16	2	2	4	1	1	-	1	-	1	1	2	1
Male.....	8	1	1	1	1	-	-	1	-	-	1	2	-
Female.....	8	1	1	3	-	1	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	3	-	-	-	1	1	-	1	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	1	1	-	-	-	1	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	1	-	-	-	1	-
Primary disorders of muscles (G71)													
All races, both sexes.....	1,167	107	97	98	107	88	98	107	91	84	89	101	100
Male.....	787	74	70	64	64	64	58	68	66	56	63	68	72
Female.....	380	33	27	34	43	24	40	39	25	28	26	33	28
White, both sexes.....	1,060	94	93	89	94	79	88	96	82	80	82	94	89
Male.....	716	67	66	58	57	60	51	61	57	54	58	63	64
Female.....	344	27	27	31	37	19	37	35	25	26	24	31	25
Black, both sexes.....	71	10	3	5	7	5	4	10	7	2	5	7	6
Male.....	49	5	3	4	4	1	4	6	7	1	4	5	5
Female.....	22	5	-	1	3	4	-	4	-	1	1	2	1
American Indian 1/, both sexes.....	10	1	1	-	1	-	4	1	-	1	-	-	1
Male.....	8	1	1	-	1	-	2	1	-	1	-	-	1
Female.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	26	2	-	4	5	4	2	-	2	1	2	-	4
Male.....	14	1	-	2	2	3	1	-	2	-	1	-	2
Female.....	12	1	-	2	3	1	1	-	-	1	1	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Muscular dystrophy (G71.0)													
All races, both sexes.....	802	75	64	70	81	56	61	75	63	59	65	74	59
Male.....	574	57	48	47	53	45	41	46	51	38	50	56	42
Female.....	228	18	16	23	28	11	20	29	12	21	15	18	17
White, both sexes.....	722	66	62	64	70	50	53	67	54	57	58	69	52
Male.....	518	50	46	42	47	42	35	42	42	37	45	52	38
Female.....	204	16	16	22	23	8	18	25	12	20	13	17	14
Black, both sexes.....	53	6	2	4	6	3	3	7	7	2	5	5	3
Male.....	38	5	2	4	3	-	3	3	7	1	4	4	2
Female.....	15	1	-	-	3	3	-	4	-	1	1	1	1
American Indian 1/, both sexes.....	8	1	-	-	1	-	4	1	-	-	-	-	1
Male.....	6	1	-	-	1	-	2	1	-	-	-	-	1
Female.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	2	-	2	4	3	1	-	2	-	2	-	3
Male.....	12	1	-	1	2	3	1	-	2	-	1	-	1
Female.....	7	1	-	1	2	-	-	-	-	-	1	-	2
Myotonic disorders (G71.1)													
All races, both sexes.....	211	20	14	18	15	19	27	16	17	15	13	15	22
Male.....	109	9	8	10	7	11	12	9	6	10	7	5	15
Female.....	102	11	6	8	8	8	15	7	11	5	6	10	7
White, both sexes.....	201	19	14	16	15	17	27	15	17	15	13	13	20
Male.....	104	9	8	9	7	11	12	8	6	10	7	4	13
Female.....	97	10	6	7	8	6	15	7	11	5	6	9	7
Black, both sexes.....	8	1	-	1	-	1	-	1	-	-	-	2	2
Male.....	4	-	-	-	-	-	-	1	-	-	-	1	2
Female.....	4	1	-	1	-	1	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Infantile cerebral palsy (G80)													
All races, both sexes.....	1,412	128	128	153	103	113	97	108	108	102	114	119	139
Male.....	778	69	75	82	51	56	48	70	66	54	60	66	81
Female.....	634	59	53	71	52	57	49	38	42	48	54	53	58
White, both sexes.....	1,090	97	102	113	85	83	80	77	83	79	91	88	112
Male.....	608	55	62	62	43	41	38	51	50	42	47	53	64
Female.....	482	42	40	51	42	42	42	26	33	37	44	35	48
Black, both sexes.....	292	27	24	36	16	27	16	27	23	23	19	29	25
Male.....	154	13	12	19	8	13	10	16	14	12	11	11	15
Female.....	138	14	12	17	8	14	6	11	9	11	8	18	10
American Indian 1/, both sexes.....	12	3	-	2	-	2	-	2	2	-	-	1	-
Male.....	8	1	-	1	-	2	-	1	2	-	-	1	-
Female.....	4	2	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	1	2	2	2	1	1	2	-	-	4	1	2
Male.....	8	-	1	-	-	-	-	2	-	-	2	1	2
Female.....	10	1	1	2	2	1	1	-	-	-	2	-	-
Spastic cerebral palsy (G80.0)													
All races, both sexes.....	14	1	1	1	3	1	1	1	1	-	1	2	1
Male.....	10	1	1	1	-	1	-	1	1	-	1	2	1
Female.....	4	-	-	-	3	-	1	-	-	-	-	-	-
White, both sexes.....	12	1	1	1	3	1	1	1	-	-	1	2	1
Male.....	9	1	1	1	-	1	-	1	-	-	1	2	1
Female.....	3	-	-	-	3	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Infantile cerebral palsy, unspecified (G80.9)													
All races, both sexes.....	1,339	121	118	143	96	107	95	102	104	96	112	114	131
Male.....	732	63	67	77	49	52	48	65	63	50	58	63	77
Female.....	607	58	51	66	47	55	47	37	41	46	54	51	54
White, both sexes.....	1,039	93	92	106	78	78	79	73	82	75	89	85	109
Male.....	572	51	54	57	41	38	38	47	49	39	45	51	62
Female.....	467	42	38	49	37	40	41	26	33	36	44	34	47
Black, both sexes.....	275	26	24	34	16	26	16	25	20	21	19	27	21
Male.....	146	12	12	19	8	12	10	15	12	11	11	10	14
Female.....	129	14	12	15	8	14	6	10	8	10	8	17	7
American Indian 1/, both sexes.....	9	1	-	1	-	2	-	2	2	-	-	1	-
Male.....	7	-	-	1	-	2	-	1	2	-	-	1	-
Female.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	1	2	2	2	1	-	2	-	-	4	1	1
Male.....	7	-	1	-	-	-	-	2	-	-	2	1	1
Female.....	9	1	1	2	2	1	-	-	-	-	2	-	-
Hemiplegia (G81)													
All races, both sexes.....	107	10	11	9	7	12	11	11	5	10	8	5	8
Male.....	43	5	5	6	5	2	5	4	2	4	2	1	2
Female.....	64	5	6	3	2	10	6	7	3	6	6	4	6
White, both sexes.....	94	10	9	7	7	10	10	11	3	9	8	4	6
Male.....	38	5	4	4	5	2	5	4	2	3	2	1	1
Female.....	56	5	5	3	2	8	5	7	1	6	6	3	5
Black, both sexes.....	8	-	1	2	-	1	1	-	1	1	-	-	1
Male.....	5	-	1	2	-	-	-	-	-	1	-	-	1
Female.....	3	-	-	-	-	1	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	-	1	-	-	1	-	-	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	1	-	-	1	-	-	1	-	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Spastic hemiplegia (G81.1)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, unspecified (G81.9)													
All races, both sexes.....	106	10	11	9	7	12	11	11	5	9	8	5	8
Male.....	43	5	5	6	5	2	5	4	2	4	2	1	2
Female.....	63	5	6	3	2	10	6	7	3	5	6	4	6
White, both sexes.....	93	10	9	7	7	10	10	11	3	8	8	4	6
Male.....	38	5	4	4	5	2	5	4	2	3	2	1	1
Female.....	55	5	5	3	2	8	5	7	1	5	6	3	5
Black, both sexes.....	8	-	1	2	-	1	1	-	1	1	-	-	1
Male.....	5	-	1	2	-	-	-	-	-	1	-	-	1
Female.....	3	-	-	-	-	1	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	-	1	-	-	1	-	-	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	1	-	-	1	-	-	1	-	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Paralytic syndrome, unspecified (G83.9)													
All races, both sexes.....	43	5	3	8	4	3	3	3	2	6	3	1	2
Male.....	21	2	2	6	3	-	-	2	1	2	1	-	2
Female.....	22	3	1	2	1	3	3	1	1	4	2	1	-
White, both sexes.....	41	5	2	8	4	3	3	3	2	5	3	1	2
Male.....	20	2	1	6	3	-	-	2	1	2	1	-	2
Female.....	21	3	1	2	1	3	3	1	1	3	2	1	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Disorders of autonomic nervous system (G90)													
All races, both sexes.....	266	20	24	32	16	23	23	19	16	20	21	28	24
Male.....	155	13	14	23	9	17	11	11	10	10	9	17	11
Female.....	111	7	10	9	7	6	12	8	6	10	12	11	13
White, both sexes.....	244	19	23	31	14	21	21	17	15	20	17	23	23
Male.....	139	12	13	22	7	15	11	10	9	10	7	13	10
Female.....	105	7	10	9	7	6	10	7	6	10	10	10	13
Black, both sexes.....	18	1	1	1	2	2	1	1	-	-	4	4	1
Male.....	14	1	1	1	2	2	-	1	-	-	2	3	1
Female.....	4	-	-	-	-	-	1	-	-	-	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	1	1	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorder of autonomic nervous system, unspecified (G90.9)													
All races, both sexes.....	10	-	2	1	-	3	-	-	-	1	1	2	-
Male.....	5	-	1	-	-	1	-	-	-	1	-	2	-
Female.....	5	-	1	1	-	2	-	-	-	-	1	-	-
White, both sexes.....	9	-	2	1	-	2	-	-	-	1	1	2	-
Male.....	4	-	1	-	-	-	-	-	-	1	-	2	-
Female.....	5	-	1	1	-	2	-	-	-	-	1	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrocephalus (G91)													
All races, both sexes.....	773	82	63	77	64	63	58	65	57	61	66	56	61
Male.....	429	48	33	47	33	32	28	37	36	36	34	30	35
Female.....	344	34	30	30	31	31	30	28	21	25	32	26	26
White, both sexes.....	674	71	55	64	56	58	48	55	48	57	59	48	55
Male.....	368	41	27	35	28	30	23	30	31	34	31	26	32
Female.....	306	30	28	29	28	28	25	25	17	23	28	22	23
Black, both sexes.....	88	10	7	11	8	5	10	7	8	4	7	6	5
Male.....	54	6	5	10	5	2	5	4	5	2	3	4	3
Female.....	34	4	2	1	3	3	5	3	3	2	4	2	2
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	-	2	-	-	-	3	1	-	-	2	1
Male.....	6	1	-	2	-	-	-	3	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	1	-	-	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Postviral fatigue syndrome (G93.3)													
All races, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
White, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalopathy, unspecified (G93.4)													
All races, both sexes.....	880	84	69	97	71	73	56	68	71	69	68	67	87
Male.....	421	40	30	43	37	34	24	34	34	35	32	39	39
Female.....	459	44	39	54	34	39	32	34	37	34	36	28	48
White, both sexes.....	686	69	52	81	59	57	44	47	56	49	55	54	63
Male.....	332	32	23	34	31	25	19	26	24	25	29	34	30
Female.....	354	37	29	47	28	32	25	21	32	24	26	20	33
Black, both sexes.....	177	13	15	16	9	16	11	19	14	20	12	10	22
Male.....	83	6	7	9	6	9	4	7	10	10	3	4	8
Female.....	94	7	8	7	3	7	7	12	4	10	9	6	14
American Indian 1/, both sexes.....	8	2	2	-	1	-	-	1	-	-	-	2	-
Male.....	4	2	-	-	-	-	-	1	-	-	-	1	-
Female.....	4	-	2	-	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	2	-	1	1	1	-	1	1	2
Male.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	7	-	-	-	2	-	-	1	1	-	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Reye's syndrome (G93.7)													
All races, both sexes.....	5	-	1	-	-	-	1	2	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	1	-	-	-	1	2	-	-	-	-	1
White, both sexes.....	3	-	-	-	-	-	1	1	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	1	-	-	-	-	1
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Other specified disorders of brain (G93.8)													
All races, both sexes.....	189	18	18	18	20	11	11	14	21	16	12	19	11
Male.....	118	11	9	11	14	7	5	11	12	10	9	14	5
Female.....	71	7	9	7	6	4	6	3	9	6	3	5	6
White, both sexes.....	162	15	15	12	19	10	9	13	18	16	8	17	10
Male.....	102	9	7	7	13	6	4	10	12	10	7	13	4
Female.....	60	6	8	5	6	4	5	3	6	6	1	4	6
Black, both sexes.....	23	3	3	6	-	1	2	1	2	-	2	2	1
Male.....	14	2	2	4	-	1	1	1	-	-	1	1	1
Female.....	9	1	1	2	-	-	1	-	2	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	-	-	1	-	2	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorder of brain, unspecified (G93.9)													
All races, both sexes.....	294	30	22	24	34	22	28	25	19	21	25	24	20
Male.....	128	11	8	17	12	8	12	10	10	9	13	8	10
Female.....	166	19	14	7	22	14	16	15	9	12	12	16	10
White, both sexes.....	243	29	19	20	27	17	24	22	16	15	22	17	15
Male.....	107	11	8	14	9	6	10	9	8	7	12	7	6
Female.....	136	18	11	6	18	11	14	13	8	8	10	10	9
Black, both sexes.....	40	1	2	3	5	4	3	3	2	5	3	6	3
Male.....	17	-	-	2	2	1	2	1	2	2	1	1	3
Female.....	23	1	2	1	3	3	1	2	-	3	2	5	-
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	9	-	1	1	1	1	1	-	1	1	-	-	2
Male.....	4	-	-	1	1	1	-	-	-	-	-	-	1
Female.....	5	-	1	-	-	-	1	-	1	1	-	-	1
Other diseases of spinal cord (G95)													
All races, both sexes.....	259	27	25	21	24	19	19	16	20	17	27	22	22
Male.....	156	20	18	9	12	11	13	8	11	13	15	13	13
Female.....	103	7	7	12	12	8	6	8	9	4	12	9	9
White, both sexes.....	215	21	23	17	20	17	19	13	16	13	24	16	16
Male.....	124	15	16	8	9	9	13	6	9	9	12	10	8
Female.....	91	6	7	9	11	8	6	7	7	4	12	6	8
Black, both sexes.....	33	4	1	4	3	2	-	-	3	4	2	5	5
Male.....	23	3	1	1	2	2	-	-	2	4	2	2	4
Female.....	10	1	-	3	1	-	-	-	1	-	-	3	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	2	1	-	1	-	-	3	1	-	-	1	1
Male.....	8	2	1	-	1	-	-	2	-	-	-	1	1
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute conjunctivitis, unspecified (H10.3)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of conjunctiva (H11)													
All races, both sexes.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute rheumatic heart disease, unspecified (I01.9)													
All races, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic mitral valve diseases (I05)													
All races, both sexes.....	1,551	145	136	166	151	135	106	111	118	114	138	111	120
Male.....	490	38	43	49	53	49	36	30	34	38	43	38	39
Female.....	1,061	107	93	117	98	86	70	81	84	76	95	73	81
White, both sexes.....	1,383	133	123	145	133	121	96	98	106	107	120	91	110
Male.....	433	33	41	43	47	40	32	27	30	33	34	35	38
Female.....	950	100	82	102	86	81	64	71	76	74	86	56	72
Black, both sexes.....	112	9	7	11	11	13	6	10	8	7	12	12	6
Male.....	41	4	-	3	3	9	4	2	2	5	6	2	1
Female.....	71	5	7	8	8	4	2	8	6	2	6	10	5
American Indian 1/, both sexes.....	9	-	2	1	1	-	-	1	1	-	2	1	-
Male.....	5	-	1	1	-	-	-	1	1	-	1	-	-
Female.....	4	-	1	-	1	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	47	3	4	9	6	1	4	2	3	-	4	7	4
Male.....	11	1	1	2	3	-	-	-	1	-	2	1	-
Female.....	36	2	3	7	3	1	4	2	2	-	2	6	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mitral valve disease, unspecified (I05.9)													
All races, both sexes.....	1,009	84	74	107	91	94	73	77	79	78	95	80	77
Male.....	384	23	31	36	41	37	31	28	29	33	33	30	32
Female.....	625	61	43	71	50	57	42	49	50	45	62	50	45
White, both sexes.....	889	77	68	95	75	83	65	67	69	73	84	64	69
Male.....	339	20	30	33	35	29	27	25	25	29	27	28	31
Female.....	550	57	38	62	40	54	38	42	44	44	57	36	38
Black, both sexes.....	85	5	4	8	9	11	6	8	7	5	8	10	4
Male.....	34	2	-	2	3	8	4	2	2	4	4	2	1
Female.....	51	3	4	6	6	3	2	6	5	1	4	8	3
American Indian 1/, both sexes.....	5	-	-	1	1	-	-	1	1	-	-	1	-
Male.....	3	-	-	1	-	-	-	1	1	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	30	2	2	3	6	-	2	1	2	-	3	5	4
Male.....	8	1	1	-	3	-	-	-	1	-	2	-	-
Female.....	22	1	1	3	3	-	2	1	1	-	1	5	4
Rheumatic aortic valve diseases (I06)													
All races, both sexes.....	96	6	7	2	10	4	7	8	12	9	13	6	12
Male.....	31	-	2	1	4	3	5	5	2	-	5	1	3
Female.....	65	6	5	1	6	1	2	3	10	9	8	5	9
White, both sexes.....	91	5	7	2	10	4	7	6	11	9	13	5	12
Male.....	30	-	2	1	4	3	5	4	2	-	5	1	3
Female.....	61	5	5	1	6	1	2	2	9	9	8	4	9
Black, both sexes.....	3	-	-	-	-	-	-	2	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tricuspid valve disease, unspecified (I07.9)													
All races, both sexes.....	19	1	1	-	1	2	-	1	3	4	5	-	1
Male.....	4	-	-	-	-	-	-	-	-	1	2	-	1
Female.....	15	1	1	-	1	2	-	1	3	3	3	-	-
White, both sexes.....	15	1	1	-	1	2	-	1	1	2	5	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	2	-	1
Female.....	12	1	1	-	1	2	-	1	1	2	3	-	-
Black, both sexes.....	3	-	-	-	-	-	-	-	2	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Multiple valve diseases (I08)													
All races, both sexes.....	920	75	97	86	78	87	70	64	69	61	71	71	91
Male.....	324	27	28	31	22	33	32	21	29	21	22	26	32
Female.....	596	48	69	55	56	54	38	43	40	40	49	45	59
White, both sexes.....	856	70	90	81	74	80	65	61	64	57	62	67	85
Male.....	295	24	25	29	21	29	27	21	27	20	16	25	31
Female.....	561	46	65	52	53	51	38	40	37	37	46	42	54
Black, both sexes.....	47	2	5	4	2	6	4	3	4	3	6	4	4
Male.....	20	1	2	2	-	3	4	-	2	-	4	1	1
Female.....	27	1	3	2	2	3	-	3	2	3	2	3	3
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	2	2	1	2	1	1	-	-	1	3	-	2
Male.....	9	2	1	-	1	1	1	-	-	1	2	-	-
Female.....	6	-	1	1	1	-	-	-	-	-	1	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rheumatic heart disease, unspecified (I09.9)													
All races, both sexes.....	360	31	37	31	44	31	20	30	34	25	19	31	27
Male.....	72	6	7	3	12	10	6	5	8	5	4	4	2
Female.....	288	25	30	28	32	21	14	25	26	20	15	27	25
White, both sexes.....	315	30	33	28	37	25	16	26	32	21	18	26	23
Male.....	60	6	6	3	9	7	4	5	8	4	4	2	2
Female.....	255	24	27	25	28	18	12	21	24	17	14	24	21
Black, both sexes.....	26	1	2	3	6	2	3	2	-	1	1	4	1
Male.....	6	-	1	-	2	1	1	-	-	-	-	1	-
Female.....	20	1	1	3	4	1	2	2	-	1	1	3	1
American Indian 1/, both sexes.....	4	-	-	-	-	2	-	-	1	1	-	-	-
Male.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	2	-	1	2	1	2	1	2	-	1	3
Male.....	4	-	-	-	1	-	1	-	-	1	-	1	-
Female.....	11	-	2	-	-	2	-	2	1	1	-	-	3
Essential (primary) hypertension (I10)													
All races, both sexes.....	14,857	1,390	1,296	1,412	1,247	1,196	1,067	1,105	1,184	1,064	1,296	1,196	1,404
Male.....	5,084	470	425	453	448	400	361	369	409	412	418	398	521
Female.....	9,773	920	871	959	799	796	706	736	775	652	878	798	883
White, both sexes.....	12,219	1,169	1,071	1,184	1,046	971	878	914	952	860	1,016	1,009	1,149
Male.....	3,996	374	329	361	362	307	282	293	316	324	316	313	419
Female.....	8,223	795	742	823	684	664	596	621	636	536	700	696	730
Black, both sexes.....	2,278	187	199	197	170	197	159	156	212	173	244	159	225
Male.....	924	75	87	79	69	81	63	63	83	75	88	71	90
Female.....	1,354	112	112	118	101	116	96	93	129	98	156	88	135
American Indian 1/, both sexes.....	59	8	4	4	5	4	4	2	2	5	10	5	6
Male.....	30	5	2	2	2	2	2	1	1	3	7	1	2
Female.....	29	3	2	2	3	2	2	1	1	2	3	4	4
Asian or Pacific Islander 2/, both sexes.....	301	26	22	27	26	24	26	33	18	26	26	23	24
Male.....	134	16	7	11	15	10	14	12	9	10	7	13	10
Female.....	167	10	15	16	11	14	12	21	9	16	19	10	14

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypertensive heart disease (I11)													
All races, both sexes.....	29,282	2,848	2,534	2,720	2,420	2,357	2,222	2,348	2,160	2,201	2,340	2,332	2,800
Male.....	13,219	1,305	1,050	1,190	1,046	1,045	978	1,104	1,064	996	1,047	1,120	1,274
Female.....	16,063	1,543	1,484	1,530	1,374	1,312	1,244	1,244	1,096	1,205	1,293	1,212	1,526
White, both sexes.....	21,686	2,099	1,914	2,002	1,800	1,714	1,653	1,730	1,589	1,654	1,730	1,741	2,060
Male.....	9,408	925	756	810	740	744	698	788	755	735	739	808	910
Female.....	12,278	1,174	1,158	1,192	1,060	970	955	942	834	919	991	933	1,150
Black, both sexes.....	6,923	675	565	661	570	580	533	559	529	504	551	533	663
Male.....	3,459	340	263	356	278	266	265	289	286	242	272	279	323
Female.....	3,464	335	302	305	292	314	268	270	243	262	279	254	340
American Indian 1/, both sexes.....	127	14	11	11	9	5	4	9	13	6	15	16	14
Male.....	68	8	8	4	7	2	2	4	6	2	10	6	9
Female.....	59	6	3	7	2	3	2	5	7	4	5	10	5
Asian or Pacific Islander 2/, both sexes.....	546	60	44	46	41	58	32	50	29	37	44	42	63
Male.....	284	32	23	20	21	33	13	23	17	17	26	27	32
Female.....	262	28	21	26	20	25	19	27	12	20	18	15	31
Hypertensive heart disease with (congestive) heart failure (I11.0)													
All races, both sexes.....	10,496	1,014	913	1,001	911	894	817	834	748	775	842	809	938
Male.....	3,293	311	257	286	269	283	259	276	271	244	271	271	295
Female.....	7,203	703	656	715	642	611	558	558	477	531	571	538	643
White, both sexes.....	8,559	830	744	819	742	702	675	694	602	653	677	661	760
Male.....	2,570	240	202	220	206	224	200	222	212	197	203	211	233
Female.....	5,989	590	542	599	536	478	475	472	390	456	474	450	527
Black, both sexes.....	1,725	162	151	163	151	171	134	121	132	108	147	133	152
Male.....	643	60	50	59	54	52	57	50	54	41	61	56	49
Female.....	1,082	102	101	104	97	119	77	71	78	67	86	77	103
American Indian 1/, both sexes.....	45	6	5	7	5	-	-	2	5	1	4	6	4
Male.....	19	4	3	3	3	-	-	-	1	1	1	1	2
Female.....	26	2	2	4	2	-	-	2	4	-	3	5	2
Asian or Pacific Islander 2/, both sexes.....	167	16	13	12	13	21	8	17	9	13	14	9	22
Male.....	61	7	2	4	6	7	2	4	4	5	6	3	11
Female.....	106	9	11	8	7	14	6	13	5	8	8	6	11

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypertensive heart disease without (congestive) heart failure (I11.9)													
All races, both sexes.....	18,786	1,834	1,621	1,719	1,509	1,463	1,405	1,514	1,412	1,426	1,498	1,523	1,862
Male.....	9,926	994	793	904	777	762	719	828	793	752	776	849	979
Female.....	8,860	840	828	815	732	701	686	686	619	674	722	674	883
White, both sexes.....	13,127	1,269	1,170	1,183	1,058	1,012	978	1,036	987	1,001	1,053	1,080	1,300
Male.....	6,838	685	554	590	534	520	498	566	543	538	536	597	677
Female.....	6,289	584	616	593	524	492	480	470	444	463	517	483	623
Black, both sexes.....	5,198	513	414	498	419	409	399	438	397	396	404	400	511
Male.....	2,816	280	213	297	224	214	208	239	232	201	211	223	274
Female.....	2,382	233	201	201	195	195	191	199	165	195	193	177	237
American Indian 1/, both sexes.....	82	8	6	4	4	5	4	7	8	5	11	10	10
Male.....	49	4	5	1	4	2	2	4	5	1	9	5	7
Female.....	33	4	1	3	-	3	2	3	3	4	2	5	3
Asian or Pacific Islander 2/, both sexes.....	379	44	31	34	28	37	24	33	20	24	30	33	41
Male.....	223	25	21	16	15	26	11	19	13	12	20	24	21
Female.....	156	19	10	18	13	11	13	14	7	12	10	9	20
Hypertensive renal disease (I12)													
All races, both sexes.....	10,045	937	866	954	890	864	721	788	754	753	835	797	886
Male.....	4,374	413	380	426	388	375	308	339	319	331	360	348	387
Female.....	5,671	524	486	528	502	489	413	449	435	422	475	449	499
White, both sexes.....	7,035	648	613	675	625	601	505	559	525	525	587	562	610
Male.....	3,022	291	267	300	273	260	199	248	213	225	255	231	260
Female.....	4,013	357	346	375	352	341	306	311	312	300	332	331	350
Black, both sexes.....	2,675	256	220	247	236	236	197	201	209	202	223	200	248
Male.....	1,204	112	95	108	100	107	103	81	98	93	95	97	115
Female.....	1,471	144	125	139	136	129	94	120	111	109	128	103	133
American Indian 1/, both sexes.....	54	5	6	4	5	5	2	6	5	2	2	8	4
Male.....	26	2	2	4	1	2	1	2	2	2	1	5	2
Female.....	28	3	4	-	4	3	1	4	3	-	1	3	2
Asian or Pacific Islander 2/, both sexes.....	281	28	27	28	24	22	17	22	15	24	23	27	24
Male.....	122	8	16	14	14	6	5	8	6	11	9	15	10
Female.....	159	20	11	14	10	16	12	14	9	13	14	12	14

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypertensive renal disease with renal failure (I12.0)													
All races, both sexes.....	9,734	913	833	928	858	837	707	768	733	729	803	766	859
Male.....	4,242	402	363	414	376	364	303	331	313	323	344	335	374
Female.....	5,492	511	470	514	482	473	404	437	420	406	459	431	485
White, both sexes.....	6,784	626	587	657	598	576	495	545	506	508	557	538	591
Male.....	2,916	282	255	291	263	251	195	241	208	220	239	221	250
Female.....	3,868	344	332	366	335	325	300	304	298	288	318	317	341
Black, both sexes.....	2,623	254	216	242	231	234	193	196	207	195	221	193	241
Male.....	1,183	110	92	107	98	105	102	80	97	90	95	94	113
Female.....	1,440	144	124	135	133	129	91	116	110	105	126	99	128
American Indian 1/, both sexes.....	52	5	4	4	5	5	2	6	5	2	2	8	4
Male.....	25	2	1	4	1	2	1	2	2	2	1	5	2
Female.....	27	3	3	-	4	3	1	4	3	-	1	3	2
Asian or Pacific Islander 2/, both sexes.....	275	28	26	25	24	22	17	21	15	24	23	27	23
Male.....	118	8	15	12	14	6	5	8	6	11	9	15	9
Female.....	157	20	11	13	10	16	12	13	9	13	14	12	14
Hypertensive renal disease without renal failure (I12.9)													
All races, both sexes.....	311	24	33	26	32	27	14	20	21	24	32	31	27
Male.....	132	11	17	12	12	11	5	8	6	8	16	13	13
Female.....	179	13	16	14	20	16	9	12	15	16	16	18	14
White, both sexes.....	251	22	26	18	27	25	10	14	19	17	30	24	19
Male.....	106	9	12	9	10	9	4	7	5	5	16	10	10
Female.....	145	13	14	9	17	16	6	7	14	12	14	14	9
Black, both sexes.....	52	2	4	5	5	2	4	5	2	7	2	7	7
Male.....	21	2	3	1	2	2	1	1	1	3	-	3	2
Female.....	31	-	1	4	3	-	3	4	1	4	2	4	5
American Indian 1/, both sexes.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	3	-	-	-	1	-	-	-	-	1
Male.....	4	-	1	2	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	1	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypertensive heart and renal disease with renal failure (I13.1)													
All races, both sexes.....	1,187	106	100	104	96	105	81	86	101	98	84	106	120
Male.....	571	40	43	55	48	50	40	44	56	52	35	54	54
Female.....	616	66	57	49	48	55	41	42	45	46	49	52	66
White, both sexes.....	648	62	56	58	48	60	45	43	59	55	42	57	63
Male.....	278	20	24	29	21	25	22	20	32	23	14	26	22
Female.....	370	42	32	29	27	35	23	23	27	32	28	31	41
Black, both sexes.....	493	40	43	46	43	41	31	38	39	36	40	43	53
Male.....	266	18	19	26	24	24	14	22	21	23	19	25	31
Female.....	227	22	24	20	19	17	17	16	18	13	21	18	22
American Indian 1/, both sexes.....	5	2	-	-	1	1	-	-	-	-	-	1	-
Male.....	3	1	-	-	-	1	-	-	-	-	-	1	-
Female.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	41	2	1	-	4	3	5	5	3	7	2	5	4
Male.....	24	1	-	-	3	-	4	2	3	6	2	2	1
Female.....	17	1	1	-	1	3	1	3	-	1	-	3	3
Hypertensive heart and renal disease with both (congestive) heart failure and renal failure (I13.2)													
All races, both sexes.....	1,875	209	141	205	184	152	131	132	158	125	142	148	148
Male.....	744	91	50	83	71	54	39	53	66	42	61	67	67
Female.....	1,131	118	91	122	113	98	92	79	92	83	81	81	81
White, both sexes.....	1,444	168	108	155	133	126	106	98	126	91	97	119	117
Male.....	561	73	37	64	54	42	34	35	48	29	38	56	51
Female.....	883	95	71	91	79	84	72	63	78	62	59	63	66
Black, both sexes.....	384	38	27	41	41	21	24	34	27	34	44	27	26
Male.....	160	16	9	17	12	10	5	18	15	13	23	9	13
Female.....	224	22	18	24	29	11	19	16	12	21	21	18	13
American Indian 1/, both sexes.....	6	-	1	1	2	1	-	-	-	-	-	-	1
Male.....	4	-	1	-	1	1	-	-	-	-	-	-	1
Female.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	41	3	5	8	8	4	1	-	5	-	1	2	4
Male.....	19	2	3	2	4	1	-	-	3	-	-	2	2
Female.....	22	1	2	6	4	3	1	-	2	-	1	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypertensive heart and renal disease, unspecified (I13.9)													
All races, both sexes.....	61	6	5	6	2	6	2	5	6	3	10	7	3
Male.....	32	3	3	2	-	2	1	4	5	2	6	2	2
Female.....	29	3	2	4	2	4	1	1	1	1	4	5	1
White, both sexes.....	50	6	4	3	2	3	2	3	6	2	10	6	3
Male.....	27	3	2	1	-	1	1	2	5	2	6	2	2
Female.....	23	3	2	2	2	2	1	1	1	-	4	4	1
Black, both sexes.....	9	-	-	3	-	2	-	2	-	1	-	1	-
Male.....	4	-	-	1	-	1	-	2	-	-	-	-	-
Female.....	5	-	-	2	-	1	-	-	-	1	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (I20)													
All races, both sexes.....	229	21	20	21	20	21	15	18	29	15	19	10	20
Male.....	80	9	3	9	4	3	6	7	15	9	6	2	7
Female.....	149	12	17	12	16	18	9	11	14	6	13	8	13
White, both sexes.....	196	18	15	19	17	20	12	14	25	14	17	9	16
Male.....	65	7	1	8	4	3	5	5	12	9	5	2	4
Female.....	131	11	14	11	13	17	7	9	13	5	12	7	12
Black, both sexes.....	30	3	4	2	3	1	3	3	4	1	1	1	4
Male.....	13	2	1	1	-	-	1	1	3	-	1	-	3
Female.....	17	1	3	1	3	1	2	2	1	1	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	1	-	-	1	-	-
Male.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Angina pectoris, unspecified (I20.9)													
All races, both sexes.....	171	14	12	17	17	19	11	13	22	11	12	8	15
Male.....	60	6	3	7	3	2	3	4	11	8	5	2	6
Female.....	111	8	9	10	14	17	8	9	11	3	7	6	9
White, both sexes.....	145	12	9	16	14	18	8	10	18	10	11	7	12
Male.....	49	5	1	7	3	2	2	3	8	8	4	2	4
Female.....	96	7	8	9	11	16	6	7	10	2	7	5	8
Black, both sexes.....	24	2	2	1	3	1	3	2	4	1	1	1	3
Male.....	9	1	1	-	-	-	1	-	3	-	1	-	2
Female.....	15	1	1	1	3	1	2	2	1	1	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (I21)													
All races, both sexes.....	150,939	14,694	13,772	14,596	12,453	12,484	11,339	11,377	11,181	11,021	11,968	12,225	13,829
Male.....	80,047	7,658	7,267	7,536	6,642	6,691	6,064	6,037	5,920	5,848	6,281	6,564	7,539
Female.....	70,892	7,036	6,505	7,060	5,811	5,793	5,275	5,340	5,261	5,173	5,687	5,661	6,290
White, both sexes.....	132,304	12,919	12,055	12,808	10,938	11,043	9,964	9,966	9,698	9,648	10,419	10,740	12,106
Male.....	70,761	6,776	6,380	6,682	5,876	5,972	5,381	5,328	5,183	5,159	5,503	5,819	6,702
Female.....	61,543	6,143	5,675	6,126	5,062	5,071	4,583	4,638	4,515	4,489	4,916	4,921	5,404
Black, both sexes.....	15,533	1,473	1,443	1,480	1,246	1,212	1,140	1,183	1,252	1,154	1,309	1,226	1,415
Male.....	7,526	713	721	686	606	594	554	583	607	558	652	594	658
Female.....	8,007	760	722	794	640	618	586	600	645	596	657	632	757
American Indian 1/, both sexes.....	589	49	56	61	39	46	53	47	45	37	51	51	54
Male.....	339	28	33	26	20	31	30	31	29	27	27	25	32
Female.....	250	21	23	35	19	15	23	16	16	10	24	26	22
Asian or Pacific Islander 2/, both sexes.....	2,513	253	218	247	230	183	182	181	186	182	189	208	254
Male.....	1,421	141	133	142	140	94	99	95	101	104	99	126	147
Female.....	1,092	112	85	105	90	89	83	86	85	78	90	82	107

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute subendocardial myocardial infarction (I21.4)													
All races, both sexes.....	220	22	15	22	23	17	18	14	19	18	15	20	17
Male.....	101	10	8	9	10	13	8	5	6	10	3	8	11
Female.....	119	12	7	13	13	4	10	9	13	8	12	12	6
White, both sexes.....	202	22	14	20	21	15	16	13	17	16	14	18	16
Male.....	93	10	7	8	10	12	8	5	5	8	3	7	10
Female.....	109	12	7	12	11	3	8	8	12	8	11	11	6
Black, both sexes.....	14	-	1	2	2	1	1	1	2	1	1	2	-
Male.....	5	-	1	1	-	-	-	-	1	1	-	1	-
Female.....	9	-	-	1	2	1	1	1	1	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	1	-	-	1	-	-	1
Male.....	3	-	-	-	-	1	-	-	-	1	-	-	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Acute myocardial infarction, unspecified (I21.9)													
All races, both sexes.....	150,667	14,668	13,755	14,569	12,425	12,458	11,320	11,356	11,156	11,000	11,948	12,204	13,808
Male.....	79,918	7,647	7,257	7,525	6,628	6,674	6,056	6,027	5,910	5,837	6,276	6,556	7,525
Female.....	70,749	7,021	6,498	7,044	5,797	5,784	5,264	5,329	5,246	5,163	5,672	5,648	6,283
White, both sexes.....	132,052	12,893	12,039	12,783	10,912	11,019	9,947	9,946	9,676	9,629	10,400	10,722	12,086
Male.....	70,640	6,765	6,371	6,672	5,862	5,956	5,373	5,318	5,174	5,150	5,498	5,812	6,689
Female.....	61,412	6,128	5,668	6,111	5,050	5,063	4,574	4,628	4,502	4,479	4,902	4,910	5,397
Black, both sexes.....	15,518	1,473	1,442	1,478	1,244	1,211	1,139	1,182	1,249	1,153	1,308	1,224	1,415
Male.....	7,521	713	720	685	606	594	554	583	606	557	652	593	658
Female.....	7,997	760	722	793	638	617	585	599	643	596	656	631	757
American Indian 1/, both sexes.....	589	49	56	61	39	46	53	47	45	37	51	51	54
Male.....	339	28	33	26	20	31	30	31	29	27	27	25	32
Female.....	250	21	23	35	19	15	23	16	16	10	24	26	22
Asian or Pacific Islander 2/, both sexes.....	2,508	253	218	247	230	182	181	181	186	181	189	207	253
Male.....	1,418	141	133	142	140	93	99	95	101	103	99	126	146
Female.....	1,090	112	85	105	90	89	82	86	85	78	90	81	107

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Subsequent myocardial infarction of inferior wall (I22.1)													
All races, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Subsequent myocardial infarction of unspecified site (I22.9)													
All races, both sexes.....	61	4	8	3	6	5	3	5	5	7	5	4	6
Male.....	30	1	5	2	4	4	-	2	3	2	3	3	1
Female.....	31	3	3	1	2	1	3	3	2	5	2	1	5
White, both sexes.....	56	2	7	3	6	5	3	5	4	7	4	4	6
Male.....	28	-	5	2	4	4	-	2	3	2	2	3	1
Female.....	28	2	2	1	2	1	3	3	1	5	2	1	5
Black, both sexes.....	3	1	1	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other forms of acute ischemic heart disease (I24.8)													
All races, both sexes.....	1,825	189	177	188	153	153	137	139	137	130	133	131	158
Male.....	939	98	89	96	70	79	72	74	75	62	72	70	82
Female.....	886	91	88	92	83	74	65	65	62	68	61	61	76
White, both sexes.....	1,433	145	140	155	119	121	116	112	112	96	101	97	119
Male.....	714	75	66	82	53	56	59	59	58	44	52	51	59
Female.....	719	70	74	73	66	65	57	53	54	52	49	46	60
Black, both sexes.....	371	40	33	32	33	29	20	27	24	34	31	31	37
Male.....	211	21	20	14	17	20	12	15	16	18	20	17	21
Female.....	160	19	13	18	16	9	8	12	8	16	11	14	16
American Indian 1/, both sexes.....	14	4	2	-	-	2	1	-	1	-	1	1	2
Male.....	10	2	2	-	-	2	1	-	1	-	-	-	2
Female.....	4	2	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	7	-	2	1	1	1	-	-	-	-	-	2	-
Male.....	4	-	1	-	-	1	-	-	-	-	-	2	-
Female.....	3	-	1	1	1	-	-	-	-	-	-	-	-
Acute ischemic heart disease, unspecified (I24.9)													
All races, both sexes.....	1,739	72	82	106	106	196	173	145	129	159	148	203	220
Male.....	884	38	41	56	50	97	88	72	62	77	74	111	118
Female.....	855	34	41	50	56	99	85	73	67	82	74	92	102
White, both sexes.....	1,491	61	68	96	90	166	154	122	110	138	127	172	187
Male.....	766	32	33	53	42	83	79	60	52	67	63	94	108
Female.....	725	29	35	43	48	83	75	62	58	71	64	78	79
Black, both sexes.....	186	11	9	7	10	19	12	16	18	18	19	21	26
Male.....	85	6	4	2	6	10	5	8	9	8	10	9	8
Female.....	101	5	5	5	4	9	7	8	9	10	9	12	18
American Indian 1/, both sexes.....	30	-	1	2	3	6	4	2	1	1	1	7	2
Male.....	16	-	1	1	1	2	2	1	1	1	-	5	1
Female.....	14	-	-	1	2	4	2	1	-	-	1	2	1
Asian or Pacific Islander 2/, both sexes.....	32	-	4	1	3	5	3	5	-	2	1	3	5
Male.....	17	-	3	-	1	2	2	3	-	1	1	3	1
Female.....	15	-	1	1	2	3	1	2	-	1	-	-	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic ischemic heart disease (I25)													
All races, both sexes.....	290,889	28,226	26,125	28,034	24,538	23,915	21,923	22,352	21,963	21,326	22,935	23,421	26,131
Male.....	150,133	14,257	13,232	14,016	12,605	12,318	11,474	11,705	11,395	11,151	11,879	12,310	13,791
Female.....	140,756	13,969	12,893	14,018	11,933	11,597	10,449	10,647	10,568	10,175	11,056	11,111	12,340
White, both sexes.....	254,937	24,836	23,075	24,651	21,552	20,946	19,147	19,509	19,160	18,663	20,066	20,458	22,874
Male.....	131,588	12,544	11,683	12,283	11,068	10,788	10,037	10,214	9,931	9,773	10,400	10,778	12,089
Female.....	123,349	12,292	11,392	12,368	10,484	10,158	9,110	9,295	9,229	8,890	9,666	9,680	10,785
Black, both sexes.....	29,903	2,852	2,553	2,801	2,454	2,460	2,307	2,372	2,356	2,226	2,374	2,452	2,696
Male.....	15,097	1,413	1,265	1,394	1,216	1,260	1,182	1,229	1,179	1,116	1,213	1,249	1,381
Female.....	14,806	1,439	1,288	1,407	1,238	1,200	1,125	1,143	1,177	1,110	1,161	1,203	1,315
American Indian 1/, both sexes.....	1,155	99	88	103	99	101	103	92	86	78	94	107	105
Male.....	663	60	50	59	59	54	60	47	58	54	43	60	59
Female.....	492	39	38	44	40	47	43	45	28	24	51	47	46
Asian or Pacific Islander 2/, both sexes.....	4,894	439	409	479	433	408	366	379	361	359	401	404	456
Male.....	2,785	240	234	280	262	216	195	215	227	208	223	223	262
Female.....	2,109	199	175	199	171	192	171	164	134	151	178	181	194
Atherosclerotic cardiovascular disease, so described (I25.0)													
All races, both sexes.....	62,799	6,164	5,459	5,975	5,101	5,155	4,747	5,042	4,813	4,569	4,951	5,007	5,816
Male.....	34,453	3,232	2,935	3,152	2,732	2,849	2,635	2,846	2,659	2,551	2,763	2,794	3,305
Female.....	28,346	2,932	2,524	2,823	2,369	2,306	2,112	2,196	2,154	2,018	2,188	2,213	2,511
White, both sexes.....	51,717	5,097	4,568	4,960	4,222	4,206	3,882	4,162	3,901	3,734	4,097	4,095	4,793
Male.....	28,155	2,648	2,428	2,581	2,219	2,306	2,140	2,322	2,144	2,092	2,291	2,273	2,711
Female.....	23,562	2,449	2,140	2,379	2,003	1,900	1,742	1,840	1,757	1,642	1,806	1,822	2,082
Black, both sexes.....	9,576	940	765	874	745	820	750	775	796	717	726	781	887
Male.....	5,372	506	429	475	420	469	425	453	438	386	410	438	523
Female.....	4,204	434	336	399	325	351	325	322	358	331	316	343	364
American Indian 1/, both sexes.....	344	29	25	30	31	31	34	22	24	28	27	27	36
Male.....	216	16	14	20	18	20	21	14	19	23	12	17	22
Female.....	128	13	11	10	13	11	13	8	5	5	15	10	14
Asian or Pacific Islander 2/, both sexes.....	1,162	98	101	111	103	98	81	83	92	90	101	104	100
Male.....	710	62	64	76	75	54	49	57	58	50	50	66	49
Female.....	452	36	37	35	28	44	32	26	34	40	51	38	51

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ischemic cardiomyopathy (I25.5)													
All races, both sexes.....	12,678	1,200	1,163	1,233	1,051	1,114	1,000	987	938	942	1,000	999	1,051
Male.....	7,638	701	703	716	621	678	615	601	585	548	611	601	658
Female.....	5,040	499	460	517	430	436	385	386	353	394	389	398	393
White, both sexes.....	11,625	1,120	1,076	1,126	970	1,019	917	919	859	856	906	906	951
Male.....	7,046	655	657	656	573	632	566	559	542	498	557	549	602
Female.....	4,579	465	419	470	397	387	351	360	317	358	349	357	349
Black, both sexes.....	847	63	74	89	56	80	68	55	60	69	72	81	80
Male.....	467	34	37	53	31	40	44	32	31	39	39	44	43
Female.....	380	29	37	36	25	40	24	23	29	30	33	37	37
American Indian 1/, both sexes.....	48	1	1	5	12	2	5	4	4	3	4	4	3
Male.....	26	1	1	2	8	-	-	4	2	2	3	3	-
Female.....	22	-	-	3	4	2	5	-	2	1	1	1	3
Asian or Pacific Islander 2/, both sexes.....	158	16	12	13	13	13	10	9	15	14	18	8	17
Male.....	99	11	8	5	9	6	5	6	10	9	12	5	13
Female.....	59	5	4	8	4	7	5	3	5	5	6	3	4
Other forms of chronic ischemic heart disease (I25.8)													
All races, both sexes.....	1,588	162	129	148	122	124	116	134	128	119	118	132	156
Male.....	781	83	68	86	66	58	45	56	66	61	55	66	71
Female.....	807	79	61	62	56	66	71	78	62	58	63	66	85
White, both sexes.....	1,406	143	109	130	107	106	103	118	114	107	108	122	139
Male.....	687	74	55	77	56	52	39	47	58	54	52	59	64
Female.....	719	69	54	53	51	54	64	71	56	53	56	63	75
Black, both sexes.....	135	16	15	14	12	10	9	14	11	8	8	4	14
Male.....	65	7	10	6	8	1	3	7	6	5	3	4	5
Female.....	70	9	5	8	4	9	6	7	5	3	5	-	9
American Indian 1/, both sexes.....	8	1	-	1	1	1	1	-	-	2	-	-	1
Male.....	4	1	-	-	-	1	1	-	-	1	-	-	-
Female.....	4	-	-	1	1	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	39	2	5	3	2	7	3	2	3	2	2	6	2
Male.....	25	1	3	3	2	4	2	2	2	1	-	3	2
Female.....	14	1	2	-	-	3	1	-	1	1	2	3	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic ischemic heart disease, unspecified (I25.9)													
All races, both sexes.....	12,772	1,208	1,096	1,235	1,070	1,015	977	989	1,004	933	1,084	1,072	1,089
Male.....	6,835	672	586	639	550	530	534	547	546	499	563	589	580
Female.....	5,937	536	510	596	520	485	443	442	458	434	521	483	509
White, both sexes.....	11,216	1,060	973	1,099	937	897	872	868	883	806	938	942	941
Male.....	6,025	588	525	577	487	475	484	483	475	428	481	527	495
Female.....	5,191	472	448	522	450	422	388	385	408	378	457	415	446
Black, both sexes.....	1,324	128	100	117	125	104	86	108	102	110	111	110	123
Male.....	680	74	47	54	59	49	41	57	55	62	62	52	68
Female.....	644	54	53	63	66	55	45	51	47	48	49	58	55
American Indian 1/, both sexes.....	59	6	7	5	1	5	4	5	7	4	8	5	2
Male.....	38	3	4	3	1	4	4	2	6	4	4	1	2
Female.....	21	3	3	2	-	1	-	3	1	-	4	4	-
Asian or Pacific Islander 2/, both sexes.....	173	14	16	14	7	9	15	8	12	13	27	15	23
Male.....	92	7	10	5	3	2	5	5	10	5	16	9	15
Female.....	81	7	6	9	4	7	10	3	2	8	11	6	8
Pulmonary embolism (I26)													
All races, both sexes.....	8,283	795	709	800	668	671	628	624	629	655	698	678	728
Male.....	3,543	332	315	348	268	283	269	258	275	299	306	273	317
Female.....	4,740	463	394	452	400	388	359	366	354	356	392	405	411
White, both sexes.....	6,778	666	575	653	560	540	516	516	501	541	549	561	600
Male.....	2,896	277	260	279	220	232	223	214	218	249	241	227	256
Female.....	3,882	389	315	374	340	308	293	302	283	292	308	334	344
Black, both sexes.....	1,394	123	122	138	100	122	105	96	126	105	135	104	118
Male.....	596	53	48	63	44	44	44	40	55	46	59	42	58
Female.....	798	70	74	75	56	78	61	56	71	59	76	62	60
American Indian 1/, both sexes.....	38	1	3	2	3	2	2	5	1	2	5	8	4
Male.....	16	1	1	-	2	2	-	3	1	1	1	2	2
Female.....	22	-	2	2	1	-	2	2	-	1	4	6	2
Asian or Pacific Islander 2/, both sexes.....	73	5	9	7	5	7	5	7	1	7	9	5	6
Male.....	35	1	6	6	2	5	2	1	1	3	5	2	1
Female.....	38	4	3	1	3	2	3	6	-	4	4	3	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pulmonary embolism with mention of acute cor pulmonale (I26.0)													
All races, both sexes.....	19	1	1	1	2	4	-	2	1	1	1	2	3
Male.....	9	-	-	-	1	4	-	1	-	-	1	-	2
Female.....	10	1	1	1	1	-	-	1	1	1	-	2	1
White, both sexes.....	17	1	1	1	2	4	-	2	-	1	1	1	3
Male.....	9	-	-	-	1	4	-	1	-	-	1	-	2
Female.....	8	1	1	1	1	-	-	1	-	1	-	1	1
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Pulmonary embolism without mention of acute cor pulmonale (I26.9)													
All races, both sexes.....	8,264	794	708	799	666	667	628	622	628	654	697	676	725
Male.....	3,534	332	315	348	267	279	269	257	275	299	305	273	315
Female.....	4,730	462	393	451	399	388	359	365	353	355	392	403	410
White, both sexes.....	6,761	665	574	652	558	536	516	514	501	540	548	560	597
Male.....	2,887	277	260	279	219	228	223	213	218	249	240	227	254
Female.....	3,874	388	314	373	339	308	293	301	283	291	308	333	343
Black, both sexes.....	1,393	123	122	138	100	122	105	96	125	105	135	104	118
Male.....	596	53	48	63	44	44	44	40	55	46	59	42	58
Female.....	797	70	74	75	56	78	61	56	70	59	76	62	60
American Indian 1/, both sexes.....	38	1	3	2	3	2	2	5	1	2	5	8	4
Male.....	16	1	1	-	2	2	-	3	1	1	1	2	2
Female.....	22	-	2	2	1	-	2	2	-	1	4	6	2
Asian or Pacific Islander 2/, both sexes.....	72	5	9	7	5	7	5	7	1	7	9	4	6
Male.....	35	1	6	6	2	5	2	1	1	3	5	2	1
Female.....	37	4	3	1	3	2	3	6	-	4	4	2	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other pulmonary heart diseases (I27)													
All races, both sexes.....	5,156	468	489	444	452	408	414	399	369	342	415	455	501
Male.....	1,789	171	175	135	163	143	137	127	132	114	155	164	173
Female.....	3,367	297	314	309	289	265	277	272	237	228	260	291	328
White, both sexes.....	4,256	379	427	372	380	338	332	320	296	283	341	375	413
Male.....	1,507	148	148	111	136	122	116	103	106	100	129	144	144
Female.....	2,749	231	279	261	244	216	216	217	190	183	212	231	269
Black, both sexes.....	796	80	51	65	66	61	72	72	62	50	64	72	81
Male.....	251	20	22	24	26	19	19	22	22	13	20	17	27
Female.....	545	60	29	41	40	42	53	50	40	37	44	55	54
American Indian 1/, both sexes.....	31	3	2	2	4	4	6	2	2	2	2	2	-
Male.....	13	-	2	-	1	2	2	1	1	1	2	1	-
Female.....	18	3	-	2	3	2	4	1	1	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	73	6	9	5	2	5	4	5	9	7	8	6	7
Male.....	18	3	3	-	-	-	-	1	3	-	4	2	2
Female.....	55	3	6	5	2	5	4	4	6	7	4	4	5
Primary pulmonary hypertension (I27.0)													
All races, both sexes.....	302	24	19	27	35	23	21	26	20	20	37	28	22
Male.....	92	13	5	10	11	5	6	5	6	4	12	8	7
Female.....	210	11	14	17	24	18	15	21	14	16	25	20	15
White, both sexes.....	255	20	17	25	28	21	18	20	16	18	33	22	17
Male.....	80	13	3	9	9	5	6	3	5	4	10	7	6
Female.....	175	7	14	16	19	16	12	17	11	14	23	15	11
Black, both sexes.....	35	4	-	2	4	2	3	4	3	1	2	5	5
Male.....	7	-	-	1	1	-	-	2	1	-	1	-	1
Female.....	28	4	-	1	3	2	3	2	2	1	1	5	4
American Indian 1/, both sexes.....	3	-	-	-	2	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	2	-	1	-	-	1	1	1	2	1	-
Male.....	4	-	2	-	-	-	-	-	-	-	1	1	-
Female.....	5	-	-	-	1	-	-	1	1	1	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Kyphoscoliotic heart disease (I27.1)													
All races, both sexes.....	55	4	2	4	4	10	7	7	4	2	4	2	5
Male.....	15	2	-	1	2	1	-	2	1	1	1	-	4
Female.....	40	2	2	3	2	9	7	5	3	1	3	2	1
White, both sexes.....	48	4	2	4	3	9	7	4	4	2	4	1	4
Male.....	11	2	-	1	1	1	-	-	1	1	1	-	3
Female.....	37	2	2	3	2	8	7	4	3	1	3	1	1
Black, both sexes.....	6	-	-	-	1	-	-	3	-	-	-	1	1
Male.....	4	-	-	-	1	-	-	2	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other secondary pulmonary hypertension (I27.2)													
All races, both sexes.....	3,594	320	340	304	300	306	289	274	266	241	291	316	347
Male.....	1,122	100	104	77	96	103	88	82	88	71	105	106	102
Female.....	2,472	220	236	227	204	203	201	192	178	170	186	210	245
White, both sexes.....	2,908	253	295	244	250	248	227	217	212	195	235	253	279
Male.....	933	86	88	59	81	85	73	68	72	59	88	90	84
Female.....	1,975	167	207	185	169	163	154	149	140	136	147	163	195
Black, both sexes.....	618	59	39	55	49	51	55	53	46	42	50	57	62
Male.....	169	11	14	18	15	16	14	12	13	12	13	14	17
Female.....	449	48	25	37	34	35	41	41	33	30	37	43	45
American Indian 1/, both sexes.....	18	3	1	1	-	3	4	1	1	-	2	2	-
Male.....	9	-	1	-	-	2	1	1	1	-	2	1	-
Female.....	9	3	-	1	-	1	3	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	50	5	5	4	1	4	3	3	7	4	4	4	6
Male.....	11	3	1	-	-	-	-	1	2	-	2	1	1
Female.....	39	2	4	4	1	4	3	2	5	4	2	3	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified pulmonary heart diseases (I27.8)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary heart disease, unspecified (I27.9)													
All races, both sexes.....	1,204	120	128	109	113	69	97	92	79	78	83	109	127
Male.....	560	56	66	47	54	34	43	38	37	38	37	50	60
Female.....	644	64	62	62	59	35	54	54	42	40	46	59	67
White, both sexes.....	1,044	102	113	99	99	60	80	79	64	67	69	99	113
Male.....	483	47	57	42	45	31	37	32	28	36	30	47	51
Female.....	561	55	56	57	54	29	43	47	36	31	39	52	62
Black, both sexes.....	137	17	12	8	12	8	14	12	13	7	12	9	13
Male.....	71	9	8	5	9	3	5	6	8	1	6	3	8
Female.....	66	8	4	3	3	5	9	6	5	6	6	6	5
American Indian 1/, both sexes.....	9	-	1	1	2	-	2	-	1	2	-	-	-
Male.....	3	-	1	-	-	-	1	-	-	1	-	-	-
Female.....	6	-	-	1	2	-	1	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	1	2	1	-	1	1	1	1	2	2	1	1
Male.....	3	-	-	-	-	-	-	-	1	-	1	-	1
Female.....	11	1	2	1	-	1	1	1	-	2	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of pulmonary vessels, unspecified (I28.9)													
All races, both sexes.....	38	2	1	6	1	5	-	2	7	3	3	4	4
Male.....	17	-	-	3	-	3	-	2	2	1	2	1	3
Female.....	21	2	1	3	1	2	-	-	5	2	1	3	1
White, both sexes.....	27	1	-	4	1	5	-	1	5	2	2	3	3
Male.....	11	-	-	1	-	3	-	1	1	-	1	1	3
Female.....	16	1	-	3	1	2	-	-	4	2	1	2	-
Black, both sexes.....	9	1	1	1	-	-	-	1	1	1	1	1	1
Male.....	5	-	-	1	-	-	-	1	1	1	1	-	-
Female.....	4	1	1	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Acute pericarditis (I30)													
All races, both sexes.....	53	12	3	3	2	5	1	6	3	6	4	5	3
Male.....	24	4	1	1	1	4	1	3	-	3	-	4	2
Female.....	29	8	2	2	1	1	-	3	3	3	4	1	1
White, both sexes.....	44	7	3	3	2	5	1	5	3	4	4	5	2
Male.....	19	2	1	1	1	4	1	2	-	2	-	4	1
Female.....	25	5	2	2	1	1	-	3	3	2	4	1	1
Black, both sexes.....	8	5	-	-	-	-	-	1	-	1	-	-	1
Male.....	5	2	-	-	-	-	-	1	-	1	-	-	1
Female.....	3	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute nonspecific idiopathic pericarditis (I30.0)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective pericarditis (I30.1)													
All races, both sexes.....	29	4	2	1	1	2	-	6	3	2	2	4	2
Male.....	10	-	1	-	-	1	-	3	-	1	-	3	1
Female.....	19	4	1	1	1	1	-	3	3	1	2	1	1
White, both sexes.....	23	2	2	1	1	2	-	5	3	-	2	4	1
Male.....	7	-	1	-	-	1	-	2	-	-	-	3	-
Female.....	16	2	1	1	1	1	-	3	3	-	2	1	1
Black, both sexes.....	5	2	-	-	-	-	-	1	-	1	-	-	1
Male.....	3	-	-	-	-	-	-	1	-	1	-	-	1
Female.....	2	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic constrictive pericarditis (I31.1)													
All races, both sexes.....	55	8	5	2	2	5	4	4	7	6	3	2	7
Male.....	43	6	3	2	1	5	3	4	5	3	3	2	6
Female.....	12	2	2	-	1	-	1	-	2	3	-	-	1
White, both sexes.....	52	8	5	2	2	4	4	3	7	5	3	2	7
Male.....	40	6	3	2	1	4	3	3	5	2	3	2	6
Female.....	12	2	2	-	1	-	1	-	2	3	-	-	1
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemopericardium, not elsewhere classified (I31.2)													
All races, both sexes.....	40	3	3	6	5	2	5	1	1	3	2	3	6
Male.....	25	3	2	5	2	1	3	1	1	-	1	1	5
Female.....	15	-	1	1	3	1	2	-	-	3	1	2	1
White, both sexes.....	29	2	3	4	3	1	4	1	1	2	2	2	4
Male.....	21	2	2	4	2	1	3	1	1	-	1	1	3
Female.....	8	-	1	-	1	-	1	-	-	2	1	1	1
Black, both sexes.....	8	1	-	1	2	-	-	-	-	1	-	1	2
Male.....	3	1	-	-	-	-	-	-	-	-	-	-	2
Female.....	5	-	-	1	2	-	-	-	-	1	-	1	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pericardial effusion (noninflammatory) (I31.3)													
All races, both sexes.....	190	16	14	22	10	16	14	14	19	20	20	16	9
Male.....	91	9	8	11	4	5	7	8	11	6	13	6	3
Female.....	99	7	6	11	6	11	7	6	8	14	7	10	6
White, both sexes.....	142	14	6	17	8	13	13	11	13	13	14	12	8
Male.....	67	9	3	8	4	4	6	7	7	4	9	4	2
Female.....	75	5	3	9	4	9	7	4	6	9	5	8	6
Black, both sexes.....	43	1	7	4	2	3	1	3	5	7	5	4	1
Male.....	21	-	4	3	-	1	1	1	3	2	3	2	1
Female.....	22	1	3	1	2	2	-	2	2	5	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	1	1	-	-	-	-	1	-	1	-	-
Male.....	3	-	1	-	-	-	-	-	1	-	1	-	-
Female.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Disease of pericardium, unspecified (I31.9)													
All races, both sexes.....	233	27	14	18	16	19	18	25	25	20	20	11	20
Male.....	107	16	6	10	6	11	8	11	11	9	10	2	7
Female.....	126	11	8	8	10	8	10	14	14	11	10	9	13
White, both sexes.....	187	22	12	13	14	16	15	21	17	18	14	9	16
Male.....	85	14	5	9	5	8	6	10	8	8	6	1	5
Female.....	102	8	7	4	9	8	9	11	9	10	8	8	11
Black, both sexes.....	39	4	2	5	2	2	2	4	7	2	5	2	2
Male.....	16	1	1	1	1	2	1	1	2	1	4	1	-
Female.....	23	3	1	4	1	-	1	3	5	1	1	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	-	-	1	1	-	1	-	1	-	1
Male.....	5	1	-	-	-	1	1	-	1	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute and subacute endocarditis (I33)													
All races, both sexes.....	1,209	121	87	121	92	100	84	96	101	106	94	106	101
Male.....	695	68	44	74	55	56	50	52	56	62	59	61	58
Female.....	514	53	43	47	37	44	34	44	45	44	35	45	43
White, both sexes.....	949	92	73	95	78	78	64	72	77	83	73	88	76
Male.....	553	54	39	59	50	46	37	43	41	49	45	49	41
Female.....	396	38	34	36	28	32	27	29	36	34	28	39	35
Black, both sexes.....	229	24	12	23	11	20	19	22	22	21	19	15	21
Male.....	124	12	4	14	4	10	12	9	13	12	12	9	13
Female.....	105	12	8	9	7	10	7	13	9	9	7	6	8
American Indian 1/, both sexes.....	12	3	-	2	1	1	1	1	-	-	-	2	1
Male.....	6	1	-	1	-	-	1	-	-	-	-	2	1
Female.....	6	2	-	1	1	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	2	2	1	2	1	-	1	2	2	2	1	3
Male.....	12	1	1	-	1	-	-	-	2	1	2	1	3
Female.....	7	1	1	1	1	1	-	1	-	1	-	-	-
Acute and subacute infective endocarditis (I33.0)													
All races, both sexes.....	1,169	119	84	117	92	97	83	91	96	103	92	100	95
Male.....	669	67	42	72	55	54	49	50	54	59	57	57	53
Female.....	500	52	42	45	37	43	34	41	42	44	35	43	42
White, both sexes.....	919	90	70	92	78	76	63	67	72	83	73	83	72
Male.....	535	53	37	57	50	44	36	41	39	49	45	46	38
Female.....	384	37	33	35	28	32	27	26	33	34	28	37	34
Black, both sexes.....	221	24	12	22	11	19	19	22	22	18	18	14	20
Male.....	118	12	4	14	4	10	12	9	13	9	11	8	12
Female.....	103	12	8	8	7	9	7	13	9	9	7	6	8
American Indian 1/, both sexes.....	11	3	-	2	1	1	1	1	-	-	-	2	-
Male.....	5	1	-	1	-	-	1	-	-	-	-	2	-
Female.....	6	2	-	1	1	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	2	2	1	2	1	-	1	2	2	1	1	3
Male.....	11	1	1	-	1	-	-	-	2	1	1	1	3
Female.....	7	1	1	1	1	1	-	1	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute endocarditis, unspecified (I33.9)													
All races, both sexes.....	40	2	3	4	-	3	1	5	5	3	2	6	6
Male.....	26	1	2	2	-	2	1	2	2	3	2	4	5
Female.....	14	1	1	2	-	1	-	3	3	-	-	2	1
White, both sexes.....	30	2	3	3	-	2	1	5	5	-	-	5	4
Male.....	18	1	2	2	-	2	1	2	2	-	-	3	3
Female.....	12	1	1	1	-	-	-	3	3	-	-	2	1
Black, both sexes.....	8	-	-	1	-	1	-	-	-	3	1	1	1
Male.....	6	-	-	-	-	-	-	-	-	3	1	1	1
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonrheumatic mitral valve disorders (I34)													
All races, both sexes.....	2,605	252	229	289	219	204	195	220	191	192	185	213	216
Male.....	896	99	81	96	77	68	66	64	67	71	68	58	81
Female.....	1,709	153	148	193	142	136	129	156	124	121	117	155	135
White, both sexes.....	2,371	230	214	262	197	189	183	198	180	174	164	184	196
Male.....	823	91	79	87	67	60	61	59	63	64	60	55	77
Female.....	1,548	139	135	175	130	129	122	139	117	110	104	129	119
Black, both sexes.....	186	19	12	24	15	11	9	18	6	17	14	25	16
Male.....	56	8	1	6	8	5	5	4	1	7	5	3	3
Female.....	130	11	11	18	7	6	4	14	5	10	9	22	13
American Indian 1/, both sexes.....	3	-	1	-	-	-	-	-	1	-	-	1	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	45	3	2	3	7	4	3	4	4	1	7	3	4
Male.....	16	-	-	3	2	3	-	1	3	-	3	-	1
Female.....	29	3	2	-	5	1	3	3	1	1	4	3	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mitral (valve) insufficiency (I34.0)													
All races, both sexes.....	2,138	213	190	249	180	164	160	176	148	157	142	175	184
Male.....	721	81	66	80	63	53	55	49	49	59	50	48	68
Female.....	1,417	132	124	169	117	111	105	127	99	98	92	127	116
White, both sexes.....	1,947	196	178	224	162	152	151	157	139	141	127	153	167
Male.....	665	75	64	72	55	47	51	45	46	53	44	47	66
Female.....	1,282	121	114	152	107	105	100	112	93	88	83	106	101
Black, both sexes.....	152	15	9	22	12	10	7	15	5	16	9	18	14
Male.....	44	6	1	5	6	5	4	3	1	6	4	1	2
Female.....	108	9	8	17	6	5	3	12	4	10	5	17	12
American Indian 1/, both sexes.....	3	-	1	-	-	-	-	-	1	-	-	1	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	36	2	2	3	6	2	2	4	3	-	6	3	3
Male.....	11	-	-	3	2	1	-	1	2	-	2	-	-
Female.....	25	2	2	-	4	1	2	3	1	-	4	3	3
Mitral (valve) prolapse (I34.1)													
All races, both sexes.....	276	24	22	27	22	22	19	28	28	18	26	18	22
Male.....	109	11	8	11	9	7	7	10	12	6	11	6	11
Female.....	167	13	14	16	13	15	12	18	16	12	15	12	11
White, both sexes.....	252	20	21	25	21	21	19	26	27	16	22	14	20
Male.....	97	9	8	10	9	6	7	9	12	5	9	4	9
Female.....	155	11	13	15	12	15	12	17	15	11	13	10	11
Black, both sexes.....	18	3	1	2	-	-	-	2	1	1	3	4	1
Male.....	9	2	-	1	-	-	-	1	-	1	1	2	1
Female.....	9	1	1	1	-	-	-	1	1	-	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	-	1	1	-	-	-	1	1	-	1
Male.....	3	-	-	-	-	1	-	-	-	-	1	-	1
Female.....	3	1	-	-	1	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nonrheumatic mitral valve disorder, unspecified (I34.9)													
All races, both sexes.....	79	7	9	8	7	7	4	8	7	5	5	7	5
Male.....	32	5	5	3	3	3	1	3	4	2	2	1	-
Female.....	47	2	4	5	4	4	3	5	3	3	3	6	5
White, both sexes.....	72	6	8	8	6	5	4	8	7	5	5	5	5
Male.....	30	5	5	3	2	2	1	3	4	2	2	1	-
Female.....	42	1	3	5	4	3	3	5	3	3	3	4	5
Black, both sexes.....	6	1	1	-	1	1	-	-	-	-	-	2	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	5	1	1	-	-	1	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonrheumatic aortic valve disorders (I35)													
All races, both sexes.....	13,137	1,218	1,196	1,278	1,134	1,082	1,020	937	970	996	1,060	1,021	1,225
Male.....	5,095	492	435	496	410	410	413	394	373	376	433	410	453
Female.....	8,042	726	761	782	724	672	607	543	597	620	627	611	772
White, both sexes.....	12,397	1,159	1,135	1,200	1,082	1,014	963	888	908	930	996	970	1,152
Male.....	4,793	467	408	465	396	378	395	374	348	349	401	387	425
Female.....	7,604	692	727	735	686	636	568	514	560	581	595	583	727
Black, both sexes.....	572	42	47	59	46	51	44	35	46	53	54	32	63
Male.....	242	19	21	27	12	25	13	15	19	24	25	17	25
Female.....	330	23	26	32	34	26	31	20	27	29	29	15	38
American Indian 1/, both sexes.....	35	1	1	-	2	3	6	2	6	5	3	4	2
Male.....	20	1	1	-	1	2	4	2	3	-	3	3	-
Female.....	15	-	-	-	1	1	2	-	3	5	-	1	2
Asian or Pacific Islander 2/, both sexes.....	133	16	13	19	4	14	7	12	10	8	7	15	8
Male.....	40	5	5	4	1	5	1	3	3	3	4	3	3
Female.....	93	11	8	15	3	9	6	9	7	5	3	12	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aortic (valve) stenosis (I35.0)													
All races, both sexes.....	10,945	1,031	998	1,054	959	903	845	773	812	810	875	852	1,033
Male.....	3,954	395	336	384	313	321	331	299	286	281	338	315	355
Female.....	6,991	636	662	670	646	582	514	474	526	529	537	537	678
White, both sexes.....	10,433	985	955	1,001	919	865	805	739	775	762	834	815	978
Male.....	3,767	374	320	367	302	303	320	286	275	265	317	300	338
Female.....	6,666	611	635	634	617	562	485	453	500	497	517	515	640
Black, both sexes.....	376	31	31	39	34	27	31	22	24	38	32	21	46
Male.....	135	16	11	13	9	13	8	8	6	13	15	9	14
Female.....	241	15	20	26	25	14	23	14	18	25	17	12	32
American Indian 1/, both sexes.....	29	-	1	-	2	3	5	2	4	4	2	4	2
Male.....	16	-	1	-	1	2	3	2	2	-	2	3	-
Female.....	13	-	-	-	1	1	2	-	2	4	-	1	2
Asian or Pacific Islander 2/, both sexes.....	107	15	11	14	4	8	4	10	9	6	7	12	7
Male.....	36	5	4	4	1	3	-	3	3	3	4	3	3
Female.....	71	10	7	10	3	5	4	7	6	3	3	9	4
Aortic (valve) insufficiency (I35.1)													
All races, both sexes.....	499	36	51	50	36	41	36	37	43	41	40	50	38
Male.....	249	20	23	27	19	16	14	18	23	22	20	26	21
Female.....	250	16	28	23	17	25	22	19	20	19	20	24	17
White, both sexes.....	425	35	45	42	32	29	31	33	31	34	34	45	34
Male.....	211	20	19	23	17	12	11	18	16	17	18	22	18
Female.....	214	15	26	19	15	17	20	15	15	17	16	23	16
Black, both sexes.....	63	1	5	7	4	9	3	3	11	6	6	4	4
Male.....	36	-	3	4	2	4	2	-	7	5	2	4	3
Female.....	27	1	2	3	2	5	1	3	4	1	4	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	1	1	-	3	2	1	-	1	-	1	-
Male.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	8	-	-	1	-	3	1	1	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Endocarditis, valve unspecified (I38)													
All races, both sexes.....	5,109	490	443	496	474	419	394	384	388	378	414	406	423
Male.....	2,005	197	150	209	191	174	146	142	157	153	146	172	168
Female.....	3,104	293	293	287	283	245	248	242	231	225	268	234	255
White, both sexes.....	4,513	439	401	443	425	353	348	329	344	329	374	350	378
Male.....	1,752	179	133	187	172	142	131	123	137	129	130	142	147
Female.....	2,761	260	268	256	253	211	217	206	207	200	244	208	231
Black, both sexes.....	489	40	35	44	39	58	42	42	36	35	30	50	38
Male.....	219	14	16	19	16	29	14	14	20	19	12	27	19
Female.....	270	26	19	25	23	29	28	28	16	16	18	23	19
American Indian 1/, both sexes.....	27	3	5	1	2	1	-	1	4	5	2	2	1
Male.....	7	1	-	-	1	-	-	-	-	2	1	2	-
Female.....	20	2	5	1	1	1	-	1	4	3	1	-	1
Asian or Pacific Islander 2/, both sexes.....	80	8	2	8	8	7	4	12	4	9	8	4	6
Male.....	27	3	1	3	2	3	1	5	-	3	3	1	2
Female.....	53	5	1	5	6	4	3	7	4	6	5	3	4
Acute myocarditis (I40)													
All races, both sexes.....	288	27	36	23	21	21	27	23	27	16	24	22	21
Male.....	145	20	14	9	6	10	17	17	12	7	11	12	10
Female.....	143	7	22	14	15	11	10	6	15	9	13	10	11
White, both sexes.....	202	18	28	18	15	12	20	18	17	12	17	13	14
Male.....	108	15	11	6	5	3	15	13	8	6	10	7	9
Female.....	94	3	17	12	10	9	5	5	9	6	7	6	5
Black, both sexes.....	65	7	7	2	5	9	5	4	9	3	5	5	4
Male.....	27	4	2	1	1	7	1	3	4	1	1	2	-
Female.....	38	3	5	1	4	2	4	1	5	2	4	3	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	2	1	3	1	-	2	1	1	1	2	3	3
Male.....	9	1	1	2	-	-	1	1	-	-	-	2	1
Female.....	11	1	-	1	1	-	1	-	1	1	2	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute myocarditis, unspecified (I40.9)													
All races, both sexes.....	67	7	10	7	5	3	9	4	10	2	5	3	2
Male.....	35	7	4	4	-	1	7	2	4	-	3	2	1
Female.....	32	-	6	3	5	2	2	2	6	2	2	1	1
White, both sexes.....	54	5	9	6	5	2	9	4	7	1	4	1	1
Male.....	29	5	4	3	-	-	7	2	3	-	3	1	1
Female.....	25	-	5	3	5	2	2	2	4	1	1	-	-
Black, both sexes.....	8	2	1	-	-	1	-	-	3	-	1	-	-
Male.....	4	2	-	-	-	1	-	-	1	-	-	-	-
Female.....	4	-	1	-	-	-	-	-	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	-	-	-	-	-	1	-	2	1
Male.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	1	1
Cardiomyopathy (I42)													
All races, both sexes.....	25,505	2,454	2,254	2,478	2,147	2,122	2,089	2,053	1,827	1,871	2,001	1,964	2,245
Male.....	14,963	1,416	1,314	1,432	1,287	1,244	1,203	1,192	1,090	1,103	1,175	1,204	1,303
Female.....	10,542	1,038	940	1,046	860	878	886	861	737	768	826	760	942
White, both sexes.....	20,536	1,956	1,780	2,041	1,757	1,709	1,700	1,646	1,468	1,458	1,616	1,597	1,808
Male.....	12,014	1,115	1,041	1,177	1,049	1,019	993	937	870	844	947	976	1,046
Female.....	8,522	841	739	864	708	690	707	709	598	614	669	621	762
Black, both sexes.....	4,408	444	422	392	352	365	341	361	315	356	339	327	394
Male.....	2,630	273	245	228	219	200	182	229	198	223	205	198	230
Female.....	1,778	171	177	164	133	165	159	132	117	133	134	129	164
American Indian 1/, both sexes.....	139	13	17	10	11	13	9	13	10	14	13	9	7
Male.....	81	8	9	7	7	8	3	8	6	8	5	8	4
Female.....	58	5	8	3	4	5	6	5	4	6	8	1	3
Asian or Pacific Islander 2/, both sexes.....	422	41	35	35	27	35	39	33	34	43	33	31	36
Male.....	238	20	19	20	12	17	25	18	16	28	18	22	23
Female.....	184	21	16	15	15	18	14	15	18	15	15	9	13

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Dilated cardiomyopathy (I42.0)													
All races, both sexes.....	5,600	564	481	513	528	452	455	434	399	407	459	446	462
Male.....	3,476	348	304	308	335	267	286	261	256	256	277	299	279
Female.....	2,124	216	177	205	193	185	169	173	143	151	182	147	183
White, both sexes.....	4,216	431	347	407	402	342	342	326	302	294	352	333	338
Male.....	2,596	261	221	245	260	194	220	190	191	179	216	220	199
Female.....	1,620	170	126	162	142	148	122	136	111	115	136	113	139
Black, both sexes.....	1,234	113	127	97	114	99	94	94	89	99	99	100	109
Male.....	785	76	78	57	70	63	53	63	61	67	58	69	70
Female.....	449	37	49	40	44	36	41	31	28	32	41	31	39
American Indian 1/, both sexes.....	34	6	3	2	1	1	6	3	2	-	2	3	5
Male.....	19	4	2	1	1	1	3	1	1	-	-	2	3
Female.....	15	2	1	1	-	-	3	2	1	-	2	1	2
Asian or Pacific Islander 2/, both sexes.....	116	14	4	7	11	10	13	11	6	14	6	10	10
Male.....	76	7	3	5	4	9	10	7	3	10	3	8	7
Female.....	40	7	1	2	7	1	3	4	3	4	3	2	3
Obstructive hypertrophic cardiomyopathy (I42.1)													
All races, both sexes.....	185	13	15	23	12	12	25	17	16	11	11	16	14
Male.....	52	2	3	4	2	3	6	7	8	5	4	5	3
Female.....	133	11	12	19	10	9	19	10	8	6	7	11	11
White, both sexes.....	161	12	12	20	10	7	25	16	15	8	10	16	10
Male.....	42	2	1	3	2	1	6	6	8	3	3	5	2
Female.....	119	10	11	17	8	6	19	10	7	5	7	11	8
Black, both sexes.....	18	1	3	2	1	4	-	1	-	2	-	-	4
Male.....	8	-	2	1	-	2	-	1	-	1	-	-	1
Female.....	10	1	1	1	1	2	-	-	-	1	-	-	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	1	1	1	-	-	1	1	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	4	-	-	1	1	1	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Endocardial fibroelastosis (I42.4)													
All races, both sexes.....	64	6	7	7	2	5	6	2	6	6	6	7	4
Male.....	38	2	5	4	2	2	4	-	3	4	5	4	3
Female.....	26	4	2	3	-	3	2	2	3	2	1	3	1
White, both sexes.....	38	4	3	6	1	1	4	-	1	4	4	6	4
Male.....	24	1	3	3	1	-	3	-	1	3	3	3	3
Female.....	14	3	-	3	-	1	1	-	-	1	1	3	1
Black, both sexes.....	20	1	2	1	1	4	1	2	4	1	2	1	-
Male.....	11	1	1	1	1	2	1	-	1	-	2	1	-
Female.....	9	-	1	-	-	2	-	2	3	1	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	2	-	-	-	1	-	1	1	-	-	-
Male.....	3	-	1	-	-	-	-	-	1	1	-	-	-
Female.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Other restrictive cardiomyopathy (I42.5)													
All races, both sexes.....	165	15	9	9	13	17	19	17	15	13	15	10	13
Male.....	86	7	4	3	8	8	9	13	7	8	8	3	8
Female.....	79	8	5	6	5	9	10	4	8	5	7	7	5
White, both sexes.....	141	12	8	7	12	15	16	15	13	9	13	9	12
Male.....	75	6	4	2	7	8	9	11	6	6	6	3	7
Female.....	66	6	4	5	5	7	7	4	7	3	7	6	5
Black, both sexes.....	21	3	-	2	1	2	3	2	1	4	2	1	-
Male.....	10	1	-	1	1	-	-	2	1	2	2	-	-
Female.....	11	2	-	1	-	2	3	-	-	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	-	1	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other cardiomyopathies (I42.8)													
All races, both sexes.....	39	4	-	3	2	9	-	5	4	2	3	6	1
Male.....	20	2	-	3	2	5	-	2	3	-	1	1	1
Female.....	19	2	-	-	-	4	-	3	1	2	2	5	-
White, both sexes.....	36	4	-	3	1	8	-	5	4	1	3	6	1
Male.....	18	2	-	3	1	4	-	2	3	-	1	1	1
Female.....	18	2	-	-	-	4	-	3	1	1	2	5	-
Black, both sexes.....	3	-	-	-	1	1	-	-	-	1	-	-	-
Male.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cardiomyopathy, unspecified (I42.9)													
All races, both sexes.....	17,931	1,710	1,607	1,782	1,470	1,503	1,444	1,454	1,266	1,322	1,394	1,369	1,610
Male.....	10,252	957	907	1,014	858	877	793	818	728	761	803	823	913
Female.....	7,679	753	700	768	612	626	651	636	538	561	591	546	697
White, both sexes.....	14,776	1,388	1,310	1,487	1,239	1,238	1,201	1,197	1,040	1,051	1,146	1,141	1,338
Male.....	8,463	773	744	844	716	745	670	665	595	597	662	692	760
Female.....	6,313	615	566	643	523	493	531	532	445	454	484	449	578
Black, both sexes.....	2,797	292	258	263	207	232	218	232	196	235	214	204	246
Male.....	1,596	168	143	150	129	118	110	139	118	144	125	114	138
Female.....	1,201	124	115	113	78	114	108	93	78	91	89	90	108
American Indian 1/, both sexes.....	86	6	13	7	9	9	3	5	7	10	10	6	1
Male.....	49	4	7	5	5	6	-	3	4	5	4	6	-
Female.....	37	2	6	2	4	3	3	2	3	5	6	-	1
Asian or Pacific Islander 2/, both sexes.....	272	24	26	25	15	24	22	20	23	26	24	18	25
Male.....	144	12	13	15	8	8	13	11	11	15	12	11	15
Female.....	128	12	13	10	7	16	9	9	12	11	12	7	10

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Atrioventricular block, second degree (I44.1)													
All races, both sexes.....	9	3	1	-	-	-	1	-	1	-	-	3	-
Male.....	5	3	1	-	-	-	1	-	-	-	-	1	-
Female.....	4	-	-	-	-	-	-	1	1	-	-	2	-
White, both sexes.....	8	2	1	-	-	-	1	-	1	-	-	3	-
Male.....	4	2	1	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	-	-	-	1	-	1	-	-	2	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Atrioventricular block, complete (I44.2)													
All races, both sexes.....	315	27	30	26	19	27	20	22	29	35	30	28	22
Male.....	117	14	10	9	11	9	5	9	9	14	11	10	6
Female.....	198	13	20	17	8	18	15	13	20	21	19	18	16
White, both sexes.....	271	22	26	24	17	22	16	21	25	30	24	25	19
Male.....	102	12	9	8	10	9	4	8	7	12	9	9	5
Female.....	169	10	17	16	7	13	12	13	18	18	15	16	14
Black, both sexes.....	38	4	4	2	1	5	4	1	4	3	4	3	3
Male.....	14	2	1	1	1	1	1	1	2	2	1	1	1
Female.....	24	2	3	1	-	5	3	-	2	1	3	2	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	1	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	1	-	-	-	-	2	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Preexcitation syndrome (I45.6)													
All races, both sexes.....	33	5	1	3	5	2	2	2	2	1	1	3	6
Male.....	18	2	-	1	3	1	1	-	1	1	-	3	5
Female.....	15	3	1	2	2	1	1	2	1	-	1	-	1
White, both sexes.....	28	4	1	2	5	1	2	2	1	1	1	3	5
Male.....	16	2	-	1	3	1	1	-	-	1	-	3	4
Female.....	12	2	1	1	2	-	1	2	1	-	1	-	1
Black, both sexes.....	3	1	-	1	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified conduction disorders (I45.8)													
All races, both sexes.....	334	30	26	32	17	21	25	34	21	42	17	36	33
Male.....	160	15	7	18	7	7	12	14	7	23	8	19	23
Female.....	174	15	19	14	10	14	13	20	14	19	9	17	10
White, both sexes.....	233	19	22	25	16	18	23	24	16	28	10	26	15
Male.....	105	9	6	16	7	6	7	11	5	13	3	15	7
Female.....	128	10	16	9	9	12	7	13	11	15	7	11	8
Black, both sexes.....	89	10	4	6	1	3	11	7	5	13	6	9	14
Male.....	47	5	1	2	-	1	5	2	2	10	4	3	12
Female.....	42	5	3	4	1	2	6	5	3	3	2	6	2
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	2	-	-	1	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	2	-	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	-	1	-	-	-	1	-	1	-	1	3
Male.....	6	1	-	-	-	-	-	1	-	-	-	1	3
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Conduction disorder, unspecified (I45.9)													
All races, both sexes.....	126	15	15	13	9	9	7	8	9	11	12	6	12
Male.....	38	6	4	2	2	2	3	-	3	5	3	4	4
Female.....	88	9	11	11	7	7	4	8	6	6	9	2	8
White, both sexes.....	110	14	14	11	9	7	6	6	7	10	12	4	10
Male.....	33	5	4	2	2	2	3	-	3	5	3	2	2
Female.....	77	9	10	9	7	5	3	6	4	5	9	2	8
Black, both sexes.....	15	1	1	2	-	2	1	1	2	1	-	2	2
Male.....	5	1	-	-	-	-	-	-	-	-	-	2	2
Female.....	10	-	1	2	-	2	1	1	2	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cardiac arrest (I46)													
All races, both sexes.....	15,531	1,541	1,419	1,460	1,223	1,235	1,142	1,173	1,114	1,108	1,280	1,301	1,535
Male.....	7,651	746	673	710	604	614	564	561	566	534	641	647	791
Female.....	7,880	795	746	750	619	621	578	612	548	574	639	654	744
White, both sexes.....	12,524	1,259	1,165	1,208	994	1,001	885	944	900	911	1,023	1,013	1,221
Male.....	6,178	621	560	586	502	504	432	442	456	434	512	510	619
Female.....	6,346	638	605	622	492	497	453	502	444	477	511	503	602
Black, both sexes.....	2,505	235	212	207	193	198	194	195	173	164	210	252	272
Male.....	1,203	100	90	102	86	91	98	102	86	79	104	114	151
Female.....	1,302	135	122	105	107	107	96	93	87	85	106	138	121
American Indian 1/, both sexes.....	55	5	1	7	6	5	7	5	4	2	5	3	5
Male.....	30	1	1	2	3	3	6	3	4	1	2	2	2
Female.....	25	4	-	5	3	2	1	2	-	1	3	1	3
Asian or Pacific Islander 2/, both sexes.....	447	42	41	38	30	31	56	29	37	31	42	33	37
Male.....	240	24	22	20	13	16	28	14	20	20	23	21	19
Female.....	207	18	19	18	17	15	28	15	17	11	19	12	18

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sudden cardiac death, so described (I46.1)													
All races, both sexes.....	2,543	265	200	256	213	186	210	169	199	182	215	193	255
Male.....	1,327	149	108	122	110	99	109	83	102	89	118	101	137
Female.....	1,216	116	92	134	103	87	101	86	97	93	97	92	118
White, both sexes.....	2,175	230	180	221	178	160	178	142	173	160	183	163	207
Male.....	1,148	131	97	107	95	86	91	71	94	77	104	88	107
Female.....	1,027	99	83	114	83	74	87	71	79	83	79	75	100
Black, both sexes.....	347	34	19	33	34	25	30	25	23	21	28	30	45
Male.....	164	17	10	14	14	12	18	10	5	11	12	13	28
Female.....	183	17	9	19	20	13	12	15	18	10	16	17	17
American Indian 1/, both sexes.....	9	-	-	1	-	1	1	1	2	-	3	-	-
Male.....	5	-	-	-	-	1	-	1	2	-	1	-	-
Female.....	4	-	-	1	-	-	1	-	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	12	1	1	1	1	-	1	1	1	1	1	-	3
Male.....	10	1	1	1	1	-	-	1	1	1	1	-	2
Female.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Cardiac arrest, unspecified (I46.9)													
All races, both sexes.....	12,988	1,276	1,219	1,204	1,010	1,049	932	1,004	915	926	1,065	1,108	1,280
Male.....	6,324	597	565	588	494	515	455	478	464	445	523	546	654
Female.....	6,664	679	654	616	516	534	477	526	451	481	542	562	626
White, both sexes.....	10,349	1,029	985	987	816	841	707	802	727	751	840	850	1,014
Male.....	5,030	490	463	479	407	418	341	371	362	357	408	422	512
Female.....	5,319	539	522	508	409	423	366	431	365	394	432	428	502
Black, both sexes.....	2,158	201	193	174	159	173	164	170	150	143	182	222	227
Male.....	1,039	83	80	88	72	79	80	92	81	68	92	101	123
Female.....	1,119	118	113	86	87	94	84	78	69	75	90	121	104
American Indian 1/, both sexes.....	46	5	1	6	6	4	6	4	2	2	2	3	5
Male.....	25	1	1	2	3	2	6	2	2	1	1	2	2
Female.....	21	4	-	4	3	2	-	2	-	1	1	1	3
Asian or Pacific Islander 2/, both sexes.....	435	41	40	37	29	31	55	28	36	30	41	33	34
Male.....	230	23	21	19	12	16	28	13	19	19	22	21	17
Female.....	205	18	19	18	17	15	27	15	17	11	19	12	17

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Supraventricular tachycardia (I47.1)													
All races, both sexes.....	118	13	7	12	10	7	14	8	9	12	7	7	12
Male.....	43	4	3	4	1	2	4	2	7	3	6	4	3
Female.....	75	9	4	8	9	5	10	6	2	9	1	3	9
White, both sexes.....	106	12	7	12	6	5	14	6	7	11	7	7	12
Male.....	38	3	3	4	-	2	4	2	5	2	6	4	3
Female.....	68	9	4	8	6	3	10	4	2	9	1	3	9
Black, both sexes.....	12	1	-	-	4	2	-	2	2	1	-	-	-
Male.....	5	1	-	-	1	-	-	-	2	1	-	-	-
Female.....	7	-	-	-	3	2	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Ventricular tachycardia (I47.2)													
All races, both sexes.....	464	41	45	47	31	40	38	22	36	39	35	40	50
Male.....	271	25	25	30	19	23	19	13	22	20	20	27	28
Female.....	193	16	20	17	12	17	19	9	14	19	15	13	22
White, both sexes.....	391	36	40	41	29	32	31	18	31	32	31	29	41
Male.....	232	22	21	27	18	20	14	11	19	18	18	19	25
Female.....	159	14	19	14	11	12	17	7	12	14	13	10	16
Black, both sexes.....	57	2	4	4	2	7	3	4	5	5	3	11	7
Male.....	28	1	3	2	1	2	2	2	3	1	2	8	1
Female.....	29	1	1	2	1	5	1	2	2	4	1	3	6
American Indian 1/, both sexes.....	5	1	-	1	-	-	1	-	-	-	1	-	1
Male.....	4	1	-	1	-	-	1	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	11	2	1	1	-	1	3	-	-	2	-	-	1
Male.....	7	1	1	-	-	1	2	-	-	1	-	-	1
Female.....	4	1	-	1	-	-	1	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Paroxysmal tachycardia, unspecified (I47.9)													
All races, both sexes.....	3	-	1	-	-	-	-	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Atrial fibrillation and flutter (I48)													
All races, both sexes.....	11,555	1,053	1,016	1,138	939	959	894	854	876	867	906	974	1,079
Male.....	3,921	343	356	371	327	331	301	261	321	294	326	317	373
Female.....	7,634	710	660	767	612	628	593	593	555	573	580	657	706
White, both sexes.....	10,808	995	951	1,069	888	901	836	779	821	808	847	899	1,014
Male.....	3,651	315	330	343	311	307	286	241	301	274	307	292	344
Female.....	7,157	680	621	726	577	594	550	538	520	534	540	607	670
Black, both sexes.....	579	44	55	51	44	44	42	55	40	48	50	56	50
Male.....	197	23	19	21	13	14	12	16	12	15	15	16	21
Female.....	382	21	36	30	31	30	30	39	28	33	35	40	29
American Indian 1/, both sexes.....	19	1	1	-	1	2	2	2	4	2	-	2	2
Male.....	5	-	-	-	-	2	-	-	2	-	-	1	-
Female.....	14	1	1	-	1	-	2	2	2	2	-	1	2
Asian or Pacific Islander 2/, both sexes.....	149	13	9	18	6	12	14	18	11	9	9	17	13
Male.....	68	5	7	7	3	8	3	4	6	5	4	8	8
Female.....	81	8	2	11	3	4	11	14	5	4	5	9	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other cardiac arrhythmias (I49)													
All races, both sexes.....	9,961	924	836	978	856	835	772	759	768	744	769	817	903
Male.....	4,714	420	398	474	425	396	355	357	364	346	364	382	433
Female.....	5,247	504	438	504	431	439	417	402	404	398	405	435	470
White, both sexes.....	8,424	771	707	829	732	708	652	616	658	619	660	702	770
Male.....	3,953	345	342	397	371	327	298	287	310	278	309	328	361
Female.....	4,471	426	365	432	361	381	354	329	348	341	351	374	409
Black, both sexes.....	1,388	133	122	136	113	117	109	125	97	114	100	103	119
Male.....	666	67	52	66	47	64	51	57	45	60	48	45	64
Female.....	722	66	70	70	66	53	58	68	52	54	52	58	55
American Indian 1/, both sexes.....	40	7	3	3	1	4	4	6	2	4	-	2	4
Male.....	26	3	1	3	1	2	2	5	2	3	-	2	2
Female.....	14	4	2	-	-	2	2	1	-	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	109	13	4	10	10	6	7	12	11	7	9	10	10
Male.....	69	5	3	8	6	3	4	8	7	5	7	7	6
Female.....	40	8	1	2	4	3	3	4	4	2	2	3	4
Ventricular fibrillation and flutter (I49.0)													
All races, both sexes.....	1,076	98	89	103	88	104	94	85	81	72	74	86	102
Male.....	619	54	53	63	55	58	43	51	51	38	44	48	61
Female.....	457	44	36	40	33	46	51	34	30	34	30	38	41
White, both sexes.....	882	69	75	90	75	86	75	66	65	61	63	72	85
Male.....	511	42	45	54	49	46	34	41	41	31	38	41	49
Female.....	371	27	30	36	26	40	41	25	24	30	25	31	36
Black, both sexes.....	169	23	12	11	13	16	18	15	14	10	9	12	16
Male.....	91	10	7	7	6	10	9	7	8	6	5	5	11
Female.....	78	13	5	4	7	6	9	8	6	4	4	7	5
American Indian 1/, both sexes.....	8	2	2	2	-	2	-	-	-	-	-	-	-
Male.....	6	1	1	2	-	2	-	-	-	-	-	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	4	-	-	-	-	1	4	2	1	2	2	1
Male.....	11	1	-	-	-	-	-	3	2	1	1	2	1
Female.....	6	3	-	-	-	-	1	1	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cardiac arrhythmia, unspecified (I49.9)													
All races, both sexes.....	8,374	784	707	818	716	692	638	639	645	633	657	693	752
Male.....	3,906	353	327	388	352	320	297	294	298	293	305	324	355
Female.....	4,468	431	380	430	364	372	341	345	347	340	352	369	397
White, both sexes.....	7,088	667	594	686	613	586	545	519	553	521	564	597	643
Male.....	3,280	294	280	321	307	264	252	237	255	233	260	279	298
Female.....	3,808	373	314	365	306	322	293	282	298	288	304	318	345
Black, both sexes.....	1,179	106	108	123	94	99	83	107	82	103	88	88	98
Male.....	556	54	44	59	39	53	39	48	36	53	41	39	51
Female.....	623	52	64	64	55	46	44	59	46	50	47	49	47
American Indian 1/, both sexes.....	31	5	1	1	1	2	4	6	2	3	-	2	4
Male.....	20	2	-	1	1	-	2	5	2	3	-	2	2
Female.....	11	3	1	-	-	2	2	1	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	76	6	4	8	8	5	6	7	8	6	5	6	7
Male.....	50	3	3	7	5	3	4	4	5	4	4	4	4
Female.....	26	3	1	1	3	2	2	3	3	2	1	2	3
Heart failure (I50)													
All races, both sexes.....	58,933	5,674	5,417	5,818	5,045	4,887	4,505	4,396	4,251	4,336	4,576	4,675	5,353
Male.....	23,026	2,212	2,041	2,258	1,990	1,895	1,721	1,730	1,686	1,684	1,828	1,853	2,128
Female.....	35,907	3,462	3,376	3,560	3,055	2,992	2,784	2,666	2,565	2,652	2,748	2,822	3,225
White, both sexes.....	52,570	5,077	4,849	5,198	4,576	4,384	3,998	3,907	3,780	3,836	4,059	4,139	4,767
Male.....	20,414	1,980	1,815	2,005	1,792	1,704	1,506	1,519	1,471	1,464	1,623	1,624	1,911
Female.....	32,156	3,097	3,034	3,193	2,784	2,680	2,492	2,388	2,309	2,372	2,436	2,515	2,856
Black, both sexes.....	5,609	519	501	547	416	449	449	426	400	456	464	460	522
Male.....	2,275	200	196	217	168	172	183	175	182	207	184	204	187
Female.....	3,334	319	305	330	248	277	266	251	218	249	280	256	335
American Indian 1/, both sexes.....	228	21	19	28	16	19	22	14	19	14	15	24	17
Male.....	106	11	5	16	11	8	13	8	7	6	7	6	8
Female.....	122	10	14	12	5	11	9	6	12	8	8	18	9
Asian or Pacific Islander 2/, both sexes.....	526	57	48	45	37	35	36	49	52	30	38	52	47
Male.....	231	21	25	20	19	11	19	28	26	7	14	19	22
Female.....	295	36	23	25	18	24	17	21	26	23	24	33	25

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congestive heart failure (I50.0)													
All races, both sexes.....	54,881	5,319	5,026	5,447	4,735	4,540	4,165	4,088	3,935	4,025	4,249	4,346	5,006
Male.....	21,244	2,060	1,879	2,098	1,851	1,743	1,570	1,587	1,545	1,542	1,684	1,701	1,984
Female.....	33,637	3,259	3,147	3,349	2,884	2,797	2,595	2,501	2,390	2,483	2,565	2,645	3,022
White, both sexes.....	49,258	4,790	4,539	4,880	4,318	4,090	3,720	3,652	3,526	3,586	3,795	3,874	4,488
Male.....	18,968	1,860	1,687	1,868	1,679	1,569	1,387	1,403	1,362	1,349	1,508	1,501	1,795
Female.....	30,290	2,930	2,852	3,012	2,639	2,521	2,333	2,249	2,164	2,237	2,287	2,373	2,693
Black, both sexes.....	4,940	459	427	497	371	402	391	377	346	400	405	408	457
Male.....	1,971	172	164	195	148	156	153	150	155	182	157	179	160
Female.....	2,969	287	263	302	223	246	238	227	191	218	248	229	297
American Indian 1/, both sexes.....	209	17	19	27	15	16	21	13	17	12	15	21	16
Male.....	97	7	5	16	10	7	12	8	7	5	7	5	8
Female.....	112	10	14	11	5	9	9	5	10	7	8	16	8
Asian or Pacific Islander 2/, both sexes.....	474	53	41	43	31	32	33	46	46	27	34	43	45
Male.....	208	21	23	19	14	11	18	26	21	6	12	16	21
Female.....	266	32	18	24	17	21	15	20	25	21	22	27	24
Left ventricular failure (I50.1)													
All races, both sexes.....	127	18	15	5	12	15	9	16	5	6	11	4	11
Male.....	48	5	8	1	4	5	2	7	2	3	6	3	2
Female.....	79	13	7	4	8	10	7	9	3	3	5	1	9
White, both sexes.....	114	16	13	3	12	13	9	16	5	3	10	4	10
Male.....	45	4	7	1	4	5	2	7	2	2	6	3	2
Female.....	69	12	6	2	8	8	7	9	3	1	4	1	8
Black, both sexes.....	11	2	2	2	-	2	-	-	-	2	-	-	1
Male.....	3	1	1	-	-	-	-	-	-	1	-	-	-
Female.....	8	1	1	2	-	2	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Heart failure, unspecified (I50.9)													
All races, both sexes.....	3,925	337	376	366	298	332	331	292	311	305	316	325	336
Male.....	1,734	147	154	159	135	147	149	136	139	139	138	149	142
Female.....	2,191	190	222	207	163	185	182	156	172	166	178	176	194
White, both sexes.....	3,198	271	297	315	246	281	269	239	249	247	254	261	269
Male.....	1,401	116	121	136	109	130	117	109	107	113	109	120	114
Female.....	1,797	155	176	179	137	151	152	130	142	134	145	141	155
Black, both sexes.....	658	58	72	48	45	45	58	49	54	54	59	52	64
Male.....	301	27	31	22	20	16	30	25	27	24	27	25	27
Female.....	357	31	41	26	25	29	28	24	27	30	32	27	37
American Indian 1/, both sexes.....	18	4	-	1	1	3	1	1	2	1	-	3	1
Male.....	9	4	-	-	1	1	1	-	1	1	-	1	-
Female.....	9	-	-	1	-	2	-	1	2	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	51	4	7	2	6	3	3	3	6	3	3	9	2
Male.....	23	-	2	1	5	-	1	2	5	1	2	3	1
Female.....	28	4	5	1	1	3	2	1	1	2	1	6	1
Complications and ill-defined descriptions of heart disease (I51)													
All races, both sexes.....	11,176	988	942	1,092	942	906	859	892	822	829	896	892	1,116
Male.....	5,647	517	472	510	482	451	466	451	419	415	439	453	572
Female.....	5,529	471	470	582	460	455	393	441	403	414	457	439	544
White, both sexes.....	9,401	823	805	926	793	752	723	754	681	715	751	740	938
Male.....	4,723	426	404	421	411	371	386	383	341	346	369	373	492
Female.....	4,678	397	401	505	382	381	337	371	340	369	382	367	446
Black, both sexes.....	1,541	147	116	138	128	135	113	123	126	99	133	127	156
Male.....	799	80	57	76	59	71	66	62	70	61	65	64	68
Female.....	742	67	59	62	69	64	47	61	56	38	68	63	88
American Indian 1/, both sexes.....	67	6	2	7	6	9	6	3	5	3	3	10	7
Male.....	38	4	1	5	2	4	3	1	3	2	1	8	4
Female.....	29	2	1	2	4	5	3	2	2	1	2	2	3
Asian or Pacific Islander 2/, both sexes.....	167	12	19	21	15	10	17	12	10	12	9	15	15
Male.....	87	7	10	8	10	5	11	5	5	6	4	8	8
Female.....	80	5	9	13	5	5	6	7	5	6	5	7	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cardiovascular disease, unspecified (I51.6)													
All races, both sexes.....	4,396	381	377	458	361	354	323	356	310	357	346	353	420
Male.....	1,952	162	170	188	153	169	153	157	138	156	135	162	209
Female.....	2,444	219	207	270	208	185	170	199	172	201	211	191	211
White, both sexes.....	3,816	325	333	393	309	301	283	311	273	317	303	302	366
Male.....	1,685	133	151	154	133	147	131	141	117	136	118	136	188
Female.....	2,131	192	182	239	176	154	152	170	156	181	185	166	178
Black, both sexes.....	488	50	35	53	42	44	32	41	33	34	38	42	44
Male.....	224	25	16	28	16	19	16	15	18	19	16	20	16
Female.....	264	25	19	25	26	25	16	26	15	15	22	22	28
American Indian 1/, both sexes.....	27	3	1	2	4	3	2	-	2	1	1	4	4
Male.....	13	2	-	2	1	-	1	-	1	-	1	3	2
Female.....	14	1	1	-	3	3	1	-	1	1	-	1	2
Asian or Pacific Islander 2/, both sexes.....	65	3	8	10	6	6	6	4	2	5	4	5	6
Male.....	30	2	3	4	3	3	5	1	2	1	-	3	3
Female.....	35	1	5	6	3	3	1	3	-	4	4	2	3
Cardiomegaly (I51.7)													
All races, both sexes.....	1,611	144	132	137	136	121	147	132	131	135	125	123	148
Male.....	1,063	99	87	97	88	74	97	82	90	84	81	89	95
Female.....	548	45	45	40	48	47	50	50	41	51	44	34	53
White, both sexes.....	1,209	108	102	102	104	89	107	103	97	102	92	91	112
Male.....	812	77	69	76	71	56	71	63	65	63	60	64	77
Female.....	397	31	33	26	33	33	36	40	32	39	32	27	35
Black, both sexes.....	354	31	27	30	30	30	32	25	29	31	30	26	33
Male.....	222	18	16	20	17	18	21	16	22	20	18	20	16
Female.....	132	13	11	10	13	12	11	9	7	11	12	6	17
American Indian 1/, both sexes.....	17	2	-	3	1	1	3	1	3	-	-	2	1
Male.....	9	2	-	1	-	-	1	1	2	-	-	2	-
Female.....	8	-	-	2	1	1	2	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	31	3	3	2	1	1	5	3	2	2	3	4	2
Male.....	20	2	2	-	-	-	4	2	1	1	3	3	2
Female.....	11	1	1	2	1	1	1	1	1	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other ill-defined heart diseases (I51.8)													
All races, both sexes.....	832	56	88	79	77	74	70	52	72	50	66	61	87
Male.....	406	34	43	36	41	32	38	25	28	25	34	34	36
Female.....	426	22	45	43	36	42	32	27	44	25	32	27	51
White, both sexes.....	753	52	79	72	73	62	65	46	63	48	60	54	79
Male.....	363	30	37	33	40	24	35	23	25	24	30	30	32
Female.....	390	22	42	39	33	38	30	23	38	24	30	24	47
Black, both sexes.....	68	4	8	5	4	11	4	5	9	1	6	5	6
Male.....	38	4	6	3	1	7	2	2	3	1	4	2	3
Female.....	30	-	2	2	3	4	2	3	6	-	2	3	3
American Indian 1/, both sexes.....	4	-	-	-	-	1	-	-	-	-	-	2	1
Male.....	4	-	-	-	-	1	-	-	-	-	-	2	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	1	2	-	-	1	1	-	1	-	-	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	6	-	1	2	-	-	-	1	-	1	-	-	1
Heart disease, unspecified (I51.9)													
All races, both sexes.....	3,593	348	274	351	300	289	277	278	249	242	298	295	392
Male.....	1,845	192	139	166	169	142	154	148	129	126	159	129	192
Female.....	1,748	156	135	185	131	147	123	130	120	116	139	166	200
White, both sexes.....	3,065	293	239	308	257	247	233	234	207	212	253	250	332
Male.....	1,576	163	123	143	143	116	129	124	109	107	137	115	167
Female.....	1,489	130	116	165	114	131	104	110	98	105	116	135	165
Black, both sexes.....	469	50	31	36	39	38	38	40	36	26	42	40	53
Male.....	235	26	12	18	23	23	23	22	18	15	21	13	21
Female.....	234	24	19	18	16	15	15	18	18	11	21	27	32
American Indian 1/, both sexes.....	15	1	1	1	1	3	1	1	-	2	2	1	1
Male.....	10	-	1	1	1	3	1	-	-	2	-	-	1
Female.....	5	1	-	-	-	-	-	1	-	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	44	4	3	6	3	1	5	3	6	2	1	4	6
Male.....	24	3	3	4	2	-	1	2	2	2	1	1	3
Female.....	20	1	-	2	1	1	4	1	4	-	-	3	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Subarachnoid hemorrhage (I60)													
All races, both sexes.....	6,095	585	479	527	462	531	537	475	472	495	529	496	507
Male.....	2,163	207	188	180	144	196	198	154	149	185	194	175	193
Female.....	3,932	378	291	347	318	335	339	321	323	310	335	321	314
White, both sexes.....	4,886	481	385	404	363	410	425	394	385	390	441	410	398
Male.....	1,745	179	152	139	111	153	163	121	122	147	159	148	151
Female.....	3,141	302	233	265	252	257	262	273	263	243	282	262	247
Black, both sexes.....	899	81	79	82	77	84	85	58	68	77	65	62	81
Male.....	303	20	29	29	23	28	24	27	20	28	24	20	31
Female.....	596	61	50	53	54	56	61	31	48	49	41	42	50
American Indian 1/, both sexes.....	50	3	2	8	1	3	7	7	1	3	5	3	7
Male.....	13	-	1	1	-	1	1	1	-	2	1	2	3
Female.....	37	3	1	7	1	2	6	6	1	1	4	1	4
Asian or Pacific Islander 2/, both sexes.....	260	20	13	33	21	34	20	16	18	25	18	21	21
Male.....	102	8	6	11	10	14	10	5	7	8	10	5	8
Female.....	158	12	7	22	11	20	10	11	11	17	8	16	13
Subarachnoid hemorrhage from carotid siphon and bifurcation (I60.0)													
All races, both sexes.....	89	11	6	7	5	6	8	5	6	7	9	9	10
Male.....	26	2	2	2	1	3	3	2	2	-	1	3	5
Female.....	63	9	4	5	4	3	5	3	4	7	8	6	5
White, both sexes.....	75	9	6	6	5	5	7	5	5	5	7	7	8
Male.....	25	2	2	2	1	3	3	2	2	-	1	3	4
Female.....	50	7	4	4	4	2	4	3	3	5	6	4	4
Black, both sexes.....	9	1	-	-	-	1	1	-	1	1	2	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	1	-	-	-	1	1	-	1	1	2	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	4	1	-	1	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	1	-	-	-	-	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Subarachnoid hemorrhage from vertebral artery (I60.5)													
All races, both sexes.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Subarachnoid hemorrhage from other intracranial arteries (I60.6)													
All races, both sexes.....	55	6	3	2	9	3	1	7	1	9	5	3	6
Male.....	20	2	3	2	2	-	-	4	-	3	1	2	1
Female.....	35	4	-	-	7	3	1	3	1	6	4	1	5
White, both sexes.....	49	6	3	-	8	2	1	7	1	8	4	3	6
Male.....	18	2	3	-	2	-	-	4	-	3	1	2	1
Female.....	31	4	-	-	6	2	1	3	1	5	3	1	5
Black, both sexes.....	5	-	-	2	1	-	-	-	-	1	1	-	-
Male.....	2	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Subarachnoid hemorrhage from intracranial artery, unspecified (I60.7)													
All races, both sexes.....	476	48	37	35	43	43	40	29	35	32	52	41	41
Male.....	207	20	16	13	18	22	15	12	14	15	22	16	24
Female.....	269	28	21	22	25	21	25	17	21	17	30	25	17
White, both sexes.....	352	38	28	22	29	34	29	23	27	25	41	32	24
Male.....	156	19	11	8	11	19	11	8	9	12	19	14	15
Female.....	196	19	17	14	18	15	18	15	18	13	22	18	9
Black, both sexes.....	102	9	9	11	10	6	11	4	7	3	10	8	14
Male.....	40	1	5	4	4	1	4	4	4	1	3	1	8
Female.....	62	8	4	7	6	5	7	-	3	2	7	7	6
American Indian 1/, both sexes.....	5	1	-	-	-	1	-	-	-	2	-	-	1
Male.....	3	-	-	-	-	1	-	-	-	2	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	17	-	-	2	4	2	-	2	1	2	1	1	2
Male.....	8	-	-	1	3	1	-	-	1	-	-	1	1
Female.....	9	-	-	1	1	1	-	2	-	2	1	-	1
Other subarachnoid hemorrhage (I60.8)													
All races, both sexes.....	202	16	17	17	14	14	16	17	16	25	18	13	19
Male.....	112	12	11	10	6	7	10	5	9	16	12	7	7
Female.....	90	4	6	7	8	7	6	12	7	9	6	6	12
White, both sexes.....	156	13	11	11	11	11	12	14	11	21	14	12	15
Male.....	85	10	7	7	3	6	8	4	5	14	10	7	4
Female.....	71	3	4	4	8	5	4	10	6	7	4	5	11
Black, both sexes.....	32	3	6	3	2	2	2	3	3	1	4	1	2
Male.....	20	2	4	2	2	-	1	1	3	1	2	-	2
Female.....	12	1	2	1	-	2	1	2	-	-	2	1	-
American Indian 1/, both sexes.....	6	-	-	2	-	-	2	-	1	-	-	-	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	4	-	-	2	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	1	1	1	-	-	1	3	-	-	1
Male.....	5	-	-	1	1	1	-	-	1	1	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	2	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Subarachnoid hemorrhage, unspecified (I60.9)													
All races, both sexes.....	5,267	502	414	466	390	465	472	417	414	422	444	430	431
Male.....	1,797	170	156	153	117	164	170	131	124	151	158	147	156
Female.....	3,470	332	258	313	273	301	302	286	290	271	286	283	275
White, both sexes.....	4,249	414	335	365	309	358	376	345	341	331	374	356	345
Male.....	1,461	146	129	122	94	125	141	103	106	118	128	122	127
Female.....	2,788	268	206	243	215	233	235	242	235	213	246	234	218
Black, both sexes.....	750	67	64	66	64	75	71	51	57	71	48	52	64
Male.....	239	16	20	21	17	27	19	22	13	26	19	19	20
Female.....	511	51	44	45	47	48	52	29	44	45	29	33	44
American Indian 1/, both sexes.....	38	2	2	6	1	2	5	7	-	1	5	3	4
Male.....	8	-	1	1	-	-	-	1	-	-	1	2	2
Female.....	30	2	1	5	1	2	5	6	-	1	4	1	2
Asian or Pacific Islander 2/, both sexes.....	230	19	13	29	16	30	20	14	16	19	17	19	18
Male.....	89	8	6	9	6	12	10	5	5	7	10	4	7
Female.....	141	11	7	20	10	18	10	9	11	12	7	15	11
Intracerebral hemorrhage (I61)													
All races, both sexes.....	18,383	1,686	1,493	1,692	1,608	1,532	1,389	1,432	1,425	1,415	1,541	1,528	1,642
Male.....	8,559	778	705	757	730	719	687	650	662	675	709	756	731
Female.....	9,824	908	788	935	878	813	702	782	763	740	832	772	911
White, both sexes.....	15,081	1,365	1,217	1,404	1,362	1,255	1,139	1,202	1,146	1,160	1,245	1,254	1,332
Male.....	6,918	612	565	618	623	575	547	546	535	549	564	608	576
Female.....	8,163	753	652	786	739	680	592	656	611	611	681	646	756
Black, both sexes.....	2,585	254	225	238	189	223	192	184	212	189	233	206	240
Male.....	1,306	136	123	117	84	120	113	84	93	89	115	112	120
Female.....	1,279	118	102	121	105	103	79	100	119	100	118	94	120
American Indian 1/, both sexes.....	98	9	5	8	8	8	9	3	12	7	12	9	11
Male.....	53	3	1	3	4	5	5	1	10	4	7	4	6
Female.....	45	6	4	2	4	3	4	2	2	3	5	5	5
Asian or Pacific Islander 2/, both sexes.....	619	58	46	45	49	46	49	43	55	59	51	59	59
Male.....	282	27	16	19	19	19	22	19	24	33	23	32	29
Female.....	337	31	30	26	30	27	27	24	31	26	28	27	30

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intracerebral hemorrhage in hemisphere, unspecified (I61.2)													
All races, both sexes.....	34	3	2	4	2	4	2	-	4	2	1	4	6
Male.....	15	-	-	2	2	2	2	-	1	-	-	4	2
Female.....	19	3	2	2	-	2	-	-	3	2	1	-	4
White, both sexes.....	31	3	2	4	2	4	1	-	4	2	1	3	5
Male.....	13	-	-	2	2	2	1	-	1	-	-	3	2
Female.....	18	3	2	2	-	2	-	-	3	2	1	-	3
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Intracerebral hemorrhage in brain stem (I61.3)													
All races, both sexes.....	709	63	58	69	49	52	54	49	67	60	64	68	56
Male.....	412	29	43	34	26	27	35	28	40	36	41	42	31
Female.....	297	34	15	35	23	25	19	21	27	24	23	26	25
White, both sexes.....	512	42	33	56	34	37	35	36	52	42	50	53	42
Male.....	294	19	23	27	18	20	23	22	30	25	35	29	23
Female.....	218	23	10	29	16	17	12	14	22	17	15	24	19
Black, both sexes.....	159	17	17	9	11	14	15	12	11	15	10	15	13
Male.....	99	10	15	5	7	7	10	5	7	9	4	13	7
Female.....	60	7	2	4	4	7	5	7	4	6	6	2	6
American Indian 1/, both sexes.....	6	1	-	2	1	-	-	-	1	1	-	-	-
Male.....	3	-	-	1	-	-	-	-	1	1	-	-	-
Female.....	3	1	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	32	3	8	2	3	1	4	1	3	2	4	-	1
Male.....	16	-	5	1	1	-	2	1	2	1	2	-	1
Female.....	16	3	3	1	2	1	2	-	1	1	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intracerebral hemorrhage in cerebellum (I61.4)													
All races, both sexes.....	582	45	46	57	48	43	43	51	52	54	55	53	35
Male.....	302	19	31	24	22	22	24	26	31	32	28	28	15
Female.....	280	26	15	33	26	21	19	25	21	22	27	25	20
White, both sexes.....	457	35	39	44	41	34	30	41	40	41	45	42	25
Male.....	229	13	27	20	20	17	13	19	21	24	24	22	9
Female.....	228	22	12	24	21	17	17	22	19	17	21	20	16
Black, both sexes.....	102	8	6	13	5	8	11	8	9	10	8	9	7
Male.....	59	4	4	4	1	4	9	6	8	6	4	5	4
Female.....	43	4	2	9	4	4	2	2	1	4	4	4	3
American Indian 1/, both sexes.....	6	-	-	-	1	1	-	-	1	1	1	1	-
Male.....	5	-	-	-	1	1	-	-	1	1	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	17	2	1	-	1	-	2	2	2	2	1	1	3
Male.....	9	2	-	-	-	-	2	1	1	1	-	-	2
Female.....	8	-	1	-	1	-	-	1	1	1	1	1	1
Intracerebral hemorrhage, intraventricular (I61.5)													
All races, both sexes.....	744	84	64	64	46	70	66	59	65	51	55	54	66
Male.....	334	34	26	23	18	35	32	25	35	24	27	26	29
Female.....	410	50	38	41	28	35	34	34	30	27	28	28	37
White, both sexes.....	592	64	52	50	37	53	55	47	53	42	45	43	51
Male.....	261	24	20	18	14	23	26	20	30	22	22	20	22
Female.....	331	40	32	32	23	30	29	27	23	20	23	23	29
Black, both sexes.....	131	19	11	12	9	14	8	10	10	8	8	7	15
Male.....	64	10	6	4	4	11	5	4	3	2	4	4	7
Female.....	67	9	5	8	5	3	3	6	7	6	4	3	8
American Indian 1/, both sexes.....	6	-	-	-	-	2	1	-	1	-	2	-	-
Male.....	3	-	-	-	-	1	-	-	1	-	1	-	-
Female.....	3	-	-	-	-	1	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	15	1	1	2	-	1	2	2	1	1	-	4	-
Male.....	6	-	-	1	-	-	1	1	1	-	-	2	-
Female.....	9	1	1	1	-	1	1	1	-	1	-	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other intracerebral hemorrhage (I61.8)													
All races, both sexes.....	72	5	3	8	4	8	8	8	2	8	7	6	5
Male.....	34	1	2	2	1	4	6	5	1	4	2	2	4
Female.....	38	4	1	6	3	4	2	3	1	4	5	4	1
White, both sexes.....	62	2	2	8	3	8	7	8	2	7	5	5	5
Male.....	31	1	2	2	1	4	5	5	1	3	1	2	4
Female.....	31	1	-	6	2	4	2	3	1	4	4	3	1
Black, both sexes.....	9	3	1	-	-	-	1	-	-	1	2	1	-
Male.....	3	-	-	-	-	-	1	-	-	1	1	-	-
Female.....	6	3	1	-	-	-	-	-	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Intracerebral hemorrhage, unspecified (I61.9)													
All races, both sexes.....	15,835	1,457	1,288	1,449	1,421	1,321	1,177	1,232	1,189	1,216	1,329	1,314	1,442
Male.....	7,261	682	585	651	643	610	568	551	534	572	595	637	633
Female.....	8,574	775	703	798	778	711	609	681	655	644	734	677	809
White, both sexes.....	13,097	1,193	1,064	1,207	1,211	1,097	977	1,041	959	1,005	1,077	1,088	1,178
Male.....	5,931	545	478	531	552	498	462	466	439	469	471	519	501
Female.....	7,166	648	586	676	659	599	515	575	520	536	606	569	677
Black, both sexes.....	2,125	204	184	200	160	179	153	151	174	153	198	167	202
Male.....	1,048	109	96	102	70	93	85	68	69	71	98	86	101
Female.....	1,077	95	88	98	90	86	68	83	105	82	100	81	101
American Indian 1/, both sexes.....	75	8	5	3	6	3	8	3	8	5	8	8	10
Male.....	39	3	1	2	3	2	5	1	6	2	5	3	6
Female.....	36	5	4	1	3	1	3	2	2	3	3	5	4
Asian or Pacific Islander 2/, both sexes.....	538	52	35	39	44	42	39	37	48	53	46	51	52
Male.....	243	25	10	16	18	17	16	16	20	30	21	29	25
Female.....	295	27	25	23	26	25	23	21	28	23	25	22	27

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other nontraumatic intracranial hemorrhage (I62)													
All races, both sexes.....	9,402	877	718	862	774	765	728	676	774	718	817	806	887
Male.....	4,518	419	332	411	373	334	369	359	381	345	390	389	416
Female.....	4,884	458	386	451	401	431	359	317	393	373	427	417	471
White, both sexes.....	7,589	722	586	708	599	606	577	556	625	578	661	639	732
Male.....	3,597	337	266	340	281	264	285	283	313	276	321	297	334
Female.....	3,992	385	320	368	318	342	292	273	312	302	340	342	398
Black, both sexes.....	1,375	105	98	117	138	118	126	94	112	101	119	129	118
Male.....	703	52	48	52	69	53	73	57	56	53	53	71	66
Female.....	672	53	50	65	69	65	53	37	56	48	66	58	52
American Indian 1/, both sexes.....	42	5	6	3	7	4	1	1	2	6	3	1	3
Male.....	23	3	4	2	5	3	-	1	-	3	-	1	1
Female.....	19	2	2	1	2	1	1	-	2	3	3	-	2
Asian or Pacific Islander 2/, both sexes.....	396	45	28	34	30	37	24	25	35	33	34	37	34
Male.....	195	27	14	17	18	14	11	18	12	13	16	20	15
Female.....	201	18	14	17	12	23	13	7	23	20	18	17	19
Subdural hemorrhage (acute) (nontraumatic) (I62.0)													
All races, both sexes.....	2,020	180	147	184	170	151	169	156	201	147	172	165	178
Male.....	1,082	98	68	90	95	70	104	90	115	80	88	89	95
Female.....	938	82	79	94	75	81	65	66	86	67	84	76	83
White, both sexes.....	1,752	160	126	164	145	134	146	140	176	130	148	132	151
Male.....	941	87	57	82	80	64	92	80	103	71	77	69	79
Female.....	811	73	69	82	65	70	54	60	73	59	71	63	72
Black, both sexes.....	210	14	16	16	21	15	19	9	22	11	21	25	21
Male.....	103	9	7	5	11	4	10	5	11	4	9	16	12
Female.....	107	5	9	11	10	11	9	4	11	7	12	9	9
American Indian 1/, both sexes.....	13	2	2	1	1	1	1	1	-	2	1	1	-
Male.....	8	1	2	-	1	1	-	1	-	1	-	1	-
Female.....	5	1	-	1	-	-	1	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	45	4	3	3	3	1	3	6	3	4	2	7	6
Male.....	30	1	2	3	3	1	2	4	1	4	2	3	4
Female.....	15	3	1	-	-	-	1	2	2	-	-	4	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nontraumatic extradural hemorrhage (I62.1)													
All races, both sexes.....	17	3	1	-	1	-	3	1	1	1	3	1	2
Male.....	9	-	1	-	1	-	2	1	-	1	-	1	2
Female.....	8	3	-	-	-	-	1	-	1	-	3	-	-
White, both sexes.....	16	2	1	-	1	-	3	1	1	1	3	1	2
Male.....	9	-	1	-	1	-	2	1	-	1	-	1	2
Female.....	7	2	-	-	-	-	1	-	1	-	3	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial hemorrhage (nontraumatic), unspecified (I62.9)													
All races, both sexes.....	7,365	694	570	678	603	614	556	519	572	570	642	640	707
Male.....	3,427	321	263	321	277	264	263	268	266	264	302	299	319
Female.....	3,938	373	307	357	326	350	293	251	306	306	340	341	388
White, both sexes.....	5,821	560	459	544	453	472	428	415	448	447	510	506	579
Male.....	2,647	250	208	258	200	200	191	202	210	204	244	227	253
Female.....	3,174	310	251	286	253	272	237	213	238	243	266	279	326
Black, both sexes.....	1,164	90	82	101	117	103	107	85	90	90	98	104	97
Male.....	600	43	41	47	58	49	63	52	45	49	44	55	54
Female.....	564	47	41	54	59	54	44	33	45	41	54	49	43
American Indian 1/, both sexes.....	29	3	4	2	6	3	-	-	2	4	2	-	3
Male.....	15	2	2	2	4	2	-	-	2	2	-	-	1
Female.....	14	1	2	-	2	1	-	-	2	2	2	-	2
Asian or Pacific Islander 2/, both sexes.....	351	41	25	31	27	36	21	19	32	29	32	30	28
Male.....	165	26	12	14	15	13	9	14	11	9	14	17	11
Female.....	186	15	13	17	12	23	12	5	21	20	18	13	17

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral infarction (I63)													
All races, both sexes.....	7,563	757	654	735	643	589	574	580	591	589	601	584	666
Male.....	3,087	316	236	305	258	268	225	237	268	248	228	230	268
Female.....	4,476	441	418	430	385	321	349	343	323	341	373	354	398
White, both sexes.....	6,468	657	559	637	551	488	490	496	502	504	506	501	577
Male.....	2,606	273	200	262	214	224	192	199	227	207	190	190	228
Female.....	3,862	384	359	375	337	264	298	297	275	297	316	311	349
Black, both sexes.....	894	78	80	83	74	81	70	69	74	71	76	66	72
Male.....	393	33	33	38	35	37	26	29	33	34	29	33	33
Female.....	501	45	47	45	39	44	44	40	41	37	47	33	39
American Indian 1/, both sexes.....	42	6	4	3	3	3	2	4	3	2	5	4	3
Male.....	20	3	-	1	2	1	2	3	2	1	2	2	1
Female.....	22	3	4	2	1	2	-	1	1	1	3	2	2
Asian or Pacific Islander 2/, both sexes.....	159	16	11	12	15	17	12	11	12	12	14	13	14
Male.....	68	7	3	4	7	6	5	6	6	6	7	5	6
Female.....	91	9	8	8	8	11	7	5	6	6	7	8	8
Cerebral infarction due to thrombosis of precerebral arteries (I63.0)													
All races, both sexes.....	150	13	7	14	18	14	14	10	12	15	4	9	20
Male.....	90	10	2	8	11	7	8	5	5	12	2	5	15
Female.....	60	3	5	6	7	7	6	5	7	3	2	4	5
White, both sexes.....	123	10	7	11	15	12	8	10	11	13	4	6	16
Male.....	73	7	2	6	9	6	5	5	4	11	2	4	12
Female.....	50	3	5	5	6	6	3	5	7	2	2	2	4
Black, both sexes.....	21	1	-	3	2	2	4	-	1	1	-	3	4
Male.....	14	1	-	2	2	1	3	-	1	-	-	1	3
Female.....	7	-	-	1	-	1	1	-	-	1	-	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	-	-	1	-	2	-	-	1	-	-	-
Male.....	3	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	3	-	-	-	1	-	2	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral infarction due to embolism of precerebral arteries (I63.1)													
All races, both sexes.....	22	2	3	1	2	2	3	2	4	-	-	2	1
Male.....	12	1	1	-	2	1	2	1	2	-	-	1	1
Female.....	10	1	2	1	-	1	1	1	2	-	-	1	-
White, both sexes.....	17	2	3	-	2	1	3	2	3	-	-	1	-
Male.....	9	1	1	-	2	1	2	1	1	-	-	-	-
Female.....	8	1	2	-	-	-	1	1	2	-	-	1	-
Black, both sexes.....	4	-	-	1	-	-	-	-	1	-	-	1	1
Male.....	3	-	-	-	-	-	-	-	1	-	-	1	1
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries (I63.2)													
All races, both sexes.....	676	63	50	72	58	69	67	47	48	45	54	51	52
Male.....	334	34	22	39	24	36	31	21	24	22	28	31	22
Female.....	342	29	28	33	34	33	36	26	24	23	26	20	30
White, both sexes.....	608	60	45	65	53	64	59	44	41	43	43	46	45
Male.....	298	32	19	34	22	33	28	18	21	22	22	29	18
Female.....	310	28	26	31	31	31	31	26	20	21	21	17	27
Black, both sexes.....	49	2	4	6	4	3	7	2	2	1	8	3	7
Male.....	27	1	2	5	1	2	2	2	1	-	5	2	4
Female.....	22	1	2	1	3	1	5	-	1	1	3	1	3
American Indian 1/, both sexes.....	5	-	-	-	1	-	-	1	1	-	1	1	-
Male.....	3	-	-	-	1	-	-	1	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	14	1	1	1	-	2	1	-	4	1	2	1	-
Male.....	6	1	1	-	-	1	1	-	2	-	-	-	-
Female.....	8	-	-	1	-	1	-	-	2	1	2	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral infarction due to thrombosis of cerebral arteries (I63.3)													
All races, both sexes.....	1,209	115	109	129	101	82	102	87	98	93	100	93	100
Male.....	454	55	36	50	35	34	41	33	42	29	28	32	39
Female.....	755	60	73	79	66	48	61	54	56	64	72	61	61
White, both sexes.....	1,038	107	91	110	83	72	84	71	84	82	87	79	88
Male.....	377	51	29	42	28	30	36	24	34	25	23	24	31
Female.....	661	56	62	68	55	42	48	47	50	57	64	55	57
Black, both sexes.....	154	8	16	18	14	10	16	14	12	10	12	13	11
Male.....	68	4	7	7	5	4	4	7	6	4	5	7	8
Female.....	86	4	9	11	9	6	12	7	6	6	7	6	3
American Indian 1/, both sexes.....	5	-	1	1	1	-	-	-	1	-	1	-	-
Male.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	3	-	1	-	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	1	-	3	-	2	2	1	1	-	1	1
Male.....	7	-	-	-	2	-	1	2	1	-	-	1	-
Female.....	5	-	1	-	1	-	1	-	-	1	-	-	1
Cerebral infarction due to embolism of cerebral arteries (I63.4)													
All races, both sexes.....	546	55	53	31	46	49	36	62	46	30	44	49	45
Male.....	217	25	18	17	19	18	14	19	19	14	14	22	18
Female.....	329	30	35	14	27	31	22	43	27	16	30	27	27
White, both sexes.....	477	48	47	29	40	41	33	54	41	26	40	41	37
Male.....	197	23	16	17	16	16	13	18	18	12	13	19	16
Female.....	280	25	31	12	24	25	20	36	23	14	27	22	21
Black, both sexes.....	46	3	3	-	5	6	2	6	4	4	2	6	5
Male.....	14	2	1	-	2	2	1	1	-	2	-	2	1
Female.....	32	1	2	-	3	4	1	5	4	2	2	4	4
American Indian 1/, both sexes.....	3	-	1	-	-	-	-	-	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	20	4	2	2	1	2	1	2	1	-	2	1	2
Male.....	5	-	1	-	1	-	-	-	1	-	1	-	1
Female.....	15	4	1	2	-	2	1	2	-	-	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral infarction due to unspecified occlusion or stenosis of cerebral arteries (I63.5)													
All races, both sexes.....	244	20	19	14	22	22	19	17	18	21	19	21	32
Male.....	98	9	7	5	8	9	9	8	7	9	5	8	14
Female.....	146	11	12	9	14	13	10	9	11	12	14	13	18
White, both sexes.....	217	17	17	11	21	19	18	16	14	20	16	18	30
Male.....	84	8	7	3	7	7	9	7	3	9	5	6	13
Female.....	133	9	10	8	14	12	9	9	11	11	11	12	17
Black, both sexes.....	22	2	1	3	1	1	1	1	4	1	3	3	1
Male.....	12	-	-	2	1	1	-	1	4	-	-	2	1
Female.....	10	2	1	1	-	-	1	-	-	1	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	1	-	-	2	-	-	-	-	-	-	1
Male.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	3	-	1	-	-	1	-	-	-	-	-	-	1
Other cerebral infarction (I63.8)													
All races, both sexes.....	152	19	13	12	17	8	8	10	19	10	11	11	14
Male.....	63	9	5	4	7	4	4	5	8	3	2	5	7
Female.....	89	10	8	8	10	4	4	5	11	7	9	6	7
White, both sexes.....	134	16	11	11	14	8	8	9	17	9	7	10	14
Male.....	56	7	4	4	4	4	4	5	8	3	2	4	7
Female.....	78	9	7	7	10	4	4	4	9	6	5	6	7
Black, both sexes.....	15	3	2	1	2	-	-	1	1	-	4	1	-
Male.....	6	2	1	-	2	-	-	-	-	-	-	1	-
Female.....	9	1	1	1	-	-	-	1	1	-	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	-	-	1	1	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral infarction, unspecified (I63.9)													
All races, both sexes.....	4,564	470	400	462	379	343	325	345	346	375	369	348	402
Male.....	1,819	173	145	182	152	159	116	145	161	159	149	126	152
Female.....	2,745	297	255	280	227	184	209	200	185	216	220	222	250
White, both sexes.....	3,854	397	338	400	323	271	277	290	291	311	309	300	347
Male.....	1,512	144	122	156	126	127	95	121	138	125	123	104	131
Female.....	2,342	253	216	244	197	144	182	169	153	186	186	196	216
Black, both sexes.....	583	59	54	51	46	59	40	45	49	54	47	36	43
Male.....	249	23	22	22	22	27	16	18	20	28	19	17	15
Female.....	334	36	32	29	24	32	24	27	29	26	28	19	28
American Indian 1/, both sexes.....	29	6	2	2	1	3	2	3	1	2	3	2	2
Male.....	14	3	-	-	1	1	2	2	1	1	1	1	1
Female.....	15	3	2	2	-	2	-	1	-	1	2	1	1
Asian or Pacific Islander 2/, both sexes.....	98	8	6	9	9	10	6	7	5	8	10	10	10
Male.....	44	3	1	4	3	4	3	4	2	5	6	4	5
Female.....	54	5	5	5	6	6	3	3	3	3	4	6	5
Stroke, not specified as hemorrhage or infarction (I64)													
All races, both sexes.....	74,416	7,243	6,582	7,236	6,203	6,122	5,529	5,491	5,673	5,461	6,062	6,051	6,763
Male.....	27,963	2,749	2,465	2,758	2,295	2,298	2,110	2,103	2,105	2,029	2,262	2,233	2,556
Female.....	46,453	4,494	4,117	4,478	3,908	3,824	3,419	3,388	3,568	3,432	3,800	3,818	4,207
White, both sexes.....	63,946	6,252	5,692	6,297	5,325	5,240	4,762	4,679	4,840	4,673	5,188	5,231	5,767
Male.....	23,570	2,324	2,095	2,346	1,907	1,942	1,795	1,767	1,766	1,697	1,911	1,876	2,144
Female.....	40,376	3,928	3,597	3,951	3,418	3,298	2,967	2,912	3,074	2,976	3,277	3,355	3,623
Black, both sexes.....	8,637	798	727	790	729	714	644	663	685	653	728	679	827
Male.....	3,573	336	299	342	318	286	256	272	276	273	288	297	330
Female.....	5,064	462	428	448	411	428	388	391	409	380	440	382	497
American Indian 1/, both sexes.....	298	35	29	15	28	22	19	27	20	23	29	25	26
Male.....	101	12	9	4	10	7	6	10	6	5	11	10	11
Female.....	197	23	20	11	18	15	13	17	14	18	18	15	15
Asian or Pacific Islander 2/, both sexes.....	1,535	158	134	134	121	146	104	122	128	112	117	116	143
Male.....	719	77	62	66	60	63	53	54	57	54	52	50	71
Female.....	816	81	72	68	61	83	51	68	71	58	65	66	72

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral aneurysm, nonruptured (I67.1)													
All races, both sexes.....	377	38	30	43	31	27	36	26	31	29	32	23	31
Male.....	134	13	12	13	14	8	16	8	9	9	13	8	11
Female.....	243	25	18	30	17	19	20	18	22	20	19	15	20
White, both sexes.....	314	33	27	37	22	21	30	23	27	25	27	17	25
Male.....	112	12	11	12	10	4	13	7	8	9	11	6	9
Female.....	202	21	16	25	12	17	17	16	19	16	16	11	16
Black, both sexes.....	56	4	3	5	7	6	5	3	4	4	4	6	5
Male.....	21	1	1	-	4	4	3	1	1	-	2	2	2
Female.....	35	3	2	5	3	2	2	2	3	4	2	4	3
American Indian 1/, both sexes.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	2	-	1	-	-	-	1	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	2	-	1	-	-	-	1	-	1
Cerebral atherosclerosis (I67.2)													
All races, both sexes.....	1,134	94	104	112	96	73	67	104	95	91	96	93	109
Male.....	388	36	31	33	34	25	27	41	28	32	34	26	41
Female.....	746	58	73	79	62	48	40	63	67	59	62	67	68
White, both sexes.....	998	85	86	98	85	66	59	93	84	79	85	81	97
Male.....	332	29	25	30	30	22	23	34	24	27	32	21	35
Female.....	666	56	61	68	55	44	36	59	60	52	53	60	62
Black, both sexes.....	122	8	18	13	9	6	7	10	10	9	9	11	12
Male.....	49	6	6	2	3	2	4	7	4	4	1	4	6
Female.....	73	2	12	11	6	4	3	3	6	5	8	7	6
American Indian 1/, both sexes.....	3	1	-	-	-	-	-	1	-	-	1	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	1	2	1	1	-	1	3	1	1	-
Male.....	6	-	-	1	1	1	-	-	-	1	1	1	-
Female.....	5	-	-	-	1	-	1	-	1	2	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral arteritis, not elsewhere classified (I67.7)													
All races, both sexes.....	62	7	3	7	4	5	4	6	6	7	2	7	4
Male.....	22	3	1	3	1	1	3	3	2	3	1	1	-
Female.....	40	4	2	4	3	4	1	3	4	4	1	6	4
White, both sexes.....	54	7	2	7	4	4	4	6	6	5	2	5	2
Male.....	21	3	1	3	1	1	3	3	2	3	1	-	-
Female.....	33	4	1	4	3	3	1	3	4	2	1	5	2
Black, both sexes.....	7	-	1	-	-	1	-	-	-	2	-	2	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	6	-	1	-	-	1	-	-	-	2	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Other specified cerebrovascular diseases (I67.8)													
All races, both sexes.....	978	93	88	84	77	90	70	85	78	69	82	80	82
Male.....	372	34	35	45	18	36	25	28	28	33	26	30	34
Female.....	606	59	53	39	59	54	45	57	50	36	56	50	48
White, both sexes.....	824	83	68	73	65	70	59	73	71	62	64	64	72
Male.....	300	30	24	39	14	28	19	23	25	28	21	21	28
Female.....	524	53	44	34	51	42	40	50	46	34	43	43	44
Black, both sexes.....	132	9	19	9	11	16	11	8	6	6	16	14	7
Male.....	58	4	10	5	3	5	6	2	2	4	4	9	4
Female.....	74	5	9	4	8	11	5	6	4	2	12	5	3
American Indian 1/, both sexes.....	5	1	-	-	1	1	-	-	-	-	-	2	-
Male.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	-	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	17	-	1	2	-	3	-	4	1	1	2	-	3
Male.....	12	-	1	1	-	2	-	3	1	1	1	-	2
Female.....	5	-	-	1	-	1	-	1	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebrovascular disease, unspecified (I67.9)													
All races, both sexes.....	5,836	608	570	543	483	464	433	408	462	400	482	503	480
Male.....	2,091	215	214	202	170	155	155	145	186	133	162	174	180
Female.....	3,745	393	356	341	313	309	278	263	276	267	320	329	300
White, both sexes.....	5,006	520	496	457	429	394	363	354	396	344	406	433	414
Male.....	1,789	191	183	172	152	136	125	121	157	114	132	146	160
Female.....	3,217	329	313	285	277	258	238	233	239	230	274	287	254
Black, both sexes.....	744	79	62	76	49	62	64	45	57	51	74	67	58
Male.....	267	21	23	28	18	15	28	18	25	17	30	27	17
Female.....	477	58	39	48	31	47	36	27	32	34	44	40	41
American Indian 1/, both sexes.....	19	2	2	2	3	2	1	3	3	-	1	-	-
Male.....	6	1	1	1	-	1	-	1	1	-	-	-	-
Female.....	13	1	1	1	3	1	1	2	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	67	7	10	8	2	6	5	6	6	5	1	3	8
Male.....	29	2	7	1	-	3	2	5	3	2	-	1	3
Female.....	38	5	3	7	2	3	3	1	3	3	1	2	5
Sequelae of cerebrovascular disease (I69)													
All races, both sexes.....	19,214	1,779	1,843	1,931	1,580	1,588	1,307	1,424	1,424	1,414	1,537	1,579	1,808
Male.....	7,236	676	681	701	588	610	528	546	505	517	591	615	678
Female.....	11,978	1,103	1,162	1,230	992	978	779	878	919	897	946	964	1,130
White, both sexes.....	16,618	1,559	1,627	1,666	1,374	1,382	1,121	1,232	1,229	1,207	1,304	1,354	1,563
Male.....	6,169	575	594	593	502	530	441	467	434	435	490	525	583
Female.....	10,449	984	1,033	1,073	872	852	680	765	795	772	814	829	980
Black, both sexes.....	2,062	180	167	204	154	159	157	158	160	167	197	178	181
Male.....	831	83	66	81	64	63	71	62	58	67	82	68	66
Female.....	1,231	97	101	123	90	96	86	96	102	100	115	110	115
American Indian 1/, both sexes.....	67	5	6	7	7	9	4	3	4	4	3	6	9
Male.....	29	2	2	1	4	4	1	1	3	1	1	3	6
Female.....	38	3	4	6	3	5	3	2	1	3	2	3	3
Asian or Pacific Islander 2/, both sexes.....	467	35	43	54	45	38	25	31	31	36	33	41	55
Male.....	207	16	19	26	18	13	15	16	10	14	18	19	23
Female.....	260	19	24	28	27	25	10	15	21	22	15	22	32

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of subarachnoid hemorrhage (I69.0)													
All races, both sexes.....	73	8	4	13	6	7	6	8	4	4	3	5	5
Male.....	22	4	1	3	3	1	1	1	-	2	2	4	-
Female.....	51	4	3	10	3	6	5	7	4	2	1	1	5
White, both sexes.....	57	7	3	10	5	6	4	7	2	4	2	4	3
Male.....	17	3	1	2	3	1	1	-	-	2	1	3	-
Female.....	40	4	2	8	2	5	3	7	2	2	1	1	3
Black, both sexes.....	6	-	-	1	1	1	1	-	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	5	-	-	1	1	1	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	1	2	-	-	-	1	1	-	1	-	2
Male.....	4	1	-	1	-	-	-	1	-	-	1	-	-
Female.....	5	-	1	1	-	-	-	-	1	-	-	-	2
Sequelae of intracerebral hemorrhage (I69.1)													
All races, both sexes.....	182	19	19	20	12	21	7	7	10	13	19	20	15
Male.....	89	11	8	8	5	13	3	3	6	5	12	11	4
Female.....	93	8	11	12	7	8	4	4	4	8	7	9	11
White, both sexes.....	146	14	16	15	11	18	5	6	7	11	15	15	13
Male.....	71	8	7	5	4	12	3	2	4	3	10	9	4
Female.....	75	6	9	10	7	6	2	4	3	8	5	6	9
Black, both sexes.....	24	4	1	2	-	2	1	1	3	2	4	3	1
Male.....	14	3	1	1	-	1	-	1	2	2	2	1	-
Female.....	10	1	-	1	-	1	1	-	1	-	2	2	1
American Indian 1/, both sexes.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	2	2	1	1	-	-	-	-	-	2	1
Male.....	4	-	-	2	1	-	-	-	-	-	-	1	-
Female.....	6	1	2	-	-	1	-	-	-	-	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of other nontraumatic intracranial hemorrhage (I69.2)													
All races, both sexes.....	156	10	19	18	7	14	8	9	14	10	16	17	14
Male.....	88	6	11	11	4	10	6	4	8	6	4	11	7
Female.....	68	4	8	7	3	4	2	5	6	4	12	6	7
White, both sexes.....	134	9	17	17	5	12	5	7	12	8	14	16	12
Male.....	78	6	10	11	3	9	4	4	7	5	3	11	5
Female.....	56	3	7	6	2	3	1	3	5	3	11	5	7
Black, both sexes.....	16	1	2	1	1	2	2	1	2	2	1	-	1
Male.....	8	-	1	-	-	1	2	-	1	1	1	-	1
Female.....	8	1	1	1	1	1	-	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	1	-	1	1	-	-	1	1	1
Male.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	1	1	-	-	1	1	-
Sequelae of cerebral infarction (I69.3)													
All races, both sexes.....	739	71	70	89	57	56	56	50	62	49	57	57	65
Male.....	297	26	29	37	19	23	22	20	24	22	21	24	30
Female.....	442	45	41	52	38	33	34	30	38	27	36	33	35
White, both sexes.....	626	65	64	72	51	52	43	44	52	32	47	49	55
Male.....	248	22	27	29	17	20	16	18	20	14	17	20	28
Female.....	378	43	37	43	34	32	27	26	32	18	30	29	27
Black, both sexes.....	92	5	5	14	5	4	11	3	8	15	8	5	9
Male.....	39	3	2	6	1	3	6	-	4	6	4	2	2
Female.....	53	2	3	8	4	1	5	3	4	9	4	3	7
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	1	1	3	1	-	2	2	2	2	2	3	1
Male.....	10	1	-	2	1	-	-	2	-	2	-	2	-
Female.....	10	-	1	1	-	-	2	-	2	-	2	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of stroke, not specified as hemorrhage or infarction (I69.4)													
All races, both sexes.....	10,056	977	974	1,041	835	836	659	761	712	739	766	821	935
Male.....	4,096	405	392	407	348	340	284	316	279	293	327	327	378
Female.....	5,960	572	582	634	487	496	375	445	433	446	439	494	557
White, both sexes.....	8,479	843	838	871	705	709	552	637	591	621	641	677	794
Male.....	3,412	339	334	333	285	293	228	265	230	241	277	268	319
Female.....	5,067	504	504	538	420	416	324	372	361	380	364	409	475
Black, both sexes.....	1,252	111	104	135	99	93	90	106	100	94	109	110	101
Male.....	531	57	43	56	49	36	42	43	40	41	41	43	40
Female.....	721	54	61	79	50	57	48	63	60	53	68	67	61
American Indian 1/, both sexes.....	40	4	5	3	2	7	-	1	2	3	3	5	5
Male.....	19	1	2	1	2	3	-	1	2	-	1	3	3
Female.....	21	3	3	2	-	4	-	-	3	2	2	2	2
Asian or Pacific Islander 2/, both sexes.....	285	19	27	32	29	27	17	17	19	21	13	29	35
Male.....	134	8	13	17	12	8	14	7	7	11	8	13	16
Female.....	151	11	14	15	17	19	3	10	12	10	5	16	19
Sequelae of other and unspecified cerebrovascular diseases (I69.8)													
All races, both sexes.....	8,008	694	757	750	663	654	571	589	622	599	676	659	774
Male.....	2,644	224	240	235	209	223	212	202	188	189	225	238	259
Female.....	5,364	470	517	515	454	431	359	387	434	410	451	421	515
White, both sexes.....	7,176	621	689	681	597	585	512	531	565	531	585	593	686
Male.....	2,343	197	215	213	190	195	189	178	173	170	182	214	227
Female.....	4,833	424	474	468	407	390	323	353	392	361	403	379	459
Black, both sexes.....	672	59	55	51	48	57	52	47	46	54	75	59	69
Male.....	238	20	19	18	14	22	21	18	11	17	34	21	23
Female.....	434	39	36	33	34	35	31	29	35	37	41	38	46
American Indian 1/, both sexes.....	23	1	1	3	5	2	2	1	2	1	-	1	4
Male.....	10	1	-	-	2	1	1	-	1	1	-	-	3
Female.....	13	-	1	3	3	1	1	1	1	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	137	13	12	15	13	10	5	10	9	13	16	6	15
Male.....	53	6	6	4	3	5	1	6	3	1	9	3	6
Female.....	84	7	6	11	10	5	4	4	6	12	7	3	9

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Atherosclerosis of other arteries (I70.8)													
All races, both sexes.....	6	-	-	3	-	-	1	1	-	-	1	-	-
Male.....	3	-	-	1	-	-	1	-	-	-	1	-	-
Female.....	3	-	-	2	-	-	-	1	-	-	-	-	-
White, both sexes.....	6	-	-	3	-	-	1	1	-	-	1	-	-
Male.....	3	-	-	1	-	-	1	-	-	-	1	-	-
Female.....	3	-	-	2	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Generalized and unspecified atherosclerosis (I70.9)													
All races, both sexes.....	11,369	1,117	1,014	1,162	952	933	836	909	857	801	867	856	1,065
Male.....	4,278	421	367	421	381	328	322	353	354	296	300	342	393
Female.....	7,091	696	647	741	571	605	514	556	503	505	567	514	672
White, both sexes.....	10,428	1,026	933	1,051	880	860	763	830	784	731	801	803	966
Male.....	3,918	390	334	374	347	305	293	330	325	264	282	322	352
Female.....	6,510	636	599	677	533	555	470	500	459	467	519	481	614
Black, both sexes.....	791	71	70	97	58	62	64	71	58	58	61	38	83
Male.....	294	19	28	40	27	19	26	21	24	24	16	16	34
Female.....	497	52	42	57	31	43	38	50	34	34	45	22	49
American Indian 1/, both sexes.....	50	5	5	3	4	5	-	4	3	6	1	6	8
Male.....	24	4	2	1	3	1	-	1	2	3	-	2	5
Female.....	26	1	3	2	1	4	-	3	1	3	1	4	3
Asian or Pacific Islander 2/, both sexes.....	100	15	6	11	10	6	9	4	12	6	4	9	8
Male.....	42	8	3	6	4	3	3	1	3	5	2	2	2
Female.....	58	7	3	5	6	3	6	3	9	1	2	7	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aortic aneurysm and dissection (I71)													
All races, both sexes.....	13,843	1,299	1,129	1,304	1,119	1,148	997	1,001	1,038	1,112	1,189	1,203	1,304
Male.....	8,168	746	668	788	653	701	585	576	623	685	698	693	752
Female.....	5,675	553	461	516	466	447	412	425	415	427	491	510	552
White, both sexes.....	12,156	1,140	990	1,151	978	1,025	863	882	911	974	1,037	1,071	1,134
Male.....	7,203	657	584	697	561	628	501	511	545	608	618	631	662
Female.....	4,953	483	406	454	417	397	362	371	366	366	419	440	472
Black, both sexes.....	1,304	115	109	123	113	93	104	96	95	110	113	106	127
Male.....	719	61	64	69	74	56	59	51	55	60	57	49	64
Female.....	585	54	45	54	39	37	45	45	40	50	56	57	63
American Indian 1/, both sexes.....	43	3	4	6	3	2	3	2	2	3	3	8	4
Male.....	21	-	3	5	2	-	3	1	1	1	1	3	1
Female.....	22	3	1	1	1	2	-	1	1	2	2	5	3
Asian or Pacific Islander 2/, both sexes.....	340	41	26	24	25	28	27	21	30	25	36	18	39
Male.....	225	28	17	17	16	17	22	13	22	16	22	10	25
Female.....	115	13	9	7	9	11	5	8	8	9	14	8	14
Dissection of aorta [any part] (I71.0)													
All races, both sexes.....	3,502	333	281	327	288	282	261	255	235	291	301	298	350
Male.....	2,100	186	156	194	170	180	156	153	129	187	190	181	218
Female.....	1,402	147	125	133	118	102	105	102	106	104	111	117	132
White, both sexes.....	2,816	261	229	261	221	234	207	207	194	224	244	254	280
Male.....	1,665	142	125	153	125	146	116	122	104	145	151	158	178
Female.....	1,151	119	104	108	96	88	91	85	90	79	93	96	102
Black, both sexes.....	544	57	41	55	58	35	41	41	27	55	45	37	52
Male.....	343	35	24	35	37	27	27	26	15	34	32	20	31
Female.....	201	22	17	20	21	8	14	15	12	21	13	17	21
American Indian 1/, both sexes.....	10	1	-	2	-	2	1	-	-	-	-	3	1
Male.....	3	-	-	1	-	-	1	-	-	-	-	1	-
Female.....	7	1	-	1	-	2	-	-	-	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	132	14	11	9	9	11	12	7	14	12	12	4	17
Male.....	89	9	7	5	8	7	12	5	10	8	7	2	9
Female.....	43	5	4	4	1	4	-	2	4	4	5	2	8

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thoracic aortic aneurysm, ruptured (I71.1)													
All races, both sexes.....	877	84	67	82	68	73	75	58	64	58	85	77	86
Male.....	411	38	33	43	30	36	39	23	33	28	39	32	37
Female.....	466	46	34	39	38	37	36	35	31	30	46	45	49
White, both sexes.....	761	76	57	69	62	65	65	49	54	48	72	68	76
Male.....	348	34	24	37	26	33	33	18	26	23	33	29	32
Female.....	413	42	33	32	36	32	32	31	28	25	39	39	44
Black, both sexes.....	85	5	6	9	4	5	9	7	8	9	9	6	8
Male.....	42	3	6	2	4	1	5	4	5	4	3	2	3
Female.....	43	2	-	7	-	4	4	3	3	5	6	4	5
American Indian 1/, both sexes.....	4	-	-	2	-	-	-	1	-	-	-	1	-
Male.....	3	-	-	2	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	27	3	4	2	2	3	1	1	2	1	4	2	2
Male.....	18	1	3	2	-	2	1	-	2	1	3	1	2
Female.....	9	2	1	-	2	1	-	1	-	-	1	1	-
Thoracic aortic aneurysm, without mention of rupture (I71.2)													
All races, both sexes.....	744	82	60	55	52	54	53	53	64	54	72	73	72
Male.....	305	27	28	25	24	25	25	17	26	22	26	31	29
Female.....	439	55	32	30	28	29	28	36	38	32	46	42	43
White, both sexes.....	636	75	50	52	42	46	43	45	49	50	63	63	58
Male.....	263	26	23	23	19	21	21	16	18	21	25	28	22
Female.....	373	49	27	29	23	25	22	29	31	29	38	35	36
Black, both sexes.....	86	5	7	3	5	6	9	5	13	4	7	10	12
Male.....	34	-	4	2	2	3	3	1	8	1	1	3	6
Female.....	52	5	3	1	3	3	6	4	5	3	6	7	6
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	20	2	3	-	5	2	1	3	1	-	1	-	2
Male.....	8	1	1	-	3	1	1	-	-	-	-	-	1
Female.....	12	1	2	-	2	1	-	3	1	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Abdominal aortic aneurysm, ruptured (I71.3)													
All races, both sexes.....	4,209	363	363	412	339	363	296	301	318	313	352	393	396
Male.....	2,788	243	237	275	220	255	195	197	217	222	236	256	235
Female.....	1,421	120	126	137	119	108	101	104	101	91	116	137	161
White, both sexes.....	3,918	336	329	380	316	346	274	284	295	294	329	372	363
Male.....	2,604	228	218	257	208	244	181	183	198	209	220	244	214
Female.....	1,314	108	111	123	108	102	93	101	97	85	109	128	149
Black, both sexes.....	202	15	27	26	16	11	16	12	16	13	13	14	23
Male.....	119	7	14	14	9	7	9	9	12	9	9	8	12
Female.....	83	8	13	12	7	4	7	3	4	4	4	6	11
American Indian 1/, both sexes.....	9	-	2	-	2	-	1	-	1	1	2	-	-
Male.....	6	-	2	-	1	-	1	-	1	-	1	-	-
Female.....	3	-	-	-	1	-	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	80	12	5	6	5	6	5	5	6	5	8	7	10
Male.....	59	8	3	4	2	4	4	5	6	4	6	4	9
Female.....	21	4	2	2	3	2	1	-	-	1	2	3	1
Abdominal aortic aneurysm, without mention of rupture (I71.4)													
All races, both sexes.....	2,049	209	192	187	167	169	127	146	173	172	176	145	186
Male.....	1,245	139	107	116	102	101	75	80	111	112	109	83	110
Female.....	804	70	85	71	65	68	52	66	62	60	67	62	76
White, both sexes.....	1,851	190	177	171	151	151	119	126	157	156	160	131	162
Male.....	1,143	126	101	107	91	91	70	71	101	105	103	76	101
Female.....	708	64	76	64	60	60	49	55	56	51	57	55	61
Black, both sexes.....	156	11	13	14	13	17	7	16	14	12	14	9	16
Male.....	75	8	5	7	9	9	5	6	8	5	5	4	4
Female.....	81	3	8	7	4	8	2	10	6	7	9	5	12
American Indian 1/, both sexes.....	8	2	1	-	-	-	-	-	-	1	-	3	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	6	2	1	-	-	-	-	-	-	1	-	2	-
Asian or Pacific Islander 2/, both sexes.....	34	6	1	2	3	1	1	4	2	3	2	2	7
Male.....	25	5	1	2	2	1	-	3	2	2	1	2	4
Female.....	9	1	-	-	1	-	1	1	-	1	1	-	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thoracoabdominal aortic aneurysm, ruptured (I71.5)													
All races, both sexes.....	122	12	10	12	7	12	10	7	9	9	12	10	12
Male.....	49	2	7	7	3	-	5	4	4	3	6	4	4
Female.....	73	10	3	5	4	12	5	3	5	6	6	6	8
White, both sexes.....	112	12	10	10	7	11	8	7	9	9	9	8	12
Male.....	42	2	7	5	3	-	3	4	4	3	4	3	4
Female.....	70	10	3	5	4	11	5	3	5	6	5	5	8
Black, both sexes.....	5	-	-	1	-	-	-	-	-	-	2	2	-
Male.....	3	-	-	1	-	-	-	-	-	-	1	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	2	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	2	-	-	-	1	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Thoracoabdominal aortic aneurysm, without mention of rupture (I71.6)													
All races, both sexes.....	177	14	7	16	10	16	20	19	14	14	18	13	16
Male.....	94	6	5	10	6	7	14	9	8	8	8	5	8
Female.....	83	8	2	6	4	9	6	10	6	6	10	8	8
White, both sexes.....	155	12	6	16	10	15	16	17	10	13	13	11	16
Male.....	86	6	4	10	6	7	11	9	6	8	7	4	8
Female.....	69	6	2	6	4	8	5	8	4	5	6	7	8
Black, both sexes.....	19	2	1	-	-	1	3	1	3	1	5	2	-
Male.....	7	-	1	-	-	-	2	-	2	-	1	1	-
Female.....	12	2	-	-	-	1	1	1	1	1	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aortic aneurysm of unspecified site, ruptured (I71.8)													
All races, both sexes.....	1,356	126	95	138	120	110	95	103	106	123	104	120	116
Male.....	761	68	64	73	68	65	48	61	66	68	48	60	72
Female.....	595	58	31	65	52	45	47	42	40	55	56	60	44
White, both sexes.....	1,205	110	84	126	110	97	80	93	97	112	85	105	106
Male.....	689	61	56	67	60	57	41	57	62	64	42	55	67
Female.....	516	49	28	59	50	40	39	36	35	48	43	50	39
Black, both sexes.....	119	13	8	8	9	11	13	9	5	8	13	14	8
Male.....	54	4	5	3	7	7	6	4	2	3	3	5	5
Female.....	65	9	3	5	2	4	7	5	3	5	10	9	3
American Indian 1/, both sexes.....	7	-	1	1	1	-	-	1	-	1	-	-	2
Male.....	4	-	1	1	1	-	-	-	-	1	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	25	3	2	3	-	2	2	-	4	2	6	1	-
Male.....	14	3	2	2	-	1	1	-	2	-	3	-	-
Female.....	11	-	-	1	-	1	1	-	2	2	3	1	-
Aortic aneurysm of unspecified site, without mention of rupture (I71.9)													
All races, both sexes.....	807	76	54	75	68	69	60	59	55	78	69	74	70
Male.....	415	37	31	45	30	32	28	32	29	35	36	41	39
Female.....	392	39	23	30	38	37	32	27	26	43	33	33	31
White, both sexes.....	702	68	48	66	59	60	51	54	46	68	62	59	61
Male.....	363	32	26	38	23	29	25	31	26	30	33	34	36
Female.....	339	36	22	28	36	31	26	23	20	38	29	25	25
Black, both sexes.....	88	7	6	7	8	7	6	5	9	8	5	12	8
Male.....	42	4	5	5	6	2	2	1	3	4	2	5	3
Female.....	46	3	1	2	2	5	4	4	6	4	3	7	5
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	1	-	2	1	2	2	-	-	2	2	2	1
Male.....	8	1	-	2	1	1	-	-	-	1	1	1	-
Female.....	7	-	-	-	-	1	2	-	-	1	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aneurysm of unspecified site (I72.9)													
All races, both sexes.....	357	27	37	26	29	29	30	33	36	30	28	21	31
Male.....	195	13	22	17	19	13	17	21	19	12	12	15	15
Female.....	162	14	15	9	10	16	13	12	17	18	16	6	16
White, both sexes.....	299	22	33	22	25	24	25	28	29	25	26	18	22
Male.....	168	11	21	14	17	11	15	17	16	11	11	13	11
Female.....	131	11	12	8	8	13	10	11	13	14	15	5	11
Black, both sexes.....	51	3	4	3	4	4	4	5	6	5	2	3	8
Male.....	26	2	1	3	2	1	2	4	3	1	1	2	4
Female.....	25	1	3	-	2	3	2	1	3	4	1	1	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	-	1	-	1	1	-	-	-	-	-	1
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	5	2	-	1	-	-	1	-	-	-	-	-	1
Other peripheral vascular diseases (I73)													
All races, both sexes.....	7,348	661	660	674	601	633	619	596	582	557	592	589	584
Male.....	3,104	257	278	281	255	267	272	268	242	231	242	251	260
Female.....	4,244	404	382	393	346	366	347	328	340	326	350	338	324
White, both sexes.....	6,224	571	565	576	514	541	522	495	490	463	495	508	484
Male.....	2,630	225	231	239	219	227	234	225	201	192	206	218	213
Female.....	3,594	346	334	337	295	314	288	270	289	271	289	290	271
Black, both sexes.....	1,031	86	87	91	80	83	93	90	81	86	88	75	91
Male.....	431	30	42	37	33	37	36	39	36	36	33	29	43
Female.....	600	56	45	54	47	46	57	51	45	50	55	46	48
American Indian 1/, both sexes.....	29	-	4	1	3	2	1	3	4	2	2	3	4
Male.....	13	-	2	1	1	-	-	-	3	1	1	2	2
Female.....	16	-	2	-	2	2	1	3	1	1	1	1	2
Asian or Pacific Islander 2/, both sexes.....	64	4	4	6	4	7	3	8	7	6	7	3	5
Male.....	30	2	3	4	2	3	2	4	2	2	2	2	2
Female.....	34	2	1	2	2	4	1	4	5	4	5	1	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified peripheral vascular diseases (I73.8)													
All races, both sexes.....	26	1	3	2	-	1	1	4	6	2	-	5	1
Male.....	5	1	2	-	-	-	-	-	1	-	-	1	-
Female.....	21	-	1	2	-	1	1	4	5	2	-	4	1
White, both sexes.....	23	1	3	2	-	1	1	4	4	2	-	4	1
Male.....	5	1	2	-	-	-	-	-	1	-	-	1	-
Female.....	18	-	1	2	-	1	1	4	3	2	-	3	1
Black, both sexes.....	3	-	-	-	-	-	-	-	2	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	2	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Peripheral vascular disease, unspecified (I73.9)													
All races, both sexes.....	7,297	658	656	670	599	630	614	588	575	552	591	583	581
Male.....	3,088	256	276	281	253	266	270	265	241	231	241	249	259
Female.....	4,209	402	380	389	346	364	344	323	334	321	350	334	322
White, both sexes.....	6,177	568	561	572	513	538	517	487	485	458	494	503	481
Male.....	2,615	224	229	239	218	226	232	222	200	192	205	216	212
Female.....	3,562	344	332	333	295	312	285	265	285	266	289	287	269
Black, both sexes.....	1,027	86	87	91	79	83	93	90	79	86	88	74	91
Male.....	430	30	42	37	32	37	36	39	36	36	33	29	43
Female.....	597	56	45	54	47	46	57	51	43	50	55	45	48
American Indian 1/, both sexes.....	29	-	4	1	3	2	1	3	4	2	2	3	4
Male.....	13	-	2	1	1	-	-	-	3	1	1	2	2
Female.....	16	-	2	-	2	2	1	3	1	1	1	1	2
Asian or Pacific Islander 2/, both sexes.....	64	4	4	6	4	7	3	8	7	6	7	3	5
Male.....	30	2	3	4	2	3	2	4	2	2	2	2	2
Female.....	34	2	1	2	2	4	1	4	5	4	5	1	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Embolism and thrombosis of unspecified artery (I74.9)													
All races, both sexes.....	311	20	30	44	16	25	26	25	19	26	22	26	32
Male.....	124	9	10	16	8	12	12	11	7	12	9	8	10
Female.....	187	11	20	28	8	13	14	14	12	14	13	18	22
White, both sexes.....	271	13	25	37	14	20	24	24	18	26	20	21	29
Male.....	108	5	8	14	8	10	12	11	7	12	8	4	9
Female.....	163	8	17	23	6	10	12	13	11	14	12	17	20
Black, both sexes.....	32	6	4	6	1	4	1	1	1	-	2	4	2
Male.....	12	3	2	1	-	1	-	-	-	-	1	3	1
Female.....	20	3	2	5	1	3	1	1	1	-	1	1	1
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	1	1	-	1	1	-	-	-	-	1	1
Male.....	4	1	-	1	-	1	-	-	-	-	-	1	-
Female.....	3	-	1	-	-	-	1	-	-	-	-	-	1
Other disorders of arteries and arterioles (I77)													
All races, both sexes.....	985	89	73	80	74	93	68	65	97	78	80	103	85
Male.....	462	45	38	36	34	45	29	27	52	45	33	36	42
Female.....	523	44	35	44	40	48	39	38	45	33	47	67	43
White, both sexes.....	859	78	63	70	57	80	59	54	85	71	72	93	77
Male.....	400	40	32	31	27	39	26	23	43	39	30	31	39
Female.....	459	38	31	39	30	41	33	31	42	32	42	62	38
Black, both sexes.....	106	11	8	9	16	12	6	8	10	4	6	10	6
Male.....	51	5	5	4	7	6	2	4	8	3	1	5	1
Female.....	55	6	3	5	9	6	4	4	2	1	5	5	5
American Indian 1/, both sexes.....	5	-	1	-	-	-	2	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	4	-	1	-	-	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	1	1	1	1	1	2	1	3	2	-	2
Male.....	10	-	1	1	-	-	-	-	1	3	2	-	2
Female.....	5	-	-	-	1	1	1	2	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Celiac artery compression syndrome (I77.4)													
All races, both sexes.....	3	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	3	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Arteritis, unspecified (I77.6)													
All races, both sexes.....	416	50	33	30	30	30	29	29	45	32	35	39	34
Male.....	177	24	17	16	9	11	11	10	20	18	11	16	14
Female.....	239	26	16	14	21	19	18	19	25	14	24	23	20
White, both sexes.....	374	43	32	26	24	27	26	25	42	30	31	37	31
Male.....	158	20	17	14	7	11	9	9	20	16	8	15	12
Female.....	216	23	15	12	17	16	17	16	22	14	23	22	19
Black, both sexes.....	28	7	-	3	5	3	2	1	2	-	2	2	1
Male.....	11	4	-	1	2	-	1	1	-	-	1	1	-
Female.....	17	3	-	2	3	3	1	-	2	-	1	1	1
American Indian 1/, both sexes.....	4	-	1	-	-	-	1	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	1	1	-	-	2	-	2	2	-	2
Male.....	7	-	-	1	-	-	-	-	-	2	2	-	2
Female.....	3	-	-	-	1	-	-	2	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified disorders of arteries and arterioles (I77.8)													
All races, both sexes.....	24	4	1	4	2	2	1	-	3	3	2	1	1
Male.....	9	1	-	2	1	2	-	-	1	1	-	-	1
Female.....	15	3	1	2	1	-	1	-	2	2	2	1	-
White, both sexes.....	20	3	1	4	1	1	1	-	2	3	2	1	1
Male.....	6	1	-	2	-	1	-	-	-	1	-	-	1
Female.....	14	2	1	2	1	-	1	-	2	2	2	1	-
Black, both sexes.....	4	1	-	-	1	1	-	-	1	-	-	-	-
Male.....	3	-	-	-	1	1	-	-	1	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of arteries and arterioles, unspecified (I77.9)													
All races, both sexes.....	246	11	20	24	21	26	22	18	17	26	17	26	18
Male.....	119	8	11	9	10	14	13	9	10	15	8	5	7
Female.....	127	3	9	15	11	12	9	9	7	11	9	21	11
White, both sexes.....	221	11	16	24	17	21	18	15	15	25	16	25	18
Male.....	108	8	9	9	9	13	12	6	8	14	8	5	7
Female.....	113	3	7	15	8	8	6	9	7	11	8	20	11
Black, both sexes.....	21	-	3	-	4	4	3	3	1	1	1	1	-
Male.....	9	-	1	-	1	1	1	3	1	1	-	-	-
Female.....	12	-	2	-	3	3	2	-	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	-	-	1	1	-	1	-	-	-	-
Male.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of capillaries, unspecified (I78.9)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis and thrombophlebitis (I80)													
All races, both sexes.....	3,108	271	264	312	233	269	241	251	254	245	240	260	268
Male.....	1,290	110	108	132	91	94	106	109	106	100	106	111	117
Female.....	1,818	161	156	180	142	175	135	142	148	145	134	149	151
White, both sexes.....	2,514	219	217	246	200	222	198	196	201	188	201	213	213
Male.....	1,029	83	91	109	76	76	84	78	83	75	90	90	94
Female.....	1,485	136	126	137	124	146	114	118	118	113	111	123	119
Black, both sexes.....	563	51	45	61	33	44	39	52	52	55	38	45	48
Male.....	247	26	16	22	15	18	20	29	22	24	16	20	19
Female.....	316	25	29	39	18	26	19	23	30	31	22	25	29
American Indian 1/, both sexes.....	11	-	1	4	-	-	1	-	-	1	-	-	3
Male.....	4	-	-	1	-	-	-	1	-	-	-	-	2
Female.....	7	-	1	3	-	-	1	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	20	1	1	1	-	3	3	2	1	1	1	2	4
Male.....	10	1	1	-	-	-	2	1	1	1	-	1	2
Female.....	10	-	-	1	-	3	1	1	-	-	1	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Phlebitis and thrombophlebitis of femoral vein (I80.1)													
All races, both sexes.....	19	-	-	1	2	2	1	2	3	3	1	1	3
Male.....	8	-	-	-	2	2	1	-	1	1	-	-	1
Female.....	11	-	-	1	-	-	-	2	2	2	1	1	2
White, both sexes.....	16	-	-	1	1	2	1	2	3	3	-	1	2
Male.....	7	-	-	-	1	2	1	-	1	1	-	-	1
Female.....	9	-	-	1	-	-	-	2	2	2	-	1	1
Black, both sexes.....	3	-	-	-	1	-	-	-	-	-	1	-	1
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis and thrombophlebitis of other deep vessels of lower extremities (I80.2)													
All races, both sexes.....	2,779	243	236	273	215	240	219	224	229	219	212	235	234
Male.....	1,154	99	97	119	83	85	99	97	95	92	93	93	102
Female.....	1,625	144	139	154	132	155	120	127	134	127	119	142	132
White, both sexes.....	2,240	196	195	214	187	200	177	171	178	166	175	194	187
Male.....	916	75	83	96	71	69	77	67	73	68	77	77	83
Female.....	1,324	121	112	118	116	131	100	104	105	98	98	117	104
Black, both sexes.....	512	46	40	54	28	37	38	50	50	52	36	40	41
Male.....	226	23	13	22	12	16	20	28	21	23	16	16	16
Female.....	286	23	27	32	16	21	18	22	29	29	20	24	25
American Indian 1/, both sexes.....	9	-	-	4	-	-	1	1	-	-	-	-	3
Male.....	4	-	-	1	-	-	-	1	-	-	-	-	2
Female.....	5	-	-	3	-	-	1	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	18	1	1	1	-	3	3	2	1	1	1	1	3
Male.....	8	1	1	-	-	-	2	1	1	1	-	-	1
Female.....	10	-	-	1	-	3	1	1	-	-	1	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Embolism and thrombosis of renal vein (I82.3)													
All races, both sexes.....	6	-	-	-	1	1	-	-	-	2	1	-	1
Male.....	3	-	-	-	1	-	-	-	-	1	1	-	-
Female.....	3	-	-	-	-	1	-	-	-	1	-	-	1
White, both sexes.....	5	-	-	-	-	1	-	-	-	2	1	-	1
Male.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	3	-	-	-	-	1	-	-	-	1	-	-	1
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism and thrombosis of other specified veins (I82.8)													
All races, both sexes.....	89	11	8	5	7	14	8	7	9	2	8	4	6
Male.....	43	6	3	2	5	9	5	2	5	2	2	2	-
Female.....	46	5	5	3	2	5	3	5	4	-	6	2	6
White, both sexes.....	68	8	7	1	5	11	3	5	8	2	8	4	6
Male.....	36	4	3	1	4	9	3	1	5	2	2	2	-
Female.....	32	4	4	-	1	2	-	4	3	-	6	2	6
Black, both sexes.....	19	3	1	4	2	3	4	2	-	-	-	-	-
Male.....	6	2	-	1	1	-	1	1	-	-	-	-	-
Female.....	13	1	1	3	1	3	3	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Embolism and thrombosis of unspecified vein (I82.9)													
All races, both sexes.....	82	6	6	6	14	3	3	6	5	8	7	10	8
Male.....	32	3	4	1	5	1	2	3	-	3	2	4	4
Female.....	50	3	2	5	9	2	1	3	5	5	5	6	4
White, both sexes.....	65	6	5	4	12	2	3	5	4	5	6	7	6
Male.....	23	3	3	1	4	1	2	2	-	2	1	2	2
Female.....	42	3	2	3	8	1	1	3	4	3	5	5	4
Black, both sexes.....	16	-	1	2	1	1	-	1	1	3	1	3	2
Male.....	8	-	1	-	-	-	-	1	-	1	1	2	2
Female.....	8	-	-	2	1	1	-	-	1	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose veins of lower extremities (I83)													
All races, both sexes.....	365	32	28	26	29	26	26	30	32	33	30	34	39
Male.....	244	21	19	21	15	18	20	18	20	21	24	24	23
Female.....	121	11	9	5	14	8	6	12	12	12	6	10	16
White, both sexes.....	301	27	24	23	23	24	22	21	23	27	24	30	33
Male.....	199	18	15	18	12	16	17	13	14	17	19	21	19
Female.....	102	9	9	5	11	8	5	8	9	10	5	9	14
Black, both sexes.....	48	3	4	3	6	2	2	6	7	3	5	2	5
Male.....	34	2	4	3	3	2	1	2	6	3	4	1	3
Female.....	14	1	-	-	3	-	1	4	1	-	1	1	2
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	1	-	2	1	-	1
Male.....	4	-	-	-	-	-	-	1	-	1	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	2	-	-	-	-	2	2	2	1	-	2	-
Male.....	7	1	-	-	-	-	2	2	-	-	-	2	-
Female.....	4	1	-	-	-	-	-	-	2	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Varicose veins of lower extremities with both ulcer and inflammation (I83.2)													
All races, both sexes.....	5	-	-	1	1	-	-	1	-	-	-	-	2
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	4	-	-	1	-	-	-	1	-	-	-	-	2
White, both sexes.....	4	-	-	1	1	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	1	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose veins of lower extremities without ulcer or inflammation (I83.9)													
All races, both sexes.....	300	28	25	23	24	22	22	20	26	28	22	31	29
Male.....	220	20	19	20	13	16	16	16	18	20	20	24	18
Female.....	80	8	6	3	11	6	6	4	8	8	2	7	11
White, both sexes.....	247	23	21	20	19	21	19	14	18	22	17	27	26
Male.....	180	17	15	17	10	15	14	11	13	16	15	21	16
Female.....	67	6	6	3	9	6	5	3	5	6	2	6	10
Black, both sexes.....	38	3	4	3	5	1	2	3	6	3	4	2	2
Male.....	30	2	4	3	3	1	1	2	5	3	4	1	1
Female.....	8	1	-	-	2	-	1	1	1	-	-	1	1
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	1	-	2	1	-	1
Male.....	4	-	-	-	-	-	-	1	-	1	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	2	-	-	-	-	1	2	2	1	-	2	-
Male.....	6	1	-	-	-	-	1	2	-	-	-	2	-
Female.....	4	1	-	-	-	-	-	-	2	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Esophageal varices (I85)													
All races, both sexes.....	191	21	17	24	14	11	18	15	12	11	15	22	11
Male.....	137	17	11	15	11	8	11	12	8	9	10	18	7
Female.....	54	4	6	9	3	3	7	3	4	2	5	4	4
White, both sexes.....	150	19	15	18	11	6	14	12	9	6	13	19	8
Male.....	102	15	10	9	8	4	7	9	6	5	9	15	5
Female.....	48	4	5	9	3	2	7	3	3	1	4	4	3
Black, both sexes.....	31	2	2	6	3	3	4	2	-	3	2	2	2
Male.....	28	2	1	6	3	3	4	2	-	3	1	2	1
Female.....	3	-	1	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	6	-	-	-	-	1	-	1	2	1	-	-	1
Male.....	6	-	-	-	-	1	-	1	2	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	-	1	1	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	1	-	-	1	1	-	-	-
Esophageal varices with bleeding (I85.0)													
All races, both sexes.....	148	15	11	22	11	11	14	11	7	8	11	17	10
Male.....	105	13	6	15	8	8	9	8	4	6	8	14	6
Female.....	43	2	5	7	3	3	5	3	3	2	3	3	4
White, both sexes.....	117	13	11	16	10	6	11	9	6	5	9	14	7
Male.....	79	11	6	9	7	4	6	6	4	4	7	11	4
Female.....	38	2	5	7	3	2	5	3	2	1	2	3	3
Black, both sexes.....	23	2	-	6	1	3	3	1	-	1	2	2	2
Male.....	21	2	-	6	1	3	3	1	-	1	1	2	1
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	4	-	-	-	-	1	-	1	-	1	-	-	1
Male.....	4	-	-	-	-	1	-	1	-	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	-	1	1	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	1	-	-	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Esophageal varices without bleeding (I85.9)													
All races, both sexes.....	43	6	6	2	3	-	4	4	5	3	4	5	1
Male.....	32	4	5	-	3	-	2	4	4	3	2	4	1
Female.....	11	2	1	2	-	-	2	-	1	-	2	1	-
White, both sexes.....	33	6	4	2	1	-	3	3	3	1	4	5	1
Male.....	23	4	4	-	1	-	1	3	2	1	2	4	1
Female.....	10	2	-	2	-	-	2	-	1	-	2	1	-
Black, both sexes.....	8	-	2	-	2	-	1	1	-	2	-	-	-
Male.....	7	-	1	-	2	-	1	1	-	2	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose veins of other sites (I86)													
All races, both sexes.....	42	1	5	2	6	1	5	7	1	1	6	2	5
Male.....	29	1	5	2	2	1	2	5	1	1	3	1	5
Female.....	13	-	-	-	4	-	3	2	-	-	3	1	-
White, both sexes.....	31	1	3	1	5	-	5	7	1	-	3	1	4
Male.....	21	1	3	1	2	-	2	5	1	-	1	1	4
Female.....	10	-	-	-	3	-	3	2	-	-	2	-	-
Black, both sexes.....	5	-	1	-	1	1	-	-	-	-	2	-	-
Male.....	4	-	1	-	-	1	-	-	-	-	2	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	1	-	-	-	-	-	1	1	1	1
Male.....	4	-	1	1	-	-	-	-	-	1	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other hypotension (I95.8)													
All races, both sexes.....	10	1	2	-	-	1	-	2	1	-	1	-	2
Male.....	4	1	-	-	-	-	-	-	1	-	1	-	1
Female.....	6	-	2	-	-	1	-	2	-	-	-	-	1
White, both sexes.....	7	-	2	-	-	1	-	1	1	-	1	-	1
Male.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	5	-	2	-	-	1	-	1	-	-	-	-	1
Black, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypotension, unspecified (I95.9)													
All races, both sexes.....	210	21	17	26	9	15	18	17	20	17	11	21	18
Male.....	97	14	9	12	5	7	6	6	10	8	5	5	10
Female.....	113	7	8	14	4	8	12	11	10	9	6	16	8
White, both sexes.....	177	16	14	22	6	12	16	15	18	16	8	18	16
Male.....	77	9	7	11	3	5	6	5	9	7	3	4	8
Female.....	100	7	7	11	3	7	10	10	9	9	5	14	8
Black, both sexes.....	30	5	3	4	3	2	2	2	1	1	2	3	2
Male.....	19	5	2	1	2	1	-	1	1	1	2	1	2
Female.....	11	-	1	3	1	1	2	1	-	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Influenza with other manifestations, influenza virus identified (J10.8)													
All races, both sexes.....	6	2	3	1	-	-	-	-	-	-	-	-	-
Male.....	3	-	2	1	-	-	-	-	-	-	-	-	-
Female.....	3	2	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	5	2	3	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	3	2	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza, virus not identified (J11)													
All races, both sexes.....	1,414	252	547	434	73	16	9	7	4	1	6	12	53
Male.....	505	90	196	148	27	5	4	3	2	-	2	6	22
Female.....	909	162	351	286	46	11	5	4	2	1	4	6	31
White, both sexes.....	1,337	237	526	420	65	12	7	5	4	-	5	11	45
Male.....	467	80	182	145	23	4	4	2	2	-	2	5	18
Female.....	870	157	344	275	42	8	3	3	2	-	3	6	27
Black, both sexes.....	51	9	15	10	5	3	1	1	-	1	-	1	5
Male.....	26	6	11	2	3	1	-	-	-	-	-	1	2
Female.....	25	3	4	8	2	2	1	1	-	1	-	-	3
American Indian 1/, both sexes.....	8	1	4	1	-	-	-	1	-	-	-	-	1
Male.....	4	-	2	-	-	-	-	1	-	-	-	-	1
Female.....	4	1	2	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	5	2	3	3	1	1	-	-	-	1	-	2
Male.....	8	4	1	1	1	-	-	-	-	-	-	-	1
Female.....	10	1	1	2	2	1	1	-	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Influenza with pneumonia, virus not identified (J11.0)													
All races, both sexes.....	719	113	258	251	43	11	4	3	2	1	2	6	25
Male.....	282	45	102	100	15	5	2	1	1	-	-	3	8
Female.....	437	68	156	151	28	6	2	2	1	1	2	3	17
White, both sexes.....	683	107	251	244	39	8	3	2	2	-	2	5	20
Male.....	268	42	97	98	14	4	2	1	1	-	-	2	7
Female.....	415	65	154	146	25	4	1	1	1	-	2	3	13
Black, both sexes.....	20	3	4	3	2	2	-	1	-	1	-	1	3
Male.....	9	2	3	1	1	1	-	-	-	-	-	1	-
Female.....	11	1	1	2	1	1	-	1	-	1	-	-	3
American Indian 1/, both sexes.....	5	1	3	1	-	-	-	-	-	-	-	-	-
Male.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	2	-	3	2	1	1	-	-	-	-	-	2
Male.....	3	1	-	1	-	-	-	-	-	-	-	-	1
Female.....	8	1	-	2	2	1	1	-	-	-	-	-	1
Influenza with other respiratory manifestations, virus not identified (J11.1)													
All races, both sexes.....	668	134	281	175	27	5	4	3	2	-	4	6	27
Male.....	214	43	91	47	12	-	1	1	1	-	2	3	13
Female.....	454	91	190	128	15	5	3	2	1	-	2	3	14
White, both sexes.....	631	125	268	169	24	4	3	3	2	-	3	6	24
Male.....	192	36	83	46	9	-	1	1	1	-	2	3	10
Female.....	439	89	185	123	15	4	2	2	1	-	1	3	14
Black, both sexes.....	28	6	10	6	2	1	1	-	-	-	-	-	2
Male.....	16	4	7	1	2	-	-	-	-	-	-	-	2
Female.....	12	2	3	5	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	3	2	-	1	-	-	-	-	-	1	-	-
Male.....	5	3	1	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Viral pneumonia, unspecified (J12.9)													
All races, both sexes.....	239	32	49	41	25	13	7	10	5	6	17	14	20
Male.....	116	17	16	24	9	8	4	5	4	2	12	7	8
Female.....	123	15	33	17	16	5	3	5	1	4	5	7	12
White, both sexes.....	209	30	46	36	23	11	6	7	4	6	12	12	16
Male.....	95	15	14	20	9	6	3	3	3	2	8	6	6
Female.....	114	15	32	16	14	5	3	4	1	4	4	6	10
Black, both sexes.....	23	2	3	2	1	2	1	3	1	-	4	1	3
Male.....	18	2	2	2	-	2	1	2	1	-	3	1	2
Female.....	5	-	1	-	1	-	-	1	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	3	1	-	-	-	-	-	1	1	1
Male.....	3	-	-	2	-	-	-	-	-	-	1	-	-
Female.....	4	-	-	1	1	-	-	-	-	-	-	1	1
Pneumonia due to Streptococcus pneumoniae (J13)													
All races, both sexes.....	410	64	58	59	34	46	19	16	11	14	14	24	51
Male.....	204	29	35	29	20	23	9	9	4	6	9	10	21
Female.....	206	35	23	30	14	23	10	7	7	8	5	14	30
White, both sexes.....	340	56	50	46	29	39	13	13	10	11	11	17	45
Male.....	168	27	30	21	17	19	7	8	3	4	7	7	18
Female.....	172	29	20	25	12	20	6	5	7	7	4	10	27
Black, both sexes.....	52	5	6	9	4	5	5	2	-	2	3	7	4
Male.....	27	1	4	5	2	4	2	-	-	2	2	3	2
Female.....	25	4	2	4	2	1	3	2	-	-	1	4	2
American Indian 1/, both sexes.....	8	2	-	-	1	2	-	-	1	-	-	-	2
Male.....	4	1	-	-	1	-	-	-	1	-	-	-	1
Female.....	4	1	-	-	-	2	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	10	1	2	4	-	-	1	1	-	1	-	-	-
Male.....	5	-	1	3	-	-	-	1	-	-	-	-	-
Female.....	5	1	1	1	-	-	1	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumonia due to Hemophilus influenzae (J14)													
All races, both sexes.....	42	7	4	8	6	5	-	1	3	1	3	2	2
Male.....	22	4	2	5	4	3	-	-	2	-	-	1	1
Female.....	20	3	2	3	2	2	-	1	1	1	3	1	1
White, both sexes.....	38	6	4	7	5	4	-	1	3	1	3	2	2
Male.....	18	3	2	4	3	2	-	-	2	-	-	1	1
Female.....	20	3	2	3	2	2	-	1	1	1	3	1	1
Black, both sexes.....	3	-	-	1	1	1	-	-	-	-	-	-	-
Male.....	3	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial pneumonia, not elsewhere classified (J15)													
All races, both sexes.....	4,319	474	464	518	425	338	303	249	260	259	283	344	402
Male.....	2,205	234	229	252	226	173	167	124	137	137	141	186	199
Female.....	2,114	240	235	266	199	165	136	125	123	122	142	158	203
White, both sexes.....	3,730	395	405	447	372	289	270	229	221	216	237	306	343
Male.....	1,899	197	199	213	199	147	153	112	117	113	115	164	170
Female.....	1,831	198	206	234	173	142	117	117	104	103	122	142	173
Black, both sexes.....	442	55	40	62	35	34	28	14	31	31	39	28	45
Male.....	216	22	20	34	16	16	11	9	14	18	21	15	20
Female.....	226	33	20	28	19	18	17	5	17	13	18	13	25
American Indian 1/, both sexes.....	45	6	10	3	5	3	2	2	2	5	2	2	3
Male.....	26	3	5	1	2	3	-	1	2	4	2	1	2
Female.....	19	3	5	2	3	-	2	1	-	1	-	1	1
Asian or Pacific Islander 2/, both sexes.....	102	18	9	6	13	12	3	4	6	7	5	8	11
Male.....	64	12	5	4	9	7	3	2	4	2	3	6	7
Female.....	38	6	4	2	4	5	-	2	2	5	2	2	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other bacterial pneumonia (J15.8)													
All races, both sexes.....	24	4	-	6	1	3	2	2	1	2	1	2	-
Male.....	13	2	-	4	1	1	1	2	1	1	-	-	-
Female.....	11	2	-	2	-	2	1	-	-	1	1	2	-
White, both sexes.....	21	4	-	5	1	2	2	2	-	2	1	2	-
Male.....	11	2	-	3	1	1	1	2	-	1	-	-	-
Female.....	10	2	-	2	-	1	1	-	-	1	1	2	-
Black, both sexes.....	3	-	-	1	-	1	-	-	1	-	-	-	-
Male.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial pneumonia, unspecified (J15.9)													
All races, both sexes.....	2,038	224	212	237	196	170	136	118	118	113	141	164	209
Male.....	972	101	99	105	102	82	71	57	64	53	64	79	95
Female.....	1,066	123	113	132	94	88	65	61	54	60	77	85	114
White, both sexes.....	1,762	189	187	205	172	144	119	110	94	93	123	147	179
Male.....	843	87	86	89	93	68	64	52	54	43	53	72	82
Female.....	919	102	101	116	79	76	55	58	40	50	70	75	97
Black, both sexes.....	207	26	19	29	16	18	15	3	20	13	16	12	20
Male.....	88	8	9	14	5	8	5	3	8	6	10	4	8
Female.....	119	18	10	15	11	10	10	-	12	7	6	8	12
American Indian 1/, both sexes.....	16	2	2	1	2	1	-	1	-	3	1	1	2
Male.....	11	1	2	1	1	1	-	-	-	2	1	1	1
Female.....	5	1	-	-	1	-	-	1	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	53	7	4	2	6	7	2	4	4	4	1	4	8
Male.....	30	5	2	1	3	5	2	2	2	2	-	2	4
Female.....	23	2	2	1	3	2	-	2	2	2	1	2	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumonia due to other specified infectious organisms (J16.8)													
All races, both sexes.....	3	-	-	1	1	-	-	1	-	-	-	-	-
Male.....	3	-	-	1	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	1	1	-	-	1	-	-	-	-	-
Male.....	3	-	-	1	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia, organism unspecified (J18)													
All races, both sexes.....	56,140	6,342	6,526	6,900	4,997	4,277	3,679	3,508	3,347	3,290	3,940	4,014	5,320
Male.....	24,826	2,775	2,756	2,858	2,129	1,923	1,689	1,588	1,583	1,501	1,744	1,843	2,437
Female.....	31,314	3,567	3,770	4,042	2,868	2,354	1,990	1,920	1,764	1,789	2,196	2,171	2,883
White, both sexes.....	49,485	5,623	5,822	6,145	4,421	3,771	3,221	3,070	2,908	2,852	3,463	3,504	4,685
Male.....	21,622	2,426	2,429	2,498	1,852	1,680	1,460	1,366	1,366	1,302	1,527	1,584	2,132
Female.....	27,863	3,197	3,393	3,647	2,569	2,091	1,761	1,704	1,542	1,550	1,936	1,920	2,553
Black, both sexes.....	5,181	557	543	582	444	387	356	353	345	340	372	407	495
Male.....	2,425	261	243	268	217	181	173	170	171	149	164	200	228
Female.....	2,756	296	300	314	227	206	183	183	174	191	208	207	267
American Indian 1/, both sexes.....	290	29	42	28	27	19	19	15	15	24	25	24	23
Male.....	144	14	23	14	10	8	10	8	4	13	14	12	14
Female.....	146	15	19	14	17	11	9	7	11	11	11	12	9
Asian or Pacific Islander 2/, both sexes.....	1,184	133	119	145	105	100	83	70	79	74	80	79	117
Male.....	635	74	61	78	50	54	46	44	42	37	39	47	63
Female.....	549	59	58	67	55	46	37	26	37	37	41	32	54

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bronchopneumonia, unspecified (J18.0)													
All races, both sexes.....	1,389	147	163	166	130	111	101	88	80	79	91	103	130
Male.....	686	82	84	67	62	52	51	40	40	38	43	54	73
Female.....	703	65	79	99	68	59	50	48	40	41	48	49	57
White, both sexes.....	1,125	119	124	136	111	89	78	73	68	65	75	85	102
Male.....	557	67	67	54	54	39	38	36	33	33	34	46	56
Female.....	568	52	57	82	57	50	40	37	35	32	41	39	46
Black, both sexes.....	237	22	37	28	18	18	19	14	11	13	15	18	24
Male.....	112	10	15	13	8	10	12	3	7	5	8	8	13
Female.....	125	12	22	15	10	8	7	11	4	8	7	10	11
American Indian 1/, both sexes.....	6	1	1	-	-	1	1	1	1	-	-	-	-
Male.....	4	1	1	-	-	1	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	5	1	2	1	3	3	-	-	1	1	-	4
Male.....	13	4	1	-	-	2	1	-	-	-	1	-	4
Female.....	8	1	-	2	1	1	2	-	-	1	-	-	-
Lobar pneumonia, unspecified (J18.1)													
All races, both sexes.....	1,689	224	176	189	138	122	121	103	111	101	118	132	154
Male.....	815	98	82	87	63	60	66	56	57	48	58	67	73
Female.....	874	126	94	102	75	62	55	47	54	53	60	65	81
White, both sexes.....	1,364	173	138	151	120	102	101	82	81	82	95	108	131
Male.....	645	72	64	66	54	51	53	45	43	40	44	50	63
Female.....	719	101	74	85	66	51	48	37	38	42	51	58	68
Black, both sexes.....	268	43	30	33	15	17	16	18	25	15	21	19	16
Male.....	138	21	14	17	8	6	9	9	12	7	13	14	8
Female.....	130	22	16	16	7	11	7	9	13	8	8	5	8
American Indian 1/, both sexes.....	10	-	5	-	1	-	-	1	1	-	-	-	2
Male.....	3	-	2	-	-	-	-	1	-	-	-	-	-
Female.....	7	-	3	-	1	-	-	-	1	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	47	8	3	5	2	3	4	2	4	4	2	5	5
Male.....	29	5	2	4	1	3	4	1	2	1	1	3	2
Female.....	18	3	1	1	1	-	-	1	2	3	1	2	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumonia, unspecified (J18.9)													
All races, both sexes.....	52,995	5,965	6,179	6,540	4,722	4,035	3,452	3,313	3,151	3,108	3,722	3,777	5,031
Male.....	23,293	2,593	2,586	2,702	2,001	1,808	1,570	1,490	1,482	1,414	1,638	1,721	2,288
Female.....	29,702	3,372	3,593	3,838	2,721	2,227	1,882	1,823	1,669	1,694	2,084	2,056	2,743
White, both sexes.....	46,934	5,325	5,552	5,853	4,184	3,572	3,037	2,911	2,755	2,703	3,286	3,309	4,447
Male.....	20,392	2,285	2,294	2,376	1,742	1,587	1,367	1,283	1,287	1,228	1,446	1,487	2,010
Female.....	26,542	3,040	3,258	3,477	2,442	1,985	1,670	1,628	1,468	1,475	1,840	1,822	2,437
Black, both sexes.....	4,671	492	476	521	410	351	321	321	308	312	334	370	455
Male.....	2,171	230	214	238	200	165	152	158	151	137	141	178	207
Female.....	2,500	262	262	283	210	186	169	163	157	175	193	192	248
American Indian 1/, both sexes.....	274	28	36	28	26	18	18	13	13	24	25	24	21
Male.....	137	13	20	14	10	7	10	6	4	13	14	12	14
Female.....	137	15	16	14	16	11	8	7	9	11	11	12	7
Asian or Pacific Islander 2/, both sexes.....	1,116	120	115	138	102	94	76	68	75	69	77	74	108
Male.....	593	65	58	74	49	49	41	43	40	36	37	44	57
Female.....	523	55	57	64	53	45	35	25	35	33	40	30	51
Acute bronchitis (J20)													
All races, both sexes.....	218	28	48	43	18	8	13	6	8	5	11	12	18
Male.....	89	12	15	13	6	5	5	3	3	4	6	7	10
Female.....	129	16	33	30	12	3	8	3	5	1	5	5	8
White, both sexes.....	194	27	43	38	17	6	11	3	7	5	10	11	16
Male.....	77	12	11	12	6	3	5	2	2	4	6	6	8
Female.....	117	15	32	26	11	3	6	1	5	1	4	5	8
Black, both sexes.....	16	-	3	4	1	2	1	2	1	-	1	1	-
Male.....	8	-	2	1	-	2	-	1	1	-	-	1	-
Female.....	8	-	1	3	1	-	1	1	-	-	1	-	-
American Indian 1/, both sexes.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	1	-	-	-	1	1	-	-	-	-	2
Male.....	3	-	1	-	-	-	-	-	-	-	-	-	2
Female.....	3	1	-	-	-	-	1	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute bronchitis due to other specified organisms (J20.8)													
All races, both sexes.....	20	2	6	4	1	1	1	-	-	1	1	-	3
Male.....	13	2	5	-	1	1	1	-	-	1	-	-	2
Female.....	7	-	1	4	-	-	-	-	-	-	1	-	1
White, both sexes.....	17	2	6	4	1	1	1	-	-	1	-	-	1
Male.....	11	2	5	-	1	1	1	-	-	1	-	-	-
Female.....	6	-	1	4	-	-	-	-	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis, unspecified (J20.9)													
All races, both sexes.....	195	26	40	39	17	7	12	6	8	4	10	12	14
Male.....	74	10	8	13	5	4	4	3	3	3	6	7	8
Female.....	121	16	32	26	12	3	8	3	5	1	4	5	6
White, both sexes.....	175	25	36	34	16	5	10	3	7	4	10	11	14
Male.....	65	10	5	12	5	2	4	2	2	3	6	6	8
Female.....	110	15	31	22	11	3	6	1	5	1	4	5	6
Black, both sexes.....	15	-	3	4	1	2	1	2	1	-	-	1	-
Male.....	8	-	2	1	-	2	-	1	1	-	-	1	-
Female.....	7	-	1	3	1	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	-	1	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Upper respiratory tract hypersensitivity reaction, site unspecified (J39.3)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases of upper respiratory tract (J39.8)													
All races, both sexes.....	139	9	11	12	12	9	12	16	7	11	9	13	18
Male.....	51	-	5	5	6	4	6	5	2	3	4	4	7
Female.....	88	9	6	7	6	5	6	11	5	8	5	9	11
White, both sexes.....	97	6	6	11	9	7	11	9	3	5	7	8	15
Male.....	35	-	2	4	5	3	6	3	1	1	3	2	5
Female.....	62	6	4	7	4	4	5	6	2	4	4	6	10
Black, both sexes.....	36	3	4	1	2	2	1	5	3	5	2	5	3
Male.....	13	-	2	1	1	1	-	1	1	1	1	2	2
Female.....	23	3	2	-	1	1	1	4	2	4	1	3	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	1	-	-	1	1	1	-	-	-
Male.....	3	-	1	-	-	-	-	1	-	1	-	-	-
Female.....	2	-	-	-	1	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of upper respiratory tract, unspecified (J39.9)													
All races, both sexes.....	5	1	1	-	1	-	-	-	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	4	1	1	-	1	-	-	-	-	-	-	-	1
White, both sexes.....	5	1	1	-	1	-	-	-	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	4	1	1	-	1	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, not specified as acute or chronic (J40)													
All races, both sexes.....	478	55	64	68	50	32	22	27	22	31	32	28	47
Male.....	197	27	25	21	19	14	12	16	6	11	18	11	17
Female.....	281	28	39	47	31	18	10	11	16	20	14	17	30
White, both sexes.....	435	49	61	63	44	29	20	24	20	27	29	27	42
Male.....	174	23	24	19	15	13	12	13	5	11	15	11	13
Female.....	261	26	37	44	29	16	8	11	15	16	14	16	29
Black, both sexes.....	28	5	2	3	2	2	2	3	-	4	1	1	3
Male.....	15	3	1	1	2	1	-	3	-	-	1	-	3
Female.....	13	2	1	2	-	1	2	-	-	4	-	1	-
American Indian 1/, both sexes.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	1	1	1	3	1	-	-	2	-	2	-	2
Male.....	7	1	-	-	2	-	-	-	1	-	2	-	1
Female.....	6	-	1	1	1	1	-	-	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified chronic bronchitis (J42)													
All races, both sexes.....	375	39	44	43	33	35	24	22	18	26	24	28	39
Male.....	157	15	20	18	18	10	10	8	10	10	12	8	18
Female.....	218	24	24	25	15	25	14	14	8	16	12	20	21
White, both sexes.....	336	35	38	40	31	32	21	20	14	23	20	26	36
Male.....	134	12	17	15	17	9	10	7	8	8	10	6	15
Female.....	202	23	21	25	14	23	11	13	6	15	10	20	21
Black, both sexes.....	26	2	3	3	1	2	3	2	2	2	2	1	3
Male.....	18	2	2	3	-	-	-	1	2	2	2	1	3
Female.....	8	-	1	-	1	2	3	1	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	1	-	-	-	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	10	2	2	-	1	1	-	-	2	-	1	1	-
Male.....	5	1	1	-	1	1	-	-	-	-	-	1	-
Female.....	5	1	1	-	-	-	-	-	2	-	1	-	-
Emphysema (J43)													
All races, both sexes.....	14,002	1,460	1,538	1,575	1,321	1,132	1,048	1,001	962	880	952	988	1,145
Male.....	7,264	741	791	799	653	601	535	539	499	488	501	515	602
Female.....	6,738	719	747	776	668	531	513	462	463	392	451	473	543
White, both sexes.....	12,987	1,341	1,423	1,460	1,222	1,051	977	923	902	814	888	910	1,076
Male.....	6,618	675	718	732	587	538	492	492	456	444	463	464	557
Female.....	6,369	666	705	728	635	513	485	431	446	370	425	446	519
Black, both sexes.....	815	94	94	94	84	72	52	61	51	49	51	61	52
Male.....	509	47	59	56	56	54	32	37	36	33	29	40	30
Female.....	306	47	35	38	28	18	20	24	15	16	22	21	22
American Indian 1/, both sexes.....	54	4	5	6	5	1	6	6	3	5	5	3	5
Male.....	30	3	2	3	2	1	4	1	2	3	3	3	5
Female.....	24	1	3	3	3	-	2	5	2	3	2	-	-
Asian or Pacific Islander 2/, both sexes.....	146	21	16	15	10	8	13	11	6	12	8	14	12
Male.....	107	16	12	8	8	8	7	9	6	9	6	8	10
Female.....	39	5	4	7	2	-	6	2	-	3	2	6	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other emphysema (J43.8)													
All races, both sexes.....	5	-	-	-	2	-	-	2	-	-	-	1	-
Male.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	1	-	-	-	1	-
White, both sexes.....	4	-	-	-	2	-	-	1	-	-	-	1	-
Male.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, unspecified (J43.9)													
All races, both sexes.....	13,977	1,458	1,537	1,574	1,317	1,130	1,045	997	961	879	952	986	1,141
Male.....	7,252	741	790	799	650	599	535	537	498	488	501	514	600
Female.....	6,725	717	747	775	667	531	510	460	463	391	451	472	541
White, both sexes.....	12,963	1,339	1,422	1,459	1,218	1,049	974	920	901	813	888	908	1,072
Male.....	6,606	675	717	732	584	536	492	490	455	444	463	463	555
Female.....	6,357	664	705	727	634	513	482	430	446	369	425	445	517
Black, both sexes.....	814	94	94	94	84	72	52	60	51	49	51	61	52
Male.....	509	47	59	56	56	54	32	37	36	33	29	40	30
Female.....	305	47	35	38	28	18	20	23	15	16	22	21	22
American Indian 1/, both sexes.....	54	4	5	6	5	1	6	6	3	5	5	3	5
Male.....	30	3	2	3	2	1	4	1	2	3	3	3	5
Female.....	24	1	3	3	3	-	2	5	2	3	2	-	-
Asian or Pacific Islander 2/, both sexes.....	146	21	16	15	10	8	13	11	6	12	8	14	12
Male.....	107	16	12	8	8	8	7	9	6	9	6	8	10
Female.....	39	5	4	7	2	-	6	2	-	3	2	6	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic obstructive pulmonary disease with acute exacerbation, unspecified (J44.1)													
All races, both sexes.....	87	11	15	8	7	8	5	7	6	3	5	7	5
Male.....	41	5	5	5	4	3	3	4	4	1	1	2	4
Female.....	46	6	10	3	3	5	2	3	2	2	4	5	1
White, both sexes.....	83	11	15	8	7	7	5	6	4	3	5	7	5
Male.....	38	5	5	5	4	3	3	3	2	1	1	2	4
Female.....	45	6	10	3	3	4	2	3	2	2	4	5	1
Black, both sexes.....	3	-	-	-	-	-	-	1	2	-	-	-	-
Male.....	3	-	-	-	-	-	-	1	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Other specified chronic obstructive pulmonary disease (J44.8)													
All races, both sexes.....	3,528	377	374	415	311	311	268	252	230	210	216	278	286
Male.....	1,645	168	173	174	158	139	120	126	116	104	103	140	124
Female.....	1,883	209	201	241	153	172	148	126	114	106	113	138	162
White, both sexes.....	3,236	350	341	380	287	283	245	231	212	186	204	257	260
Male.....	1,493	151	155	155	146	125	110	111	107	96	99	126	112
Female.....	1,743	199	186	225	141	158	135	120	105	90	105	131	148
Black, both sexes.....	247	23	30	32	20	21	19	17	17	22	8	17	21
Male.....	127	15	18	17	11	11	8	11	8	7	1	13	7
Female.....	120	8	12	15	9	10	11	6	9	15	7	4	14
American Indian 1/, both sexes.....	13	2	2	2	3	1	2	1	-	-	-	-	-
Male.....	6	1	-	1	1	-	2	1	-	-	-	-	-
Female.....	7	1	2	1	2	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	32	2	1	1	1	6	2	3	1	2	4	4	5
Male.....	19	1	-	1	-	3	-	3	1	1	3	1	5
Female.....	13	1	1	-	1	3	2	-	-	1	1	3	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic obstructive pulmonary disease, unspecified (J44.9)													
All races, both sexes.....	107,276	10,547	11,102	11,998	10,021	8,968	8,021	7,427	7,135	7,053	7,750	7,896	9,358
Male.....	51,410	4,943	5,253	5,655	4,774	4,361	3,932	3,598	3,396	3,441	3,763	3,832	4,462
Female.....	55,866	5,604	5,849	6,343	5,247	4,607	4,089	3,829	3,739	3,612	3,987	4,064	4,896
White, both sexes.....	99,862	9,848	10,397	11,205	9,325	8,376	7,430	6,858	6,664	6,536	7,201	7,319	8,703
Male.....	47,230	4,563	4,852	5,217	4,368	4,014	3,594	3,269	3,144	3,139	3,454	3,521	4,095
Female.....	52,632	5,285	5,545	5,988	4,957	4,362	3,836	3,589	3,520	3,397	3,747	3,798	4,608
Black, both sexes.....	6,054	569	592	656	564	473	463	472	388	432	441	479	525
Male.....	3,363	315	335	357	327	274	254	258	203	247	243	253	297
Female.....	2,691	254	257	299	237	199	209	214	185	185	198	226	228
American Indian 1/, both sexes.....	409	40	40	36	44	37	40	25	24	27	32	32	32
Male.....	208	19	21	15	27	19	21	17	12	14	15	16	12
Female.....	201	21	19	21	17	18	19	8	12	13	17	16	20
Asian or Pacific Islander 2/, both sexes.....	951	90	73	101	88	82	88	72	59	58	76	66	98
Male.....	609	46	45	66	52	54	63	54	37	41	51	42	58
Female.....	342	44	28	35	36	28	25	18	22	17	25	24	40
Asthma (J45)													
All races, both sexes.....	3,591	347	365	373	315	322	281	272	246	228	254	277	311
Male.....	1,200	119	103	111	101	113	91	92	78	78	93	103	118
Female.....	2,391	228	262	262	214	209	190	180	168	150	161	174	193
White, both sexes.....	2,540	246	271	280	210	230	200	184	174	154	176	198	217
Male.....	777	78	67	78	59	80	58	51	57	51	57	65	76
Female.....	1,763	168	204	202	151	150	142	133	117	103	119	133	141
Black, both sexes.....	912	85	77	74	92	80	73	76	66	67	70	72	80
Male.....	367	34	28	24	38	29	31	36	21	26	31	36	33
Female.....	545	51	49	50	54	51	42	40	45	41	39	36	47
American Indian 1/, both sexes.....	26	1	1	4	2	3	1	3	4	1	3	2	1
Male.....	11	-	1	2	-	2	-	1	-	1	2	1	1
Female.....	15	1	-	2	2	1	1	2	4	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	113	15	16	15	11	9	7	9	2	6	5	5	13
Male.....	45	7	7	7	4	2	2	4	-	-	3	1	8
Female.....	68	8	9	8	7	7	5	5	2	6	2	4	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mixed asthma (J45.8)													
All races, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma, unspecified (J45.9)													
All races, both sexes.....	3,429	337	353	359	299	310	270	262	233	217	234	257	298
Male.....	1,101	112	98	105	92	104	85	84	69	72	82	89	109
Female.....	2,328	225	255	254	207	206	185	178	164	145	152	168	189
White, both sexes.....	2,476	241	267	271	205	226	193	183	167	151	168	191	213
Male.....	743	75	66	75	57	76	55	50	52	51	53	59	74
Female.....	1,733	166	201	196	148	150	138	133	115	100	115	132	139
Black, both sexes.....	820	80	70	70	81	72	69	67	61	59	59	59	73
Male.....	305	30	24	21	31	24	28	29	17	20	25	28	28
Female.....	515	50	46	49	50	48	41	38	44	39	34	31	45
American Indian 1/, both sexes.....	24	1	1	4	2	3	1	3	3	1	3	2	-
Male.....	10	-	1	2	-	2	-	1	-	1	2	1	-
Female.....	14	1	-	2	2	1	1	2	3	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	109	15	15	14	11	9	7	9	2	6	4	5	12
Male.....	43	7	7	7	4	2	2	4	-	-	2	1	7
Female.....	66	8	8	7	7	7	5	5	2	6	2	4	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Status asthmaticus (J46)													
All races, both sexes.....	293	26	26	17	27	29	25	23	22	19	24	24	31
Male.....	115	12	10	7	10	11	7	10	8	9	12	9	10
Female.....	178	14	16	10	17	18	18	13	14	10	12	15	21
White, both sexes.....	174	19	14	13	16	15	12	17	10	8	12	18	20
Male.....	66	10	5	6	5	7	3	8	3	4	5	6	4
Female.....	108	9	9	7	11	8	9	9	7	4	7	12	16
Black, both sexes.....	104	6	5	3	11	12	12	6	12	11	9	6	11
Male.....	44	1	2	1	5	3	4	2	5	5	7	3	6
Female.....	60	5	3	2	6	9	8	4	7	6	2	3	5
American Indian 1/, both sexes.....	5	-	2	-	-	1	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	2	-	-	1	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	5	1	-	1	-	-	-	-	2	-	-
Male.....	5	1	3	-	-	1	-	-	-	-	-	-	-
Female.....	5	-	2	1	-	-	-	-	-	-	2	-	-
Bronchiectasis (J47)													
All races, both sexes.....	972	96	87	112	93	80	74	74	79	70	67	66	74
Male.....	267	23	25	35	27	23	21	22	22	15	17	16	21
Female.....	705	73	62	77	66	57	53	52	57	55	50	50	53
White, both sexes.....	916	88	82	108	90	75	67	71	75	68	64	60	68
Male.....	248	19	24	33	25	21	16	21	22	15	15	16	21
Female.....	668	69	58	75	65	54	51	50	53	53	49	44	47
Black, both sexes.....	30	5	4	1	3	2	4	2	2	2	1	2	2
Male.....	14	3	1	1	2	2	3	1	-	-	1	-	-
Female.....	16	2	3	-	1	-	1	1	2	2	-	2	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	24	3	1	3	-	3	3	1	2	-	2	3	3
Male.....	5	1	-	1	-	-	2	-	-	-	1	-	-
Female.....	19	2	1	2	-	3	1	1	2	-	1	3	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other respiratory conditions due to chemicals, gases, fumes, and vapors (J68.8)													
All races, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonitis due to solids and liquids (J69)													
All races, both sexes.....	17,279	1,722	1,685	1,821	1,580	1,354	1,229	1,247	1,212	1,294	1,305	1,310	1,520
Male.....	8,760	903	804	884	791	691	615	622	636	673	686	681	774
Female.....	8,519	819	881	937	789	663	614	625	576	621	619	629	746
White, both sexes.....	15,338	1,520	1,514	1,626	1,419	1,199	1,079	1,092	1,061	1,154	1,158	1,163	1,353
Male.....	7,759	796	717	793	704	608	538	538	555	596	610	610	694
Female.....	7,579	724	797	833	715	591	541	554	506	558	548	553	659
Black, both sexes.....	1,620	166	146	160	131	129	124	133	126	122	122	120	141
Male.....	825	88	72	71	67	69	63	74	63	66	64	60	68
Female.....	795	78	74	89	64	60	61	59	63	56	58	60	73
American Indian 1/, both sexes.....	65	2	4	2	6	4	9	6	7	6	6	5	8
Male.....	35	-	4	1	3	2	4	3	6	3	3	4	2
Female.....	30	2	-	1	3	2	5	3	1	3	3	1	6
Asian or Pacific Islander 2/, both sexes.....	256	34	21	33	24	22	17	16	18	12	19	22	18
Male.....	141	19	11	19	17	12	10	7	12	8	9	7	10
Female.....	115	15	10	14	7	10	7	9	6	4	10	15	8

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Adult respiratory distress syndrome (J80)													
All races, both sexes.....	1,567	137	121	159	159	116	110	125	128	139	117	123	133
Male.....	782	67	70	76	86	62	49	61	59	70	63	51	68
Female.....	785	70	51	83	73	54	61	64	69	69	54	72	65
White, both sexes.....	1,305	120	106	137	131	91	96	106	108	109	102	93	106
Male.....	651	61	62	62	70	47	40	52	49	56	55	40	57
Female.....	654	59	44	75	61	44	56	54	59	53	47	53	49
Black, both sexes.....	207	15	12	19	21	20	13	13	17	20	11	26	20
Male.....	102	6	7	12	11	13	8	5	9	6	7	9	9
Female.....	105	9	5	7	10	7	5	8	8	14	4	17	11
American Indian 1/, both sexes.....	12	-	2	-	-	2	-	-	1	2	1	3	1
Male.....	5	-	1	-	-	-	-	-	1	1	-	1	1
Female.....	7	-	1	-	-	2	-	-	-	1	1	2	-
Asian or Pacific Islander 2/, both sexes.....	43	2	1	3	7	3	1	6	2	8	3	1	6
Male.....	24	-	-	2	5	2	1	4	-	7	1	1	1
Female.....	19	2	1	1	2	1	-	2	2	1	2	-	5
Pulmonary edema (J81)													
All races, both sexes.....	541	52	57	49	44	37	40	44	35	40	39	49	55
Male.....	222	19	21	19	20	19	10	23	13	16	16	24	22
Female.....	319	33	36	30	24	18	30	21	22	24	23	25	33
White, both sexes.....	467	46	51	46	35	34	37	34	33	31	32	42	46
Male.....	190	16	18	18	17	16	10	17	13	14	12	22	17
Female.....	277	30	33	28	18	18	27	17	20	17	20	20	29
Black, both sexes.....	62	5	6	3	8	3	3	9	1	7	5	7	5
Male.....	26	2	3	1	2	3	-	6	-	1	3	2	3
Female.....	36	3	3	2	6	-	3	3	1	6	2	5	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	-	-	1	-	-	1	1	2	1	-	4
Male.....	5	1	-	-	1	-	-	-	-	1	-	-	2
Female.....	6	-	-	-	-	-	-	1	1	1	1	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pulmonary eosinophilia, not elsewhere classified (J82)													
All races, both sexes.....	160	11	12	23	16	10	11	13	10	12	18	11	13
Male.....	73	5	4	11	6	5	7	7	6	4	8	4	6
Female.....	87	6	8	12	10	5	4	6	4	8	10	7	7
White, both sexes.....	142	8	11	22	15	7	9	11	10	10	17	11	11
Male.....	62	3	3	11	5	4	5	5	6	4	7	4	5
Female.....	80	5	8	11	10	3	4	6	4	6	10	7	6
Black, both sexes.....	17	3	1	1	1	2	2	2	-	2	1	-	2
Male.....	11	2	1	-	1	1	2	2	-	-	1	-	1
Female.....	6	1	-	1	-	1	-	-	-	2	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Other interstitial pulmonary diseases (J84)													
All races, both sexes.....	14,376	1,387	1,274	1,462	1,277	1,248	1,030	1,119	1,079	997	1,107	1,124	1,272
Male.....	7,416	715	611	768	665	655	523	583	545	544	566	587	654
Female.....	6,960	672	663	694	612	593	507	536	534	453	541	537	618
White, both sexes.....	13,060	1,260	1,169	1,323	1,182	1,138	931	1,001	986	895	998	1,004	1,173
Male.....	6,766	658	558	695	619	595	476	533	499	486	514	532	601
Female.....	6,294	602	611	628	563	543	455	468	487	409	484	472	572
Black, both sexes.....	875	85	68	92	60	77	68	75	69	71	70	80	60
Male.....	417	37	31	44	31	37	32	33	36	40	27	39	30
Female.....	458	48	37	48	29	40	36	42	33	31	43	41	30
American Indian 1/, both sexes.....	115	8	7	9	13	8	13	12	7	9	9	11	9
Male.....	63	3	7	5	5	6	5	5	3	6	8	5	5
Female.....	52	5	-	4	8	2	8	7	4	3	1	6	4
Asian or Pacific Islander 2/, both sexes.....	326	34	30	38	22	25	18	31	17	22	30	29	30
Male.....	170	17	15	24	10	17	10	12	7	12	17	11	18
Female.....	156	17	15	14	12	8	8	19	10	10	13	18	12

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Alveolar and parietoalveolar conditions (J84.0)													
All races, both sexes.....	146	14	19	13	10	10	4	12	9	10	8	13	24
Male.....	84	8	10	7	6	8	2	8	3	6	5	8	13
Female.....	62	6	9	6	4	2	2	4	6	4	3	5	11
White, both sexes.....	125	12	17	12	9	9	2	11	5	8	7	10	23
Male.....	73	6	9	7	6	7	1	8	2	4	4	6	13
Female.....	52	6	8	5	3	2	1	3	3	4	3	4	10
Black, both sexes.....	18	2	2	1	1	1	2	-	4	2	1	2	-
Male.....	11	2	1	-	-	1	1	-	1	2	1	2	-
Female.....	7	-	1	1	1	-	1	-	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	1	1
Other interstitial pulmonary diseases with fibrosis (J84.1)													
All races, both sexes.....	11,789	1,166	1,051	1,197	1,056	1,010	852	924	888	802	899	920	1,024
Male.....	6,145	602	518	629	555	524	446	486	455	448	467	480	535
Female.....	5,644	564	533	568	501	486	406	438	433	354	432	440	489
White, both sexes.....	10,780	1,067	975	1,093	980	921	773	828	816	724	821	832	950
Male.....	5,632	556	474	578	520	473	407	442	419	403	428	437	495
Female.....	5,148	511	501	515	460	448	366	386	397	321	393	395	455
Black, both sexes.....	651	68	48	66	47	60	49	56	52	55	46	61	43
Male.....	319	33	26	29	21	31	24	27	29	30	17	31	21
Female.....	332	35	22	37	26	29	25	29	23	25	29	30	22
American Indian 1/, both sexes.....	95	6	5	6	11	7	12	11	7	6	8	7	9
Male.....	54	3	5	3	5	5	5	5	3	5	7	3	5
Female.....	41	3	-	3	6	2	7	6	4	1	1	4	4
Asian or Pacific Islander 2/, both sexes.....	263	25	23	32	18	22	18	29	13	17	24	20	22
Male.....	140	10	13	19	9	15	10	12	4	10	15	9	14
Female.....	123	15	10	13	9	7	8	17	9	7	9	11	8

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified interstitial pulmonary diseases (J84.8)													
All races, both sexes.....	29	3	4	4	2	3	2	1	2	3	1	3	1
Male.....	11	1	1	2	1	2	-	1	1	2	-	-	-
Female.....	18	2	3	2	1	1	2	-	1	1	1	3	1
White, both sexes.....	27	3	3	4	2	3	2	1	2	3	1	2	1
Male.....	11	1	1	2	1	2	-	1	1	2	-	-	-
Female.....	16	2	2	2	1	1	2	-	1	1	1	2	1
Black, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Interstitial pulmonary disease, unspecified (J84.9)													
All races, both sexes.....	2,412	204	200	248	209	225	172	182	180	182	199	188	223
Male.....	1,176	104	82	130	103	121	75	88	86	88	94	99	106
Female.....	1,236	100	118	118	106	104	97	94	94	94	105	89	117
White, both sexes.....	2,128	178	174	214	191	205	154	161	163	160	169	160	199
Male.....	1,050	95	74	108	92	113	68	82	77	77	82	89	93
Female.....	1,078	83	100	106	99	92	86	79	86	83	87	71	106
Black, both sexes.....	204	15	17	25	12	16	17	19	13	14	23	16	17
Male.....	87	2	4	15	10	5	7	6	6	8	9	6	9
Female.....	117	13	13	10	2	11	10	13	7	6	14	10	8
American Indian 1/, both sexes.....	20	2	2	3	2	1	1	1	-	3	1	4	-
Male.....	9	-	2	2	-	1	-	-	-	1	1	2	-
Female.....	11	2	-	1	2	-	1	1	-	2	-	2	-
Asian or Pacific Islander 2/, both sexes.....	60	9	7	6	4	3	-	1	4	5	6	8	7
Male.....	30	7	2	5	1	2	-	-	3	2	2	2	4
Female.....	30	2	5	1	3	1	-	1	1	3	4	6	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Abscess of lung and mediastinum (J85)													
All races, both sexes.....	280	17	23	39	13	24	27	29	24	14	22	25	23
Male.....	170	12	13	26	8	12	14	16	12	9	14	17	17
Female.....	110	5	10	13	5	12	13	13	12	5	8	8	6
White, both sexes.....	222	13	19	30	12	19	22	24	21	8	17	21	16
Male.....	127	8	10	19	7	8	10	13	11	5	11	15	10
Female.....	95	5	9	11	5	11	12	11	10	3	6	6	6
Black, both sexes.....	51	3	4	6	1	5	4	3	3	6	5	4	7
Male.....	39	3	3	6	1	4	3	2	1	4	3	2	7
Female.....	12	-	1	-	-	1	1	1	2	2	2	2	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	3	-	-	1	2	-	-	-	-	-
Male.....	3	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	3	-	-	2	-	-	-	1	-	-	-	-	-
Gangrene and necrosis of lung (J85.0)													
All races, both sexes.....	110	5	6	19	3	9	6	12	12	4	12	13	9
Male.....	72	3	5	13	2	5	3	8	7	3	7	7	9
Female.....	38	2	1	6	1	4	3	4	5	1	5	6	-
White, both sexes.....	81	4	4	15	3	7	3	8	9	3	9	11	5
Male.....	53	2	3	10	2	3	1	6	6	2	6	7	5
Female.....	28	2	1	5	1	4	2	2	3	1	3	4	-
Black, both sexes.....	25	1	2	2	-	2	3	2	3	1	3	2	4
Male.....	17	1	2	2	-	2	2	1	1	1	1	-	4
Female.....	8	-	-	-	-	-	1	1	2	-	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	2	-	-	-	2	-	-	-	-	-
Male.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Abscess of mediastinum (J85.3)													
All races, both sexes.....	5	1	1	-	1	-	1	-	-	1	-	-	-
Male.....	3	1	-	-	1	-	1	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	4	1	1	-	1	-	-	-	-	1	-	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyothorax (J86)													
All races, both sexes.....	415	35	35	41	39	44	32	29	28	34	22	27	49
Male.....	255	23	24	25	22	28	18	15	20	21	14	19	26
Female.....	160	12	11	16	17	16	14	14	8	13	8	8	23
White, both sexes.....	362	31	29	39	36	36	29	24	24	28	18	23	45
Male.....	216	19	20	23	20	23	15	12	16	17	12	16	23
Female.....	146	12	9	16	16	13	14	12	8	11	6	7	22
Black, both sexes.....	37	3	4	-	3	5	2	5	3	1	4	4	3
Male.....	26	3	2	-	2	3	2	3	3	1	2	3	2
Female.....	11	-	2	-	1	2	-	2	-	-	2	1	1
American Indian 1/, both sexes.....	9	-	1	2	-	2	1	-	-	3	-	-	-
Male.....	7	-	1	2	-	2	1	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	1	-	-	1	-	-	1	2	-	-	1
Male.....	6	1	1	-	-	-	-	-	1	2	-	-	1
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pleural condition, unspecified (J94.9)													
All races, both sexes.....	7	-	-	-	2	1	2	1	-	-	-	-	1
Male.....	4	-	-	-	1	1	1	-	-	-	-	-	1
Female.....	3	-	-	-	1	-	1	1	-	-	-	-	-
White, both sexes.....	6	-	-	-	2	1	1	1	-	-	-	-	1
Male.....	3	-	-	-	1	1	-	-	-	-	-	-	1
Female.....	3	-	-	-	1	-	1	1	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory failure, not elsewhere classified (J96)													
All races, both sexes.....	3,583	329	307	351	322	276	262	245	292	276	253	315	355
Male.....	1,454	127	119	137	133	118	120	102	112	109	111	124	142
Female.....	2,129	202	188	214	189	158	142	143	180	167	142	191	213
White, both sexes.....	2,946	275	259	286	265	232	212	188	237	226	221	248	297
Male.....	1,177	108	99	116	107	100	93	76	88	86	93	96	115
Female.....	1,769	167	160	170	158	132	119	112	149	140	128	152	182
Black, both sexes.....	578	54	46	61	52	37	41	52	52	45	28	64	46
Male.....	246	19	19	20	22	17	22	23	22	19	16	26	21
Female.....	332	35	27	41	30	20	19	29	30	26	12	38	25
American Indian 1/, both sexes.....	10	-	-	2	-	2	2	-	1	1	-	1	1
Male.....	3	-	-	-	-	-	2	-	-	-	-	1	-
Female.....	7	-	-	2	-	2	-	-	1	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	49	-	2	2	5	5	7	5	2	4	4	2	11
Male.....	28	-	1	1	4	1	3	3	2	4	2	1	6
Female.....	21	-	1	1	1	4	4	2	-	-	2	1	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Respiratory failure, unspecified (J96.9)													
All races, both sexes.....	2,858	260	250	286	257	212	204	193	241	227	204	244	280
Male.....	1,180	101	97	115	103	95	99	78	101	91	93	92	115
Female.....	1,678	159	153	171	154	117	105	115	140	136	111	152	165
White, both sexes.....	2,347	218	210	236	211	175	164	148	200	184	176	192	233
Male.....	956	86	79	101	83	79	76	58	82	70	77	72	93
Female.....	1,391	132	131	135	128	96	88	90	118	114	99	120	140
Black, both sexes.....	459	42	38	46	43	31	32	41	38	38	25	50	35
Male.....	197	15	17	13	17	16	18	18	17	17	14	19	16
Female.....	262	27	21	33	26	15	14	23	21	21	11	31	19
American Indian 1/, both sexes.....	9	-	-	2	-	2	2	-	1	1	-	-	1
Male.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	7	-	-	2	-	-	-	-	1	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	43	-	2	2	3	4	6	4	2	4	3	2	11
Male.....	25	-	1	1	3	-	3	2	2	4	2	1	6
Female.....	18	-	1	1	-	4	3	2	-	-	1	1	5
Other respiratory disorders (J98)													
All races, both sexes.....	3,907	406	415	417	366	328	271	269	272	250	280	292	341
Male.....	1,763	169	193	175	166	158	127	138	115	116	112	138	156
Female.....	2,144	237	222	242	200	170	144	131	157	134	168	154	185
White, both sexes.....	3,442	359	378	369	324	284	234	242	238	218	252	256	288
Male.....	1,522	146	171	149	146	133	108	123	97	102	99	120	128
Female.....	1,920	213	207	220	178	151	126	119	141	116	153	136	160
Black, both sexes.....	394	37	32	40	39	38	29	22	29	29	24	32	43
Male.....	203	17	20	22	18	22	14	14	14	14	11	15	22
Female.....	191	20	12	18	21	16	15	8	15	15	13	17	21
American Indian 1/, both sexes.....	21	3	1	3	2	3	1	1	2	1	-	1	3
Male.....	12	3	-	1	1	1	1	1	2	-	-	1	1
Female.....	9	-	1	2	1	2	-	-	-	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	50	7	4	5	1	3	7	4	3	2	4	3	7
Male.....	26	3	2	3	1	2	4	-	2	-	2	2	5
Female.....	24	4	2	2	-	1	3	4	1	2	2	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Interstitial emphysema (J98.2)													
All races, both sexes.....	27	4	-	1	3	3	2	1	4	-	1	4	4
Male.....	13	1	-	-	2	2	1	-	2	-	1	2	2
Female.....	14	3	-	1	1	1	1	1	2	-	-	2	2
White, both sexes.....	22	3	-	1	1	3	2	-	3	-	1	4	4
Male.....	12	1	-	-	1	2	1	-	2	-	1	2	2
Female.....	10	2	-	1	-	1	1	-	1	-	-	2	2
Black, both sexes.....	5	1	-	-	2	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	1	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of lung (J98.4)													
All races, both sexes.....	2,830	274	280	306	268	238	205	209	208	185	195	211	251
Male.....	1,306	119	134	127	129	115	94	112	91	87	80	103	115
Female.....	1,524	155	146	179	139	123	111	97	117	98	115	108	136
White, both sexes.....	2,504	243	255	270	236	204	183	186	187	160	178	187	215
Male.....	1,130	104	117	108	111	95	82	100	79	77	72	91	94
Female.....	1,374	139	138	162	125	109	101	86	108	83	106	96	121
Black, both sexes.....	270	24	21	30	29	29	16	18	18	22	14	20	29
Male.....	146	11	15	16	16	18	8	11	9	10	6	9	17
Female.....	124	13	6	14	13	11	8	7	9	12	8	11	12
American Indian 1/, both sexes.....	19	3	-	3	2	2	1	1	2	1	-	1	3
Male.....	11	3	-	1	1	-	1	1	2	-	-	1	1
Female.....	8	-	-	2	1	2	-	-	-	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	37	4	4	3	1	3	5	4	1	2	3	3	4
Male.....	19	1	2	2	1	2	3	-	1	-	2	2	3
Female.....	18	3	2	1	-	1	2	4	-	2	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified respiratory disorders (J98.8)													
All races, both sexes.....	430	61	69	60	31	30	22	19	21	27	30	24	36
Male.....	172	20	27	25	11	13	10	11	7	11	13	11	13
Female.....	258	41	42	35	20	17	12	8	14	16	17	13	23
White, both sexes.....	370	53	64	53	29	27	16	18	15	24	24	19	28
Male.....	143	15	25	22	10	11	6	10	4	10	11	8	11
Female.....	227	38	39	31	19	16	10	8	11	14	13	11	17
Black, both sexes.....	53	6	5	6	2	3	5	1	4	3	6	5	7
Male.....	26	4	2	3	1	2	3	1	2	1	2	3	2
Female.....	27	2	3	3	1	1	2	-	2	2	4	2	5
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	2	-	1	-	-	1	-	2	-	-	-	1
Male.....	3	1	-	-	-	-	1	-	1	-	-	-	-
Female.....	4	1	-	1	-	-	-	-	1	-	-	-	1
Respiratory disorder, unspecified (J98.9)													
All races, both sexes.....	204	30	22	15	19	17	20	12	13	12	14	13	17
Male.....	98	15	10	5	8	9	9	4	7	7	7	7	10
Female.....	106	15	12	10	11	8	11	8	6	5	7	6	7
White, both sexes.....	181	27	19	13	18	16	16	12	12	10	12	12	14
Male.....	86	14	9	4	8	8	8	4	6	6	5	6	8
Female.....	95	13	10	9	10	8	8	8	6	4	7	6	6
Black, both sexes.....	18	3	2	1	1	-	3	-	1	2	2	1	2
Male.....	9	1	1	-	-	-	1	-	1	1	2	1	1
Female.....	9	2	1	1	1	-	2	-	-	1	-	-	1
American Indian 1/, both sexes.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	1	-	-	-	-	-	1
Male.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-