

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nhsed@cdc.gov, or call 301-458-4688

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Viral diseases (A80-B34)

Arkansas

All races, both sexes.....	150	-	2	-	-	-	3	6	11	13	20	18
Male.....	104	-	1	-	-	-	3	4	8	5	16	12
Female.....	46	-	1	-	-	-	-	2	3	8	4	6
White, both sexes.....	100	-	1	-	-	-	1	2	4	6	11	14
Male.....	71	-	-	-	-	-	1	2	3	3	8	10
Female.....	29	-	1	-	-	-	-	-	1	3	3	4
Black, both sexes.....	50	-	1	-	-	-	2	4	7	7	9	4
Male.....	33	-	1	-	-	-	2	2	5	2	8	2
Female.....	17	-	-	-	-	-	-	2	2	5	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2,642	15	3	3	2	9	16	39	91	169	316	413
Male.....	1,891	9	2	2	-	5	12	31	73	136	266	319
Female.....	751	6	1	1	2	4	4	8	18	33	50	94
White, both sexes.....	2,019	10	2	3	2	4	13	28	61	129	228	324
Male.....	1,467	7	1	2	-	2	9	21	54	108	199	258
Female.....	552	3	1	1	2	2	4	7	7	21	29	66
Black, both sexes.....	421	4	1	-	-	4	2	11	25	33	75	64
Male.....	297	2	1	-	-	2	2	10	15	22	58	44
Female.....	124	2	-	-	-	2	-	1	10	11	17	20
American Indian 1/, both sexes.....	29	-	-	-	-	-	-	-	2	2	3	6
Male.....	20	-	-	-	-	-	-	-	2	1	1	4
Female.....	9	-	-	-	-	-	-	-	-	1	2	2
Asian or Pacific Islander 2/, both sexes.....	173	1	-	-	-	1	1	-	3	5	10	19
Male.....	107	-	-	-	-	1	1	-	2	5	8	13
Female.....	66	1	-	-	-	-	-	-	1	-	2	6

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Viral diseases (A80-B34)

Florida

All races, both sexes.....	2,399	9	2	1	6	7	23	62	120	210	397	413
Male.....	1,609	6	-	1	2	5	12	34	55	127	266	281
Female.....	790	3	2	-	4	2	11	28	65	83	131	132
White, both sexes.....	1,224	5	1	-	2	2	7	18	31	83	171	191
Male.....	911	2	-	-	1	2	5	10	20	61	136	155
Female.....	313	3	1	-	1	-	2	8	11	22	35	36
Black, both sexes.....	1,164	4	1	1	4	5	16	44	89	127	224	220
Male.....	690	4	-	1	1	3	7	24	35	66	129	124
Female.....	474	-	1	-	3	2	9	20	54	61	95	96
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	2	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	2
Male.....	6	-	-	-	-	-	-	-	-	-	-	2
Female.....	2	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	876	9	1	1	1	1	13	31	41	105	146	159
Male.....	599	2	1	-	-	1	8	13	21	69	108	105
Female.....	277	7	-	1	1	-	5	18	20	36	38	54
White, both sexes.....	253	3	-	-	-	1	-	3	9	20	50	41
Male.....	199	-	-	-	-	1	-	2	8	18	43	33
Female.....	54	3	-	-	-	-	-	1	1	2	7	8
Black, both sexes.....	618	6	1	1	1	-	13	27	32	84	96	117
Male.....	399	2	1	-	-	-	8	11	13	50	65	72
Female.....	219	4	-	1	1	-	5	16	19	34	31	45
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	1	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	4	-	-	-	-	-	-	1	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Viral diseases (A80-B34)

New Hampshire

All races, both sexes.....	31	-	-	-	-	-	-	-	-	2	5	3
Male.....	23	-	-	-	-	-	-	-	-	1	4	3
Female.....	8	-	-	-	-	-	-	-	-	1	1	-
White, both sexes.....	28	-	-	-	-	-	-	-	-	1	4	3
Male.....	22	-	-	-	-	-	-	-	-	1	4	3
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	770	5	3	1	2	4	5	9	23	68	104	145
Male.....	479	2	2	-	-	1	2	8	11	37	64	97
Female.....	291	3	1	1	2	3	3	1	12	31	40	48
White, both sexes.....	372	2	2	1	1	3	4	2	10	26	41	68
Male.....	258	1	2	-	-	1	2	2	7	14	31	55
Female.....	114	1	-	1	1	2	2	-	3	12	10	13
Black, both sexes.....	385	2	-	-	1	1	1	7	12	39	63	76
Male.....	214	-	-	-	-	-	-	6	4	21	33	41
Female.....	171	2	-	-	1	1	1	1	8	18	30	35
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	1	-	-	-	-	-	1	3	-	-
Male.....	6	1	-	-	-	-	-	-	-	2	-	-
Female.....	5	-	1	-	-	-	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Viral diseases (A80-B34)												
New Mexico												
All races, both sexes.....	138	3	1	-	1	-	-	2	3	10	18	19
Male.....	101	2	-	-	-	-	-	2	3	9	15	15
Female.....	37	1	1	-	1	-	-	-	-	1	3	4
White, both sexes.....	127	3	-	-	1	-	-	2	1	5	16	19
Male.....	93	2	-	-	-	-	-	2	1	5	14	15
Female.....	34	1	-	-	1	-	-	-	-	-	2	4
Black, both sexes.....	3	-	1	-	-	-	-	-	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	2	3	2	-
Male.....	7	-	-	-	-	-	-	-	2	3	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	2,039	3	5	1	2	14	20	38	59	165	281	393
Male.....	1,362	3	3	1	1	10	8	24	37	102	173	273
Female.....	677	-	2	-	1	4	12	14	22	63	108	120
White, both sexes.....	1,058	2	4	1	1	6	7	17	23	72	142	188
Male.....	758	2	2	1	-	4	2	11	12	49	97	156
Female.....	300	-	2	-	1	2	5	6	11	23	45	32
Black, both sexes.....	934	1	1	-	1	8	12	21	36	89	137	195
Male.....	574	1	1	-	1	6	5	13	25	50	74	112
Female.....	360	-	-	-	-	2	7	8	11	39	63	83
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	1	2
Male.....	3	-	-	-	-	-	-	-	-	-	1	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	42	-	-	-	-	-	1	-	-	4	1	8
Male.....	27	-	-	-	-	-	1	-	-	3	1	4
Female.....	15	-	-	-	-	-	-	-	-	1	-	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Viral diseases (A80-B34)

South Dakota

All races, both sexes.....	29	1	-	-	-	-	1	-	-	2	-	5
Male.....	17	1	-	-	-	-	1	-	-	-	-	2
Female.....	12	-	-	-	-	-	-	-	-	2	-	3
White, both sexes.....	26	-	-	-	-	-	1	-	-	1	-	5
Male.....	16	-	-	-	-	-	1	-	-	-	-	2
Female.....	10	-	-	-	-	-	-	-	-	1	-	3
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	1	-	-	-	-	-	-	-	1	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	476	4	-	-	1	-	4	13	21	45	64	87
Male.....	320	1	-	-	1	-	3	6	7	29	45	71
Female.....	156	3	-	-	-	-	1	7	14	16	19	16
White, both sexes.....	244	1	-	-	1	-	-	5	4	11	32	45
Male.....	171	1	-	-	1	-	-	2	2	6	26	37
Female.....	73	-	-	-	-	-	-	3	2	5	6	8
Black, both sexes.....	228	2	-	-	-	-	3	8	17	34	32	42
Male.....	148	-	-	-	-	-	3	4	5	23	19	34
Female.....	80	2	-	-	-	-	-	4	12	11	13	8
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral diseases (A80-B34)

Alaska

All races, both sexes.....	10	5	2	3	-	-	-	-	-	-	-	-
Male.....	6	3	2	1	-	-	-	-	-	-	-	-
Female.....	4	2	-	2	-	-	-	-	-	-	-	-
White, both sexes.....	8	4	2	3	-	-	-	-	-	-	-	-
Male.....	4	3	2	1	-	-	-	-	-	-	-	-
Female.....	4	1	-	2	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	85	70	30	18	14	13	10	8	1	-	-	-
Male.....	68	50	25	5	11	8	3	4	-	-	-	-
Female.....	17	20	5	13	3	5	7	4	1	-	-	-
White, both sexes.....	78	65	29	17	14	13	9	6	1	-	-	-
Male.....	63	46	24	4	11	8	3	4	-	-	-	-
Female.....	15	19	5	13	3	5	6	2	1	-	-	-
Black, both sexes.....	5	2	-	1	-	-	-	2	-	-	-	-
Male.....	3	1	-	1	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	-	-	-	1	-	-	-	-	-
Male.....	-	2	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral diseases (A80-B34)

Arkansas

All races, both sexes.....	27	18	8	7	3	4	4	3	3	-	-	-
Male.....	22	14	4	4	2	3	2	2	2	-	-	-
Female.....	5	4	4	3	1	1	2	1	1	-	-	-
White, both sexes.....	20	14	5	7	3	3	3	3	3	-	-	-
Male.....	17	12	2	4	2	2	1	2	2	-	-	-
Female.....	3	2	3	3	1	1	2	1	1	-	-	-
Black, both sexes.....	7	4	3	-	-	1	1	-	-	-	-	-
Male.....	5	2	2	-	-	1	1	-	-	-	-	-
Female.....	2	2	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	459	398	216	165	107	92	69	39	14	6	1	-
Male.....	347	300	150	101	48	40	28	14	6	2	-	-
Female.....	112	98	66	64	59	52	41	25	8	4	1	-
White, both sexes.....	358	310	168	129	78	67	54	32	12	6	1	-
Male.....	270	238	117	80	34	28	21	12	4	2	-	-
Female.....	88	72	51	49	44	39	33	20	8	4	1	-
Black, both sexes.....	70	64	27	22	7	7	2	3	-	-	-	-
Male.....	53	44	19	15	3	3	2	2	-	-	-	-
Female.....	17	20	8	7	4	4	-	1	-	-	-	-
American Indian 1/, both sexes.....	6	3	3	2	1	1	-	-	-	-	-	-
Male.....	5	3	2	1	-	1	-	-	-	-	-	-
Female.....	1	-	1	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	21	18	12	21	17	13	4	2	-	-	-
Male.....	19	15	12	5	11	8	5	-	2	-	-	-
Female.....	6	6	6	7	10	9	8	4	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral diseases (A80-B34)

Florida

All races, both sexes.....	419	291	161	84	67	59	37	14	13	4	-	-
Male.....	312	214	123	65	42	36	19	5	4	-	-	-
Female.....	107	77	38	19	25	23	18	9	9	4	-	-
White, both sexes.....	250	177	100	36	48	47	28	12	12	3	-	-
Male.....	194	138	79	31	28	28	13	4	4	-	-	-
Female.....	56	39	21	5	20	19	15	8	8	3	-	-
Black, both sexes.....	167	112	61	47	18	11	9	2	1	1	-	-
Male.....	116	75	44	33	14	7	6	1	-	-	-	-
Female.....	51	37	17	14	4	4	3	1	1	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	1	1	1	-	-	-	-	-	-
Male.....	1	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	143	107	46	20	27	13	9	1	2	-	-	-
Male.....	107	84	37	14	14	8	6	-	1	-	-	-
Female.....	36	23	9	6	13	5	3	1	1	-	-	-
White, both sexes.....	49	29	15	7	11	8	5	1	1	-	-	-
Male.....	42	23	11	5	5	5	3	-	-	-	-	-
Female.....	7	6	4	2	6	3	2	1	1	-	-	-
Black, both sexes.....	94	78	31	13	15	4	4	-	1	-	-	-
Male.....	65	61	26	9	9	3	3	-	1	-	-	-
Female.....	29	17	5	4	6	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral diseases (A80-B34)

Maine

All races, both sexes.....	6	8	1	1	2	1	-	1	1	-	-	-
Male.....	6	7	1	1	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	2	-	-	1	1	-	-	-
White, both sexes.....	6	8	1	1	2	1	-	1	1	-	-	-
Male.....	6	7	1	1	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	2	-	-	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	126	78	30	17	15	12	4	4	-	1	-	-
Male.....	86	63	28	12	8	7	-	2	-	-	-	-
Female.....	40	15	2	5	7	5	4	2	-	1	-	-
White, both sexes.....	32	17	7	3	6	8	1	3	-	-	-	-
Male.....	20	16	7	1	2	4	-	1	-	-	-	-
Female.....	12	1	-	2	4	4	1	2	-	-	-	-
Black, both sexes.....	94	60	22	14	8	4	2	1	-	-	-	-
Male.....	66	46	20	11	6	3	-	1	-	-	-	-
Female.....	28	14	2	3	2	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	1	-	1	-	-	1	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral diseases (A80-B34)

Nebraska

All races, both sexes.....	12	10	4	-	-	6	1	-	3	-	-	-
Male.....	11	7	2	-	-	5	1	-	2	-	-	-
Female.....	1	3	2	-	-	1	-	-	1	-	-	-
White, both sexes.....	8	8	4	-	-	6	1	-	3	-	-	-
Male.....	8	5	2	-	-	5	1	-	2	-	-	-
Female.....	-	3	2	-	-	1	-	-	1	-	-	-
Black, both sexes.....	4	2	-	-	-	-	-	-	-	-	-	-
Male.....	3	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	25	20	12	8	4	4	1	1	-	-	-	-
Male.....	20	18	7	7	2	2	-	1	-	-	-	-
Female.....	5	2	5	1	2	2	1	-	-	-	-	-
White, both sexes.....	20	16	8	5	2	4	1	1	-	-	-	-
Male.....	17	14	4	5	1	2	-	1	-	-	-	-
Female.....	3	2	4	-	1	2	1	-	-	-	-	-
Black, both sexes.....	4	3	4	1	1	-	-	-	-	-	-	-
Male.....	3	3	3	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	2	1	-	-	-	-	-	-	-
Male.....	-	1	-	2	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral diseases (A80-B34)

New Hampshire

All races, both sexes.....	9	2	3	2	1	2	2	-	-	-	-	-
Male.....	6	2	3	2	-	2	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	2	-	-	-	-	-
White, both sexes.....	8	2	3	2	1	2	2	-	-	-	-	-
Male.....	5	2	3	2	-	2	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	180	92	40	21	15	23	18	6	5	-	1	-
Male.....	119	63	28	16	6	11	8	1	3	-	-	-
Female.....	61	29	12	5	9	12	10	5	2	-	1	-
White, both sexes.....	82	49	22	14	4	17	16	2	5	-	1	-
Male.....	58	36	18	12	1	8	7	-	3	-	-	-
Female.....	24	13	4	2	3	9	9	2	2	-	1	-
Black, both sexes.....	95	43	18	7	10	5	2	3	-	-	-	-
Male.....	59	27	10	4	4	3	1	1	-	-	-	-
Female.....	36	16	8	3	6	2	1	2	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	1	-	1	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral diseases (A80-B34)

New Mexico

All races, both sexes.....	23	25	8	7	8	4	1	2	1	1	1	-
Male.....	17	19	7	4	5	1	1	-	-	-	1	-
Female.....	6	6	1	3	3	3	-	2	1	1	-	-
White, both sexes.....	23	25	8	7	8	3	1	2	1	1	1	-
Male.....	17	19	7	4	5	-	1	-	-	-	1	-
Female.....	6	6	1	3	3	3	-	2	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	380	280	142	94	54	50	31	17	8	1	1	-
Male.....	269	205	105	62	34	33	12	5	2	-	-	-
Female.....	111	75	37	32	20	17	19	12	6	1	1	-
White, both sexes.....	208	145	81	43	35	33	26	16	6	1	1	-
Male.....	159	112	60	29	21	23	11	5	2	-	-	-
Female.....	49	33	21	14	14	10	15	11	4	1	1	-
Black, both sexes.....	166	133	59	42	14	12	4	1	2	-	-	-
Male.....	105	93	43	26	10	9	-	-	-	-	-	-
Female.....	61	40	16	16	4	3	4	1	2	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	2	8	5	5	1	-	-	-	-	-
Male.....	5	-	2	6	3	1	1	-	-	-	-	-
Female.....	1	1	-	2	2	4	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral diseases (A80-B34)

Rhode Island

All races, both sexes.....	8	12	6	2	4	3	1	-	-	-	-	-
Male.....	5	8	5	1	1	2	-	-	-	-	-	-
Female.....	3	4	1	1	3	1	1	-	-	-	-	-
White, both sexes.....	5	7	5	2	4	2	1	-	-	-	-	-
Male.....	3	5	5	1	1	2	-	-	-	-	-	-
Female.....	2	2	-	1	3	-	1	-	-	-	-	-
Black, both sexes.....	2	5	1	-	-	1	-	-	-	-	-	-
Male.....	1	3	-	-	-	-	-	-	-	-	-	-
Female.....	1	2	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	72	42	26	17	9	7	6	2	2	-	-	-
Male.....	56	32	15	11	7	4	2	-	-	-	-	-
Female.....	16	10	11	6	2	3	4	2	2	-	-	-
White, both sexes.....	34	20	11	8	4	4	5	2	2	-	-	-
Male.....	25	17	5	5	4	3	2	-	-	-	-	-
Female.....	9	3	6	3	-	1	3	2	2	-	-	-
Black, both sexes.....	38	22	15	9	5	2	-	-	-	-	-	-
Male.....	31	15	10	6	3	1	-	-	-	-	-	-
Female.....	7	7	5	3	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral diseases (A80-B34)

Texas

All races, both sexes.....	329	179	95	63	49	48	32	17	10	4	1	1
Male.....	255	135	60	38	28	23	15	4	1	1	-	1
Female.....	74	44	35	25	21	25	17	13	9	3	1	-
White, both sexes.....	232	133	70	51	40	42	29	17	9	4	1	-
Male.....	185	97	47	31	23	20	14	4	1	1	-	-
Female.....	47	36	23	20	17	22	15	13	8	3	1	-
Black, both sexes.....	95	45	22	10	9	3	3	-	1	-	-	1
Male.....	69	38	13	6	5	2	1	-	-	-	-	1
Female.....	26	7	9	4	4	1	2	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	1	-	3	-	-	-	-	-	-
Male.....	1	-	-	1	-	1	-	-	-	-	-	-
Female.....	1	1	2	-	-	2	-	-	-	-	-	-

Utah

All races, both sexes.....	8	15	7	1	2	8	3	-	2	-	-	-
Male.....	8	10	6	1	1	4	2	-	-	-	-	-
Female.....	-	5	1	-	1	4	1	-	2	-	-	-
White, both sexes.....	6	15	5	1	2	7	3	-	2	-	-	-
Male.....	6	10	5	1	1	4	2	-	-	-	-	-
Female.....	-	5	-	-	1	3	1	-	2	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral diseases (A80-B34)

Vermont

All races, both sexes.....	1	5	-	-	1	1	-	1	3	-	-	-
Male.....	-	3	-	-	-	-	-	-	-	-	-	-
Female.....	1	2	-	-	1	1	-	1	3	-	-	-
White, both sexes.....	1	4	-	-	1	1	-	1	3	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	2	-	-	1	1	-	1	3	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	67	56	20	13	6	10	4	1	2	1	-	-
Male.....	50	43	15	7	1	4	-	-	1	-	-	-
Female.....	17	13	5	6	5	6	4	1	1	1	-	-
White, both sexes.....	34	27	9	6	3	10	1	-	2	1	-	-
Male.....	25	24	6	4	-	4	-	-	1	-	-	-
Female.....	9	3	3	2	3	6	1	-	1	1	-	-
Black, both sexes.....	32	26	10	4	3	-	1	1	-	-	-	-
Male.....	24	16	8	1	1	-	-	-	-	-	-	-
Female.....	8	10	2	3	2	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	1	3	-	-	2	-	-	-	-	-
Male.....	-	3	1	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Viral hepatitis (B15-B19)

Arkansas

All races, both sexes.....	58	-	-	-	-	-	-	-	-	2	2	9
Male.....	42	-	-	-	-	-	-	-	-	1	1	6
Female.....	16	-	-	-	-	-	-	-	-	1	1	3
White, both sexes.....	53	-	-	-	-	-	-	-	-	2	2	9
Male.....	37	-	-	-	-	-	-	-	-	1	1	6
Female.....	16	-	-	-	-	-	-	-	-	1	1	3
Black, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,319	-	-	-	-	2	3	2	14	25	78	186
Male.....	822	-	-	-	-	1	2	1	9	19	58	129
Female.....	497	-	-	-	-	1	1	1	5	6	20	57
White, both sexes.....	1,050	-	-	-	-	1	2	2	10	19	68	155
Male.....	656	-	-	-	-	-	1	1	7	14	50	106
Female.....	394	-	-	-	-	1	1	1	3	5	18	49
Black, both sexes.....	106	-	-	-	-	-	-	-	2	2	4	12
Male.....	65	-	-	-	-	-	-	-	1	1	3	9
Female.....	41	-	-	-	-	-	-	-	1	1	1	3
American Indian 1/, both sexes.....	22	-	-	-	-	-	-	-	1	1	2	4
Male.....	18	-	-	-	-	-	-	-	1	1	1	3
Female.....	4	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	141	-	-	-	-	1	1	-	1	3	4	15
Male.....	83	-	-	-	-	1	1	-	-	3	4	11
Female.....	58	-	-	-	-	-	-	-	1	-	-	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Viral hepatitis (B15-B19)

New Hampshire

All races, both sexes.....	14	-	-	-	-	-	-	-	-	1	-	2
Male.....	10	-	-	-	-	-	-	-	-	-	-	2
Female.....	4	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	12	-	-	-	-	-	-	-	-	-	-	2
Male.....	9	-	-	-	-	-	-	-	-	-	-	2
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	195	-	-	-	-	-	-	-	1	5	4	20
Male.....	126	-	-	-	-	-	-	-	1	3	3	16
Female.....	69	-	-	-	-	-	-	-	-	2	1	4
White, both sexes.....	145	-	-	-	-	-	-	-	-	3	2	17
Male.....	103	-	-	-	-	-	-	-	-	2	2	14
Female.....	42	-	-	-	-	-	-	-	-	1	-	3
Black, both sexes.....	44	-	-	-	-	-	-	-	1	-	2	3
Male.....	20	-	-	-	-	-	-	-	1	-	1	2
Female.....	24	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	-	2	-	-
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral hepatitis (B15-B19)

Alaska

All races, both sexes.....	7	3	1	3	-	-	-	-	-	-	-	-
Male.....	4	1	1	1	-	-	-	-	-	-	-	-
Female.....	3	2	-	2	-	-	-	-	-	-	-	-
White, both sexes.....	6	2	1	3	-	-	-	-	-	-	-	-
Male.....	3	1	1	1	-	-	-	-	-	-	-	-
Female.....	3	1	-	2	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	63	53	17	12	11	8	5	5	-	-	-	-
Male.....	52	38	15	5	8	6	1	2	-	-	-	-
Female.....	11	15	2	7	3	2	4	3	-	-	-	-
White, both sexes.....	60	49	16	11	11	8	4	4	-	-	-	-
Male.....	50	34	14	4	8	6	1	2	-	-	-	-
Female.....	10	15	2	7	3	2	3	2	-	-	-	-
Black, both sexes.....	2	1	-	1	-	-	-	1	-	-	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	-	-	-	1	-	-	-	-	-
Male.....	-	2	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral hepatitis (B15-B19)

Arkansas

All races, both sexes.....	16	13	4	6	1	2	2	1	-	-	-	-
Male.....	14	11	2	3	-	2	1	1	-	-	-	-
Female.....	2	2	2	3	1	-	1	-	-	-	-	-
White, both sexes.....	14	12	3	6	1	2	1	1	-	-	-	-
Male.....	12	10	1	3	-	2	-	1	-	-	-	-
Female.....	2	2	2	3	1	-	1	-	-	-	-	-
Black, both sexes.....	2	1	1	-	-	-	1	-	-	-	-	-
Male.....	2	1	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	270	251	150	111	81	69	49	20	7	1	-	-
Male.....	190	181	93	56	31	27	16	6	2	1	-	-
Female.....	80	70	57	55	50	42	33	14	5	-	-	-
White, both sexes.....	225	207	113	85	56	49	36	15	6	1	-	-
Male.....	155	150	70	45	20	18	11	6	1	1	-	-
Female.....	70	57	43	40	36	31	25	9	5	-	-	-
Black, both sexes.....	21	24	16	13	6	4	1	1	-	-	-	-
Male.....	15	17	9	6	2	1	1	-	-	-	-	-
Female.....	6	7	7	7	4	3	-	1	-	-	-	-
American Indian 1/, both sexes.....	5	3	3	2	-	1	-	-	-	-	-	-
Male.....	5	3	2	1	-	1	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	17	18	11	19	15	12	4	1	-	-	-
Male.....	15	11	12	4	9	7	4	-	1	-	-	-
Female.....	4	6	6	7	10	8	8	4	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral hepatitis (B15-B19)

Florida

All races, both sexes.....	146	119	54	19	35	39	23	13	8	-	-	-
Male.....	104	89	38	13	18	22	11	4	3	-	-	-
Female.....	42	30	16	6	17	17	12	9	5	-	-	-
White, both sexes.....	127	103	48	15	31	36	20	12	7	-	-	-
Male.....	94	78	34	11	16	22	9	4	3	-	-	-
Female.....	33	25	14	4	15	14	11	8	4	-	-	-
Black, both sexes.....	17	15	6	3	3	3	3	1	1	-	-	-
Male.....	8	11	4	1	2	-	2	-	-	-	-	-
Female.....	9	4	2	2	1	3	1	1	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	1	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	46	35	15	6	9	9	6	1	1	-	-	-
Male.....	38	29	11	4	2	5	4	-	1	-	-	-
Female.....	8	6	4	2	7	4	2	1	-	-	-	-
White, both sexes.....	35	17	10	4	7	6	3	1	-	-	-	-
Male.....	29	13	7	3	2	3	2	-	-	-	-	-
Female.....	6	4	3	1	5	3	1	1	-	-	-	-
Black, both sexes.....	11	18	5	2	1	2	3	-	1	-	-	-
Male.....	9	16	4	1	-	2	2	-	1	-	-	-
Female.....	2	2	1	1	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral hepatitis (B15-B19)

Maine

All races, both sexes.....	4	4	1	-	1	1	-	-	-	-	-	-
Male.....	4	4	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	4	4	1	-	1	1	-	-	-	-	-	-
Male.....	4	4	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	31	25	11	8	6	6	3	1	-	1	-	-
Male.....	20	21	11	5	2	4	-	1	-	-	-	-
Female.....	11	4	-	3	4	2	3	-	-	1	-	-
White, both sexes.....	16	13	4	1	2	6	-	1	-	-	-	-
Male.....	9	12	4	-	-	4	-	1	-	-	-	-
Female.....	7	1	-	1	2	2	-	-	-	-	-	-
Black, both sexes.....	15	11	7	7	3	-	2	-	-	-	-	-
Male.....	11	8	7	5	2	-	-	-	-	-	-	-
Female.....	4	3	-	2	1	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	1	-	-	1	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral hepatitis (B15-B19)

Missouri

All races, both sexes.....	40	21	18	8	7	7	3	4	-	-	1	-
Male.....	30	13	11	3	2	2	2	1	-	-	-	-
Female.....	10	8	7	5	5	5	1	3	-	-	1	-
White, both sexes.....	33	15	15	5	5	5	3	4	-	-	1	-
Male.....	25	10	9	3	1	1	2	1	-	-	-	-
Female.....	8	5	6	2	4	4	1	3	-	-	1	-
Black, both sexes.....	5	5	3	3	2	2	-	-	-	-	-	-
Male.....	3	2	2	-	1	1	-	-	-	-	-	-
Female.....	2	3	1	3	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Montana

All races, both sexes.....	8	6	2	1	2	2	1	1	-	-	-	-
Male.....	3	4	1	1	-	-	-	1	-	-	-	-
Female.....	5	2	1	-	2	2	1	-	-	-	-	-
White, both sexes.....	7	6	2	1	1	2	-	1	-	-	-	-
Male.....	3	4	1	1	-	-	-	1	-	-	-	-
Female.....	4	2	1	-	1	2	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral hepatitis (B15-B19)

Nebraska

All races, both sexes.....	7	8	3	-	-	4	-	-	-	-	-	-
Male.....	7	6	1	-	-	4	-	-	-	-	-	-
Female.....	-	2	2	-	-	-	-	-	-	-	-	-
White, both sexes.....	6	6	3	-	-	4	-	-	-	-	-	-
Male.....	6	4	1	-	-	4	-	-	-	-	-	-
Female.....	-	2	2	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	2	-	-	-	-	-	-	-	-	-	-
Male.....	1	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	13	15	5	3	4	4	1	-	-	-	-	-
Male.....	10	13	2	3	2	2	-	-	-	-	-	-
Female.....	3	2	3	-	2	2	1	-	-	-	-	-
White, both sexes.....	11	12	3	3	2	4	1	-	-	-	-	-
Male.....	9	10	-	3	1	2	-	-	-	-	-	-
Female.....	2	2	3	-	1	2	1	-	-	-	-	-
Black, both sexes.....	1	2	2	-	1	-	-	-	-	-	-	-
Male.....	1	2	2	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral hepatitis (B15-B19)

New Hampshire

All races, both sexes.....	5	1	2	-	-	2	1	-	-	-	-	-
Male.....	3	1	2	-	-	2	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	4	1	2	-	-	2	1	-	-	-	-	-
Male.....	2	1	2	-	-	2	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	50	42	20	11	6	15	12	4	4	-	1	-
Male.....	34	31	14	8	1	6	5	1	3	-	-	-
Female.....	16	11	6	3	5	9	7	3	1	-	1	-
White, both sexes.....	36	32	16	8	2	12	11	1	4	-	1	-
Male.....	27	25	13	7	-	5	5	-	3	-	-	-
Female.....	9	7	3	1	2	7	6	1	1	-	1	-
Black, both sexes.....	13	10	4	3	3	2	1	2	-	-	-	-
Male.....	6	6	1	1	-	1	-	1	-	-	-	-
Female.....	7	4	3	2	3	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	1	-	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral hepatitis (B15-B19)

New Mexico

All races, both sexes.....	18	22	7	6	4	3	1	2	1	-	-	-
Male.....	12	17	6	3	3	1	1	-	-	-	-	-
Female.....	6	5	1	3	1	2	-	2	1	-	-	-
White, both sexes.....	18	22	7	6	4	2	1	2	1	-	-	-
Male.....	12	17	6	3	3	-	1	-	-	-	-	-
Female.....	6	5	1	3	1	2	-	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	114	101	51	48	26	28	18	11	4	-	-	-
Male.....	85	70	36	28	16	14	6	3	-	-	-	-
Female.....	29	31	15	20	10	14	12	8	4	-	-	-
White, both sexes.....	94	69	35	25	19	16	15	10	2	-	-	-
Male.....	73	49	24	15	10	9	5	3	-	-	-	-
Female.....	21	20	11	10	9	7	10	7	2	-	-	-
Black, both sexes.....	17	30	14	16	4	8	2	1	2	-	-	-
Male.....	10	21	10	8	4	5	-	-	-	-	-	-
Female.....	7	9	4	8	-	3	2	1	2	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	2	7	3	4	1	-	-	-	-	-
Male.....	2	-	2	5	2	-	1	-	-	-	-	-
Female.....	1	1	-	2	1	4	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral hepatitis (B15-B19)

Rhode Island

All races, both sexes.....	5	7	5	-	2	1	1	-	-	-	-	-
Male.....	3	5	5	-	1	-	-	-	-	-	-	-
Female.....	2	2	-	-	1	1	1	-	-	-	-	-
White, both sexes.....	4	6	5	-	2	-	1	-	-	-	-	-
Male.....	2	4	5	-	1	-	-	-	-	-	-	-
Female.....	2	2	-	-	1	-	1	-	-	-	-	-
Black, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	36	19	9	6	4	6	2	1	1	-	-	-
Male.....	26	14	5	2	3	3	1	-	-	-	-	-
Female.....	10	5	4	4	1	3	1	1	1	-	-	-
White, both sexes.....	24	13	6	5	3	4	2	1	1	-	-	-
Male.....	16	11	3	2	3	3	1	-	-	-	-	-
Female.....	8	2	3	3	-	1	1	1	1	-	-	-
Black, both sexes.....	12	6	3	1	1	1	-	-	-	-	-	-
Male.....	10	3	2	-	-	-	-	-	-	-	-	-
Female.....	2	3	1	1	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral hepatitis (B15-B19)

Texas

All races, both sexes.....	165	93	57	39	28	35	15	7	4	-	-	-
Male.....	129	64	33	20	15	12	4	1	-	-	-	-
Female.....	36	29	24	19	13	23	11	6	4	-	-	-
White, both sexes.....	141	79	45	33	26	31	14	7	3	-	-	-
Male.....	110	54	29	17	14	11	3	1	-	-	-	-
Female.....	31	25	16	16	12	20	11	6	3	-	-	-
Black, both sexes.....	23	13	9	4	2	1	1	-	1	-	-	-
Male.....	18	10	4	2	1	-	1	-	-	-	-	-
Female.....	5	3	5	2	1	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	1	-	3	-	-	-	-	-	-
Male.....	1	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	1	2	-	-	2	-	-	-	-	-	-

Utah

All races, both sexes.....	7	10	4	-	-	3	1	-	-	-	-	-
Male.....	7	7	4	-	-	-	1	-	-	-	-	-
Female.....	-	3	-	-	-	3	-	-	-	-	-	-
White, both sexes.....	5	10	3	-	-	2	1	-	-	-	-	-
Male.....	5	7	3	-	-	-	1	-	-	-	-	-
Female.....	-	3	-	-	-	2	-	-	-	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral hepatitis (B15-B19)

Vermont

All races, both sexes.....	1	3	-	-	1	1	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	1	-	-	-	-	-	-
White, both sexes.....	1	3	-	-	1	1	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	30	25	5	4	2	4	3	-	2	-	-	-
Male.....	21	22	3	2	-	1	-	-	1	-	-	-
Female.....	9	3	2	2	2	3	3	-	1	-	-	-
White, both sexes.....	26	18	5	2	1	4	1	-	2	-	-	-
Male.....	19	16	3	1	-	1	-	-	1	-	-	-
Female.....	7	2	2	1	1	3	1	-	1	-	-	-
Black, both sexes.....	4	5	-	-	1	-	1	-	-	-	-	-
Male.....	2	4	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	2	-	-	1	-	-	-	-	-
Male.....	-	2	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Human immunodeficiency virus (HIV) disease (B20-B24)

Florida

All races, both sexes.....	1,753	-	-	1	3	7	21	59	116	205	372	332
Male.....	1,189	-	-	1	1	5	10	33	51	124	249	226
Female.....	564	-	-	-	2	2	11	26	65	81	123	106
White, both sexes.....	655	-	-	-	-	2	5	15	27	78	149	119
Male.....	534	-	-	-	-	2	3	9	16	58	121	104
Female.....	121	-	-	-	-	-	2	6	11	20	28	15
Black, both sexes.....	1,093	-	-	1	3	5	16	44	89	127	221	212
Male.....	651	-	-	1	1	3	7	24	35	66	127	121
Female.....	442	-	-	-	2	2	9	20	54	61	94	91
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	684	1	-	-	1	-	13	29	41	101	131	136
Male.....	466	-	-	-	-	-	8	12	21	65	98	89
Female.....	218	1	-	-	1	-	5	17	20	36	33	47
White, both sexes.....	128	1	-	-	-	-	-	1	9	19	39	24
Male.....	111	-	-	-	-	-	-	1	8	17	35	19
Female.....	17	1	-	-	-	-	-	-	1	2	4	5
Black, both sexes.....	554	-	-	-	1	-	13	27	32	82	92	111
Male.....	355	-	-	-	-	-	8	11	13	48	63	70
Female.....	199	-	-	-	1	-	5	16	19	34	29	41
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Human immunodeficiency virus (HIV) disease (B20-B24)

New Mexico

All races, both sexes.....	39	1	-	-	-	-	-	1	2	7	11	5
Male.....	32	-	-	-	-	-	-	1	2	6	9	4
Female.....	7	1	-	-	-	-	-	-	-	1	2	1
White, both sexes.....	32	1	-	-	-	-	-	1	1	3	9	5
Male.....	27	-	-	-	-	-	-	1	1	3	8	4
Female.....	5	1	-	-	-	-	-	-	-	-	1	1
Black, both sexes.....	2	-	-	-	-	-	-	-	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	1	2	2	-
Male.....	4	-	-	-	-	-	-	-	1	2	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1,471	-	-	-	1	11	18	29	55	157	267	329
Male.....	991	-	-	-	-	9	7	19	35	96	161	222
Female.....	480	-	-	-	1	2	11	10	20	61	106	107
White, both sexes.....	637	-	-	-	1	3	5	8	21	69	129	142
Male.....	477	-	-	-	-	3	1	6	12	46	86	116
Female.....	160	-	-	-	1	-	4	2	9	23	43	26
Black, both sexes.....	816	-	-	-	-	8	12	21	34	85	136	183
Male.....	500	-	-	-	-	6	5	13	23	48	73	104
Female.....	316	-	-	-	-	2	7	8	11	37	63	79
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	2
Male.....	3	-	-	-	-	-	-	-	-	-	1	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	-	1	-	-	3	1	2
Male.....	11	-	-	-	-	-	1	-	-	2	1	1
Female.....	3	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Human immunodeficiency virus (HIV) disease (B20-B24)

New Mexico

All races, both sexes.....	5	3	1	1	2	-	-	-	-	-	-	-
Male.....	5	2	1	1	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	5	3	1	1	2	-	-	-	-	-	-	-
Male.....	5	2	1	1	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	263	175	83	44	22	11	5	1	-	-	-	-
Male.....	183	131	65	34	15	10	3	1	-	-	-	-
Female.....	80	44	18	10	7	1	2	-	-	-	-	-
White, both sexes.....	111	72	39	16	10	6	4	1	-	-	-	-
Male.....	85	59	32	14	8	5	3	1	-	-	-	-
Female.....	26	13	7	2	2	1	1	-	-	-	-	-
Black, both sexes.....	149	103	44	26	10	4	1	-	-	-	-	-
Male.....	95	72	33	18	6	4	-	-	-	-	-	-
Female.....	54	31	11	8	4	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	2	1	-	-	-	-	-	-
Male.....	3	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Unspecified human immunodeficiency virus (HIV) disease (B24)

Florida

All races, both sexes.....	641	-	-	-	1	3	12	24	45	78	150	127
Male.....	432	-	-	-	-	2	5	8	19	46	98	94
Female.....	209	-	-	-	1	1	7	16	26	32	52	33
White, both sexes.....	221	-	-	-	-	1	2	6	10	25	51	48
Male.....	180	-	-	-	-	1	2	2	3	17	41	43
Female.....	41	-	-	-	-	-	-	4	7	8	10	5
Black, both sexes.....	417	-	-	-	1	2	10	18	35	53	97	79
Male.....	250	-	-	-	-	1	3	6	16	29	56	51
Female.....	167	-	-	-	1	1	7	12	19	24	41	28
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	223	-	-	-	-	-	4	12	12	37	39	46
Male.....	150	-	-	-	-	-	4	5	9	21	27	31
Female.....	73	-	-	-	-	-	-	7	3	16	12	15
White, both sexes.....	41	-	-	-	-	-	-	-	3	5	12	8
Male.....	37	-	-	-	-	-	-	-	3	4	10	8
Female.....	4	-	-	-	-	-	-	-	-	1	2	-
Black, both sexes.....	181	-	-	-	-	-	4	11	9	32	27	38
Male.....	113	-	-	-	-	-	4	5	6	17	17	23
Female.....	68	-	-	-	-	-	-	6	3	15	10	15
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Unspecified human immunodeficiency virus (HIV) disease (B24)

New Mexico

All races, both sexes.....	9	-	-	-	-	-	-	1	1	-	4	-
Male.....	9	-	-	-	-	-	-	1	1	-	4	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	7	-	-	-	-	-	-	1	-	-	3	-
Male.....	7	-	-	-	-	-	-	1	-	-	3	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	1	-
Male.....	2	-	-	-	-	-	-	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	428	-	-	-	1	3	8	10	13	44	73	109
Male.....	303	-	-	-	-	2	3	5	10	26	56	75
Female.....	125	-	-	-	1	1	5	5	3	18	17	34
White, both sexes.....	183	-	-	-	1	1	3	1	3	18	35	40
Male.....	148	-	-	-	-	1	1	1	2	12	31	36
Female.....	35	-	-	-	1	-	2	-	1	6	4	4
Black, both sexes.....	243	-	-	-	-	2	5	9	10	24	38	69
Male.....	154	-	-	-	-	1	2	4	8	13	25	39
Female.....	89	-	-	-	-	1	3	5	2	11	13	30
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)

New Hampshire

All races, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	30	3	3	1	-	-	1	-	2	1	-	3
Male.....	12	2	2	-	-	-	-	-	-	1	-	1
Female.....	18	1	1	1	-	-	1	-	2	-	-	2
White, both sexes.....	18	2	2	1	-	-	-	-	-	1	-	1
Male.....	10	1	2	-	-	-	-	-	-	1	-	1
Female.....	8	1	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	9	-	-	-	-	-	1	-	1	-	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	1	-	1	-	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	1	-	-	-	-	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)

South Dakota

All races, both sexes.....	5	1	-	-	-	-	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	23	4	-	-	1	-	1	1	1	1	-	-
Male.....	14	1	-	-	1	-	-	1	-	1	-	-
Female.....	9	3	-	-	-	-	1	-	1	-	-	-
White, both sexes.....	18	1	-	-	1	-	-	1	-	1	-	-
Male.....	14	1	-	-	1	-	-	1	-	1	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	3	2	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	2	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)

Arkansas

All races, both sexes.....	2	-	1	-	1	-	1	2	-	-	-	-
Male.....	1	-	-	-	1	-	-	1	-	-	-	-
Female.....	1	-	1	-	-	-	1	1	-	-	-	-
White, both sexes.....	2	-	1	-	1	-	1	2	-	-	-	-
Male.....	1	-	-	-	1	-	-	1	-	-	-	-
Female.....	1	-	1	-	-	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	9	5	8	5	7	10	8	3	3	-	-
Male.....	4	4	-	2	3	3	5	5	2	-	-	-
Female.....	2	5	5	6	2	4	5	3	1	3	-	-
White, both sexes.....	5	9	5	7	3	6	9	8	2	3	-	-
Male.....	4	4	-	1	2	3	4	5	1	-	-	-
Female.....	1	5	5	6	1	3	5	3	1	3	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	1	1	-	1	-	-	-
Male.....	-	-	-	-	1	-	1	-	1	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)

Rhode Island

All races, both sexes.....	-	1	-	2	1	1	-	-	-	-	-	-
Male.....	-	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
White, both sexes.....	-	1	-	2	1	1	-	-	-	-	-	-
Male.....	-	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	1	2	1	2	1	-	2	1	1	-	-	-
Male.....	1	1	-	2	-	-	1	-	-	-	-	-
Female.....	-	1	1	-	1	-	1	1	1	-	-	-
White, both sexes.....	1	1	1	2	-	-	1	1	1	-	-	-
Male.....	1	1	-	2	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	1	-	-	-
Black, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)

Vermont

All races, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	1	1	4	2	1	5	1	1	-	1	-	-
Male.....	-	1	3	1	-	2	-	-	-	-	-	-
Female.....	1	-	1	1	1	3	1	1	-	1	-	-
White, both sexes.....	1	1	3	1	1	5	-	-	-	1	-	-
Male.....	-	1	2	-	-	2	-	-	-	-	-	-
Female.....	1	-	1	1	1	3	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	1	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

Arkansas

All races, both sexes.....	35	-	-	-	-	-	1	2	-	1	1	3
Male.....	18	-	-	-	-	-	-	2	-	-	1	3
Female.....	17	-	-	-	-	-	1	-	-	1	-	-
White, both sexes.....	31	-	-	-	-	-	1	1	-	-	1	2
Male.....	16	-	-	-	-	-	-	1	-	-	1	2
Female.....	15	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	4	-	-	-	-	-	-	1	-	1	-	1
Male.....	2	-	-	-	-	-	-	1	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	340	1	2	1	1	3	5	2	5	7	18	21
Male.....	195	1	2	-	-	2	4	1	3	6	15	14
Female.....	145	-	-	1	1	1	1	1	2	1	3	7
White, both sexes.....	261	-	2	1	1	2	5	-	4	4	12	17
Male.....	152	-	2	-	-	2	4	-	2	4	9	11
Female.....	109	-	-	1	1	-	1	-	2	-	3	6
Black, both sexes.....	42	1	-	-	-	1	-	1	1	3	5	1
Male.....	26	1	-	-	-	-	-	1	1	2	5	1
Female.....	16	-	-	-	-	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	36	-	-	-	-	-	-	1	-	-	1	2
Male.....	16	-	-	-	-	-	-	-	-	-	1	1
Female.....	20	-	-	-	-	-	-	1	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

New Mexico

All races, both sexes.....	21	-	-	-	-	-	-	-	-	-	1	-
Male.....	7	-	-	-	-	-	-	-	-	-	1	-
Female.....	14	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	20	-	-	-	-	-	-	-	-	-	1	-
Male.....	7	-	-	-	-	-	-	-	-	-	1	-
Female.....	13	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	177	1	-	-	1	1	1	3	4	1	13	11
Male.....	83	-	-	-	1	1	1	-	3	-	6	5
Female.....	94	1	-	-	-	-	-	3	1	1	7	6
White, both sexes.....	143	-	-	-	1	1	1	2	2	1	8	9
Male.....	68	-	-	-	1	1	1	-	2	-	4	4
Female.....	75	-	-	-	-	-	-	2	-	1	4	5
Black, both sexes.....	29	1	-	-	-	-	-	-	2	-	5	1
Male.....	11	-	-	-	-	-	-	-	1	-	2	-
Female.....	18	1	-	-	-	-	-	-	1	-	3	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	1	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

Arkansas

All races, both sexes.....	2	-	8	3	3	4	3	4	-	-	-	-
Male.....	1	-	4	1	3	1	1	1	-	-	-	-
Female.....	1	-	4	2	-	3	2	3	-	-	-	-
White, both sexes.....	2	-	8	3	3	4	3	3	-	-	-	-
Male.....	1	-	4	1	3	1	1	1	-	-	-	-
Female.....	1	-	4	2	-	3	2	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	37	33	33	29	28	32	44	23	11	4	-	-
Male.....	25	21	19	18	18	16	17	7	5	1	-	-
Female.....	12	12	14	11	10	16	27	16	6	3	-	-
White, both sexes.....	27	24	25	20	23	24	37	20	10	3	-	-
Male.....	19	16	15	14	15	13	15	5	5	1	-	-
Female.....	8	8	10	6	8	11	22	15	5	2	-	-
Black, both sexes.....	7	8	5	4	2	-	1	1	1	-	-	-
Male.....	5	4	3	2	1	-	-	-	-	-	-	-
Female.....	2	4	2	2	1	-	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	3	5	3	8	6	2	-	1	-	-
Male.....	1	1	1	2	2	3	2	2	-	-	-	-
Female.....	2	-	2	3	1	5	4	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

South Dakota

All races, both sexes.....	-	-	-	1	1	2	2	-	1	-	-	-
Male.....	-	-	-	-	-	2	1	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	-	1	-	-	-
White, both sexes.....	-	-	-	1	-	2	2	-	1	-	-	-
Male.....	-	-	-	-	-	2	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	3	6	6	7	11	8	8	10	1	3	-	-
Male.....	2	5	1	4	7	4	5	4	-	-	-	-
Female.....	1	1	5	3	4	4	3	6	1	3	-	-
White, both sexes.....	1	4	5	5	10	8	7	10	1	2	-	-
Male.....	1	3	1	3	7	4	4	4	-	-	-	-
Female.....	-	1	4	2	3	4	3	6	1	2	-	-
Black, both sexes.....	2	2	-	2	1	-	1	-	-	-	-	-
Male.....	1	2	-	1	-	-	1	-	-	-	-	-
Female.....	1	-	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Mycoses (B35-B49)

Arkansas

All races, both sexes.....	1	-	4	1	1	1	3	1	-	-	-	-
Male.....	-	-	1	1	1	-	1	-	-	-	-	-
Female.....	1	-	3	-	-	1	2	1	-	-	-	-
White, both sexes.....	1	-	4	1	1	1	3	-	-	-	-	-
Male.....	-	-	1	1	1	-	1	-	-	-	-	-
Female.....	1	-	3	-	-	1	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	17	12	12	16	14	12	19	8	4	1	-	-
Male.....	11	5	8	10	9	7	7	4	2	1	-	-
Female.....	6	7	4	6	5	5	12	4	2	-	-	-
White, both sexes.....	11	8	9	11	12	8	15	7	4	1	-	-
Male.....	8	3	6	8	7	5	6	3	2	1	-	-
Female.....	3	5	3	3	5	3	9	4	2	-	-	-
Black, both sexes.....	4	4	2	2	1	-	1	-	-	-	-	-
Male.....	3	2	2	-	1	-	-	-	-	-	-	-
Female.....	1	2	-	2	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	3	1	4	3	1	-	-	-	-
Male.....	-	-	-	2	1	2	1	1	-	-	-	-
Female.....	2	-	1	1	-	2	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Mycoses (B35-B49)

South Dakota

All races, both sexes.....	-	-	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	2	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	2	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	2	4	2	3	5	3	2	3	-	2	-	-
Male.....	1	4	-	1	3	1	1	2	-	-	-	-
Female.....	1	-	2	2	2	2	1	1	-	2	-	-
White, both sexes.....	1	2	2	1	4	3	2	3	-	1	-	-
Male.....	1	2	-	-	3	1	1	2	-	-	-	-
Female.....	-	-	2	1	1	2	1	1	-	1	-	-
Black, both sexes.....	1	2	-	2	1	-	-	-	-	-	-	-
Male.....	-	2	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Protozoal diseases (B50-B64)

Arkansas

All races, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1	1	1	2	3	-	2	1	-	-	-	-
Male.....	-	1	1	1	2	-	1	-	-	-	-	-
Female.....	1	-	-	1	1	-	1	1	-	-	-	-
White, both sexes.....	-	1	1	1	1	-	2	1	-	-	-	-
Male.....	-	1	1	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	1	-	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumocystosis (B59)

Arkansas

All races, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1	1	1	1	2	-	1	1	-	-	-	-
Male.....	-	1	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	1	1	-	1	1	-	-	-	-
White, both sexes.....	-	1	1	1	-	-	1	1	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	1	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Helminthiases (B65-B83)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4	-	-	-	-	-	-	1	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified helminthiases (B66-B83)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4	-	-	-	-	-	-	1	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Sequelae of tuberculosis (B90)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	-	1	1	1	-	3	1	1	1	-	-
Male.....	-	-	1	-	1	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	-	2	-	1	1	-	-
White, both sexes.....	-	-	-	1	1	-	2	-	1	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	1	-	1	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

New Mexico

All races, both sexes.....	9	-	-	-	-	-	-	-	-	-	1	-
Male.....	4	-	-	-	-	-	-	-	-	-	1	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	8	-	-	-	-	-	-	-	-	-	1	-
Male.....	4	-	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	69	-	-	-	-	-	-	1	1	-	1	4
Male.....	27	-	-	-	-	-	-	-	1	-	-	1
Female.....	42	-	-	-	-	-	-	1	-	-	1	3
White, both sexes.....	62	-	-	-	-	-	-	-	-	-	1	3
Male.....	24	-	-	-	-	-	-	-	-	-	-	1
Female.....	38	-	-	-	-	-	-	-	-	-	1	2
Black, both sexes.....	4	-	-	-	-	-	-	-	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

Arkansas

All races, both sexes.....	1	-	2	1	2	3	-	2	-	-	-	-
Male.....	1	-	2	-	2	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	2	-	1	-	-	-	-
White, both sexes.....	1	-	2	1	2	3	-	2	-	-	-	-
Male.....	1	-	2	-	2	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	2	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	18	20	15	7	7	10	10	4	4	2	-	-
Male.....	14	15	8	5	5	5	4	-	2	-	-	-
Female.....	4	5	7	2	2	5	6	4	2	2	-	-
White, both sexes.....	15	15	11	4	6	6	8	4	3	2	-	-
Male.....	11	12	7	4	5	4	3	-	2	-	-	-
Female.....	4	3	4	-	1	2	5	4	1	2	-	-
Black, both sexes.....	2	4	3	1	1	-	-	-	1	-	-	-
Male.....	2	2	1	1	-	-	-	-	-	-	-	-
Female.....	-	2	2	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	2	-	4	2	-	-	-	-	-
Male.....	1	1	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	1	2	-	3	1	-	-	-	-	-

